




































-  Secrets
-  ABAP
-  Apex
-  C
-  C++
-  CloudFormation
-  COBOL
-  C#
-  CSS
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML
















Go static code analysis

Unique rules to find Bugs, Security Hotspots, and Code Smells in your GO code

- All rules 38
-  Bug 7
-  Security Hotspot 2
-  Code Smell 29

Tags ▾

Search by name... 

Hard-coded credentials are security-sensitive
 Security Hotspot
Cognitive Complexity of functions should not be too high
 Code Smell
String literals should not be duplicated
 Code Smell
Functions should not be empty
 Code Smell
All branches in a conditional structure should not have exactly the same implementation
 Bug
"=+" should not be used instead of "+="
 Bug
Related "if/else if" statements should not have the same condition
 Bug
Identical expressions should not be used on both sides of a binary operator
 Bug
All code should be reachable
 Bug
Variables should not be self-assigned
 Bug
Functions should not have identical implementations
 Code Smell
Two branches in a conditional structure should not have exactly the same implementation
 Code Smell

"switch" statements should not have too many "case" clauses











Analyze your code

-  Code Smell
-  Major 
-  brain-overload

When `switch` statements have large sets of `case` clauses, it is usually an attempt to map two sets of data. A real map structure would be more readable and maintainable, and should be used instead.

Available In:
sonarcloud  | **sonarqube** 

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.
[Privacy Policy](#)

<div>"switch" statements should not have too many "case" clauses</div> <div> Code Smell</div>
<div>Track uses of "FIXME" tags</div> <div> Code Smell</div>
<div>Redundant pairs of parentheses should be removed</div> <div> Code Smell</div>
<div>Nested blocks of code should not be left empty</div> <div> Code Smell</div>
<div>Functions should not have too many parameters</div> <div> Code Smell</div>
<div>Using hardcoded IP addresses is security-sensitive</div> <div> Security Hotspot</div>
<div>Multi-line comments should not be empty</div> <div> Code Smell</div>
<div>Boolean checks should not be inverted</div> <div> Code Smell</div>
<div>Local variable and function parameter names should comply with a naming convention</div> <div> Code Smell</div>
<div>Boolean literals should not be redundant</div> <div> Code Smell</div>