
Code Smell 61





Flex static code analysis

Unique rules to find Bugs, Security Hotspots, and Code Smells in your FLEX code

Il rules 76 & Vulnerability 5	☐ Bug 9 ☐ Security Hotspot 1
	Tags
Security.allowDomain() should only be used in a tightly focused manner Substitute of the security of the s	Lines should not be too long
Vullerability	
The flash.system.Security.exactSettings property should never be set to false Vulnerability	Having to scroll horizontally makes it harder understanding of any piece of code.
Dynamic classes should not be used Code Smell	Available In: sonarcloud & sonarqube
G 5545 5115	
"LocalConnection" should be configured to narrowly specify the domains with which local connections to other Flex application are allowed	© 2008-2022 SonarSource S.A., Switzerland. All SONAR, SONARSOURCE, SONARLINT, SONAR trademarks of SonarSource S.A. All other trade
⑥ Vulnerability	property of their respective owners. All right
"default" clauses should be first or last	
Code Smell	
Event types should be defined in metadata tags	
Code Smell	
Event names should not be hardcoded in event listeners	
Code Smell	
The special "star" type should not be used	
Variables of the "Object" type should not be used	
Code Smell	
Methods should not be empty	
Code Smell	
Constant names should comply with a naming convention	
Code Smell	

All branches in a conditional structure should not have exactly the same

Classes that extend "Event" should

implementation

R Bug

Search by name... Q **Analyze your code** convention it harder to get a quick overview and ıbe 🏻

zerland. All content is copyright protected. NT, SONARQUBE and SONARCLOUD are other trademarks and copyrights are the ers. All rights are expressly reserved. acy Policy

override "Event.clone()" • Bug
Constructors should not dispatch events
Rug
"ManagedEvents" tags should have companion "Event" tags
∰ Bug
Objects should not be instantiated inside a loop
Two branches in a conditional structure should not have exactly the same implementation
Constructor bodies should be as lightweight as possible
Only "while", "do" and "for" statements should be labelled
Statements, operators and keywords specific to ActionScript 2 should not be used
"for" loop stop conditions should be invariant
Unused function parameters should be removed
Code Smell