

- Secrets
- ABAP
- Apex
- C
- C++
- CloudFormation
- COBOL
- C#
- CSS
- Flex
- Go
- HTML
- Java
- JavaScript
- Kotlin
- Objective C
- PHP
- PL/I
- PL/SQL
- Python
- RPG
- Ruby
- Scala
- Swift
- Terraform
- Text
- TypeScript
- T-SQL
- VB.NET
- VB6
- XML



# Ruby static code analysis

Unique rules to find Bugs, Security Hotspots, and Code Smells in your RUBY code

All rules 42

Bug 7

Security Hotspot 2

Code Smell 33

Tags

Search by name...

|  |            |
|--|------------|
| Class names should comply with a naming convention   | Code Smell |
| Method names should comply with a naming convention  | Code Smell |
| Track uses of "TODO" tags  | Code Smell |
| Track lack of copyright and license headers  | Code Smell |
| Octal values should not be used  | Code Smell |
| "case" statements should not be nested   | Code Smell |
| Control flow statements "if", "for", "while", "until", "case" and "begin...rescue" should not be nested too deeply | Code Smell |
| "if ... else if" constructs should end with "else" clauses   | Code Smell |
| Expressions should not be too complex  | Code Smell |
| Ruby parser failure  | Code Smell |
| Functions should not have too many lines of code   | Code Smell |
| Statements should be on separate lines   |            |

Unused local variables should be removed

Analyze your code

Code Smell

Minor ?

unused

If a local variable is declared but not used, it is dead code and should be removed. Doing so will improve maintainability because developers will not wonder what the variable is used for.

Available In:

sonarlint

sonarcloud

sonarqube

 Code Smell

"case when" clauses should not have too many lines of code

 Code Smell


Files should not have too many lines of code

 Code Smell

Lines should not be too long

 Code Smell

Tabulation characters should not be used

 Code Smell