Code Smell (99)





SAP ABAP

Apex Apex

**C** C

C++

CloudFormation

COBOL

C# C#

**E** CSS

**⋈** Flex

**-co** Go

5 HTML

👙 Java

Js JavaScript

Kotlin

Kubernetes

Objective C

PHP

PL/I PL/I

PL/SQL

**Python** 

RPG RPG

Ruby

Scala

Swift

Terraform

Text

Ts TypeScript

T-SQL

VB VB.NET

VB6 VB6

XML XML



## **Swift static code analysis**

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your SWIFT code

**R** Bug (14)

All rules (119) 6 Vulnerability (3) Hard-coded credentials are securitysensitive Security Hotspot Methods and field names should not be the same or differ only by capitalization Code Smell Cipher algorithms should be robust Vulnerability Using weak hashing algorithms is security-sensitive Security Hotspot **Cognitive Complexity of functions** should not be too high Code Smell "try!" should not be used Code Smell String literals should not be duplicated Code Smell Functions and closures should not be empty Code Smell Collection elements should not be replaced unconditionally 👬 Bug Collection sizes comparisons should make sense 📆 Bug

All branches in a conditional structure should not have exactly the same

Infix operators that end with "=" should

update their left operands

Precedence and associativity of standard operators should not be

implementation

Rug Bug

# Bug

changed

```
Tags
                                   Search by name...
All code should be reachable
                                         Analyze your code
        cwe unused
Jump statements (return, break, continue, and fallthrough) move
control flow out of the current code block. So any statements that come after
a jump are dead code.
Noncompliant Code Example
 func fun(a:Int)->Int{
   var i = 10;
   return i + a;
    i++;
                       // this is never executed
Compliant Solution
 func fun(a:Int)->Int{
   var i = 10;
    return i + a;
See
 • MITRE, CWE-561 - Dead Code
 Available In:
sonarlint ⊖ | sonarcloud ♠ | sonarqube | Developer Edition
```

Security Hotspot 3

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Privacy Policy

<b>R</b> Bug
Return values from functions without side effects should not be ignored
🖟 Bug
Related "if/else if" statements and "cases" in a "switch" should not have the same condition
👚 Bug
Identical expressions should not be used on both sides of a binary operator
👚 Bug
All code should be reachable
<b>fi</b> Bug
Loops with at most one iteration should be refactored
<b>n</b> Bug
"IBInspectable" should be used correctly
Code Smell
Functions should not have identical implementations
Ternary operators should not be nested
Code Smell
Closure expressions should not be nested too deeply
Backticks should not be used around