

1121_OrderStatus_LT_SDC



Date	Nov 22, 2019 4:47:33 AM
Project	1121_OrderStatus_2019
Scenario	OrderStatus_LT_1121
Comment	
Notes	1121_OrderStatus_LT_SDC

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	7
Hot spots.....	8
Errors.....	8
Alerts.....	8
General statistics.....	8
Transaction statistics.....	9
Execution context.....	15
Scenario	10
Servers.....	20
Cloud.....	21
Populations.....	22
User Paths.....	23
Transactions.....	24
Pages.....	26
Media Contents.....	29
Push messages.....	25
Monitors.....	30
Main graphs.....	127
Average page response time.....	127
Average request response time.....	128
Average response time (Transactions).....	129
Requests per second.....	130
Errors.....	131
Throughput.....	132
Response time against load.....	133
Distribution of Transaction Durations.....	134

Summary

Results summary

Name	04:46 - 22 Nov _SDC_OrderStatus_LT2	Project	1121_OrderStatus_2019
Description		Scenario	OrderStatus_LT_1121
Status	✓ Passed	Load Policy	• The population Scenario is customized
Start date	Nov 22, 2019 4:47:33 AM		
End date	Nov 22, 2019 5:37:51 AM	Stop Policy	• Population Scenario: immediate.
Duration	00:50:18		
Termination reason	Manual action	Filters	None
LG Hosts	34.69.174.207:443	Debug	Disabled
	,		
	35.223.248.45:443		
	,		
	35.224.182.244:443		
	,		
	104.154.103.158:443		
	,		
	35.222.78.128:443		
	,		
	35.188.5.233:443		
	,		
	35.223.128.171:443		
	,		
	34.66.215.183:443		
	,		
	35.192.56.132:443		
	,		
	35.232.208.235:443		
	,		
	35.193.50.200:443		
	,		
	35.226.56.29:443		
	,		
	34.70.241.218:443		
	,		
	35.225.120.0:443		
	,		
	146.148.44.97:443		
	,		
	34.69.136.171:443		
	,		
	34.68.167.220:443		
	,		
	35.225.215.202:443		
	,		
	35.224.83.2:443		
	,		
	35.193.82.167:443		
	,		
	35.238.3.203:443		
	,		
	34.66.51.108:443		
	,		
	35.192.163.145:443		
	,		
	35.223.110.47:443		
	,		
	130.211.224.114:443		
	,		
	35.223.57.51:443		
	,		
	34.66.227.38:443		
	,		
	35.232.242.65:443		
	,		
	34.69.230.230:443		
	,		
	35.238.35.208:443		
	,		
	35.194.61.110:443		
	,		

34.69.192.172:443		
,		
35.202.160.135:443		
,		
35.239.155.7:443		
,		
35.226.33.142:443		
,		
34.70.246.231:443		
,		
23.251.144.73:443		
,		
35.223.13.30:443		
,		
35.194.55.125:443		
,		
146.148.97.248:443		
,		
35.184.191.59:443		
,		
35.223.39.25:443		
,		
34.70.9.29:443		
,		
104.197.233.186:443		
,		
34.68.191.224:443		
,		
130.211.212.247:443		
,		
35.239.234.151:443		
,		
34.66.201.255:443		
,		
35.226.38.200:443		
,		
35.239.108.90:443		
,		
34.68.41.93:443		
,		
34.69.36.92:443		
,		
35.222.188.34:443		
,		
35.224.2.159:443		
,		
35.226.151.250:443		
,		
35.223.231.195:443		
,		
35.224.123.122:443		
,		
34.69.149.159:443		
,		
35.184.136.112:443		
,		
35.226.189.229:443		
,		
35.223.219.17:443		
,		
35.202.22.122:443		
,		
35.223.181.78:443		
,		
34.68.213.197:443		
,		
34.69.73.88:443		
,		
104.198.244.213:443		
,		
35.238.127.141:443		
,		
35.225.37.133:443		
,		
173.255.115.20:443		
,		
35.202.67.125:443		
,		

34.94.2.232:443		
,		
34.94.138.175:443		
,		
34.94.79.118:443		
,		
35.236.77.97:443		
,		
34.94.32.115:443		
,		
34.94.109.178:443		
,		
35.236.21.39:443		
,		
34.94.104.76:443		
,		
34.94.60.190:443		
,		
35.235.64.117:443		
,		
34.94.196.153:443		
,		
34.94.183.244:443		
,		
34.94.175.160:443		
,		
34.94.195.132:443		
,		
35.236.19.198:443		
,		
34.94.88.82:443		
,		
35.235.72.121:443		
,		
34.94.188.160:443		
,		
34.94.105.54:443		
,		
35.235.81.224:443		
,		
35.236.20.8:443		
,		
35.236.58.126:443		
,		
35.236.60.124:443		
,		
34.94.234.168:443		
,		
35.236.79.6:443		
,		
35.236.109.175:443		
,		
34.94.187.23:443		
,		
35.236.73.153:443		
,		
35.235.96.80:443		
,		
34.94.239.19:443		
,		
35.235.98.112:443		
,		
34.94.75.98:443		
,		
35.235.81.3:443		
,		
34.94.44.236:443		
,		
35.235.80.60:443		
,		
34.94.140.2:443		
,		
34.94.19.179:443		
,		
34.94.253.112:443		
,		
34.94.228.6:443		
,		


35.235.68.215:443
,
35.236.37.173:443
,
35.236.52.154:443
,
34.94.133.50:443
,
35.236.66.124:443
,
34.94.101.76:443
,
34.94.107.117:443
,
34.94.199.37:443
,
34.94.119.1:443
,
34.94.140.241:443
,
34.94.17.252:443
,
35.235.66.73:443
,
34.94.223.237:443
,
35.235.111.16:443
,
34.94.218.128:443
,
35.235.127.208:443
,
34.94.245.96:443
,
34.94.219.7:443
,
35.235.86.189:443
,
34.94.206.207:443
,
34.94.245.68:443
,
35.236.109.108:443
,
34.94.7.240:443
,
34.94.45.237:443
,
35.236.79.44:443
,
34.94.233.120:443
,
34.94.128.71:443
,
34.94.107.86:443
,
34.94.155.7:443
,
34.94.32.215:443
,
35.235.68.81:443
,
35.236.38.132:443
,
34.94.74.179:443
,
34.94.24.133:443
,
34.94.4.181:443
,
35.236.26.54:443
,
34.94.184.200:443
,
34.94.136.72:443
,
34.94.187.166:443
,

34.94.112.184:443		
34.94.84.117:443		
34.94.232.153:443		
35.235.64.212:443		
34.94.27.13:443		
34.94.8.236:443		
35.236.96.191:443		
35.236.78.99:443		
34.94.110.225:443		
34.94.88.237:443		
34.94.172.117:443		
34.94.230.4:443		

Statistics Summary

Total pages	4850220	—	Average pages/s	1,606.6	—
Total requests	14581301	—	Average requests/s	4,829.8	—
Total users launched	10000	—	Average Request response time	0.068 s	—
Total iterations completed	686094	—	Average Page response time	0.185 s	—
Total throughput	604,305 MB	—	Average throughput	1,601.34 Mb/s	—
Total request errors	7544	—	Error rate	0.1 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ☄ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
OrderStatus-Desktop-1121_Rv1	D_02_checkOrderstatus	/od/cust/orderStatus	3509
OrderStatus-Mobile-1121_Rv1	M_02_checkOrderstatus	/od/cust/orderStatus	3313
OrderStatus-Mobile-1121_Rv1	M_02_checkOrderstatus	/reactive/orderStatus/build/ord...ad222290b57.chunk.js	362
OrderStatus-Desktop-1121_Rv1	D_02_checkOrderstatus	/reactive/orderStatus/build/ord...ad222290b57.chunk.js	350
OrderStatus-Mobile-1121_Rv1	M_01_Launch	/askverizon/js/askverizon.js	3

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
OrderStatus-Mobile-1121_Rv1	M_02_checkOrderstatus	/od/cust/orderStatus	0.771
OrderStatus-Desktop-1121_Rv1	D_02_checkOrderstatus	/od/cust/orderStatus	0.771
OrderStatus-Mobile-1121_Rv1	M_01_Launch	/od/cust/orderStatusIndex	0.218
OrderStatus-Desktop-1121_Rv1	D_01_Launch	/od/cust/orderStatusIndex	0.218
OrderStatus-Mobile-1121_Rv1	M_01_Launch	/gtag/js	0.202

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
OrderStatus-Mobile-1121_Rv1	M_01_Launch	/askverizon/js/askverizon.js	300
OrderStatus-Mobile-1121_Rv1	M_02_checkOrderstatus	/reactive/orderStatus/build/ord...ad222290b57.chunk.js	59.7
OrderStatus-Desktop-1121_Rv1	D_02_checkOrderstatus	/reactive/orderStatus/build/ord...ad222290b57.chunk.js	59.3
OrderStatus-Desktop-1121_Rv1	D_02_checkOrderstatus	/od/cust/orderStatus	30.1
OrderStatus-Mobile-1121_Rv1	M_02_checkOrderstatus	/od/cust/orderStatus	30.1

Errors

Request errors

Error Type	Count	Description
Assertions	6,825	Validation of the response failed.
NL-NETWORK-01	719	Miscellaneous I/O error when connecting to the server.
Total	7,544	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
6.44	90	371.2	10,000	997	10	-
All pages						
0.002	0.185	300	4,850,220	7,541	0.2	-
All requests						
0	0.068	300	14,581,301	7,544	0.1	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.018	0.649	300.9	1,377,305	7,541	0.5	0.68	1.22	1.75	0.52	0.618	-

Scenario

Summary

Name	04:46 - 22 Nov _SDC_OrderStatus_LT2	Project	1121_OrderStatus_2019
Description		Scenario	OrderStatus_LT_1121
Status	✓ Passed	Load Policy	• The population Scenario is customized
Start date	Nov 22, 2019 4:47:33 AM		
End date	Nov 22, 2019 5:37:51 AM	Stop Policy	• Population Scenario: immediate.
Duration	00:50:18		
Termination reason	Manual action	Filters	None
LG Hosts	34.69.174.207:443 , 35.223.248.45:443 , 35.224.182.244:443 , 104.154.103.158:443 , 35.222.78.128:443 , 35.188.5.233:443 , 35.223.128.171:443 , 34.66.215.183:443 , 35.192.56.132:443 , 35.232.208.235:443 , 35.193.50.200:443 , 35.226.56.29:443 , 34.70.241.218:443 , 35.225.120.0:443 , 146.148.44.97:443 , 34.69.136.171:443 , 34.68.167.220:443 , 35.225.215.202:443 , 35.224.83.2:443 , 35.193.82.167:443 , 35.238.3.203:443 , 34.66.51.108:443 , 35.192.163.145:443 , 35.223.110.47:443 , 130.211.224.114:443 , 35.223.57.51:443 , 34.66.227.38:443 , 35.232.242.65:443 , 34.69.230.230:443 , 35.238.35.208:443 , 	Debug	Disabled

35.194.61.110:443		
,		
34.69.192.172:443		
,		
35.202.160.135:443		
,		
35.239.155.7:443		
,		
35.226.33.142:443		
,		
34.70.246.231:443		
,		
23.251.144.73:443		
,		
35.223.13.30:443		
,		
35.194.55.125:443		
,		
146.148.97.248:443		
,		
35.184.191.59:443		
,		
35.223.39.25:443		
,		
34.70.9.29:443		
,		
104.197.233.186:443		
,		
34.68.191.224:443		
,		
130.211.212.247:443		
,		
35.239.234.151:443		
,		
34.66.201.255:443		
,		
35.226.38.200:443		
,		
35.239.108.90:443		
,		
34.68.41.93:443		
,		
34.69.36.92:443		
,		
35.222.188.34:443		
,		
35.224.2.159:443		
,		
35.226.151.250:443		
,		
35.223.231.195:443		
,		
35.224.123.122:443		
,		
34.69.149.159:443		
,		
35.184.136.112:443		
,		
35.226.189.229:443		
,		
35.223.219.17:443		
,		
35.202.22.122:443		
,		
35.223.181.78:443		
,		
34.68.213.197:443		
,		
34.69.73.88:443		
,		
104.198.244.213:443		
,		
35.238.127.141:443		
,		
35.225.37.133:443		
,		
173.255.115.20:443		
,		

35.202.67.125:443		
,		
34.94.2.232:443		
,		
34.94.138.175:443		
,		
34.94.79.118:443		
,		
35.236.77.97:443		
,		
34.94.32.115:443		
,		
34.94.109.178:443		
,		
35.236.21.39:443		
,		
34.94.104.76:443		
,		
34.94.60.190:443		
,		
35.235.64.117:443		
,		
34.94.196.153:443		
,		
34.94.183.244:443		
,		
34.94.175.160:443		
,		
34.94.195.132:443		
,		
35.236.19.198:443		
,		
34.94.88.82:443		
,		
35.235.72.121:443		
,		
34.94.188.160:443		
,		
34.94.105.54:443		
,		
35.235.81.224:443		
,		
35.236.20.8:443		
,		
35.236.58.126:443		
,		
35.236.60.124:443		
,		
34.94.234.168:443		
,		
35.236.79.6:443		
,		
35.236.109.175:443		
,		
34.94.187.23:443		
,		
35.236.73.153:443		
,		
35.235.96.80:443		
,		
34.94.239.19:443		
,		
35.235.98.112:443		
,		
34.94.75.98:443		
,		
35.235.81.3:443		
,		
34.94.44.236:443		
,		
35.235.80.60:443		
,		
34.94.140.2:443		
,		
34.94.19.179:443		
,		
34.94.253.112:443		
,		

34.94.228.6:443		
,		
35.235.68.215:443		
,		
35.236.37.173:443		
,		
35.236.52.154:443		
,		
34.94.133.50:443		
,		
35.236.66.124:443		
,		
34.94.101.76:443		
,		
34.94.107.117:443		
,		
34.94.199.37:443		
,		
34.94.119.1:443		
,		
34.94.140.241:443		
,		
34.94.17.252:443		
,		
35.235.66.73:443		
,		
34.94.223.237:443		
,		
35.235.111.16:443		
,		
34.94.218.128:443		
,		
35.235.127.208:443		
,		
34.94.245.96:443		
,		
34.94.219.7:443		
,		
35.235.86.189:443		
,		
34.94.206.207:443		
,		
34.94.245.68:443		
,		
35.236.109.108:443		
,		
34.94.7.240:443		
,		
34.94.45.237:443		
,		
35.236.79.44:443		
,		
34.94.233.120:443		
,		
34.94.128.71:443		
,		
34.94.107.86:443		
,		
34.94.155.7:443		
,		
34.94.32.215:443		
,		
35.235.68.81:443		
,		
35.236.38.132:443		
,		
34.94.74.179:443		
,		
34.94.24.133:443		
,		
34.94.4.181:443		
,		
35.236.26.54:443		
,		
34.94.184.200:443		
,		
34.94.136.72:443		
,		

34.94.187.166:443		
,		
34.94.112.184:443		
,		
34.94.84.117:443		
,		
34.94.232.153:443		
,		
35.235.64.212:443		
,		
34.94.27.13:443		
,		
34.94.8.236:443		
,		
35.236.96.191:443		
,		
35.236.78.99:443		
,		
34.94.110.225:443		
,		
34.94.88.237:443		
,		
34.94.172.117:443		
,		
34.94.230.4:443		

Populations

Scenario

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
OrderStatus-Desktop-1121_Rv1	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
OrderStatus-Mobile-1121_Rv1	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
OrderStatus-Desktop-1121_Rv1		Go to the next iteration	Do nothing	0ms	0%
OrderStatus-Mobile-1121_Rv1		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	04:46 - 22 Nov _SDC_OrderStatus_LT2	Project	1121_OrderStatus_2019
Description		Scenario	OrderStatus_LT_1121
Status	✓ Passed	Load Policy	• The population Scenario is customized
Start date	Nov 22, 2019 4:47:33 AM		
End date	Nov 22, 2019 5:37:51 AM	Stop Policy	• Population Scenario: immediate.
Duration	00:50:18		
Termination reason	Manual action	Filters	None
LG Hosts	34.69.174.207:443 , 35.223.248.45:443 , 35.224.182.244:443 , 104.154.103.158:443 , 35.222.78.128:443 , 35.188.5.233:443 , 35.223.128.171:443 , 34.66.215.183:443 , 35.192.56.132:443 , 35.232.208.235:443 , 35.193.50.200:443 , 35.226.56.29:443 , 34.70.241.218:443 , 35.225.120.0:443 , 146.148.44.97:443 , 34.69.136.171:443 , 34.68.167.220:443 , 35.225.215.202:443 , 35.224.83.2:443 , 35.193.82.167:443 , 35.238.3.203:443 , 34.66.51.108:443 , 35.192.163.145:443 , 35.223.110.47:443 , 130.211.224.114:443 , 35.223.57.51:443 , 34.66.227.38:443 , 35.232.242.65:443 , 34.69.230.230:443 , 35.238.35.208:443 , 35.194.61.110:443 , 34.69.192.172:443	Debug	Disabled

,
35.202.160.135:443
,
35.239.155.7:443
,
35.226.33.142:443
,
34.70.246.231:443
,
23.251.144.73:443
,
35.223.13.30:443
,
35.194.55.125:443
,
146.148.97.248:443
,
35.184.191.59:443
,
35.223.39.25:443
,
34.70.9.29:443
,
104.197.233.186:443
,
34.68.191.224:443
,
130.211.212.247:443
,
35.239.234.151:443
,
34.66.201.255:443
,
35.226.38.200:443
,
35.239.108.90:443
,
34.68.41.93:443
,
34.69.36.92:443
,
35.222.188.34:443
,
35.224.2.159:443
,
35.226.151.250:443
,
35.223.231.195:443
,
35.224.123.122:443
,
34.69.149.159:443
,
35.184.136.112:443
,
35.226.189.229:443
,
35.223.219.17:443
,
35.202.22.122:443
,
35.223.181.78:443
,
34.68.213.197:443
,
34.69.73.88:443
,
104.198.244.213:443
,
35.238.127.141:443
,
35.225.37.133:443
,
173.255.115.20:443
,
35.202.67.125:443
,
34.94.2.232:443

,	34.94.138.175:443		
,	34.94.79.118:443		
,	35.236.77.97:443		
,	34.94.32.115:443		
,	34.94.109.178:443		
,	35.236.21.39:443		
,	34.94.104.76:443		
,	34.94.60.190:443		
,	35.235.64.117:443		
,	34.94.196.153:443		
,	34.94.183.244:443		
,	34.94.175.160:443		
,	34.94.195.132:443		
,	35.236.19.198:443		
,	34.94.88.82:443		
,	35.235.72.121:443		
,	34.94.188.160:443		
,	34.94.105.54:443		
,	35.235.81.224:443		
,	35.236.20.8:443		
,	35.236.58.126:443		
,	35.236.60.124:443		
,	34.94.234.168:443		
,	35.236.79.6:443		
,	35.236.109.175:443		
,	34.94.187.23:443		
,	35.236.73.153:443		
,	35.235.96.80:443		
,	34.94.239.19:443		
,	35.235.98.112:443		
,	34.94.75.98:443		
,	35.235.81.3:443		
,	34.94.44.236:443		
,	35.235.80.60:443		
,	34.94.140.2:443		
,	34.94.19.179:443		
,	34.94.253.112:443		
,	34.94.228.6:443		
,	35.235.68.215:443		

	,	35.236.37.173:443	
	,	35.236.52.154:443	
	,	34.94.133.50:443	
	,	35.236.66.124:443	
	,	34.94.101.76:443	
	,	34.94.107.117:443	
	,	34.94.199.37:443	
	,	34.94.119.1:443	
	,	34.94.140.241:443	
	,	34.94.17.252:443	
	,	35.235.66.73:443	
	,	34.94.223.237:443	
	,	35.235.111.16:443	
	,	34.94.218.128:443	
	,	35.235.127.208:443	
	,	34.94.245.96:443	
	,	34.94.219.7:443	
	,	35.235.86.189:443	
	,	34.94.206.207:443	
	,	34.94.245.68:443	
	,	35.236.109.108:443	
	,	34.94.7.240:443	
	,	34.94.45.237:443	
	,	35.236.79.44:443	
	,	34.94.233.120:443	
	,	34.94.128.71:443	
	,	34.94.107.86:443	
	,	34.94.155.7:443	
	,	34.94.32.215:443	
	,	35.235.68.81:443	
	,	35.236.38.132:443	
	,	34.94.74.179:443	
	,	34.94.24.133:443	
	,	34.94.4.181:443	
	,	35.236.26.54:443	
	,	34.94.184.200:443	
	,	34.94.136.72:443	
	,	34.94.187.166:443	
	,	34.94.112.184:443	

,	34.94.84.117:443		
,	34.94.232.153:443		
,	35.235.64.212:443		
,	34.94.27.13:443		
,	34.94.8.236:443		
,	35.236.96.191:443		
,	35.236.78.99:443		
,	34.94.110.225:443		
,	34.94.88.237:443		
,	34.94.172.117:443		
,	34.94.230.4:443		

NeoLoad version 6.8.0;build=20190103-16
 Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

OrderStatus-Desktop-1121_Rv1	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
OrderStatus-Mobile-1121_Rv1	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443		No
scache1.vzw.com	443		No
scache.vzw.com	443		No
scache2.vzw.com	443		No



Graphs



Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA Central - Iowa (Council Bluffs)	Google Compute Engine	70	6373729 (43.7%)	2,111.2	0.216s (+16.8%)	0% (-38.23%)
USA West - California (Los Angeles 2)	Google Compute Engine	90	8207572 (56.3%)	2,718.6	0.162s (-12.43%)	0.1% (+29.7%)
Global		160	14581301 (100%)	4,829.8	0.185s	0.1%



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
Scenario	14581301 (100%)	4,829.8	0.185s (0%)	0.1% (0%)
Global	14581301 (100%)	4,829.8	0.185s	0.1%







User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 OrderStatus-Desktop-1121_Rv1						
7.32	90	254.9	5,000	492	9.8	-
 OrderStatus-Mobile-1121_Rv1						
6.44	90	371.2	5,000	505	10.1	-







Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

OrderStatus-Desktop-1121_Rv1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 OrderStatus-Desktop-1121_Rv1											
7.32	90	254.9	5,000	492	9.8	-	-	-	-	-	-
 Init											
0	0	0.001	5,000	0	0	-	-	-	-	-	-
 Actions											
0.248	1.3	59.9	342,820	3,862	1.1	-	-	-	-	-	-
 D_01_Launch											
0.159	0.512	19.3	345,411	3	0	0.472	0.71	0.728	0.192	0.515	-
 D_02_checkOrderstatus											
0.018	0.786	59.7	342,820	3,859	1.1	0.746	1.42	2.04	0.586	0.754	-
 End											
0	0	0.001	5,000	0	0	-	-	-	-	-	-

OrderStatus-Mobile-1121_Rv1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 OrderStatus-Mobile-1121_Rv1											
6.44	90	371.2	5,000	505	10.1	-	-	-	-	-	-
 Init											
0	0	0.003	5,000	0	0	-	-	-	-	-	-
 Actions											
0.241	1.3	301.5	343,274	3,679	1.1	-	-	-	-	-	-
 M_01_Launch											
0.177	0.513	300.9	345,800	4	0	0.472	0.71	0.729	0.547	0.515	-
 M_02_checkOrderstatus											
0.019	0.785	60.3	343,274	3,675	1.1	0.746	1.42	2.02	0.574	0.753	-
 End											
0	0	0.001	5,000	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

OrderStatus-Desktop-1121_Rv1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						












OrderStatus-Mobile-1121_Rv1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						







Shared Containers






Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

OrderStatus-Desktop-1121_Rv1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 OrderStatus-Desktop-1121_Rv1						
7.32	90	254.9	5,000	492	9.8	-
 Actions						
0.248	1.3	59.9	342,820	3,862	1.1	-
 D_01_Launch						
0.159	0.512	19.3	345,411	3	0	-
 /od/cust/orderStatusIndex						
0.099	0.218	19.1	347,575	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.018	0.377	347,575	2	0	-
 /ui-one-digital/global-header/...ct.globalheader.json						
0.008	0.038	13	347,575	0	0	-
 /gtag/js						
0.008	0.202	9.12	347,575	1	0	-
 /inqchat.html						
0.014	0.034	1.06	347,575	0	0	-
 D_02_checkOrderstatus						
0.018	0.786	59.7	342,820	3,859	1.1	-
 /od/cust/orderStatus						
0.018	0.771	30.1	345,234	3,509	1	-
 /reactive/orderStatus/build/or...ad222290b57.chunk.js						
0.002	0.014	59.3	341,722	350	0.1	-

OrderStatus-Mobile-1121_Rv1












Min	Avg	Max	Count	Err	% of Err	SLA Profile
 OrderStatus-Mobile-1121_Rv1						
6.44	90	371.2	5,000	505	10.1	-
 Actions						
0.241	1.3	301.5	343,274	3,679	1.1	-
 M_01_Launch						
0.177	0.513	300.9	345,800	4	0	-
 /od/cust/orderStatusIndex						
0.097	0.218	21	347,480	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.019	300	347,480	3	0	-
 /ui-one-digital/global-header/...ct.globalheader.json						
0.008	0.038	8.36	347,480	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /gtag/js						
0.006	0.202	12.3	347,480	1	0	-
 /inqchat.html						
0.015	0.034	1.07	347,480	0	0	-
 M_02_checkOrderstatus						
0.019	0.785	60.3	343,274	3,675	1.1	-
 /od/cust/orderStatus						
0.019	0.771	30.1	345,652	3,313	1	-
 /reactive/orderStatus/build/or...ad222290b57.chunk.js						
0.002	0.014	59.7	342,337	362	0.1	-

Shared Containers

SLA	Value	Severity
Empty list		

OrderStatus-Desktop-1121_Rv1

SLA	Value	Severity
 OrderStatus-Desktop-1121_Rv1		
 Actions		
 D_01_Launch		
 /od/cust/orderStatusIndex		
 /askverizon/js/askverizon.js		
 /ui-one-digital/global-header/...ct.globalheader.json		
 /gtag/js		
 /inqchat.html		
 D_02_checkOrderstatus		
 /od/cust/orderStatus		
 /reactive/orderStatus/build/or...ad222290b57.chunk.js		

OrderStatus-Mobile-1121_Rv1

SLA	Value	Severity
 OrderStatus-Mobile-1121_Rv1		
 Actions		
 M_01_Launch		
 /od/cust/orderStatusIndex		
 /askverizon/js/askverizon.js		
 /ui-one-digital/global-header/...ct.globalheader.json		
 /gtag/js		
 /inqchat.html		
 M_02_checkOrderstatus		
 /od/cust/orderStatus		
 /reactive/orderStatus/build/or...ad222290b57.chunk.js		

OrderStatus-Desktop-1121_Rv1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

OrderStatus-Mobile-1121_Rv1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	5,469	10,000	5,970	5,491	2,928
Controller/Throughput					
0	1,602	3,038	1,691	1,605	851.6
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
6	23.9	98	24	23.8	6.16
Controller/Memory Used					
4	7.53	15	7	7.34	2
Controller/Thread Count					
1,141	1,265	2,763	1,253	1,256	107.4
Controller/Connected					
160	160	160	160	160	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	2,562	11,385	2,659	2,474	1,836
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA Central - Iowa (Council Bluffs)/User Load					
0	2,368	4,379	2,433	2,375	1,268
Controller/USA Central - Iowa (Council Bluffs)/Scenario/User Load					
0	2,368	4,379	2,433	2,375	1,268
Controller/USA Central - Iowa (Council Bluffs)/Scenario/...p-1121_Rv1/User Load					
0	1,185	2,190	1,216	1,189	634
Controller/USA Central - Iowa (Council Bluffs)/Scenario/...e-1121_Rv1/User Load					
0	1,183	2,189	1,217	1,187	634.2
Controller/USA West - California (Los Angeles 2)/User Load					
0	3,039	5,621	3,120	3,049	1,631
Controller/USA West - California (Los Angeles 2)/Scenario/User Load					
0	3,039	5,621	3,120	3,049	1,631
Controller/USA West - California (Los Angeles 2)/Scenario/...p-1121_Rv1/User Load					
0	1,519	2,810	1,560	1,524	815.5
Controller/USA West - California (Los Angeles 2)/Scenario/...e-1121_Rv1/User Load					
0	1,520	2,811	1,560	1,525	815.2

LG 104.154.103.158:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.103.158:443/CPU Load					
0	3.89	18	4	3.76	2.53
LG 104.154.103.158:443/Memory Used					
1	11.3	28	10	11.1	6.71
LG 104.154.103.158:443/Throughput					
0	9.99	27.9	9.52	9.85	6.24
LG 104.154.103.158:443/User Load					
0	34.2	63	36	34.4	18.2
LG 104.154.103.158:443/Thread Count					
40	93.8	124	96	94.1	18.5
LG 104.154.103.158:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 104.154.103.158:443/Http client/Task Pool used					
0	0	0.083	0	0	0.004
LG 104.154.103.158:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.103.158:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.103.158:443/Controller Connection/Ping Duration (ms)					
69	137.6	153	147	140.3	21.9
LG 104.154.103.158:443/Network/Segments sent/sec.					
1.6	449.4	1,213	432	443.1	276.6
LG 104.154.103.158:443/Network/Segments retransmitted/sec.					
0	0.006	0.39	0	0	0.036
LG 104.154.103.158:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.18	28.4	9.73	10.04	6.35
LG 104.154.103.158:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.476	1.19	0.461	0.472	0.268

LG 104.197.233.186:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.233.186:443/CPU Load					
0	3.71	20	4	3.6	2.39
LG 104.197.233.186:443/Memory Used					
1	12.5	31	12	12.2	7.73
LG 104.197.233.186:443/Throughput					
0	9.98	30.3	10.02	9.76	6.35
LG 104.197.233.186:443/User Load					
0	34.2	63	36	34.3	18.3
LG 104.197.233.186:443/Thread Count					
40	93.4	123	95	93.6	19
LG 104.197.233.186:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 104.197.233.186:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 104.197.233.186:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.233.186:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.233.186:443/Controller Connection/Ping Duration (ms)					
92	107.9	141	108	107.7	5.97

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.233.186:443/Network/Segments sent/sec.					
1.61	441.8	1,361	451.4	432.3	277.3
LG 104.197.233.186:443/Network/Segments retransmitted/sec.					
0	0.002	0.275	0	0	0.021
LG 104.197.233.186:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.2	31	10.24	9.98	6.49
LG 104.197.233.186:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.472	1.34	0.477	0.465	0.272

LG 104.198.244.213:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.244.213:443/CPU Load					
0	4.07	16	4	3.91	2.71
LG 104.198.244.213:443/Memory Used					
1	12.2	29	11	11.9	7.5
LG 104.198.244.213:443/Throughput					
0	10.01	29.9	9.78	9.74	6.46
LG 104.198.244.213:443/User Load					
0	34.3	63	38	34.5	18.2
LG 104.198.244.213:443/Thread Count					
40	93.7	123	97	94	18.7
LG 104.198.244.213:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 104.198.244.213:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 104.198.244.213:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.244.213:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.244.213:443/Controller Connection/Ping Duration (ms)					
56	106.4	146	107	106.7	9.32
LG 104.198.244.213:443/Network/Segments sent/sec.					
2.4	439.8	1,345	433.5	427.5	279.1
LG 104.198.244.213:443/Network/Segments retransmitted/sec.					
0	0.003	0.401	0	0	0.026
LG 104.198.244.213:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.23	30.6	10.03	9.95	6.59
LG 104.198.244.213:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.471	1.3	0.472	0.462	0.272

LG 130.211.212.247:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.212.247:443/CPU Load					
0	3.92	17	4	3.8	2.5
LG 130.211.212.247:443/Memory Used					
1	10.94	25	10	10.72	6.44
LG 130.211.212.247:443/Throughput					
0	10.01	28.7	9.88	9.8	6.42
LG 130.211.212.247:443/User Load					
0	34.3	63	38	34.4	18.2
LG 130.211.212.247:443/Thread Count					
40	93.6	123	97	93.9	18.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.212.247:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 130.211.212.247:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 130.211.212.247:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.212.247:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.212.247:443/Controller Connection/Ping Duration (ms)					
66	85.6	152	73	83.5	22.2
LG 130.211.212.247:443/Network/Segments sent/sec.					
1.6	446.1	1,254	440.6	437	281
LG 130.211.212.247:443/Network/Segments retransmitted/sec.					
0	0.008	0.4	0	0	0.04
LG 130.211.212.247:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.2	29.2	10.09	9.99	6.53
LG 130.211.212.247:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.474	1.22	0.467	0.468	0.274

LG 130.211.224.114:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.224.114:443/CPU Load					
0	4.18	12	4	4.15	2.08
LG 130.211.224.114:443/Memory Used					
1	12.3	30	11	12	7.55
LG 130.211.224.114:443/Throughput					
0	11.3	28.6	11.2	11.1	6.59
LG 130.211.224.114:443/User Load					
0	33.7	62	35	33.8	18.2
LG 130.211.224.114:443/Thread Count					
40	93	122	94	93.3	18.8
LG 130.211.224.114:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 130.211.224.114:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 130.211.224.114:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.224.114:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.224.114:443/Controller Connection/Ping Duration (ms)					
57	109.5	137	112	110.8	10.43
LG 130.211.224.114:443/Network/Segments sent/sec.					
1.6	514.5	1,279	512.8	508.5	293.6
LG 130.211.224.114:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.027
LG 130.211.224.114:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	29.2	11.5	11.4	6.72
LG 130.211.224.114:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.556	1.26	0.567	0.553	0.286

LG 146.148.44.97:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 146.148.44.97:443/CPU Load					
0	3.85	14	4	3.75	2.34
LG 146.148.44.97:443/Memory Used					
1	13.2	32	12	12.8	8.34
LG 146.148.44.97:443/Throughput					
0	9.97	31	10.18	9.75	6.22
LG 146.148.44.97:443/User Load					
0	34.2	63	36	34.4	18.2
LG 146.148.44.97:443/Thread Count					
40	93.7	123	95	93.9	18.5
LG 146.148.44.97:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 146.148.44.97:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 146.148.44.97:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 146.148.44.97:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 146.148.44.97:443/Controller Connection/Ping Duration (ms)					
61	107.3	153	112	108	15.4
LG 146.148.44.97:443/Network/Segments sent/sec.					
1.6	447.7	1,421	459.9	437.3	276.9
LG 146.148.44.97:443/Network/Segments retransmitted/sec.					
0	0.009	1.2	0	0	0.068
LG 146.148.44.97:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.16	31.6	10.4	9.94	6.34
LG 146.148.44.97:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.474	1.36	0.49	0.467	0.269

LG 146.148.97.248:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 146.148.97.248:443/CPU Load					
0	3.51	15	3	3.42	2.2
LG 146.148.97.248:443/Memory Used					
1	13.6	33	12	13.3	8.5
LG 146.148.97.248:443/Throughput					
0	9.84	28	8.91	9.64	6.32
LG 146.148.97.248:443/User Load					
0	33.9	62	37	34	18.2
LG 146.148.97.248:443/Thread Count					
40	93.2	122	97	93.5	18.9
LG 146.148.97.248:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 146.148.97.248:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 146.148.97.248:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 146.148.97.248:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 146.148.97.248:443/Controller Connection/Ping Duration (ms)					
96	107.5	147	105	106.5	7.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 146.148.97.248:443/Network/Segments sent/sec.					
1.6	441	1,279	399.4	431.6	281
LG 146.148.97.248:443/Network/Segments retransmitted/sec.					
0	0.002	0.204	0	0	0.02
LG 146.148.97.248:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	28.6	9.1	9.86	6.46
LG 146.148.97.248:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.469	1.23	0.433	0.463	0.271

LG 173.255.115.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 173.255.115.20:443/CPU Load					
0	3.64	15	4	3.54	2.25
LG 173.255.115.20:443/Memory Used					
1	14.1	36	12	13.8	9.13
LG 173.255.115.20:443/Throughput					
0	9.86	29.9	9.64	9.64	6.31
LG 173.255.115.20:443/User Load					
0	33.9	62	37	34	18.2
LG 173.255.115.20:443/Thread Count					
40	93.2	124	96	93.5	18.9
LG 173.255.115.20:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 173.255.115.20:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 173.255.115.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 173.255.115.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 173.255.115.20:443/Controller Connection/Ping Duration (ms)					
68	105.4	151	112	105.1	19.9
LG 173.255.115.20:443/Network/Segments sent/sec.					
1.6	445.9	1,355	435.8	436	282.5
LG 173.255.115.20:443/Network/Segments retransmitted/sec.					
0	0.005	0.416	0	0	0.035
LG 173.255.115.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.05	30.4	9.83	9.83	6.42
LG 173.255.115.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.472	1.32	0.461	0.464	0.273

LG 23.251.144.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.251.144.73:443/CPU Load					
0	4.18	19	4	4.04	2.68
LG 23.251.144.73:443/Memory Used					
1	11.8	28	11	11.5	7.16
LG 23.251.144.73:443/Throughput					
0	9.96	26.7	10.13	9.74	6.27
LG 23.251.144.73:443/User Load					
0	34.2	63	35.5	34.3	18.1
LG 23.251.144.73:443/Thread Count					
40	93.6	124	95.5	93.8	18.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.251.144.73:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 23.251.144.73:443/Http client/Task Pool used					
0	0	0.05	0	0	0.002
LG 23.251.144.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.251.144.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.251.144.73:443/Controller Connection/Ping Duration (ms)					
71	103.4	158	76	102.2	34
LG 23.251.144.73:443/Network/Segments sent/sec.					
1.6	442.7	1,217	452.6	432.1	276.2
LG 23.251.144.73:443/Network/Segments retransmitted/sec.					
0	0.005	0.402	0	0	0.037
LG 23.251.144.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.15	27.2	10.33	9.92	6.39
LG 23.251.144.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.471	1.17	0.481	0.463	0.267

LG 34.66.201.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.201.255:443/CPU Load					
0	4.17	17	4	4.04	2.6
LG 34.66.201.255:443/Memory Used					
1	14.3	37	13	13.9	9.27
LG 34.66.201.255:443/Throughput					
0	9.84	26.8	9.41	9.62	6.28
LG 34.66.201.255:443/User Load					
0	33.7	62	36	33.9	18.3
LG 34.66.201.255:443/Thread Count					
40	92.9	122	95	93.3	19.1
LG 34.66.201.255:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.66.201.255:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.66.201.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.201.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.201.255:443/Controller Connection/Ping Duration (ms)					
71	110.5	160	113	110.1	17.3
LG 34.66.201.255:443/Network/Segments sent/sec.					
1.6	434.5	1,160	419.5	424.8	274.5
LG 34.66.201.255:443/Network/Segments retransmitted/sec.					
0	0.005	0.8	0	0	0.047
LG 34.66.201.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.03	27.3	9.57	9.81	6.4
LG 34.66.201.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.465	1.14	0.455	0.458	0.268

LG 34.66.215.183:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.215.183:443/CPU Load					
0	3.75	20	4	3.61	2.52
LG 34.66.215.183:443/Memory Used					
1	13.8	34	12	13.4	8.53
LG 34.66.215.183:443/Throughput					
0	10.07	28.7	9.7	9.88	6.37
LG 34.66.215.183:443/User Load					
0	34.4	63	38	34.6	18.2
LG 34.66.215.183:443/Thread Count					
40	93.9	124	98	94.1	18.6
LG 34.66.215.183:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.66.215.183:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.66.215.183:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.215.183:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.215.183:443/Controller Connection/Ping Duration (ms)					
56	107.4	119	112	109.4	12.4
LG 34.66.215.183:443/Network/Segments sent/sec.					
1.6	445.3	1,255	428.5	436.6	279.3
LG 34.66.215.183:443/Network/Segments retransmitted/sec.					
0	0.001	0.401	0	0	0.02
LG 34.66.215.183:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.29	29.3	9.92	10.1	6.51
LG 34.66.215.183:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.475	1.21	0.467	0.469	0.27

LG 34.66.227.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.227.38:443/CPU Load					
0	3.84	17	4	3.72	2.5
LG 34.66.227.38:443/Memory Used					
1	14.6	36	13	14.2	9.26
LG 34.66.227.38:443/Throughput					
0	10	25.8	9.59	9.85	6.26
LG 34.66.227.38:443/User Load					
0	34.3	63	37	34.4	18.2
LG 34.66.227.38:443/Thread Count					
40	93.7	125	97	94	18.9
LG 34.66.227.38:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.66.227.38:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.66.227.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.227.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.227.38:443/Controller Connection/Ping Duration (ms)					
67	107.6	147	106	106.7	11.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.227.38:443/Network/Segments sent/sec.					
1.6	442.7	1,124	427.2	435.1	273.1
LG 34.66.227.38:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 34.66.227.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.22	26.3	9.78	10.06	6.39
LG 34.66.227.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.473	1.14	0.46	0.469	0.267

LG 34.66.51.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.51.108:443/CPU Load					
0	3.66	17	4	3.54	2.49
LG 34.66.51.108:443/Memory Used					
1	14.5	37	13	14.1	9.19
LG 34.66.51.108:443/Throughput					
0	10	29.7	9.37	9.79	6.71
LG 34.66.51.108:443/User Load					
0	34.2	63	36	34.3	18.2
LG 34.66.51.108:443/Thread Count					
40	93.7	125	95	93.9	19
LG 34.66.51.108:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.66.51.108:443/Http client/Task Pool used					
0	0	0.083	0	0	0.004
LG 34.66.51.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.51.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.51.108:443/Controller Connection/Ping Duration (ms)					
64	84.2	110	75	84	16.6
LG 34.66.51.108:443/Network/Segments sent/sec.					
2.4	453.4	1,360	426.7	443.5	301.9
LG 34.66.51.108:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.025
LG 34.66.51.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.2	30.3	9.52	9.99	6.84
LG 34.66.51.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.478	1.28	0.455	0.471	0.29

LG 34.68.167.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.167.220:443/CPU Load					
0	4.14	18	4	3.99	2.71
LG 34.68.167.220:443/Memory Used					
1	13.4	34	12	13	8.49
LG 34.68.167.220:443/Throughput					
0	10.02	31.5	9.84	9.77	6.52
LG 34.68.167.220:443/User Load					
0	34.3	63	37	34.4	18.3
LG 34.68.167.220:443/Thread Count					
40	93.6	124	96	93.8	19.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.167.220:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.68.167.220:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.68.167.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.167.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.167.220:443/Controller Connection/Ping Duration (ms)					
68	112.1	152	113	112.7	9.27
LG 34.68.167.220:443/Network/Segments sent/sec.					
1.6	437.6	1,378	432.8	426.8	281.9
LG 34.68.167.220:443/Network/Segments retransmitted/sec.					
0	0.001	0.204	0	0	0.016
LG 34.68.167.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.23	32.2	10.04	9.98	6.65
LG 34.68.167.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.469	1.35	0.458	0.462	0.275

LG 34.68.191.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.191.224:443/CPU Load					
0	3.58	18	4	3.49	2.32
LG 34.68.191.224:443/Memory Used					
1	11.7	28	11	11.4	6.96
LG 34.68.191.224:443/Throughput					
0	9.86	27.9	9.46	9.66	6.45
LG 34.68.191.224:443/User Load					
0	33.7	62	35	33.8	18.1
LG 34.68.191.224:443/Thread Count					
40	93.1	122	95	93.4	18.6
LG 34.68.191.224:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.191.224:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.68.191.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.191.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.191.224:443/Controller Connection/Ping Duration (ms)					
62	81.3	114	70	80.8	17.7
LG 34.68.191.224:443/Network/Segments sent/sec.					
1.6	446.6	1,264	427.8	437.9	288.2
LG 34.68.191.224:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.68.191.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.06	28.5	9.64	9.86	6.58
LG 34.68.191.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.471	1.22	0.45	0.466	0.279

LG 34.68.213.197:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.213.197:443/CPU Load					
0	3.82	18	4	3.7	2.46
LG 34.68.213.197:443/Memory Used					
1	11.8	28	11	11.5	7.4
LG 34.68.213.197:443/Throughput					
0	9.98	29.5	9.64	9.76	6.35
LG 34.68.213.197:443/User Load					
0	34.2	63	35	34.3	18.2
LG 34.68.213.197:443/Thread Count					
40	93.6	123	94	93.8	18.8
LG 34.68.213.197:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.68.213.197:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.68.213.197:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.213.197:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.213.197:443/Controller Connection/Ping Duration (ms)					
58	105.7	146	109	105.8	17.3
LG 34.68.213.197:443/Network/Segments sent/sec.					
1.6	450.1	1,351	436.4	440.4	282.3
LG 34.68.213.197:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.03
LG 34.68.213.197:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.17	30.1	9.83	9.95	6.46
LG 34.68.213.197:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.476	1.32	0.461	0.468	0.273

LG 34.68.41.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.41.93:443/CPU Load					
0	4.29	25	4	4.12	2.79
LG 34.68.41.93:443/Memory Used					
1	11.6	27	10	11.3	7.18
LG 34.68.41.93:443/Throughput					
0	9.89	29.3	9.69	9.59	6.51
LG 34.68.41.93:443/User Load					
0	33.8	62	36	33.9	18.2
LG 34.68.41.93:443/Thread Count					
40	93.2	122	96	93.5	18.9
LG 34.68.41.93:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.68.41.93:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.008
LG 34.68.41.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.41.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.41.93:443/Controller Connection/Ping Duration (ms)					
58	101.6	148	108	101.6	18.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.41.93:443/Network/Segments sent/sec.					
1.6	439.3	1,322	432.7	425.6	285.9
LG 34.68.41.93:443/Network/Segments retransmitted/sec.					
0	0.005	0.8	0	0	0.044
LG 34.68.41.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	29.7	9.85	9.77	6.63
LG 34.68.41.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.47	1.26	0.466	0.46	0.277

LG 34.69.136.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.136.171:443/CPU Load					
0	3.52	15	4	3.42	2.28
LG 34.69.136.171:443/Memory Used					
1	13.6	35	12	13.2	8.77
LG 34.69.136.171:443/Throughput					
0	9.84	30.2	9.66	9.6	6.49
LG 34.69.136.171:443/User Load					
0	33.7	62	35	33.8	18.2
LG 34.69.136.171:443/Thread Count					
40	93.1	123	94	93.4	18.9
LG 34.69.136.171:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.69.136.171:443/Http client/Task Pool used					
0	0	0.15	0	0	0.006
LG 34.69.136.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.136.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.136.171:443/Controller Connection/Ping Duration (ms)					
64	119.4	152	105	120.5	30.1
LG 34.69.136.171:443/Network/Segments sent/sec.					
1.6	442.2	1,345	427.1	430.9	288.6
LG 34.69.136.171:443/Network/Segments retransmitted/sec.					
0	0.004	0.432	0	0	0.029
LG 34.69.136.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.04	30.7	9.8	9.79	6.62
LG 34.69.136.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.469	1.32	0.462	0.461	0.279

LG 34.69.149.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.149.159:443/CPU Load					
0	3.69	18	4	3.6	2.32
LG 34.69.149.159:443/Memory Used					
1	14.8	37	13	14.4	9.68
LG 34.69.149.159:443/Throughput					
0	9.89	24.8	10.08	9.76	6.17
LG 34.69.149.159:443/User Load					
0	33.8	62	37	34.1	18.2
LG 34.69.149.159:443/Thread Count					
40	93	122	96	93.4	18.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.149.159:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.149.159:443/Http client/Task Pool used					
0	0	0.083	0	0	0.004
LG 34.69.149.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.149.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.149.159:443/Controller Connection/Ping Duration (ms)					
66	104	146	108	103.6	17.4
LG 34.69.149.159:443/Network/Segments sent/sec.					
1.59	446.4	1,120	452.9	441	274.8
LG 34.69.149.159:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.025
LG 34.69.149.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.08	25.3	10.28	9.96	6.29
LG 34.69.149.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.472	1.11	0.488	0.469	0.268

LG 34.69.174.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.174.207:443/CPU Load					
0	3.68	15	4	3.58	2.4
LG 34.69.174.207:443/Memory Used					
1	11.7	29	11	11.5	7.22
LG 34.69.174.207:443/Throughput					
0	9.94	27.1	9.52	9.8	6.33
LG 34.69.174.207:443/User Load					
0	34	63	35.5	34.2	18.2
LG 34.69.174.207:443/Thread Count					
40	93.6	125	95.5	93.9	18.8
LG 34.69.174.207:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.69.174.207:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.69.174.207:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.174.207:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.174.207:443/Controller Connection/Ping Duration (ms)					
74	107.9	162	107	107.4	11.7
LG 34.69.174.207:443/Network/Segments sent/sec.					
1.6	441.1	1,228	416.2	434.3	278.4
LG 34.69.174.207:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.029
LG 34.69.174.207:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.16	27.7	9.73	10.01	6.46
LG 34.69.174.207:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.47	1.2	0.454	0.466	0.271

LG 34.69.192.172:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.192.172:443/CPU Load					
0	3.5	18	3	3.35	2.39
LG 34.69.192.172:443/Memory Used					
1	15.1	37	14	14.8	9.56
LG 34.69.192.172:443/Throughput					
0	10.08	30.5	9.17	9.77	6.68
LG 34.69.192.172:443/User Load					
0	34.6	63	38	34.8	18.3
LG 34.69.192.172:443/Thread Count					
40	94	125	97	94.2	18.9
LG 34.69.192.172:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.69.192.172:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.69.192.172:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.192.172:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.192.172:443/Controller Connection/Ping Duration (ms)					
101	113.7	155	113	112.1	10.65
LG 34.69.192.172:443/Network/Segments sent/sec.					
1.6	451.3	1,378	418.4	437.2	294.8
LG 34.69.192.172:443/Network/Segments retransmitted/sec.					
0	0.002	0.6	0	0	0.03
LG 34.69.192.172:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.31	31.1	9.4	9.99	6.83
LG 34.69.192.172:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.479	1.36	0.446	0.468	0.287

LG 34.69.230.230:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.230.230:443/CPU Load					
0	4.09	16	4	3.95	2.61
LG 34.69.230.230:443/Memory Used					
1	15	37	13	14.6	9.54
LG 34.69.230.230:443/Throughput					
0	9.96	31.5	9.4	9.63	6.6
LG 34.69.230.230:443/User Load					
0	34	63	36	34.1	18.3
LG 34.69.230.230:443/Thread Count					
40	93.8	123	96	94	18.7
LG 34.69.230.230:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.69.230.230:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.69.230.230:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.230.230:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.230.230:443/Controller Connection/Ping Duration (ms)					
63	89.6	114	75	89.6	20.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.230.230:443/Network/Segments sent/sec.					
1.6	444.6	1,408	420.3	428.7	292.9
LG 34.69.230.230:443/Network/Segments retransmitted/sec.					
0	0.003	0.343	0	0	0.026
LG 34.69.230.230:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.16	32.1	9.6	9.82	6.73
LG 34.69.230.230:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.473	1.39	0.449	0.46	0.282

LG 34.69.36.92:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.36.92:443/CPU Load					
0	3.78	17	4	3.66	2.49
LG 34.69.36.92:443/Memory Used					
1	14	34	12	13.6	9.01
LG 34.69.36.92:443/Throughput					
0	10.04	31.5	10.53	9.79	6.6
LG 34.69.36.92:443/User Load					
0	34.4	63	38	34.5	18.2
LG 34.69.36.92:443/Thread Count					
40	93.8	124	97	94	18.9
LG 34.69.36.92:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.69.36.92:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 34.69.36.92:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.36.92:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.36.92:443/Controller Connection/Ping Duration (ms)					
75	111.2	155	109	110.7	10.95
LG 34.69.36.92:443/Network/Segments sent/sec.					
1.6	444.4	1,352	474.8	433.5	288.4
LG 34.69.36.92:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.017
LG 34.69.36.92:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.25	32.1	10.79	10	6.73
LG 34.69.36.92:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.474	1.36	0.494	0.465	0.28

LG 34.69.73.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.73.88:443/CPU Load					
0	3.86	26	4	3.75	2.6
LG 34.69.73.88:443/Memory Used					
1	13	31	12	12.7	7.99
LG 34.69.73.88:443/Throughput					
0	10.04	26.8	9.96	9.89	6.52
LG 34.69.73.88:443/User Load					
0	34.5	63	38	34.6	18.2
LG 34.69.73.88:443/Thread Count					
40	93.9	123	97	94.2	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.73.88:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.69.73.88:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.69.73.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.73.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.73.88:443/Controller Connection/Ping Duration (ms)					
55	97.6	148	75	96.8	31.7
LG 34.69.73.88:443/Network/Segments sent/sec.					
1.6	449.2	1,209	447.7	441.9	286.9
LG 34.69.73.88:443/Network/Segments retransmitted/sec.					
0	0.006	0.602	0	0	0.043
LG 34.69.73.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.24	27.3	10.12	10.08	6.63
LG 34.69.73.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.478	1.27	0.478	0.473	0.28

LG 34.70.241.218:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.241.218:443/CPU Load					
0	3.97	17	4	3.87	2.43
LG 34.70.241.218:443/Memory Used					
1	14.4	37	13	14	9.4
LG 34.70.241.218:443/Throughput					
0	9.92	28.5	9.52	9.74	6.3
LG 34.70.241.218:443/User Load					
0	33.8	62	36	34	18.2
LG 34.70.241.218:443/Thread Count					
40	93.3	123	96	93.6	18.9
LG 34.70.241.218:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.70.241.218:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.70.241.218:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.241.218:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.241.218:443/Controller Connection/Ping Duration (ms)					
56	84.3	114	69	83.9	19.9
LG 34.70.241.218:443/Network/Segments sent/sec.					
1.6	441.5	1,267	426.8	433.4	276.1
LG 34.70.241.218:443/Network/Segments retransmitted/sec.					
0	0.006	0.4	0	0	0.036
LG 34.70.241.218:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.12	29	9.71	9.93	6.42
LG 34.70.241.218:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.47	1.26	0.459	0.464	0.271

LG 34.70.246.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.246.231:443/CPU Load					
0	4	17	4	3.85	2.63
LG 34.70.246.231:443/Memory Used					
1	12.6	31	11	12.3	7.85
LG 34.70.246.231:443/Throughput					
0	9.9	26.1	9.64	9.77	6.12
LG 34.70.246.231:443/User Load					
0	34	63	35.5	34.1	18.2
LG 34.70.246.231:443/Thread Count					
40	93.5	124	94.5	93.7	18.8
LG 34.70.246.231:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.70.246.231:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.70.246.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.246.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.246.231:443/Controller Connection/Ping Duration (ms)					
57	110	164	109	109.3	15
LG 34.70.246.231:443/Network/Segments sent/sec.					
1.6	444.5	1,149	435.1	438.9	270.9
LG 34.70.246.231:443/Network/Segments retransmitted/sec.					
0	0.004	1.4	0	0	0.06
LG 34.70.246.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.09	26.6	9.8	9.96	6.23
LG 34.70.246.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.473	2.16	0.467	0.467	0.271

LG 34.70.9.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.9.29:443/CPU Load					
0	4.18	19	4	4.04	2.61
LG 34.70.9.29:443/Memory Used					
1	12.3	29	11	12	7.5
LG 34.70.9.29:443/Throughput					
0	9.9	33.8	9.63	9.61	6.38
LG 34.70.9.29:443/User Load					
0	33.9	63	34	34	18
LG 34.70.9.29:443/Thread Count					
40	93.4	123	94	93.5	18.6
LG 34.70.9.29:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.9.29:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.70.9.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.9.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.9.29:443/Controller Connection/Ping Duration (ms)					
73	92.4	153	75	90.7	20.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.9.29:443/Network/Segments sent/sec.					
1.6	439.7	1,510	427.3	426.8	278.7
LG 34.70.9.29:443/Network/Segments retransmitted/sec.					
0	0.004	0.397	0	0	0.03
LG 34.70.9.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.09	34.6	9.82	9.79	6.49
LG 34.70.9.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.469	1.46	0.459	0.459	0.271

LG 35.184.136.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.136.112:443/CPU Load					
0	3.83	18	4	3.67	2.66
LG 35.184.136.112:443/Memory Used					
1	12.7	32	11	12.4	8.05
LG 35.184.136.112:443/Throughput					
0	9.77	27.1	9.35	9.54	6.5
LG 35.184.136.112:443/User Load					
0	33.5	62	35	33.6	18.1
LG 35.184.136.112:443/Thread Count					
40	92.6	122	95	93	19
LG 35.184.136.112:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.184.136.112:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.184.136.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.136.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.136.112:443/Controller Connection/Ping Duration (ms)					
58	106.7	113	108	107.9	8.16
LG 35.184.136.112:443/Network/Segments sent/sec.					
1.6	429.9	1,191	415.3	419.1	283.1
LG 35.184.136.112:443/Network/Segments retransmitted/sec.					
0	0.002	0.202	0	0	0.021
LG 35.184.136.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.98	27.6	9.57	9.75	6.63
LG 35.184.136.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.461	1.16	0.445	0.454	0.276

LG 35.184.191.59:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.191.59:443/CPU Load					
0	3.65	16	3	3.56	2.31
LG 35.184.191.59:443/Memory Used					
1	11.1	26	10	10.93	6.73
LG 35.184.191.59:443/Throughput					
0	9.94	27.2	9.13	9.73	6.52
LG 35.184.191.59:443/User Load					
0	34.1	63	35	34.2	18.2
LG 35.184.191.59:443/Thread Count					
40	93.8	124	94	94	18.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.191.59:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.184.191.59:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.184.191.59:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.191.59:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.191.59:443/Controller Connection/Ping Duration (ms)					
69	108	147	108	108	15.6
LG 35.184.191.59:443/Network/Segments sent/sec.					
1.6	451.7	1,297	407.6	442.4	292.5
LG 35.184.191.59:443/Network/Segments retransmitted/sec.					
0	0.007	0.999	0	0	0.057
LG 35.184.191.59:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.14	27.7	9.29	9.93	6.65
LG 35.184.191.59:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.476	1.24	0.447	0.469	0.281

LG 35.188.5.233:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.5.233:443/CPU Load					
0	3.98	15	4	3.88	2.46
LG 35.188.5.233:443/Memory Used					
1	13.3	32	12	13	8.3
LG 35.188.5.233:443/Throughput					
0	9.92	27.3	9.09	9.74	6.4
LG 35.188.5.233:443/User Load					
0	34	63	35	34.1	18.1
LG 35.188.5.233:443/Thread Count					
40	93.3	123	94	93.5	18.7
LG 35.188.5.233:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.188.5.233:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.007
LG 35.188.5.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.5.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.5.233:443/Controller Connection/Ping Duration (ms)					
59	87.6	149	74	86.5	20.5
LG 35.188.5.233:443/Network/Segments sent/sec.					
2.4	444.3	1,227	410.6	435.9	282.1
LG 35.188.5.233:443/Network/Segments retransmitted/sec.					
0	0.011	0.62	0	0	0.056
LG 35.188.5.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.12	27.8	9.25	9.93	6.52
LG 35.188.5.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.472	1.21	0.44	0.465	0.275

LG 35.192.163.145:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.163.145:443/CPU Load					
0	4.16	20	4	4.07	2.52
LG 35.192.163.145:443/Memory Used					
1	14.2	37	13	13.8	9.23
LG 35.192.163.145:443/Throughput					
0	9.83	25.4	9.5	9.68	6.1
LG 35.192.163.145:443/User Load					
0	33.7	62	35.5	33.9	18.2
LG 35.192.163.145:443/Thread Count					
40	92.9	122	94.5	93.3	19
LG 35.192.163.145:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.192.163.145:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.192.163.145:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.163.145:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.163.145:443/Controller Connection/Ping Duration (ms)					
61	88.7	150	72	86.7	25.6
LG 35.192.163.145:443/Network/Segments sent/sec.					
1.6	435.5	1,148	418.1	428.1	266.7
LG 35.192.163.145:443/Network/Segments retransmitted/sec.					
0	0.005	0.6	0	0	0.037
LG 35.192.163.145:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.02	26	9.67	9.86	6.21
LG 35.192.163.145:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.465	1.13	0.454	0.461	0.26

LG 35.192.56.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.56.132:443/CPU Load					
0	3.97	16	4	3.89	2.52
LG 35.192.56.132:443/Memory Used					
1	12.7	31	12	12.4	7.97
LG 35.192.56.132:443/Throughput					
0	10.08	30.7	9.28	9.84	6.58
LG 35.192.56.132:443/User Load					
0	34.4	63	38	34.6	18.2
LG 35.192.56.132:443/Thread Count					
40	93.5	124	97	93.8	18.6
LG 35.192.56.132:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.192.56.132:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.192.56.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.56.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.56.132:443/Controller Connection/Ping Duration (ms)					
65	92.2	150	105	91.2	21.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.56.132:443/Network/Segments sent/sec.					
2.4	450.7	1,352	415	439.7	292.3
LG 35.192.56.132:443/Network/Segments retransmitted/sec.					
0	0.007	0.6	0	0	0.046
LG 35.192.56.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.27	31.3	9.43	10.02	6.7
LG 35.192.56.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.478	1.32	0.452	0.471	0.281

LG 35.193.50.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.50.200:443/CPU Load					
0	3.74	15	4	3.62	2.52
LG 35.193.50.200:443/Memory Used					
1	12.5	31	11	12.3	7.9
LG 35.193.50.200:443/Throughput					
0	9.88	25.9	9.56	9.7	6.55
LG 35.193.50.200:443/User Load					
0	33.8	62	37	34	18.2
LG 35.193.50.200:443/Thread Count					
40	93	122	96	93.4	18.9
LG 35.193.50.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.50.200:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.006
LG 35.193.50.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.50.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.50.200:443/Controller Connection/Ping Duration (ms)					
68	106.4	150	108	107.2	13.3
LG 35.193.50.200:443/Network/Segments sent/sec.					
1.6	446.1	1,153	436.8	438.5	291.3
LG 35.193.50.200:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.028
LG 35.193.50.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	26.3	9.83	9.9	6.67
LG 35.193.50.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.472	1.16	0.469	0.467	0.283

LG 35.193.82.167:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.82.167:443/CPU Load					
0	3.92	16	4	3.77	2.69
LG 35.193.82.167:443/Memory Used					
1	11.3	26	10	11.1	6.79
LG 35.193.82.167:443/Throughput					
0	9.99	32.6	9.54	9.71	6.86
LG 35.193.82.167:443/User Load					
0	34.2	63	36	34.3	18.2
LG 35.193.82.167:443/Thread Count					
40	93.6	123	96	93.9	18.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.82.167:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.82.167:443/Http client/Task Pool used					
0	0	0.067	0	0	0.003
LG 35.193.82.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.82.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.82.167:443/Controller Connection/Ping Duration (ms)					
66	90.3	149	75	88.8	23.8
LG 35.193.82.167:443/Network/Segments sent/sec.					
1.6	446.3	1,450	431.2	433.2	303.4
LG 35.193.82.167:443/Network/Segments retransmitted/sec.					
0	0.007	0.397	0	0	0.038
LG 35.193.82.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.18	33.2	9.74	9.89	6.98
LG 35.193.82.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.474	1.42	0.454	0.464	0.293

LG 35.194.55.125:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.55.125:443/CPU Load					
0	3.52	18	3	3.42	2.28
LG 35.194.55.125:443/Memory Used					
1	12.3	28	11	12	7.54
LG 35.194.55.125:443/Throughput					
0	9.84	31	8.74	9.51	6.69
LG 35.194.55.125:443/User Load					
0	33.8	62	36	33.9	18.2
LG 35.194.55.125:443/Thread Count					
40	93.1	122	96	93.4	19.1
LG 35.194.55.125:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.194.55.125:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.194.55.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.55.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.55.125:443/Controller Connection/Ping Duration (ms)					
59	80	148	70	78.6	18.2
LG 35.194.55.125:443/Network/Segments sent/sec.					
1.6	444.3	1,393	399.1	429	300.2
LG 35.194.55.125:443/Network/Segments retransmitted/sec.					
0	0.005	0.8	0	0	0.042
LG 35.194.55.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.04	31.6	8.95	9.71	6.83
LG 35.194.55.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.472	1.54	0.432	0.46	0.289

LG 35.194.61.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.61.110:443/CPU Load					
0	4.01	19	4	3.89	2.57
LG 35.194.61.110:443/Memory Used					
1	11.7	28	11	11.5	7.17
LG 35.194.61.110:443/Throughput					
0	9.92	27.3	9.78	9.74	6.35
LG 35.194.61.110:443/User Load					
0	33.9	62	37	34.1	18.2
LG 35.194.61.110:443/Thread Count					
40	93.3	122	96	93.6	18.8
LG 35.194.61.110:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.194.61.110:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.194.61.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.61.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.61.110:443/Controller Connection/Ping Duration (ms)					
63	93.6	150	94	93.3	20.9
LG 35.194.61.110:443/Network/Segments sent/sec.					
1.6	443	1,219	437	434.5	280.4
LG 35.194.61.110:443/Network/Segments retransmitted/sec.					
0	0.028	9.4	0	0	0.416
LG 35.194.61.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.11	27.8	10	9.92	6.47
LG 35.194.61.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.471	1.2	0.469	0.466	0.271

LG 35.202.160.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.160.135:443/CPU Load					
0	3.64	14	4	3.54	2.41
LG 35.202.160.135:443/Memory Used					
1	12	28	11	11.8	7.45
LG 35.202.160.135:443/Throughput					
0	9.98	32.8	9.58	9.65	6.96
LG 35.202.160.135:443/User Load					
0	34.2	63	36	34.3	18.2
LG 35.202.160.135:443/Thread Count					
40	93.5	123	95	93.8	18.8
LG 35.202.160.135:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.202.160.135:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.202.160.135:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.160.135:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.160.135:443/Controller Connection/Ping Duration (ms)					
67	137.5	154	151	140.3	25.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.160.135:443/Network/Segments sent/sec.					
1.6	454.2	1,509	433.5	439.1	311.9
LG 35.202.160.135:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.036
LG 35.202.160.135:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.18	33.4	9.76	9.85	7.09
LG 35.202.160.135:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.477	1.44	0.461	0.466	0.299

LG 35.202.22.122:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.22.122:443/CPU Load					
0	3.83	16	4	3.71	2.49
LG 35.202.22.122:443/Memory Used					
1	13	32	12	12.7	8.03
LG 35.202.22.122:443/Throughput					
0	9.95	28.3	10.13	9.7	6.47
LG 35.202.22.122:443/User Load					
0	34.1	63	36	34.2	18.2
LG 35.202.22.122:443/Thread Count					
40	93.3	123	95	93.6	18.9
LG 35.202.22.122:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.202.22.122:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.202.22.122:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.22.122:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.22.122:443/Controller Connection/Ping Duration (ms)					
59	90.9	148	105	90.4	22.7
LG 35.202.22.122:443/Network/Segments sent/sec.					
1.6	445	1,261	452	434	287.1
LG 35.202.22.122:443/Network/Segments retransmitted/sec.					
0	0.003	0.203	0	0	0.024
LG 35.202.22.122:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.14	28.9	10.34	9.89	6.59
LG 35.202.22.122:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.472	1.22	0.477	0.464	0.275

LG 35.202.67.125:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.67.125:443/CPU Load					
0	3.82	20	4	3.71	2.42
LG 35.202.67.125:443/Memory Used					
1	11.9	28	11	11.7	7.37
LG 35.202.67.125:443/Throughput					
0	9.77	28.7	9.17	9.52	6.34
LG 35.202.67.125:443/User Load					
0	33.5	62	35	33.7	18.2
LG 35.202.67.125:443/Thread Count					
40	92.7	123	94	93.1	19.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.67.125:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.202.67.125:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.202.67.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.67.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.67.125:443/Controller Connection/Ping Duration (ms)					
65	84.2	114	75	83.8	16.5
LG 35.202.67.125:443/Network/Segments sent/sec.					
1.6	440.1	1,312	417.8	428.3	282.6
LG 35.202.67.125:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.032
LG 35.202.67.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.96	29.3	9.37	9.7	6.46
LG 35.202.67.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.466	1.25	0.452	0.458	0.27

LG 35.222.188.34:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.188.34:443/CPU Load					
0	3.59	15	4	3.49	2.25
LG 35.222.188.34:443/Memory Used					
1	13.4	33	12	13.1	8.64
LG 35.222.188.34:443/Throughput					
0	9.86	29.6	9.99	9.66	6.26
LG 35.222.188.34:443/User Load					
0	33.7	62	37	33.9	18.2
LG 35.222.188.34:443/Thread Count					
40	92.8	122	96	93.2	19
LG 35.222.188.34:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.222.188.34:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.222.188.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.188.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.188.34:443/Controller Connection/Ping Duration (ms)					
66	87	147	70	84.9	22.4
LG 35.222.188.34:443/Network/Segments sent/sec.					
1.6	448.7	1,307	459.7	438.8	280.9
LG 35.222.188.34:443/Network/Segments retransmitted/sec.					
0	0.005	0.202	0	0	0.03
LG 35.222.188.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.06	30.1	10.18	9.85	6.38
LG 35.222.188.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.472	1.28	0.492	0.466	0.271

LG 35.222.78.128:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.78.128:443/CPU Load					
0	4.17	15	4	4.05	2.71
LG 35.222.78.128:443/Memory Used					
1	14.6	37	13	14.2	9.53
LG 35.222.78.128:443/Throughput					
0	9.83	26.7	9.26	9.65	6.49
LG 35.222.78.128:443/User Load					
0	33.6	62	35	33.7	18.1
LG 35.222.78.128:443/Thread Count					
40	93.1	122	95	93.4	19
LG 35.222.78.128:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.222.78.128:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.222.78.128:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.78.128:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.78.128:443/Controller Connection/Ping Duration (ms)					
56	85.9	152	70	83.9	24.2
LG 35.222.78.128:443/Network/Segments sent/sec.					
1.6	432	1,184	408.3	424.4	280.9
LG 35.222.78.128:443/Network/Segments retransmitted/sec.					
0	0.007	1.2	0	0	0.062
LG 35.222.78.128:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.02	27.2	9.42	9.84	6.6
LG 35.222.78.128:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.462	1.17	0.448	0.458	0.275

LG 35.223.110.47:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.110.47:443/CPU Load					
0	3.8	19	4	3.69	2.42
LG 35.223.110.47:443/Memory Used					
1	11.2	27	10	10.92	6.76
LG 35.223.110.47:443/Throughput					
0	9.85	27.9	9.26	9.64	6.3
LG 35.223.110.47:443/User Load					
0	33.8	62	37	34	18.2
LG 35.223.110.47:443/Thread Count					
40	93	122	96	93.4	19
LG 35.223.110.47:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.110.47:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.223.110.47:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.110.47:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.110.47:443/Controller Connection/Ping Duration (ms)					
58	108.3	146	108	109	10.33

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.110.47:443/Network/Segments sent/sec.					
1.6	443.3	1,287	420.9	433.9	280
LG 35.223.110.47:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 35.223.110.47:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.04	28.4	9.47	9.83	6.41
LG 35.223.110.47:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.47	1.28	0.443	0.463	0.271

LG 35.223.128.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.128.171:443/CPU Load					
0	3.79	17	4	3.7	2.37
LG 35.223.128.171:443/Memory Used					
1	15.2	37	13	14.9	9.69
LG 35.223.128.171:443/Throughput					
0	10.07	25.8	10.51	9.94	6.2
LG 35.223.128.171:443/User Load					
0	34.4	63	38	34.6	18.2
LG 35.223.128.171:443/Thread Count					
40	94.1	123	98	94.3	18.7
LG 35.223.128.171:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.128.171:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.223.128.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.128.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.128.171:443/Controller Connection/Ping Duration (ms)					
73	113.6	156	113	113.4	17.1
LG 35.223.128.171:443/Network/Segments sent/sec.					
1.6	455	1,141	466.6	449.2	277.3
LG 35.223.128.171:443/Network/Segments retransmitted/sec.					
0	0.007	0.4	0	0	0.04
LG 35.223.128.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.27	26.3	10.67	10.14	6.32
LG 35.223.128.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.48	1.11	0.496	0.477	0.268

LG 35.223.13.30:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.13.30:443/CPU Load					
0	4.21	21	4	4.02	2.91
LG 35.223.13.30:443/Memory Used					
1	13.3	33	12	13	8.64
LG 35.223.13.30:443/Throughput					
0	9.82	29	8.86	9.49	6.84
LG 35.223.13.30:443/User Load					
0	33.7	62	36	33.9	18.3
LG 35.223.13.30:443/Thread Count					
40	93	123	95	93.3	19.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.13.30:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.223.13.30:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.223.13.30:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.13.30:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.13.30:443/Controller Connection/Ping Duration (ms)					
73	110.3	152	113	110.4	14.8
LG 35.223.13.30:443/Network/Segments sent/sec.					
1.6	434	1,309	394.6	419.4	297.7
LG 35.223.13.30:443/Network/Segments retransmitted/sec.					
0	0.004	0.608	0	0	0.04
LG 35.223.13.30:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.01	29.5	9.01	9.68	6.96
LG 35.223.13.30:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.464	1.27	0.43	0.452	0.292

LG 35.223.181.78:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.181.78:443/CPU Load					
0	3.78	20	4	3.64	2.53
LG 35.223.181.78:443/Memory Used					
1	12.7	30	12	12.4	7.79
LG 35.223.181.78:443/Throughput					
0	9.96	26.5	9.89	9.77	6.21
LG 35.223.181.78:443/User Load					
0	34	63	35	34.1	18.2
LG 35.223.181.78:443/Thread Count					
40	93.4	124	94	93.6	18.7
LG 35.223.181.78:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.223.181.78:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.223.181.78:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.181.78:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.181.78:443/Controller Connection/Ping Duration (ms)					
68	112.3	161	114	113.1	11.3
LG 35.223.181.78:443/Network/Segments sent/sec.					
1.6	448.4	1,197	444.5	440.2	277.2
LG 35.223.181.78:443/Network/Segments retransmitted/sec.					
0	0.003	0.601	0	0	0.032
LG 35.223.181.78:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.15	27	10.06	9.96	6.32
LG 35.223.181.78:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.474	1.16	0.475	0.469	0.268

LG 35.223.219.17:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.219.17:443/CPU Load					
0	4.32	20	4	4.15	2.82
LG 35.223.219.17:443/Memory Used					
1	14.9	37	13	14.6	9.44
LG 35.223.219.17:443/Throughput					
0	10.04	30.8	9.86	9.81	6.46
LG 35.223.219.17:443/User Load					
0	34.5	63	38	34.6	18.4
LG 35.223.219.17:443/Thread Count					
40	94	124	97	94.3	19.1
LG 35.223.219.17:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.219.17:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.223.219.17:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.219.17:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.219.17:443/Controller Connection/Ping Duration (ms)					
60	92.5	154	77	90.8	23.8
LG 35.223.219.17:443/Network/Segments sent/sec.					
1.65	447	1,364	441.3	437	284.6
LG 35.223.219.17:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.025
LG 35.223.219.17:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.22	31.4	10.06	10	6.57
LG 35.223.219.17:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.475	1.33	0.473	0.468	0.275

LG 35.223.231.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.231.195:443/CPU Load					
0	4.26	18	4	4.13	2.64
LG 35.223.231.195:443/Memory Used					
1	12.3	30	11	12	7.61
LG 35.223.231.195:443/Throughput					
0	10	26.9	9.51	9.85	6.2
LG 35.223.231.195:443/User Load					
0	34.3	63	37	34.5	18.2
LG 35.223.231.195:443/Thread Count					
40	93.7	123	96	93.9	18.8
LG 35.223.231.195:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.231.195:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.223.231.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.231.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.231.195:443/Controller Connection/Ping Duration (ms)					
59	106.3	154	114	106.3	20

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.231.195:443/Network/Segments sent/sec.					
1.6	442.1	1,200	419.7	435.2	270.5
LG 35.223.231.195:443/Network/Segments retransmitted/sec.					
0	0.005	0.6	0	0	0.036
LG 35.223.231.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.19	27.4	9.73	10.04	6.31
LG 35.223.231.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.473	1.16	0.46	0.468	0.264

LG 35.223.248.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.248.45:443/CPU Load					
0	3.92	18	4	3.82	2.51
LG 35.223.248.45:443/Memory Used					
1	13.1	32	12	12.8	8.38
LG 35.223.248.45:443/Throughput					
0	9.88	28	10.03	9.71	6.34
LG 35.223.248.45:443/User Load					
0	33.8	62	37	34	18.2
LG 35.223.248.45:443/Thread Count					
40	93.1	122	96	93.4	18.8
LG 35.223.248.45:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.248.45:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.223.248.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.248.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.248.45:443/Controller Connection/Ping Duration (ms)					
68	109.3	148	112	109.5	15.2
LG 35.223.248.45:443/Network/Segments sent/sec.					
1.6	441	1,248	454.2	433.1	281.8
LG 35.223.248.45:443/Network/Segments retransmitted/sec.					
0	0.008	0.726	0	0	0.054
LG 35.223.248.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.08	28.6	10.27	9.91	6.46
LG 35.223.248.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.468	1.2	0.477	0.463	0.273

LG 35.223.39.25:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.39.25:443/CPU Load					
0	3.93	18	4	3.78	2.68
LG 35.223.39.25:443/Memory Used					
1	14.6	37	13	14.2	9.31
LG 35.223.39.25:443/Throughput					
0	10.02	25.4	10.17	9.89	6.45
LG 35.223.39.25:443/User Load					
0	34.3	63	37	34.4	18.3
LG 35.223.39.25:443/Thread Count					
40	93.8	123	97	94.1	18.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.39.25:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.223.39.25:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.223.39.25:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.39.25:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.39.25:443/Controller Connection/Ping Duration (ms)					
79	109.3	163	108	108.1	13.4
LG 35.223.39.25:443/Network/Segments sent/sec.					
1.6	440.4	1,115	448.4	434.8	279.7
LG 35.223.39.25:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.016
LG 35.223.39.25:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.24	25.9	10.37	10.11	6.58
LG 35.223.39.25:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.471	1.1	0.481	0.467	0.275

LG 35.223.57.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.57.51:443/CPU Load					
0	4.23	19	4	4.04	2.81
LG 35.223.57.51:443/Memory Used					
1	14.1	36	13	13.7	8.98
LG 35.223.57.51:443/Throughput					
0	9.93	30	9.25	9.64	6.46
LG 35.223.57.51:443/User Load					
0	34.1	63	36	34.3	18.2
LG 35.223.57.51:443/Thread Count					
40	93.6	123	96	93.9	18.9
LG 35.223.57.51:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.223.57.51:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.223.57.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.57.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.57.51:443/Controller Connection/Ping Duration (ms)					
57	105.2	114	107	107	10.71
LG 35.223.57.51:443/Network/Segments sent/sec.					
1.6	433.2	1,281	408.4	420.2	277.9
LG 35.223.57.51:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 35.223.57.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.14	30.5	9.48	9.84	6.59
LG 35.223.57.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.467	1.27	0.441	0.456	0.273

LG 35.224.123.122:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.123.122:443/CPU Load					
0	3.68	16	3	3.55	2.47
LG 35.224.123.122:443/Memory Used					
1	11.3	26	10	11.1	6.78
LG 35.224.123.122:443/Throughput					
0	9.88	31.2	9.14	9.57	6.63
LG 35.224.123.122:443/User Load					
0	34	63	34.5	34.1	18.1
LG 35.224.123.122:443/Thread Count					
40	93.5	124	93.5	93.7	18.7
LG 35.224.123.122:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.224.123.122:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.224.123.122:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.123.122:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.123.122:443/Controller Connection/Ping Duration (ms)					
65	106.2	148	111	106.1	18.3
LG 35.224.123.122:443/Network/Segments sent/sec.					
1.59	446	1,399	406.5	431.5	297.6
LG 35.224.123.122:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.019
LG 35.224.123.122:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	31.7	9.33	9.76	6.76
LG 35.224.123.122:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.471	1.34	0.447	0.461	0.284

LG 35.224.182.244:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.182.244:443/CPU Load					
0	3.89	17	4	3.8	2.43
LG 35.224.182.244:443/Memory Used					
1	14.1	35	13	13.7	9.08
LG 35.224.182.244:443/Throughput					
0	9.93	29.3	10.05	9.78	6.27
LG 35.224.182.244:443/User Load					
0	34	62	37	34.2	18.3
LG 35.224.182.244:443/Thread Count					
40	93.2	122	96	93.6	19.1
LG 35.224.182.244:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.182.244:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.006
LG 35.224.182.244:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.182.244:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.182.244:443/Controller Connection/Ping Duration (ms)					
60	88.6	159	73	87.3	24.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.182.244:443/Network/Segments sent/sec.					
1.6	442.5	1,282	447.7	435.4	276.5
LG 35.224.182.244:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.036
LG 35.224.182.244:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.12	29.8	10.25	9.97	6.38
LG 35.224.182.244:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.47	1.26	0.487	0.466	0.27

LG 35.224.2.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.2.159:443/CPU Load					
0	4.01	15	4	3.89	2.47
LG 35.224.2.159:443/Memory Used					
1	10.53	25	10	10.32	6.29
LG 35.224.2.159:443/Throughput					
0	9.98	30.2	9.16	9.73	6.37
LG 35.224.2.159:443/User Load					
0	34.2	63	36.5	34.4	18.3
LG 35.224.2.159:443/Thread Count					
40	93.7	124	96.5	93.9	19.1
LG 35.224.2.159:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.2.159:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.224.2.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.2.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.2.159:443/Controller Connection/Ping Duration (ms)					
60	93.3	154	75	91.2	23.6
LG 35.224.2.159:443/Network/Segments sent/sec.					
1.6	445.9	1,435	415.6	434.3	282.8
LG 35.224.2.159:443/Network/Segments retransmitted/sec.					
0	0.004	0.391	0	0	0.029
LG 35.224.2.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.17	30.9	9.3	9.92	6.49
LG 35.224.2.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.474	1.35	0.449	0.466	0.272

LG 35.224.83.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.83.2:443/CPU Load					
0	3.88	16	4	3.76	2.45
LG 35.224.83.2:443/Memory Used					
1	12.8	33	11	12.5	7.93
LG 35.224.83.2:443/Throughput					
0	9.9	27.2	9.14	9.65	6.45
LG 35.224.83.2:443/User Load					
0	33.9	63	34	34	18.1
LG 35.224.83.2:443/Thread Count					
40	93.5	124	94	93.7	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.83.2:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.224.83.2:443/Http client/Task Pool used					
0	0	0.067	0	0	0.003
LG 35.224.83.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.83.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.83.2:443/Controller Connection/Ping Duration (ms)					
69	97.3	208	106	94.8	24
LG 35.224.83.2:443/Network/Segments sent/sec.					
2.4	445.3	1,325	413	433.4	288
LG 35.224.83.2:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.033
LG 35.224.83.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.09	27.8	9.33	9.84	6.57
LG 35.224.83.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.473	1.25	0.438	0.465	0.275

LG 35.225.120.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.120.0:443/CPU Load					
0	4.06	22	4	3.9	2.73
LG 35.225.120.0:443/Memory Used					
1	13.3	32	12	13	8.34
LG 35.225.120.0:443/Throughput					
0	10.01	33	10.13	9.71	6.66
LG 35.225.120.0:443/User Load					
0	34.4	63	37	34.5	18.3
LG 35.225.120.0:443/Thread Count					
40	94.1	127	96	94.2	18.9
LG 35.225.120.0:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.225.120.0:443/Http client/Task Pool used					
0	0	0.083	0	0	0.005
LG 35.225.120.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.120.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.120.0:443/Controller Connection/Ping Duration (ms)					
82	111.3	153	111	110.9	8.66
LG 35.225.120.0:443/Network/Segments sent/sec.					
1.6	449.3	1,451	453.2	436.1	295.4
LG 35.225.120.0:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 35.225.120.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.19	33.6	10.31	9.89	6.77
LG 35.225.120.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.475	1.44	0.477	0.465	0.285

LG 35.225.215.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.215.202:443/CPU Load					
0	4.02	17	4	3.92	2.43
LG 35.225.215.202:443/Memory Used					
1	14.1	37	13	13.8	9.03
LG 35.225.215.202:443/Throughput					
0	10.02	25.9	9.83	9.86	6.18
LG 35.225.215.202:443/User Load					
0	34.2	63	36	34.4	18.2
LG 35.225.215.202:443/Thread Count					
40	93.5	124	95	93.7	19.3
LG 35.225.215.202:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.225.215.202:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.225.215.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.215.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.215.202:443/Controller Connection/Ping Duration (ms)					
67	111.1	171	113	111.2	15.9
LG 35.225.215.202:443/Network/Segments sent/sec.					
1.6	452.4	1,190	445.7	444.9	275.4
LG 35.225.215.202:443/Network/Segments retransmitted/sec.					
0	0.011	0.402	0	0	0.055
LG 35.225.215.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.21	26.5	9.97	10.05	6.29
LG 35.225.215.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.478	1.21	0.474	0.473	0.267

LG 35.225.37.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.37.133:443/CPU Load					
0	4.23	16	4	4.09	2.69
LG 35.225.37.133:443/Memory Used					
1	14.1	34	13	13.8	8.95
LG 35.225.37.133:443/Throughput					
0	10.03	31.8	9.84	9.72	6.52
LG 35.225.37.133:443/User Load					
0	34.4	63	37	34.5	18.3
LG 35.225.37.133:443/Thread Count					
40	94	125	97	94.2	19.1
LG 35.225.37.133:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.225.37.133:443/Http client/Task Pool used					
0	0	0.067	0	0	0.003
LG 35.225.37.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.37.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.37.133:443/Controller Connection/Ping Duration (ms)					
66	91.5	126	83	91.3	18.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.37.133:443/Network/Segments sent/sec.					
1.6	443.8	1,433	431.1	429.2	286.1
LG 35.225.37.133:443/Network/Segments retransmitted/sec.					
0	0.005	0.399	0	0	0.032
LG 35.225.37.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.23	32.6	10.03	9.91	6.64
LG 35.225.37.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.474	1.38	0.465	0.462	0.279

LG 35.226.151.250:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.151.250:443/CPU Load					
0	4.05	17	4	3.86	2.73
LG 35.226.151.250:443/Memory Used					
1	14.7	37	13	14.3	9.81
LG 35.226.151.250:443/Throughput					
0	9.86	31.7	8.9	9.57	6.49
LG 35.226.151.250:443/User Load					
0	33.7	62	37	33.9	18.2
LG 35.226.151.250:443/Thread Count					
40	92.8	123	96	93.2	19
LG 35.226.151.250:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.226.151.250:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.226.151.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.151.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.151.250:443/Controller Connection/Ping Duration (ms)					
76	114.1	162	113	112.9	12
LG 35.226.151.250:443/Network/Segments sent/sec.					
1.6	431.2	1,381	388.5	418	281.5
LG 35.226.151.250:443/Network/Segments retransmitted/sec.					
0	0.002	0.386	0	0	0.023
LG 35.226.151.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	32.3	9.13	9.77	6.62
LG 35.226.151.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.464	1.34	0.425	0.454	0.273

LG 35.226.189.229:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.189.229:443/CPU Load					
0	3.96	19	4	3.8	2.75
LG 35.226.189.229:443/Memory Used					
1	10.8	25	10	10.61	6.4
LG 35.226.189.229:443/Throughput					
0	9.97	30.1	9.84	9.79	6.47
LG 35.226.189.229:443/User Load					
0	34.2	63	36	34.4	18.2
LG 35.226.189.229:443/Thread Count					
40	93.7	123	96	93.9	18.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.189.229:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.226.189.229:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.226.189.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.189.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.189.229:443/Controller Connection/Ping Duration (ms)					
55	107.7	148	108	108.4	14
LG 35.226.189.229:443/Network/Segments sent/sec.					
1.6	450.5	1,350	443.8	442.3	289.5
LG 35.226.189.229:443/Network/Segments retransmitted/sec.					
0	0	0.136	0	0	0.005
LG 35.226.189.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.16	30.6	10.07	9.97	6.59
LG 35.226.189.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.475	1.31	0.469	0.469	0.28

LG 35.226.33.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.33.142:443/CPU Load					
0	3.79	17	4	3.66	2.51
LG 35.226.33.142:443/Memory Used					
1	14.7	37	13	14.2	9.76
LG 35.226.33.142:443/Throughput					
0	9.85	26	9.8	9.69	6.2
LG 35.226.33.142:443/User Load					
0	33.8	62	37	33.9	18.2
LG 35.226.33.142:443/Thread Count					
40	93	122	96	93.4	19
LG 35.226.33.142:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.226.33.142:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.226.33.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.33.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.33.142:443/Controller Connection/Ping Duration (ms)					
89	106.6	152	104	105.4	8.91
LG 35.226.33.142:443/Network/Segments sent/sec.					
1.6	434.9	1,143	433.9	427.9	269.8
LG 35.226.33.142:443/Network/Segments retransmitted/sec.					
0	0.004	0.416	0	0	0.032
LG 35.226.33.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.06	26.5	10.01	9.9	6.33
LG 35.226.33.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.465	1.09	0.465	0.461	0.265

LG 35.226.38.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.38.200:443/CPU Load					
0	3.64	19	4	3.55	2.23
LG 35.226.38.200:443/Memory Used					
1	11.3	26	10	11.1	6.79
LG 35.226.38.200:443/Throughput					
0	9.79	23.7	9.77	9.7	5.94
LG 35.226.38.200:443/User Load					
0	33.6	62	35	33.7	18.1
LG 35.226.38.200:443/Thread Count					
40	92.8	123	95	93.1	18.9
LG 35.226.38.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.226.38.200:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.226.38.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.38.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.38.200:443/Controller Connection/Ping Duration (ms)					
62	111.5	154	109	110.8	12.7
LG 35.226.38.200:443/Network/Segments sent/sec.					
2	435.9	1,077	435.3	431.1	261
LG 35.226.38.200:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.011
LG 35.226.38.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.01	24.2	10	9.91	6.06
LG 35.226.38.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.465	1.05	0.469	0.463	0.256

LG 35.226.56.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.56.29:443/CPU Load					
0	4.04	26	4	3.84	2.8
LG 35.226.56.29:443/Memory Used					
1	13.9	34	12	13.5	8.74
LG 35.226.56.29:443/Throughput					
0	9.85	28.5	9.56	9.63	6.31
LG 35.226.56.29:443/User Load					
0	33.8	62	37	34	18.2
LG 35.226.56.29:443/Thread Count					
40	93.2	125	96	93.6	19
LG 35.226.56.29:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.226.56.29:443/Http client/Task Pool used					
0	0	0.067	0	0	0.003
LG 35.226.56.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.56.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.56.29:443/Controller Connection/Ping Duration (ms)					
56	106.9	146	107	108.1	11.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.56.29:443/Network/Segments sent/sec.					
1.6	433.7	1,248	416	423.9	274.5
LG 35.226.56.29:443/Network/Segments retransmitted/sec.					
0	0.001	0.374	0	0	0.017
LG 35.226.56.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.06	29.1	9.76	9.84	6.44
LG 35.226.56.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.464	1.22	0.456	0.457	0.27

LG 35.232.208.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.208.235:443/CPU Load					
0	4.13	16	4	4.01	2.61
LG 35.232.208.235:443/Memory Used					
1	13.6	33	12	13.3	8.67
LG 35.232.208.235:443/Throughput					
0	9.83	25.6	9.55	9.64	6.26
LG 35.232.208.235:443/User Load					
0	33.7	62	36	33.9	18.2
LG 35.232.208.235:443/Thread Count					
40	93.1	122	95	93.4	19.1
LG 35.232.208.235:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.232.208.235:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.232.208.235:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.208.235:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.208.235:443/Controller Connection/Ping Duration (ms)					
62	93.6	154	104	91.9	22.2
LG 35.232.208.235:443/Network/Segments sent/sec.					
1.6	436.6	1,152	413.8	428.2	274.2
LG 35.232.208.235:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.018
LG 35.232.208.235:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.02	26.1	9.73	9.83	6.38
LG 35.232.208.235:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.467	1.12	0.464	0.461	0.267

LG 35.232.242.65:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.242.65:443/CPU Load					
0	3.82	17	4	3.72	2.44
LG 35.232.242.65:443/Memory Used					
1	12.9	32	11	12.6	8.2
LG 35.232.242.65:443/Throughput					
0	9.85	26.7	9.38	9.66	6.38
LG 35.232.242.65:443/User Load					
0	33.9	62	37	34.1	18.2
LG 35.232.242.65:443/Thread Count					
40	93.2	123	97	93.5	19

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.242.65:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.232.242.65:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.232.242.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.242.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.242.65:443/Controller Connection/Ping Duration (ms)					
68	109	152	114	109.5	13.7
LG 35.232.242.65:443/Network/Segments sent/sec.					
1.6	440.4	1,197	413.1	432	282.5
LG 35.232.242.65:443/Network/Segments retransmitted/sec.					
0	0.01	0.43	0	0	0.051
LG 35.232.242.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.03	27.3	9.55	9.84	6.49
LG 35.232.242.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.468	1.22	0.447	0.462	0.274

LG 35.238.127.141:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.127.141:443/CPU Load					
0	4.22	16	4	4.06	2.71
LG 35.238.127.141:443/Memory Used					
1	13.7	34	12	13.4	9.04
LG 35.238.127.141:443/Throughput					
0	9.87	29	9.73	9.62	6.3
LG 35.238.127.141:443/User Load					
0	33.9	62	37	34.1	18.4
LG 35.238.127.141:443/Thread Count					
40	93.2	122	96	93.6	19.4
LG 35.238.127.141:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.238.127.141:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.238.127.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.127.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.127.141:443/Controller Connection/Ping Duration (ms)					
75	109.4	139	110	109.5	7.21
LG 35.238.127.141:443/Network/Segments sent/sec.					
1.59	432.1	1,256	425.2	421.1	271.1
LG 35.238.127.141:443/Network/Segments retransmitted/sec.					
0	0.001	0.6	0	0	0.025
LG 35.238.127.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.09	29.6	9.92	9.83	6.43
LG 35.238.127.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.465	1.25	0.468	0.457	0.268

LG 35.238.3.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.3.203:443/CPU Load					
0	3.92	21	4	3.76	2.8
LG 35.238.3.203:443/Memory Used					
1	12.6	31	11	12.3	7.77
LG 35.238.3.203:443/Throughput					
0	9.87	29.2	9.56	9.6	6.79
LG 35.238.3.203:443/User Load					
0	33.8	62	36	33.9	18.2
LG 35.238.3.203:443/Thread Count					
40	93.4	124	95	93.7	19
LG 35.238.3.203:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 35.238.3.203:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.238.3.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.3.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.3.203:443/Controller Connection/Ping Duration (ms)					
55	105.9	148	107	107.2	13
LG 35.238.3.203:443/Network/Segments sent/sec.					
1.6	443.3	1,327	441.8	431	301.2
LG 35.238.3.203:443/Network/Segments retransmitted/sec.					
0	0.004	0.325	0	0	0.03
LG 35.238.3.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.05	29.7	9.72	9.78	6.91
LG 35.238.3.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.468	1.3	0.466	0.459	0.293

LG 35.238.35.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.35.208:443/CPU Load					
0	3.8	17	4	3.68	2.43
LG 35.238.35.208:443/Memory Used					
1	12.6	32	11	12.3	7.91
LG 35.238.35.208:443/Throughput					
0	9.95	30.9	10.42	9.68	6.51
LG 35.238.35.208:443/User Load					
0	33.9	62	37	34.1	18.2
LG 35.238.35.208:443/Thread Count					
40	93.5	123	97	93.8	18.9
LG 35.238.35.208:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.238.35.208:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.238.35.208:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.35.208:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.35.208:443/Controller Connection/Ping Duration (ms)					
67	86.1	167	75	83.5	23

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.35.208:443/Network/Segments sent/sec.					
2	448.1	1,373	456.8	435.4	290.4
LG 35.238.35.208:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.025
LG 35.238.35.208:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.14	31.5	10.6	9.86	6.63
LG 35.238.35.208:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.474	1.31	0.49	0.465	0.278

LG 35.239.108.90:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.108.90:443/CPU Load					
0	3.64	17	4	3.55	2.27
LG 35.239.108.90:443/Memory Used					
1	12.1	28	11	11.9	7.53
LG 35.239.108.90:443/Throughput					
0	10.02	25	10.01	9.89	6.18
LG 35.239.108.90:443/User Load					
0	34.4	63	37	34.5	18.3
LG 35.239.108.90:443/Thread Count					
40	94	123	97	94.3	19.1
LG 35.239.108.90:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.239.108.90:443/Http client/Task Pool used					
0	0	0.083	0	0	0.004
LG 35.239.108.90:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.108.90:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.108.90:443/Controller Connection/Ping Duration (ms)					
66	90.6	180	88	88.2	24.4
LG 35.239.108.90:443/Network/Segments sent/sec.					
1.59	456.2	1,191	459.2	450	278.6
LG 35.239.108.90:443/Network/Segments retransmitted/sec.					
0	0.007	0.598	0	0	0.044
LG 35.239.108.90:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.23	25.5	10.21	10.1	6.3
LG 35.239.108.90:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.48	1.13	0.481	0.476	0.268

LG 35.239.155.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.155.7:443/CPU Load					
0	4.07	21	4	3.91	2.88
LG 35.239.155.7:443/Memory Used					
1	13.5	33	12	13.2	8.56
LG 35.239.155.7:443/Throughput					
0	10.12	28.6	9.86	9.89	6.84
LG 35.239.155.7:443/User Load					
0	34.5	63	38	34.7	18.2
LG 35.239.155.7:443/Thread Count					
40	94	123	98	94.3	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.155.7:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.239.155.7:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.239.155.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.155.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.155.7:443/Controller Connection/Ping Duration (ms)					
55	104.3	128	108	105.7	12.4
LG 35.239.155.7:443/Network/Segments sent/sec.					
1.6	451.7	1,357	440.1	440.9	304
LG 35.239.155.7:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.03
LG 35.239.155.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.31	29.2	10.04	10.07	6.96
LG 35.239.155.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.478	1.3	0.461	0.471	0.291

LG 35.239.234.151:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.234.151:443/CPU Load					
0	3.98	16	4	3.81	2.57
LG 35.239.234.151:443/Memory Used					
1	11.8	28	11	11.6	7.25
LG 35.239.234.151:443/Throughput					
0	9.91	30.1	9.58	9.61	6.41
LG 35.239.234.151:443/User Load					
0	33.9	62	37	34.1	18.2
LG 35.239.234.151:443/Thread Count					
40	93.4	123	96	93.7	19.1
LG 35.239.234.151:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.239.234.151:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.239.234.151:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.234.151:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.234.151:443/Controller Connection/Ping Duration (ms)					
62	109.3	115	110	110.3	7.7
LG 35.239.234.151:443/Network/Segments sent/sec.					
1.6	435.3	1,308	421.4	422.2	277
LG 35.239.234.151:443/Network/Segments retransmitted/sec.					
0	0.001	0.273	0	0	0.014
LG 35.239.234.151:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.13	30.7	9.78	9.82	6.54
LG 35.239.234.151:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.467	1.26	0.465	0.458	0.27

LG 34.94.101.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.101.76:443/CPU Load					
0	2.6	15	2	2.48	1.92
LG 34.94.101.76:443/Memory Used					
1	10.1	23	9	9.91	6.13
LG 34.94.101.76:443/Throughput					
0	9.83	28.4	9.58	9.61	6.35
LG 34.94.101.76:443/User Load					
0	33.7	62	36	33.9	18.3
LG 34.94.101.76:443/Thread Count					
40	92.6	123	95	92.9	19
LG 34.94.101.76:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.101.76:443/Http client/Task Pool used					
0	0	0.117	0	0	0.005
LG 34.94.101.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.101.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.101.76:443/Controller Connection/Ping Duration (ms)					
51	66.9	107	66	65.8	7.31
LG 34.94.101.76:443/Network/Segments sent/sec.					
1.6	363.2	1,016	355.8	355.2	227.9
LG 34.94.101.76:443/Network/Segments retransmitted/sec.					
0	0.027	2.6	0	0	0.173
LG 34.94.101.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.01	28.8	9.75	9.78	6.45
LG 34.94.101.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.429	1.1	0.425	0.422	0.249

LG 34.94.104.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.104.76:443/CPU Load					
0	3.16	18	3	2.87	2.63
LG 34.94.104.76:443/Memory Used					
1	14.7	36	13	14.4	9.57
LG 34.94.104.76:443/Throughput					
0	10.03	41.5	8.88	9.44	7.18
LG 34.94.104.76:443/User Load					
0	34.3	63	38	34.5	18.2
LG 34.94.104.76:443/Thread Count					
40	93.5	125	97	93.7	18.7
LG 34.94.104.76:443/Http client/Thread Pool used					
0.1	0.1	0.13	0.1	0.1	0.003
LG 34.94.104.76:443/Http client/Task Pool used					
0	0	0.1	0	0	0.005
LG 34.94.104.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.104.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.104.76:443/Controller Connection/Ping Duration (ms)					
44	64.7	92	65	64.9	5.29

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.104.76:443/Network/Segments sent/sec.					
1.6	369.5	1,512	326.1	348.3	259.8
LG 34.94.104.76:443/Network/Segments retransmitted/sec.					
0	0.042	3.4	0	0	0.294
LG 34.94.104.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.2	42.2	9.02	9.6	7.29
LG 34.94.104.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.436	1.55	0.407	0.417	0.273

LG 34.94.105.54:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.105.54:443/CPU Load					
0	2.69	23	3	2.54	2.16
LG 34.94.105.54:443/Memory Used					
1	12.4	29	11.5	12.2	7.35
LG 34.94.105.54:443/Throughput					
0	9.9	29.1	10.42	9.7	6.34
LG 34.94.105.54:443/User Load					
0	34	63	34.5	34.1	18.1
LG 34.94.105.54:443/Thread Count					
40	93	122	94.5	93.2	18.4
LG 34.94.105.54:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.105.54:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.105.54:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.105.54:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.105.54:443/Controller Connection/Ping Duration (ms)					
36	66.3	115	64	65.1	11.9
LG 34.94.105.54:443/Network/Segments sent/sec.					
1.57	365	1,067	383.6	358	227.7
LG 34.94.105.54:443/Network/Segments retransmitted/sec.					
0	0.036	2.98	0	0.001	0.207
LG 34.94.105.54:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	29.6	10.53	9.86	6.44
LG 34.94.105.54:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.43	1.14	0.454	0.425	0.247

LG 34.94.107.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.107.117:443/CPU Load					
0	2.63	16	2	2.46	2.17
LG 34.94.107.117:443/Memory Used					
1	12.3	30	11	12	7.75
LG 34.94.107.117:443/Throughput					
0	9.77	32	9.59	9.46	6.83
LG 34.94.107.117:443/User Load					
0	33.7	62	36	33.9	18.2
LG 34.94.107.117:443/Thread Count					
40	92.4	121	95	92.7	18.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.107.117:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.107.117:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.007
LG 34.94.107.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.107.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.107.117:443/Controller Connection/Ping Duration (ms)					
36	63.8	92	65	64.4	6.83
LG 34.94.107.117:443/Network/Segments sent/sec.					
1.6	365.3	1,179	358.8	354	250.4
LG 34.94.107.117:443/Network/Segments retransmitted/sec.					
0	0.014	1.2	0	0	0.088
LG 34.94.107.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.95	32.6	9.76	9.63	6.94
LG 34.94.107.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.428	1.27	0.426	0.418	0.264

LG 34.94.107.86:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.107.86:443/CPU Load					
0	2.57	12	2	2.46	1.93
LG 34.94.107.86:443/Memory Used					
1	12.3	30	11	12	7.68
LG 34.94.107.86:443/Throughput					
0	9.85	28.3	8.8	9.63	6.71
LG 34.94.107.86:443/User Load					
0	33.8	62	37	34	18.2
LG 34.94.107.86:443/Thread Count					
40	92.6	121	96	93	18.8
LG 34.94.107.86:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.107.86:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.006
LG 34.94.107.86:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.107.86:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.107.86:443/Controller Connection/Ping Duration (ms)					
47	65.8	106	65	65	8.16
LG 34.94.107.86:443/Network/Segments sent/sec.					
1.6	374.3	1,029	337.6	366.5	248
LG 34.94.107.86:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.023
LG 34.94.107.86:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.03	28.7	8.98	9.81	6.82
LG 34.94.107.86:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.434	1.08	0.4	0.428	0.263

LG 34.94.109.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.109.178:443/CPU Load					
0	2.1	11	2	2.03	1.48
LG 34.94.109.178:443/Memory Used					
1	13.3	33	12	13	8.48
LG 34.94.109.178:443/Throughput					
0	9.78	25.2	9.75	9.69	6.03
LG 34.94.109.178:443/User Load					
0	33.5	62	35	33.6	18.2
LG 34.94.109.178:443/Thread Count					
40	92.1	121	94	92.4	18.8
LG 34.94.109.178:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.109.178:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.109.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.109.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.109.178:443/Controller Connection/Ping Duration (ms)					
46	64.2	91	65	64.2	4.93
LG 34.94.109.178:443/Network/Segments sent/sec.					
1.6	368.2	927.9	369.8	365.2	220.8
LG 34.94.109.178:443/Network/Segments retransmitted/sec.					
0	0.011	1.21	0	0	0.085
LG 34.94.109.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.97	25.6	9.95	9.88	6.14
LG 34.94.109.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.43	1.06	0.431	0.428	0.239

LG 34.94.110.225:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.110.225:443/CPU Load					
0	2.22	11	2	2.08	1.74
LG 34.94.110.225:443/Memory Used					
1	13.5	33	12	13.2	8.69
LG 34.94.110.225:443/Throughput					
0	9.87	33.9	9.96	9.54	6.5
LG 34.94.110.225:443/User Load					
0	33.9	62	37	34.1	18.2
LG 34.94.110.225:443/Thread Count					
40	92.8	123	96	93.1	18.7
LG 34.94.110.225:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.110.225:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.94.110.225:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.110.225:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.110.225:443/Controller Connection/Ping Duration (ms)					
37	67.3	132	65	65.6	13

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.110.225:443/Network/Segments sent/sec.					
1.57	371.2	1,262	372.9	359.1	239.1
LG 34.94.110.225:443/Network/Segments retransmitted/sec.					
0	0.012	1.2	0	0	0.085
LG 34.94.110.225:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.06	34.5	10.15	9.72	6.62
LG 34.94.110.225:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.433	1.34	0.439	0.423	0.255

LG 34.94.112.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.112.184:443/CPU Load					
0	2.72	16	3	2.59	2.02
LG 34.94.112.184:443/Memory Used					
1	13.5	33	12	13.2	8.68
LG 34.94.112.184:443/Throughput					
0	9.84	26	9.44	9.63	6.43
LG 34.94.112.184:443/User Load					
0	33.8	62	36.5	33.9	18.3
LG 34.94.112.184:443/Thread Count					
40	92.5	121	95.5	92.9	18.9
LG 34.94.112.184:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.112.184:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.94.112.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.112.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.112.184:443/Controller Connection/Ping Duration (ms)					
38	64	89	65	64.2	6.25
LG 34.94.112.184:443/Network/Segments sent/sec.					
1.56	368.6	982	356.5	361.3	234.8
LG 34.94.112.184:443/Network/Segments retransmitted/sec.					
0	0.027	1.4	0	0.003	0.134
LG 34.94.112.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.02	26.4	9.61	9.81	6.54
LG 34.94.112.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.431	1.08	0.413	0.425	0.253

LG 34.94.119.1:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.119.1:443/CPU Load					
0	2.87	15	3	2.69	2.11
LG 34.94.119.1:443/Memory Used					
1	13.4	32	12	13.1	8.44
LG 34.94.119.1:443/Throughput					
0	10.01	32.7	9.92	9.67	6.48
LG 34.94.119.1:443/User Load					
0	34.3	63	38	34.5	18.2
LG 34.94.119.1:443/Thread Count					
40	93.1	123	97	93.4	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.119.1:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.119.1:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.119.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.119.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.119.1:443/Controller Connection/Ping Duration (ms)					
45	66.4	113	65	65.4	9.5
LG 34.94.119.1:443/Network/Segments sent/sec.					
1.6	375.3	1,221	373.7	363	236.7
LG 34.94.119.1:443/Network/Segments retransmitted/sec.					
0	0.017	1.01	0	0	0.093
LG 34.94.119.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.19	33.2	10.1	9.85	6.58
LG 34.94.119.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.439	1.33	0.434	0.427	0.253

LG 34.94.128.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.128.71:443/CPU Load					
0	3.15	24	3	2.94	2.48
LG 34.94.128.71:443/Memory Used					
1	12.9	31	12	12.6	8.03
LG 34.94.128.71:443/Throughput					
0	10.01	30.3	10.3	9.71	6.59
LG 34.94.128.71:443/User Load					
0	34.4	63	37	34.5	18.3
LG 34.94.128.71:443/Thread Count					
40	93.2	122	96	93.4	18.7
LG 34.94.128.71:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.128.71:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.94.128.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.128.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.128.71:443/Controller Connection/Ping Duration (ms)					
44	66.5	101	65	65.6	7.97
LG 34.94.128.71:443/Network/Segments sent/sec.					
1.57	378.7	1,152	392.3	367	245
LG 34.94.128.71:443/Network/Segments retransmitted/sec.					
0	0.006	0.6	0	0	0.041
LG 34.94.128.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.19	30.8	10.49	9.88	6.7
LG 34.94.128.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.438	1.23	0.453	0.429	0.259

LG 34.94.133.50:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.133.50:443/CPU Load					
0	2.87	12	3	2.8	1.7
LG 34.94.133.50:443/Memory Used					
1	14.3	37	13	14	9.11
LG 34.94.133.50:443/Throughput					
0	11.3	29.3	11.4	11.2	6.52
LG 34.94.133.50:443/User Load					
0	33.7	62	36	33.9	18.2
LG 34.94.133.50:443/Thread Count					
40	92.4	123	95	92.7	18.8
LG 34.94.133.50:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.133.50:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.94.133.50:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.133.50:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.133.50:443/Controller Connection/Ping Duration (ms)					
49	66.6	102	65	65.2	8.77
LG 34.94.133.50:443/Network/Segments sent/sec.					
1.6	429.9	1,083	441.4	427.1	238.7
LG 34.94.133.50:443/Network/Segments retransmitted/sec.					
0	0.021	1.59	0	0	0.12
LG 34.94.133.50:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.6	29.9	11.7	11.5	6.63
LG 34.94.133.50:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.514	1.2	0.533	0.514	0.258

LG 34.94.136.72:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.136.72:443/CPU Load					
0	2.18	14	2	2.02	1.84
LG 34.94.136.72:443/Memory Used					
1	10.94	25	10	10.74	6.62
LG 34.94.136.72:443/Throughput					
0	10.05	32.6	9.55	9.8	6.71
LG 34.94.136.72:443/User Load					
0	34.6	63	38	34.7	18.4
LG 34.94.136.72:443/Thread Count					
40	93.3	122	97	93.6	18.9
LG 34.94.136.72:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.136.72:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.007
LG 34.94.136.72:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.136.72:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.136.72:443/Controller Connection/Ping Duration (ms)					
37	66.1	118	65	65.1	10.34

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.136.72:443/Network/Segments sent/sec.					
1.6	378.2	1,227	359	368.8	248.1
LG 34.94.136.72:443/Network/Segments retransmitted/sec.					
0	0.006	0.602	0	0	0.044
LG 34.94.136.72:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.24	33.2	9.71	9.98	6.83
LG 34.94.136.72:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.44	1.28	0.427	0.433	0.262

LG 34.94.138.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.138.175:443/CPU Load					
0	2.83	15	3	2.68	2.04
LG 34.94.138.175:443/Memory Used					
1	13.5	33	12	13.2	8.65
LG 34.94.138.175:443/Throughput					
0	10.05	30.2	9.86	9.75	6.39
LG 34.94.138.175:443/User Load					
0	34.3	63	38	34.5	18.2
LG 34.94.138.175:443/Thread Count					
40	93.2	122	97	93.5	18.5
LG 34.94.138.175:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.138.175:443/Http client/Task Pool used					
0	0	0.083	0	0	0.004
LG 34.94.138.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.138.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.138.175:443/Controller Connection/Ping Duration (ms)					
47	67.2	115	65	65.6	9.53
LG 34.94.138.175:443/Network/Segments sent/sec.					
1.6	375.8	1,110	366.8	365	233.3
LG 34.94.138.175:443/Network/Segments retransmitted/sec.					
0	0.011	1.4	0	0	0.075
LG 34.94.138.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.22	30.7	10.01	9.92	6.49
LG 34.94.138.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.439	1.18	0.437	0.431	0.248

LG 34.94.140.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.140.241:443/CPU Load					
0	3.09	16	3	2.92	2.27
LG 34.94.140.241:443/Memory Used					
1	13.5	33	12	13.2	8.43
LG 34.94.140.241:443/Throughput					
0	10.01	29.3	9.52	9.78	6.44
LG 34.94.140.241:443/User Load					
0	34.4	63	37	34.5	18.2
LG 34.94.140.241:443/Thread Count					
40	93.3	123	96	93.6	18.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.140.241:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.140.241:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.009
LG 34.94.140.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.140.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.140.241:443/Controller Connection/Ping Duration (ms)					
44	66	97	66	65.8	6.55
LG 34.94.140.241:443/Network/Segments sent/sec.					
1.58	380	1,110	359.9	371.6	238.2
LG 34.94.140.241:443/Network/Segments retransmitted/sec.					
0	0.003	0.456	0	0	0.029
LG 34.94.140.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.18	29.8	9.67	9.95	6.55
LG 34.94.140.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.44	1.17	0.421	0.434	0.255

LG 34.94.140.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.140.2:443/CPU Load					
0	2.93	13	3	2.81	2.03
LG 34.94.140.2:443/Memory Used					
1	11.7	28	11	11.5	7.27
LG 34.94.140.2:443/Throughput					
0	9.77	25.8	9.76	9.63	6.1
LG 34.94.140.2:443/User Load					
0	33.5	62	35	33.7	18.2
LG 34.94.140.2:443/Thread Count					
40	92.3	122	94	92.6	19
LG 34.94.140.2:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.140.2:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.94.140.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.140.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.140.2:443/Controller Connection/Ping Duration (ms)					
38	64.8	89	65	65.2	5.91
LG 34.94.140.2:443/Network/Segments sent/sec.					
1.6	365.5	932.5	365.6	360.9	222
LG 34.94.140.2:443/Network/Segments retransmitted/sec.					
0	0.008	0.995	0	0	0.06
LG 34.94.140.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.93	26.2	9.91	9.8	6.19
LG 34.94.140.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.428	1.05	0.435	0.424	0.24

LG 34.94.155.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.155.7:443/CPU Load					
0	2.24	12	2	2.09	1.75
LG 34.94.155.7:443/Memory Used					
1	12.7	31	12	12.4	7.92
LG 34.94.155.7:443/Throughput					
0	10.05	34.3	9.09	9.69	6.62
LG 34.94.155.7:443/User Load					
0	34.4	63	38	34.6	18.2
LG 34.94.155.7:443/Thread Count					
40	93.5	122	97	93.7	18.5
LG 34.94.155.7:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.004
LG 34.94.155.7:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.94.155.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.155.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.155.7:443/Controller Connection/Ping Duration (ms)					
51	66.5	109	66	65.3	8.44
LG 34.94.155.7:443/Network/Segments sent/sec.					
1.57	382.9	1,287	344.6	369.6	247
LG 34.94.155.7:443/Network/Segments retransmitted/sec.					
0	0.004	0.398	0	0	0.031
LG 34.94.155.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.25	34.9	9.28	9.89	6.74
LG 34.94.155.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.442	1.37	0.412	0.431	0.259

LG 34.94.17.252:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.17.252:443/CPU Load					
0	2.73	18	3	2.55	2.15
LG 34.94.17.252:443/Memory Used					
1	11.7	28	11	11.5	7.22
LG 34.94.17.252:443/Throughput					
0	9.91	30.7	9.61	9.61	6.51
LG 34.94.17.252:443/User Load					
0	34	63	35.5	34.2	18.2
LG 34.94.17.252:443/Thread Count					
40	92.9	123	94.5	93.2	18.6
LG 34.94.17.252:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.17.252:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.94.17.252:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.17.252:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.17.252:443/Controller Connection/Ping Duration (ms)					
48	66	109	65	65.1	7.97

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.17.252:443/Network/Segments sent/sec.					
1.58	372.1	1,135	361.6	360.8	238
LG 34.94.17.252:443/Network/Segments retransmitted/sec.					
0	0.005	0.6	0	0	0.041
LG 34.94.17.252:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.09	31.2	9.83	9.78	6.61
LG 34.94.17.252:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.435	1.17	0.42	0.427	0.249

LG 34.94.172.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.172.117:443/CPU Load					
0	2.24	14	2	2.13	1.65
LG 34.94.172.117:443/Memory Used					
1	11.2	26	10	11	6.71
LG 34.94.172.117:443/Throughput					
0	9.85	27.5	9.5	9.65	6.12
LG 34.94.172.117:443/User Load					
0	33.7	62	35	33.8	18.2
LG 34.94.172.117:443/Thread Count					
40	92.6	123	94	92.9	18.8
LG 34.94.172.117:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.172.117:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.172.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.172.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.172.117:443/Controller Connection/Ping Duration (ms)					
33	65.5	103	65	64.9	8.85
LG 34.94.172.117:443/Network/Segments sent/sec.					
1.57	375.4	1,026	364.8	368.3	228
LG 34.94.172.117:443/Network/Segments retransmitted/sec.					
0	0.006	0.201	0	0	0.033
LG 34.94.172.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.04	28	9.68	9.84	6.23
LG 34.94.172.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.435	1.1	0.424	0.43	0.24

LG 34.94.175.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.175.160:443/CPU Load					
0	2.96	16	3	2.8	2.28
LG 34.94.175.160:443/Memory Used					
1	14.4	36	12	14.1	9.36
LG 34.94.175.160:443/Throughput					
0	9.88	27.5	9.31	9.66	6.73
LG 34.94.175.160:443/User Load					
0	33.8	62	37	33.9	18.2
LG 34.94.175.160:443/Thread Count					
40	92.9	123	96	93.3	18.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.175.160:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.175.160:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.175.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.175.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.175.160:443/Controller Connection/Ping Duration (ms)					
43	65.9	108	65	65.1	8.98
LG 34.94.175.160:443/Network/Segments sent/sec.					
1.6	369.6	1,015	352.4	361.5	245.5
LG 34.94.175.160:443/Network/Segments retransmitted/sec.					
0	0.008	0.401	0	0	0.047
LG 34.94.175.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.06	27.9	9.48	9.83	6.84
LG 34.94.175.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.432	1.1	0.407	0.426	0.262

LG 34.94.183.244:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.183.244:443/CPU Load					
0	2.66	18	3	2.5	2.1
LG 34.94.183.244:443/Memory Used					
1	11.3	26	10	11.1	6.85
LG 34.94.183.244:443/Throughput					
0	9.98	32.3	9.45	9.67	6.55
LG 34.94.183.244:443/User Load					
0	34.2	63	36	34.4	18.3
LG 34.94.183.244:443/Thread Count					
40	93.2	122	95	93.4	18.6
LG 34.94.183.244:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.183.244:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.94.183.244:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.183.244:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.183.244:443/Controller Connection/Ping Duration (ms)					
50	67.6	111	65	66	10.63
LG 34.94.183.244:443/Network/Segments sent/sec.					
1.6	374.3	1,198	354.8	363.2	238.9
LG 34.94.183.244:443/Network/Segments retransmitted/sec.					
0	0.02	2.4	0	0	0.134
LG 34.94.183.244:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.16	32.9	9.58	9.84	6.65
LG 34.94.183.244:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.437	1.27	0.427	0.428	0.254

LG 34.94.184.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.184.200:443/CPU Load					
0	2.73	15	2	2.59	2.02
LG 34.94.184.200:443/Memory Used					
1	13.6	33	12	13.3	8.48
LG 34.94.184.200:443/Throughput					
0	9.93	33.2	9.35	9.62	6.53
LG 34.94.184.200:443/User Load					
0	34	63	35.5	34.2	18.2
LG 34.94.184.200:443/Thread Count					
40	92.9	123	94.5	93.1	18.9
LG 34.94.184.200:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.184.200:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.94.184.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.184.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.184.200:443/Controller Connection/Ping Duration (ms)					
37	65.5	94	66	65.8	7.64
LG 34.94.184.200:443/Network/Segments sent/sec.					
1.6	377.1	1,226	355	365.2	242.8
LG 34.94.184.200:443/Network/Segments retransmitted/sec.					
0	0.005	0.468	0	0	0.035
LG 34.94.184.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.11	33.7	9.52	9.79	6.64
LG 34.94.184.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.437	1.31	0.422	0.427	0.256

LG 34.94.187.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.187.166:443/CPU Load					
0	3.15	17	3	3	2.26
LG 34.94.187.166:443/Memory Used					
1	14.4	37	13	14	9.23
LG 34.94.187.166:443/Throughput					
0	9.99	27.2	9.88	9.83	6.28
LG 34.94.187.166:443/User Load					
0	34.3	63	36.5	34.4	18.2
LG 34.94.187.166:443/Thread Count					
40	93.4	124	95.5	93.7	18.8
LG 34.94.187.166:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.003
LG 34.94.187.166:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.94.187.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.187.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.187.166:443/Controller Connection/Ping Duration (ms)					
43	65.3	97	65	65	6.78

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.187.166:443/Network/Segments sent/sec.					
1.6	378.1	1,013	381.5	372.3	232.5
LG 34.94.187.166:443/Network/Segments retransmitted/sec.					
0	0.003	0.474	0	0	0.029
LG 34.94.187.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.16	27.6	10.06	10	6.38
LG 34.94.187.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.438	1.08	0.435	0.434	0.246

LG 34.94.187.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.187.23:443/CPU Load					
0	2.66	12	3	2.54	1.89
LG 34.94.187.23:443/Memory Used					
1	11.9	28	10	11.6	7.34
LG 34.94.187.23:443/Throughput					
0	9.91	26.2	9.62	9.75	6.17
LG 34.94.187.23:443/User Load					
0	33.9	63	35	34	18.1
LG 34.94.187.23:443/Thread Count					
40	93	123	94	93.1	18.5
LG 34.94.187.23:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.187.23:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.94.187.23:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.187.23:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.187.23:443/Controller Connection/Ping Duration (ms)					
53	85.6	127	79	85.3	20.5
LG 34.94.187.23:443/Network/Segments sent/sec.					
1.59	370.1	966.8	361.7	364.6	224.5
LG 34.94.187.23:443/Network/Segments retransmitted/sec.					
0	0.027	1.99	0	0	0.152
LG 34.94.187.23:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.08	26.6	9.8	9.92	6.26
LG 34.94.187.23:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.433	1.1	0.43	0.429	0.242

LG 34.94.188.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.188.160:443/CPU Load					
0	2.84	15	3	2.7	2.09
LG 34.94.188.160:443/Memory Used					
1	13.3	33	12	13	8.51
LG 34.94.188.160:443/Throughput					
0	9.92	26.1	9.53	9.75	6.3
LG 34.94.188.160:443/User Load					
0	34.1	63	36	34.2	18.2
LG 34.94.188.160:443/Thread Count					
40	93.1	125	95	93.4	18.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.188.160:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.188.160:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.94.188.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.188.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.188.160:443/Controller Connection/Ping Duration (ms)					
46	65	96	64	64.4	7.2
LG 34.94.188.160:443/Network/Segments sent/sec.					
1.6	377.2	996	366.5	371.1	233.1
LG 34.94.188.160:443/Network/Segments retransmitted/sec.					
0	0.002	0.603	0	0	0.031
LG 34.94.188.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.1	26.6	9.67	9.92	6.41
LG 34.94.188.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.437	1.07	0.426	0.433	0.248

LG 34.94.19.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.19.179:443/CPU Load					
0	3.34	10	3	3.26	2
LG 34.94.19.179:443/Memory Used					
1	11.8	29	11	11.6	7.19
LG 34.94.19.179:443/Throughput					
0	11.7	30.9	11.2	11.5	7.1
LG 34.94.19.179:443/User Load					
0	34.5	63	38	34.6	18.4
LG 34.94.19.179:443/Thread Count					
40	93.3	123	97	93.6	18.8
LG 34.94.19.179:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.19.179:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.19.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.19.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.19.179:443/Controller Connection/Ping Duration (ms)					
40	65.4	106	65	64.7	9.4
LG 34.94.19.179:443/Network/Segments sent/sec.					
1.58	443.2	1,160	427.3	435.4	259.9
LG 34.94.19.179:443/Network/Segments retransmitted/sec.					
0	0.021	2.82	0	0	0.173
LG 34.94.19.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.9	31.5	11.4	11.7	7.22
LG 34.94.19.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.527	1.27	0.525	0.521	0.282

LG 34.94.195.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.195.132:443/CPU Load					
0	3.34	19	3	3.19	2.3
LG 34.94.195.132:443/Memory Used					
1	11.6	27	11	11.4	7.05
LG 34.94.195.132:443/Throughput					
0	10.05	24.6	9.97	9.9	6.29
LG 34.94.195.132:443/User Load					
0	34.5	63	38	34.6	18.2
LG 34.94.195.132:443/Thread Count					
40	93.7	122	97	93.9	18.4
LG 34.94.195.132:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.195.132:443/Http client/Task Pool used					
0	0	0.133	0	0	0.006
LG 34.94.195.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.195.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.195.132:443/Controller Connection/Ping Duration (ms)					
38	66.9	116	65	65.2	11.2
LG 34.94.195.132:443/Network/Segments sent/sec.					
1.6	380.2	903	382.2	375.3	230.9
LG 34.94.195.132:443/Network/Segments retransmitted/sec.					
0	0.003	0.443	0	0	0.028
LG 34.94.195.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.23	25	10.14	10.08	6.39
LG 34.94.195.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.442	0.993	0.45	0.438	0.249

LG 34.94.196.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.196.153:443/CPU Load					
0	2.58	16	3	2.45	1.93
LG 34.94.196.153:443/Memory Used					
1	11.6	27	11	11.4	7.05
LG 34.94.196.153:443/Throughput					
0	9.97	30.3	9.81	9.78	6.29
LG 34.94.196.153:443/User Load					
0	34.2	63	36	34.4	18.2
LG 34.94.196.153:443/Thread Count					
40	93.2	123	95	93.4	18.6
LG 34.94.196.153:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.196.153:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.94.196.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.196.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.196.153:443/Controller Connection/Ping Duration (ms)					
47	67.3	119	66	65.7	10.01

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.196.153:443/Network/Segments sent/sec.					
1.58	378.9	1,154	381.6	372.1	232.7
LG 34.94.196.153:443/Network/Segments retransmitted/sec.					
0	0.003	0.401	0	0	0.027
LG 34.94.196.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.17	30.9	10.01	9.97	6.41
LG 34.94.196.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.463	4.42	0.462	0.443	0.351

LG 34.94.199.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.199.37:443/CPU Load					
0	2.2	11	2	2.11	1.6
LG 34.94.199.37:443/Memory Used					
1	11.4	27	10	11.2	7.17
LG 34.94.199.37:443/Throughput					
0	9.84	29.9	9.33	9.63	6.32
LG 34.94.199.37:443/User Load					
0	33.8	62	37	33.9	18.3
LG 34.94.199.37:443/Thread Count					
40	92.6	121	96	93	18.8
LG 34.94.199.37:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.199.37:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.199.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.199.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.199.37:443/Controller Connection/Ping Duration (ms)					
47	64.7	100	65	64.2	6.83
LG 34.94.199.37:443/Network/Segments sent/sec.					
1.59	374.7	1,137	355.8	366.8	235.2
LG 34.94.199.37:443/Network/Segments retransmitted/sec.					
0	0.005	0.6	0	0	0.041
LG 34.94.199.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.03	30.4	9.53	9.82	6.44
LG 34.94.199.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.434	1.19	0.417	0.429	0.249

LG 34.94.2.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.2.232:443/CPU Load					
0	3.21	15	3	3.07	2.25
LG 34.94.2.232:443/Memory Used					
1	15	37	14	14.7	9.58
LG 34.94.2.232:443/Throughput					
0	9.97	25.9	9.21	9.8	6.29
LG 34.94.2.232:443/User Load					
0	34.2	63	36	34.3	18.1
LG 34.94.2.232:443/Thread Count					
40	93	122	95	93.3	18.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.2.232:443/Http client/Thread Pool used					
0.1	0.1	0.125	0.1	0.1	0.002
LG 34.94.2.232:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 34.94.2.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.2.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.2.232:443/Controller Connection/Ping Duration (ms)					
45	66.6	112	66	65.7	9.04
LG 34.94.2.232:443/Network/Segments sent/sec.					
1.6	378.9	972	355.5	372.6	232.5
LG 34.94.2.232:443/Network/Segments retransmitted/sec.					
0	0.006	0.41	0	0	0.035
LG 34.94.2.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.15	26.3	9.38	9.97	6.39
LG 34.94.2.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.44	1.05	0.418	0.435	0.249

LG 34.94.206.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.206.207:443/CPU Load					
0	2.28	12	2	2.15	1.79
LG 34.94.206.207:443/Memory Used					
1	13.1	32	12	12.8	8.07
LG 34.94.206.207:443/Throughput					
0	9.97	27.2	9.04	9.69	6.69
LG 34.94.206.207:443/User Load					
0	34.2	63	36	34.3	18.2
LG 34.94.206.207:443/Thread Count					
40	93.1	122	95	93.3	18.5
LG 34.94.206.207:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.206.207:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.94.206.207:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.206.207:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.206.207:443/Controller Connection/Ping Duration (ms)					
51	65.3	113	64	64.2	8.59
LG 34.94.206.207:443/Network/Segments sent/sec.					
1.56	380.1	1,004	349.7	370	248
LG 34.94.206.207:443/Network/Segments retransmitted/sec.					
0	0.007	0.797	0	0	0.05
LG 34.94.206.207:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.17	27.6	9.24	9.88	6.81
LG 34.94.206.207:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.44	1.12	0.402	0.43	0.264

LG 34.94.218.128:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.218.128:443/CPU Load					
0	2.78	20	3	2.63	2.16
LG 34.94.218.128:443/Memory Used					
1	12.9	31	11.5	12.6	8.16
LG 34.94.218.128:443/Throughput					
0	9.96	28	9.9	9.76	6.46
LG 34.94.218.128:443/User Load					
0	34.4	63	37	34.5	18.2
LG 34.94.218.128:443/Thread Count					
40	93.2	122	96	93.4	18.6
LG 34.94.218.128:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.218.128:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.94.218.128:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.218.128:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.218.128:443/Controller Connection/Ping Duration (ms)					
44	65.9	114	64	64.5	9.32
LG 34.94.218.128:443/Network/Segments sent/sec.					
1.6	372.3	1,034	373.3	365	235.5
LG 34.94.218.128:443/Network/Segments retransmitted/sec.					
0	0.015	1.19	0	0	0.092
LG 34.94.218.128:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.14	28.4	10.09	9.93	6.56
LG 34.94.218.128:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.435	1.13	0.428	0.43	0.251

LG 34.94.219.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.219.7:443/CPU Load					
0	3.06	13	3	2.9	2.21
LG 34.94.219.7:443/Memory Used					
1	12.8	31	11.5	12.5	8.07
LG 34.94.219.7:443/Throughput					
0	9.82	29.7	9.77	9.62	6.3
LG 34.94.219.7:443/User Load					
0	33.7	62	36	33.8	18.3
LG 34.94.219.7:443/Thread Count					
40	92.5	122	95	92.8	18.8
LG 34.94.219.7:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.219.7:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.219.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.219.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.219.7:443/Controller Connection/Ping Duration (ms)					
45	65.8	97	65	65.3	7.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.219.7:443/Network/Segments sent/sec.					
1.6	361.5	1,075	361.4	354.8	225.9
LG 34.94.219.7:443/Network/Segments retransmitted/sec.					
0	0.018	1.79	0	0	0.126
LG 34.94.219.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.99	30.2	9.94	9.79	6.4
LG 34.94.219.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.426	1.16	0.424	0.421	0.247

LG 34.94.223.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.223.237:443/CPU Load					
0	2.65	15	2	2.51	2.02
LG 34.94.223.237:443/Memory Used					
1	13.7	34	12	13.4	8.56
LG 34.94.223.237:443/Throughput					
0	9.97	32.1	9.59	9.73	6.4
LG 34.94.223.237:443/User Load					
0	34.2	63	36	34.3	18.2
LG 34.94.223.237:443/Thread Count					
40	93	122	95	93.3	18.5
LG 34.94.223.237:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.223.237:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.007
LG 34.94.223.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.223.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.223.237:443/Controller Connection/Ping Duration (ms)					
47	64.8	106	64	63.7	7.67
LG 34.94.223.237:443/Network/Segments sent/sec.					
1.58	373.7	1,171	361.8	365.3	233.5
LG 34.94.223.237:443/Network/Segments retransmitted/sec.					
0	0.007	0.8	0	0	0.048
LG 34.94.223.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.15	32.7	9.79	9.91	6.51
LG 34.94.223.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.436	1.26	0.426	0.43	0.248

LG 34.94.228.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.228.6:443/CPU Load					
0	2.7	15	2	2.54	2.14
LG 34.94.228.6:443/Memory Used					
1	12.5	30	11	12.3	7.76
LG 34.94.228.6:443/Throughput					
0	9.84	26.7	9.33	9.62	6.57
LG 34.94.228.6:443/User Load					
0	33.6	62	35	33.8	18.1
LG 34.94.228.6:443/Thread Count					
40	92.6	121	94	92.9	18.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.228.6:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.228.6:443/Http client/Task Pool used					
0	0	0.1	0	0	0.005
LG 34.94.228.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.228.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.228.6:443/Controller Connection/Ping Duration (ms)					
63	67.2	121	64	65	10.49
LG 34.94.228.6:443/Network/Segments sent/sec.					
1.58	368.9	977.9	349.9	361.1	240.9
LG 34.94.228.6:443/Network/Segments retransmitted/sec.					
0	0.033	1.8	0	0.003	0.164
LG 34.94.228.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.01	27.2	9.51	9.79	6.67
LG 34.94.228.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.43	1.07	0.414	0.424	0.256

LG 34.94.230.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.230.4:443/CPU Load					
0	2.77	14	3	2.63	2.07
LG 34.94.230.4:443/Memory Used					
1	12.1	30	11	11.9	7.52
LG 34.94.230.4:443/Throughput					
0	9.98	30.5	9.93	9.69	6.63
LG 34.94.230.4:443/User Load					
0	34.3	63	38	34.4	18.2
LG 34.94.230.4:443/Thread Count					
40	93.2	124	97	93.4	18.7
LG 34.94.230.4:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.230.4:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.230.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.230.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.230.4:443/Controller Connection/Ping Duration (ms)					
47	65.3	107	65	64.2	8.19
LG 34.94.230.4:443/Network/Segments sent/sec.					
1.57	378.8	1,138	381.1	368.3	245.8
LG 34.94.230.4:443/Network/Segments retransmitted/sec.					
0	0.002	0.202	0	0	0.02
LG 34.94.230.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.16	31	10.09	9.86	6.74
LG 34.94.230.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.439	1.18	0.429	0.43	0.257

LG 34.94.232.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.232.153:443/CPU Load					
0	2.55	14	2	2.41	1.93
LG 34.94.232.153:443/Memory Used					
1	13.7	34	13	13.4	8.49
LG 34.94.232.153:443/Throughput					
0	10.07	31.1	10.34	9.82	6.48
LG 34.94.232.153:443/User Load					
0	34.5	63	38	34.6	18.2
LG 34.94.232.153:443/Thread Count					
40	93.4	123	97	93.6	18.4
LG 34.94.232.153:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.232.153:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.94.232.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.232.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.232.153:443/Controller Connection/Ping Duration (ms)					
46	65.1	106	64	64.1	8.15
LG 34.94.232.153:443/Network/Segments sent/sec.					
1.6	383.3	1,176	388.5	374	241.5
LG 34.94.232.153:443/Network/Segments retransmitted/sec.					
0	0.004	0.482	0	0	0.036
LG 34.94.232.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.26	31.7	10.54	10	6.59
LG 34.94.232.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.442	1.25	0.46	0.435	0.256

LG 34.94.233.120:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.233.120:443/CPU Load					
0	2.51	14	2	2.36	1.97
LG 34.94.233.120:443/Memory Used					
1	14.1	37	12	13.7	9.21
LG 34.94.233.120:443/Throughput					
0	9.78	28.6	9.39	9.56	6.41
LG 34.94.233.120:443/User Load					
0	33.6	62	35	33.7	18.2
LG 34.94.233.120:443/Thread Count					
40	92.4	122	94	92.8	18.8
LG 34.94.233.120:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.233.120:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.94.233.120:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.233.120:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.233.120:443/Controller Connection/Ping Duration (ms)					
37	64.1	100	64	63.8	9.41

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.233.120:443/Network/Segments sent/sec.					
1.57	362	1,045	348.5	354.5	231.2
LG 34.94.233.120:443/Network/Segments retransmitted/sec.					
0	0.022	2.79	0	0	0.163
LG 34.94.233.120:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.95	29.2	9.55	9.73	6.51
LG 34.94.233.120:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.428	1.55	0.408	0.422	0.252

LG 34.94.234.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.234.168:443/CPU Load					
0	2.37	11	2	2.25	1.74
LG 34.94.234.168:443/Memory Used					
1	11.6	27	11	11.3	7.04
LG 34.94.234.168:443/Throughput					
0	9.87	30.1	9.63	9.63	6.29
LG 34.94.234.168:443/User Load					
0	33.9	62	37	34.1	18.2
LG 34.94.234.168:443/Thread Count					
40	92.8	122	96	93.1	18.6
LG 34.94.234.168:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 34.94.234.168:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.234.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.234.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.234.168:443/Controller Connection/Ping Duration (ms)					
41	64.3	101	63	63.7	7.69
LG 34.94.234.168:443/Network/Segments sent/sec.					
1.6	374.8	1,134	368	365.9	233
LG 34.94.234.168:443/Network/Segments retransmitted/sec.					
0	0.003	0.513	0	0	0.03
LG 34.94.234.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.06	30.6	9.82	9.82	6.4
LG 34.94.234.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.436	1.2	0.425	0.43	0.244

LG 34.94.239.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.239.19:443/CPU Load					
0	2.84	16	3	2.67	2.17
LG 34.94.239.19:443/Memory Used					
1	13.8	35	12	13.4	8.84
LG 34.94.239.19:443/Throughput					
0	9.88	29.9	9.57	9.64	6.52
LG 34.94.239.19:443/User Load					
0	33.9	62	37	34.1	18.4
LG 34.94.239.19:443/Thread Count					
40	92.8	123	96	93.2	19

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.239.19:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.239.19:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.94.239.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.239.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.239.19:443/Controller Connection/Ping Duration (ms)					
48	67.8	124	67	66.6	10.33
LG 34.94.239.19:443/Network/Segments sent/sec.					
1.58	369.7	1,117	355.9	361.1	237.7
LG 34.94.239.19:443/Network/Segments retransmitted/sec.					
0	0.005	0.401	0	0	0.037
LG 34.94.239.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.05	30.4	9.73	9.81	6.62
LG 34.94.239.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.432	1.22	0.422	0.425	0.256

LG 34.94.24.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.24.133:443/CPU Load					
0	2.64	15	3	2.48	2.08
LG 34.94.24.133:443/Memory Used					
1	14	34	12	13.6	9.12
LG 34.94.24.133:443/Throughput					
0	9.81	30.6	9.88	9.56	6.55
LG 34.94.24.133:443/User Load					
0	33.6	62	35	33.8	18.1
LG 34.94.24.133:443/Thread Count					
40	92.5	122	94	92.8	18.8
LG 34.94.24.133:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.94.24.133:443/Http client/Task Pool used					
0	0	0.083	0	0	0.004
LG 34.94.24.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.24.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.24.133:443/Controller Connection/Ping Duration (ms)					
47	65.7	109	65	64.6	7.85
LG 34.94.24.133:443/Network/Segments sent/sec.					
1.6	371.2	1,154	374.1	362	242.6
LG 34.94.24.133:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.02
LG 34.94.24.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.99	31.2	10.05	9.74	6.66
LG 34.94.24.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.43	1.19	0.438	0.424	0.256

LG 34.94.245.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.245.68:443/CPU Load					
0	2.6	15	3	2.48	1.86
LG 34.94.245.68:443/Memory Used					
1	13.3	32	12	13	8.43
LG 34.94.245.68:443/Throughput					
0	9.82	26.1	9.85	9.71	6.07
LG 34.94.245.68:443/User Load					
0	33.6	62	35	33.8	18.2
LG 34.94.245.68:443/Thread Count					
40	92.4	121	94	92.8	18.7
LG 34.94.245.68:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.245.68:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.94.245.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.245.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.245.68:443/Controller Connection/Ping Duration (ms)					
38	65.9	105	65	65.1	9.38
LG 34.94.245.68:443/Network/Segments sent/sec.					
1.59	368.2	937.6	374.8	364.6	221.1
LG 34.94.245.68:443/Network/Segments retransmitted/sec.					
0	0.01	0.793	0	0	0.061
LG 34.94.245.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.99	26.5	10.03	9.88	6.17
LG 34.94.245.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.43	1.04	0.438	0.429	0.238

LG 34.94.245.96:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.245.96:443/CPU Load					
0	2.8	13	3	2.67	2.04
LG 34.94.245.96:443/Memory Used					
1	12.5	31	11	12.2	7.93
LG 34.94.245.96:443/Throughput					
0	9.86	27.5	9.35	9.64	6.44
LG 34.94.245.96:443/User Load					
0	33.8	62	37	34	18.2
LG 34.94.245.96:443/Thread Count					
40	92.9	122	96	93.2	18.9
LG 34.94.245.96:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 34.94.245.96:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.94.245.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.245.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.245.96:443/Controller Connection/Ping Duration (ms)					
40	66.5	103	66	66	8.49

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.245.96:443/Network/Segments sent/sec.					
1.6	369.7	1,021	348.6	361.9	235.9
LG 34.94.245.96:443/Network/Segments retransmitted/sec.					
0	0.022	1.6	0	0.001	0.127
LG 34.94.245.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.03	27.9	9.53	9.81	6.54
LG 34.94.245.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.432	1.07	0.432	0.427	0.249

LG 34.94.253.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.253.112:443/CPU Load					
0	2.13	18	2	1.99	1.76
LG 34.94.253.112:443/Memory Used					
1	13	32	11	12.6	8.44
LG 34.94.253.112:443/Throughput					
0	9.79	29.8	9.09	9.54	6.44
LG 34.94.253.112:443/User Load					
0	33.7	62	36	33.9	18.2
LG 34.94.253.112:443/Thread Count					
40	92.6	124	95	92.9	19.1
LG 34.94.253.112:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.253.112:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.253.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.253.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.253.112:443/Controller Connection/Ping Duration (ms)					
62	67.7	163	64	64.4	16.3
LG 34.94.253.112:443/Network/Segments sent/sec.					
1.56	374	1,141	347	364.4	241.6
LG 34.94.253.112:443/Network/Segments retransmitted/sec.					
0	0.006	0.516	0	0	0.041
LG 34.94.253.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.99	30.4	9.26	9.73	6.56
LG 34.94.253.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.433	1.21	0.405	0.426	0.255

LG 34.94.27.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.27.13:443/CPU Load					
0	2.35	11	2	2.25	1.75
LG 34.94.27.13:443/Memory Used					
1	10.7	25	10	10.5	6.4
LG 34.94.27.13:443/Throughput					
0	10.04	26.6	10	9.91	6.39
LG 34.94.27.13:443/User Load					
0	34.5	63	38	34.7	18.4
LG 34.94.27.13:443/Thread Count					
40	93.5	123	97	93.7	18.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.27.13:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.27.13:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.94.27.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.27.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.27.13:443/Controller Connection/Ping Duration (ms)					
48	65.5	102	64	64.4	8.51
LG 34.94.27.13:443/Network/Segments sent/sec.					
1.6	372	950.3	369.5	367.3	231.3
LG 34.94.27.13:443/Network/Segments retransmitted/sec.					
0	0.032	3.22	0	0	0.227
LG 34.94.27.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.23	27	10.18	10.09	6.5
LG 34.94.27.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.437	1.04	0.437	0.434	0.249

LG 34.94.32.115:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.32.115:443/CPU Load					
0	3.15	13	3	3.01	2.19
LG 34.94.32.115:443/Memory Used					
1	14.5	36	12	14.1	9.52
LG 34.94.32.115:443/Throughput					
0	9.89	27.1	9.22	9.68	6.42
LG 34.94.32.115:443/User Load					
0	33.8	62	37	33.9	18.2
LG 34.94.32.115:443/Thread Count					
40	92.7	122	96	93	19.1
LG 34.94.32.115:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.32.115:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.94.32.115:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.32.115:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.32.115:443/Controller Connection/Ping Duration (ms)					
46	66.1	86	66	66.1	4.21
LG 34.94.32.115:443/Network/Segments sent/sec.					
1.6	375.4	1,034	351.7	367.7	236.9
LG 34.94.32.115:443/Network/Segments retransmitted/sec.					
0	0.007	0.414	0	0	0.038
LG 34.94.32.115:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	27.6	9.4	9.85	6.52
LG 34.94.32.115:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.436	1.08	0.419	0.43	0.251

LG 34.94.32.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.32.215:443/CPU Load					
0	2.62	13	2	2.49	1.95
LG 34.94.32.215:443/Memory Used					
1	13.4	32	12	13.1	8.59
LG 34.94.32.215:443/Throughput					
0	9.87	29.3	9.36	9.71	6.29
LG 34.94.32.215:443/User Load					
0	34	62	37	34.2	18.1
LG 34.94.32.215:443/Thread Count					
40	92.9	121	96	93.3	18.6
LG 34.94.32.215:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.32.215:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.94.32.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.32.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.32.215:443/Controller Connection/Ping Duration (ms)					
41	67.3	116	66	66.3	10.95
LG 34.94.32.215:443/Network/Segments sent/sec.					
1.57	364.9	1,049	351.3	359.1	227
LG 34.94.32.215:443/Network/Segments retransmitted/sec.					
0	0.034	1.58	0	0.004	0.156
LG 34.94.32.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.05	29.8	9.51	9.88	6.4
LG 34.94.32.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.43	1.17	0.412	0.426	0.246

LG 34.94.4.181:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.4.181:443/CPU Load					
0	2.26	10	2	2.18	1.7
LG 34.94.4.181:443/Memory Used					
1	10.6	24	10	10.41	6.37
LG 34.94.4.181:443/Throughput					
0	9.84	27.7	9.27	9.59	6.58
LG 34.94.4.181:443/User Load					
0	33.7	62	35	33.8	18.1
LG 34.94.4.181:443/Thread Count					
40	92.5	122	94	92.8	18.8
LG 34.94.4.181:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.4.181:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.94.4.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.4.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.4.181:443/Controller Connection/Ping Duration (ms)					
48	65.6	93	65	65	6.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.4.181:443/Network/Segments sent/sec.					
1.58	365.1	1,007	348.7	355.7	238.7
LG 34.94.4.181:443/Network/Segments retransmitted/sec.					
0	0.01	0.999	0	0	0.076
LG 34.94.4.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.02	28	9.43	9.77	6.69
LG 34.94.4.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.43	1.08	0.412	0.423	0.253

LG 34.94.44.236:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.44.236:443/CPU Load					
0	2.96	18	3	2.8	2.24
LG 34.94.44.236:443/Memory Used					
1	14.2	34	13	13.8	9.07
LG 34.94.44.236:443/Throughput					
0	10.01	28.8	9.63	9.79	6.51
LG 34.94.44.236:443/User Load					
0	34.2	63	36	34.4	18.2
LG 34.94.44.236:443/Thread Count					
40	93.3	123	96	93.6	18.7
LG 34.94.44.236:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.44.236:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 34.94.44.236:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.44.236:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.44.236:443/Controller Connection/Ping Duration (ms)					
59	68.3	173	66	65.6	15.8
LG 34.94.44.236:443/Network/Segments sent/sec.					
1.6	369.1	1,042	357	361	233.9
LG 34.94.44.236:443/Network/Segments retransmitted/sec.					
0	0.053	2	0	0.008	0.235
LG 34.94.44.236:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.19	29.2	9.76	9.95	6.61
LG 34.94.44.236:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.435	1.11	0.428	0.428	0.251

LG 34.94.45.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.45.237:443/CPU Load					
0	2.08	10	2	1.98	1.51
LG 34.94.45.237:443/Memory Used					
1	13	31	12	12.7	8.24
LG 34.94.45.237:443/Throughput					
0	9.97	27.7	9.78	9.75	6.26
LG 34.94.45.237:443/User Load					
0	34.2	63	36	34.3	18.2
LG 34.94.45.237:443/Thread Count					
40	93	122	95	93.3	18.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.45.237:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.45.237:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.94.45.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.45.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.45.237:443/Controller Connection/Ping Duration (ms)					
53	64.8	96	64	64.2	6.21
LG 34.94.45.237:443/Network/Segments sent/sec.					
1.6	375.8	1,035	370.9	367.7	230.4
LG 34.94.45.237:443/Network/Segments retransmitted/sec.					
0	0.033	2	0	0.005	0.161
LG 34.94.45.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.17	28.3	9.95	9.94	6.38
LG 34.94.45.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.437	1.08	0.437	0.431	0.245

LG 34.94.60.190:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.60.190:443/CPU Load					
0	2.54	13	2	2.41	1.92
LG 34.94.60.190:443/Memory Used					
1	12.5	29	11	12.3	7.52
LG 34.94.60.190:443/Throughput					
0	9.88	27.8	9.49	9.67	6.35
LG 34.94.60.190:443/User Load					
0	33.9	63	34	34	18
LG 34.94.60.190:443/Thread Count					
40	93	123	93	93.1	18.4
LG 34.94.60.190:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.60.190:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.60.190:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.60.190:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.60.190:443/Controller Connection/Ping Duration (ms)					
47	65.6	89	65	64.9	5.61
LG 34.94.60.190:443/Network/Segments sent/sec.					
1.6	374.8	1,048	363.6	367	235
LG 34.94.60.190:443/Network/Segments retransmitted/sec.					
0	0.002	0.264	0	0	0.022
LG 34.94.60.190:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	28.3	9.69	9.86	6.47
LG 34.94.60.190:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.435	1.12	0.422	0.429	0.249

LG 34.94.7.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.7.240:443/CPU Load					
0	2.61	16	2	2.46	2.01
LG 34.94.7.240:443/Memory Used					
1	15	36	13	14.7	9.59
LG 34.94.7.240:443/Throughput					
0	10.09	31.7	9.74	9.81	6.61
LG 34.94.7.240:443/User Load					
0	34.5	63	38	34.7	18.2
LG 34.94.7.240:443/Thread Count					
40	93.4	123	97	93.6	18.4
LG 34.94.7.240:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.7.240:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.94.7.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.7.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.7.240:443/Controller Connection/Ping Duration (ms)					
45	66.4	105	65	65.3	8.41
LG 34.94.7.240:443/Network/Segments sent/sec.					
1.58	384	1,216	373.1	373.7	245.7
LG 34.94.7.240:443/Network/Segments retransmitted/sec.					
0	0.004	0.461	0	0	0.03
LG 34.94.7.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.28	32.2	9.93	10	6.72
LG 34.94.7.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.443	1.29	0.432	0.435	0.258

LG 34.94.74.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.74.179:443/CPU Load					
0	2.95	16	3	2.82	2.02
LG 34.94.74.179:443/Memory Used					
1	11.1	26	10	10.89	6.64
LG 34.94.74.179:443/Throughput					
0	10	31.3	10.28	9.79	6.12
LG 34.94.74.179:443/User Load					
0	34.3	63	37	34.5	18.2
LG 34.94.74.179:443/Thread Count					
40	93.4	123	96	93.6	18.7
LG 34.94.74.179:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.74.179:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.74.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.74.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.74.179:443/Controller Connection/Ping Duration (ms)					
34	66.3	109	66	65.7	9.38

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.74.179:443/Network/Segments sent/sec.					
1.6	374.1	1,138	387.4	366.5	223.4
LG 34.94.74.179:443/Network/Segments retransmitted/sec.					
0	0.033	2	0	0.005	0.15
LG 34.94.74.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.18	31.7	10.46	9.96	6.22
LG 34.94.74.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.438	1.2	0.453	0.432	0.239

LG 34.94.75.98:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.75.98:443/CPU Load					
0	3.08	13	3	2.96	2.21
LG 34.94.75.98:443/Memory Used					
1	14.1	36	12.5	13.7	9.12
LG 34.94.75.98:443/Throughput					
0	9.8	29.4	9.31	9.61	6.54
LG 34.94.75.98:443/User Load					
0	33.7	62	36	33.9	18.3
LG 34.94.75.98:443/Thread Count					
40	92.7	122	95	93	18.9
LG 34.94.75.98:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.75.98:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 34.94.75.98:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.75.98:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.75.98:443/Controller Connection/Ping Duration (ms)					
38	66.6	125	66	65.9	10.32
LG 34.94.75.98:443/Network/Segments sent/sec.					
1.6	371.9	1,103	352.4	365.1	242.5
LG 34.94.75.98:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.018
LG 34.94.75.98:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.97	29.9	9.45	9.78	6.64
LG 34.94.75.98:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.431	1.2	0.418	0.426	0.259

LG 34.94.79.118:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.79.118:443/CPU Load					
0	2.85	12	3	2.71	2.09
LG 34.94.79.118:443/Memory Used					
1	13.1	31	12	12.8	8.26
LG 34.94.79.118:443/Throughput					
0	10.11	26.3	9.41	9.95	6.43
LG 34.94.79.118:443/User Load					
0	34.5	63	38	34.6	18.2
LG 34.94.79.118:443/Thread Count					
40	93.6	123	97	93.8	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.79.118:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.79.118:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.79.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.79.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.79.118:443/Controller Connection/Ping Duration (ms)					
45	65.3	102	65	64.5	6.99
LG 34.94.79.118:443/Network/Segments sent/sec.					
1.59	378.3	968.3	353.7	372.6	234.6
LG 34.94.79.118:443/Network/Segments retransmitted/sec.					
0	0.024	2.21	0	0	0.162
LG 34.94.79.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.29	26.7	9.61	10.13	6.53
LG 34.94.79.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.441	1.06	0.418	0.438	0.251

LG 34.94.8.236:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.8.236:443/CPU Load					
0	2.34	11	2	2.24	1.7
LG 34.94.8.236:443/Memory Used					
1	14.5	36	13	14.1	9.3
LG 34.94.8.236:443/Throughput					
0	9.93	28.4	9.96	9.71	6.29
LG 34.94.8.236:443/User Load					
0	34	63	35	34.1	18.2
LG 34.94.8.236:443/Thread Count					
40	92.7	122	94	93	18.7
LG 34.94.8.236:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.8.236:443/Http client/Task Pool used					
0	0	0.083	0	0	0.004
LG 34.94.8.236:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.8.236:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.8.236:443/Controller Connection/Ping Duration (ms)					
49	68.9	146	65	66.7	15.4
LG 34.94.8.236:443/Network/Segments sent/sec.					
1.6	367.6	1,025	372.6	360.1	226.5
LG 34.94.8.236:443/Network/Segments retransmitted/sec.					
0	0.029	2.98	0	0	0.18
LG 34.94.8.236:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.11	28.9	10.15	9.89	6.4
LG 34.94.8.236:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.433	1.15	0.44	0.426	0.244

LG 34.94.84.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.84.117:443/CPU Load					
0	2.51	14	2	2.38	1.84
LG 34.94.84.117:443/Memory Used					
1	12.1	29	11	11.9	7.53
LG 34.94.84.117:443/Throughput					
0	9.73	28.7	8.88	9.4	6.39
LG 34.94.84.117:443/User Load					
0	33.4	62	34	33.5	18.1
LG 34.94.84.117:443/Thread Count					
40	92.5	122	93	92.8	18.8
LG 34.94.84.117:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.84.117:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.94.84.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.84.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.84.117:443/Controller Connection/Ping Duration (ms)					
40	64.8	105	64	64.2	8.11
LG 34.94.84.117:443/Network/Segments sent/sec.					
1.59	369.5	1,070	340.4	358	236
LG 34.94.84.117:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.018
LG 34.94.84.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.92	29.2	9.05	9.59	6.5
LG 34.94.84.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.43	1.13	0.409	0.42	0.252

LG 34.94.88.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.88.237:443/CPU Load					
0	2.22	14	2	2.08	1.76
LG 34.94.88.237:443/Memory Used					
1	13.8	34	12	13.5	8.77
LG 34.94.88.237:443/Throughput					
0	9.95	32.9	9.75	9.65	6.57
LG 34.94.88.237:443/User Load					
0	34.1	63	36	34.3	18.2
LG 34.94.88.237:443/Thread Count					
40	93.1	126	95	93.3	18.7
LG 34.94.88.237:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.88.237:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.94.88.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.88.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.88.237:443/Controller Connection/Ping Duration (ms)					
35	64.3	95	65	64.3	6.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.88.237:443/Network/Segments sent/sec.					
1.57	378.8	1,223	371.6	367.5	245.1
LG 34.94.88.237:443/Network/Segments retransmitted/sec.					
0	0.006	0.476	0	0	0.036
LG 34.94.88.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.15	33.5	9.94	9.85	6.69
LG 34.94.88.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.438	1.29	0.433	0.43	0.257

LG 34.94.88.82:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.88.82:443/CPU Load					
0	2.8	14	3	2.68	2.01
LG 34.94.88.82:443/Memory Used					
1	13.5	33	12	13.2	8.48
LG 34.94.88.82:443/Throughput					
0	9.87	30.4	9.82	9.67	6.32
LG 34.94.88.82:443/User Load					
0	33.8	62	37	34	18.2
LG 34.94.88.82:443/Thread Count					
40	92.7	121	97	93.2	18.8
LG 34.94.88.82:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.88.82:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.94.88.82:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.88.82:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.88.82:443/Controller Connection/Ping Duration (ms)					
46	64.8	92	65	64.9	5.24
LG 34.94.88.82:443/Network/Segments sent/sec.					
1.59	370.2	1,115	363.9	363.1	231.6
LG 34.94.88.82:443/Network/Segments retransmitted/sec.					
0	0.024	1.99	0	0	0.154
LG 34.94.88.82:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.05	30.9	10	9.85	6.42
LG 34.94.88.82:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.433	1.19	0.434	0.428	0.247

LG 35.235.111.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.111.16:443/CPU Load					
0	3.23	11	3	3.19	1.79
LG 35.235.111.16:443/Memory Used					
1	13.6	33	12	13.3	8.58
LG 35.235.111.16:443/Throughput					
0	11.3	26.5	11.2	11.3	6.56
LG 35.235.111.16:443/User Load					
0	33.8	62	36.5	34	18.3
LG 35.235.111.16:443/Thread Count					
40	92.5	121	95.5	92.8	19

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.111.16:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.111.16:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.235.111.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.111.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.111.16:443/Controller Connection/Ping Duration (ms)					
47	66.7	105	66	65.8	7.75
LG 35.235.111.16:443/Network/Segments sent/sec.					
1.58	436.6	1,006	429.8	435	243.6
LG 35.235.111.16:443/Network/Segments retransmitted/sec.					
0	0.006	0.513	0	0	0.037
LG 35.235.111.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.6	27	11.4	11.5	6.67
LG 35.235.111.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.518	1.13	0.526	0.519	0.26

LG 35.235.127.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.127.208:443/CPU Load					
0	3.01	16	3	2.89	2.05
LG 35.235.127.208:443/Memory Used					
1	14.4	37	13	14	9.35
LG 35.235.127.208:443/Throughput					
0	10.03	30.9	10.09	9.87	6.08
LG 35.235.127.208:443/User Load					
0	34.4	63	37	34.5	18.3
LG 35.235.127.208:443/Thread Count					
40	93.3	122	96	93.5	18.5
LG 35.235.127.208:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.127.208:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.235.127.208:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.127.208:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.127.208:443/Controller Connection/Ping Duration (ms)					
44	66.5	103	65	65.1	9.06
LG 35.235.127.208:443/Network/Segments sent/sec.					
1.58	380.1	1,160	383.2	374.6	224.4
LG 35.235.127.208:443/Network/Segments retransmitted/sec.					
0	0.006	0.459	0	0	0.039
LG 35.235.127.208:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.2	31.5	10.3	10.04	6.18
LG 35.235.127.208:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.441	1.21	0.442	0.437	0.24

LG 35.235.64.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.64.117:443/CPU Load					
0	2.57	14	3	2.41	1.94
LG 35.235.64.117:443/Memory Used					
1	14.3	36	13	14	9.19
LG 35.235.64.117:443/Throughput					
0	9.86	37.4	9.72	9.58	6.43
LG 35.235.64.117:443/User Load					
0	33.8	62	36	33.9	18.3
LG 35.235.64.117:443/Thread Count					
40	92.6	123	95	93	18.9
LG 35.235.64.117:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.235.64.117:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.235.64.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.64.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.64.117:443/Controller Connection/Ping Duration (ms)					
48	66.6	97	66	66	6.93
LG 35.235.64.117:443/Network/Segments sent/sec.					
1.59	369.4	1,349	364.8	359.4	235.6
LG 35.235.64.117:443/Network/Segments retransmitted/sec.					
0	0.013	1.19	0	0	0.087
LG 35.235.64.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.05	38.1	9.91	9.76	6.55
LG 35.235.64.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.432	1.44	0.425	0.424	0.253

LG 35.235.64.212:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.64.212:443/CPU Load					
0	2.31	16	2	2.18	1.85
LG 35.235.64.212:443/Memory Used					
1	12.7	31	11	12.4	7.92
LG 35.235.64.212:443/Throughput					
0	9.82	33	9.99	9.53	6.6
LG 35.235.64.212:443/User Load					
0	33.6	62	35	33.8	18.2
LG 35.235.64.212:443/Thread Count					
40	92.7	122	94	93	18.8
LG 35.235.64.212:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.64.212:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.235.64.212:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.64.212:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.64.212:443/Controller Connection/Ping Duration (ms)					
50	66.6	113	65	65.2	8.88

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.64.212:443/Network/Segments sent/sec.					
1.6	365.7	1,246	369.8	355.4	239.8
LG 35.235.64.212:443/Network/Segments retransmitted/sec.					
0	0.029	2.2	0	0	0.174
LG 35.235.64.212:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.02	33.8	10.19	9.73	6.72
LG 35.235.64.212:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.429	1.31	0.442	0.421	0.258

LG 35.235.66.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.66.73:443/CPU Load					
0	2.29	12	2	2.14	1.86
LG 35.235.66.73:443/Memory Used					
1	13.2	32	12	12.9	8.34
LG 35.235.66.73:443/Throughput					
0	9.84	33.9	9.26	9.52	6.69
LG 35.235.66.73:443/User Load					
0	33.8	62	37	33.9	18.2
LG 35.235.66.73:443/Thread Count					
40	92.6	122	96	93	18.9
LG 35.235.66.73:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.235.66.73:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.235.66.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.66.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.66.73:443/Controller Connection/Ping Duration (ms)					
36	64.8	91	65	64.9	5.66
LG 35.235.66.73:443/Network/Segments sent/sec.					
1.58	370.6	1,279	349.6	358.7	247.2
LG 35.235.66.73:443/Network/Segments retransmitted/sec.					
0	0.026	1.8	0	0.001	0.14
LG 35.235.66.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.04	34.7	9.45	9.71	6.81
LG 35.235.66.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.432	1.34	0.419	0.423	0.26

LG 35.235.68.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.68.215:443/CPU Load					
0	2.93	15	3	2.77	2.23
LG 35.235.68.215:443/Memory Used					
1	12	29	11	11.7	7.46
LG 35.235.68.215:443/Throughput					
0	9.98	25.3	10.01	9.82	6.47
LG 35.235.68.215:443/User Load					
0	34.3	63	37	34.5	18.2
LG 35.235.68.215:443/Thread Count					
40	93.4	123	96	93.6	18.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.68.215:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.68.215:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.235.68.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.68.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.68.215:443/Controller Connection/Ping Duration (ms)					
42	65.6	116	64	64.3	9.16
LG 35.235.68.215:443/Network/Segments sent/sec.					
1.57	373.5	941.1	372.8	367.9	235.5
LG 35.235.68.215:443/Network/Segments retransmitted/sec.					
0	0.016	1.39	0	0	0.098
LG 35.235.68.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.16	25.8	10.19	10	6.58
LG 35.235.68.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.436	1.04	0.438	0.432	0.253

LG 35.235.68.81:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.68.81:443/CPU Load					
0	2.68	23	2	2.53	2.08
LG 35.235.68.81:443/Memory Used					
1	12.8	31	12	12.5	7.87
LG 35.235.68.81:443/Throughput					
0	9.94	29.6	9.66	9.83	6.29
LG 35.235.68.81:443/User Load					
0	34.1	63	36	34.3	18.2
LG 35.235.68.81:443/Thread Count					
40	93.2	123	95	93.4	18.7
LG 35.235.68.81:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.68.81:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.235.68.81:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.68.81:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.68.81:443/Controller Connection/Ping Duration (ms)					
34	66.7	116	66	65.8	10.56
LG 35.235.68.81:443/Network/Segments sent/sec.					
1.57	377.8	1,120	365.4	373.8	233
LG 35.235.68.81:443/Network/Segments retransmitted/sec.					
0	0.002	0.465	0	0	0.025
LG 35.235.68.81:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.12	30.1	9.84	10	6.39
LG 35.235.68.81:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.437	1.22	0.426	0.434	0.248

LG 35.235.72.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.72.121:443/CPU Load					
0	2.14	15	2	2.04	1.66
LG 35.235.72.121:443/Memory Used					
1	14.3	37	13	13.9	9.34
LG 35.235.72.121:443/Throughput					
0	9.75	26.6	9.33	9.54	6.34
LG 35.235.72.121:443/User Load					
0	33.5	62	35	33.7	18.2
LG 35.235.72.121:443/Thread Count					
40	92.2	121	94	92.6	18.8
LG 35.235.72.121:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.72.121:443/Http client/Task Pool used					
0	0	0.117	0	0	0.005
LG 35.235.72.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.72.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.72.121:443/Controller Connection/Ping Duration (ms)					
48	65.5	108	64	64.3	8.54
LG 35.235.72.121:443/Network/Segments sent/sec.					
1.6	367.5	980.5	355.4	360	233.6
LG 35.235.72.121:443/Network/Segments retransmitted/sec.					
0	0.017	1.81	0	0	0.108
LG 35.235.72.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.94	27.1	9.54	9.72	6.46
LG 35.235.72.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.428	1.06	0.411	0.423	0.248

LG 35.235.80.60:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.80.60:443/CPU Load					
0	2.86	16	3	2.72	2.08
LG 35.235.80.60:443/Memory Used					
1	14.5	37	13	14.1	9.54
LG 35.235.80.60:443/Throughput					
0	9.83	27.7	9.75	9.64	6.23
LG 35.235.80.60:443/User Load					
0	33.7	62	35	33.8	18.2
LG 35.235.80.60:443/Thread Count					
40	92.5	122	94	92.8	18.8
LG 35.235.80.60:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.235.80.60:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.235.80.60:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.80.60:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.80.60:443/Controller Connection/Ping Duration (ms)					
47	67.5	109	66	66.3	8.65

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.80.60:443/Network/Segments sent/sec.					
1.6	368.3	1,030	366.5	361.7	226.8
LG 35.235.80.60:443/Network/Segments retransmitted/sec.					
0	0.039	2.4	0	0.004	0.198
LG 35.235.80.60:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10	28.2	9.91	9.82	6.33
LG 35.235.80.60:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.431	1.1	0.434	0.426	0.244

LG 35.235.81.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.81.224:443/CPU Load					
0	2.81	15	3	2.68	2.09
LG 35.235.81.224:443/Memory Used					
1	13.6	34	12	13.2	8.75
LG 35.235.81.224:443/Throughput					
0	9.71	25.7	9.46	9.52	6.36
LG 35.235.81.224:443/User Load					
0	33.3	62	33.5	33.4	18.1
LG 35.235.81.224:443/Thread Count					
40	92	121	92.5	92.3	18.8
LG 35.235.81.224:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.81.224:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.235.81.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.81.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.81.224:443/Controller Connection/Ping Duration (ms)					
45	65.7	107	65	64.9	7.33
LG 35.235.81.224:443/Network/Segments sent/sec.					
1.59	364.2	952.4	354.8	357.3	232
LG 35.235.81.224:443/Network/Segments retransmitted/sec.					
0	0.013	1.59	0	0	0.099
LG 35.235.81.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.88	26.1	9.64	9.69	6.47
LG 35.235.81.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.426	1.08	0.412	0.421	0.249

LG 35.235.81.3:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.81.3:443/CPU Load					
0	2.46	12	2	2.34	1.8
LG 35.235.81.3:443/Memory Used					
1	11.2	26	10	11	6.82
LG 35.235.81.3:443/Throughput					
0	9.78	28.5	9.41	9.55	6.28
LG 35.235.81.3:443/User Load					
0	33.5	62	35	33.6	18.2
LG 35.235.81.3:443/Thread Count					
40	92.3	122	94	92.7	18.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.81.3:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.81.3:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.235.81.3:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.81.3:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.81.3:443/Controller Connection/Ping Duration (ms)					
49	66.2	105	65	64.7	8.94
LG 35.235.81.3:443/Network/Segments sent/sec.					
1.58	366.3	1,076	349.3	358	229.5
LG 35.235.81.3:443/Network/Segments retransmitted/sec.					
0	0.014	0.806	0	0	0.08
LG 35.235.81.3:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.97	29.2	9.59	9.74	6.39
LG 35.235.81.3:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.429	1.18	0.41	0.422	0.248

LG 35.235.86.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.86.189:443/CPU Load					
0	2.05	11	2	1.95	1.61
LG 35.235.86.189:443/Memory Used					
1	11.9	28	11	11.6	7.27
LG 35.235.86.189:443/Throughput					
0	9.82	28	9.49	9.57	6.63
LG 35.235.86.189:443/User Load					
0	33.7	62	36	33.8	18.3
LG 35.235.86.189:443/Thread Count					
40	92.4	122	95	92.7	19.1
LG 35.235.86.189:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.86.189:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.235.86.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.86.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.86.189:443/Controller Connection/Ping Duration (ms)					
50	66.1	92	66	65.8	4.55
LG 35.235.86.189:443/Network/Segments sent/sec.					
1.57	371.8	1,049	359.1	362.2	246.3
LG 35.235.86.189:443/Network/Segments retransmitted/sec.					
0	0.013	1.2	0	0	0.093
LG 35.235.86.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.02	28.5	9.69	9.76	6.75
LG 35.235.86.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.432	1.08	0.42	0.425	0.259

LG 35.235.96.80:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.96.80:443/CPU Load					
0	2.83	13	3	2.72	2.01
LG 35.235.96.80:443/Memory Used					
1	14.7	37	13	14.3	9.53
LG 35.235.96.80:443/Throughput					
0	10.01	28.7	9.82	9.76	6.6
LG 35.235.96.80:443/User Load					
0	34.3	63	38	34.5	18.2
LG 35.235.96.80:443/Thread Count					
40	93.2	122	97	93.5	18.8
LG 35.235.96.80:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.235.96.80:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 35.235.96.80:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.96.80:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.96.80:443/Controller Connection/Ping Duration (ms)					
46	67.1	119	65	65.5	10.23
LG 35.235.96.80:443/Network/Segments sent/sec.					
1.59	375.3	1,078	365.3	366.6	241.1
LG 35.235.96.80:443/Network/Segments retransmitted/sec.					
0	0.042	2.6	0	0.003	0.216
LG 35.235.96.80:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.19	29.2	10	9.95	6.71
LG 35.235.96.80:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.438	1.14	0.436	0.431	0.256

LG 35.235.98.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.98.112:443/CPU Load					
0	2.86	15	3	2.7	2.13
LG 35.235.98.112:443/Memory Used					
1	12.4	30	11	12.1	7.89
LG 35.235.98.112:443/Throughput					
0	9.87	32.1	9.82	9.65	6.33
LG 35.235.98.112:443/User Load					
0	33.8	62	37	34.1	18.2
LG 35.235.98.112:443/Thread Count					
40	92.8	122	96	93.1	19
LG 35.235.98.112:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.235.98.112:443/Http client/Task Pool used					
0	0	0.067	0	0	0.003
LG 35.235.98.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.98.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.98.112:443/Controller Connection/Ping Duration (ms)					
46	66.9	110	66	65.5	9.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.98.112:443/Network/Segments sent/sec.					
1.6	374.7	1,192	374.3	366.9	234.2
LG 35.235.98.112:443/Network/Segments retransmitted/sec.					
0	0.004	0.449	0	0	0.031
LG 35.235.98.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.05	32.6	9.99	9.82	6.43
LG 35.235.98.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.434	1.27	0.44	0.429	0.249

LG 35.236.109.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.109.108:443/CPU Load					
0	2.44	16	2	2.32	1.8
LG 35.236.109.108:443/Memory Used					
1	10.82	25	10	10.61	6.49
LG 35.236.109.108:443/Throughput					
0	9.86	27.8	9.28	9.59	6.39
LG 35.236.109.108:443/User Load					
0	33.8	62	36	34	18.2
LG 35.236.109.108:443/Thread Count					
40	92.6	122	96	92.9	18.9
LG 35.236.109.108:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.109.108:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.236.109.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.109.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.109.108:443/Controller Connection/Ping Duration (ms)					
48	66.7	110	65	65.2	9.67
LG 35.236.109.108:443/Network/Segments sent/sec.					
1.6	369.7	1,020	348	359.8	234
LG 35.236.109.108:443/Network/Segments retransmitted/sec.					
0	0.008	0.795	0	0	0.051
LG 35.236.109.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.05	28.2	9.46	9.77	6.51
LG 35.236.109.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.434	1.13	0.41	0.425	0.248

LG 35.236.109.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.109.175:443/CPU Load					
0	2.91	14	3	2.78	2.2
LG 35.236.109.175:443/Memory Used					
1	14.2	35	13	13.8	9.25
LG 35.236.109.175:443/Throughput					
0	9.75	26.7	9.95	9.57	6.46
LG 35.236.109.175:443/User Load					
0	33.5	62	34	33.6	18
LG 35.236.109.175:443/Thread Count					
40	92.4	121	93	92.7	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.109.175:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.109.175:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.236.109.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.109.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.109.175:443/Controller Connection/Ping Duration (ms)					
46	67.5	110	66	66.2	9.92
LG 35.236.109.175:443/Network/Segments sent/sec.					
1.6	370.4	1,004	381.8	363.6	238.8
LG 35.236.109.175:443/Network/Segments retransmitted/sec.					
0	0.002	0.45	0	0	0.027
LG 35.236.109.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.93	27.2	10.12	9.74	6.56
LG 35.236.109.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.429	1.1	0.446	0.424	0.256

LG 35.236.19.198:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.19.198:443/CPU Load					
0	3.06	16	3	2.93	2.23
LG 35.236.19.198:443/Memory Used					
1	13.4	34	12	13	8.59
LG 35.236.19.198:443/Throughput					
0	9.83	26.9	9.62	9.61	6.43
LG 35.236.19.198:443/User Load					
0	33.7	62	36	33.8	18.1
LG 35.236.19.198:443/Thread Count					
40	92.7	122	95	92.9	18.8
LG 35.236.19.198:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.19.198:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.236.19.198:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.19.198:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.19.198:443/Controller Connection/Ping Duration (ms)					
46	66.4	106	65	65.6	8.13
LG 35.236.19.198:443/Network/Segments sent/sec.					
1.6	362.2	984.3	354.6	354.1	231.2
LG 35.236.19.198:443/Network/Segments retransmitted/sec.					
0	0.043	2.6	0	0.003	0.215
LG 35.236.19.198:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.01	27.3	9.68	9.78	6.53
LG 35.236.19.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.427	1.1	0.425	0.421	0.251

LG 35.236.20.8:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.20.8:443/CPU Load					
0	2.92	13	3	2.79	2.15
LG 35.236.20.8:443/Memory Used					
1	13.9	35	12	13.5	8.91
LG 35.236.20.8:443/Throughput					
0	9.83	28.5	9.64	9.61	6.4
LG 35.236.20.8:443/User Load					
0	33.7	62	35	33.8	18.1
LG 35.236.20.8:443/Thread Count					
40	92.5	123	94	92.8	18.6
LG 35.236.20.8:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.20.8:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.236.20.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.20.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.20.8:443/Controller Connection/Ping Duration (ms)					
46	67.6	112	66	66.1	10.72
LG 35.236.20.8:443/Network/Segments sent/sec.					
1.6	367.9	1,049	359.9	360	233.6
LG 35.236.20.8:443/Network/Segments retransmitted/sec.					
0	0.02	1.6	0	0	0.115
LG 35.236.20.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10	29.1	9.8	9.78	6.5
LG 35.236.20.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.43	1.12	0.419	0.424	0.251

LG 35.236.21.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.21.39:443/CPU Load					
0	2.61	16	3	2.52	1.84
LG 35.236.21.39:443/Memory Used					
1	14.6	37	13	14.2	9.66
LG 35.236.21.39:443/Throughput					
0	9.83	26.1	9.98	9.68	6.14
LG 35.236.21.39:443/User Load					
0	33.7	62	36	33.9	18.4
LG 35.236.21.39:443/Thread Count					
40	92.6	124	95	92.9	19.1
LG 35.236.21.39:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.21.39:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.236.21.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.21.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.21.39:443/Controller Connection/Ping Duration (ms)					
40	65.8	111	65	65.3	8.44

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.21.39:443/Network/Segments sent/sec.					
1.6	373.4	966.2	373.1	368	227.7
LG 35.236.21.39:443/Network/Segments retransmitted/sec.					
0	0.003	0.414	0	0	0.028
LG 35.236.21.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.01	26.5	10.16	9.86	6.25
LG 35.236.21.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.433	1.03	0.44	0.429	0.244

LG 35.236.26.54:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.26.54:443/CPU Load					
0	2.9	15	3	2.77	2.12
LG 35.236.26.54:443/Memory Used					
1	14.9	37	13	14.5	9.76
LG 35.236.26.54:443/Throughput					
0	9.89	26.6	9.86	9.69	6.38
LG 35.236.26.54:443/User Load					
0	33.9	62	37	34.1	18.2
LG 35.236.26.54:443/Thread Count					
40	92.8	121	96	93.1	18.6
LG 35.236.26.54:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.26.54:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.236.26.54:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.26.54:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.26.54:443/Controller Connection/Ping Duration (ms)					
47	67	112	65	65.4	10.04
LG 35.236.26.54:443/Network/Segments sent/sec.					
1.58	369.9	986.6	369.2	362.8	233.1
LG 35.236.26.54:443/Network/Segments retransmitted/sec.					
0	0.01	1.01	0	0	0.074
LG 35.236.26.54:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.06	27	10.07	9.86	6.49
LG 35.236.26.54:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.432	1.02	0.433	0.427	0.25

LG 35.236.37.173:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.37.173:443/CPU Load					
0	2.79	18	3	2.63	2.12
LG 35.236.37.173:443/Memory Used					
1	14.3	36	13	13.9	9.33
LG 35.236.37.173:443/Throughput					
0	9.89	29.1	9.92	9.61	6.36
LG 35.236.37.173:443/User Load					
0	33.9	62	36	34	18.3
LG 35.236.37.173:443/Thread Count					
40	92.7	122	95	93	18.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.37.173:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.236.37.173:443/Http client/Task Pool used					
0	0	0.083	0	0	0.005
LG 35.236.37.173:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.37.173:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.37.173:443/Controller Connection/Ping Duration (ms)					
43	65.3	93	65	64.7	6.16
LG 35.236.37.173:443/Network/Segments sent/sec.					
1.6	370.4	1,072	369.5	360.5	232.2
LG 35.236.37.173:443/Network/Segments retransmitted/sec.					
0	0.022	2.2	0	0	0.146
LG 35.236.37.173:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.07	29.6	10.1	9.78	6.47
LG 35.236.37.173:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.433	1.11	0.448	0.425	0.248

LG 35.236.38.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.38.132:443/CPU Load					
0	2.77	22	3	2.64	2.01
LG 35.236.38.132:443/Memory Used					
1	13.8	34	12	13.4	8.95
LG 35.236.38.132:443/Throughput					
0	9.85	26.4	9.96	9.68	6.18
LG 35.236.38.132:443/User Load					
0	33.7	62	37	33.9	18.2
LG 35.236.38.132:443/Thread Count					
40	92.7	122	96	93.1	19
LG 35.236.38.132:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.38.132:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.236.38.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.38.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.38.132:443/Controller Connection/Ping Duration (ms)					
35	66.1	105	65	65.5	9.74
LG 35.236.38.132:443/Network/Segments sent/sec.					
1.6	369.7	989.3	371.6	363.7	226.3
LG 35.236.38.132:443/Network/Segments retransmitted/sec.					
0	0.021	1.61	0	0	0.131
LG 35.236.38.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.03	26.6	10.12	9.86	6.28
LG 35.236.38.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.432	1.07	0.438	0.427	0.243

LG 35.236.52.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.52.154:443/CPU Load					
0	2.7	17	2	2.54	2.09
LG 35.236.52.154:443/Memory Used					
1	11.2	26	10	10.99	6.78
LG 35.236.52.154:443/Throughput					
0	10.03	30.6	9.83	9.81	6.58
LG 35.236.52.154:443/User Load					
0	34.4	63	37	34.5	18.3
LG 35.236.52.154:443/Thread Count					
40	93.3	123	96	93.5	18.5
LG 35.236.52.154:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.52.154:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.236.52.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.52.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.52.154:443/Controller Connection/Ping Duration (ms)					
50	65.2	96	65	64.6	6.5
LG 35.236.52.154:443/Network/Segments sent/sec.					
1.6	375.7	1,120	368.4	367.9	239.7
LG 35.236.52.154:443/Network/Segments retransmitted/sec.					
0	0.011	1.41	0	0	0.078
LG 35.236.52.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.21	31.1	10.01	9.99	6.69
LG 35.236.52.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.438	1.24	0.434	0.431	0.258

LG 35.236.58.126:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.58.126:443/CPU Load					
0	2.86	13	3	2.76	1.95
LG 35.236.58.126:443/Memory Used					
1	14.9	37	13.5	14.6	9.67
LG 35.236.58.126:443/Throughput					
0	9.8	28.5	9.43	9.6	6.23
LG 35.236.58.126:443/User Load					
0	33.6	62	35	33.8	18.2
LG 35.236.58.126:443/Thread Count					
40	92.4	122	94	92.7	18.7
LG 35.236.58.126:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.58.126:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.007
LG 35.236.58.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.58.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.58.126:443/Controller Connection/Ping Duration (ms)					
41	66.5	101	65	65.4	8.39

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.58.126:443/Network/Segments sent/sec.					
1.6	367.6	1,077	358.1	360.3	227.6
LG 35.236.58.126:443/Network/Segments retransmitted/sec.					
0	0.015	1.79	0	0	0.118
LG 35.236.58.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.98	29	9.56	9.78	6.33
LG 35.236.58.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.43	1.13	0.412	0.425	0.242

LG 35.236.60.124:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.60.124:443/CPU Load					
0	2.93	15	3	2.79	2.1
LG 35.236.60.124:443/Memory Used					
1	13.6	33	12	13.3	8.77
LG 35.236.60.124:443/Throughput					
0	9.91	29.9	9.95	9.72	6.27
LG 35.236.60.124:443/User Load					
0	34.1	62	37	34.2	18.3
LG 35.236.60.124:443/Thread Count					
40	93	122	96	93.4	18.9
LG 35.236.60.124:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.60.124:443/Http client/Task Pool used					
0	0	0.067	0	0	0.003
LG 35.236.60.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.60.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.60.124:443/Controller Connection/Ping Duration (ms)					
45	67	117	65	65.5	9.81
LG 35.236.60.124:443/Network/Segments sent/sec.					
1.6	371	1,086	376	364.2	228.3
LG 35.236.60.124:443/Network/Segments retransmitted/sec.					
0	0.019	1.41	0	0	0.125
LG 35.236.60.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.09	30.4	10.15	9.89	6.37
LG 35.236.60.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.432	1.17	0.447	0.427	0.246

LG 35.236.66.124:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.66.124:443/CPU Load					
0	2.39	13	2	2.27	1.77
LG 35.236.66.124:443/Memory Used					
1	11.5	28	10	11.3	7.2
LG 35.236.66.124:443/Throughput					
0	10.01	29.7	9.59	9.81	6.43
LG 35.236.66.124:443/User Load					
0	34.3	63	38	34.5	18.2
LG 35.236.66.124:443/Thread Count					
40	93	122	97	93.3	18.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.66.124:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.66.124:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.236.66.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.66.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.66.124:443/Controller Connection/Ping Duration (ms)					
49	66.5	103	65	65.6	9.28
LG 35.236.66.124:443/Network/Segments sent/sec.					
1.6	381	1,126	363.1	373.4	239.4
LG 35.236.66.124:443/Network/Segments retransmitted/sec.					
0	0.005	0.453	0	0	0.034
LG 35.236.66.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.2	30.3	9.76	10	6.54
LG 35.236.66.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.441	1.19	0.432	0.435	0.252

LG 35.236.73.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.73.153:443/CPU Load					
0	2.95	14	3	2.8	2.23
LG 35.236.73.153:443/Memory Used					
1	14.4	37	13	14	9.14
LG 35.236.73.153:443/Throughput					
0	10.01	29.6	9.45	9.81	6.55
LG 35.236.73.153:443/User Load					
0	34.5	63	37	34.6	18.3
LG 35.236.73.153:443/Thread Count					
40	93.5	123	96	93.7	18.3
LG 35.236.73.153:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.236.73.153:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.236.73.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.73.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.73.153:443/Controller Connection/Ping Duration (ms)					
45	67.4	112	65	65.7	10.14
LG 35.236.73.153:443/Network/Segments sent/sec.					
1.6	370	1,091	348.7	362.8	235.7
LG 35.236.73.153:443/Network/Segments retransmitted/sec.					
0	0.065	3.81	0	0.004	0.33
LG 35.236.73.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.19	30.1	9.61	9.98	6.66
LG 35.236.73.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.436	1.15	0.415	0.432	0.253

LG 35.236.77.97:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.77.97:443/CPU Load					
0	3.13	18	3	2.93	2.37
LG 35.236.77.97:443/Memory Used					
1	10.64	24	10	10.45	6.34
LG 35.236.77.97:443/Throughput					
0	9.8	30.6	9.94	9.53	6.35
LG 35.236.77.97:443/User Load					
0	33.6	62	35	33.7	18.1
LG 35.236.77.97:443/Thread Count					
40	92.6	123	94	92.9	18.8
LG 35.236.77.97:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.236.77.97:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.236.77.97:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.77.97:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.77.97:443/Controller Connection/Ping Duration (ms)					
45	65.2	88	65	65.2	4.4
LG 35.236.77.97:443/Network/Segments sent/sec.					
1.6	371.9	1,153	375.4	361.8	235.8
LG 35.236.77.97:443/Network/Segments retransmitted/sec.					
0	0.002	0.41	0	0	0.024
LG 35.236.77.97:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	9.97	31.2	10.11	9.7	6.45
LG 35.236.77.97:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.431	1.24	0.439	0.423	0.25

LG 35.236.78.99:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.78.99:443/CPU Load					
0	2.46	13	2	2.34	1.82
LG 35.236.78.99:443/Memory Used					
1	14.1	34	13	13.7	9
LG 35.236.78.99:443/Throughput					
0	9.94	29.4	9.02	9.67	6.48
LG 35.236.78.99:443/User Load					
0	34.3	63	38	34.4	18.2
LG 35.236.78.99:443/Thread Count					
40	93.2	123	97	93.5	18.7
LG 35.236.78.99:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.78.99:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.236.78.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.78.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.78.99:443/Controller Connection/Ping Duration (ms)					
48	64.6	92	64	63.9	6.61

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.78.99:443/Network/Segments sent/sec.					
1.6	369.3	1,086	339.2	359.8	235.2
LG 35.236.78.99:443/Network/Segments retransmitted/sec.					
0	0.028	1.8	0	0.001	0.162
LG 35.236.78.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.14	29.9	9.2	9.87	6.6
LG 35.236.78.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.435	1.19	0.41	0.426	0.253

LG 35.236.79.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.44:443/CPU Load					
0	2.39	13	2	2.27	1.81
LG 35.236.79.44:443/Memory Used					
1	12.1	29	11	11.9	7.45
LG 35.236.79.44:443/Throughput					
0	9.81	30.8	9.26	9.57	6.42
LG 35.236.79.44:443/User Load					
0	33.7	62	35	33.8	18.2
LG 35.236.79.44:443/Thread Count					
40	92.5	123	94	92.8	18.6
LG 35.236.79.44:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.79.44:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.236.79.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.79.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.79.44:443/Controller Connection/Ping Duration (ms)					
48	67.5	113	66	66.2	9.94
LG 35.236.79.44:443/Network/Segments sent/sec.					
1.58	373	1,143	356.5	364.4	237.8
LG 35.236.79.44:443/Network/Segments retransmitted/sec.					
0	0.004	0.46	0	0	0.034
LG 35.236.79.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.01	31.5	9.45	9.76	6.54
LG 35.236.79.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.433	1.23	0.424	0.426	0.253

LG 35.236.79.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.6:443/CPU Load					
0	2.19	13	2	2.07	1.71
LG 35.236.79.6:443/Memory Used					
1	14.8	37	13	14.4	9.61
LG 35.236.79.6:443/Throughput					
0	10.04	29.8	10.14	9.89	6.36
LG 35.236.79.6:443/User Load					
0	34.4	63	38	34.6	18.2
LG 35.236.79.6:443/Thread Count					
40	93.3	123	97	93.6	18.6


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.6:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.79.6:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.236.79.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.79.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.79.6:443/Controller Connection/Ping Duration (ms)					
36	64.3	103	63	63.7	8.37
LG 35.236.79.6:443/Network/Segments sent/sec.					
1.6	374.8	1,112	375.8	369.2	232.3
LG 35.236.79.6:443/Network/Segments retransmitted/sec.					
0	0.021	2	0	0	0.132
LG 35.236.79.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.24	30.4	10.34	10.09	6.48
LG 35.236.79.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.439	1.17	0.453	0.434	0.249

LG 35.236.96.191:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.96.191:443/CPU Load					
0	2.3	13	2	2.15	1.89
LG 35.236.96.191:443/Memory Used					
1	10.81	25	10	10.63	6.5
LG 35.236.96.191:443/Throughput					
0	9.8	31	9.13	9.49	6.71
LG 35.236.96.191:443/User Load					
0	33.6	62	35	33.8	18.2
LG 35.236.96.191:443/Thread Count					
40	92.5	122	94	92.9	18.8
LG 35.236.96.191:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.96.191:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.236.96.191:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.96.191:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.96.191:443/Controller Connection/Ping Duration (ms)					
46	66	111	65	64.9	9.91
LG 35.236.96.191:443/Network/Segments sent/sec.					
1.57	365.2	1,148	346.6	353.7	245.1
LG 35.236.96.191:443/Network/Segments retransmitted/sec.					
0	0.056	3.41	0	0.004	0.283
LG 35.236.96.191:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10	31.6	9.32	9.68	6.84
LG 35.236.96.191:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.429	1.22	0.407	0.42	0.26


Average page response time



Min	Average	Max
0.178	0.185	0.231

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.065	0.068	0.091

Notes: Displays the average response time, in seconds, of all requests during the test.

Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.626	0.649	0.898	0.644	0.647	0.02

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
80.9	4,829.8	8,841.6

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	50	430

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	1,590.53	2,932.47

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.173	0.189	0.428

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.