

MVA PEGA LT 02252020 TDC



Date	Feb 25, 2020 11:26:08 PM
Project	MF_02062020_EngagePEGAMigration
Scenario	PEGA NBX Benchmark LT - 5000 Users
Comment	PEGA Benchmark LT
Notes	MVA PEGA LT 02252020 TDC

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	5
Hot spots.....	6
Errors.....	6
Alerts.....	6
General statistics.....	6
Transaction statistics.....	6
Execution context.....	10
Scenario	7
Servers.....	13
Populations.....	14
User Paths.....	15
Transactions.....	16
Pages.....	18
Media Contents.....	20
Push messages.....	17
Monitors.....	21
Main graphs.....	70
Average page response time.....	70
Average request response time.....	71
Average response time (Transactions).....	72
Requests per second.....	73
Errors.....	74
Throughput.....	75
Response time against load.....	76
Distribution of Transaction Durations.....	77

Summary

Results summary

Name	23:25 - 25 Feb 2020_PEGALTrerun-Test2	Project	MF_02062020_EngagePEGAMigration
Description	PEGA Benchmark LT	Scenario	PEGA NBX Benchmark LT - 5000 Users
Status	✓ Passed	Load Policy	• The population VzUp is customized
Start date	Feb 25, 2020 11:26:08 PM		
End date	Feb 25, 2020 11:52:15 PM	Stop Policy	• Population VzUp: immediate.
Duration	00:26:06		
Termination reason	Manual action	Filters	None
LG Hosts	34.73.199.155:443	Debug	Disabled
	,		
	34.73.46.12:443		
	,		
	34.73.125.20:443		
	,		
	35.237.215.77:443		
	,		
	35.185.107.148:443		
	,		
	35.237.150.0:443		
	,		
	34.73.167.74:443		
	,		
	35.243.163.228:443		
	,		
	35.196.27.134:443		
	,		
	35.190.135.223:443		
	,		
	34.74.98.132:443		
	,		
	34.74.23.35:443		
	,		
	35.196.71.121:443		
	,		
	35.185.20.140:443		
	,		
	35.231.114.240:443		
	,		
	34.74.39.20:443		
	,		
	35.196.120.20:443		
	,		
	35.227.36.167:443		
	,		
	35.231.16.102:443		
	,		
	35.231.106.8:443		
	,		
	34.74.178.36:443		
	,		
	34.74.5.11:443		
	,		
	35.237.14.44:443		
	,		
	35.231.137.22:443		
	,		
	35.237.155.233:443		
	,		
	35.185.75.239:443		
	,		
	35.237.33.107:443		
	,		
	35.237.96.96:443		
	,		
	35.185.91.183:443		
	,		
	35.243.163.158:443		
	,		
	35.229.75.205:443		
	,		


35.231.115.204:443		
,		
35.229.41.1:443		
,		
35.237.170.85:443		
,		
34.73.14.42:443		
,		
34.74.64.10:443		
,		
104.196.59.44:443		
,		
35.196.91.160:443		
,		
35.231.114.16:443		
,		
35.227.30.71:443		
,		
35.231.208.52:443		
,		
104.196.12.79:443		
,		
34.73.204.29:443		
,		
35.237.137.245:443		
,		
34.73.69.0:443		
,		
34.74.183.38:443		
,		
34.73.34.231:443		
,		
35.227.16.240:443		
,		
104.196.186.37:443		
,		
34.73.70.28:443		
,		
34.73.135.171:443		
,		
34.73.1.214:443		
,		
34.73.207.97:443		
,		
104.196.2.29:443		
,		
35.231.193.75:443		
,		
35.243.141.220:443		
,		
34.73.202.62:443		
,		
104.196.103.166:443		
,		
35.231.209.254:443		
,		
34.74.137.102:443		
,		
34.73.34.201:443		
,		
35.185.75.251:443		
,		
104.196.157.73:443		
,		
35.243.136.12:443		
,		
104.196.133.8:443		
,		
34.74.100.39:443		
,		
35.237.173.246:443		
,		
104.196.32.169:443		
,		
35.196.30.249:443		
,		
35.196.71.24:443		
,		

34.74.93.181:443		
,		
34.74.153.22:443		
,		
35.190.142.207:443		
,		
34.74.214.238:443		
,		
34.74.24.183:443		
,		
35.237.171.184:443		
,		
35.237.254.254:443		
,		
34.73.77.172:443		
,		
104.196.100.214:443		

Statistics Summary

Total pages	1082384	—	Average pages/s	690.7	—
Total requests	1504970	—	Average requests/s	960.4	—
Total users launched	5000	—	Average Request response time	0.918 s	—
Total iterations completed	215122	—	Average Page response time	1.27 s	—
Total throughput	86,211 MB	—	Average throughput	440.13 Mb/s	—
Total request errors	5591	—	Error rate	0.4 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA ☀ = Passed ☁ = Warning ⚡ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	5449
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	33
MF_Login	Then	/mobileFirstSS/adobeTagging_0206	8

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	2.92
MF_Login	Then	/mobileFirstSS/adobeTagging_0206	2.69
MF_Login	MF_01_OpenApp	/mobileFirstSS/launchApp_0206	0.383
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	0.284
MF_Login	MF_02_ImCustomer	/mobileFirstSS/userSignIn_0206	0.138

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	28.6
MF_Login	Then	/mobileFirstSS/adobeTagging_0206	20.9
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	10.42
MF_Login	MF_01_OpenApp	/mobileFirstSS/launchApp_0206	8.75
MF_Login	MF_02_ImCustomer	/mobileFirstSS/userSignIn_0206	7.35

Errors

Request errors

Error Type	Count	Description
Assertions	5,591	Validation of the response failed.
Total	5,591	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
70.6	276.2	549.4	5,000	3,398	68	-
All pages						
0.041	1.27	28.6	1,082,384	5,490	0.5	-
All requests						
0.033	0.917	28.6	1,504,970	5,591	0.4	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.041	1.57	40.5	868,711	5,490	0.6	0.306	7.98	14.9	3.13	1.06	-

Scenario

Summary

Name	23:25 - 25 Feb 2020_PEGALTrerun-Test2	Project	MF_02062020_EngagePEGAMigration
Description	PEGA Benchmark LT	Scenario	PEGA NBX Benchmark LT - 5000 Users
Status	✓ Passed	Load Policy	• The population VzUp is customized
Start date	Feb 25, 2020 11:26:08 PM	Stop Policy	• Population VzUp: immediate.
End date	Feb 25, 2020 11:52:15 PM		
Duration	00:26:06		
Termination reason	Manual action	Filters	None
LG Hosts	34.73.199.155:443	Debug	Disabled
	,		
	34.73.46.12:443		
	,		
	34.73.125.20:443		
	,		
	35.237.215.77:443		
	,		
	35.185.107.148:443		
	,		
	35.237.150.0:443		
	,		
	34.73.167.74:443		
	,		
	35.243.163.228:443		
	,		
	35.196.27.134:443		
	,		
	35.190.135.223:443		
	,		
	34.74.98.132:443		
	,		
	34.74.23.35:443		
	,		
	35.196.71.121:443		
	,		
	35.185.20.140:443		
	,		
	35.231.114.240:443		
	,		
	34.74.39.20:443		
	,		
	35.196.120.20:443		
	,		
	35.227.36.167:443		
	,		
	35.231.16.102:443		
	,		
	35.231.106.8:443		
	,		
	34.74.178.36:443		
	,		
	34.74.5.11:443		
	,		
	35.237.14.44:443		
	,		
	35.231.137.22:443		
	,		
	35.237.155.233:443		
	,		
	35.185.75.239:443		
	,		
	35.237.33.107:443		
	,		
	35.237.96.96:443		
	,		
	35.185.91.183:443		
	,		
	35.243.163.158:443		
	,		

35.229.75.205:443		
,		
35.231.115.204:443		
,		
35.229.41.1:443		
,		
35.237.170.85:443		
,		
34.73.14.42:443		
,		
34.74.64.10:443		
,		
104.196.59.44:443		
,		
35.196.91.160:443		
,		
35.231.114.16:443		
,		
35.227.30.71:443		
,		
35.231.208.52:443		
,		
104.196.12.79:443		
,		
34.73.204.29:443		
,		
35.237.137.245:443		
,		
34.73.69.0:443		
,		
34.74.183.38:443		
,		
34.73.34.231:443		
,		
35.227.16.240:443		
,		
104.196.186.37:443		
,		
34.73.70.28:443		
,		
34.73.135.171:443		
,		
34.73.1.214:443		
,		
34.73.207.97:443		
,		
104.196.2.29:443		
,		
35.231.193.75:443		
,		
35.243.141.220:443		
,		
34.73.202.62:443		
,		
104.196.103.166:443		
,		
35.231.209.254:443		
,		
34.74.137.102:443		
,		
34.73.34.201:443		
,		
35.185.75.251:443		
,		
104.196.157.73:443		
,		
35.243.136.12:443		
,		
104.196.133.8:443		
,		
34.74.100.39:443		
,		
35.237.173.246:443		
,		
104.196.32.169:443		
,		
35.196.30.249:443		
,		

35.196.71.24:443		
,		
34.74.93.181:443		
,		
34.74.153.22:443		
,		
35.190.142.207:443		
,		
34.74.214.238:443		
,		
34.74.24.183:443		
,		
35.237.171.184:443		
,		
35.237.254.254:443		
,		
34.73.77.172:443		
,		
104.196.100.214:443		

Populations

VzUp

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
MF_Login	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
MF_Login		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	23:25 - 25 Feb 2020_PEGALTrerun-Test2	Project	MF_02062020_EngagePEGAMigration
Description	PEGA Benchmark LT	Scenario	PEGA NBX Benchmark LT - 5000 Users
Status	✓ Passed	Load Policy	• The population VzUp is customized
Start date	Feb 25, 2020 11:26:08 PM		
End date	Feb 25, 2020 11:52:15 PM	Stop Policy	• Population VzUp: immediate.
Duration	00:26:06		
Termination reason	Manual action	Filters	None
LG Hosts	34.73.199.155:443 , 34.73.46.12:443 , 34.73.125.20:443 , 35.237.215.77:443 , 35.185.107.148:443 , 35.237.150.0:443 , 34.73.167.74:443 , 35.243.163.228:443 , 35.196.27.134:443 , 35.190.135.223:443 , 34.74.98.132:443 , 34.74.23.35:443 , 35.196.71.121:443 , 35.185.20.140:443 , 35.231.114.240:443 , 34.74.39.20:443 , 35.196.120.20:443 , 35.227.36.167:443 , 35.231.16.102:443 , 35.231.106.8:443 , 34.74.178.36:443 , 34.74.5.11:443 , 35.237.14.44:443 , 35.231.137.22:443 , 35.237.155.233:443 , 35.185.75.239:443 , 35.237.33.107:443 , 35.237.96.96:443 , 35.185.91.183:443 , 35.243.163.158:443 , 35.229.75.205:443 , 35.231.115.204:443	Debug	Disabled

	,	35.229.41.1:443	
	,	35.237.170.85:443	
	,	34.73.14.42:443	
	,	34.74.64.10:443	
	,	104.196.59.44:443	
	,	35.196.91.160:443	
	,	35.231.114.16:443	
	,	35.227.30.71:443	
	,	35.231.208.52:443	
	,	104.196.12.79:443	
	,	34.73.204.29:443	
	,	35.237.137.245:443	
	,	34.73.69.0:443	
	,	34.74.183.38:443	
	,	34.73.34.231:443	
	,	35.227.16.240:443	
	,	104.196.186.37:443	
	,	34.73.70.28:443	
	,	34.73.135.171:443	
	,	34.73.1.214:443	
	,	34.73.207.97:443	
	,	104.196.2.29:443	
	,	35.231.193.75:443	
	,	35.243.141.220:443	
	,	34.73.202.62:443	
	,	104.196.103.166:443	
	,	35.231.209.254:443	
	,	34.74.137.102:443	
	,	34.73.34.201:443	
	,	35.185.75.251:443	
	,	104.196.157.73:443	
	,	35.243.136.12:443	
	,	104.196.133.8:443	
	,	34.74.100.39:443	
	,	35.237.173.246:443	
	,	104.196.32.169:443	
	,	35.196.30.249:443	
	,	35.196.71.24:443	
	,	34.74.93.181:443	

,	34.74.153.22:443		
,	35.190.142.207:443		
,	34.74.214.238:443		
,	34.74.24.183:443		
,	35.237.171.184:443		
,	35.237.254.254:443		
,	34.73.77.172:443		
,	104.196.100.214:443		

NeoLoad version 6.8.0;build=20190103-16
Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings



MF_Login		
Error policy:	Do nothing	
Assertion policy:	Go to the next iteration	
Thinktime policy:	replaced by 0ms.	
Pacing:	Between 15 and 20	

Servers

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
mobile.vzw.com	443	No	No


Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
VzUp	1504970 (100%)	960.4	1.27s (0%)	0.4% (0%)
Global	1504970 (100%)	960.4	1.27s	0.4%











User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_Login						
70.6	276.2	549.4	5,000	3,398	68	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

MF_Login

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_Login											
70.6	276.2	549.4	5,000	3,398	68	-	-	-	-	-	-
 Init											
0	0	0.001	5,000	0	0	-	-	-	-	-	-
 Actions											
1.06	6.34	42.1	215,122	5,490	2.6	-	-	-	-	-	-
 MF_01_OpenApp											
0.238	0.383	8.75	218,894	0	0	0.344	0.582	1.44	0.218	0.351	-
 MF_02_ImCustomer											
0.041	0.137	7.35	217,860	0	0	0.074	0.468	1.35	0.262	0.093	-
 MF_03_EnterMDN											
0.068	0.284	10.42	216,794	33	0	0.135	1.03	2.36	0.468	0.205	-
 MF_04_EnterPassword											
0.619	5.54	40.5	215,163	5,457	2.5	3.78	13.9	22.4	4.29	5	-
 Then											
0.51	2.69	20.9	209,848	8	0	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 End											
0	0	0.001	5,000	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

MF_Login

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						













MF_Login

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_Login						
70.6	276.2	549.4	5,000	3,398	68	-
 Actions						
1.06	6.34	42.1	215,122	5,490	2.6	-
 MF_01_OpenApp						
0.238	0.383	8.75	218,894	0	0	-
 /mobileFirstSS/launchApp_0206						
0.238	0.383	8.75	220,001	0	0	-
 MF_02_ImCustomer						
0.041	0.137	7.35	217,860	0	0	-
 /mobileFirstSS/userSignIn_0206						
0.041	0.138	7.35	218,836	0	0	-
 MF_03_EnterMDN						
0.068	0.284	10.42	216,794	33	0	-
 /mobileFirstSS/securePinCheckMDN_0206						
0.068	0.284	10.42	217,752	33	0	-
 MF_04_EnterPassword						
0.619	5.54	40.5	215,163	5,457	2.5	-
 /mobileFirstSS/authenticatePassword_0206						
0.619	2.92	28.6	215,947	5,449	2.5	-
 Then						
0.51	2.69	20.9	209,848	8	0	-
 /mobileFirstSS/adobeTagging_0206						
0.51	2.69	20.9	209,848	8	0	-

Shared Containers

SLA	Value	Severity
Empty list		

MF_Login

SLA	Value	Severity
 MF_Login		
 Actions		
 MF_01_OpenApp		
 /mobileFirstSS/launchApp_0206		
 MF_02_ImCustomer		
 /mobileFirstSS/userSignIn_0206		
 MF_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN_0206		
 MF_04_EnterPassword		
 /mobileFirstSS/authenticatePassword_0206		
 Then		
 /mobileFirstSS/adobeTagging_0206		

MF_Login

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	2,774	5,000	3,000	2,783	1,496
Controller/Throughput					
0	436.2	876.2	488.9	436	216.5
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
2	12.5	38	12	12.4	2.59
Controller/Memory Used					
3	10.58	19	11	10.53	4.76
Controller/Thread Count					
880	915.4	1,898	911	911.7	56.6
Controller/Connected					
79	79	79	79	79	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,472	5,759	1,212	1,372	1,300
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - South Carolina (Berkeley County)/User Load					
0	3,007	5,000	3,000	3,039	1,551
Controller/USA East - South Carolina (Berkeley County)/VzUp/User Load					
0	3,007	5,000	3,000	3,039	1,551
Controller/USA East - South Carolina (Berkeley County)/VzUp/MF_Login/User Load					
0	3,007	5,000	3,000	3,039	1,551

LG 104.196.100.214:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.100.214:443/CPU Load					
0	2.21	14	2	2.05	1.36
LG 104.196.100.214:443/Memory Used					
0	6.12	12	6	6.11	2.93
LG 104.196.100.214:443/Throughput					
0	6.14	12.9	6.22	6.1	3.12
LG 104.196.100.214:443/User Load					
0	38	63	38	38.5	19.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.100.214:443/Thread Count					
21	103.9	142	102	104.2	25.5
LG 104.196.100.214:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.100.214:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.100.214:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.100.214:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.100.214:443/Controller Connection/Ping Duration (ms)					
25	27.6	62	26	26.4	6.61
LG 104.196.100.214:443/Network/Segments sent/sec.					
0	269.2	559.5	273.6	267.5	132.6
LG 104.196.100.214:443/Network/Segments retransmitted/sec.					
0	0.026	4.61	0	0	0.347
LG 104.196.100.214:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.36	13.3	6.46	6.32	3.22
LG 104.196.100.214:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.298	0.88	0.313	0.294	0.14

LG 104.196.103.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.103.166:443/CPU Load					
0	2.18	11	2	2.01	1.31
LG 104.196.103.166:443/Memory Used					
1	5.93	12	6	5.9	2.8
LG 104.196.103.166:443/Throughput					
0	5.64	13.6	5.59	5.58	2.94
LG 104.196.103.166:443/User Load					
0	36.3	64	38	36.5	19.2
LG 104.196.103.166:443/Thread Count					
21	103	144	103	103	25.6
LG 104.196.103.166:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.103.166:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.196.103.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.103.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.103.166:443/Controller Connection/Ping Duration (ms)					
25	27.2	60	26	25.9	6.62
LG 104.196.103.166:443/Network/Segments sent/sec.					
0	248.5	572.9	251.2	245.8	123.7
LG 104.196.103.166:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.016
LG 104.196.103.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.83	14	5.76	5.77	3.03
LG 104.196.103.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.28	0.579	0.289	0.279	0.121

LG 104.196.12.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.12.79:443/CPU Load					
0	2.18	13	2	1.99	1.47
LG 104.196.12.79:443/Memory Used					
1	6.31	14	6	6.24	3.06
LG 104.196.12.79:443/Throughput					
0	5.69	12.5	5.94	5.64	2.92
LG 104.196.12.79:443/User Load					
0	35.8	64	38	35.9	19
LG 104.196.12.79:443/Thread Count					
21	102.9	148	104	102.7	25.3
LG 104.196.12.79:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.12.79:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.196.12.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.12.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.12.79:443/Controller Connection/Ping Duration (ms)					
26	28.8	66	27	27.2	7.71
LG 104.196.12.79:443/Network/Segments sent/sec.					
0	249.1	584.1	256.4	247	122.9
LG 104.196.12.79:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.022
LG 104.196.12.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.87	12.9	6.11	5.82	3.01
LG 104.196.12.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.28	0.641	0.29	0.278	0.121

LG 104.196.133.8:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.133.8:443/CPU Load					
0	2.24	14	2	2.07	1.42
LG 104.196.133.8:443/Memory Used					
1	5.7	12	6	5.64	2.62
LG 104.196.133.8:443/Throughput					
0	5.59	12.8	5.69	5.54	2.87
LG 104.196.133.8:443/User Load					
0	36	63	38	36.2	19
LG 104.196.133.8:443/Thread Count					
20	103.1	141	104	103.4	25.4
LG 104.196.133.8:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.133.8:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.133.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.133.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.133.8:443/Controller Connection/Ping Duration (ms)					
26	27.6	63	26	26.1	7.13

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.133.8:443/Network/Segments sent/sec.					
0	241.9	530.6	247.9	239.8	119
LG 104.196.133.8:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 104.196.133.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.76	13.2	5.87	5.71	2.95
LG 104.196.133.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.275	0.544	0.29	0.275	0.12

LG 104.196.157.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.157.73:443/CPU Load					
0	2.24	14	2	2	1.62
LG 104.196.157.73:443/Memory Used					
1	6.08	12	6	6.06	2.88
LG 104.196.157.73:443/Throughput					
0	6.03	13.5	6.26	6	2.74
LG 104.196.157.73:443/User Load					
0	38.3	64	38	38.6	17.8
LG 104.196.157.73:443/Thread Count					
21	104.5	140	105	104.8	22.9
LG 104.196.157.73:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.157.73:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.196.157.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.157.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.157.73:443/Controller Connection/Ping Duration (ms)					
25	26.5	63	25	25.4	6.42
LG 104.196.157.73:443/Network/Segments sent/sec.					
0	264	576.8	273.5	263	116.1
LG 104.196.157.73:443/Network/Segments retransmitted/sec.					
0	0.014	4.6	0	0	0.228
LG 104.196.157.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.23	13.9	6.47	6.19	2.82
LG 104.196.157.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.295	0.607	0.304	0.294	0.119

LG 104.196.186.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.186.37:443/CPU Load					
0	2.11	14	2	1.92	1.44
LG 104.196.186.37:443/Memory Used					
1	5.58	11	5	5.56	2.76
LG 104.196.186.37:443/Throughput					
0	5.77	12.5	6	5.76	2.95
LG 104.196.186.37:443/User Load					
0	37	63	38	37.4	19.6
LG 104.196.186.37:443/Thread Count					
21	103.9	145	104	104.2	26.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.186.37:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.186.37:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.186.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.186.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.186.37:443/Controller Connection/Ping Duration (ms)					
19	49.2	66	66	49.8	20
LG 104.196.186.37:443/Network/Segments sent/sec.					
0	253.2	558.5	265.9	252.7	125.4
LG 104.196.186.37:443/Network/Segments retransmitted/sec.					
0	0.013	3.2	0	0	0.176
LG 104.196.186.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.96	12.9	6.21	5.95	3.04
LG 104.196.186.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.283	0.975	0.299	0.281	0.133

LG 104.196.2.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.2.29:443/CPU Load					
0	2.14	13	2	1.99	1.33
LG 104.196.2.29:443/Memory Used					
1	5.69	12	6	5.65	2.74
LG 104.196.2.29:443/Throughput					
0	5.47	12.3	5.55	5.42	2.82
LG 104.196.2.29:443/User Load					
0	35.4	63	38	35.6	18.9
LG 104.196.2.29:443/Thread Count					
20	103.1	146	106	103.2	26
LG 104.196.2.29:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.2.29:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.196.2.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.2.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.2.29:443/Controller Connection/Ping Duration (ms)					
26	61.3	67	66	62.9	12.4
LG 104.196.2.29:443/Network/Segments sent/sec.					
0	241.1	528.4	243.6	239.2	119.6
LG 104.196.2.29:443/Network/Segments retransmitted/sec.					
0	0.012	3.4	0	0	0.192
LG 104.196.2.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.65	12.7	5.72	5.59	2.9
LG 104.196.2.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.272	0.599	0.278	0.27	0.123

LG 104.196.32.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.32.169:443/CPU Load					
0	2.22	15	2	2.06	1.41
LG 104.196.32.169:443/Memory Used					
1	5.73	11	5	5.69	2.64
LG 104.196.32.169:443/Throughput					
0	5.74	13.5	5.93	5.68	2.93
LG 104.196.32.169:443/User Load					
0	37.3	63	38	37.6	19.4
LG 104.196.32.169:443/Thread Count					
20	104.9	145	106	105.2	26.4
LG 104.196.32.169:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.32.169:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.32.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.32.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.32.169:443/Controller Connection/Ping Duration (ms)					
26	27.3	55	26	26.2	5.43
LG 104.196.32.169:443/Network/Segments sent/sec.					
0	252.8	544.2	261.7	250.5	123.7
LG 104.196.32.169:443/Network/Segments retransmitted/sec.					
0	0.021	6	0	0	0.327
LG 104.196.32.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.92	13.9	6.13	5.86	3.02
LG 104.196.32.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.284	0.736	0.296	0.283	0.126

LG 104.196.59.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.59.44:443/CPU Load					
0	2.09	13	2	1.91	1.35
LG 104.196.59.44:443/Memory Used					
1	6.25	14	6	6.18	3.05
LG 104.196.59.44:443/Throughput					
0	5.62	12.9	5.72	5.57	2.83
LG 104.196.59.44:443/User Load					
0	36.3	64	38	36.5	19.2
LG 104.196.59.44:443/Thread Count					
21	104.3	146	106	104.3	25.9
LG 104.196.59.44:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.59.44:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.196.59.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.59.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.59.44:443/Controller Connection/Ping Duration (ms)					
19	27.2	67	26	25.8	8.13

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.59.44:443/Network/Segments sent/sec.					
0	246.3	555.1	256	244.3	119.6
LG 104.196.59.44:443/Network/Segments retransmitted/sec.					
0	0.008	2	0	0	0.113
LG 104.196.59.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.8	13.3	5.87	5.76	2.91
LG 104.196.59.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.276	0.633	0.288	0.275	0.122

LG 34.73.1.214:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.1.214:443/CPU Load					
0	2.24	14	2	2.07	1.44
LG 34.73.1.214:443/Memory Used					
1	6.45	13	6	6.4	3.21
LG 34.73.1.214:443/Throughput					
0	5.84	13.6	5.79	5.78	3.15
LG 34.73.1.214:443/User Load					
0	36.8	63	38	37.1	19.5
LG 34.73.1.214:443/Thread Count					
21	102.5	140	102	102.9	25.4
LG 34.73.1.214:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.1.214:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.1.214:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.1.214:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.1.214:443/Controller Connection/Ping Duration (ms)					
26	29.1	64	26	27.4	8.97
LG 34.73.1.214:443/Network/Segments sent/sec.					
0	252.9	606.9	260.3	250.3	130.9
LG 34.73.1.214:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.73.1.214:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.02	14	5.96	5.96	3.24
LG 34.73.1.214:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.285	0.81	0.292	0.284	0.133

LG 34.73.125.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.125.20:443/CPU Load					
0	2.15	15	2	1.99	1.42
LG 34.73.125.20:443/Memory Used					
1	5.22	12	5	5.13	2.68
LG 34.73.125.20:443/Throughput					
0	5.56	14.8	5.73	5.49	2.98
LG 34.73.125.20:443/User Load					
0	34.9	63	38	35	18.9
LG 34.73.125.20:443/Thread Count					
21	102.3	145	105	102.4	26.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.125.20:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.125.20:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.125.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.125.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.125.20:443/Controller Connection/Ping Duration (ms)					
26	28	67	26	26.3	7.96
LG 34.73.125.20:443/Network/Segments sent/sec.					
0	243.9	613.4	246.4	240.8	125.1
LG 34.73.125.20:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 34.73.125.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.74	15.2	5.92	5.67	3.07
LG 34.73.125.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.273	0.563	0.287	0.273	0.122

LG 34.73.135.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.135.171:443/CPU Load					
0	2.21	19	2	2.03	1.56
LG 34.73.135.171:443/Memory Used					
1	5.94	12	6	5.88	2.75
LG 34.73.135.171:443/Throughput					
0	5.64	13.3	5.8	5.59	2.93
LG 34.73.135.171:443/User Load					
0	36	63	38	36.2	19.1
LG 34.73.135.171:443/Thread Count					
21	102	142	104	102.2	24.7
LG 34.73.135.171:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.135.171:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.135.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.135.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.135.171:443/Controller Connection/Ping Duration (ms)					
17	27.8	66	27	26.6	7.91
LG 34.73.135.171:443/Network/Segments sent/sec.					
0	247.7	558.2	259.2	245.7	123.1
LG 34.73.135.171:443/Network/Segments retransmitted/sec.					
0	0.015	3.8	0	0	0.213
LG 34.73.135.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.82	13.7	5.98	5.76	3.02
LG 34.73.135.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.279	0.56	0.297	0.279	0.123

LG 34.73.14.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.14.42:443/CPU Load					
0	2.19	14	2	1.99	1.47
LG 34.73.14.42:443/Memory Used					
0	5.53	11	5	5.47	2.77
LG 34.73.14.42:443/Throughput					
0	5.76	13.9	6.13	5.72	2.92
LG 34.73.14.42:443/User Load					
0	37.1	63	38	37.4	19.4
LG 34.73.14.42:443/Thread Count					
21	104	141	104	104.4	25.8
LG 34.73.14.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.14.42:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.73.14.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.14.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.14.42:443/Controller Connection/Ping Duration (ms)					
26	60	65	65	61.5	12.2
LG 34.73.14.42:443/Network/Segments sent/sec.					
0	252.9	611.5	267.7	251.2	123.5
LG 34.73.14.42:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.73.14.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.95	14.4	6.32	5.91	3.01
LG 34.73.14.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.283	0.768	0.298	0.281	0.127

LG 34.73.167.74:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.167.74:443/CPU Load					
0	2.03	16	2	1.9	1.33
LG 34.73.167.74:443/Memory Used					
1	5.46	11	5	5.41	2.76
LG 34.73.167.74:443/Throughput					
0	5.58	12.4	5.62	5.52	2.95
LG 34.73.167.74:443/User Load					
0	35.9	63	38	36.1	19.3
LG 34.73.167.74:443/Thread Count					
21	103.7	144	106	104	26.3
LG 34.73.167.74:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.167.74:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.167.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.167.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.167.74:443/Controller Connection/Ping Duration (ms)					
25	27.2	56	26	26.1	5.78

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.167.74:443/Network/Segments sent/sec.					
0	246.8	578.4	249	244.2	125.6
LG 34.73.167.74:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.022
LG 34.73.167.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.77	12.8	5.82	5.71	3.05
LG 34.73.167.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.274	0.744	0.28	0.272	0.129

LG 34.73.199.155:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.199.155:443/CPU Load					
0	2.24	11	2	2.07	1.36
LG 34.73.199.155:443/Memory Used					
1	5.46	11	5	5.43	2.57
LG 34.73.199.155:443/Throughput					
0	5.93	13.9	5.95	5.88	3.17
LG 34.73.199.155:443/User Load					
0	36.7	63	38	37	19.5
LG 34.73.199.155:443/Thread Count					
21	102.9	142	103	103.2	25.1
LG 34.73.199.155:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.199.155:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.199.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.199.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.199.155:443/Controller Connection/Ping Duration (ms)					
16	27.9	66	27	26.9	7.75
LG 34.73.199.155:443/Network/Segments sent/sec.					
0	258.4	568.9	260.7	256.3	132.4
LG 34.73.199.155:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.73.199.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.12	14.3	6.14	6.07	3.27
LG 34.73.199.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.289	0.668	0.302	0.286	0.135

LG 34.73.202.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.202.62:443/CPU Load					
0	2.15	11	2	2.01	1.25
LG 34.73.202.62:443/Memory Used					
1	5.28	11	5	5.24	2.55
LG 34.73.202.62:443/Throughput					
0	5.41	13.9	5.67	5.36	2.78
LG 34.73.202.62:443/User Load					
0	35.4	63	38	35.5	18.8
LG 34.73.202.62:443/Thread Count					
21	103.7	145	109	103.9	25.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.202.62:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.202.62:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.202.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.202.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.202.62:443/Controller Connection/Ping Duration (ms)					
26	27.9	68	26	26.2	8.14
LG 34.73.202.62:443/Network/Segments sent/sec.					
0	238.5	561.6	244	236.4	117
LG 34.73.202.62:443/Network/Segments retransmitted/sec.					
0	0.006	0.8	0	0	0.058
LG 34.73.202.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.58	14.3	5.82	5.53	2.87
LG 34.73.202.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.27	0.605	0.279	0.268	0.121

LG 34.73.204.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.204.29:443/CPU Load					
0	2.17	16	2	1.98	1.46
LG 34.73.204.29:443/Memory Used					
1	6.19	13	6	6.09	3.03
LG 34.73.204.29:443/Throughput					
0	5.54	13.8	5.85	5.52	2.87
LG 34.73.204.29:443/User Load					
0	35.9	63	38	36.1	19.1
LG 34.73.204.29:443/Thread Count					
20	104.6	146	107	104.8	25.7
LG 34.73.204.29:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.204.29:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.204.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.204.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.204.29:443/Controller Connection/Ping Duration (ms)					
15	27.8	67	27	26.6	8.26
LG 34.73.204.29:443/Network/Segments sent/sec.					
0	242.5	562.4	253.6	241.1	119.8
LG 34.73.204.29:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.022
LG 34.73.204.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.72	14.2	6.02	5.69	2.95
LG 34.73.204.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.273	0.629	0.287	0.272	0.123

LG 34.73.207.97:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.207.97:443/CPU Load					
0	2.04	14	2	1.87	1.34
LG 34.73.207.97:443/Memory Used					
1	5.81	12	6	5.77	2.81
LG 34.73.207.97:443/Throughput					
0	6.05	13.6	6.48	6.04	2.74
LG 34.73.207.97:443/User Load					
0	37.9	63	38	38.3	17.8
LG 34.73.207.97:443/Thread Count					
20	104.5	141	104	104.9	23
LG 34.73.207.97:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.207.97:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.207.97:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.207.97:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.207.97:443/Controller Connection/Ping Duration (ms)					
25	27.4	65	26	26.2	6.62
LG 34.73.207.97:443/Network/Segments sent/sec.					
0	265.8	578.8	284.5	265.2	117.6
LG 34.73.207.97:443/Network/Segments retransmitted/sec.					
0	0.014	5.2	0	0	0.257
LG 34.73.207.97:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.26	14.1	6.71	6.25	2.84
LG 34.73.207.97:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.823	0.308	0.293	0.129

LG 34.73.34.201:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.34.201:443/CPU Load					
0	2.04	15	2	1.89	1.35
LG 34.73.34.201:443/Memory Used					
0	5.91	12	6	5.87	2.85
LG 34.73.34.201:443/Throughput					
0	5.84	12.7	6.12	5.8	2.95
LG 34.73.34.201:443/User Load					
0	37.4	63	38	37.8	19.4
LG 34.73.34.201:443/Thread Count					
20	104.4	146	105	104.5	26.1
LG 34.73.34.201:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.34.201:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.34.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.34.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.34.201:443/Controller Connection/Ping Duration (ms)					
25	27.9	64	26	26.5	7.06

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.34.201:443/Network/Segments sent/sec.					
0	258.5	527.9	269.2	257	126.4
LG 34.73.34.201:443/Network/Segments retransmitted/sec.					
0	0.002	0.401	0	0	0.024
LG 34.73.34.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.05	13.1	6.36	6.01	3.05
LG 34.73.34.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.288	0.705	0.299	0.286	0.131

LG 34.73.34.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.34.231:443/CPU Load					
0	2.1	12	2	1.97	1.23
LG 34.73.34.231:443/Memory Used					
1	6.07	13	6	5.99	2.97
LG 34.73.34.231:443/Throughput					
0	5.66	14	5.72	5.62	2.94
LG 34.73.34.231:443/User Load					
0	35.8	63	38	36	19
LG 34.73.34.231:443/Thread Count					
20	102.6	144	103	102.6	25.2
LG 34.73.34.231:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.34.231:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.34.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.34.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.34.231:443/Controller Connection/Ping Duration (ms)					
25	27.5	64	26	26.1	7.37
LG 34.73.34.231:443/Network/Segments sent/sec.					
0	249.3	629.4	253.3	247.3	124.9
LG 34.73.34.231:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.73.34.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.85	14.5	5.92	5.81	3.03
LG 34.73.34.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.279	0.805	0.288	0.277	0.129

LG 34.73.46.12:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.46.12:443/CPU Load					
0	1.97	14	2	1.83	1.26
LG 34.73.46.12:443/Memory Used					
1	5.59	12	5	5.54	2.75
LG 34.73.46.12:443/Throughput					
0	5.52	13.2	5.89	5.49	2.89
LG 34.73.46.12:443/User Load					
0	35.1	63	38	35.2	18.9
LG 34.73.46.12:443/Thread Count					
21	101.5	145	104	101.5	25.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.46.12:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.46.12:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.46.12:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.46.12:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.46.12:443/Controller Connection/Ping Duration (ms)					
18	50.6	66	65	51.4	19.6
LG 34.73.46.12:443/Network/Segments sent/sec.					
0	245.9	584.8	255.4	243.8	124.3
LG 34.73.46.12:443/Network/Segments retransmitted/sec.					
0	0.01	2.8	0	0	0.159
LG 34.73.46.12:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.72	13.6	6.1	5.68	2.98
LG 34.73.46.12:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.275	0.596	0.293	0.273	0.127

LG 34.73.69.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.69.0:443/CPU Load					
0	2.01	14	2	1.84	1.37
LG 34.73.69.0:443/Memory Used					
1	5.9	13	6	5.83	2.73
LG 34.73.69.0:443/Throughput					
0	5.79	13.7	5.71	5.71	3.04
LG 34.73.69.0:443/User Load					
0	36.4	64	38	36.5	19.2
LG 34.73.69.0:443/Thread Count					
20	102.6	142	104	102.7	24.8
LG 34.73.69.0:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.69.0:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.69.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.69.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.69.0:443/Controller Connection/Ping Duration (ms)					
24	63.5	67	65	65.4	8.59
LG 34.73.69.0:443/Network/Segments sent/sec.					
0	254.8	588.7	251.1	251.1	128.2
LG 34.73.69.0:443/Network/Segments retransmitted/sec.					
0	0.017	4.6	0	0	0.258
LG 34.73.69.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.99	14.1	5.9	5.91	3.13
LG 34.73.69.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.284	0.795	0.287	0.281	0.129

LG 34.73.70.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.70.28:443/CPU Load					
0	2.29	15	2	2.09	1.58
LG 34.73.70.28:443/Memory Used					
1	6.38	14	6	6.33	3.1
LG 34.73.70.28:443/Throughput					
0	5.84	13.8	6.06	5.8	2.93
LG 34.73.70.28:443/User Load					
0	38.4	64	38	38.8	19.6
LG 34.73.70.28:443/Thread Count					
21	107.3	147	108	107.6	26.9
LG 34.73.70.28:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.70.28:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.70.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.70.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.70.28:443/Controller Connection/Ping Duration (ms)					
19	29.2	75	26	27.3	11.5
LG 34.73.70.28:443/Network/Segments sent/sec.					
0	256.3	566.5	266.3	254.9	122.9
LG 34.73.70.28:443/Network/Segments retransmitted/sec.					
0	0.021	3.4	0	0	0.257
LG 34.73.70.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.02	14.2	6.25	5.98	3.01
LG 34.73.70.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.594	0.301	0.286	0.118

LG 34.73.77.172:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.77.172:443/CPU Load					
0	2.24	17	2	2.06	1.44
LG 34.73.77.172:443/Memory Used					
1	6.89	14	7	6.83	3.53
LG 34.73.77.172:443/Throughput					
0	5.41	11.6	5.4	5.37	2.75
LG 34.73.77.172:443/User Load					
0	35.6	63	38	35.8	18.9
LG 34.73.77.172:443/Thread Count					
21	104.3	145	109	104.5	26.6
LG 34.73.77.172:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.77.172:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.77.172:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.77.172:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.77.172:443/Controller Connection/Ping Duration (ms)					
26	28.1	63	27	26.7	7.09

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.77.172:443/Network/Segments sent/sec.					
0	238.9	501	233.6	237.2	116.1
LG 34.73.77.172:443/Network/Segments retransmitted/sec.					
0	0.007	0.8	0	0	0.053
LG 34.73.77.172:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.59	12	5.58	5.55	2.83
LG 34.73.77.172:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.269	0.627	0.276	0.268	0.118

LG 34.74.100.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.100.39:443/CPU Load					
0	2.17	16	2	1.99	1.48
LG 34.74.100.39:443/Memory Used					
1	5.46	11	5	5.42	2.61
LG 34.74.100.39:443/Throughput					
0	5.46	13.2	5.33	5.4	2.81
LG 34.74.100.39:443/User Load					
0	36	63	38	36.2	19
LG 34.74.100.39:443/Thread Count					
21	104.2	147	105	104.2	26.3
LG 34.74.100.39:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.100.39:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.100.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.100.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.100.39:443/Controller Connection/Ping Duration (ms)					
25	27.4	63	26	26	7.17
LG 34.74.100.39:443/Network/Segments sent/sec.					
0	240.8	565.9	242.5	238.1	118.1
LG 34.74.100.39:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 34.74.100.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.64	13.6	5.52	5.58	2.89
LG 34.74.100.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.271	0.53	0.285	0.271	0.117

LG 34.74.137.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.137.102:443/CPU Load					
0	2.2	16	2	2.04	1.41
LG 34.74.137.102:443/Memory Used					
1	7.42	17	7	7.28	4.04
LG 34.74.137.102:443/Throughput					
0	5.51	11.6	5.73	5.48	2.91
LG 34.74.137.102:443/User Load					
0	35.2	63	38	35.4	19
LG 34.74.137.102:443/Thread Count					
21	102.2	147	103	102.1	25.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.137.102:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.137.102:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.137.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.137.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.137.102:443/Controller Connection/Ping Duration (ms)					
26	28.1	62	27	26.7	6.89
LG 34.74.137.102:443/Network/Segments sent/sec.					
0	242	485.9	250.4	241	122.7
LG 34.74.137.102:443/Network/Segments retransmitted/sec.					
0	0.013	3	0	0	0.17
LG 34.74.137.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.68	12	5.92	5.66	3
LG 34.74.137.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.274	0.622	0.283	0.273	0.128

LG 34.74.153.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.153.22:443/CPU Load					
0	2.15	13	2	2.03	1.28
LG 34.74.153.22:443/Memory Used					
1	5.87	12	5	5.8	3.05
LG 34.74.153.22:443/Throughput					
0	5.71	13.6	5.84	5.67	2.96
LG 34.74.153.22:443/User Load					
0	36.7	63	38	37	19.5
LG 34.74.153.22:443/Thread Count					
21	104	141	106	104.5	25.9
LG 34.74.153.22:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.153.22:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.153.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.153.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.153.22:443/Controller Connection/Ping Duration (ms)					
25	28.2	61	27	26.9	6.54
LG 34.74.153.22:443/Network/Segments sent/sec.					
0	248.7	566.1	255.8	246.9	123.4
LG 34.74.153.22:443/Network/Segments retransmitted/sec.					
0	0.002	0.6	0	0	0.034
LG 34.74.153.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.89	14	6.03	5.85	3.05
LG 34.74.153.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.281	0.664	0.294	0.279	0.131

LG 34.74.178.36:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.178.36:443/CPU Load					
0	2.15	16	2	1.98	1.43
LG 34.74.178.36:443/Memory Used					
1	5.72	11	5	5.67	2.85
LG 34.74.178.36:443/Throughput					
0	5.7	13.1	5.98	5.65	2.95
LG 34.74.178.36:443/User Load					
0	36.8	63	38	37.1	19.5
LG 34.74.178.36:443/Thread Count					
20	104.4	145	106	104.6	26.4
LG 34.74.178.36:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.178.36:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.74.178.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.178.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.178.36:443/Controller Connection/Ping Duration (ms)					
16	61.8	84	66	62.9	15.3
LG 34.74.178.36:443/Network/Segments sent/sec.					
0	250.5	565.2	259.5	248.7	124.8
LG 34.74.178.36:443/Network/Segments retransmitted/sec.					
0	0.014	2.8	0	0	0.16
LG 34.74.178.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.88	13.5	6.19	5.84	3.04
LG 34.74.178.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.282	0.843	0.297	0.281	0.128

LG 34.74.183.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.183.38:443/CPU Load					
0	2.14	14	2	1.95	1.38
LG 34.74.183.38:443/Memory Used					
1	6.36	13	6	6.3	2.95
LG 34.74.183.38:443/Throughput					
0	6.04	15.7	6.21	5.98	3.06
LG 34.74.183.38:443/User Load					
0	38.5	64	38	38.9	19.6
LG 34.74.183.38:443/Thread Count					
21	106.1	144	105	106.5	26.1
LG 34.74.183.38:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.183.38:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.183.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.183.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.183.38:443/Controller Connection/Ping Duration (ms)					
16	27.1	66	26	26	7.68

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.183.38:443/Network/Segments sent/sec.					
0	264.1	636.3	273.7	262	127.6
LG 34.74.183.38:443/Network/Segments retransmitted/sec.					
0	0.009	1.2	0	0	0.093
LG 34.74.183.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.23	16.1	6.41	6.17	3.15
LG 34.74.183.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.293	0.651	0.304	0.293	0.124

LG 34.74.214.238:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.214.238:443/CPU Load					
0	2.19	17	2	1.99	1.58
LG 34.74.214.238:443/Memory Used					
1	6.35	13	6	6.3	3
LG 34.74.214.238:443/Throughput					
0	5.44	13.7	5.4	5.38	2.82
LG 34.74.214.238:443/User Load					
0	35.8	64	38	35.9	19
LG 34.74.214.238:443/Thread Count					
20	105.3	153	108	105.1	27.2
LG 34.74.214.238:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.214.238:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.214.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.214.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.214.238:443/Controller Connection/Ping Duration (ms)					
17	27.3	66	26	26.1	8.06
LG 34.74.214.238:443/Network/Segments sent/sec.					
0	238.6	566.1	238.7	236.3	117.4
LG 34.74.214.238:443/Network/Segments retransmitted/sec.					
0	0.014	4	0	0	0.226
LG 34.74.214.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.62	14.1	5.59	5.55	2.9
LG 34.74.214.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.27	0.634	0.279	0.268	0.118

LG 34.74.23.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.23.35:443/CPU Load					
0	2.14	17	2	1.97	1.45
LG 34.74.23.35:443/Memory Used					
1	6.2	13	6	6.11	3.12
LG 34.74.23.35:443/Throughput					
0	5.59	13.7	5.76	5.56	2.86
LG 34.74.23.35:443/User Load					
0	35.9	63	38	36.1	19.1
LG 34.74.23.35:443/Thread Count					
21	104.4	142	106	104.8	25.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.23.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.23.35:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.23.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.23.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.23.35:443/Controller Connection/Ping Duration (ms)					
20	61.4	80	65	62.5	14.5
LG 34.74.23.35:443/Network/Segments sent/sec.					
5.8	244.6	561.9	254.7	242.8	120.7
LG 34.74.23.35:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.74.23.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.77	14.1	5.94	5.73	2.94
LG 34.74.23.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.274	1.19	0.283	0.271	0.133

LG 34.74.24.183:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.24.183:443/CPU Load					
0	2.17	18	2	1.97	1.49
LG 34.74.24.183:443/Memory Used					
1	6.79	14	7	6.73	3.37
LG 34.74.24.183:443/Throughput					
0	5.94	13.5	6.2	5.86	3.12
LG 34.74.24.183:443/User Load					
0	37.5	63	38	37.8	19.5
LG 34.74.24.183:443/Thread Count					
20	103.3	140	104	103.7	24.9
LG 34.74.24.183:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.24.183:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.24.183:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.24.183:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.24.183:443/Controller Connection/Ping Duration (ms)					
26	29.4	75	26	27.1	11.6
LG 34.74.24.183:443/Network/Segments sent/sec.					
0	261.8	568.7	272.7	258.8	132.6
LG 34.74.24.183:443/Network/Segments retransmitted/sec.					
0	0.023	3.6	0	0	0.273
LG 34.74.24.183:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.14	14	6.4	6.06	3.23
LG 34.74.24.183:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.292	0.649	0.308	0.291	0.134

LG 34.74.39.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.39.20:443/CPU Load					
0	1.97	12	2	1.83	1.24
LG 34.74.39.20:443/Memory Used					
1	5.86	12	6	5.82	2.79
LG 34.74.39.20:443/Throughput					
0	5.44	13.4	5.61	5.39	2.78
LG 34.74.39.20:443/User Load					
0	35.7	63	38	35.9	19
LG 34.74.39.20:443/Thread Count					
20	103.5	148	105	103.5	26.1
LG 34.74.39.20:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.39.20:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.39.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.39.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.39.20:443/Controller Connection/Ping Duration (ms)					
26	27.2	54	26	26.1	5.42
LG 34.74.39.20:443/Network/Segments sent/sec.					
0	241.3	604.7	252.6	239.2	119.4
LG 34.74.39.20:443/Network/Segments retransmitted/sec.					
0	0.021	4.8	0	0	0.271
LG 34.74.39.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.62	13.8	5.78	5.57	2.87
LG 34.74.39.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.272	0.769	0.284	0.269	0.125

LG 34.74.5.11:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.5.11:443/CPU Load					
0	1.96	15	2	1.83	1.31
LG 34.74.5.11:443/Memory Used					
1	6.54	14	7	6.5	3.24
LG 34.74.5.11:443/Throughput					
0	5.62	13	5.87	5.58	2.88
LG 34.74.5.11:443/User Load					
0	36.6	63	38	36.9	19.5
LG 34.74.5.11:443/Thread Count					
21	104.9	145	107	105.3	27
LG 34.74.5.11:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.5.11:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.5.11:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.5.11:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.5.11:443/Controller Connection/Ping Duration (ms)					
26	27.9	65	26	26.5	7.31

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.5.11:443/Network/Segments sent/sec.					
0	248.3	553.4	260.1	246.8	123
LG 34.74.5.11:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.029
LG 34.74.5.11:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.81	13.4	6.06	5.77	2.98
LG 34.74.5.11:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.276	0.773	0.289	0.275	0.125

LG 34.74.64.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.64.10:443/CPU Load					
0	2.08	15	2	1.94	1.29
LG 34.74.64.10:443/Memory Used					
0	5.75	12	5	5.71	2.83
LG 34.74.64.10:443/Throughput					
0	5.79	13.4	5.99	5.75	2.91
LG 34.74.64.10:443/User Load					
0	37.5	63	38	37.8	19.3
LG 34.74.64.10:443/Thread Count					
20	104.5	140	104	105	25.1
LG 34.74.64.10:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.64.10:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.64.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.64.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.64.10:443/Controller Connection/Ping Duration (ms)					
25	54.4	81	66	54.4	20.4
LG 34.74.64.10:443/Network/Segments sent/sec.					
0	254.3	551.4	264.9	252.9	123.2
LG 34.74.64.10:443/Network/Segments retransmitted/sec.					
0	0.017	4.2	0	0	0.232
LG 34.74.64.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.98	13.8	6.17	5.94	3
LG 34.74.64.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.839	0.297	0.283	0.132

LG 34.74.93.181:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.93.181:443/CPU Load					
0	2.2	16	2	2.05	1.35
LG 34.74.93.181:443/Memory Used					
1	6.62	14	6	6.54	3.32
LG 34.74.93.181:443/Throughput					
0	5.64	13.6	5.63	5.57	2.95
LG 34.74.93.181:443/User Load					
0	35.8	64	38	35.9	19
LG 34.74.93.181:443/Thread Count					
21	102.4	144	104	102.5	25.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.93.181:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.93.181:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.93.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.93.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.93.181:443/Controller Connection/Ping Duration (ms)					
27	63	68	66	64.7	11.1
LG 34.74.93.181:443/Network/Segments sent/sec.					
0	246.1	598.2	245.4	242.7	123.3
LG 34.74.93.181:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.74.93.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.82	14	5.8	5.75	3.03
LG 34.74.93.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.277	1.02	0.288	0.274	0.129

LG 34.74.98.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.98.132:443/CPU Load					
0	2.26	10	2	2.12	1.26
LG 34.74.98.132:443/Memory Used					
1	4.88	11	5	4.79	2.43
LG 34.74.98.132:443/Throughput					
0	5.63	12.2	5.8	5.58	2.81
LG 34.74.98.132:443/User Load					
0	37.5	64	38	37.8	19.5
LG 34.74.98.132:443/Thread Count					
21	108.6	151	111	108.9	28.1
LG 34.74.98.132:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.98.132:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.98.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.98.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.98.132:443/Controller Connection/Ping Duration (ms)					
26	28.2	65	27	26.8	7.22
LG 34.74.98.132:443/Network/Segments sent/sec.					
0	245.5	561.1	253.9	243.3	118.4
LG 34.74.98.132:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 34.74.98.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.81	12.6	5.99	5.76	2.9
LG 34.74.98.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.277	0.605	0.29	0.276	0.118

LG 35.185.107.148:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.107.148:443/CPU Load					
0	2.34	15	2	2.16	1.61
LG 35.185.107.148:443/Memory Used					
1	5.83	11	6	5.82	2.76
LG 35.185.107.148:443/Throughput					
0	5.92	15.2	6.08	5.86	3.05
LG 35.185.107.148:443/User Load					
0	37.3	64	38	37.6	19.5
LG 35.185.107.148:443/Thread Count					
21	102.7	142	102	102.9	25.2
LG 35.185.107.148:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.107.148:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.185.107.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.107.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.107.148:443/Controller Connection/Ping Duration (ms)					
17	27.5	66	26	26.4	7.8
LG 35.185.107.148:443/Network/Segments sent/sec.					
0	256.3	629.9	262.8	254	127.1
LG 35.185.107.148:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.185.107.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.1	15.7	6.27	6.04	3.14
LG 35.185.107.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.29	0.77	0.299	0.289	0.129

LG 35.185.20.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.20.140:443/CPU Load					
0	2.23	16	2	2.06	1.42
LG 35.185.20.140:443/Memory Used					
1	6.21	13	6	6.17	3.04
LG 35.185.20.140:443/Throughput					
0	5.96	14.6	5.94	5.91	3.05
LG 35.185.20.140:443/User Load					
0	38	64	38	38.4	19.6
LG 35.185.20.140:443/Thread Count					
21	105.3	147	104	105.6	25.9
LG 35.185.20.140:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.20.140:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.185.20.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.20.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.20.140:443/Controller Connection/Ping Duration (ms)					
26	27.7	64	26	26.3	7.04

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.20.140:443/Network/Segments sent/sec.					
0	260.7	590.5	268.7	258.2	129.2
LG 35.185.20.140:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.185.20.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.16	15	6.15	6.1	3.14
LG 35.185.20.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	0.29	0.573	0.309	0.289	0.128

LG 35.185.75.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.75.239:443/CPU Load					
0	2.29	17	2	2.08	1.65
LG 35.185.75.239:443/Memory Used					
1	6.28	13	6	6.19	3.22
LG 35.185.75.239:443/Throughput					
0	5.72	14	5.78	5.65	3.1
LG 35.185.75.239:443/User Load					
0	35.4	63	38	35.6	19.1
LG 35.185.75.239:443/Thread Count					
20	100.4	142	103	100.4	24.6
LG 35.185.75.239:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.75.239:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.185.75.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.75.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.75.239:443/Controller Connection/Ping Duration (ms)					
25	27.4	61	26	26.1	6.78
LG 35.185.75.239:443/Network/Segments sent/sec.					
0	247.5	561.9	252.9	244.6	128.5
LG 35.185.75.239:443/Network/Segments retransmitted/sec.					
0	0.016	4.2	0	0	0.236
LG 35.185.75.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.9	14.4	5.97	5.83	3.19
LG 35.185.75.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.28	0.845	0.29	0.277	0.135

LG 35.185.75.251:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.75.251:443/CPU Load					
0	2.1	14	2	1.95	1.29
LG 35.185.75.251:443/Memory Used					
1	5.8	13	5	5.73	2.99
LG 35.185.75.251:443/Throughput					
0	5.78	12.9	5.72	5.72	3.04
LG 35.185.75.251:443/User Load					
0	35.8	64	38	35.9	19
LG 35.185.75.251:443/Thread Count					
21	100.5	142	101	100.4	24.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.75.251:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.75.251:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.185.75.251:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.75.251:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.75.251:443/Controller Connection/Ping Duration (ms)					
19	52.6	66	66	53.6	19.2
LG 35.185.75.251:443/Network/Segments sent/sec.					
0	253	594.9	255.7	250.3	128.1
LG 35.185.75.251:443/Network/Segments retransmitted/sec.					
0	0.018	5	0	0	0.282
LG 35.185.75.251:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.97	13.3	5.9	5.91	3.14
LG 35.185.75.251:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.284	0.658	0.292	0.282	0.13

LG 35.185.91.183:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.91.183:443/CPU Load					
0	2.16	12	2	2.01	1.28
LG 35.185.91.183:443/Memory Used					
1	5.57	11	5	5.5	2.72
LG 35.185.91.183:443/Throughput					
0	5.47	12.5	5.55	5.43	2.84
LG 35.185.91.183:443/User Load					
0	35.8	63	38	36	19
LG 35.185.91.183:443/Thread Count					
21	104.3	147	105	104.4	26.5
LG 35.185.91.183:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.91.183:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.185.91.183:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.91.183:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.91.183:443/Controller Connection/Ping Duration (ms)					
26	28.6	76	27	26.7	9.57
LG 35.185.91.183:443/Network/Segments sent/sec.					
0	239	515.1	245.6	237	117.9
LG 35.185.91.183:443/Network/Segments retransmitted/sec.					
0	0.016	4.2	0	0	0.236
LG 35.185.91.183:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.65	12.9	5.73	5.6	2.92
LG 35.185.91.183:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.272	0.644	0.279	0.269	0.121

LG 35.190.135.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.135.223:443/CPU Load					
0	2.28	16	2	2.09	1.61
LG 35.190.135.223:443/Memory Used					
1	6.02	12	6	5.97	2.74
LG 35.190.135.223:443/Throughput					
0	5.83	13.3	5.81	5.79	3.02
LG 35.190.135.223:443/User Load					
0	37.7	64	38	38	19.5
LG 35.190.135.223:443/Thread Count					
21	105.3	145	104	105.6	26.1
LG 35.190.135.223:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.190.135.223:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.190.135.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.190.135.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.190.135.223:443/Controller Connection/Ping Duration (ms)					
25	28.9	83	26	26.3	12.4
LG 35.190.135.223:443/Network/Segments sent/sec.					
0	252.8	555.6	250.9	250.5	125.6
LG 35.190.135.223:443/Network/Segments retransmitted/sec.					
0	0.01	3.4	0	0	0.185
LG 35.190.135.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.01	13.7	5.98	5.97	3.11
LG 35.190.135.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.646	0.301	0.285	0.125

LG 35.190.142.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.142.207:443/CPU Load					
0	1.98	15	2	1.85	1.26
LG 35.190.142.207:443/Memory Used					
1	5.66	12	5	5.59	2.86
LG 35.190.142.207:443/Throughput					
0	5.38	12.2	5.52	5.34	2.8
LG 35.190.142.207:443/User Load					
0	35.6	63	38	35.8	19.1
LG 35.190.142.207:443/Thread Count					
21	104.1	145	105	104.3	26.3
LG 35.190.142.207:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.190.142.207:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.190.142.207:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.190.142.207:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.190.142.207:443/Controller Connection/Ping Duration (ms)					
17	33.4	66	26	32.3	16.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.142.207:443/Network/Segments sent/sec.					
0	238.8	521	244.2	237.4	119
LG 35.190.142.207:443/Network/Segments retransmitted/sec.					
0	0.002	0.801	0	0	0.045
LG 35.190.142.207:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.56	12.6	5.7	5.52	2.89
LG 35.190.142.207:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.269	0.828	0.286	0.267	0.128

LG 35.196.120.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.120.20:443/CPU Load					
0	2.25	15	2	2.05	1.52
LG 35.196.120.20:443/Memory Used					
1	4.75	11	4	4.64	2.44
LG 35.196.120.20:443/Throughput					
0	5.99	12.7	6.24	5.98	3.03
LG 35.196.120.20:443/User Load					
0	38	63	38	38.4	19.5
LG 35.196.120.20:443/Thread Count					
21	104.8	141	105	105.2	25.4
LG 35.196.120.20:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.120.20:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.196.120.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.120.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.120.20:443/Controller Connection/Ping Duration (ms)					
25	27	66	26	25.6	7.49
LG 35.196.120.20:443/Network/Segments sent/sec.					
6.94	263.3	545.2	271.5	262.4	128.6
LG 35.196.120.20:443/Network/Segments retransmitted/sec.					
0	0.028	4.2	0	0	0.319
LG 35.196.120.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.19	13.1	6.44	6.18	3.13
LG 35.196.120.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	0.29	0.803	0.307	0.29	0.125

LG 35.196.27.134:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.27.134:443/CPU Load					
0	2.34	14	2	2.16	1.51
LG 35.196.27.134:443/Memory Used					
1	6.62	15	6	6.49	3.37
LG 35.196.27.134:443/Throughput					
0	6.07	13.9	6.34	6.05	3.11
LG 35.196.27.134:443/User Load					
0	37.7	63	38	38.1	19.6
LG 35.196.27.134:443/Thread Count					
21	104.1	144	102	104.4	25.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.27.134:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.27.134:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.27.134:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.27.134:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.27.134:443/Controller Connection/Ping Duration (ms)					
27	61.2	67	66	62.8	12.2
LG 35.196.27.134:443/Network/Segments sent/sec.					
0	264.5	571.3	272.5	263.6	131.7
LG 35.196.27.134:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.035
LG 35.196.27.134:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.26	14.3	6.54	6.24	3.2
LG 35.196.27.134:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.294	0.647	0.307	0.294	0.135

LG 35.196.30.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.30.249:443/CPU Load					
0	2.13	12	2	2	1.28
LG 35.196.30.249:443/Memory Used					
1	5.87	12	6	5.83	2.92
LG 35.196.30.249:443/Throughput					
0	5.58	13.3	5.54	5.53	2.88
LG 35.196.30.249:443/User Load					
0	35.8	63	38	35.9	19
LG 35.196.30.249:443/Thread Count					
20	102.8	144	105	102.9	25.4
LG 35.196.30.249:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.30.249:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.196.30.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.30.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.30.249:443/Controller Connection/Ping Duration (ms)					
26	28.2	76	26	26.2	9.66
LG 35.196.30.249:443/Network/Segments sent/sec.					
0	245.6	570.1	245.7	243.5	122.8
LG 35.196.30.249:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.025
LG 35.196.30.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.76	13.7	5.73	5.72	2.97
LG 35.196.30.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.275	0.798	0.288	0.274	0.127

LG 35.196.71.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.71.121:443/CPU Load					
0	2.08	15	2	1.95	1.39
LG 35.196.71.121:443/Memory Used					
1	5.79	12	6	5.75	2.69
LG 35.196.71.121:443/Throughput					
0	5.77	15	6.08	5.73	3.02
LG 35.196.71.121:443/User Load					
0	36.9	63	38	37.2	19.6
LG 35.196.71.121:443/Thread Count					
21	104.2	143	105	104.6	26.1
LG 35.196.71.121:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.71.121:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.71.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.71.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.71.121:443/Controller Connection/Ping Duration (ms)					
17	27.1	66	26	25.9	7.79
LG 35.196.71.121:443/Network/Segments sent/sec.					
0	253.1	603.4	269.8	251.3	126.6
LG 35.196.71.121:443/Network/Segments retransmitted/sec.					
0	0.019	5.4	0	0	0.294
LG 35.196.71.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.96	15.5	6.31	5.91	3.11
LG 35.196.71.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.282	0.619	0.299	0.281	0.126

LG 35.196.71.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.71.24:443/CPU Load					
0	2.06	10	2	1.91	1.21
LG 35.196.71.24:443/Memory Used					
1	5.49	11	5	5.44	2.7
LG 35.196.71.24:443/Throughput					
0	5.72	12.6	5.95	5.68	2.94
LG 35.196.71.24:443/User Load					
0	37	63	37	37.3	19.5
LG 35.196.71.24:443/Thread Count					
20	104	143	102	104.3	26.4
LG 35.196.71.24:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.71.24:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.71.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.71.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.71.24:443/Controller Connection/Ping Duration (ms)					
15	27.1	65	26	26	7.66

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.71.24:443/Network/Segments sent/sec.					
0	251.9	575.5	261.9	250.1	125.2
LG 35.196.71.24:443/Network/Segments retransmitted/sec.					
0	0.004	0.6	0	0	0.042
LG 35.196.71.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.91	13	6.15	5.87	3.03
LG 35.196.71.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.282	0.713	0.296	0.281	0.129

LG 35.196.91.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.91.160:443/CPU Load					
0	1.98	15	2	1.85	1.29
LG 35.196.91.160:443/Memory Used					
1	5.52	12	5	5.46	2.81
LG 35.196.91.160:443/Throughput					
0	5.42	12.8	5.75	5.38	2.8
LG 35.196.91.160:443/User Load					
0	35	63	38	35.1	19
LG 35.196.91.160:443/Thread Count					
21	103	143	105	103.3	26.2
LG 35.196.91.160:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.91.160:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.196.91.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.91.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.91.160:443/Controller Connection/Ping Duration (ms)					
25	26.8	64	25	25.2	7.57
LG 35.196.91.160:443/Network/Segments sent/sec.					
0	239.4	537.4	257.3	238	118.8
LG 35.196.91.160:443/Network/Segments retransmitted/sec.					
0	0.013	3.4	0	0	0.193
LG 35.196.91.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.6	13.1	5.94	5.56	2.89
LG 35.196.91.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.27	0.653	0.287	0.268	0.123

LG 35.227.16.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.16.240:443/CPU Load					
0	2.28	12	2	2.07	1.52
LG 35.227.16.240:443/Memory Used					
1	6.77	15	6	6.67	3.36
LG 35.227.16.240:443/Throughput					
0	5.69	13.9	5.74	5.63	2.95
LG 35.227.16.240:443/User Load					
0	36.4	64	38	36.5	19.2
LG 35.227.16.240:443/Thread Count					
21	102.9	145	103	102.8	25.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.16.240:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.16.240:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.227.16.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.16.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.16.240:443/Controller Connection/Ping Duration (ms)					
25	29.3	71	26	27.2	10.89
LG 35.227.16.240:443/Network/Segments sent/sec.					
0	250.8	722.4	253.8	247.4	127.1
LG 35.227.16.240:443/Network/Segments retransmitted/sec.					
0	0.017	5	0	0	0.28
LG 35.227.16.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.87	14.5	5.92	5.81	3.04
LG 35.227.16.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.282	0.844	0.293	0.28	0.129

LG 35.227.30.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.30.71:443/CPU Load					
0	2.05	17	2	1.91	1.34
LG 35.227.30.71:443/Memory Used					
1	6.33	13	6	6.25	3.1
LG 35.227.30.71:443/Throughput					
0	5.18	13	5.3	5.13	2.65
LG 35.227.30.71:443/User Load					
0	35.4	63	38	35.6	19.1
LG 35.227.30.71:443/Thread Count					
21	106.1	150	110	106.3	28.2
LG 35.227.30.71:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.30.71:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.227.30.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.30.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.30.71:443/Controller Connection/Ping Duration (ms)					
26	27.8	63	26	26.4	7.12
LG 35.227.30.71:443/Network/Segments sent/sec.					
0	230.3	527.4	236.2	228.1	112.8
LG 35.227.30.71:443/Network/Segments retransmitted/sec.					
0	0.022	5.8	0	0	0.327
LG 35.227.30.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.35	13.4	5.48	5.29	2.73
LG 35.227.30.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.261	0.535	0.271	0.26	0.114

LG 35.227.36.167:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.36.167:443/CPU Load					
0	2.34	13	2	2.15	1.48
LG 35.227.36.167:443/Memory Used					
1	5.56	11	6	5.52	2.68
LG 35.227.36.167:443/Throughput					
0	6.05	14.8	6.38	6	3.1
LG 35.227.36.167:443/User Load					
0	38	63	38	38.4	19.5
LG 35.227.36.167:443/Thread Count					
21	103.9	138	104	104.4	24.6
LG 35.227.36.167:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.36.167:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.227.36.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.36.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.36.167:443/Controller Connection/Ping Duration (ms)					
26	30.2	82	27	27.7	12.3
LG 35.227.36.167:443/Network/Segments sent/sec.					
0	262.4	611.1	273.4	260.3	128.9
LG 35.227.36.167:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 35.227.36.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.24	15.2	6.57	6.19	3.18
LG 35.227.36.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.295	0.605	0.311	0.294	0.131

LG 35.229.41.1:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.41.1:443/CPU Load					
0	2.17	16	2	2.03	1.33
LG 35.229.41.1:443/Memory Used					
1	5.72	12	6	5.68	2.78
LG 35.229.41.1:443/Throughput					
0	5.89	13.5	6.09	5.83	2.99
LG 35.229.41.1:443/User Load					
0	37.5	63	38	37.9	19.3
LG 35.229.41.1:443/Thread Count					
21	104.4	141	105	104.8	25.2
LG 35.229.41.1:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.41.1:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.229.41.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.41.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.41.1:443/Controller Connection/Ping Duration (ms)					
16	58	67	66	59.7	17.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.41.1:443/Network/Segments sent/sec.					
0	256.9	553.2	270.1	254.6	125.5
LG 35.229.41.1:443/Network/Segments retransmitted/sec.					
0	0.006	0.2	0	0	0.035
LG 35.229.41.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.07	13.9	6.29	6.02	3.08
LG 35.229.41.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.287	0.591	0.302	0.287	0.125

LG 35.229.75.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.75.205:443/CPU Load					
0	2.13	15	2	1.96	1.47
LG 35.229.75.205:443/Memory Used					
1	6	13	6	5.93	3.1
LG 35.229.75.205:443/Throughput					
0	5.73	15	5.86	5.66	3.1
LG 35.229.75.205:443/User Load					
0	35.4	63	38	35.5	19.1
LG 35.229.75.205:443/Thread Count					
21	100.9	141	103	101	24.6
LG 35.229.75.205:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.75.205:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.229.75.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.75.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.75.205:443/Controller Connection/Ping Duration (ms)					
25	26.9	63	25	25.4	7.3
LG 35.229.75.205:443/Network/Segments sent/sec.					
0	251.1	618.2	255.3	247.8	130.6
LG 35.229.75.205:443/Network/Segments retransmitted/sec.					
0	0.024	4.8	0	0	0.274
LG 35.229.75.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.92	15.4	6.07	5.84	3.19
LG 35.229.75.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.28	0.851	0.288	0.278	0.134

LG 35.231.106.8:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.106.8:443/CPU Load					
0	2.24	9	2	2.09	1.25
LG 35.231.106.8:443/Memory Used					
1	6.29	13	6	6.24	3.01
LG 35.231.106.8:443/Throughput					
0	6.01	14.1	6.1	5.95	3.1
LG 35.231.106.8:443/User Load					
0	38.1	64	38	38.5	19.6
LG 35.231.106.8:443/Thread Count					
20	104.5	144	104	104.7	25.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.106.8:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.106.8:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.231.106.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.106.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.106.8:443/Controller Connection/Ping Duration (ms)					
24	27.8	66	26	26.5	7.41
LG 35.231.106.8:443/Network/Segments sent/sec.					
0	264.1	638.9	269.5	261	132.3
LG 35.231.106.8:443/Network/Segments retransmitted/sec.					
0	0.001	0.216	0	0	0.016
LG 35.231.106.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.23	14.5	6.32	6.15	3.2
LG 35.231.106.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.645	0.313	0.293	0.134

LG 35.231.114.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.114.16:443/CPU Load					
0	2.23	17	2	2.1	1.36
LG 35.231.114.16:443/Memory Used					
1	4.85	10	5	4.81	2.35
LG 35.231.114.16:443/Throughput					
0	5.88	13.3	6.04	5.83	3.02
LG 35.231.114.16:443/User Load					
0	37.5	63	38	37.8	19.5
LG 35.231.114.16:443/Thread Count					
21	104.6	141	104	105	25.4
LG 35.231.114.16:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.114.16:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.114.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.114.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.114.16:443/Controller Connection/Ping Duration (ms)					
25	41.4	66	26	40.9	19.6
LG 35.231.114.16:443/Network/Segments sent/sec.					
0	252.8	574.8	263.4	251	124.3
LG 35.231.114.16:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 35.231.114.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.06	13.7	6.22	6.01	3.1
LG 35.231.114.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.285	0.625	0.304	0.284	0.128

LG 35.231.114.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.114.240:443/CPU Load					
0	2.2	12	2	2.03	1.33
LG 35.231.114.240:443/Memory Used					
1	5.9	12	6	5.84	2.95
LG 35.231.114.240:443/Throughput					
0	5.44	11.6	5.64	5.41	2.77
LG 35.231.114.240:443/User Load					
0	35.9	63	38	36.1	19.1
LG 35.231.114.240:443/Thread Count					
21	104.6	149	106	104.6	26.3
LG 35.231.114.240:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.114.240:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.231.114.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.114.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.114.240:443/Controller Connection/Ping Duration (ms)					
26	28.9	64	27	27.3	8.38
LG 35.231.114.240:443/Network/Segments sent/sec.					
0	241	529.5	249.4	239	117.8
LG 35.231.114.240:443/Network/Segments retransmitted/sec.					
0	0.01	2.8	0	0	0.157
LG 35.231.114.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.62	12	5.81	5.59	2.85
LG 35.231.114.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.271	0.584	0.287	0.27	0.12

LG 35.231.115.204:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.115.204:443/CPU Load					
0	2	11	2	1.86	1.27
LG 35.231.115.204:443/Memory Used					
1	6.26	13	6	6.19	3.02
LG 35.231.115.204:443/Throughput					
0	5.68	13.3	5.98	5.63	3
LG 35.231.115.204:443/User Load					
0	35.4	63	38	35.5	19.1
LG 35.231.115.204:443/Thread Count					
20	100.8	144	102	100.8	25
LG 35.231.115.204:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.115.204:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.115.204:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.115.204:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.115.204:443/Controller Connection/Ping Duration (ms)					
25	27.8	67	26	26.2	7.93

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.115.204:443/Network/Segments sent/sec.					
0	250.8	591.2	267.3	248.3	128.2
LG 35.231.115.204:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.037
LG 35.231.115.204:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.88	13.7	6.19	5.82	3.09
LG 35.231.115.204:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.28	0.606	0.298	0.279	0.13

LG 35.231.137.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.137.22:443/CPU Load					
0	2.14	15	2	1.96	1.45
LG 35.231.137.22:443/Memory Used					
1	7.12	15	7	7.06	3.67
LG 35.231.137.22:443/Throughput					
0	5.88	12.3	6.02	5.85	3
LG 35.231.137.22:443/User Load					
0	37.6	63	38	38	19.4
LG 35.231.137.22:443/Thread Count					
21	104.3	141	105	104.8	25.2
LG 35.231.137.22:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.137.22:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.137.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.137.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.137.22:443/Controller Connection/Ping Duration (ms)					
26	63.2	66	65	64.9	8.15
LG 35.231.137.22:443/Network/Segments sent/sec.					
0	259	519.5	267	257.9	127.7
LG 35.231.137.22:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.231.137.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.08	12.6	6.23	6.05	3.1
LG 35.231.137.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.288	0.76	0.302	0.287	0.127

LG 35.231.16.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.16.102:443/CPU Load					
0	2.27	15	2	2.1	1.49
LG 35.231.16.102:443/Memory Used					
1	6.53	14	6	6.46	3.12
LG 35.231.16.102:443/Throughput					
0	5.88	13	6.21	5.84	3.02
LG 35.231.16.102:443/User Load					
0	37	63	38	37.3	19.4
LG 35.231.16.102:443/Thread Count					
21	102.2	140	102	102.4	24.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.16.102:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.16.102:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.231.16.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.16.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.16.102:443/Controller Connection/Ping Duration (ms)					
20	60.8	67	66	62.5	13.9
LG 35.231.16.102:443/Network/Segments sent/sec.					
0	259	561.8	276.5	257.1	128.3
LG 35.231.16.102:443/Network/Segments retransmitted/sec.					
0	0.014	4.4	0	0	0.241
LG 35.231.16.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.07	13.3	6.39	6.03	3.11
LG 35.231.16.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.29	0.641	0.306	0.289	0.13

LG 35.231.193.75:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.193.75:443/CPU Load					
0	2.01	14	2	1.87	1.27
LG 35.231.193.75:443/Memory Used					
1	5.16	10	5	5.12	2.49
LG 35.231.193.75:443/Throughput					
0	5.29	12.5	5.57	5.22	2.75
LG 35.231.193.75:443/User Load					
0	35.4	63	38	35.5	19.1
LG 35.231.193.75:443/Thread Count					
21	104.5	147	107	104.7	27.2
LG 35.231.193.75:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.193.75:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.231.193.75:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.193.75:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.193.75:443/Controller Connection/Ping Duration (ms)					
21	60.8	67	66	62.5	13.9
LG 35.231.193.75:443/Network/Segments sent/sec.					
0	234.5	537.9	247	231.8	116.7
LG 35.231.193.75:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.025
LG 35.231.193.75:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.46	12.9	5.76	5.39	2.83
LG 35.231.193.75:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.266	0.783	0.282	0.264	0.121

LG 35.231.208.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.208.52:443/CPU Load					
0	1.99	13	2	1.84	1.29
LG 35.231.208.52:443/Memory Used					
1	6.6	14	6	6.53	3.39
LG 35.231.208.52:443/Throughput					
0	5.57	14	5.52	5.5	2.93
LG 35.231.208.52:443/User Load					
0	35.5	63	38	35.7	18.7
LG 35.231.208.52:443/Thread Count					
20	102	146	105	102.1	25
LG 35.231.208.52:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.208.52:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.231.208.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.208.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.208.52:443/Controller Connection/Ping Duration (ms)					
25	28.9	67	26	26.9	11.1
LG 35.231.208.52:443/Network/Segments sent/sec.					
0	247.4	562.6	246	244.7	124.5
LG 35.231.208.52:443/Network/Segments retransmitted/sec.					
0	0.019	5.4	0	0	0.305
LG 35.231.208.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.77	14.5	5.69	5.69	3.03
LG 35.231.208.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.277	0.873	0.283	0.274	0.129

LG 35.231.209.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.209.254:443/CPU Load					
0	2.09	16	2	1.93	1.4
LG 35.231.209.254:443/Memory Used					
1	5.7	12	5	5.65	2.75
LG 35.231.209.254:443/Throughput					
0	5.59	13	5.76	5.54	2.84
LG 35.231.209.254:443/User Load					
0	35.9	64	38	36	19
LG 35.231.209.254:443/Thread Count					
20	101.7	141	103	101.8	24.8
LG 35.231.209.254:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.209.254:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.209.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.209.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.209.254:443/Controller Connection/Ping Duration (ms)					
25	28.1	79	26	26	10.34

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.209.254:443/Network/Segments sent/sec.					
0	248.1	535.8	258.2	246.2	120.3
LG 35.231.209.254:443/Network/Segments retransmitted/sec.					
0	0.017	4.6	0	0	0.26
LG 35.231.209.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.78	13.4	5.97	5.73	2.93
LG 35.231.209.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.279	0.782	0.291	0.276	0.126

LG 35.237.137.245:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.137.245:443/CPU Load					
0	2.1	13	2	1.96	1.27
LG 35.237.137.245:443/Memory Used					
1	5.55	11	5	5.51	2.67
LG 35.237.137.245:443/Throughput					
0	5.51	12.2	5.7	5.46	2.79
LG 35.237.137.245:443/User Load					
0	36	63	38	36.2	19.1
LG 35.237.137.245:443/Thread Count					
21	104.3	146	107	104.4	26.4
LG 35.237.137.245:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.137.245:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.137.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.137.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.137.245:443/Controller Connection/Ping Duration (ms)					
18	60.5	67	66	62.3	14
LG 35.237.137.245:443/Network/Segments sent/sec.					
0	236.5	515.7	242.2	233.9	115.5
LG 35.237.137.245:443/Network/Segments retransmitted/sec.					
0	0.007	1.8	0	0	0.102
LG 35.237.137.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.68	12.5	5.86	5.63	2.87
LG 35.237.137.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.27	0.572	0.287	0.27	0.115

LG 35.237.14.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.14.44:443/CPU Load					
0	2.24	18	2	2.08	1.42
LG 35.237.14.44:443/Memory Used					
1	5.56	11	5	5.5	2.77
LG 35.237.14.44:443/Throughput					
0	6.08	12.8	6.35	6.05	3.07
LG 35.237.14.44:443/User Load					
0	38.1	64	38	38.4	19.6
LG 35.237.14.44:443/Thread Count					
21	104.4	141	105	104.7	25.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.14.44:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.14.44:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.237.14.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.14.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.14.44:443/Controller Connection/Ping Duration (ms)					
16	27.4	67	26	26.3	7.91
LG 35.237.14.44:443/Network/Segments sent/sec.					
0	266	572.6	278.9	264.4	130.2
LG 35.237.14.44:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.237.14.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.28	13.3	6.6	6.26	3.16
LG 35.237.14.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.699	0.312	0.295	0.13

LG 35.237.150.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.150.0:443/CPU Load					
0	2.16	17	2	2.01	1.45
LG 35.237.150.0:443/Memory Used					
1	6.99	15	7	6.92	3.62
LG 35.237.150.0:443/Throughput					
0	5.78	13.8	5.91	5.72	3.08
LG 35.237.150.0:443/User Load					
0	36.6	63	38	36.8	19.4
LG 35.237.150.0:443/Thread Count					
21	102.1	143	102	102.2	25.3
LG 35.237.150.0:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.150.0:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.150.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.150.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.150.0:443/Controller Connection/Ping Duration (ms)					
26	62.5	67	66	64.2	11.4
LG 35.237.150.0:443/Network/Segments sent/sec.					
0	252.7	580.6	255.6	249.8	128.7
LG 35.237.150.0:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.237.150.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.96	14.2	6.09	5.9	3.17
LG 35.237.150.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.285	0.603	0.3	0.284	0.129

LG 35.237.155.233:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.155.233:443/CPU Load					
0	2.3	16	2	2.13	1.5
LG 35.237.155.233:443/Memory Used					
1	5.69	12	6	5.65	2.62
LG 35.237.155.233:443/Throughput					
0	5.66	13.4	5.81	5.61	2.94
LG 35.237.155.233:443/User Load					
0	36.2	64	38	36.3	19.1
LG 35.237.155.233:443/Thread Count					
21	103	143	104	103.1	25.3
LG 35.237.155.233:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.155.233:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.155.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.155.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.155.233:443/Controller Connection/Ping Duration (ms)					
26	29.8	79	26	27.4	12.3
LG 35.237.155.233:443/Network/Segments sent/sec.					
0	244.5	552.1	252.1	242.3	121.5
LG 35.237.155.233:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.237.155.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.83	13.8	5.98	5.78	3.02
LG 35.237.155.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.277	0.661	0.286	0.276	0.123

LG 35.237.170.85:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.170.85:443/CPU Load					
0	2.22	15	2	2.05	1.44
LG 35.237.170.85:443/Memory Used					
1	6.07	12	6	6.03	2.79
LG 35.237.170.85:443/Throughput					
0	5.99	12.5	6.27	5.96	3.02
LG 35.237.170.85:443/User Load					
0	37.8	63	38	38.2	19.4
LG 35.237.170.85:443/Thread Count					
20	103.2	139	103	103.6	24.8
LG 35.237.170.85:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.170.85:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.170.85:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.170.85:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.170.85:443/Controller Connection/Ping Duration (ms)					
25	27.4	64	26	26.1	7.04

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.170.85:443/Network/Segments sent/sec.					
0	262.9	545.9	275.9	262	127.9
LG 35.237.170.85:443/Network/Segments retransmitted/sec.					
0	0.026	4.4	0	0	0.333
LG 35.237.170.85:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.18	12.9	6.48	6.15	3.11
LG 35.237.170.85:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.293	0.604	0.307	0.293	0.126

LG 35.237.171.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.171.184:443/CPU Load					
0	2.14	11	2	2	1.26
LG 35.237.171.184:443/Memory Used					
1	5.68	11	6	5.65	2.67
LG 35.237.171.184:443/Throughput					
0	5.59	11.4	5.84	5.57	2.79
LG 35.237.171.184:443/User Load					
0	37.4	63	38	37.7	19.5
LG 35.237.171.184:443/Thread Count					
21	106	145	106	106.4	26.8
LG 35.237.171.184:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.171.184:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.171.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.171.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.171.184:443/Controller Connection/Ping Duration (ms)					
26	28.8	66	26	26.9	9.93
LG 35.237.171.184:443/Network/Segments sent/sec.					
0	247.4	501.7	255.5	246.1	118.7
LG 35.237.171.184:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.026
LG 35.237.171.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.78	11.8	6.02	5.75	2.88
LG 35.237.171.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.277	0.585	0.296	0.278	0.116

LG 35.237.173.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.173.246:443/CPU Load					
0	2.14	14	2	1.95	1.47
LG 35.237.173.246:443/Memory Used					
1	5.5	11	5	5.42	2.6
LG 35.237.173.246:443/Throughput					
0	5.93	13.6	6.15	5.88	3.11
LG 35.237.173.246:443/User Load					
0	36.3	64	38	36.5	19.2
LG 35.237.173.246:443/Thread Count					
20	101.9	141	102	101.9	24.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.173.246:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.173.246:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.173.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.173.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.173.246:443/Controller Connection/Ping Duration (ms)					
24	62.5	67	66	64.3	11
LG 35.237.173.246:443/Network/Segments sent/sec.					
0	259.4	563.7	263.5	257.2	131.2
LG 35.237.173.246:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.029
LG 35.237.173.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.13	14	6.35	6.06	3.21
LG 35.237.173.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.289	0.578	0.301	0.288	0.13

LG 35.237.215.77:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.215.77:443/CPU Load					
0	2.12	10	2	1.94	1.32
LG 35.237.215.77:443/Memory Used					
1	5.67	11	5	5.62	2.59
LG 35.237.215.77:443/Throughput					
0	5.73	13.7	5.68	5.69	2.94
LG 35.237.215.77:443/User Load					
0	35.9	64	38	36	18.9
LG 35.237.215.77:443/Thread Count					
21	102	144	105	102	24.7
LG 35.237.215.77:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.215.77:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.215.77:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.215.77:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.215.77:443/Controller Connection/Ping Duration (ms)					
24	27.8	66	26	26.3	7.79
LG 35.237.215.77:443/Network/Segments sent/sec.					
0	250.8	565.7	250.7	248	124.2
LG 35.237.215.77:443/Network/Segments retransmitted/sec.					
0	0.001	0.206	0	0	0.016
LG 35.237.215.77:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.92	14.2	5.86	5.87	3.02
LG 35.237.215.77:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.28	0.635	0.283	0.277	0.125

LG 35.237.254.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.254.254:443/CPU Load					
0	2.32	15	2	2.14	1.42
LG 35.237.254.254:443/Memory Used					
1	5.77	12	6	5.72	2.81
LG 35.237.254.254:443/Throughput					
0	5.96	15.2	6.05	5.88	3.12
LG 35.237.254.254:443/User Load					
0	37.3	64	38	37.6	19.5
LG 35.237.254.254:443/Thread Count					
21	102.7	138	103	103.1	24.6
LG 35.237.254.254:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.254.254:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.254.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.254.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.254.254:443/Controller Connection/Ping Duration (ms)					
26	27.8	64	26	26.3	7.2
LG 35.237.254.254:443/Network/Segments sent/sec.					
0	257.4	696.5	262.4	253.9	130.5
LG 35.237.254.254:443/Network/Segments retransmitted/sec.					
0	0.002	0.601	0	0	0.035
LG 35.237.254.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.15	15.6	6.23	6.06	3.21
LG 35.237.254.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.29	0.62	0.3	0.288	0.131

LG 35.237.33.107:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.33.107:443/CPU Load					
0	2.05	16	2	1.93	1.35
LG 35.237.33.107:443/Memory Used					
1	6.57	15	6	6.46	3.36
LG 35.237.33.107:443/Throughput					
0	5.26	11.9	5.28	5.21	2.75
LG 35.237.33.107:443/User Load					
0	35	63	37	35.1	19
LG 35.237.33.107:443/Thread Count					
20	103.2	145	106	103.4	26.1
LG 35.237.33.107:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.33.107:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.33.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.33.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.33.107:443/Controller Connection/Ping Duration (ms)					
26	28	66	26	26.5	7.73

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.33.107:443/Network/Segments sent/sec.					
0	230.4	505.4	236.2	228.4	114.8
LG 35.237.33.107:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.025
LG 35.237.33.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.43	12.3	5.44	5.38	2.83
LG 35.237.33.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.261	0.601	0.274	0.258	0.119

LG 35.237.96.96:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.96.96:443/CPU Load					
0	2.22	15	2	2.07	1.35
LG 35.237.96.96:443/Memory Used					
1	6.57	14	6	6.5	3.17
LG 35.237.96.96:443/Throughput					
0	5.44	13.2	5.56	5.36	2.93
LG 35.237.96.96:443/User Load					
0	35	63	38	35.2	18.9
LG 35.237.96.96:443/Thread Count					
21	101.2	146	104	101.2	25.3
LG 35.237.96.96:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.96.96:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.96.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.96.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.96.96:443/Controller Connection/Ping Duration (ms)					
22	62	67	66	63.9	11.3
LG 35.237.96.96:443/Network/Segments sent/sec.					
0	238.4	590.7	245.5	235	123.6
LG 35.237.96.96:443/Network/Segments retransmitted/sec.					
0	0.013	3.8	0	0	0.215
LG 35.237.96.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.62	13.5	5.71	5.53	3.01
LG 35.237.96.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.272	0.841	0.283	0.268	0.131

LG 35.243.136.12:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.136.12:443/CPU Load					
0	2.3	15	2	2.12	1.62
LG 35.243.136.12:443/Memory Used					
1	6.38	13	6	6.32	3.07
LG 35.243.136.12:443/Throughput					
0	5.83	14.9	5.89	5.76	3.13
LG 35.243.136.12:443/User Load					
0	36.8	63	38	37.1	19.6
LG 35.243.136.12:443/Thread Count					
20	102.8	142	103	103.1	25.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.136.12:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.136.12:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.243.136.12:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.136.12:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.136.12:443/Controller Connection/Ping Duration (ms)					
26	28.2	67	27	26.7	7.62
LG 35.243.136.12:443/Network/Segments sent/sec.					
0	258	624.3	262.3	254.9	133.4
LG 35.243.136.12:443/Network/Segments retransmitted/sec.					
0	0.021	5.8	0	0	0.318
LG 35.243.136.12:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.03	15.4	6.08	5.96	3.24
LG 35.243.136.12:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.288	0.752	0.303	0.286	0.133

LG 35.243.141.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.141.220:443/CPU Load					
0	2.23	17	2	2.03	1.7
LG 35.243.141.220:443/Memory Used					
1	5.81	11	6	5.78	2.75
LG 35.243.141.220:443/Throughput					
0	5.84	12	6.1	5.84	2.67
LG 35.243.141.220:443/User Load					
0	37.7	63	38	38	17.7
LG 35.243.141.220:443/Thread Count					
20	106.7	145	108	107.1	24.4
LG 35.243.141.220:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.141.220:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.243.141.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.141.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.141.220:443/Controller Connection/Ping Duration (ms)					
19	62.6	67	66	64.5	11.8
LG 35.243.141.220:443/Network/Segments sent/sec.					
0	255	518.4	268	255.2	112
LG 35.243.141.220:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.024
LG 35.243.141.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.03	12.3	6.29	6.03	2.74
LG 35.243.141.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.288	0.625	0.299	0.287	0.117

LG 35.243.163.158:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.163.158:443/CPU Load					
0	2.38	12	2	2.21	1.4
LG 35.243.163.158:443/Memory Used					
1	6.01	12	6	5.96	2.78
LG 35.243.163.158:443/Throughput					
0	5.82	13	6.1	5.76	2.98
LG 35.243.163.158:443/User Load					
0	37.1	63	38	37.5	19.4
LG 35.243.163.158:443/Thread Count					
21	103.7	140	103	104.1	25.1
LG 35.243.163.158:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.163.158:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.243.163.158:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.163.158:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.163.158:443/Controller Connection/Ping Duration (ms)					
26	28.2	62	27	26.9	6.64
LG 35.243.163.158:443/Network/Segments sent/sec.					
0	254.1	540.5	264.6	252	124.4
LG 35.243.163.158:443/Network/Segments retransmitted/sec.					
0	0.007	2	0	0	0.11
LG 35.243.163.158:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6	13.4	6.29	5.95	3.07
LG 35.243.163.158:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.285	0.66	0.299	0.284	0.126


LG 35.243.163.228:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.163.228:443/CPU Load					
0	2.28	14	2	2.11	1.44
LG 35.243.163.228:443/Memory Used					
1	5.82	12	6	5.76	2.67
LG 35.243.163.228:443/Throughput					
0	5.82	13.5	6.05	5.77	3.05
LG 35.243.163.228:443/User Load					
0	36.1	64	38	36.3	19.2
LG 35.243.163.228:443/Thread Count					
21	101.1	140	103	101.2	24.2
LG 35.243.163.228:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.163.228:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.243.163.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.163.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.163.228:443/Controller Connection/Ping Duration (ms)					
26	28	64	27	26.6	7.28

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.163.228:443/Network/Segments sent/sec.					
0	251	636.9	258.8	248.5	126.9
LG 35.243.163.228:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.243.163.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6	14	6.24	5.94	3.13
LG 35.243.163.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.283	0.69	0.298	0.282	0.13


Average page response time



Min	Average	Max
0.302	1.268	2.721

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.294	0.918	1.922

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.284	1.574	8.888	1.494	1.537	0.692

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



Min	Average	Max
9	958.6	1,800.4

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	35.6	398

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	436.51	857.33

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.221	0.838	2.172

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.