

NSA CPC MVA LT - 02/14



Date	Feb 13, 2020 11:18:49 PM
Project	MF_CPC_01222020
Scenario	SCN2
Comment	NSA_CPC_AWS_LT1
Notes	NSA CPC MVA LT - 02/14

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	3
Hot spots.....	5
Errors.....	5
Alerts.....	5
General statistics.....	5
Transaction statistics.....	5
Execution context.....	8
Scenario	7
Servers.....	10
Populations.....	11
User Paths.....	12
Transactions.....	13
Pages.....	16
Media Contents.....	21
Push messages.....	15
Monitors.....	22
Main graphs.....	35
Average page response time.....	35
Average request response time.....	36
Average response time (Transactions).....	37
Requests per second.....	38
Errors.....	39
Throughput.....	40
Response time against load.....	41
Distribution of Transaction Durations.....	42

Summary

Results summary

Name	23:16 - 13 Feb 2020_NSA_CPC_AWS_LT1	Project	MF_CPC_01222020
Description	NSA_CPC_AWS_LT1	Scenario	SCN2
Status	✓ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Feb 13, 2020 11:18:49 PM	Stop Policy	• Population NSA_CPC: immediate.
End date	Feb 13, 2020 11:48:38 PM		
Duration	00:29:48	Filters	None
Termination reason	Licence issue		
LG Hosts	34.74.79.174:443 , 34.73.139.237:443 , 34.73.136.164:443 , 34.73.48.153:443 , 104.196.103.65:443 , 34.74.48.16:443 , 35.237.167.174:443 , 34.73.152.164:443 , 35.237.94.235:443 , 35.196.87.23:443 , 104.196.213.112:443 , 35.229.24.244:443 , 34.74.196.58:443 , 104.196.53.28:443 , 34.74.56.72:443 , 34.73.220.42:443 , 34.74.198.212:443 , 34.73.179.238:443 , 35.237.149.153:443 , 34.74.168.226:443	Debug	Disabled

Statistics Summary


Total pages	320876	—	Average pages/s	179.4	—
Total requests	748806	—	Average requests/s	418.6	—
Total users launched	1500	—	Average Request response time	0.366 s	—
Total iterations completed	11843	—	Average Page response time	0.784 s	—
Total throughput	34,880 MB	—	Average throughput	155.97 Mb/s	—
Total request errors	1647	—	Error rate	0.2 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA

☀ = Passed

☁ = Warning

☄ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	350
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan_1	278
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	183
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage_2	149
CPC_ALP_MultiLine	MF_CPC_13_01GenFeatur	/digital/soe/digital/secure/compareplanpage	117

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	2.75
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	2.68
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPI	/digital/soe/digital/secure/explore_plan_mm	1.94
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/launchApp	1.76
CPC_ALP_MultiLine	MF_CPC_12_02ContinueC	/digital/soe/digital/secure/compareplanpage	1.58

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/launchApp	302.5
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/loadCart	301
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/asyncPullMyFeed	300.6
CPC_ALP_MultiLine	MF_CPC_01_OpenApp	/mobileFirstSS/launchApp	300.2
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan_1	66.4

Errors

Request errors

Error Type	Count	Description
500	716	Internal Server Error
502	663	Bad Gateway
Assertions	229	Validation of the response failed.
NL-NETWORK-01	21	Miscellaneous I/O error when connecting to the server.
504	14	Gateway Timeout
503	4	Service Unavailable - The server is currently unable to handle the request due to a temporary overloading or maintenance of the server.
Total	1,647	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
41.6	168.3	538.8	1,486	779	52.4	-
All pages						
0.023	0.783	302.5	320,876	1,635	0.5	-
All requests						
0.012	0.366	302.5	748,806	1,647	0.2	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.033	1.39	304.3	178,215	1,339	0.8	0.534	4.03	6.53	3.6	1.15	-

Scenario

Summary

Name	23:16 - 13 Feb 2020_NSA_CPC_AWS_LT1	Project	MF_CPC_01222020
Description	NSA_CPC_AWS_LT1	Scenario	SCN2
Status	✓ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Feb 13, 2020 11:18:49 PM	Stop Policy	• Population NSA_CPC: immediate.
End date	Feb 13, 2020 11:48:38 PM		
Duration	00:29:48		
Termination reason	Licence issue	Filters	None
LG Hosts	34.74.79.174:443 , 34.73.139.237:443 , 34.73.136.164:443 , 34.73.48.153:443 , 104.196.103.65:443 , 34.74.48.16:443 , 35.237.167.174:443 , 34.73.152.164:443 , 35.237.94.235:443 , 35.196.87.23:443 , 104.196.213.112:443 , 35.229.24.244:443 , 34.74.196.58:443 , 104.196.53.28:443 , 34.74.56.72:443 , 34.73.220.42:443 , 34.74.198.212:443 , 34.73.179.238:443 , 35.237.149.153:443 , 34.74.168.226:443	Debug	Disabled

Populations

NSA_CPC

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
CPC_ALP_MultiLine	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
CPC_ALP_MultiLine		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	23:16 - 13 Feb 2020_NSA_CPC_AWS_LT1	Project	MF_CPC_01222020
Description	NSA_CPC_AWS_LT1	Scenario	SCN2
Status	✓ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Feb 13, 2020 11:18:49 PM	Stop Policy	• Population NSA_CPC: immediate.
End date	Feb 13, 2020 11:48:38 PM		
Duration	00:29:48	Filters	None
Termination reason	Licence issue	Debug	Disabled
LG Hosts	34.74.79.174:443		
	,		
	34.73.139.237:443		
	,		
	34.73.136.164:443		
	,		
	34.73.48.153:443		
	,		
	104.196.103.65:443		
	,		
	34.74.48.16:443		
	,		
	35.237.167.174:443		
	,		
	34.73.152.164:443		
	,		
	35.237.94.235:443		
	,		
	35.196.87.23:443		
	,		
	104.196.213.112:443		
	,		
	35.229.24.244:443		
	,		
	34.74.196.58:443		
	,		
	104.196.53.28:443		
	,		
	34.74.56.72:443		
	,		
	34.73.220.42:443		
	,		
	34.74.198.212:443		
	,		
	34.73.179.238:443		
	,		
	35.237.149.153:443		
	,		
	34.74.168.226:443		

NeoLoad version
Graphs granularity

6.8.0;build=20190103-16
Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

CPC_ALP_MultiLine		
Error policy:	Do nothing	
Assertion policy:	Go to the next iteration	
Thinktime policy:	replaced by 0ms.	
Pacing:	No pacing	

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443	Yes	Yes
mobile-exp.ae.vzw.com	443	Yes	Yes
pie.prod.verizon.com	443	No	No
twbaccessmgr.verizonwireless.com	443	No	No
login.verizonwireless.com	443	No	No
scache.vzw.com	443	Yes	Yes
ecache.verizonwireless.com	443	Yes	Yes


Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
NSA_CPC	748806 (100%)	418.6	0.784s (0%)	0.2% (0%)
Global	748806 (100%)	418.6	0.784s	0.2%




















User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 CPC_ALP_MultiLine						
41.6	168.3	538.8	1,486	779	52.4	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 CPC_ALP_MultiLine											
41.6	168.3	538.8	1,486	779	52.4	-	-	-	-	-	-
 Init											
0	0	0.001	1,500	0	0	-	-	-	-	-	-
 Actions											
1.26	19.4	325.3	11,843	886	7.5	-	-	-	-	-	-
 MF_CPC_01_OpenApp											
0.452	0.615	300.6	13,263	3	0	0.539	0.601	0.814	4.51	0.541	-
 MF_CPC_02_ImCustomer											
0.033	0.044	0.766	13,173	0	0	0.039	0.056	0.193	0.032	0.04	-
 MF_CPC_03_OAuthLogin											
0.319	0.371	15.4	13,091	0	0	0.378	0.408	0.499	0.153	0.365	-
 MF_CPC_04_SignInNext											
0.402	3.28	304.3	12,998	18	0.1	2.66	4.6	6.95	10.26	2.8	-
 MF_CPC_05_Account											
0.181	0.332	6.79	12,902	0	0	0.302	0.519	0.711	0.14	0.319	-
 MF_CPC_06_MyPlan											
0.507	1.49	12.6	12,804	3	0	1.39	2.18	3.2	0.554	1.43	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	12,801	0	0	-	-	-	-	-	-
 MF_CPC_07_SwitchPlan											
0.373	3.82	56	12,693	163	1.3	3.38	5.39	12.2	2.37	3.52	-
 MF_CPC_08_ExploreMMPlans											
0.066	1.94	61.2	12,567	70	0.6	1.69	3.09	5.38	1.64	1.78	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	12,567	0	0	-	-	-	-	-	-
 Then											
0.261	2.95	67.6	9,459	342	3.6	-	-	-	-	-	-
 MF_CPC_09_01SelectPlan_Line1											
0.068	0.353	41.8	9,654	58	0.6	0.217	0.767	1.54	1.15	0.26	-
 MF_CPC_12_01ContinueCPC											
0.116	2.05	60.6	9,551	259	2.7	1.68	3.48	8.08	1.9	1.84	-
 MF_CPC_13_01GenFeatureChangesGotIT											
0.067	0.578	64.6	9,385	117	1.2	0.363	1.36	3.81	1.53	0.429	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 Else											
0	0	0.001	2,817	0	0	-	-	-	-	-	-
📁 Then											
0.457	3.35	46.9	2,654	114	4.3	-	-	-	-	-	-
📁 MF_CPC_09_02SelectPlan_Line1											
0.068	0.329	28.1	2,721	23	0.8	0.216	0.767	1.32	0.883	0.258	-
📁 MF_CPC_10_02SelectPlan_Line2											
0.068	0.318	19.7	2,698	18	0.7	0.213	0.73	1.38	0.656	0.252	-
📁 MF_CPC_12_02ContinueCPC											
0.181	2.17	46.2	2,671	74	2.8	1.76	3.67	8.49	2.13	1.92	-
📁 MF_CPC_13_02GenFeatureChangesGotIT											
0.067	0.557	42.1	2,632	26	1	0.364	1.29	2.74	1.46	0.426	-
📁 Else											
0	0	0.001	9,455	0	0	-	-	-	-	-	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_09_03SelectPlan_Line1											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_10_03SelectPlan_Line2											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_11_03SelectPlan_Line3											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_12_03ContinueCPC											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_13_03GenFeatureChangesGotIT											
-	-	-	-	0	-	-	-	-	-	-	-
📁 Else											
0	0	0.001	12,087	0	0	-	-	-	-	-	-
📁 MF_CPC_14_ReviewChangesContinue											
0.068	0.417	60.9	11,969	75	0.6	0.235	0.859	2.68	1.53	0.282	-
📁 MF_CPC_15_PlanStartDate											
0.116	4.28	69.4	11,829	432	3.7	3.69	7.61	14.8	2.93	3.91	-
📁 MF_CPC_16_Logout											
0.1	0.132	1.42	11,614	0	0	0.123	0.178	0.358	0.046	0.126	-
📁 End											
0	0	0.001	1,486	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




















CPC_ALP_MultiLine


Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						











Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 CPC_ALP_MultiLine						
41.6	168.3	538.8	1,486	779	52.4	-
 Actions						
1.26	19.4	325.3	11,843	886	7.5	-
 MF_CPC_01_OpenApp						
0.452	0.615	300.6	13,263	3	0	-
 /mobileFirstSS/launchApp						
0.164	0.339	300.2	13,341	6	0	-
 /hybridClient/is/image/Verizon...elcome_Main_1_300dpi						
0.262	0.343	1.77	13,334	0	0	-
 MF_CPC_02_ImCustomer						
0.033	0.044	0.766	13,173	0	0	-
 /mobileFirstSS/userSignIn						
0.033	0.044	0.766	13,263	0	0	-
 MF_CPC_03_OAuthLogin						
0.319	0.371	15.4	13,091	0	0	-
 /mobileFirstSS/signUp						
0.027	0.035	0.62	13,173	0	0	-
 /vzauth/oauth2/authorize						
0.253	0.295	15.3	13,168	0	0	-
 /am/content/fonts/NHaasGroteskDSStd-55Rg.woff2						
0.037	0.04	0.155	13,166	0	0	-
 MF_CPC_04_SignInNext						
0.402	3.28	304.3	12,998	18	0.1	-
 /vzauth/UI/Login						
0.215	0.284	3.54	13,087	0	0	-
 /mobileFirstSS/launchApp						
0.12	1.76	302.5	13,068	5	0	-
 /mobileFirstSS/asyncPullMyFeed						
0.023	0.623	300.6	13,058	18	0.1	-
 /mobileFirstSS/loadCart						
0.22	0.426	301	13,043	1	0	-
 /hybridClient/is/image/Verizon...00dollars-off-samsun						
0.246	0.326	0.787	13,040	0	0	-
 MF_CPC_05_Account						
0.181	0.332	6.79	12,902	0	0	-
 /mobileFirstSS/accountLanding						
0.181	0.332	6.79	12,985	0	0	-

































Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_CPC_06_MyPlan						
0.507	1.49	12.6	12,804	3	0	-
 /mobileFirstSS/myPlan						
0.507	1.49	12.6	12,890	3	0	-
 MF_CPC_07_SwitchPlan						
0.373	3.82	56	12,693	163	1.3	-
 /vzauth/UI/Login						
0.129	0.21	3.25	12,799	0	0	-
 /vzauth/UI/Login_1						
0.151	0.93	45.4	12,785	54	0.4	-
 /digital/soe/digital/secure/exploreoptions						
0.065	2.68	55.2	12,737	115	0.9	-
 MF_CPC_08_ExploreMMPlans						
0.066	1.94	61.2	12,567	70	0.6	-
 /digital/soe/digital/secure/explore_plan_mm						
0.066	1.94	61.2	12,643	70	0.6	-
 Then						
0.261	2.95	67.6	9,459	342	3.6	-
 MF_CPC_09_01SelectPlan_Line1						
0.068	0.353	41.8	9,654	58	0.6	-
 /digital/soe/digital/secure/mm_promotion						
0.068	0.356	41.8	9,744	58	0.6	-
 MF_CPC_12_01ContinueCPC						
0.116	2.05	60.6	9,551	259	2.7	-
 /digital/soe/digital/secure/compareplanpage						
0.068	1.49	55.6	9,622	183	1.9	-
 /digital/soe/digital/secure/compareplanpage_2						
0.067	0.569	55.5	9,536	149	1.6	-
 MF_CPC_13_01GenFeatureChangesGotIT						
0.067	0.578	64.6	9,385	117	1.2	-
 /digital/soe/digital/secure/compareplanpage						
0.067	0.581	64.6	9,460	117	1.2	-
 Then						
0.457	3.35	46.9	2,654	114	4.3	-
 MF_CPC_09_02SelectPlan_Line1						
0.068	0.329	28.1	2,721	23	0.8	-
 /digital/soe/digital/secure/mm_promotion						
0.068	0.334	28.1	2,746	23	0.8	-
 MF_CPC_10_02SelectPlan_Line2						
0.068	0.318	19.7	2,698	18	0.7	-
 /digital/soe/digital/secure/mm_promotion						
0.068	0.323	19.7	2,720	18	0.7	-
 MF_CPC_12_02ContinueCPC						
0.181	2.17	46.2	2,671	74	2.8	-
 /digital/soe/digital/secure/compareplanpage						
0.069	1.58	34.5	2,690	43	1.6	-




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /digital/soe/digital/secure/compareplanpage_2						
0.068	0.6	44.5	2,663	43	1.6	-
 MF_CPC_13_02GenFeatureChangesGotIT						
0.067	0.557	42.1	2,632	26	1	-
 /digital/soe/digital/secure/compareplanpage						
0.067	0.561	42.1	2,646	26	1	-
 MF_CPC_14_ReviewChangesContinue						
0.068	0.417	60.9	11,969	75	0.6	-
 /digital/soe/digital/secure/effectivedate						
0.068	0.421	60.9	12,079	75	0.6	-
 MF_CPC_15_PlanStartDate						
0.116	4.28	69.4	11,829	432	3.7	-
 /digital/soe/digital/secure/reviewplan						
0.068	2.75	61.1	11,898	350	2.9	-
 /digital/soe/digital/secure/reviewplan_1						
0.068	1.55	66.4	11,782	278	2.4	-
 MF_CPC_16_Logout						
0.1	0.132	1.42	11,614	0	0	-
 /mobileFirstSS/invalidateSession						
0.1	0.132	1.42	11,710	0	0	-

Shared Containers

SLA	Value	Severity
Empty list		

CPC_ALP_MultiLine

SLA	Value	Severity
 CPC_ALP_MultiLine		
 Actions		
 MF_CPC_01_OpenApp		
 /mobileFirstSS/launchApp		
 /hybridClient/is/image/Verizon...elcome_Main_1_300dpi		
 MF_CPC_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_CPC_03_OAuthLogin		
 /mobileFirstSS/signUp		
 /vzauth/oauth2/authorize		
 /am/content/fonts/NHaasGroteskDSSStd-55Rg.woff2		
 MF_CPC_04_SignInNext		
 /vzauth/UI/Login		
 /mobileFirstSS/launchApp		
 /mobileFirstSS/asyncPullMyFeed		
 /mobileFirstSS/loadCart		
 /hybridClient/is/image/Verizon...00dollars-off-samsun		
 MF_CPC_05_Account		
 /mobileFirstSS/accountLanding		
 MF_CPC_06_MyPlan		
 /mobileFirstSS/myPlan		
 MF_CPC_07_SwitchPlan		
 /vzauth/UI/Login		
 /vzauth/UI/Login_1		
 /digital/soe/digital/secure/exploreoptions		
 MF_CPC_08_ExploreMMPlans		
 /digital/soe/digital/secure/explore_plan_mm		
 Then		
 MF_CPC_09_01SelectPlan_Line1		
 /digital/soe/digital/secure/mm_promotion		
 MF_CPC_12_01ContinueCPC		
 /digital/soe/digital/secure/compareplanpage		
 /digital/soe/digital/secure/compareplanpage_2		

SLA	Value	Severity
 MF_CPC_13_01GenFeatureChangesGotIT		
 /digital/soe/digital/secure/compareplanpage		
 Then		
 MF_CPC_09_02SelectPlan_Line1		
 /digital/soe/digital/secure/mm_promotion		
 MF_CPC_10_02SelectPlan_Line2		
 /digital/soe/digital/secure/mm_promotion		
 MF_CPC_12_02ContinueCPC		
 /digital/soe/digital/secure/compareplanpage		
 /digital/soe/digital/secure/compareplanpage_2		
 MF_CPC_13_02GenFeatureChangesGotIT		
 /digital/soe/digital/secure/compareplanpage		
 MF_CPC_14_ReviewChangesContinue		
 /digital/soe/digital/secure/effectivedate		
 MF_CPC_15_PlanStartDate		
 /digital/soe/digital/secure/reviewplan		
 /digital/soe/digital/secure/reviewplan_1		
 MF_CPC_16_Logout		
 /mobileFirstSS/invalidateSession		

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	867.7	1,500	984	874.8	439.4
Controller/Throughput					
0	154.9	303.5	160.2	154.8	76.4
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
3	11.2	45	11	11.2	3.02
Controller/Memory Used					
3	11.6	22	11	11.5	4.95
Controller/Thread Count					
650	659.2	691	659	658.7	3.71
Controller/Connected					
20	20	20	20	20	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,161	7,841	825.2	1,065	1,224
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - South Carolina (Berkeley County)/User Load					
0	867.7	1,500	984	874.8	439.4
Controller/USA East - South Carolina (Berkeley County)/NSA_CPC/User Load					
0	867.7	1,500	984	874.8	439.4
Controller/USA East - South Carolina (Berkeley County)/N..._MultiLine/User Load					
0	867.7	1,500	984	874.8	439.4

LG 104.196.103.65:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.103.65:443/CPU Load					
0	3.12	21	3	2.92	2.07
LG 104.196.103.65:443/Memory Used					
1	12.3	28	12	12.2	5.96
LG 104.196.103.65:443/Throughput					
0	7.75	19	7.47	7.64	4.4
LG 104.196.103.65:443/User Load					
0	43.5	75	49.5	43.8	21.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.103.65:443/Thread Count					
21	102.2	134	108.5	102.7	22.6
LG 104.196.103.65:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.103.65:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 104.196.103.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.103.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.103.65:443/Controller Connection/Ping Duration (ms)					
15	27.4	66	26	26.4	7.64
LG 104.196.103.65:443/Network/Segments sent/sec.					
0	307.4	705.9	300.5	303.8	163.5
LG 104.196.103.65:443/Network/Segments retransmitted/sec.					
0	0.007	0.6	0	0	0.056
LG 104.196.103.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.03	19.6	7.72	7.91	4.54
LG 104.196.103.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.413	1.46	0.417	0.409	0.204

LG 104.196.213.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.213.112:443/CPU Load					
0	3.19	18	3	3	2.07
LG 104.196.213.112:443/Memory Used					
1	13.5	29	13	13.4	6.77
LG 104.196.213.112:443/Throughput					
0	7.96	21.8	7.78	7.81	4.72
LG 104.196.213.112:443/User Load					
0	43.6	75	49.5	43.9	21.9
LG 104.196.213.112:443/Thread Count					
21	102.3	134	108.5	102.8	22.4
LG 104.196.213.112:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.213.112:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.213.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.213.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.213.112:443/Controller Connection/Ping Duration (ms)					
25	27	63	26	25.8	6.85
LG 104.196.213.112:443/Network/Segments sent/sec.					
0	312.7	815.9	306.4	308	172.9
LG 104.196.213.112:443/Network/Segments retransmitted/sec.					
0	0.014	0.8	0	0	0.082
LG 104.196.213.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.25	22.6	8.1	8.1	4.87
LG 104.196.213.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.415	1.27	0.412	0.409	0.209

LG 104.196.53.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.53.28:443/CPU Load					
0	3.3	20	3	3.06	2.3
LG 104.196.53.28:443/Memory Used					
1	13.2	28	13	13.1	6.57
LG 104.196.53.28:443/Throughput					
0	7.83	21.8	7.46	7.65	4.8
LG 104.196.53.28:443/User Load					
0	43.4	75	49	43.7	22
LG 104.196.53.28:443/Thread Count					
21	102.2	134	108	102.8	22.8
LG 104.196.53.28:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.53.28:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.53.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.53.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.53.28:443/Controller Connection/Ping Duration (ms)					
26	28.2	65	27	26.8	7.01
LG 104.196.53.28:443/Network/Segments sent/sec.					
0	308.3	798.6	292.5	302.6	175.3
LG 104.196.53.28:443/Network/Segments retransmitted/sec.					
0	0.006	0.999	0	0	0.06
LG 104.196.53.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.11	22.5	7.77	7.92	4.95
LG 104.196.53.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.41	1.19	0.399	0.404	0.208

LG 34.73.136.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.136.164:443/CPU Load					
0	3.16	20	3	2.96	2.09
LG 34.73.136.164:443/Memory Used					
1	12.3	27	12	12.2	5.87
LG 34.73.136.164:443/Throughput					
0	7.93	22.3	7.32	7.74	4.81
LG 34.73.136.164:443/User Load					
0	43.5	75	49.5	43.9	21.9
LG 34.73.136.164:443/Thread Count					
21	102.4	135	108.5	102.9	22.7
LG 34.73.136.164:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.136.164:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.73.136.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.136.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.136.164:443/Controller Connection/Ping Duration (ms)					
26	27.7	63	26	26.4	6.72

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.136.164:443/Network/Segments sent/sec.					
0	313.1	831.4	288.7	307.1	176.1
LG 34.73.136.164:443/Network/Segments retransmitted/sec.					
0	0.007	1	0	0	0.069
LG 34.73.136.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.22	23	7.59	8.02	4.97
LG 34.73.136.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.417	1.02	0.401	0.412	0.21

LG 34.73.139.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.139.237:443/CPU Load					
0	3.21	16	3	3	2.02
LG 34.73.139.237:443/Memory Used					
1	14	31	14	13.8	7.16
LG 34.73.139.237:443/Throughput					
0	7.86	21.5	7.4	7.69	4.54
LG 34.73.139.237:443/User Load					
0	43.2	75	49	43.6	22
LG 34.73.139.237:443/Thread Count					
21	102.1	135	108	102.7	23.1
LG 34.73.139.237:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.139.237:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.73.139.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.139.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.139.237:443/Controller Connection/Ping Duration (ms)					
26	27.9	63	27	26.6	6.71
LG 34.73.139.237:443/Network/Segments sent/sec.					
0	309.5	774.4	306.8	304.4	167.1
LG 34.73.139.237:443/Network/Segments retransmitted/sec.					
0	0.005	0.8	0	0	0.061
LG 34.73.139.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.14	22.2	7.69	7.97	4.69
LG 34.73.139.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.414	1.18	0.409	0.409	0.206

LG 34.73.152.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.152.164:443/CPU Load					
0	3.31	26	3	3	2.51
LG 34.73.152.164:443/Memory Used					
1	15.2	37	14	14.9	8.53
LG 34.73.152.164:443/Throughput					
0	7.65	19.6	7.58	7.52	4.38
LG 34.73.152.164:443/User Load					
0	43.4	75	49.5	43.8	22
LG 34.73.152.164:443/Thread Count					
21	102.3	135	108.5	102.8	22.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.152.164:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.152.164:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.73.152.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.152.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.152.164:443/Controller Connection/Ping Duration (ms)					
26	28.2	65	27	26.9	6.99
LG 34.73.152.164:443/Network/Segments sent/sec.					
0	300.4	749.1	296.4	296.6	160.5
LG 34.73.152.164:443/Network/Segments retransmitted/sec.					
0	0.005	1	0	0	0.059
LG 34.73.152.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.92	20.3	7.84	7.79	4.52
LG 34.73.152.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.411	1.18	0.403	0.403	0.21

LG 34.73.179.238:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.179.238:443/CPU Load					
0	3.38	21	3	3.16	2.25
LG 34.73.179.238:443/Memory Used					
1	12	26	12	11.9	5.66
LG 34.73.179.238:443/Throughput					
0	7.9	22.7	7.43	7.69	4.88
LG 34.73.179.238:443/User Load					
0	43.4	75	49	43.8	22
LG 34.73.179.238:443/Thread Count					
21	102.3	134	108	102.9	22.6
LG 34.73.179.238:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.179.238:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.179.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.179.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.179.238:443/Controller Connection/Ping Duration (ms)					
18	27.4	61	27	26.5	6.58
LG 34.73.179.238:443/Network/Segments sent/sec.					
0	307.2	825.6	290	300.3	176.8
LG 34.73.179.238:443/Network/Segments retransmitted/sec.					
0	0.012	1.2	0	0	0.106
LG 34.73.179.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.18	23.3	7.7	7.96	5.04
LG 34.73.179.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.412	1.26	0.404	0.405	0.213

LG 34.73.220.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.220.42:443/CPU Load					
0	2.75	16	2.5	2.56	2
LG 34.73.220.42:443/Memory Used					
1	11.2	24	11	11.1	5.23
LG 34.73.220.42:443/Throughput					
0	7.47	20.5	7.11	7.34	4.48
LG 34.73.220.42:443/User Load					
0	43.3	75	49	43.6	22
LG 34.73.220.42:443/Thread Count					
21	101.8	134	108	102.4	22.8
LG 34.73.220.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.220.42:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.220.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.220.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.220.42:443/Controller Connection/Ping Duration (ms)					
26	27.7	64	26	26.4	6.9
LG 34.73.220.42:443/Network/Segments sent/sec.					
0	300.3	770.1	288.7	295.7	168.4
LG 34.73.220.42:443/Network/Segments retransmitted/sec.					
0	0.006	0.799	0	0	0.058
LG 34.73.220.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.75	21.2	7.38	7.61	4.63
LG 34.73.220.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.404	1.18	0.399	0.4	0.207

LG 34.73.48.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.48.153:443/CPU Load					
0	3.08	17	3	2.86	2.04
LG 34.73.48.153:443/Memory Used					
1	12.3	25	12	12.2	5.77
LG 34.73.48.153:443/Throughput					
0	7.95	21.8	7.59	7.78	4.7
LG 34.73.48.153:443/User Load					
0	43.6	75	49.5	44	21.9
LG 34.73.48.153:443/Thread Count					
21	102.5	135	108.5	103	22.6
LG 34.73.48.153:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.48.153:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.48.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.48.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.48.153:443/Controller Connection/Ping Duration (ms)					
26	27.9	65	27	26.6	7.05

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.48.153:443/Network/Segments sent/sec.					
0	316.4	789.4	309.6	311.1	174.5
LG 34.73.48.153:443/Network/Segments retransmitted/sec.					
0	0.007	0.6	0	0	0.051
LG 34.73.48.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.23	22.5	7.86	8.06	4.85
LG 34.73.48.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.418	1.02	0.41	0.412	0.209

LG 34.74.168.226:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.168.226:443/CPU Load					
0	3.16	22	3	2.9	2.31
LG 34.74.168.226:443/Memory Used					
1	12	26	12	11.8	5.66
LG 34.74.168.226:443/Throughput					
0	7.6	21.5	7.51	7.45	4.53
LG 34.74.168.226:443/User Load					
0	43.3	75	49	43.7	22
LG 34.74.168.226:443/Thread Count					
21	102.2	135	108	102.7	23
LG 34.74.168.226:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.168.226:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.168.226:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.168.226:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.168.226:443/Controller Connection/Ping Duration (ms)					
23	29.1	67	26	27.2	10
LG 34.74.168.226:443/Network/Segments sent/sec.					
0	302.6	784.1	301.2	297.9	167.2
LG 34.74.168.226:443/Network/Segments retransmitted/sec.					
0	0.009	0.8	0	0	0.069
LG 34.74.168.226:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.87	22.2	7.78	7.72	4.68
LG 34.74.168.226:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.408	1.18	0.407	0.404	0.206

LG 34.74.196.58:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.196.58:443/CPU Load					
0	2.96	17	3	2.72	2.07
LG 34.74.196.58:443/Memory Used					
1	14.8	37	14	14.4	8.38
LG 34.74.196.58:443/Throughput					
0	7.53	17.9	7.42	7.46	4.3
LG 34.74.196.58:443/User Load					
0	43.3	75	49	43.6	22
LG 34.74.196.58:443/Thread Count					
21	102.1	135	108	102.7	22.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.196.58:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.196.58:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.74.196.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.196.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.196.58:443/Controller Connection/Ping Duration (ms)					
25	27.8	66	26	26.4	7.28
LG 34.74.196.58:443/Network/Segments sent/sec.					
0	301.8	674.3	298.3	300	161.9
LG 34.74.196.58:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.035
LG 34.74.196.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.81	18.5	7.67	7.74	4.44
LG 34.74.196.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.408	1.58	0.404	0.404	0.204

LG 34.74.198.212:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.198.212:443/CPU Load					
0	3.27	28	3	2.99	2.53
LG 34.74.198.212:443/Memory Used					
1	15.4	38	14	15	8.83
LG 34.74.198.212:443/Throughput					
0	7.45	18.2	7.23	7.37	4.34
LG 34.74.198.212:443/User Load					
0	43.2	75	49	43.5	22
LG 34.74.198.212:443/Thread Count					
21	101.9	135	108	102.5	23.2
LG 34.74.198.212:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.198.212:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.74.198.212:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.198.212:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.198.212:443/Controller Connection/Ping Duration (ms)					
26	28.2	67	27	26.8	7.38
LG 34.74.198.212:443/Network/Segments sent/sec.					
0	294.7	695.1	290.2	292.3	160.5
LG 34.74.198.212:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.038
LG 34.74.198.212:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.72	18.8	7.5	7.63	4.48
LG 34.74.198.212:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.401	1.19	0.384	0.398	0.201

LG 34.74.48.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.48.16:443/CPU Load					
0	3	18	3	2.8	1.95
LG 34.74.48.16:443/Memory Used					
1	13.6	29	13	13.4	7
LG 34.74.48.16:443/Throughput					
0	7.71	18.9	7.4	7.59	4.46
LG 34.74.48.16:443/User Load					
0	43.2	75	49	43.6	22
LG 34.74.48.16:443/Thread Count					
21	102	134	108	102.6	22.9
LG 34.74.48.16:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.48.16:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.48.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.48.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.48.16:443/Controller Connection/Ping Duration (ms)					
26	27.7	63	26	26.4	6.72
LG 34.74.48.16:443/Network/Segments sent/sec.					
0	306.9	700.1	302.7	303.4	166.1
LG 34.74.48.16:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.028
LG 34.74.48.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.99	19.5	7.69	7.86	4.61
LG 34.74.48.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.409	1.05	0.416	0.407	0.2

LG 34.74.56.72:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.56.72:443/CPU Load					
0	3.19	17	3	2.97	2.11
LG 34.74.56.72:443/Memory Used					
1	11.4	26	11	11.3	5.25
LG 34.74.56.72:443/Throughput					
0	7.93	21.5	7.67	7.79	4.49
LG 34.74.56.72:443/User Load					
0	43.5	75	49.5	43.9	21.9
LG 34.74.56.72:443/Thread Count					
21	102.5	135	108.5	103	22.7
LG 34.74.56.72:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.56.72:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.56.72:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.56.72:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.56.72:443/Controller Connection/Ping Duration (ms)					
26	28.2	65	27	26.9	7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.56.72:443/Network/Segments sent/sec.					
0	313.7	797	305	309.6	167
LG 34.74.56.72:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.033
LG 34.74.56.72:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.22	22.2	7.93	8.07	4.64
LG 34.74.56.72:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.416	1.02	0.411	0.411	0.204

LG 34.74.79.174:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.79.174:443/CPU Load					
0	2.94	18	3	2.72	2.1
LG 34.74.79.174:443/Memory Used					
1	15.7	36	14.5	15.4	8.83
LG 34.74.79.174:443/Throughput					
0	7.67	20.8	7.15	7.47	4.81
LG 34.74.79.174:443/User Load					
0	43.4	75	49	43.7	22
LG 34.74.79.174:443/Thread Count					
21	102.6	135	108	103.2	23
LG 34.74.79.174:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.79.174:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.79.174:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.79.174:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.79.174:443/Controller Connection/Ping Duration (ms)					
16	28	65	26	26.4	9.88
LG 34.74.79.174:443/Network/Segments sent/sec.					
0	305.9	742.8	287.2	299.4	177.3
LG 34.74.79.174:443/Network/Segments retransmitted/sec.					
0	0.01	0.8	0	0	0.076
LG 34.74.79.174:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.95	21.5	7.4	7.75	4.97
LG 34.74.79.174:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.407	1.08	0.389	0.399	0.212

LG 35.196.87.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.87.23:443/CPU Load					
0	3.1	17	3	2.86	2.1
LG 35.196.87.23:443/Memory Used					
1	12.7	27	12	12.5	5.98
LG 35.196.87.23:443/Throughput					
0	7.96	18.9	7.41	7.85	4.6
LG 35.196.87.23:443/User Load					
0	43.6	75	49.5	44	21.9
LG 35.196.87.23:443/Thread Count					
21	102.5	135	108.5	102.9	22.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.87.23:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.87.23:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.196.87.23:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.87.23:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.87.23:443/Controller Connection/Ping Duration (ms)					
25	27.3	65	26	26	7.16
LG 35.196.87.23:443/Network/Segments sent/sec.					
0	318.7	709.6	304	315.2	172.5
LG 35.196.87.23:443/Network/Segments retransmitted/sec.					
0	0.005	0.617	0	0	0.049
LG 35.196.87.23:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.26	19.4	7.68	8.14	4.75
LG 35.196.87.23:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.419	1.22	0.411	0.415	0.207

LG 35.229.24.244:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.24.244:443/CPU Load					
0	3.01	17	3	2.77	2.08
LG 35.229.24.244:443/Memory Used					
1	13.6	31	13	13.5	6.97
LG 35.229.24.244:443/Throughput					
0	7.66	21	7.4	7.54	4.36
LG 35.229.24.244:443/User Load					
0	43.5	75	49.5	43.8	21.9
LG 35.229.24.244:443/Thread Count					
21	102.4	135	108.5	102.9	22.9
LG 35.229.24.244:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.24.244:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.229.24.244:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.24.244:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.24.244:443/Controller Connection/Ping Duration (ms)					
16	27.9	66	27	27	7.51
LG 35.229.24.244:443/Network/Segments sent/sec.					
0	306.2	789.2	288.6	302.8	164
LG 35.229.24.244:443/Network/Segments retransmitted/sec.					
0	0.004	0.6	0	0	0.049
LG 35.229.24.244:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	7.93	21.7	7.67	7.82	4.5
LG 35.229.24.244:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	0.414	1.31	0.4	0.408	0.206

LG 35.237.149.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.149.153:443/CPU Load					
0	2.92	17	3	2.7	2.11
LG 35.237.149.153:443/Memory Used					
1	13.4	29	13	13.2	6.64
LG 35.237.149.153:443/Throughput					
0	7.88	22.1	7.52	7.75	4.61
LG 35.237.149.153:443/User Load					
0	43.4	75	49	43.8	22
LG 35.237.149.153:443/Thread Count					
21	102.3	135	109	102.8	22.7
LG 35.237.149.153:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.149.153:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.237.149.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.149.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.149.153:443/Controller Connection/Ping Duration (ms)					
18	27.8	65	26	26.4	8.69
LG 35.237.149.153:443/Network/Segments sent/sec.					
0	315.4	817.8	299.3	311.3	173
LG 35.237.149.153:443/Network/Segments retransmitted/sec.					
0	0.013	1.2	0	0	0.1
LG 35.237.149.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.17	22.9	7.8	8.04	4.77
LG 35.237.149.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.415	1.26	0.407	0.411	0.208

LG 35.237.167.174:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.167.174:443/CPU Load					
0	3.2	19	3	2.99	2.14
LG 35.237.167.174:443/Memory Used					
1	14.3	33	13	14	7.69
LG 35.237.167.174:443/Throughput					
0	7.47	19.7	6.98	7.26	4.46
LG 35.237.167.174:443/User Load					
0	43.2	75	49	43.6	22
LG 35.237.167.174:443/Thread Count					
21	101.8	135	108	102.4	22.9
LG 35.237.167.174:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.167.174:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.167.174:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.167.174:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.167.174:443/Controller Connection/Ping Duration (ms)					
26	28.8	66	26	26.9	9.52


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.167.174:443/Network/Segments sent/sec.					
0	295.5	722.9	278.2	289.5	163.8
LG 35.237.167.174:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.026
LG 35.237.167.174:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.74	20.4	7.25	7.53	4.61
LG 35.237.167.174:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.403	1.22	0.397	0.397	0.204

LG 35.237.94.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.94.235:443/CPU Load					
0	3.07	32	3	2.82	2.49
LG 35.237.94.235:443/Memory Used					
1	11.9	25	12	11.8	5.54
LG 35.237.94.235:443/Throughput					
0	7.68	20.5	7	7.55	4.54
LG 35.237.94.235:443/User Load					
0	43.2	75	49	43.5	22
LG 35.237.94.235:443/Thread Count					
21	102	135	108	102.6	22.9
LG 35.237.94.235:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.94.235:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.237.94.235:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.94.235:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.94.235:443/Controller Connection/Ping Duration (ms)					
23	64.8	67	66	66.3	7.96
LG 35.237.94.235:443/Network/Segments sent/sec.					
0	305.1	765.9	281.7	301.2	168.7
LG 35.237.94.235:443/Network/Segments retransmitted/sec.					
0	0.006	0.4	0	0	0.048
LG 35.237.94.235:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.96	21.2	7.26	7.82	4.69
LG 35.237.94.235:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.411	1.32	0.392	0.405	0.211


Average page response time



Min	Average	Max
0.253	0.784	1.519

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.142	0.366	137.125

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.455	1.386	6.125	1.262	1.339	0.374

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



Min	Average	Max
0	411.4	774.3

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	9	234

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	152.48	291.9

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.205	0.679	1.162

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.