

# MVA PEGA Spike LT 02252020 3k Users



Date	Feb 26, 2020 12:05:02 AM
Project	MF_02062020_EngagePEGAMigration
Scenario	Spike LT - 3k
Comment	Spike LT - 3k
Notes	MVA PEGA Spike LT 02252020 3k Users

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	5
Hot spots.....	6
Errors.....	6
Alerts.....	6
General statistics.....	6
Transaction statistics.....	6
Execution context.....	10
Scenario .....	7
Servers.....	13
Populations.....	14
User Paths.....	15
Transactions.....	16
Pages.....	18
Media Contents.....	20
Push messages.....	17
Monitors.....	21
Main graphs.....	70
Average page response time.....	70
Average request response time.....	71
Average response time (Transactions).....	72
Requests per second.....	73
Errors.....	74
Throughput.....	75
Response time against load.....	76
Distribution of Transaction Durations.....	77

## Summary

### Results summary

<b>Name</b>	00:04 - 26 Feb 2020_SpikeLT3K_0225	<b>Project</b>	MF_02062020_EngagePEGAMigration
<b>Description</b>	Spike LT - 3k	<b>Scenario</b>	Spike LT - 3k
<b>Status</b>	✓ Passed	<b>Load Policy</b>	<ul style="list-style-type: none"> <li>The population VzUp is customized</li> </ul>
<b>Start date</b>	Feb 26, 2020 12:05:02 AM	<b>Stop Policy</b>	<ul style="list-style-type: none"> <li>Population VzUp: immediate.</li> </ul>
<b>End date</b>	Feb 26, 2020 12:12:25 AM		
<b>Duration</b>	00:07:23	<b>Filters</b>	None
<b>Termination reason</b>	Manual action		
<b>LG Hosts</b>	34.73.199.155:443	<b>Debug</b>	Disabled
	,		
	34.73.46.12:443		
	,		
	34.73.125.20:443		
	,		
	35.237.215.77:443		
	,		
	35.185.107.148:443		
	,		
	35.237.150.0:443		
	,		
	34.73.167.74:443		
	,		
	35.243.163.228:443		
	,		
	35.196.27.134:443		
	,		
	35.190.135.223:443		
	,		
	34.74.98.132:443		
	,		
	34.74.23.35:443		
	,		
	35.196.71.121:443		
	,		
	35.185.20.140:443		
	,		
	35.231.114.240:443		
	,		
	34.74.39.20:443		
	,		
	35.196.120.20:443		
	,		
	35.227.36.167:443		
	,		
	35.231.16.102:443		
	,		
	35.231.106.8:443		
	,		
	34.74.178.36:443		
	,		
	34.74.5.11:443		
	,		
	35.237.14.44:443		
	,		
	35.231.137.22:443		
	,		
	35.237.155.233:443		
	,		
	35.185.75.239:443		
	,		
	35.237.33.107:443		
	,		
	35.237.96.96:443		
	,		
	35.185.91.183:443		
	,		
	35.243.163.158:443		
	,		
	35.229.75.205:443		
	,		


35.231.115.204:443		
,		
35.229.41.1:443		
,		
35.237.170.85:443		
,		
34.73.14.42:443		
,		
34.74.64.10:443		
,		
104.196.59.44:443		
,		
35.196.91.160:443		
,		
35.231.114.16:443		
,		
35.227.30.71:443		
,		
35.231.208.52:443		
,		
104.196.12.79:443		
,		
34.73.204.29:443		
,		
35.237.137.245:443		
,		
34.73.69.0:443		
,		
34.74.183.38:443		
,		
34.73.34.231:443		
,		
35.227.16.240:443		
,		
104.196.186.37:443		
,		
34.73.70.28:443		
,		
34.73.135.171:443		
,		
34.73.1.214:443		
,		
34.73.207.97:443		
,		
104.196.2.29:443		
,		
35.231.193.75:443		
,		
35.243.141.220:443		
,		
34.73.202.62:443		
,		
104.196.103.166:443		
,		
35.231.209.254:443		
,		
34.74.137.102:443		
,		
34.73.34.201:443		
,		
35.185.75.251:443		
,		
104.196.157.73:443		
,		
35.243.136.12:443		
,		
104.196.133.8:443		
,		
34.74.100.39:443		
,		
35.237.173.246:443		
,		
104.196.32.169:443		
,		
35.196.30.249:443		
,		
35.196.71.24:443		
,		

34.74.93.181:443		
,		
34.74.153.22:443		
,		
35.190.142.207:443		
,		
34.74.214.238:443		
,		
34.74.24.183:443		
,		
35.237.171.184:443		
,		
35.237.254.254:443		
,		
34.73.77.172:443		
,		
104.196.100.214:443		

## Statistics Summary

<b>Total pages</b>	323082	—	<b>Average pages/s</b>	727.7	—
<b>Total requests</b>	450305	—	<b>Average requests/s</b>	1,014.2	—
<b>Total users launched</b>	3000	—	<b>Average Request response time</b>	0.652 s	—
<b>Total iterations completed</b>	63182	—	<b>Average Page response time</b>	0.902 s	—
<b>Total throughput</b>	25,776 MB	—	<b>Average throughput</b>	464.44 Mb/s	—
<b>Total request errors</b>	562	—	<b>Error rate</b>	0.1 %	—
<b>Total action errors</b>	0	—	<b>Alerts total duration</b>	0 %	—

 = No SLA
  = Passed
  = Warning
  = Failed



## Hot spots

### Top 5 errors

User Path	Parent	Page	Count
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	554
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	5

### Top 5 alerts

No alerts
-----------

### First critical alerts

No alerts
-----------

### Top 5 average response time (Pages)

User Path	Parent	Page	Duration
MF_Login	Then	/mobileFirstSS/adobeTagging_0206	2.16
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	1.76
MF_Login	MF_01_OpenApp	/mobileFirstSS/launchApp_0206	0.363
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	0.188
MF_Login	MF_02_ImCustomer	/mobileFirstSS/userSignIn_0206	0.106

### Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
MF_Login	Then	/mobileFirstSS/adobeTagging_0206	15.8
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	13.6
MF_Login	MF_01_OpenApp	/mobileFirstSS/launchApp_0206	5.21
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	4.54
MF_Login	MF_02_ImCustomer	/mobileFirstSS/userSignIn_0206	4.37

## Errors

### Request errors

Error Type	Count	Description
Assertions	562	Validation of the response failed.
Total	562	Total error count.

### Action errors

No errors
-----------

## Alerts

No alerts
-----------

## General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
63.9	97.8	160.6	3,000	511	17	-
All pages						
0.044	0.901	15.8	323,082	559	0.2	-
All requests						
0.035	0.651	15.5	450,305	562	0.1	-

## Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.044	1.12	20.7	257,876	559	0.2	0.285	5.63	8.27	1.92	0.811	-

## Scenario

### Summary

<b>Name</b>	00:04 - 26 Feb 2020_SpikeLT3K_0225	<b>Project</b>	MF_02062020_EngagePEGAMigration
<b>Description</b>	Spike LT - 3k	<b>Scenario</b>	Spike LT - 3k
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population VzUp is customized
<b>Start date</b>	Feb 26, 2020 12:05:02 AM	<b>Stop Policy</b>	• Population VzUp: immediate.
<b>End date</b>	Feb 26, 2020 12:12:25 AM		
<b>Duration</b>	00:07:23	<b>Filters</b>	None
<b>Termination reason</b>	Manual action		
<b>LG Hosts</b>	34.73.199.155:443	<b>Debug</b>	Disabled
	,		
	34.73.46.12:443		
	,		
	34.73.125.20:443		
	,		
	35.237.215.77:443		
	,		
	35.185.107.148:443		
	,		
	35.237.150.0:443		
	,		
	34.73.167.74:443		
	,		
	35.243.163.228:443		
	,		
	35.196.27.134:443		
	,		
	35.190.135.223:443		
	,		
	34.74.98.132:443		
	,		
	34.74.23.35:443		
	,		
	35.196.71.121:443		
	,		
	35.185.20.140:443		
	,		
	35.231.114.240:443		
	,		
	34.74.39.20:443		
	,		
	35.196.120.20:443		
	,		
	35.227.36.167:443		
	,		
	35.231.16.102:443		
	,		
	35.231.106.8:443		
	,		
	34.74.178.36:443		
	,		
	34.74.5.11:443		
	,		
	35.237.14.44:443		
	,		
	35.231.137.22:443		
	,		
	35.237.155.233:443		
	,		
	35.185.75.239:443		
	,		
	35.237.33.107:443		
	,		
	35.237.96.96:443		
	,		
	35.185.91.183:443		
	,		
	35.243.163.158:443		
	,		

35.229.75.205:443  
,  
35.231.115.204:443  
,  
35.229.41.1:443  
,  
35.237.170.85:443  
,  
34.73.14.42:443  
,  
34.74.64.10:443  
,  
104.196.59.44:443  
,  
35.196.91.160:443  
,  
35.231.114.16:443  
,  
35.227.30.71:443  
,  
35.231.208.52:443  
,  
104.196.12.79:443  
,  
34.73.204.29:443  
,  
35.237.137.245:443  
,  
34.73.69.0:443  
,  
34.74.183.38:443  
,  
34.73.34.231:443  
,  
35.227.16.240:443  
,  
104.196.186.37:443  
,  
34.73.70.28:443  
,  
34.73.135.171:443  
,  
34.73.1.214:443  
,  
34.73.207.97:443  
,  
104.196.2.29:443  
,  
35.231.193.75:443  
,  
35.243.141.220:443  
,  
34.73.202.62:443  
,  
104.196.103.166:443  
,  
35.231.209.254:443  
,  
34.74.137.102:443  
,  
34.73.34.201:443  
,  
35.185.75.251:443  
,  
104.196.157.73:443  
,  
35.243.136.12:443  
,  
104.196.133.8:443  
,  
34.74.100.39:443  
,  
35.237.173.246:443  
,  
104.196.32.169:443  
,  
35.196.30.249:443  
,



35.196.71.24:443		
,		
34.74.93.181:443		
,		
34.74.153.22:443		
,		
35.190.142.207:443		
,		
34.74.214.238:443		
,		
34.74.24.183:443		
,		
35.237.171.184:443		
,		
35.237.254.254:443		
,		
34.73.77.172:443		
,		
104.196.100.214:443		

## Populations

### VzUp

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
MF_Login	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

## User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
MF_Login		Go to the next iteration	Do nothing	0ms	0%

## Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

## Execution context

<b>Name</b>	00:04 - 26 Feb 2020_SpikeLT3K_0225	<b>Project</b>	MF_02062020_EngagePEGAMigration
<b>Description</b>	Spike LT - 3k	<b>Scenario</b>	Spike LT - 3k
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population VzUp is customized
<b>Start date</b>	Feb 26, 2020 12:05:02 AM	<b>Stop Policy</b>	• Population VzUp: immediate.
<b>End date</b>	Feb 26, 2020 12:12:25 AM		
<b>Duration</b>	00:07:23	<b>Filters</b>	None
<b>Termination reason</b>	Manual action		
<b>LG Hosts</b>	34.73.199.155:443	<b>Debug</b>	Disabled
	,		
	34.73.46.12:443		
	,		
	34.73.125.20:443		
	,		
	35.237.215.77:443		
	,		
	35.185.107.148:443		
	,		
	35.237.150.0:443		
	,		
	34.73.167.74:443		
	,		
	35.243.163.228:443		
	,		
	35.196.27.134:443		
	,		
	35.190.135.223:443		
	,		
	34.74.98.132:443		
	,		
	34.74.23.35:443		
	,		
	35.196.71.121:443		
	,		
	35.185.20.140:443		
	,		
	35.231.114.240:443		
	,		
	34.74.39.20:443		
	,		
	35.196.120.20:443		
	,		
	35.227.36.167:443		
	,		
	35.231.16.102:443		
	,		
	35.231.106.8:443		
	,		
	34.74.178.36:443		
	,		
	34.74.5.11:443		
	,		
	35.237.14.44:443		
	,		
	35.231.137.22:443		
	,		
	35.237.155.233:443		
	,		
	35.185.75.239:443		
	,		
	35.237.33.107:443		
	,		
	35.237.96.96:443		
	,		
	35.185.91.183:443		
	,		
	35.243.163.158:443		
	,		
	35.229.75.205:443		
	,		
	35.231.115.204:443		

,	35.229.41.1:443		
,	35.237.170.85:443		
,	34.73.14.42:443		
,	34.74.64.10:443		
,	104.196.59.44:443		
,	35.196.91.160:443		
,	35.231.114.16:443		
,	35.227.30.71:443		
,	35.231.208.52:443		
,	104.196.12.79:443		
,	34.73.204.29:443		
,	35.237.137.245:443		
,	34.73.69.0:443		
,	34.74.183.38:443		
,	34.73.34.231:443		
,	35.227.16.240:443		
,	104.196.186.37:443		
,	34.73.70.28:443		
,	34.73.135.171:443		
,	34.73.1.214:443		
,	34.73.207.97:443		
,	104.196.2.29:443		
,	35.231.193.75:443		
,	35.243.141.220:443		
,	34.73.202.62:443		
,	104.196.103.166:443		
,	35.231.209.254:443		
,	34.74.137.102:443		
,	34.73.34.201:443		
,	35.185.75.251:443		
,	104.196.157.73:443		
,	35.243.136.12:443		
,	104.196.133.8:443		
,	34.74.100.39:443		
,	35.237.173.246:443		
,	104.196.32.169:443		
,	35.196.30.249:443		
,	35.196.71.24:443		
,	34.74.93.181:443		

,	34.74.153.22:443		
,	35.190.142.207:443		
,	34.74.214.238:443		
,	34.74.24.183:443		
,	35.237.171.184:443		
,	35.237.254.254:443		
,	34.73.77.172:443		
,	104.196.100.214:443		

**NeoLoad version** 6.8.0;build=20190103-16  
**Graphs granularity** Standard

## Application proxy

Name	Description
Empty list	

## Zone application proxies

Zone	Name	Description
Empty list		

## Constant variables

Name	Value	Description
Empty list		

## User Paths settings


<b>MF_Login</b>		
Error policy:	Do nothing	
Assertion policy:	Go to the next iteration	
Thinktime policy:	replaced by 0ms.	
Pacing:	Between 15 and 20	

## Servers

### Servers

Host	Port	HTTP/2 ready	HTTP/2 used
mobile.vzw.com	443	No	No


## Graphs



## Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
VzUp	450305 (100%)	1,014.2	0.902s (0%)	0.1% (0%)
Global	450305 (100%)	1,014.2	0.902s	0.1%











## User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_Login						
63.9	97.8	160.6	3,000	511	17	-

## Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

## MF\_Login

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_Login											
63.9	97.8	160.6	3,000	511	17	-	-	-	-	-	-
 Init											
0	0	0.001	3,000	0	0	-	-	-	-	-	-
 Actions											
1.73	4.56	21.3	63,182	559	0.9	-	-	-	-	-	-
 MF_01_OpenApp											
0.242	0.363	5.21	65,568	0	0	0.342	0.483	1.04	0.158	0.341	-
 MF_02_ImCustomer											
0.044	0.106	4.37	64,911	0	0	0.07	0.235	0.931	0.176	0.077	-
 MF_03_EnterMDN											
0.07	0.188	4.54	64,152	5	0	0.123	0.504	1.45	0.251	0.146	-
 MF_04_EnterPassword											
1	3.9	20.7	63,245	554	0.9	2.86	8.08	9.83	2.16	3.71	-
 Then											
0.525	2.16	15.8	62,924	0	0	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 End											
0	0	0.001	3,000	0	0	-	-	-	-	-	-



### Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						












### MF\_Login

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

## Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						













## MF\_Login

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_Login						
63.9	97.8	160.6	3,000	511	17	-
 Actions						
1.73	4.56	21.3	63,182	559	0.9	-
 MF_01_OpenApp						
0.242	0.363	5.21	65,568	0	0	-
 /mobileFirstSS/launchApp_0206						
0.242	0.363	5.21	65,885	0	0	-
 MF_02_ImCustomer						
0.044	0.106	4.37	64,911	0	0	-
 /mobileFirstSS/userSignIn_0206						
0.044	0.106	4.37	65,551	0	0	-
 MF_03_EnterMDN						
0.07	0.188	4.54	64,152	5	0	-
 /mobileFirstSS/securePinCheckMDN_0206						
0.07	0.188	4.54	64,890	5	0	-
 MF_04_EnterPassword						
1	3.9	20.7	63,245	554	0.9	-
 /mobileFirstSS/authenticatePassword_0206						
1	1.76	13.6	63,832	554	0.9	-
 Then						
0.525	2.16	15.8	62,924	0	0	-
 /mobileFirstSS/adobeTagging_0206						
0.525	2.16	15.8	62,924	0	0	-

## Shared Containers

SLA	Value	Severity
Empty list		

## MF\_Login

SLA	Value	Severity
 MF_Login		
 Actions		
 MF_01_OpenApp		
 /mobileFirstSS/launchApp_0206		
 MF_02_ImCustomer		
 /mobileFirstSS/userSignIn_0206		
 MF_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN_0206		
 MF_04_EnterPassword		
 /mobileFirstSS/authenticatePassword_0206		
 Then		
 /mobileFirstSS/adobeTagging_0206		

### MF\_Login

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

## Controller

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>Controller/User Load</b>					
0	2,725	3,000	3,000	2,839	743.4
<b>Controller/Throughput</b>					
0	454	553.3	495.3	470.1	130.3
<b>Controller/Alerts</b>					
0	0	0	0	0	-
<b>Controller/Critical Alerts</b>					
0	0	0	0	0	-
<b>Controller/Warning Alerts</b>					
0	0	0	0	0	-
<b>Controller/CPU Load</b>					
7	12.7	26	13	12.6	2.59
<b>Controller/Memory Used</b>					
2	11.9	22	12	11.8	5.82
<b>Controller/Thread Count</b>					
861	924.8	954	923	924.6	11
<b>Controller/Connected</b>					
79	79	79	79	79	0
<b>Controller/Total Disconnections</b>					
0	0	0	0	0	0
<b>Controller/Total Reconnections</b>					
0	0	0	0	0	0
<b>Controller/Network/Segments sent/sec.</b>					
0	1,541	3,855	1,681	1,484	1,168
<b>Controller/Network/Segments retransmitted/sec.</b>					
0	0	0	0	0	0
<b>Controller/NeoLoad Web/Megabits received/sec.</b>					
0	0	0	0	0	-
<b>Controller/NeoLoad Web/Megabits sent/sec.</b>					
0	0	0	0	0	-
<b>Controller/Default zone/User Load</b>					
0	0	0	0	0	-
<b>Controller/USA East - South Carolina (Berkeley County)/User Load</b>					
0	2,759	3,000	3,000	2,869	684.1
<b>Controller/USA East - South Carolina (Berkeley County)/VzUp/User Load</b>					
0	2,759	3,000	3,000	2,869	684.1
<b>Controller/USA East - South Carolina (Berkeley County)/VzUp/MF_Login/User Load</b>					
0	2,759	3,000	3,000	2,869	684.1

## LG 104.196.100.214:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.196.100.214:443/CPU Load</b>					
1	2.93	15	3	2.69	1.8
<b>LG 104.196.100.214:443/Memory Used</b>					
1	5.87	11	6	5.76	2.74
<b>LG 104.196.100.214:443/Throughput</b>					
0	6.05	8.74	6.46	6.18	1.84
<b>LG 104.196.100.214:443/User Load</b>					
0	35	38	38	36.4	8.63

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.196.100.214:443/Thread Count</b>					
21	99	104	104	101.2	13.1
<b>LG 104.196.100.214:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 104.196.100.214:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.002
<b>LG 104.196.100.214:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.100.214:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.100.214:443/Controller Connection/Ping Duration (ms)</b>					
26	31.8	63	26	30.2	13.5
<b>LG 104.196.100.214:443/Network/Segments sent/sec.</b>					
0	263.3	372.2	272	269	73.4
<b>LG 104.196.100.214:443/Network/Segments retransmitted/sec.</b>					
0	0.007	0.201	0	0	0.036
<b>LG 104.196.100.214:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	6.26	9.03	6.66	6.4	1.89
<b>LG 104.196.100.214:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.294	0.776	0.302	0.294	0.095

## LG 104.196.103.166:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.196.103.166:443/CPU Load</b>					
1	2.79	10	2	2.59	1.48
<b>LG 104.196.103.166:443/Memory Used</b>					
1	6.57	12	6	6.47	2.86
<b>LG 104.196.103.166:443/Throughput</b>					
0	6.01	9.09	6.35	6.12	1.85
<b>LG 104.196.103.166:443/User Load</b>					
0	35	38	38	36.4	8.54
<b>LG 104.196.103.166:443/Thread Count</b>					
20	98.7	105	103	100.7	13
<b>LG 104.196.103.166:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 104.196.103.166:443/Http client/Task Pool used</b>					
0	0.001	0.033	0	0	0.004
<b>LG 104.196.103.166:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.103.166:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.103.166:443/Controller Connection/Ping Duration (ms)</b>					
22	66.5	79	75	67.7	19.5
<b>LG 104.196.103.166:443/Network/Segments sent/sec.</b>					
0	262.1	385.9	278.6	267.4	72.4
<b>LG 104.196.103.166:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.2	0	0	0.021
<b>LG 104.196.103.166:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	6.22	9.39	6.56	6.34	1.9
<b>LG 104.196.103.166:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.298	0.538	0.306	0.299	0.085

## LG 104.196.12.79:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.12.79:443/CPU Load					
1	3.28	11	3	3	1.75
LG 104.196.12.79:443/Memory Used					
1	5.78	12	5	5.67	3
LG 104.196.12.79:443/Throughput					
0	5.94	8.73	6.25	6.07	1.74
LG 104.196.12.79:443/User Load					
0	35	38	38	36.4	8.47
LG 104.196.12.79:443/Thread Count					
21	100	105	105	102.1	13
LG 104.196.12.79:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.12.79:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.12.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.12.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.12.79:443/Controller Connection/Ping Duration (ms)					
23	32.3	66	27	30.8	14.4
LG 104.196.12.79:443/Network/Segments sent/sec.					
0	257.7	345.1	268.8	264	69.3
LG 104.196.12.79:443/Network/Segments retransmitted/sec.					
0	0.009	0.2	0	0	0.041
LG 104.196.12.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.13	8.99	6.44	6.27	1.79
LG 104.196.12.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.304	0.723	0.299	0.3	0.103

## LG 104.196.133.8:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.133.8:443/CPU Load					
1	3.13	13	3	2.9	1.69
LG 104.196.133.8:443/Memory Used					
1	7.07	14	6	6.94	3.41
LG 104.196.133.8:443/Throughput					
0	5.85	8.65	6.07	5.96	1.81
LG 104.196.133.8:443/User Load					
0	35	38	38	36.4	8.63
LG 104.196.133.8:443/Thread Count					
21	100.3	106	104	102.4	13.4
LG 104.196.133.8:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.133.8:443/Http client/Task Pool used					
0	0.001	0.017	0	0	0.003
LG 104.196.133.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.133.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.133.8:443/Controller Connection/Ping Duration (ms)					
26	38.8	67	26	37.7	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.133.8:443/Network/Segments sent/sec.					
0	251	365	257.3	255.6	70.9
LG 104.196.133.8:443/Network/Segments retransmitted/sec.					
0	0.013	0.544	0	0	0.068
LG 104.196.133.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.03	8.9	6.24	6.15	1.85
LG 104.196.133.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.292	0.556	0.29	0.291	0.093

## LG 104.196.157.73:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.157.73:443/CPU Load					
1	3.13	11	3	2.92	1.63
LG 104.196.157.73:443/Memory Used					
1	6.08	12	6	5.97	2.76
LG 104.196.157.73:443/Throughput					
0	6.02	10.32	6.36	6.08	2.21
LG 104.196.157.73:443/User Load					
0	35	38	38	36.4	8.56
LG 104.196.157.73:443/Thread Count					
20	98.6	104	102	100.7	12.9
LG 104.196.157.73:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.157.73:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.157.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.157.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.157.73:443/Controller Connection/Ping Duration (ms)					
27	32.7	64	27	31.2	13.4
LG 104.196.157.73:443/Network/Segments sent/sec.					
0	262.5	440.1	270.7	265.1	85.6
LG 104.196.157.73:443/Network/Segments retransmitted/sec.					
0	0.02	0.813	0	0.002	0.097
LG 104.196.157.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.22	10.57	6.58	6.27	2.27
LG 104.196.157.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.299	0.562	0.299	0.297	0.099

## LG 104.196.186.37:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.186.37:443/CPU Load					
1	3.02	9	3	2.84	1.41
LG 104.196.186.37:443/Memory Used					
1	6.61	13	6	6.49	2.98
LG 104.196.186.37:443/Throughput					
0	6.07	8.53	6.52	6.22	1.77
LG 104.196.186.37:443/User Load					
0	34.9	38	38	36.3	8.71
LG 104.196.186.37:443/Thread Count					
21	98.6	103	103	100.7	12.9



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.186.37:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.186.37:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.186.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.186.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.186.37:443/Controller Connection/Ping Duration (ms)					
25	32.2	66	26	30.7	14.4
LG 104.196.186.37:443/Network/Segments sent/sec.					
0	262.8	358.5	282.6	269.8	69.3
LG 104.196.186.37:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.03
LG 104.196.186.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.27	8.79	6.73	6.42	1.81
LG 104.196.186.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.297	0.558	0.312	0.297	0.088

## LG 104.196.2.29:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.2.29:443/CPU Load					
1	3.01	15	3	2.79	1.74
LG 104.196.2.29:443/Memory Used					
1	6.78	14	6	6.66	3.26
LG 104.196.2.29:443/Throughput					
0	5.72	8.39	6.12	5.84	1.7
LG 104.196.2.29:443/User Load					
0	35	38	38	36.4	8.63
LG 104.196.2.29:443/Thread Count					
21	101.6	107	107	103.9	13.9
LG 104.196.2.29:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.2.29:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.2.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.2.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.2.29:443/Controller Connection/Ping Duration (ms)					
15	58	66	66	59.4	18.5
LG 104.196.2.29:443/Network/Segments sent/sec.					
0	249.6	347	262.2	255	67.6
LG 104.196.2.29:443/Network/Segments retransmitted/sec.					
0	0.007	0.259	0	0	0.04
LG 104.196.2.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.91	8.64	6.31	6.03	1.75
LG 104.196.2.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.285	0.544	0.292	0.284	0.086

## LG 104.196.32.169:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.32.169:443/CPU Load					
1	3.3	13	3	3.06	1.82
LG 104.196.32.169:443/Memory Used					
1	5.15	10	5	5.04	2.47
LG 104.196.32.169:443/Throughput					
0	5.88	8.94	6.28	6	1.84
LG 104.196.32.169:443/User Load					
0	35	38	38	36.4	8.63
LG 104.196.32.169:443/Thread Count					
20	98	103	102	100	12.7
LG 104.196.32.169:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.32.169:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.196.32.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.32.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.32.169:443/Controller Connection/Ping Duration (ms)					
20	58.9	66	66	60.2	16.7
LG 104.196.32.169:443/Network/Segments sent/sec.					
0	256.8	389.6	277.9	261.8	73.8
LG 104.196.32.169:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 104.196.32.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.07	9.2	6.46	6.19	1.88
LG 104.196.32.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.299	0.58	0.304	0.298	0.091

## LG 104.196.59.44:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.59.44:443/CPU Load					
1	3.18	11	3	2.95	1.66
LG 104.196.59.44:443/Memory Used					
1	5.73	12	5	5.6	2.85
LG 104.196.59.44:443/Throughput					
0	5.84	9.72	6.03	5.93	1.83
LG 104.196.59.44:443/User Load					
0	35	38	38	36.4	8.58
LG 104.196.59.44:443/Thread Count					
21	99.1	104	103	101.2	12.9
LG 104.196.59.44:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.59.44:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.196.59.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.59.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.59.44:443/Controller Connection/Ping Duration (ms)					
26	32.3	63	26	30.8	13.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.59.44:443/Network/Segments sent/sec.					
0	254.7	426.8	265.3	258.2	74.2
LG 104.196.59.44:443/Network/Segments retransmitted/sec.					
0	0.009	0.2	0	0	0.042
LG 104.196.59.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.03	10.02	6.24	6.12	1.88
LG 104.196.59.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.303	0.605	0.3	0.3	0.108

## LG 34.73.1.214:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.1.214:443/CPU Load					
1	3.19	9	3	3	1.51
LG 34.73.1.214:443/Memory Used					
1	7.35	14	7	7.25	3.43
LG 34.73.1.214:443/Throughput					
0	5.97	8.32	6.36	6.12	1.79
LG 34.73.1.214:443/User Load					
0	34.9	38	38	36.3	8.82
LG 34.73.1.214:443/Thread Count					
20	97.6	102	102	99.7	13
LG 34.73.1.214:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.1.214:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.1.214:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.1.214:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.1.214:443/Controller Connection/Ping Duration (ms)					
18	58.7	67	66	59.9	17.5
LG 34.73.1.214:443/Network/Segments sent/sec.					
0	254.1	358	264.7	260.1	71
LG 34.73.1.214:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.03
LG 34.73.1.214:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.16	8.59	6.54	6.31	1.83
LG 34.73.1.214:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.294	0.561	0.298	0.292	0.092

## LG 34.73.125.20:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.125.20:443/CPU Load					
1	3.19	9	3	3.02	1.46
LG 34.73.125.20:443/Memory Used					
1	6.59	12	6	6.49	2.83
LG 34.73.125.20:443/Throughput					
0	5.75	7.95	6.12	5.9	1.62
LG 34.73.125.20:443/User Load					
0	34.9	38	38	36.3	8.71
LG 34.73.125.20:443/Thread Count					
20	99.2	104	104	101.4	13.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.125.20:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.125.20:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.125.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.125.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.125.20:443/Controller Connection/Ping Duration (ms)					
25	31.7	65	26	30.1	14.2
LG 34.73.125.20:443/Network/Segments sent/sec.					
0	251.5	349.5	264.3	258.2	65.9
LG 34.73.125.20:443/Network/Segments retransmitted/sec.					
0	0.011	0.4	0	0	0.055
LG 34.73.125.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.94	8.18	6.33	6.09	1.66
LG 34.73.125.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.289	0.574	0.296	0.288	0.087

## LG 34.73.135.171:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.135.171:443/CPU Load					
1	3.25	11	3	3.09	1.55
LG 34.73.135.171:443/Memory Used					
2	6.42	12	6	6.32	2.8
LG 34.73.135.171:443/Throughput					
0	5.79	8.76	6.01	5.88	1.91
LG 34.73.135.171:443/User Load					
0	34.9	38	38	36.3	8.72
LG 34.73.135.171:443/Thread Count					
21	99.5	105	104	101.6	13.3
LG 34.73.135.171:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.135.171:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.135.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.135.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.135.171:443/Controller Connection/Ping Duration (ms)					
26	38.3	66	26	37.3	18.3
LG 34.73.135.171:443/Network/Segments sent/sec.					
0	250.8	384	263.9	254.7	75.1
LG 34.73.135.171:443/Network/Segments retransmitted/sec.					
0	0.005	0.256	0	0	0.034
LG 34.73.135.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.97	8.98	6.19	6.07	1.96
LG 34.73.135.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.298	0.564	0.295	0.297	0.1

## LG 34.73.14.42:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.14.42:443/CPU Load					
1	2.91	10	3	2.74	1.47
LG 34.73.14.42:443/Memory Used					
1	6.71	13	6	6.6	3.02
LG 34.73.14.42:443/Throughput					
0	5.78	8.99	5.97	5.89	1.84
LG 34.73.14.42:443/User Load					
0	35	38	38	36.4	8.64
LG 34.73.14.42:443/Thread Count					
21	100	106	104	102.1	13.2
LG 34.73.14.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.14.42:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.14.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.14.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.14.42:443/Controller Connection/Ping Duration (ms)					
26	31.1	56	27	29.9	10.61
LG 34.73.14.42:443/Network/Segments sent/sec.					
0	254.3	370.6	257.9	259.1	74.3
LG 34.73.14.42:443/Network/Segments retransmitted/sec.					
0	0.007	0.234	0	0	0.038
LG 34.73.14.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.97	9.29	6.14	6.08	1.89
LG 34.73.14.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.302	0.581	0.298	0.3	0.103

## LG 34.73.167.74:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.167.74:443/CPU Load					
1	3.07	10	3	2.92	1.4
LG 34.73.167.74:443/Memory Used					
1	5.78	12	5	5.65	2.9
LG 34.73.167.74:443/Throughput					
0	5.85	8.78	6.12	5.95	1.79
LG 34.73.167.74:443/User Load					
0	34.9	38	38	36.3	8.82
LG 34.73.167.74:443/Thread Count					
20	100.4	106	106	102.8	14.3
LG 34.73.167.74:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.167.74:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.167.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.167.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.167.74:443/Controller Connection/Ping Duration (ms)					
27	32.7	64	27	31.2	13.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.167.74:443/Network/Segments sent/sec.					
0	254	364.3	267	259.6	71.3
LG 34.73.167.74:443/Network/Segments retransmitted/sec.					
0	0.007	0.2	0	0	0.036
LG 34.73.167.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.05	9.05	6.34	6.16	1.84
LG 34.73.167.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.287	0.54	0.298	0.287	0.087

## LG 34.73.199.155:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.199.155:443/CPU Load					
1	3.17	9	3	3.01	1.53
LG 34.73.199.155:443/Memory Used					
1	6.49	13	6	6.38	2.93
LG 34.73.199.155:443/Throughput					
0	5.88	8.39	6.34	6.01	1.76
LG 34.73.199.155:443/User Load					
0	34.9	38	38	36.3	8.71
LG 34.73.199.155:443/Thread Count					
21	99.7	105	105	101.9	13.4
LG 34.73.199.155:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.199.155:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.199.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.199.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.199.155:443/Controller Connection/Ping Duration (ms)					
66	66.2	67	66	66.1	0.361
LG 34.73.199.155:443/Network/Segments sent/sec.					
0	253.1	380.4	267.1	258.4	70.1
LG 34.73.199.155:443/Network/Segments retransmitted/sec.					
0	0.02	1	0	0	0.134
LG 34.73.199.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.07	8.62	6.54	6.2	1.8
LG 34.73.199.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.292	0.562	0.297	0.29	0.092

## LG 34.73.202.62:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.202.62:443/CPU Load					
1	3.16	11	3	2.89	1.76
LG 34.73.202.62:443/Memory Used					
1	5.78	11	5	5.65	2.73
LG 34.73.202.62:443/Throughput					
0	5.94	8.85	6.32	6.08	1.73
LG 34.73.202.62:443/User Load					
0	35	38	38	36.3	8.68
LG 34.73.202.62:443/Thread Count					
21	97.7	102	102	99.7	12.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.202.62:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.202.62:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.202.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.202.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.202.62:443/Controller Connection/Ping Duration (ms)					
25	31.5	63	26	30	13.4
LG 34.73.202.62:443/Network/Segments sent/sec.					
0	257.4	361.7	270	263.3	69.3
LG 34.73.202.62:443/Network/Segments retransmitted/sec.					
0	0.016	0.401	0	0.002	0.064
LG 34.73.202.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.14	9.11	6.53	6.28	1.78
LG 34.73.202.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.288	0.516	0.303	0.293	0.077

## LG 34.73.204.29:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.204.29:443/CPU Load					
1	3.15	11	3	2.9	1.75
LG 34.73.204.29:443/Memory Used					
1	6.08	11	6	6.01	2.56
LG 34.73.204.29:443/Throughput					
0	5.7	8.01	6.04	5.84	1.66
LG 34.73.204.29:443/User Load					
0	34.9	38	38	36.3	8.68
LG 34.73.204.29:443/Thread Count					
21	100.3	105	105	102.6	13.4
LG 34.73.204.29:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.204.29:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.204.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.204.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.204.29:443/Controller Connection/Ping Duration (ms)					
26	32.2	62	27	30.8	12.8
LG 34.73.204.29:443/Network/Segments sent/sec.					
0	246.4	344.3	260.1	251.9	66.8
LG 34.73.204.29:443/Network/Segments retransmitted/sec.					
0	0.005	0.246	0	0	0.033
LG 34.73.204.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.88	8.24	6.24	6.02	1.7
LG 34.73.204.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.275	0.555	0.288	0.28	0.074

## LG 34.73.207.97:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.207.97:443/CPU Load					
1	2.66	10	2	2.43	1.54
LG 34.73.207.97:443/Memory Used					
1	6.54	13	6	6.43	3
LG 34.73.207.97:443/Throughput					
0	5.62	8.51	5.93	5.71	1.77
LG 34.73.207.97:443/User Load					
0	35	38	38	36.4	8.64
LG 34.73.207.97:443/Thread Count					
20	103.5	112	109	105.6	14.5
LG 34.73.207.97:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.207.97:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.207.97:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.207.97:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.207.97:443/Controller Connection/Ping Duration (ms)					
24	30.9	65	25	29.3	14.5
LG 34.73.207.97:443/Network/Segments sent/sec.					
0	248.3	358.2	260.5	252.9	73
LG 34.73.207.97:443/Network/Segments retransmitted/sec.					
0	0.017	0.515	0	0	0.076
LG 34.73.207.97:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.82	8.79	6.15	5.92	1.83
LG 34.73.207.97:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.284	0.55	0.288	0.281	0.093

## LG 34.73.34.201:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.34.201:443/CPU Load					
1	2.97	14	2	2.73	1.8
LG 34.73.34.201:443/Memory Used					
1	6.64	14	6	6.49	3.26
LG 34.73.34.201:443/Throughput					
0	5.54	8.02	5.73	5.65	1.61
LG 34.73.34.201:443/User Load					
0	35	38	38	36.4	8.59
LG 34.73.34.201:443/Thread Count					
20	102.8	108	108	105.1	14.2
LG 34.73.34.201:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.34.201:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.34.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.34.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.34.201:443/Controller Connection/Ping Duration (ms)					
25	31.5	63	26	30.1	13.4



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.34.201:443/Network/Segments sent/sec.					
0	243.7	345.9	251.2	248.6	65.6
LG 34.73.34.201:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 34.73.34.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.74	8.3	5.92	5.86	1.66
LG 34.73.34.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.285	0.533	0.285	0.283	0.088

## LG 34.73.34.231:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.34.231:443/CPU Load					
1	3.13	10	3	2.93	1.57
LG 34.73.34.231:443/Memory Used					
1	6.01	12	6	5.9	2.76
LG 34.73.34.231:443/Throughput					
0	5.95	10.35	6.3	6.02	1.89
LG 34.73.34.231:443/User Load					
0	35	38	38	36.4	8.59
LG 34.73.34.231:443/Thread Count					
20	98.3	103	103	100.4	12.7
LG 34.73.34.231:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.34.231:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.34.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.34.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.34.231:443/Controller Connection/Ping Duration (ms)					
25	32.1	65	26	30.5	14
LG 34.73.34.231:443/Network/Segments sent/sec.					
0	258.9	404.4	266.3	263.1	73.8
LG 34.73.34.231:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.03
LG 34.73.34.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.15	10.72	6.5	6.23	1.94
LG 34.73.34.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.302	0.556	0.302	0.3	0.101

## LG 34.73.46.12:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.46.12:443/CPU Load					
1	2.71	9	2	2.57	1.32
LG 34.73.46.12:443/Memory Used					
1	7.5	15	7	7.38	3.6
LG 34.73.46.12:443/Throughput					
0	5.88	8.87	6.08	6.01	1.96
LG 34.73.46.12:443/User Load					
0	34.5	38	38	35.9	9.45
LG 34.73.46.12:443/Thread Count					
20	97.4	103	102	99.4	13.1

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.73.46.12:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.73.46.12:443/Http client/Task Pool used</b>					
0	0	0	0	0	0
<b>LG 34.73.46.12:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.46.12:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.46.12:443/Controller Connection/Ping Duration (ms)</b>					
16	64	78	71	65.2	20.8
<b>LG 34.73.46.12:443/Network/Segments sent/sec.</b>					
0	257.2	366.6	264.2	262.1	75.7
<b>LG 34.73.46.12:443/Network/Segments retransmitted/sec.</b>					
0	0.011	0.4	0	0	0.055
<b>LG 34.73.46.12:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	6.09	9.18	6.28	6.22	2.02
<b>LG 34.73.46.12:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.294	0.573	0.298	0.292	0.092

## LG 34.73.69.0:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.73.69.0:443/CPU Load</b>					
1	3.1	16	3	2.88	1.88
<b>LG 34.73.69.0:443/Memory Used</b>					
1	6.52	13	6	6.37	3.25
<b>LG 34.73.69.0:443/Throughput</b>					
0	5.83	8.1	6.13	5.97	1.65
<b>LG 34.73.69.0:443/User Load</b>					
0	34.6	38	38	36	9.15
<b>LG 34.73.69.0:443/Thread Count</b>					
20	99.2	104	104	101.3	13.3
<b>LG 34.73.69.0:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.73.69.0:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.002
<b>LG 34.73.69.0:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.69.0:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.69.0:443/Controller Connection/Ping Duration (ms)</b>					
24	32.4	66	27	30.9	14.4
<b>LG 34.73.69.0:443/Network/Segments sent/sec.</b>					
0	256.5	350.7	266.7	262.7	67
<b>LG 34.73.69.0:443/Network/Segments retransmitted/sec.</b>					
0	0.019	0.738	0	0	0.094
<b>LG 34.73.69.0:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	6.03	8.37	6.34	6.18	1.69
<b>LG 34.73.69.0:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.292	0.573	0.298	0.289	0.089

## LG 34.73.70.28:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.70.28:443/CPU Load					
1	3.3	14	3	3.04	1.8
LG 34.73.70.28:443/Memory Used					
1	5.57	11	5	5.48	2.64
LG 34.73.70.28:443/Throughput					
0	6	8.47	6.4	6.14	1.72
LG 34.73.70.28:443/User Load					
0	35	38	38	36.4	8.47
LG 34.73.70.28:443/Thread Count					
21	98.3	103	102	100.3	12.4
LG 34.73.70.28:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.70.28:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.70.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.70.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.70.28:443/Controller Connection/Ping Duration (ms)					
27	32.6	63	27	31.2	12.9
LG 34.73.70.28:443/Network/Segments sent/sec.					
0	258.7	382.6	270.2	264.5	68.7
LG 34.73.70.28:443/Network/Segments retransmitted/sec.					
0	0.011	0.2	0	0	0.046
LG 34.73.70.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.19	8.72	6.6	6.33	1.77
LG 34.73.70.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.528	0.3	0.295	0.088

## LG 34.73.77.172:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.77.172:443/CPU Load					
1	3.03	13	3	2.8	1.73
LG 34.73.77.172:443/Memory Used					
1	7.33	15	7	7.23	3.37
LG 34.73.77.172:443/Throughput					
0	5.63	7.99	6.02	5.76	1.6
LG 34.73.77.172:443/User Load					
0	35	38	38	36.4	8.59
LG 34.73.77.172:443/Thread Count					
21	102.5	108	108	104.8	14
LG 34.73.77.172:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.77.172:443/Http client/Task Pool used					
0	0.001	0.017	0	0	0.003
LG 34.73.77.172:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.77.172:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.77.172:443/Controller Connection/Ping Duration (ms)					
26	31.8	64	26	30.3	13.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.77.172:443/Network/Segments sent/sec.					
0	247.2	320.4	263.5	253.7	64.5
LG 34.73.77.172:443/Network/Segments retransmitted/sec.					
0	0.003	0.292	0	0	0.031
LG 34.73.77.172:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.81	8.22	6.2	5.95	1.64
LG 34.73.77.172:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.283	0.52	0.29	0.281	0.085

## LG 34.74.100.39:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.100.39:443/CPU Load					
1	3	13	3	2.8	1.69
LG 34.74.100.39:443/Memory Used					
1	6.04	12	6	5.91	2.95
LG 34.74.100.39:443/Throughput					
0	5.49	7.46	5.87	5.63	1.59
LG 34.74.100.39:443/User Load					
0	35	38	38	36.4	8.63
LG 34.74.100.39:443/Thread Count					
21	104	110	109	106.3	14.6
LG 34.74.100.39:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.100.39:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.100.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.100.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.100.39:443/Controller Connection/Ping Duration (ms)					
21	31.9	67	27	30.4	15.2
LG 34.74.100.39:443/Network/Segments sent/sec.					
0	240.3	345.1	255.3	245.6	64.5
LG 34.74.100.39:443/Network/Segments retransmitted/sec.					
0	0.017	0.547	0	0.002	0.073
LG 34.74.100.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.67	7.7	6.05	5.81	1.63
LG 34.74.100.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.277	0.528	0.281	0.276	0.082

## LG 34.74.137.102:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.137.102:443/CPU Load					
1	3.12	9	3	2.94	1.46
LG 34.74.137.102:443/Memory Used					
2	6.47	13	6	6.35	2.88
LG 34.74.137.102:443/Throughput					
0	5.7	8.65	5.99	5.81	1.79
LG 34.74.137.102:443/User Load					
0	34.9	38	38	36.3	8.72
LG 34.74.137.102:443/Thread Count					
21	101.6	107	107	103.8	13.9

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.137.102:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.74.137.102:443/Http client/Task Pool used</b>					
0	0	0	0	0	0
<b>LG 34.74.137.102:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.137.102:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.137.102:443/Controller Connection/Ping Duration (ms)</b>					
16	59.2	67	67	60.5	18.5
<b>LG 34.74.137.102:443/Network/Segments sent/sec.</b>					
0	251.1	366.5	258.3	255.6	72.9
<b>LG 34.74.137.102:443/Network/Segments retransmitted/sec.</b>					
0	0.007	0.262	0	0	0.04
<b>LG 34.74.137.102:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	5.89	8.92	6.16	6	1.84
<b>LG 34.74.137.102:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.288	0.551	0.291	0.286	0.093

## LG 34.74.153.22:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.153.22:443/CPU Load</b>					
1	2.99	9	3	2.84	1.45
<b>LG 34.74.153.22:443/Memory Used</b>					
1	5.86	11	5	5.77	2.58
<b>LG 34.74.153.22:443/Throughput</b>					
0	5.47	7.99	5.73	5.59	1.64
<b>LG 34.74.153.22:443/User Load</b>					
0	34.9	38	38	36.3	8.71
<b>LG 34.74.153.22:443/Thread Count</b>					
20	104.1	112	109	106.3	14.8
<b>LG 34.74.153.22:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.74.153.22:443/Http client/Task Pool used</b>					
0	0	0	0	0	0
<b>LG 34.74.153.22:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.153.22:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.153.22:443/Controller Connection/Ping Duration (ms)</b>					
17	58.6	66	66	59.9	17.7
<b>LG 34.74.153.22:443/Network/Segments sent/sec.</b>					
0	240.7	377.2	249.5	245.9	64.7
<b>LG 34.74.153.22:443/Network/Segments retransmitted/sec.</b>					
0	0.007	0.201	0	0	0.036
<b>LG 34.74.153.22:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	5.65	8.2	5.92	5.77	1.69
<b>LG 34.74.153.22:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.269	0.472	0.279	0.274	0.069

## LG 34.74.178.36:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.178.36:443/CPU Load					
1	3.08	9	3	2.89	1.58
LG 34.74.178.36:443/Memory Used					
1	6.73	14	6	6.56	3.4
LG 34.74.178.36:443/Throughput					
0	5.84	9.49	6.16	5.93	1.96
LG 34.74.178.36:443/User Load					
0	34.9	38	38	36.3	8.72
LG 34.74.178.36:443/Thread Count					
20	99.7	106	103	101.8	13.5
LG 34.74.178.36:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.178.36:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.74.178.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.178.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.178.36:443/Controller Connection/Ping Duration (ms)					
26	32.5	65	27	31	13.9
LG 34.74.178.36:443/Network/Segments sent/sec.					
0	252.8	388.9	263.6	256.8	77
LG 34.74.178.36:443/Network/Segments retransmitted/sec.					
0	0.007	0.2	0	0	0.036
LG 34.74.178.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.02	9.75	6.36	6.11	2.02
LG 34.74.178.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.287	0.531	0.297	0.288	0.087

## LG 34.74.183.38:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.183.38:443/CPU Load					
1	3.04	13	3	2.79	1.8
LG 34.74.183.38:443/Memory Used					
1	5.96	13	5.5	5.8	3
LG 34.74.183.38:443/Throughput					
0	5.86	8.75	6.29	6.01	1.71
LG 34.74.183.38:443/User Load					
0	34.6	38	38	36	9.25
LG 34.74.183.38:443/Thread Count					
20	98.8	104	104	100.9	13.4
LG 34.74.183.38:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.183.38:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.74.183.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.183.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.183.38:443/Controller Connection/Ping Duration (ms)					
19	58.1	66	65	59.3	16.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.183.38:443/Network/Segments sent/sec.					
0	254.3	398.2	267.3	259.5	68.7
LG 34.74.183.38:443/Network/Segments retransmitted/sec.					
0	0.013	0.737	0	0	0.088
LG 34.74.183.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.05	9.02	6.49	6.2	1.75
LG 34.74.183.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.3	0.735	0.293	0.296	0.105

## LG 34.74.214.238:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.214.238:443/CPU Load					
1	3.21	13	3	2.99	1.79
LG 34.74.214.238:443/Memory Used					
1	5.78	11	6	5.67	2.77
LG 34.74.214.238:443/Throughput					
0	5.88	10.31	5.95	5.9	2.36
LG 34.74.214.238:443/User Load					
0	35	38	38	36.4	8.52
LG 34.74.214.238:443/Thread Count					
20	103	110	108	105.1	14.4
LG 34.74.214.238:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.214.238:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.214.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.214.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.214.238:443/Controller Connection/Ping Duration (ms)					
21	32.3	67	27	30.9	15
LG 34.74.214.238:443/Network/Segments sent/sec.					
0	256.1	426.1	256.9	257.4	90.6
LG 34.74.214.238:443/Network/Segments retransmitted/sec.					
0	0.016	0.866	0	0	0.098
LG 34.74.214.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.07	10.61	6.13	6.08	2.42
LG 34.74.214.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.298	0.817	0.292	0.29	0.117

## LG 34.74.23.35:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.23.35:443/CPU Load					
1	3.11	10	3	2.9	1.59
LG 34.74.23.35:443/Memory Used					
1	5.66	12	5	5.56	2.85
LG 34.74.23.35:443/Throughput					
0	5.85	8.82	6.27	5.98	1.69
LG 34.74.23.35:443/User Load					
0	34.9	38	38	36.3	8.68
LG 34.74.23.35:443/Thread Count					
21	99.2	104	104	101.3	13.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.23.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.23.35:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.74.23.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.23.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.23.35:443/Controller Connection/Ping Duration (ms)					
26	30.9	57	26	29.7	11.2
LG 34.74.23.35:443/Network/Segments sent/sec.					
0	255.1	362.7	272.3	261.2	68.1
LG 34.74.23.35:443/Network/Segments retransmitted/sec.					
0	0.009	0.2	0	0	0.042
LG 34.74.23.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.04	9.09	6.48	6.18	1.74
LG 34.74.23.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.293	0.533	0.298	0.291	0.09

## LG 34.74.24.183:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.24.183:443/CPU Load					
1	2.92	11	3	2.71	1.57
LG 34.74.24.183:443/Memory Used					
1	5.69	11	5	5.57	2.59
LG 34.74.24.183:443/Throughput					
0	5.78	8.48	6.15	5.91	1.72
LG 34.74.24.183:443/User Load					
0	34.9	38	38	36.3	8.72
LG 34.74.24.183:443/Thread Count					
20	99.3	104	104	101.5	13.3
LG 34.74.24.183:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.24.183:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.24.183:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.24.183:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.24.183:443/Controller Connection/Ping Duration (ms)					
42	61.7	66	65	62.3	8.48
LG 34.74.24.183:443/Network/Segments sent/sec.					
0	252.5	359.3	264.6	257.9	70.3
LG 34.74.24.183:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.74.24.183:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.98	8.77	6.34	6.11	1.77
LG 34.74.24.183:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.294	0.557	0.295	0.292	0.095



## LG 34.74.39.20:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.39.20:443/CPU Load					
1	2.93	10	3	2.77	1.4
LG 34.74.39.20:443/Memory Used					
1	7.17	13	7	7.09	3.13
LG 34.74.39.20:443/Throughput					
0	5.83	8.43	6.21	5.96	1.76
LG 34.74.39.20:443/User Load					
0	35	38	38	36.3	8.68
LG 34.74.39.20:443/Thread Count					
20	99.6	105	104	101.7	13.3
LG 34.74.39.20:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.39.20:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.74.39.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.39.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.39.20:443/Controller Connection/Ping Duration (ms)					
25	59.8	69	65	60.8	14.9
LG 34.74.39.20:443/Network/Segments sent/sec.					
7.3	256.4	366.5	272.8	261.9	71.3
LG 34.74.39.20:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.74.39.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.02	8.72	6.4	6.16	1.81
LG 34.74.39.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.298	0.562	0.294	0.296	0.099

## LG 34.74.5.11:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.5.11:443/CPU Load					
0	2.8	9	2	2.63	1.45
LG 34.74.5.11:443/Memory Used					
1	6.44	12	6	6.35	2.79
LG 34.74.5.11:443/Throughput					
0	5.74	8.84	6.03	5.84	1.82
LG 34.74.5.11:443/User Load					
0	34.9	38	38	36.3	8.71
LG 34.74.5.11:443/Thread Count					
20	101	107	106	103.2	13.9
LG 34.74.5.11:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.5.11:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.74.5.11:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.5.11:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.5.11:443/Controller Connection/Ping Duration (ms)					
19	30.7	65	26	29.3	14.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.5.11:443/Network/Segments sent/sec.					
0	251.3	369.4	262.3	256	73.5
LG 34.74.5.11:443/Network/Segments retransmitted/sec.					
0	0.007	0.2	0	0	0.036
LG 34.74.5.11:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.94	9.16	6.23	6.05	1.87
LG 34.74.5.11:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.288	0.752	0.29	0.284	0.098

## LG 34.74.64.10:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.64.10:443/CPU Load					
1	3.01	11	3	2.81	1.6
LG 34.74.64.10:443/Memory Used					
1	5.3	10	5	5.22	2.47
LG 34.74.64.10:443/Throughput					
0	5.96	9.69	6.09	6.03	1.99
LG 34.74.64.10:443/User Load					
0	35	38	38	36.4	8.59
LG 34.74.64.10:443/Thread Count					
21	98	103	102	100.1	12.6
LG 34.74.64.10:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.64.10:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.64.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.64.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.64.10:443/Controller Connection/Ping Duration (ms)					
18	57.5	65	64	58.7	16.8
LG 34.74.64.10:443/Network/Segments sent/sec.					
0	259.4	395.3	268.1	262.7	79
LG 34.74.64.10:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 34.74.64.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.15	9.96	6.31	6.23	2.04
LG 34.74.64.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.543	0.3	0.295	0.092

## LG 34.74.93.181:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.93.181:443/CPU Load					
1	3.19	13	3	2.96	1.66
LG 34.74.93.181:443/Memory Used					
1	6.57	12	6	6.53	2.79
LG 34.74.93.181:443/Throughput					
0	5.93	8.32	6.25	6.08	1.7
LG 34.74.93.181:443/User Load					
0	35	38	38	36.4	8.54
LG 34.74.93.181:443/Thread Count					
20	97.3	102	101	99.4	12.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.93.181:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.93.181:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.93.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.93.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.93.181:443/Controller Connection/Ping Duration (ms)					
27	32.6	63	27	31.2	12.9
LG 34.74.93.181:443/Network/Segments sent/sec.					
0	259.4	348.9	278.2	265.9	67.6
LG 34.74.93.181:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.74.93.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.12	8.55	6.45	6.27	1.74
LG 34.74.93.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.307	0.706	0.308	0.305	0.104

## LG 34.74.98.132:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.98.132:443/CPU Load					
1	3.24	11	3	3	1.71
LG 34.74.98.132:443/Memory Used					
1	6.1	12	6	5.99	2.95
LG 34.74.98.132:443/Throughput					
0	5.8	8.34	6.13	5.94	1.69
LG 34.74.98.132:443/User Load					
0	35	38	38	36.4	8.58
LG 34.74.98.132:443/Thread Count					
21	99.4	104	104	101.6	13
LG 34.74.98.132:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.98.132:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.98.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.98.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.98.132:443/Controller Connection/Ping Duration (ms)					
26	32.1	61	27	30.7	12.5
LG 34.74.98.132:443/Network/Segments sent/sec.					
6.94	250.1	362.7	267.5	255.7	66.7
LG 34.74.98.132:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.03
LG 34.74.98.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.98	8.57	6.31	6.12	1.73
LG 34.74.98.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.298	0.559	0.299	0.297	0.094

## LG 35.185.107.148:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.107.148:443/CPU Load					
1	3.21	10	3	2.96	1.75
LG 35.185.107.148:443/Memory Used					
1	6.42	13	6	6.25	3.39
LG 35.185.107.148:443/Throughput					
0	5.71	8	5.93	5.84	1.68
LG 35.185.107.148:443/User Load					
0	35	38	38	36.4	8.63
LG 35.185.107.148:443/Thread Count					
21	101.6	107	107	103.8	13.9
LG 35.185.107.148:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.107.148:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.185.107.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.107.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.107.148:443/Controller Connection/Ping Duration (ms)					
16	57.9	66	65	59.2	18
LG 35.185.107.148:443/Network/Segments sent/sec.					
0	245.4	330.8	256.9	251.3	65.9
LG 35.185.107.148:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.185.107.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.88	8.21	6.1	6.02	1.72
LG 35.185.107.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.588	0.287	0.283	0.089

## LG 35.185.20.140:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.20.140:443/CPU Load					
1	3.1	11	3	2.86	1.75
LG 35.185.20.140:443/Memory Used					
1	6.84	13	6	6.72	3.29
LG 35.185.20.140:443/Throughput					
0	5.84	7.73	6.19	6	1.68
LG 35.185.20.140:443/User Load					
0	35	38	38	36.4	8.59
LG 35.185.20.140:443/Thread Count					
21	99.3	104	104	101.4	13
LG 35.185.20.140:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.20.140:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.185.20.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.20.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.20.140:443/Controller Connection/Ping Duration (ms)					
25	30.8	61	25	29.3	12.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.20.140:443/Network/Segments sent/sec.					
0	254.7	341.9	271.6	261.2	67.6
LG 35.185.20.140:443/Network/Segments retransmitted/sec.					
0	0.011	0.214	0	0	0.047
LG 35.185.20.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.03	7.97	6.39	6.19	1.73
LG 35.185.20.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.295	0.53	0.299	0.294	0.093

## LG 35.185.75.239:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.75.239:443/CPU Load					
1	3.23	10	3	3.04	1.45
LG 35.185.75.239:443/Memory Used					
1	6.28	12	6	6.16	2.96
LG 35.185.75.239:443/Throughput					
0	5.99	9.01	6.17	6.1	1.85
LG 35.185.75.239:443/User Load					
0	35	38	38	36.3	8.68
LG 35.185.75.239:443/Thread Count					
21	98.3	104	102	100.3	12.9
LG 35.185.75.239:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.75.239:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.185.75.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.75.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.75.239:443/Controller Connection/Ping Duration (ms)					
21	31.2	66	26	29.7	14.9
LG 35.185.75.239:443/Network/Segments sent/sec.					
0	256.6	382.2	268.1	261.8	71.5
LG 35.185.75.239:443/Network/Segments retransmitted/sec.					
0	0.02	0.8	0	0	0.109
LG 35.185.75.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.17	9.24	6.36	6.29	1.89
LG 35.185.75.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.294	0.679	0.302	0.294	0.091

## LG 35.185.75.251:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.75.251:443/CPU Load					
1	2.8	9	2	2.58	1.54
LG 35.185.75.251:443/Memory Used					
1	7.62	15	7	7.49	3.49
LG 35.185.75.251:443/Throughput					
0	5.59	7.87	6.03	5.73	1.59
LG 35.185.75.251:443/User Load					
0	35	38	38	36.4	8.58
LG 35.185.75.251:443/Thread Count					
20	103	109	109	105.3	14.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.75.251:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.75.251:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.185.75.251:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.75.251:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.75.251:443/Controller Connection/Ping Duration (ms)					
19	63.5	81	67	64.4	19.9
LG 35.185.75.251:443/Network/Segments sent/sec.					
0	246.2	339.8	264.2	252	64.9
LG 35.185.75.251:443/Network/Segments retransmitted/sec.					
0	0.006	0.54	0	0	0.057
LG 35.185.75.251:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.78	8.11	6.21	5.93	1.63
LG 35.185.75.251:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.546	0.291	0.285	0.091

## LG 35.185.91.183:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.91.183:443/CPU Load					
1	3.07	11	3	2.85	1.59
LG 35.185.91.183:443/Memory Used					
1	6.17	12	6	6.05	2.92
LG 35.185.91.183:443/Throughput					
0	5.62	9.73	5.86	5.69	1.81
LG 35.185.91.183:443/User Load					
0	34.9	38	38	36.3	8.68
LG 35.185.91.183:443/Thread Count					
21	101.6	107	107	103.9	13.9
LG 35.185.91.183:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.91.183:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.185.91.183:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.91.183:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.91.183:443/Controller Connection/Ping Duration (ms)					
26	31.7	60	26	30.3	12.2
LG 35.185.91.183:443/Network/Segments sent/sec.					
0	244.9	409.4	252.5	248.8	70.4
LG 35.185.91.183:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.185.91.183:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.8	10	6.05	5.87	1.85
LG 35.185.91.183:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.295	0.592	0.291	0.293	0.098

## LG 35.190.135.223:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.135.223:443/CPU Load					
1	3.12	11	3	2.89	1.61
LG 35.190.135.223:443/Memory Used					
1	6.83	13	6	6.75	3
LG 35.190.135.223:443/Throughput					
0	5.55	8.18	5.76	5.66	1.63
LG 35.190.135.223:443/User Load					
0	35	38	38	36.4	8.58
LG 35.190.135.223:443/Thread Count					
21	103.5	110	108	105.7	14.4
LG 35.190.135.223:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.190.135.223:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.190.135.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.190.135.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.190.135.223:443/Controller Connection/Ping Duration (ms)					
16	31.5	65	27	30.2	15
LG 35.190.135.223:443/Network/Segments sent/sec.					
0	239.9	346.3	253	245	64.2
LG 35.190.135.223:443/Network/Segments retransmitted/sec.					
0	0.011	0.2	0	0	0.046
LG 35.190.135.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.73	8.45	5.92	5.84	1.67
LG 35.190.135.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.524	0.288	0.284	0.093

## LG 35.190.142.207:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.142.207:443/CPU Load					
1	2.92	10	2	2.68	1.66
LG 35.190.142.207:443/Memory Used					
1	5.19	10	5	5.07	2.48
LG 35.190.142.207:443/Throughput					
0	5.68	7.71	6.05	5.84	1.66
LG 35.190.142.207:443/User Load					
0	35	38	38	36.3	8.68
LG 35.190.142.207:443/Thread Count					
21	101.2	107	106	103.3	13.8
LG 35.190.142.207:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.190.142.207:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.190.142.207:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.190.142.207:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.190.142.207:443/Controller Connection/Ping Duration (ms)					
19	57.9	65	65	59.1	16.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.142.207:443/Network/Segments sent/sec.					
0	249.5	328.9	268.5	255.9	66.4
LG 35.190.142.207:443/Network/Segments retransmitted/sec.					
0	0.003	0.285	0	0	0.03
LG 35.190.142.207:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.88	7.94	6.26	6.03	1.7
LG 35.190.142.207:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.284	0.506	0.293	0.285	0.079

## LG 35.196.120.20:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.120.20:443/CPU Load					
1	3.19	10	3	2.96	1.71
LG 35.196.120.20:443/Memory Used					
1	5.4	10	5	5.3	2.52
LG 35.196.120.20:443/Throughput					
0	5.86	8.48	6.15	6	1.69
LG 35.196.120.20:443/User Load					
0	35	38	38	36.4	8.64
LG 35.196.120.20:443/Thread Count					
21	99.4	105	103	101.4	13.1
LG 35.196.120.20:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.120.20:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.196.120.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.120.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.120.20:443/Controller Connection/Ping Duration (ms)					
25	31.5	63	26	30.1	13.4
LG 35.196.120.20:443/Network/Segments sent/sec.					
0	255.1	349.5	270.4	261.3	67.3
LG 35.196.120.20:443/Network/Segments retransmitted/sec.					
0	0.009	0.2	0	0	0.041
LG 35.196.120.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.06	8.73	6.38	6.21	1.74
LG 35.196.120.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.302	0.746	0.299	0.299	0.102

## LG 35.196.27.134:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.27.134:443/CPU Load					
1	3.29	10	3	3.1	1.52
LG 35.196.27.134:443/Memory Used					
1	6.99	15	7	6.84	3.36
LG 35.196.27.134:443/Throughput					
0	5.96	8.7	6.35	6.09	1.77
LG 35.196.27.134:443/User Load					
0	34.5	38	38	35.9	9.47
LG 35.196.27.134:443/Thread Count					
21	97.9	103	103	100	13.5



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.27.134:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.27.134:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.196.27.134:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.27.134:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.27.134:443/Controller Connection/Ping Duration (ms)					
26	32.5	62	27	31.1	12.6
LG 35.196.27.134:443/Network/Segments sent/sec.					
0	259.9	371	273.9	265.9	70.8
LG 35.196.27.134:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.03
LG 35.196.27.134:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.15	8.96	6.58	6.29	1.81
LG 35.196.27.134:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.307	0.554	0.304	0.307	0.095

## LG 35.196.30.249:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.30.249:443/CPU Load					
1	3.3	13	3	3.08	1.74
LG 35.196.30.249:443/Memory Used					
1	6.92	14	6	6.79	3.3
LG 35.196.30.249:443/Throughput					
0	5.98	9.68	6.13	6.04	2.18
LG 35.196.30.249:443/User Load					
0	34.9	38	38	36.3	8.68
LG 35.196.30.249:443/Thread Count					
20	98.5	104	102	100.6	13
LG 35.196.30.249:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.30.249:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.196.30.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.30.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.30.249:443/Controller Connection/Ping Duration (ms)					
26	32	64	26	30.5	13.7
LG 35.196.30.249:443/Network/Segments sent/sec.					
0	258.3	414.4	267.2	261.5	83.6
LG 35.196.30.249:443/Network/Segments retransmitted/sec.					
0	0.012	0.4	0	0	0.059
LG 35.196.30.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.18	9.94	6.34	6.24	2.24
LG 35.196.30.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.3	0.782	0.298	0.296	0.107

## LG 35.196.71.121:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.71.121:443/CPU Load					
1	2.96	9	3	2.8	1.24
LG 35.196.71.121:443/Memory Used					
2	6.64	12	7	6.59	2.67
LG 35.196.71.121:443/Throughput					
0	5.65	7.96	6.03	5.79	1.76
LG 35.196.71.121:443/User Load					
0	34.5	38	38	35.9	9.47
LG 35.196.71.121:443/Thread Count					
21	99.2	105	105	101.2	13.8
LG 35.196.71.121:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.71.121:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.196.71.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.71.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.71.121:443/Controller Connection/Ping Duration (ms)					
26	32.5	64	27	31	13.4
LG 35.196.71.121:443/Network/Segments sent/sec.					
7.09	248.7	327.3	263.1	255.1	68.3
LG 35.196.71.121:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.196.71.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.83	8.16	6.22	5.99	1.8
LG 35.196.71.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.299	0.548	0.298	0.298	0.098

## LG 35.196.71.24:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.71.24:443/CPU Load					
1	2.89	8	3	2.74	1.41
LG 35.196.71.24:443/Memory Used					
1	6.19	12	6	6.06	2.93
LG 35.196.71.24:443/Throughput					
0	5.85	9.19	5.85	5.93	2.02
LG 35.196.71.24:443/User Load					
0	34	37	37	35.4	8.51
LG 35.196.71.24:443/Thread Count					
20	97	102	101	99.1	12.7
LG 35.196.71.24:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.71.24:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.196.71.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.71.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.71.24:443/Controller Connection/Ping Duration (ms)					
26	31.2	59	26	29.9	11.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.71.24:443/Network/Segments sent/sec.					
0	258.4	414.2	263.5	262.1	81.8
LG 35.196.71.24:443/Network/Segments retransmitted/sec.					
0	0.009	0.2	0	0	0.042
LG 35.196.71.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.05	9.49	6.07	6.13	2.07
LG 35.196.71.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.303	0.743	0.295	0.299	0.112

## LG 35.196.91.160:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.91.160:443/CPU Load					
1	3.06	9	3	2.95	1.33
LG 35.196.91.160:443/Memory Used					
1	7.41	14	7	7.33	3.26
LG 35.196.91.160:443/Throughput					
0	5.74	8.79	5.94	5.85	1.86
LG 35.196.91.160:443/User Load					
0	34.9	38	38	36.3	8.73
LG 35.196.91.160:443/Thread Count					
20	100	105	105	102.1	13.5
LG 35.196.91.160:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.91.160:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.196.91.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.91.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.91.160:443/Controller Connection/Ping Duration (ms)					
26	26.2	27	26	26.1	0.361
LG 35.196.91.160:443/Network/Segments sent/sec.					
0	251.9	362.3	264.1	256.7	73.5
LG 35.196.91.160:443/Network/Segments retransmitted/sec.					
0	0.016	1	0	0	0.109
LG 35.196.91.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.93	9.06	6.13	6.04	1.91
LG 35.196.91.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.3	0.712	0.295	0.298	0.105

## LG 35.227.16.240:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.16.240:443/CPU Load					
1	3.24	11	3	2.97	1.79
LG 35.227.16.240:443/Memory Used					
1	6.85	14	7	6.71	3.38
LG 35.227.16.240:443/Throughput					
0	5.9	8.44	6.16	6.02	1.82
LG 35.227.16.240:443/User Load					
0	35	38	38	36.4	8.51
LG 35.227.16.240:443/Thread Count					
20	99.3	105	104	101.3	12.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.16.240:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.16.240:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.227.16.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.16.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.16.240:443/Controller Connection/Ping Duration (ms)					
26	48	67	65	47.9	19.6
LG 35.227.16.240:443/Network/Segments sent/sec.					
0	254	354.1	262.3	259.5	70.6
LG 35.227.16.240:443/Network/Segments retransmitted/sec.					
0	0.017	0.747	0	0	0.089
LG 35.227.16.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.09	8.71	6.36	6.22	1.86
LG 35.227.16.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.293	0.548	0.296	0.292	0.086

## LG 35.227.30.71:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.30.71:443/CPU Load					
1	3.18	11	3	2.99	1.58
LG 35.227.30.71:443/Memory Used					
1	5.39	11	5	5.27	2.63
LG 35.227.30.71:443/Throughput					
0	5.76	8.9	6.18	5.89	1.82
LG 35.227.30.71:443/User Load					
0	34.5	38	38	36	9.42
LG 35.227.30.71:443/Thread Count					
21	99.4	105	105	101.5	13.7
LG 35.227.30.71:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.30.71:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.227.30.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.30.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.30.71:443/Controller Connection/Ping Duration (ms)					
26	59.2	66	65	60.2	14.1
LG 35.227.30.71:443/Network/Segments sent/sec.					
0	251.6	377.9	261.5	256.6	70.4
LG 35.227.30.71:443/Network/Segments retransmitted/sec.					
0	0.009	0.237	0	0	0.043
LG 35.227.30.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.95	9.15	6.37	6.08	1.87
LG 35.227.30.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.292	0.56	0.296	0.291	0.09

## LG 35.227.36.167:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.36.167:443/CPU Load					
1	3.28	10	3	3.04	1.71
LG 35.227.36.167:443/Memory Used					
1	5.46	11	5	5.36	2.78
LG 35.227.36.167:443/Throughput					
0	6.02	9.63	6.34	6.14	1.83
LG 35.227.36.167:443/User Load					
0	34.9	38	38	36.3	8.68
LG 35.227.36.167:443/Thread Count					
21	99.1	104	104	101.3	13.1
LG 35.227.36.167:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.36.167:443/Http client/Task Pool used					
0	0.001	0.017	0	0	0.003
LG 35.227.36.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.36.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.36.167:443/Controller Connection/Ping Duration (ms)					
27	32.7	64	27	31.2	13.4
LG 35.227.36.167:443/Network/Segments sent/sec.					
0	258.9	407.3	270.7	264.1	72.5
LG 35.227.36.167:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.227.36.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.21	9.91	6.56	6.32	1.87
LG 35.227.36.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.305	0.548	0.302	0.304	0.098

## LG 35.229.41.1:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.41.1:443/CPU Load					
1	2.98	9	3	2.77	1.52
LG 35.229.41.1:443/Memory Used					
2	7.44	15	7	7.27	3.64
LG 35.229.41.1:443/Throughput					
0	5.57	7.71	5.99	5.71	1.67
LG 35.229.41.1:443/User Load					
0	34.5	38	38	36	9.42
LG 35.229.41.1:443/Thread Count					
21	100.9	107	106	103	14.1
LG 35.229.41.1:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.41.1:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.229.41.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.41.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.41.1:443/Controller Connection/Ping Duration (ms)					
26	59.8	66	66	60.8	14.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.41.1:443/Network/Segments sent/sec.					
0	244.1	325.5	258	250.2	65.1
LG 35.229.41.1:443/Network/Segments retransmitted/sec.					
0	0.003	0.234	0	0	0.025
LG 35.229.41.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.75	7.93	6.18	5.9	1.71
LG 35.229.41.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.281	0.517	0.29	0.282	0.082

## LG 35.229.75.205:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.75.205:443/CPU Load					
1	3.12	11	3	2.86	1.61
LG 35.229.75.205:443/Memory Used					
1	6.39	13	6	6.26	2.94
LG 35.229.75.205:443/Throughput					
0	5.82	8.68	6.18	5.94	1.75
LG 35.229.75.205:443/User Load					
0	34.6	38	38	36	9.34
LG 35.229.75.205:443/Thread Count					
20	99.6	106	105	101.7	13.7
LG 35.229.75.205:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.75.205:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.229.75.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.75.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.75.205:443/Controller Connection/Ping Duration (ms)					
25	26	27	26	26	0.555
LG 35.229.75.205:443/Network/Segments sent/sec.					
0	254.7	355.1	270.8	260.3	69.9
LG 35.229.75.205:443/Network/Segments retransmitted/sec.					
0	0.011	0.233	0	0	0.048
LG 35.229.75.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.01	8.87	6.37	6.13	1.79
LG 35.229.75.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.288	0.552	0.298	0.288	0.086

## LG 35.231.106.8:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.106.8:443/CPU Load					
1	2.86	9	2.5	2.68	1.45
LG 35.231.106.8:443/Memory Used					
1	6.4	12	6	6.32	2.68
LG 35.231.106.8:443/Throughput					
0	5.89	8.99	6.25	6.02	1.7
LG 35.231.106.8:443/User Load					
0	35	38	38	36.4	8.54
LG 35.231.106.8:443/Thread Count					
21	99	104	103	101.1	12.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.106.8:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.106.8:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.106.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.106.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.106.8:443/Controller Connection/Ping Duration (ms)					
26	31.6	62	26	30.2	12.9
LG 35.231.106.8:443/Network/Segments sent/sec.					
0	258.3	371.8	274.9	264	69.5
LG 35.231.106.8:443/Network/Segments retransmitted/sec.					
0	0.007	0.433	0	0	0.05
LG 35.231.106.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.1	9.29	6.47	6.24	1.75
LG 35.231.106.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.29	0.539	0.298	0.29	0.085

## LG 35.231.114.16:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.114.16:443/CPU Load					
1	3.2	12	3	3	1.65
LG 35.231.114.16:443/Memory Used					
1	6.7	13	6	6.57	3.17
LG 35.231.114.16:443/Throughput					
0	5.99	9.39	6.34	6.11	1.79
LG 35.231.114.16:443/User Load					
0	34.9	38	38	36.3	8.72
LG 35.231.114.16:443/Thread Count					
20	97.5	103	101	99.5	12.8
LG 35.231.114.16:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.114.16:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.114.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.114.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.114.16:443/Controller Connection/Ping Duration (ms)					
26	32.2	64	26	30.6	13.7
LG 35.231.114.16:443/Network/Segments sent/sec.					
0	256.2	389.5	266.4	261.1	70.7
LG 35.231.114.16:443/Network/Segments retransmitted/sec.					
0	0.009	0.2	0	0	0.042
LG 35.231.114.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.17	9.63	6.53	6.3	1.83
LG 35.231.114.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.303	0.735	0.303	0.297	0.107

## LG 35.231.114.240:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.114.240:443/CPU Load					
1	3.21	10	3	2.98	1.65
LG 35.231.114.240:443/Memory Used					
1	5.87	12	6	5.77	2.91
LG 35.231.114.240:443/Throughput					
0	5.83	8.29	6.11	5.95	1.75
LG 35.231.114.240:443/User Load					
0	35	38	38	36.4	8.64
LG 35.231.114.240:443/Thread Count					
21	99.7	105	105	101.9	13.3
LG 35.231.114.240:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.114.240:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 35.231.114.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.114.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.114.240:443/Controller Connection/Ping Duration (ms)					
26	31.9	62	27	30.5	12.8
LG 35.231.114.240:443/Network/Segments sent/sec.					
0	254.7	344.2	270.1	260.6	69.7
LG 35.231.114.240:443/Network/Segments retransmitted/sec.					
0	0.009	0.214	0	0	0.042
LG 35.231.114.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.02	8.54	6.3	6.14	1.8
LG 35.231.114.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.297	0.55	0.298	0.295	0.099

## LG 35.231.115.204:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.115.204:443/CPU Load					
1	2.84	9	3	2.7	1.36
LG 35.231.115.204:443/Memory Used					
1	6.91	13	7	6.8	3.05
LG 35.231.115.204:443/Throughput					
0	6.02	9.02	6.63	6.16	1.89
LG 35.231.115.204:443/User Load					
0	34.9	38	38	36.3	8.75
LG 35.231.115.204:443/Thread Count					
20	98.5	103	103	100.7	13.1
LG 35.231.115.204:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.115.204:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.231.115.204:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.115.204:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.115.204:443/Controller Connection/Ping Duration (ms)					
21	59	67	66	60.2	16.3



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.115.204:443/Network/Segments sent/sec.					
0	262.3	359.7	283.4	268.5	74.8
LG 35.231.115.204:443/Network/Segments retransmitted/sec.					
0	0.016	1	0	0	0.11
LG 35.231.115.204:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.22	9.3	6.84	6.37	1.94
LG 35.231.115.204:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.299	0.717	0.311	0.294	0.101

## LG 35.231.137.22:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.137.22:443/CPU Load					
1	2.83	11	2	2.6	1.65
LG 35.231.137.22:443/Memory Used					
1	7	15	6	6.85	3.45
LG 35.231.137.22:443/Throughput					
0	5.52	8.18	5.76	5.61	1.72
LG 35.231.137.22:443/User Load					
0	35	38	38	36.4	8.64
LG 35.231.137.22:443/Thread Count					
20	104.8	111	110	107.1	14.8
LG 35.231.137.22:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.137.22:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.231.137.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.137.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.137.22:443/Controller Connection/Ping Duration (ms)					
26	32.7	65	27	31.2	13.8
LG 35.231.137.22:443/Network/Segments sent/sec.					
0	244.8	371	253.6	248.5	70.4
LG 35.231.137.22:443/Network/Segments retransmitted/sec.					
0	0.011	0.224	0	0	0.047
LG 35.231.137.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.7	8.46	5.95	5.8	1.77
LG 35.231.137.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.279	0.545	0.281	0.276	0.089

## LG 35.231.16.102:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.16.102:443/CPU Load					
1	3.13	11	3	2.92	1.59
LG 35.231.16.102:443/Memory Used					
2	6.03	12	6	5.9	2.69
LG 35.231.16.102:443/Throughput					
0	5.68	8.71	5.96	5.77	1.84
LG 35.231.16.102:443/User Load					
0	34.9	38	38	36.3	8.69
LG 35.231.16.102:443/Thread Count					
21	101.2	107	106	103.4	13.7

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.231.16.102:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 35.231.16.102:443/Http client/Task Pool used</b>					
0	0	0	0	0	0
<b>LG 35.231.16.102:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.231.16.102:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.231.16.102:443/Controller Connection/Ping Duration (ms)</b>					
25	59.2	66	66	60.3	14.7
<b>LG 35.231.16.102:443/Network/Segments sent/sec.</b>					
0	248.1	381.3	257.9	252	73.2
<b>LG 35.231.16.102:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.215	0	0	0.023
<b>LG 35.231.16.102:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	5.87	9.01	6.14	5.96	1.89
<b>LG 35.231.16.102:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.291	0.568	0.293	0.289	0.099

## LG 35.231.193.75:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.231.193.75:443/CPU Load</b>					
1	3.11	9	3	2.9	1.56
<b>LG 35.231.193.75:443/Memory Used</b>					
1	5.62	11	5	5.51	2.71
<b>LG 35.231.193.75:443/Throughput</b>					
0	5.69	8.28	6.06	5.82	1.7
<b>LG 35.231.193.75:443/User Load</b>					
0	34.9	38	38	36.3	8.75
<b>LG 35.231.193.75:443/Thread Count</b>					
21	101	106	106	103.2	13.8
<b>LG 35.231.193.75:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 35.231.193.75:443/Http client/Task Pool used</b>					
0	0	0	0	0	0
<b>LG 35.231.193.75:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.231.193.75:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.231.193.75:443/Controller Connection/Ping Duration (ms)</b>					
25	31	62	25	29.5	13.3
<b>LG 35.231.193.75:443/Network/Segments sent/sec.</b>					
0	248.9	340.9	267.2	254.9	67.6
<b>LG 35.231.193.75:443/Network/Segments retransmitted/sec.</b>					
0	0.011	0.2	0	0	0.046
<b>LG 35.231.193.75:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	5.88	8.55	6.25	6.01	1.74
<b>LG 35.231.193.75:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.287	0.549	0.297	0.285	0.088

## LG 35.231.208.52:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.208.52:443/CPU Load					
1	2.78	13	2	2.54	1.69
LG 35.231.208.52:443/Memory Used					
1	5.57	12	5	5.43	2.74
LG 35.231.208.52:443/Throughput					
0	5.88	8.9	6.21	5.98	1.89
LG 35.231.208.52:443/User Load					
0	35	38	38	36.4	8.59
LG 35.231.208.52:443/Thread Count					
20	99.6	105	104	101.7	13.1
LG 35.231.208.52:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.208.52:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.208.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.208.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.208.52:443/Controller Connection/Ping Duration (ms)					
26	31.8	63	26	30.3	13.3
LG 35.231.208.52:443/Network/Segments sent/sec.					
0	256.1	361.4	265.3	261.2	74.1
LG 35.231.208.52:443/Network/Segments retransmitted/sec.					
0	0.007	0.2	0	0	0.036
LG 35.231.208.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.1	9.18	6.44	6.2	1.94
LG 35.231.208.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.289	0.56	0.299	0.288	0.089

## LG 35.231.209.254:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.209.254:443/CPU Load					
1	3.18	11	3	2.91	1.71
LG 35.231.209.254:443/Memory Used					
1	5.69	11	5	5.62	2.77
LG 35.231.209.254:443/Throughput					
0	6.03	8.77	6.34	6.15	1.86
LG 35.231.209.254:443/User Load					
0	35	38	38	36.4	8.54
LG 35.231.209.254:443/Thread Count					
21	98.5	104	102	100.5	12.7
LG 35.231.209.254:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.209.254:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.209.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.209.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.209.254:443/Controller Connection/Ping Duration (ms)					
20	58.8	66	66	60	16.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.209.254:443/Network/Segments sent/sec.					
0	261.6	358.6	273.5	267.4	72.3
LG 35.231.209.254:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.03
LG 35.231.209.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.24	9.04	6.55	6.36	1.91
LG 35.231.209.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.306	0.559	0.305	0.306	0.096

## LG 35.237.137.245:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.137.245:443/CPU Load					
1	3.13	10	3	2.86	1.79
LG 35.237.137.245:443/Memory Used					
1	6.08	12	6	5.99	2.95
LG 35.237.137.245:443/Throughput					
0	5.72	7.38	6.17	5.89	1.62
LG 35.237.137.245:443/User Load					
0	35	38	38	36.4	8.59
LG 35.237.137.245:443/Thread Count					
20	100.7	106	106	102.9	13.6
LG 35.237.137.245:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.137.245:443/Http client/Task Pool used					
0	0.001	0.017	0	0	0.003
LG 35.237.137.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.137.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.137.245:443/Controller Connection/Ping Duration (ms)					
15	30.9	66	26	29.6	15.6
LG 35.237.137.245:443/Network/Segments sent/sec.					
0	249.6	341.7	266.4	255.9	64.9
LG 35.237.137.245:443/Network/Segments retransmitted/sec.					
0	0.012	0.245	0	0	0.048
LG 35.237.137.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.91	7.63	6.34	6.08	1.66
LG 35.237.137.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.536	0.295	0.295	0.096

## LG 35.237.14.44:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.14.44:443/CPU Load					
1	2.83	9	3	2.67	1.38
LG 35.237.14.44:443/Memory Used					
1	6.58	13	6	6.47	3.03
LG 35.237.14.44:443/Throughput					
0	5.61	8.27	5.95	5.72	1.7
LG 35.237.14.44:443/User Load					
0	35	38	38	36.4	8.54
LG 35.237.14.44:443/Thread Count					
21	102.1	108	106	104.3	13.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.14.44:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.14.44:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.14.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.14.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.14.44:443/Controller Connection/Ping Duration (ms)					
15	58.2	67	66	59.5	18.4
LG 35.237.14.44:443/Network/Segments sent/sec.					
0	245.9	353	259.9	251	68.4
LG 35.237.14.44:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.042
LG 35.237.14.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.81	8.55	6.16	5.93	1.75
LG 35.237.14.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.524	0.291	0.285	0.088

## LG 35.237.150.0:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.150.0:443/CPU Load					
1	3.13	9	3	2.96	1.52
LG 35.237.150.0:443/Memory Used					
1	6.03	12	6	5.94	2.76
LG 35.237.150.0:443/Throughput					
0	5.91	8.89	6.2	6.03	1.82
LG 35.237.150.0:443/User Load					
0	34.9	38	38	36.3	8.75
LG 35.237.150.0:443/Thread Count					
21	99	104	104	101.2	13.1
LG 35.237.150.0:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.150.0:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.150.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.150.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.150.0:443/Controller Connection/Ping Duration (ms)					
25	32.1	65	26	30.5	14.2
LG 35.237.150.0:443/Network/Segments sent/sec.					
0	257.5	363.7	268.9	263	73.4
LG 35.237.150.0:443/Network/Segments retransmitted/sec.					
0	0.009	0.2	0	0	0.042
LG 35.237.150.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.1	9.17	6.4	6.22	1.87
LG 35.237.150.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.546	0.3	0.296	0.091

## LG 35.237.155.233:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.155.233:443/CPU Load					
1	3.25	11	3	3	1.76
LG 35.237.155.233:443/Memory Used					
1	6.84	15	7	6.66	3.58
LG 35.237.155.233:443/Throughput					
0	5.82	8.53	6.05	5.95	1.72
LG 35.237.155.233:443/User Load					
0	35	38	38	36.4	8.58
LG 35.237.155.233:443/Thread Count					
21	100.1	105	105	102.2	13.4
LG 35.237.155.233:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.155.233:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.155.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.155.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.155.233:443/Controller Connection/Ping Duration (ms)					
27	32.5	63	27	31.1	13.1
LG 35.237.155.233:443/Network/Segments sent/sec.					
0	249.3	364.5	258.9	254.8	66.2
LG 35.237.155.233:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.237.155.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6	8.79	6.23	6.14	1.76
LG 35.237.155.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.538	0.296	0.295	0.09

## LG 35.237.170.85:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.170.85:443/CPU Load					
1	3.12	11	3	2.89	1.69
LG 35.237.170.85:443/Memory Used					
1	6.62	14	6	6.47	3.24
LG 35.237.170.85:443/Throughput					
0	5.9	8.42	6.38	6.05	1.74
LG 35.237.170.85:443/User Load					
0	35	38	38	36.4	8.63
LG 35.237.170.85:443/Thread Count					
21	100	105	105	102.2	13.4
LG 35.237.170.85:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.170.85:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.170.85:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.170.85:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.170.85:443/Controller Connection/Ping Duration (ms)					
27	32.2	61	27	30.8	12.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.170.85:443/Network/Segments sent/sec.					
0	256.4	352	274.1	262.6	69.7
LG 35.237.170.85:443/Network/Segments retransmitted/sec.					
0	0.021	0.6	0	0.003	0.089
LG 35.237.170.85:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.09	8.69	6.58	6.24	1.78
LG 35.237.170.85:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.303	0.563	0.307	0.302	0.097

## LG 35.237.171.184:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.171.184:443/CPU Load					
1	3.2	10	3	2.98	1.71
LG 35.237.171.184:443/Memory Used					
2	6	12	6	5.88	2.71
LG 35.237.171.184:443/Throughput					
0	5.97	9.51	6.5	6.07	1.93
LG 35.237.171.184:443/User Load					
0	35	38	38	36.3	8.68
LG 35.237.171.184:443/Thread Count					
21	98.1	103	103	100.2	12.8
LG 35.237.171.184:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.171.184:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.171.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.171.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.171.184:443/Controller Connection/Ping Duration (ms)					
21	31.9	66	27	30.5	14.8
LG 35.237.171.184:443/Network/Segments sent/sec.					
0	259.7	368.7	273.3	265.1	75.7
LG 35.237.171.184:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 35.237.171.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.17	9.72	6.7	6.27	1.98
LG 35.237.171.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.298	0.544	0.306	0.297	0.093

## LG 35.237.173.246:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.173.246:443/CPU Load					
1	3.04	15	2	2.74	1.99
LG 35.237.173.246:443/Memory Used					
1	7.16	13	7	7.07	3.23
LG 35.237.173.246:443/Throughput					
0	5.72	8.4	6.14	5.87	1.59
LG 35.237.173.246:443/User Load					
0	35	38	38	36.4	8.58
LG 35.237.173.246:443/Thread Count					
21	100.8	107	105	102.9	13.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.173.246:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.173.246:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.173.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.173.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.173.246:443/Controller Connection/Ping Duration (ms)					
66	66.3	68	66	66.2	0.726
LG 35.237.173.246:443/Network/Segments sent/sec.					
0	247.9	334.1	262.9	254.4	63.4
LG 35.237.173.246:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.042
LG 35.237.173.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.91	8.65	6.35	6.06	1.63
LG 35.237.173.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.284	0.531	0.295	0.284	0.082

## LG 35.237.215.77:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.215.77:443/CPU Load					
1	2.98	12	3	2.79	1.54
LG 35.237.215.77:443/Memory Used					
1	5.47	12	5	5.34	2.72
LG 35.237.215.77:443/Throughput					
0	5.88	8.09	6.31	6.04	1.64
LG 35.237.215.77:443/User Load					
0	35	38	38	36.4	8.51
LG 35.237.215.77:443/Thread Count					
21	99.3	105	103	101.3	12.9
LG 35.237.215.77:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.215.77:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.215.77:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.215.77:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.215.77:443/Controller Connection/Ping Duration (ms)					
16	58.2	66	66	59.5	18.1
LG 35.237.215.77:443/Network/Segments sent/sec.					
0	255.2	344.5	272	262.1	65.6
LG 35.237.215.77:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.237.215.77:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.07	8.38	6.52	6.23	1.68
LG 35.237.215.77:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.532	0.298	0.29	0.076



## LG 35.237.254.254:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.254.254:443/CPU Load					
1	3.21	10	3	3.01	1.52
LG 35.237.254.254:443/Memory Used					
1	7.33	14	7	7.22	3.44
LG 35.237.254.254:443/Throughput					
0	5.82	8.72	6.13	5.92	1.79
LG 35.237.254.254:443/User Load					
0	35	38	38	36.4	8.58
LG 35.237.254.254:443/Thread Count					
21	100.1	105	105	102.2	13.3
LG 35.237.254.254:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.254.254:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.254.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.254.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.254.254:443/Controller Connection/Ping Duration (ms)					
27	32.6	63	27	31.1	13.1
LG 35.237.254.254:443/Network/Segments sent/sec.					
0	248.1	359.6	258.7	252.6	69.5
LG 35.237.254.254:443/Network/Segments retransmitted/sec.					
0	0.003	0.292	0	0	0.031
LG 35.237.254.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6	8.96	6.28	6.1	1.83
LG 35.237.254.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.282	0.539	0.294	0.284	0.08

## LG 35.237.33.107:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.33.107:443/CPU Load					
1	3	8	3	2.85	1.31
LG 35.237.33.107:443/Memory Used					
1	5.76	11	5	5.63	2.72
LG 35.237.33.107:443/Throughput					
0	5.65	7.83	5.93	5.78	1.7
LG 35.237.33.107:443/User Load					
0	34	37	37	35.4	8.47
LG 35.237.33.107:443/Thread Count					
20	98.9	104	104	101.1	13.8
LG 35.237.33.107:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.33.107:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.33.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.33.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.33.107:443/Controller Connection/Ping Duration (ms)					
25	31.9	65	26	30.4	14.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.33.107:443/Network/Segments sent/sec.					
0	242.7	335.2	257.4	248.3	66.7
LG 35.237.33.107:443/Network/Segments retransmitted/sec.					
0	0.007	0.2	0	0	0.036
LG 35.237.33.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.82	8.07	6.13	5.96	1.74
LG 35.237.33.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.286	0.538	0.286	0.284	0.092

## LG 35.237.96.96:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.96.96:443/CPU Load					
1	3.2	9	3	3.04	1.58
LG 35.237.96.96:443/Memory Used					
2	6.54	13	6	6.38	3.13
LG 35.237.96.96:443/Throughput					
0	5.7	8.49	5.89	5.81	1.85
LG 35.237.96.96:443/User Load					
0	34.9	38	38	36.3	8.82
LG 35.237.96.96:443/Thread Count					
21	101.6	107	107	104	14.5
LG 35.237.96.96:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.96.96:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.96.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.96.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.96.96:443/Controller Connection/Ping Duration (ms)					
26	31.5	62	26	30.1	13.1
LG 35.237.96.96:443/Network/Segments sent/sec.					
0	247.3	371.7	255	251.7	74.1
LG 35.237.96.96:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 35.237.96.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.88	8.75	6.07	5.99	1.9
LG 35.237.96.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.293	0.692	0.289	0.286	0.108

## LG 35.243.136.12:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.136.12:443/CPU Load					
1	3.12	9	3	2.95	1.44
LG 35.243.136.12:443/Memory Used					
1	6.63	13	6	6.53	2.95
LG 35.243.136.12:443/Throughput					
0	5.9	9.53	6.19	6.02	1.83
LG 35.243.136.12:443/User Load					
0	34.9	38	38	36.3	8.77
LG 35.243.136.12:443/Thread Count					
20	98.3	103	103	100.4	13

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.136.12:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.136.12:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.243.136.12:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.136.12:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.136.12:443/Controller Connection/Ping Duration (ms)					
65	65.5	66	65	65.5	0.502
LG 35.243.136.12:443/Network/Segments sent/sec.					
0	255	354.4	265.5	260.8	70.9
LG 35.243.136.12:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.042
LG 35.243.136.12:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.11	9.83	6.42	6.23	1.88
LG 35.243.136.12:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.296	0.559	0.306	0.296	0.091

## LG 35.243.141.220:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.141.220:443/CPU Load					
1	2.93	10	3	2.75	1.49
LG 35.243.141.220:443/Memory Used					
1	6.17	13	6	6.04	3.03
LG 35.243.141.220:443/Throughput					
0	6	8.35	6.24	6.14	1.76
LG 35.243.141.220:443/User Load					
0	35	38	38	36.4	8.64
LG 35.243.141.220:443/Thread Count					
21	97.8	102	102	99.9	12.6
LG 35.243.141.220:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.141.220:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.243.141.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.141.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.141.220:443/Controller Connection/Ping Duration (ms)					
22	65.5	81	71	66.5	19.4
LG 35.243.141.220:443/Network/Segments sent/sec.					
0	258.1	361.2	269.5	264.1	69.1
LG 35.243.141.220:443/Network/Segments retransmitted/sec.					
0	0.025	1.2	0	0	0.153
LG 35.243.141.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0	6.19	8.62	6.44	6.34	1.81
LG 35.243.141.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.297	0.546	0.303	0.297	0.089

## LG 35.243.163.158:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.163.158:443/CPU Load					
1	3.39	11	3	3.17	1.75
LG 35.243.163.158:443/Memory Used					
1	5.94	12	6	5.81	2.81
LG 35.243.163.158:443/Throughput					
0	5.71	8.35	5.97	5.83	1.7
LG 35.243.163.158:443/User Load					
0	35	38	38	36.4	8.59
LG 35.243.163.158:443/Thread Count					
21	101.2	107	105	103.4	13.7
LG 35.243.163.158:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.163.158:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.243.163.158:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.163.158:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.163.158:443/Controller Connection/Ping Duration (ms)					
27	32.5	63	27	31	13
LG 35.243.163.158:443/Network/Segments sent/sec.					
0	248.9	346.7	261.3	254.4	68
LG 35.243.163.158:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 35.243.163.158:443/Network/eth0 (eth0)/Megabits received/sec.					
0	5.89	8.6	6.13	6.01	1.74
LG 35.243.163.158:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.282	0.548	0.291	0.282	0.083


## LG 35.243.163.228:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.163.228:443/CPU Load					
1	3.28	10	3	3.04	1.73
LG 35.243.163.228:443/Memory Used					
1	6.61	13	6	6.49	3.04
LG 35.243.163.228:443/Throughput					
0	5.92	8.69	6.21	6.06	1.75
LG 35.243.163.228:443/User Load					
0	35	38	38	36.4	8.63
LG 35.243.163.228:443/Thread Count					
21	98.9	104	104	101	13
LG 35.243.163.228:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.163.228:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.243.163.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.163.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.163.228:443/Controller Connection/Ping Duration (ms)					
26	31.5	61	26	30.1	12.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.243.163.228:443/Network/Segments sent/sec.</b>					
0	253.1	349.3	264.8	258.7	69
<b>LG 35.243.163.228:443/Network/Segments retransmitted/sec.</b>					
0	0.009	0.2	0	0	0.042
<b>LG 35.243.163.228:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	6.1	8.95	6.39	6.24	1.79
<b>LG 35.243.163.228:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.293	0.557	0.294	0.291	0.09


## Average page response time



Min	Average	Max
0.159	0.902	1.036

**Notes:** Displays the average response time, in seconds, of all pages during the test.


## Average request response time



Min	Average	Max
0.159	0.651	1.039

**Notes:** Displays the average response time, in seconds, of all requests during the test.

## Average response time (Transactions)




Min	Average	Max	Median	Avg-90%	Std. Dev.
0.159	1.124	6.401	1.161	1.138	0.182

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.




## Requests per second



Min	Average	Max
24	1,011.6	1,174

**Notes:** Displays the number of requests per second.


## Errors



Min	Average	Max
0	6.3	24

**Notes:** Displays the number of errors per sampling interval.


## Throughput



Min	Average	Max
0	458.06	555.38

**Notes:** Displays the number of megabits of data per second returned by the server.


## Response time against load



Min	Average	Max
0.159	0.566	0.928

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.