

MVA3.0 LT 02262020 TDC LT1



Date	Feb 26, 2020 10:01:11 PM
Project	MF_02112020_MVM3dot0_BAU
Scenario	MVM_LT
Comment	MVA 3.0- Main LT
Notes	MVA3.0 LT 02262020 TDC LT1

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	5
Hot spots.....	7
Errors.....	7
Alerts.....	7
General statistics.....	7
Transaction statistics.....	7
Execution context.....	11
Scenario	8
Servers.....	15
Cloud.....	16
Populations.....	17
User Paths.....	18
Transactions.....	19
Pages.....	28
Media Contents.....	43
Push messages.....	27
Monitors.....	44
Main graphs.....	100
Average page response time.....	100
Average request response time.....	101
Average response time (Transactions).....	102
Requests per second.....	103
Errors.....	104
Throughput.....	105
Response time against load.....	106
Distribution of Transaction Durations.....	107

Summary

Results summary

Name	22:00 - 26 Feb 2020_MVM3.0_LT2	Project	MF_02112020_MVM3dot0_BAU
Description	MVA 3.0- Main LT	Scenario	MVM_LT
Status	✓ Passed	Load Policy	• The population MF_MVM3.0_ScenarioBAU is customized
Start date	Feb 26, 2020 10:01:11 PM	Stop Policy	• Population MF_MVM3.0_ScenarioBAU: immediate.
End date	Feb 26, 2020 10:45:56 PM		
Duration	00:44:45	Filters	None
Termination reason	Licence issue		
LG Hosts	35.196.250.44:443	Debug	Disabled
	,		
	35.229.103.56:443		
	,		
	35.231.94.79:443		
	,		
	34.73.78.32:443		
	,		
	35.196.97.32:443		
	,		
	34.73.182.7:443		
	,		
	35.237.179.185:443		
	,		
	35.185.6.83:443		
	,		
	35.237.180.229:443		
	,		
	35.229.117.7:443		
	,		
	34.73.207.61:443		
	,		
	34.73.86.253:443		
	,		
	35.196.50.93:443		
	,		
	34.74.77.56:443		
	,		
	35.231.1.140:443		
	,		
	35.243.128.37:443		
	,		
	35.196.20.17:443		
	,		
	35.243.214.32:443		
	,		
	35.237.168.185:443		
	,		
	35.243.227.200:443		
	,		
	35.227.70.4:443		
	,		
	35.185.98.57:443		
	,		
	34.74.15.178:443		
	,		
	35.196.89.193:443		
	,		
	104.196.29.160:443		
	,		
	34.73.84.246:443		
	,		
	35.227.81.144:443		
	,		
	34.73.159.169:443		
	,		
	104.196.51.121:443		
	,		
	34.73.137.143:443		
	,		
	35.237.147.42:443		
	,		

34.74.54.194:443		
,		
34.74.189.25:443		
,		
104.196.140.200:443		
,		
35.243.134.192:443		
,		
35.196.221.22:443		
,		
35.227.99.113:443		
,		
34.74.126.242:443		
,		
34.73.144.9:443		
,		
35.231.128.49:443		
,		
35.237.35.132:443		
,		
35.231.247.66:443		
,		
35.237.109.35:443		
,		
35.243.203.126:443		
,		
35.231.253.228:443		
,		
34.68.84.209:443		
,		
35.226.209.89:443		
,		
104.197.27.7:443		
,		
35.222.55.18:443		
,		
34.66.194.158:443		
,		
35.222.247.112:443		
,		
173.255.116.62:443		
,		
104.154.131.95:443		
,		
104.197.132.255:443		
,		
35.202.66.219:443		
,		
35.225.136.198:443		
,		
104.197.162.116:443		
,		
104.155.154.28:443		
,		
35.224.12.69:443		
,		
34.66.127.14:443		
,		
34.68.235.75:443		
,		
34.67.55.171:443		
,		
34.68.181.234:443		
,		
35.225.74.235:443		
,		
34.68.86.233:443		
,		
104.197.13.210:443		
,		
104.197.60.7:443		
,		
34.70.190.224:443		
,		
35.239.241.100:443		
,		
34.69.63.166:443		
,		

130.211.209.89:443		
,		
35.223.128.103:443		
,		
130.211.207.198:443		
,		
35.223.141.77:443		
,		
35.192.22.199:443		
,		
34.70.100.35:443		
,		
35.226.90.89:443		
,		
35.223.210.184:443		
,		
35.225.91.29:443		
,		
34.67.150.159:443		
,		
34.67.86.243:443		
,		
35.239.236.175:443		
,		
35.238.99.130:443		
,		
35.232.144.180:443		
,		
35.223.156.169:443		
,		
35.232.141.95:443		
,		
35.222.89.231:443		
,		
104.154.191.155:443		
,		
104.154.110.137:443		
,		
34.66.5.14:443		

Statistics Summary


Total pages	1118322	—	Average pages/s	416.4	—
Total requests	1310262	—	Average requests/s	487.8	—
Total users launched	4000	—	Average Request response time	1.12 s	—
Total iterations completed	94551	—	Average Page response time	1.31 s	—
Total throughput	45,726 MB	—	Average throughput	136.19 Mb/s	—
Total request errors	1677	—	Error rate	0.1 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA

☀ = Passed

☁ = Warning

⚡ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
MF_MVM_SelfServices_02 MF_MVM_07_ManagePlan	/mobileFirstSS/planLanding		825
MF_MVM_SelfServices_02 MF_MVM_06_PlanDevices	/mobileFirstSS/plansAndDeviceLanding		262
MF_DP_BuyOut_0126 MF_Buyout_06_Smartphon	/mobileFirstSS/gridwall		114
MF_TradeIn_0126 MF_TradeIn_06_Smartphor	/mobileFirstSS/gridwall		112
MF_XUP_0126 MF_XUP_06_Smartphones	/mobileFirstSS/gridwall		108

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
MF_DP_BuyOut_0126 MF_Buyout_09_SelectLine	/mobileFirstSS/productColorDetails		11.5
MF_DP_BuyOut_0126 MF_Buyout_06_Smartphon	/mobileFirstSS/gridwall		6.52
MF_MVM_SelfServices_02 MF_MVM_08_LineDetails	/mobileFirstSS/lineDetails		6.47
MF_TradeIn_0126 MF_TradeIn_06_Smartphor	/mobileFirstSS/gridwall		6.34
MF_XUP_0126 MF_XUP_06_Smartphones	/mobileFirstSS/gridwall		6.23

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
MF_MVM_SelfServices_02 MF_MVM_07_ManagePlan	/mobileFirstSS/planLanding		24.9
MF_MVM_SelfServices_02 MF_MVM_08_LineDetails	/mobileFirstSS/lineDetails		23.7
MF_MVM_SelfServices_02 MF_MVM_06_PlanDevices	/mobileFirstSS/plansAndDeviceLanding		22.2
MF_MVM_SelfServices_02 MF_MVM_04_EnterPasswc	/mobileFirstSS/authenticatePassword		22.2
MF_MVM_SelfServices_02 MF_MVM_05_Settings	/mobileFirstSS/settingsLanding		17.7

Errors

Request errors

Error Type	Count	Description
Assertions	1,677	Validation of the response failed.
Total	1,677	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
7.55	368	884.8	4,000	1,083	27.1	-
All pages						
0.042	1.31	24.9	1,118,322	1,674	0.1	-
All requests						
0.034	1.12	24.9	1,310,262	1,677	0.1	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.042	1.58	29	919,156	1,623	0.2	0.53	7.18	8.53	2.27	1.29	-

Scenario

Summary

Name	22:00 - 26 Feb 2020_MVM3.0_LT2	Project	MF_02112020_MVM3dot0_BAU
Description	MVA 3.0- Main LT	Scenario	MVM_LT
Status	✓ Passed	Load Policy	• The population MF_MVM3.0_ScenarioBAU is customized
Start date	Feb 26, 2020 10:01:11 PM	Stop Policy	• Population MF_MVM3.0_ScenarioBAU: immediate.
End date	Feb 26, 2020 10:45:56 PM		
Duration	00:44:45		
Termination reason	Licence issue	Filters	None
LG Hosts	35.196.250.44:443	Debug	Disabled
	,		
	35.229.103.56:443		
	,		
	35.231.94.79:443		
	,		
	34.73.78.32:443		
	,		
	35.196.97.32:443		
	,		
	34.73.182.7:443		
	,		
	35.237.179.185:443		
	,		
	35.185.6.83:443		
	,		
	35.237.180.229:443		
	,		
	35.229.117.7:443		
	,		
	34.73.207.61:443		
	,		
	34.73.86.253:443		
	,		
	35.196.50.93:443		
	,		
	34.74.77.56:443		
	,		
	35.231.1.140:443		
	,		
	35.243.128.37:443		
	,		
	35.196.20.17:443		
	,		
	35.243.214.32:443		
	,		
	35.237.168.185:443		
	,		
	35.243.227.200:443		
	,		
	35.227.70.4:443		
	,		
	35.185.98.57:443		
	,		
	34.74.15.178:443		
	,		
	35.196.89.193:443		
	,		
	104.196.29.160:443		
	,		
	34.73.84.246:443		
	,		
	35.227.81.144:443		
	,		
	34.73.159.169:443		
	,		
	104.196.51.121:443		
	,		
	34.73.137.143:443		
	,		

35.237.147.42:443
,
34.74.54.194:443
,
34.74.189.25:443
,
104.196.140.200:443
,
35.243.134.192:443
,
35.196.221.22:443
,
35.227.99.113:443
,
34.74.126.242:443
,
34.73.144.9:443
,
35.231.128.49:443
,
35.237.35.132:443
,
35.231.247.66:443
,
35.237.109.35:443
,
35.243.203.126:443
,
35.231.253.228:443
,
34.68.84.209:443
,
35.226.209.89:443
,
104.197.27.7:443
,
35.222.55.18:443
,
34.66.194.158:443
,
35.222.247.112:443
,
173.255.116.62:443
,
104.154.131.95:443
,
104.197.132.255:443
,
35.202.66.219:443
,
35.225.136.198:443
,
104.197.162.116:443
,
104.155.154.28:443
,
35.224.12.69:443
,
34.66.127.14:443
,
34.68.235.75:443
,
34.67.55.171:443
,
34.68.181.234:443
,
35.225.74.235:443
,
34.68.86.233:443
,
104.197.13.210:443
,
104.197.60.7:443
,
34.70.190.224:443
,
35.239.241.100:443
,

34.69.63.166:443		
, 130.211.209.89:443		
, 35.223.128.103:443		
, 130.211.207.198:443		
, 35.223.141.77:443		
, 35.192.22.199:443		
, 34.70.100.35:443		
, 35.226.90.89:443		
, 35.223.210.184:443		
, 35.225.91.29:443		
, 34.67.150.159:443		
, 34.67.86.243:443		
, 35.239.236.175:443		
, 35.238.99.130:443		
, 35.232.144.180:443		
, 35.223.156.169:443		
, 35.232.141.95:443		
, 35.222.89.231:443		
, 104.154.191.155:443		
, 104.154.110.137:443		
, 34.66.5.14:443		

Populations

MF_MVM3.0_ScenarioBAU

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
MF_MVM_SelfServic	80.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
MF_DP_BuyOut_012	5.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
MF_TradeIn_0126	5.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
MF_XUP_0126	5.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
MF_AAL_0126	5.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
MF_MVM_SelfService Final Version		Do nothing	Do nothing	0ms	0%
MF_DP_BuyOut_0126 Final Version Jan ER		Go to the next iteration	Do nothing	0ms	0%
MF_TradeIn_0126 Final Version		Go to the next iteration	Do nothing	0ms	0%
MF_XUP_0126 Final Version		Go to the next iteration	Do nothing	0ms	0%
MF_AAL_0126 Final Version Jan ER		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	22:00 - 26 Feb 2020_MVM3.0_LT2	Project	MF_02112020_MVM3dot0_BAU
Description	MVA 3.0- Main LT	Scenario	MVM_LT
Status	✓ Passed	Load Policy	• The population MF_MVM3.0_ScenarioBAU is customized
Start date	Feb 26, 2020 10:01:11 PM	Stop Policy	• Population MF_MVM3.0_ScenarioBAU: immediate.
End date	Feb 26, 2020 10:45:56 PM		
Duration	00:44:45	Filters	None
Termination reason	Licence issue		
LG Hosts	35.196.250.44:443	Debug	Disabled
	,		
	35.229.103.56:443		
	,		
	35.231.94.79:443		
	,		
	34.73.78.32:443		
	,		
	35.196.97.32:443		
	,		
	34.73.182.7:443		
	,		
	35.237.179.185:443		
	,		
	35.185.6.83:443		
	,		
	35.237.180.229:443		
	,		
	35.229.117.7:443		
	,		
	34.73.207.61:443		
	,		
	34.73.86.253:443		
	,		
	35.196.50.93:443		
	,		
	34.74.77.56:443		
	,		
	35.231.1.140:443		
	,		
	35.243.128.37:443		
	,		
	35.196.20.17:443		
	,		
	35.243.214.32:443		
	,		
	35.237.168.185:443		
	,		
	35.243.227.200:443		
	,		
	35.227.70.4:443		
	,		
	35.185.98.57:443		
	,		
	34.74.15.178:443		
	,		
	35.196.89.193:443		
	,		
	104.196.29.160:443		
	,		
	34.73.84.246:443		
	,		
	35.227.81.144:443		
	,		
	34.73.159.169:443		
	,		
	104.196.51.121:443		
	,		
	34.73.137.143:443		
	,		
	35.237.147.42:443		
	,		
	34.74.54.194:443		

,	34.74.189.25:443		
,	104.196.140.200:443		
,	35.243.134.192:443		
,	35.196.221.22:443		
,	35.227.99.113:443		
,	34.74.126.242:443		
,	34.73.144.9:443		
,	35.231.128.49:443		
,	35.237.35.132:443		
,	35.231.247.66:443		
,	35.237.109.35:443		
,	35.243.203.126:443		
,	35.231.253.228:443		
,	34.68.84.209:443		
,	35.226.209.89:443		
,	104.197.27.7:443		
,	35.222.55.18:443		
,	34.66.194.158:443		
,	35.222.247.112:443		
,	173.255.116.62:443		
,	104.154.131.95:443		
,	104.197.132.255:443		
,	35.202.66.219:443		
,	35.225.136.198:443		
,	104.197.162.116:443		
,	104.155.154.28:443		
,	35.224.12.69:443		
,	34.66.127.14:443		
,	34.68.235.75:443		
,	34.67.55.171:443		
,	34.68.181.234:443		
,	35.225.74.235:443		
,	34.68.86.233:443		
,	104.197.13.210:443		
,	104.197.60.7:443		
,	34.70.190.224:443		
,	35.239.241.100:443		
,	34.69.63.166:443		
,	130.211.209.89:443		

,	35.223.128.103:443		
,	130.211.207.198:443		
,	35.223.141.77:443		
,	35.192.22.199:443		
,	34.70.100.35:443		
,	35.226.90.89:443		
,	35.223.210.184:443		
,	35.225.91.29:443		
,	34.67.150.159:443		
,	34.67.86.243:443		
,	35.239.236.175:443		
,	35.238.99.130:443		
,	35.232.144.180:443		
,	35.223.156.169:443		
,	35.232.141.95:443		
,	35.222.89.231:443		
,	104.154.191.155:443		
,	104.154.110.137:443		
,	34.66.5.14:443		

NeoLoad version 6.8.0;build=20190103-16
 Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings

MF_MVM_SelfServices_0211	
Error policy:	Do nothing
Assertion policy:	Do nothing
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
MF_DP_BuyOut_0126	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
MF_TradeIn_0126	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.


Pacing:	No pacing
MF_XUP_0126	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
MF_AAL_0126	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
mobile.vzw.com	443	No	No



Graphs



Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA Central - Iowa (Council Bluffs)	Google Compute Engine	45	654916 (50%)	243.8	1.32s (+0.61%)	0.1% (-3.96%)
USA East - South Carolina (Berkeley County)	Google Compute Engine	45	655346 (50%)	244.0	1.3s (-0.534%)	0.1% (+3.96%)
Global		90	1310262 (100%)	487.8	1.31s	0.1%






Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
MF_MVM3.0_ScenarioBAU	1310262 (100%)	487.8	1.31s (0%)	0.1% (0%)
Global	1310262 (100%)	487.8	1.31s	0.1%




















User Paths

















	Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_AAL_0126							
	8.8	218.9	467.1	200	71	35.5	-
 MF_DP_BuyOut_0126							
	9.46	265.9	581.9	200	77	38.5	-
 MF_MVM_SelfServices_0211							
	7.55	398.2	884.8	3,200	781	24.4	-
 MF_TradeIn_0126							
	9.37	266.6	604.1	200	73	36.5	-
 MF_XUP_0126							
	9.46	236.7	498.7	200	81	40.5	-

Shared Containers






Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											
























MF_AAL_0126



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_AAL_0126											
8.8	218.9	467.1	200	71	35.5	-	-	-	-	-	-
 Init											
0	0	0	200	0	0	-	-	-	-	-	-
 Actions											
3.2	22.2	42.5	1,855	100	5.4	-	-	-	-	-	-
 MF_AAL_01_LaunchApp											
0.253	0.358	2.51	2,041	0	0	0.332	0.501	1.01	0.143	0.337	-
 MF_AAL_02_ImCustomer											
0.046	0.098	2.73	2,036	0	0	0.066	0.219	0.762	0.158	0.072	-
 MF_AAL_03_EnterMDN											
0.07	0.161	3	2,027	0	0	0.114	0.364	1.19	0.203	0.128	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	2,027	0	0	-	-	-	-	-	-
 MF_AAL_04_EnterPassword											
0.556	1.11	14.9	2,018	1	0	0.86	2.02	5.67	1.09	0.943	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0.572	2.43	16.3	2,016	0	0	-	-	-	-	-	-
 MF_AAL_05_Devices											
0.158	0.824	9.42	1,999	0	0	0.739	1.65	3.15	0.588	0.752	-
 MF_AAL_06_AddaLine											
0.11	0.251	4.5	1,988	0	0	0.166	0.629	1.77	0.312	0.2	-
 MF_AAL_07_PurchaseNewDevice											
0.2	0.916	10.7	1,979	4	0.2	0.763	1.64	2.83	0.638	0.841	-
 MF_AAL_08_Smartphones											
4.75	6.38	14.3	1,963	72	3.7	6.17	8.2	10.56	1.12	6.24	-
 MF_AAL_09_ViewNewPhone											
0.313	0.452	3.57	1,876	0	0	0.418	0.612	1.06	0.168	0.43	-
 MF_AAL_10_CustomizeDevice											
0.277	1.42	10.71	1,865	10	0.5	1.25	2.07	5.05	0.84	1.3	-
 Then											
0.061	0.603	9.22	1,831	2	0.1	-	-	-	-	-	-
 MF_AAL_11_PickaPlan											
0.044	0.102	3	1,846	2	0.1	0.064	0.253	0.811	0.182	0.072	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_AAL_12_SelectPlan											
0.08	0.216	5.57	1,838	0	0	0.137	0.63	1.47	0.32	0.168	-
 MF_AAL_13_PlanContinue											
0.118	0.285	6.5	1,829	0	0	0.193	0.69	1.84	0.389	0.223	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_AAL_14_AssignNewNumber											
0.131	0.318	6.11	1,818	2	0.1	0.25	0.698	1.85	0.322	0.268	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	1,816	0	0	-	-	-	-	-	-
 MF_AAL_15_ChooseNewNumber											
0.445	0.812	7.21	1,800	1	0.1	0.756	1.39	2.16	0.405	0.761	-
 MF_AAL_16_ChooseDeviceProtection											
0.185	2.51	11.1	1,791	4	0.2	2.39	3.33	4.86	0.68	2.44	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	1,787	0	0	-	-	-	-	-	-
 Then											
1.03	2.9	12.1	1,766	0	0	-	-	-	-	-	-
 MF_AAL_17_AccessoriesNext											
0.042	0.088	2.17	1,777	0	0	0.059	0.206	0.693	0.135	0.064	-
 MF_AAL_18_ReviewPlanChanges											
0.965	2.81	12.1	1,766	0	0	2.79	3.89	5.53	0.839	2.75	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_AAL_19_CheckOut											
0.91	1.35	10.57	1,759	4	0.2	1.24	1.94	3.12	0.59	1.28	-
 End											
0	0	0	200	0	0	-	-	-	-	-	-

















MF_DP_BuyOut_0126


Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_DP_BuyOut_0126											
9.46	265.9	581.9	200	77	38.5	-	-	-	-	-	-
 Init											
0	0	0.001	200	0	0	-	-	-	-	-	-
 Actions											
3.23	19.5	39	2,603	134	5.1	-	-	-	-	-	-
 MF_Buyout_01_LaunchApp											
0.255	0.361	2.91	2,796	0	0	0.334	0.514	1	0.146	0.34	-
 MF_Buyout_02_ImCustomer											
0.045	0.096	2.2	2,785	0	0	0.065	0.227	0.759	0.136	0.072	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_Buyout_03_EnterMDN											
0.074	0.162	4.02	2,775	0	0	0.113	0.43	1.05	0.193	0.13	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0	2,775	0	0	-	-	-	-	-	-
 MF_Buyout_04_EnterPassword											
1.23	2.82	26.7	2,762	1	0	1.86	7.22	10.1	2.25	2.55	-
 Then											
0.559	1.75	13.9	2,770	0	0	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_Buyout_05_Shop											
0.137	0.509	6.26	2,744	0	0	0.372	1.16	2.22	0.433	0.454	-
 MF_Buyout_06_Smartphones											
1.14	6.52	13.7	2,727	114	4.2	6.27	9.06	10.26	1.12	6.39	-
 MF_Buyout_07_ViewDevice											
0.321	0.51	3.6	2,595	0	0	0.449	0.888	1.5	0.23	0.475	-
 MF_Buyout_08_CustomizeDevice											
0.391	0.684	10.48	2,575	3	0.1	0.581	1.17	2.35	0.524	0.617	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_Buyout_14_SignOut											
0.159	0.159	0.159	1	0	0	0.159	0.159	0.159	0	0	-
 Else											
0	0	0.001	2,571	0	0	-	-	-	-	-	-
 Then											
1.68	3.2	15.4	2,541	4	0.2	-	-	-	-	-	-
 MF_Buyout_09_SelectLine2Upgrade											
0.471	1.28	12.4	2,553	0	0	1.21	1.77	4.29	0.76	1.2	-
 MF_Buyout_10_UpgradeNow											
1.14	1.92	13.8	2,541	4	0.2	1.73	2.8	5.41	0.905	1.8	-
 Else											
11.5	11.5	11.5	1	0	0	-	-	-	-	-	-
 MF_Buyout_09_SelectLine2Upgrade											
11.5	11.5	11.5	1	0	0	11.5	11.5	11.5	0	0	-
 MF_Buyout_11_DeviceProtection											
0.452	1.18	10.96	2,512	4	0.2	1.06	1.94	3.59	0.696	1.09	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_Buyout_14_SignOut											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	2,508	0	0	-	-	-	-	-	-
 MF_Buyout_12_AccessoriesNext											
1.14	2.87	10.75	2,493	5	0.2	2.72	3.87	5.72	0.72	2.81	-





















Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_Buyout_13_CheckOut											
0.741	1.14	10.46	2,472	3	0.1	1.03	1.8	3.2	0.567	1.06	-
 End											
0	0	0	200	0	0	-	-	-	-	-	-

MF_MVM_SelfServices_0211

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_MVM_SelfServices_0211											
7.55	398.2	884.8	3,200	781	24.4	-	-	-	-	-	-
 Init											
0	0	0.001	3,200	0	0	-	-	-	-	-	-
 Actions											
5.87	14.7	41.1	85,150	873	1	-	-	-	-	-	-
 MF_MVM_01_LaunchApp											
0.243	0.359	4.59	88,092	0	0	0.334	0.5	0.962	0.137	0.339	-
 MF_MVM_02_ImCustomer											
0.042	0.1	4.44	87,825	0	0	0.066	0.243	0.786	0.161	0.073	-
 MF_MVM_03_EnterMDN											
0.067	0.168	5.8	87,501	12	0	0.114	0.444	1.16	0.225	0.131	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	87,501	0	0	-	-	-	-	-	-
 MF_MVM_04_EnterPassword											
1.12	3.01	29	86,943	0	0	1.91	7.26	9.96	2.31	2.77	-
 Then											
0.541	1.93	17.9	87,271	0	0	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_MVM_05_Settings											
0.249	0.602	17.7	86,583	0	0	0.488	1.19	2.49	0.548	0.53	-
 MF_MVM_06_PlanDevices											
0.14	1.02	22.2	86,252	262	0.3	0.84	2.05	4.5	0.835	0.91	-
 MF_MVM_07_ManagePlan											
0.326	2.77	24.9	85,913	822	1	2.54	4.84	10.58	1.49	2.58	-
 MF_MVM_08_LineDetails											
1.34	6.47	23.7	85,476	9	0	6.96	8.75	11.3	2.21	6.5	-
 MF_MVM_09_SignOut											
0.119	0.235	6.69	85,150	0	0	0.193	0.414	1.06	0.196	0.207	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 End											
0	0	0.001	3,200	0	0	-	-	-	-	-	-

MF_TradeIn_0126










Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_TradeIn_0126											
9.37	266.6	604.1	200	73	36.5	-	-	-	-	-	-
 Init											
0	0	0	200	0	0	-	-	-	-	-	-
 Actions											
0.922	20.5	40.4	2,476	129	5.2	-	-	-	-	-	-
 MF_TradeIn_01_LaunchApp											
0.252	0.36	3.62	2,671	0	0	0.335	0.484	1.03	0.152	0.339	-
 MF_TradeIn_02_ImCustomer											
0.046	0.097	3.21	2,660	0	0	0.066	0.214	0.749	0.149	0.072	-
 MF_TradeIn_03_EnterMDN											
0.072	0.163	2.58	2,652	0	0	0.114	0.415	1.2	0.2	0.129	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	2,652	0	0	-	-	-	-	-	-
 MF_TradeIn_04_EnterPassword											
0.464	3.16	17.6	2,636	1	0	1.93	7.33	9.81	2.36	2.95	-
 Then											
0.559	2.13	13	2,647	0	0	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_TradeIn_05_Shop											
0.135	0.505	5.22	2,624	0	0	0.382	1.15	1.91	0.384	0.458	-
 MF_TradeIn_06_Smartphones											
4.78	6.53	13	2,613	112	4.3	6.28	9.42	10.24	1.12	6.41	-
 MF_TradeIn_07_ViewDevice											
0.32	0.526	4.35	2,485	0	0	0.447	1	1.7	0.29	0.481	-
 MF_TradeIn_08_CustomizeDevice											
0.247	0.668	10.33	2,476	3	0.1	0.57	1.18	2	0.46	0.61	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_TradeIn_16_SignOut											
0.156	0.156	0.156	1	0	0	0.156	0.156	0.156	0	0	-
 Else											
0	0	0.001	2,472	0	0	-	-	-	-	-	-
 Then											
1.7	3.17	5.43	58	0	0	-	-	-	-	-	-
 MF_TradeIn_09a_SelectLine2Upgrade											
0.098	1.41	2.9	58	0	0	1.33	2.1	2.9	0.347	1.38	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
MF_TradeIn_09b_UpgradeNow											
1.37	1.76	3.55	58	0	0	1.66	2.53	3.55	0.38	1.7	-
Else											
1.04	1.6	11.3	2,396	0	0	-	-	-	-	-	-
MF_TradeIn_09_SelectLine2Upgrade											
1.04	1.6	11.3	2,396	0	0	1.5	2.2	4.11	0.623	1.53	-
MF_TradeIn_10_DeviceProtection											
0.388	0.97	10.61	2,440	3	0.1	0.975	1.69	2.6	0.566	0.916	-
Then											
-	-	-	-	0	-	-	-	-	-	-	-
MF_TradeIn_16_SignOut											
0.264	0.527	0.79	2	0	0	0.264	0.79	0.79	0.372	0.264	-
Else											
0	0	0.001	2,435	0	0	-	-	-	-	-	-
MF_TradeIn_11_AccessoriesNext											
0.248	0.399	3.91	2,412	0	0	0.341	0.727	1.46	0.219	0.365	-
Then											
0.1	4.38	13.3	2,374	4	0.2	-	-	-	-	-	-
MF_TradeIn_12_TradeInYes											
0.072	0.155	3.89	2,400	1	0	0.099	0.453	1.13	0.218	0.118	-
MF_TradeIn_13_TradeInAppraiseDevice											
1.71	3.38	11.6	2,389	2	0.1	3.48	4.74	6.13	0.902	3.32	-
Then											
-	-	-	-	0	-	-	-	-	-	-	-
Then											
-	-	-	-	0	-	-	-	-	-	-	-
MF_TradeIn_14_TradeInAccept											
-	-	-	-	0	-	-	-	-	-	-	-
Else											
-	-	-	-	0	-	-	-	-	-	-	-
MF_TradeIn_14_TradeInAccept											
-	-	-	-	0	-	-	-	-	-	-	-
Else											
0	0.855	9.04	2,371	1	0	-	-	-	-	-	-
Then											
0.183	1.31	9.04	1,548	1	0.1	-	-	-	-	-	-
MF_TradeIn_14_TradeInInstantCreditAccept											
0.183	1.31	9.04	1,548	1	0.1	1.33	2.14	3.31	0.556	1.25	-
Else											
0	0	0	823	0	0	-	-	-	-	-	-
Else											
-	-	-	-	0	-	-	-	-	-	-	-
MF_TradeIn_15_CheckOut											
1.02	1.65	10.91	2,353	6	0.3	1.5	2.53	4.78	0.731	1.55	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 End											
0	0	0	200	0	0	-	-	-	-	-	-

MF_XUP_0126

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
🔑 MF_XUP_0126											
9.46	236.7	498.7	200	81	40.5	-	-	-	-	-	-
📁 Init											
0	0	0	200	0	0	-	-	-	-	-	-
📁 Actions											
0.401	18.4	41	2,467	155	6.3	-	-	-	-	-	-
📁 MF_XUP_01_LaunchApp											
0.248	0.361	2.44	2,650	0	0	0.335	0.532	1	0.138	0.34	-
📁 MF_XUP_02_ImCustomer											
0.045	0.101	2.9	2,639	0	0	0.066	0.251	0.762	0.166	0.073	-
📁 MF_XUP_03_EnterMDN											
0.072	0.175	6.07	2,630	31	1.2	0.114	0.443	1.26	0.276	0.133	-
📁 MF_XUP_04_EnterPassword											
0.535	1.1	14.5	2,583	1	0	0.86	2.07	6.1	1.06	0.936	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 Else											
0.478	1.66	9.91	2,578	0	0	-	-	-	-	-	-
📁 MF_XUP_05_Shop											
0.138	0.447	3.06	2,562	0	0	0.345	1.03	1.32	0.284	0.418	-
📁 MF_XUP_06_Smartphones											
0.368	6.44	11.3	2,552	108	4.2	6.18	9	10.52	1.14	6.3	-
📁 MF_XUP_07_ViewPhone											
0.316	0.468	3.74	2,423	0	0	0.426	0.655	1.48	0.209	0.438	-
📁 MF_XUP_08_CustomizeDevice											
0.353	0.607	10.34	2,408	3	0.1	0.515	1.04	1.85	0.489	0.549	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_XUP_14_SignOut											
-	-	-	-	0	-	-	-	-	-	-	-
📁 Else											
0	0	0.001	2,405	0	0	-	-	-	-	-	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_XUP_09a_SelectLine2Upgrade											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_XUP_09b_UpgradeNow											
-	-	-	-	0	-	-	-	-	-	-	-
📁 Else											
0.948	1.53	11.9	2,390	1	0	-	-	-	-	-	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_XUP_09_SelectLine2Upgrade											
0.948	1.53	11.9	2,390	1	0	1.41	2.18	4.33	0.664	1.45	-
 MF_XUP_10_ChooseVzProtect											
0.416	0.965	10.79	2,364	3	0.1	0.862	1.71	2.6	0.532	0.906	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_XUP_14_SignOut											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	2,361	0	0	-	-	-	-	-	-
 MF_XUP_11_SelectAccessory											
0.236	0.419	7.55	2,348	0	0	0.325	0.93	2.17	0.368	0.359	-
 MF_XUP_12_AccNext											
1.24	2.94	10.16	2,334	4	0.2	2.87	3.95	5.08	0.673	2.88	-
 MF_XUP_13_CheckOut											
0.106	1.85	10.48	2,316	4	0.2	1.72	2.63	3.94	0.559	1.78	-
 End											
0	0	0	200	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

MF_AAL_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

MF_DP_BuyOut_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

MF_MVM_SelfServices_0211

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

MF_TradeIn_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						












MF_XUP_0126
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						





Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

MF_AAL_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_AAL_0126						
8.8	218.9	467.1	200	71	35.5	-
 Actions						
3.2	22.2	42.5	1,855	100	5.4	-
 MF_AAL_01_LaunchApp						
0.253	0.358	2.51	2,041	0	0	-
 /mobileFirstSS/launchApp						
0.253	0.358	2.51	2,049	0	0	-
 MF_AAL_02_ImCustomer						
0.046	0.098	2.73	2,036	0	0	-
 /mobileFirstSS/userSignIn						
0.046	0.098	2.73	2,041	0	0	-
 MF_AAL_03_EnterMDN						
0.07	0.161	3	2,027	0	0	-
 /mobileFirstSS/securePinCheckMDN						
0.07	0.161	3	2,036	0	0	-
 MF_AAL_04_EnterPassword						
0.556	1.11	14.9	2,018	1	0	-
 /mobileFirstSS/authenticatePassword						
0.556	1.11	14.9	2,025	1	0	-
 Else						
0.572	2.43	16.3	2,016	0	0	-
 /mobileFirstSS/adobeTagging						
0.348	2.08	15.1	2,016	0	0	-
 /mobileFirstSS/loadCart						
0.208	0.344	3.58	2,016	0	0	-
 MF_AAL_05_Devices						
0.158	0.824	9.42	1,999	0	0	-
 /mobileFirstSS/deviceLanding						
0.158	0.826	9.42	2,015	0	0	-
 MF_AAL_06_AddaLine						
0.11	0.251	4.5	1,988	0	0	-
 /mobileFirstSS/addLine						
0.11	0.252	4.5	1,999	0	0	-
 MF_AAL_07_PurchaseNewDevice						
0.2	0.916	10.7	1,979	4	0.2	-
 /mobileFirstSS/feedCheckEligibleLines						
0.2	0.916	10.7	1,986	4	0.2	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_AAL_08_Smartphones						
4.75	6.38	14.3	1,963	72	3.7	-
 /mobileFirstSS/feedShopLandingGridwall						
4.54	6.17	14.2	1,963	72	3.7	-
 /mobileFirstSS/shopLanding						
0.122	0.22	3.27	1,891	0	0	-
 MF_AAL_09_ViewNewPhone						
0.313	0.452	3.57	1,876	0	0	-
 /mobileFirstSS/shopExpressConfigPDP						
0.313	0.452	3.57	1,891	0	0	-
 MF_AAL_10_CustomizeDevice						
0.277	1.42	10.71	1,865	10	0.5	-
 /mobileFirstSS/productColorDetails						
0.277	1.42	10.71	1,873	10	0.5	-
 Then						
0.061	0.603	9.22	1,831	2	0.1	-
 MF_AAL_11_PickaPlan						
0.044	0.102	3	1,846	2	0.1	-
 /mobileFirstSS/shopSelectPlanCarousel						
0.044	0.103	3	1,855	2	0.1	-
 MF_AAL_12_SelectPlan						
0.08	0.216	5.57	1,838	0	0	-
 /mobileFirstSS/shopLineOverview						
0.08	0.216	5.57	1,844	0	0	-
 MF_AAL_13_PlanContinue						
0.118	0.285	6.5	1,829	0	0	-
 /mobileFirstSS/productColorDetails						
0.118	0.286	6.5	1,838	0	0	-
 MF_AAL_14_AssignNewNumber						
0.131	0.318	6.11	1,818	2	0.1	-
 /mobileFirstSS/choosePhoneNumber						
0.131	0.318	6.11	1,829	2	0.1	-
 MF_AAL_15_ChooseNewNumber						
0.445	0.812	7.21	1,800	1	0.1	-
 /mobileFirstSS/shopNewDeviceProtection						
0.445	0.814	7.21	1,816	1	0.1	-
 MF_AAL_16_ChooseDeviceProtection						
0.185	2.51	11.1	1,791	4	0.2	-
 /mobileFirstSS/cart						
0.185	2.51	11.1	1,795	4	0.2	-
 Then						
1.03	2.9	12.1	1,766	0	0	-
 MF_AAL_17_AccessoriesNext						
0.042	0.088	2.17	1,777	0	0	-
 /mobileFirstSS/shopPlanReviewChanges						
0.042	0.089	2.17	1,787	0	0	-


Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_AAL_18_ReviewPlanChanges						
0.965	2.81	12.1	1,766	0	0	-
 /mobileFirstSS/genericCart						
0.965	2.81	12.1	1,773	0	0	-
 MF_AAL_19_CheckOut						
0.91	1.35	10.57	1,759	4	0.2	-
 /mobileFirstSS/reviewOrder						
0.91	1.35	10.57	1,765	4	0.2	-



MF_DP_BuyOut_0126


Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_DP_BuyOut_0126						
9.46	265.9	581.9	200	77	38.5	-
 Actions						
3.23	19.5	39	2,603	134	5.1	-
 MF_Buyout_01_LaunchApp						
0.255	0.361	2.91	2,796	0	0	-
 /mobileFirstSS/launchApp						
0.255	0.361	2.91	2,800	0	0	-
 MF_Buyout_02_ImCustomer						
0.045	0.096	2.2	2,785	0	0	-
 /mobileFirstSS/userSignIn						
0.045	0.096	2.2	2,795	0	0	-
 MF_Buyout_03_EnterMDN						
0.074	0.162	4.02	2,775	0	0	-
 /mobileFirstSS/securePinCheckMDN						
0.074	0.162	4.02	2,785	0	0	-
 MF_Buyout_04_EnterPassword						
1.23	2.82	26.7	2,762	1	0	-
 /mobileFirstSS/authenticatePassword						
0.545	1.07	17.7	2,774	1	0	-
 Then						
0.559	1.75	13.9	2,770	0	0	-
 /mobileFirstSS/adobeTagging						
0.559	1.75	13.9	2,770	0	0	-
 MF_Buyout_05_Shop						
0.137	0.509	6.26	2,744	0	0	-
 /mobileFirstSS/shopHomePage						
0.137	0.509	6.26	2,761	0	0	-
 MF_Buyout_06_Smartphones						
1.14	6.52	13.7	2,727	114	4.2	-
 /mobileFirstSS/gridwall						
1.14	6.52	13.7	2,737	114	4.2	-
 MF_Buyout_07_ViewDevice						
0.321	0.51	3.6	2,595	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /mobileFirstSS/shopExpressConfigPDP						
0.321	0.509	3.6	2,611	0	0	-
 MF_Buyout_08_CustomizeDevice						
0.391	0.684	10.48	2,575	3	0.1	-
 /mobileFirstSS/checkEligibleLines						
0.391	0.683	10.48	2,593	3	0.1	-
 Then						
-	-	-	-	0	-	-
 MF_Buyout_14_SignOut						
0.159	0.159	0.159	1	0	0	-
 /mobileFirstSS/invalidateSession						
0.159	0.159	0.159	1	0	0	-
 Then						
1.68	3.2	15.4	2,541	4	0.2	-
 MF_Buyout_09_SelectLine2Upgrade						
0.471	1.28	12.4	2,553	0	0	-
 /mobileFirstSS/upgradeDetails						
0.471	1.28	12.4	2,567	0	0	-
 MF_Buyout_10_UpgradeNow						
1.14	1.92	13.8	2,541	4	0.2	-
 /mobileFirstSS/productColorDetails						
1.14	1.92	13.8	2,548	4	0.2	-
 Else						
11.5	11.5	11.5	1	0	0	-
 MF_Buyout_09_SelectLine2Upgrade						
11.5	11.5	11.5	1	0	0	-
 /mobileFirstSS/productColorDetails						
11.5	11.5	11.5	1	0	0	-
 MF_Buyout_11_DeviceProtection						
0.452	1.18	10.96	2,512	4	0.2	-
 /mobileFirstSS/cart						
0.452	1.18	10.96	2,532	4	0.2	-
 MF_Buyout_12_AccessoriesNext						
1.14	2.87	10.75	2,493	5	0.2	-
 /mobileFirstSS/genericCart						
1.14	2.87	10.75	2,498	5	0.2	-
 MF_Buyout_13_CheckOut						
0.741	1.14	10.46	2,472	3	0.1	-
 /mobileFirstSS/reviewOrder						
0.741	1.14	10.46	2,487	3	0.1	-

MF_MVM_SelfServices_0211

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_MVM_SelfServices_0211						
7.55	398.2	884.8	3,200	781	24.4	-








Min	Avg	Max	Count	Err	% of Err	SLA Profile
 Actions						
5.87	14.7	41.1	85,150	873	1	-
 MF_MVM_01_LaunchApp						
0.243	0.359	4.59	88,092	0	0	-
 /mobileFirstSS/launchApp						
0.243	0.359	4.59	88,308	0	0	-
 MF_MVM_02_ImCustomer						
0.042	0.1	4.44	87,825	0	0	-
 /mobileFirstSS/userSignIn						
0.042	0.1	4.44	88,087	0	0	-
 MF_MVM_03_EnterMDN						
0.067	0.168	5.8	87,501	12	0	-
 /mobileFirstSS/securePinCheckMDN						
0.067	0.168	5.8	87,815	12	0	-
 MF_MVM_04_EnterPassword						
1.12	3.01	29	86,943	0	0	-
 /mobileFirstSS/authenticatePassword						
0.186	1.07	22.2	87,433	47	0.1	-
 Then						
0.541	1.93	17.9	87,271	0	0	-
 /mobileFirstSS/adobeTagging						
0.323	1.59	17.6	87,299	0	0	-
 /mobileFirstSS/loadCart						
0.205	0.343	9.05	87,271	0	0	-
 MF_MVM_05_Settings						
0.249	0.602	17.7	86,583	0	0	-
 /mobileFirstSS/settingsLanding						
0.249	0.602	17.7	86,891	0	0	-
 MF_MVM_06_PlanDevices						
0.14	1.02	22.2	86,252	262	0.3	-
 /mobileFirstSS/plansAndDeviceLanding						
0.14	1.02	22.2	86,530	262	0.3	-
 MF_MVM_07_ManagePlan						
0.326	2.77	24.9	85,913	822	1	-
 /mobileFirstSS/planLanding						
0.326	2.77	24.9	86,064	825	1	-
 MF_MVM_08_LineDetails						
1.34	6.47	23.7	85,476	9	0	-
 /mobileFirstSS/lineDetails						
1.34	6.47	23.7	85,535	10	0	-
 MF_MVM_09_SignOut						
0.119	0.235	6.69	85,150	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /mobileFirstSS/signOut						
0.119	0.236	6.69	85,454	0	0	-















MF_TradeIn_0126






Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_TradeIn_0126						
9.37	266.6	604.1	200	73	36.5	-
 Actions						
0.922	20.5	40.4	2,476	129	5.2	-
 MF_TradeIn_01_LaunchApp						
0.252	0.36	3.62	2,671	0	0	-
 /mobileFirstSS/launchApp						
0.252	0.36	3.62	2,673	0	0	-
 MF_TradeIn_02_ImCustomer						
0.046	0.097	3.21	2,660	0	0	-
 /mobileFirstSS/userSignIn						
0.046	0.097	3.21	2,670	0	0	-
 MF_TradeIn_03_EnterMDN						
0.072	0.163	2.58	2,652	0	0	-
 /mobileFirstSS/securePinCheckMDN						
0.072	0.163	2.58	2,660	0	0	-
 MF_TradeIn_04_EnterPassword						
0.464	3.16	17.6	2,636	1	0	-
 /mobileFirstSS/authenticatePassword						
0.464	1.03	11.8	2,650	1	0	-
 Then						
0.559	2.13	13	2,647	0	0	-
 /mobileFirstSS/adobeTagging						
0.559	2.13	13	2,647	0	0	-
 MF_TradeIn_05_Shop						
0.135	0.505	5.22	2,624	0	0	-
 /mobileFirstSS/shopHomePage						
0.135	0.504	5.22	2,635	0	0	-
 MF_TradeIn_06_Smartphones						
4.78	6.53	13	2,613	112	4.3	-
 /mobileFirstSS/gridwall						
4.49	6.34	13	2,615	112	4.3	-
 /mobileFirstSS/shopLanding						
0.104	0.2	3.24	2,503	0	0	-
 MF_TradeIn_07_ViewDevice						
0.32	0.526	4.35	2,485	0	0	-
 /mobileFirstSS/shopExpressConfigPDP						
0.32	0.526	4.35	2,499	0	0	-
 MF_TradeIn_08_CustomizeDevice						
0.247	0.668	10.33	2,476	3	0.1	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /mobileFirstSS/checkEligibleLines						
0.247	0.668	10.33	2,485	3	0.1	-
 Then						
-	-	-	-	0	-	-
 MF_TradeIn_16_SignOut						
0.156	0.156	0.156	1	0	0	-
 /mobileFirstSS/invalidateSession						
0.156	0.156	0.156	1	0	0	-
 Then						
1.7	3.17	5.43	58	0	0	-
 MF_TradeIn_09a_SelectLine2Upgrade						
0.098	1.41	2.9	58	0	0	-
 /mobileFirstSS/upgradeDetails						
0.098	1.4	2.9	59	0	0	-
 MF_TradeIn_09b_UpgradeNow						
1.37	1.76	3.55	58	0	0	-
 /mobileFirstSS/productColorDetails						
1.37	1.76	3.55	58	0	0	-
 Else						
1.04	1.6	11.3	2,396	0	0	-
 MF_TradeIn_09_SelectLine2Upgrade						
1.04	1.6	11.3	2,396	0	0	-
 /mobileFirstSS/productColorDetails						
1.04	1.6	11.3	2,412	0	0	-
 MF_TradeIn_10_DeviceProtection						
0.388	0.97	10.61	2,440	3	0.1	-
 /mobileFirstSS/cart						
0.388	0.97	10.61	2,451	3	0.1	-
 Then						
-	-	-	-	0	-	-
 MF_TradeIn_16_SignOut						
0.264	0.527	0.79	2	0	0	-
 /mobileFirstSS/invalidateSession						
0.264	0.527	0.79	2	0	0	-
 MF_TradeIn_11_AccessoriesNext						
0.248	0.399	3.91	2,412	0	0	-
 /mobileFirstSS/tradeInPrompt						
0.248	0.399	3.91	2,433	0	0	-
 Then						
0.1	4.38	13.3	2,374	4	0.2	-
 MF_TradeIn_12_TradeInYes						
0.072	0.155	3.89	2,400	1	0	-
 /mobileFirstSS/tradeInAppraisal						
0.072	0.156	3.89	2,412	1	0	-
 MF_TradeIn_13_TradeInAppraiseDevice						
1.71	3.38	11.6	2,389	2	0.1	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /mobileFirstSS/tradeInCredit						
1.71	3.38	11.6	2,395	2	0.1	-
 Else						
0	0.855	9.04	2,371	1	0	-
 Then						
0.183	1.31	9.04	1,548	1	0.1	-
 MF_TradeIn_14_TradeInInstantCreditAccept						
0.183	1.31	9.04	1,548	1	0.1	-
 /mobileFirstSS/applyInstantCredit_1						
0.183	1.31	9.04	1,561	1	0.1	-
 MF_TradeIn_15_CheckOut						
1.02	1.65	10.91	2,353	6	0.3	-
 /mobileFirstSS/reviewOrder						
1.02	1.64	10.91	2,367	6	0.3	-

MF_XUP_0126


































Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_XUP_0126						
9.46	236.7	498.7	200	81	40.5	-
 Actions						
0.401	18.4	41	2,467	155	6.3	-
 MF_XUP_01_LaunchApp						
0.248	0.361	2.44	2,650	0	0	-
 /mobileFirstSS/launchApp						
0.248	0.361	2.44	2,664	0	0	-
 MF_XUP_02_ImCustomer						
0.045	0.101	2.9	2,639	0	0	-
 /mobileFirstSS/userSignIn						
0.045	0.101	2.9	2,650	0	0	-
 MF_XUP_03_EnterMDN						
0.072	0.175	6.07	2,630	31	1.2	-
 /mobileFirstSS/securePinCheckMDN						
0.072	0.175	6.07	2,639	31	1.2	-
 MF_XUP_04_EnterPassword						
0.535	1.1	14.5	2,583	1	0	-
 /mobileFirstSS/authenticatePassword						
0.535	1.1	14.5	2,598	1	0	-
 Else						
0.478	1.66	9.91	2,578	0	0	-
 /mobileFirstSS/adobeTagging						
0.251	1.33	9.31	2,578	0	0	-
 /mobileFirstSS/loadCart						
0.208	0.334	5.3	2,578	0	0	-
 MF_XUP_05_Shop						
0.138	0.447	3.06	2,562	0	0	-














Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /mobileFirstSS/shopHomePage						
0.138	0.448	3.06	2,578	0	0	-
 MF_XUP_06_Smartphones						
0.368	6.44	11.3	2,552	108	4.2	-
 /mobileFirstSS/shopLanding						
0.106	0.211	4.45	2,562	0	0	-
 /mobileFirstSS/gridwall						
0.233	6.23	10.9	2,552	108	4.2	-
 MF_XUP_07_ViewPhone						
0.316	0.468	3.74	2,423	0	0	-
 /mobileFirstSS/shopExpressConfigPDP						
0.316	0.468	3.74	2,444	0	0	-
 MF_XUP_08_CustomizeDevice						
0.353	0.607	10.34	2,408	3	0.1	-
 /mobileFirstSS/checkEligibleLines						
0.353	0.608	10.34	2,421	3	0.1	-
 Else						
0.948	1.53	11.9	2,390	1	0	-
 MF_XUP_09_SelectLine2Upgrade						
0.948	1.53	11.9	2,390	1	0	-
 /mobileFirstSS/productColorDetails						
0.948	1.54	11.9	2,404	1	0	-
 MF_XUP_10_ChooseVzProtect						
0.416	0.965	10.79	2,364	3	0.1	-
 /mobileFirstSS/cart						
0.416	0.965	10.79	2,387	3	0.1	-
 MF_XUP_11_SelectAccessory						
0.236	0.419	7.55	2,348	0	0	-
 /mobileFirstSS/addRemoveAccessory						
0.236	0.418	7.55	2,361	0	0	-
 MF_XUP_12_AccNext						
1.24	2.94	10.16	2,334	4	0.2	-
 /mobileFirstSS/genericCart						
1.24	2.94	10.16	2,340	4	0.2	-
 MF_XUP_13_CheckOut						
0.106	1.85	10.48	2,316	4	0.2	-
 /mobileFirstSS/reviewOrder						
0.106	1.85	10.48	2,328	4	0.2	-

Shared Containers

























SLA	Value	Severity
Empty list		














MF_AAL_0126

SLA	Value	Severity
 MF_AAL_0126		
 Actions		
 MF_AAL_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_AAL_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_AAL_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_AAL_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Else		
 /mobileFirstSS/adobeTagging		
 /mobileFirstSS/loadCart		
 MF_AAL_05_Devices		
 /mobileFirstSS/deviceLanding		
 MF_AAL_06_AddaLine		
 /mobileFirstSS/addLine		
 MF_AAL_07_PurchaseNewDevice		
 /mobileFirstSS/feedCheckEligibleLines		
 MF_AAL_08_Smartphones		
 /mobileFirstSS/feedShopLandingGridwall		
 /mobileFirstSS/shopLanding		
 MF_AAL_09_ViewNewPhone		
 /mobileFirstSS/shopExpressConfigPDP		
 MF_AAL_10_CustomizeDevice		
 /mobileFirstSS/productColorDetails		
 Then		
 MF_AAL_11_PickaPlan		
 /mobileFirstSS/shopSelectPlanCarousel		
 MF_AAL_12_SelectPlan		
 /mobileFirstSS/shopLineOverview		
 MF_AAL_13_PlanContinue		
 /mobileFirstSS/productColorDetails		























SLA	Value	Severity
 MF_AAL_14_AssignNewNumber		
 /mobileFirstSS/choosePhoneNumber		
 MF_AAL_15_ChooseNewNumber		
 /mobileFirstSS/shopNewDeviceProtection		
 MF_AAL_16_ChooseDeviceProtection		
 /mobileFirstSS/cart		
 Then		
 MF_AAL_17_AccessoriesNext		
 /mobileFirstSS/shopPlanReviewChanges		
 MF_AAL_18_ReviewPlanChanges		
 /mobileFirstSS/genericCart		
 MF_AAL_19_CheckOut		
 /mobileFirstSS/reviewOrder		


MF_DP_BuyOut_0126

SLA	Value	Severity
 MF_DP_BuyOut_0126		
 Actions		
 MF_Buyout_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_Buyout_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_Buyout_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_Buyout_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Then		
 /mobileFirstSS/adobeTagging		
 MF_Buyout_05_Shop		
 /mobileFirstSS/shopHomePage		
 MF_Buyout_06_Smartphones		
 /mobileFirstSS/gridwall		
 MF_Buyout_07_ViewDevice		
 /mobileFirstSS/shopExpressConfigPDP		
 MF_Buyout_08_CustomizeDevice		
 /mobileFirstSS/checkEligibleLines		
 Then		
 MF_Buyout_14_SignOut		
 /mobileFirstSS/invalidateSession		
 Then		

SLA	Value	Severity
 MF_Buyout_09_SelectLine2Upgrade		
 /mobileFirstSS/upgradeDetails		
 MF_Buyout_10_UpgradeNow		
 /mobileFirstSS/productColorDetails		
 Else		
 MF_Buyout_09_SelectLine2Upgrade		
 /mobileFirstSS/productColorDetails		
 MF_Buyout_11_DeviceProtection		
 /mobileFirstSS/cart		
 MF_Buyout_12_AccessoriesNext		
 /mobileFirstSS/genericCart		
 MF_Buyout_13_CheckOut		
 /mobileFirstSS/reviewOrder		















MF_MVM_SelfServices_0211

SLA	Value	Severity
 MF_MVM_SelfServices_0211		
 Actions		
 MF_MVM_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_MVM_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_MVM_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_MVM_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Then		
 /mobileFirstSS/adobeTagging		
 /mobileFirstSS/loadCart		
 MF_MVM_05_Settings		
 /mobileFirstSS/settingsLanding		
 MF_MVM_06_PlanDevices		
 /mobileFirstSS/plansAndDeviceLanding		
 MF_MVM_07_ManagePlan		
 /mobileFirstSS/planLanding		
 MF_MVM_08_LineDetails		
 /mobileFirstSS/lineDetails		
 MF_MVM_09_SignOut		
























SLA	Value	Severity
 /mobileFirstSS/signOut		











MF_TradeIn_0126

SLA	Value	Severity
 MF_TradeIn_0126		
 Actions		
 MF_TradeIn_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_TradeIn_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_TradeIn_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_TradeIn_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Then		
 /mobileFirstSS/adobeTagging		
 MF_TradeIn_05_Shop		
 /mobileFirstSS/shopHomePage		
 MF_TradeIn_06_Smartphones		
 /mobileFirstSS/gridwall		
 /mobileFirstSS/shopLanding		
 MF_TradeIn_07_ViewDevice		
 /mobileFirstSS/shopExpressConfigPDP		
 MF_TradeIn_08_CustomizeDevice		
 /mobileFirstSS/checkEligibleLines		
 Then		
 MF_TradeIn_16_SignOut		
 /mobileFirstSS/invalidateSession		
 Then		
 MF_TradeIn_09a_SelectLine2Upgrade		
 /mobileFirstSS/upgradeDetails		
 MF_TradeIn_09b_UpgradeNow		
 /mobileFirstSS/productColorDetails		
 Else		
 MF_TradeIn_09_SelectLine2Upgrade		
 /mobileFirstSS/productColorDetails		
 MF_TradeIn_10_DeviceProtection		
 /mobileFirstSS/cart		
 Then		
 MF_TradeIn_16_SignOut		

SLA	Value	Severity
 /mobileFirstSS/invalidateSession		
 MF_TradeIn_11_AccessoriesNext		
 /mobileFirstSS/tradeInPrompt		
 Then		
 MF_TradeIn_12_TradeInYes		
 /mobileFirstSS/tradeInAppraisal		
 MF_TradeIn_13_TradeInAppraiseDevice		
 /mobileFirstSS/tradeInCredit		
 Else		
 Then		
 MF_TradeIn_14_TradeInInstantCreditAccept		
 /mobileFirstSS/applyInstantCredit_1		
 MF_TradeIn_15_CheckOut		
 /mobileFirstSS/reviewOrder		

MF_XUP_0126

SLA	Value	Severity
 MF_XUP_0126		
 Actions		
 MF_XUP_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_XUP_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_XUP_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_XUP_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Else		
 /mobileFirstSS/adobeTagging		
 /mobileFirstSS/loadCart		
 MF_XUP_05_Shop		
 /mobileFirstSS/shopHomePage		
 MF_XUP_06_Smartphones		
 /mobileFirstSS/shopLanding		
 /mobileFirstSS/gridwall		
 MF_XUP_07_ViewPhone		
 /mobileFirstSS/shopExpressConfigPDP		
 MF_XUP_08_CustomizeDevice		
 /mobileFirstSS/checkEligibleLines		
 Else		

SLA	Value	Severity
 MF_XUP_09_SelectLine2Upgrade		
 /mobileFirstSS/productColorDetails		
 MF_XUP_10_ChooseVzProtect		
 /mobileFirstSS/cart		
 MF_XUP_11_SelectAccessory		
 /mobileFirstSS/addRemoveAccessory		
 MF_XUP_12_AccNext		
 /mobileFirstSS/genericCart		
 MF_XUP_13_CheckOut		
 /mobileFirstSS/reviewOrder		

MF_AAL_0126

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

MF_DP_BuyOut_0126

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

MF_MVM_SelfServices_0211

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

MF_TradeIn_0126

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

MF_XUP_0126

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	2,024	4,000	2,000	2,017	1,085
Controller/Throughput					
0	135.5	279.5	133.6	134.9	72
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
3	12.9	24	13	12.9	2.7
Controller/Memory Used					
3	14.9	27	15	14.8	6.73
Controller/Thread Count					
862	960	1,016	954	959	16.6
Controller/Connected					
90	90	90	90	90	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,447	6,988	1,175	1,339	1,398
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - South Carolina (Berkeley County)/User Load					
0	1,012	2,003	1,001	1,009	542.3
Controller/USA East - South Carolina (Berkeley County)/M...cenarioBAU/User Load					
0	1,012	2,003	1,001	1,009	542.3
Controller/USA East - South Carolina (Berkeley County)/M...vices_0211/User Load					
0	808.4	1,601	802	805.6	434.5
Controller/USA East - South Carolina (Berkeley County)/M...uyOut_0126/User Load					
0	51.4	101	52	51.2	26.9
Controller/USA East - South Carolina (Berkeley County)/M...adeln_0126/User Load					
0	51.1	102	47	50.9	26.2
Controller/USA East - South Carolina (Berkeley County)/M...F_XUP_0126/User Load					
0	49.9	98	49	49.9	28
Controller/USA East - South Carolina (Berkeley County)/M...F_AAL_0126/User Load					
0	51.7	101	51	51.6	26.9
Controller/USA Central - Iowa (Council Bluffs)/User Load					
0	1,011	1,997	999	1,008	542.3
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0_ScenarioBAU/User Load					
0	1,011	1,997	999	1,008	542.3

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...vices_0211/User Load					
0	810.3	1,599	798	807.9	433.3
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...uyOut_0126/User Load					
0	49.8	99	48	49.7	27.4
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...adeln_0126/User Load					
0	50.1	98	53	50	28.1
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...F_XUP_0126/User Load					
0	51.3	102	51	51	26.3
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...F_AAL_0126/User Load					
0	49.5	99	49	49.3	27.3

LG 104.154.110.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.110.137:443/CPU Load					
0	0.591	14	0	0.482	0.953
LG 104.154.110.137:443/Memory Used					
0	9	26	8	8.65	5.63
LG 104.154.110.137:443/Throughput					
0	1.5	4.71	1.43	1.46	0.929
LG 104.154.110.137:443/User Load					
0	22.8	45	23	22.7	12.1
LG 104.154.110.137:443/Thread Count					
21	83.5	108	83	83.7	14
LG 104.154.110.137:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.154.110.137:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.154.110.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.110.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.110.137:443/Controller Connection/Ping Duration (ms)					
31	60.8	111	60	59.6	10.83
LG 104.154.110.137:443/Network/Segments sent/sec.					
0	86.2	212.3	83.2	84.9	42.5
LG 104.154.110.137:443/Network/Segments retransmitted/sec.					
0	0.002	0.597	0	0	0.028
LG 104.154.110.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.86	1.5	1.53	0.959
LG 104.154.110.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.306	0.135	0.134	0.057

LG 104.154.131.95:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.131.95:443/CPU Load					
0	0.721	22	1	0.616	1.14
LG 104.154.131.95:443/Memory Used					
1	8.89	26	8	8.55	5.59
LG 104.154.131.95:443/Throughput					
0	1.53	4.39	1.5	1.5	0.936
LG 104.154.131.95:443/User Load					
0	23	45	23	22.9	12

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.131.95:443/Thread Count					
20	83.6	109	84	83.7	14
LG 104.154.131.95:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.154.131.95:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.154.131.95:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.131.95:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.131.95:443/Controller Connection/Ping Duration (ms)					
40	60.5	97	59	59.4	9.73
LG 104.154.131.95:443/Network/Segments sent/sec.					
0	88.1	213.1	86	87	44.7
LG 104.154.131.95:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.012
LG 104.154.131.95:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	4.52	1.56	1.56	0.965
LG 104.154.131.95:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.136	0.298	0.136	0.135	0.059

LG 104.154.191.155:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.191.155:443/CPU Load					
0	0.89	12	1	0.79	0.928
LG 104.154.191.155:443/Memory Used					
1	7.84	20	7	7.6	4.69
LG 104.154.191.155:443/Throughput					
0	1.52	4.13	1.48	1.49	0.947
LG 104.154.191.155:443/User Load					
0	22.4	44	22	22.3	12.1
LG 104.154.191.155:443/Thread Count					
21	82	106	82	82.2	13.6
LG 104.154.191.155:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.154.191.155:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.154.191.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.191.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.191.155:443/Controller Connection/Ping Duration (ms)					
38	60.5	108	59	59.1	9.45
LG 104.154.191.155:443/Network/Segments sent/sec.					
0	87.4	207.3	85.1	86.4	44.8
LG 104.154.191.155:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 104.154.191.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.24	1.53	1.55	0.973
LG 104.154.191.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.293	0.134	0.134	0.059

LG 104.155.154.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.155.154.28:443/CPU Load					
0	0.691	7	1	0.598	0.811
LG 104.155.154.28:443/Memory Used					
0	8.13	23	7	7.85	4.94
LG 104.155.154.28:443/Throughput					
0	1.51	4.52	1.39	1.47	0.93
LG 104.155.154.28:443/User Load					
0	22.7	45	22	22.6	12.1
LG 104.155.154.28:443/Thread Count					
20	84.9	111	84	85	14.5
LG 104.155.154.28:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.155.154.28:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.155.154.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.155.154.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.155.154.28:443/Controller Connection/Ping Duration (ms)					
44	61.7	99	60	60.2	9.65
LG 104.155.154.28:443/Network/Segments sent/sec.					
0	88.4	210.3	85.5	87.4	43.8
LG 104.155.154.28:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.015
LG 104.155.154.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.67	1.46	1.54	0.961
LG 104.155.154.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.287	0.134	0.134	0.058

LG 104.197.13.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.13.210:443/CPU Load					
0	0.812	6	1	0.738	0.752
LG 104.197.13.210:443/Memory Used					
1	8.9	25	8	8.55	5.57
LG 104.197.13.210:443/Throughput					
0	1.51	4.45	1.42	1.47	0.946
LG 104.197.13.210:443/User Load					
0	22.8	45	23	22.7	12.1
LG 104.197.13.210:443/Thread Count					
21	82.6	108	83	82.8	13.5
LG 104.197.13.210:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.13.210:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.197.13.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.13.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.13.210:443/Controller Connection/Ping Duration (ms)					
39	61	97	60	60	7.94

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.13.210:443/Network/Segments sent/sec.					
0	86.3	202.8	84.1	85	43.9
LG 104.197.13.210:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.015
LG 104.197.13.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.56	1.48	1.53	0.971
LG 104.197.13.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.286	0.134	0.133	0.059

LG 104.197.132.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.132.255:443/CPU Load					
0	0.652	10	1	0.526	0.992
LG 104.197.132.255:443/Memory Used					
0	7.9	21	7	7.65	4.74
LG 104.197.132.255:443/Throughput					
0	1.48	4.63	1.39	1.44	0.933
LG 104.197.132.255:443/User Load					
0	22.3	44	22	22.2	12.2
LG 104.197.132.255:443/Thread Count					
20	82.8	108	83	82.9	14.2
LG 104.197.132.255:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.132.255:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.197.132.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.132.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.132.255:443/Controller Connection/Ping Duration (ms)					
31	59.6	106	59	58.7	11
LG 104.197.132.255:443/Network/Segments sent/sec.					
0	86.1	211.8	83.7	84.8	43.6
LG 104.197.132.255:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 104.197.132.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.78	1.45	1.51	0.964
LG 104.197.132.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.28	0.137	0.133	0.059

LG 104.197.162.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.162.116:443/CPU Load					
0	0.786	6	1	0.713	0.763
LG 104.197.162.116:443/Memory Used					
1	9.07	26	8	8.69	5.9
LG 104.197.162.116:443/Throughput					
0	1.52	5.65	1.43	1.47	0.974
LG 104.197.162.116:443/User Load					
0	22.5	44	22	22.4	12
LG 104.197.162.116:443/Thread Count					
20	82.7	107	83	82.9	13.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.162.116:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.162.116:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.197.162.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.162.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.162.116:443/Controller Connection/Ping Duration (ms)					
41	60.1	92	59	59.2	7.22
LG 104.197.162.116:443/Network/Segments sent/sec.					
0	86.8	247.2	84.2	85.3	44.2
LG 104.197.162.116:443/Network/Segments retransmitted/sec.					
0	0.002	0.203	0	0	0.019
LG 104.197.162.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	1.58	5.81	1.49	1.53	1
LG 104.197.162.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.135	0.305	0.133	0.134	0.059

LG 104.197.27.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.27.7:443/CPU Load					
0	0.84	17	1	0.718	1.14
LG 104.197.27.7:443/Memory Used					
1	8.87	26	8	8.49	5.73
LG 104.197.27.7:443/Throughput					
0	1.49	5	1.33	1.44	0.985
LG 104.197.27.7:443/User Load					
0	22.2	44	22	22.1	12.1
LG 104.197.27.7:443/Thread Count					
20	82.7	108	84	82.9	14.4
LG 104.197.27.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.27.7:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.197.27.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.27.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.27.7:443/Controller Connection/Ping Duration (ms)					
46	60.2	105	59	59.2	8.43
LG 104.197.27.7:443/Network/Segments sent/sec.					
0	85	215.4	80.1	83.6	44.7
LG 104.197.27.7:443/Network/Segments retransmitted/sec.					
0	0.004	0.8	0	0	0.041
LG 104.197.27.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.54	5.13	1.38	1.5	1.01
LG 104.197.27.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.276	0.129	0.132	0.059

LG 104.197.60.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.60.7:443/CPU Load					
0	0.639	11	1	0.542	0.841
LG 104.197.60.7:443/Memory Used					
1	8.74	25	8	8.38	5.6
LG 104.197.60.7:443/Throughput					
0	1.5	5.7	1.39	1.46	0.983
LG 104.197.60.7:443/User Load					
0	22.2	44	22	22.1	12.1
LG 104.197.60.7:443/Thread Count					
20	82.5	106	83	82.8	14.1
LG 104.197.60.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.60.7:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.197.60.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.60.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.60.7:443/Controller Connection/Ping Duration (ms)					
43	60	91	59	59	6.89
LG 104.197.60.7:443/Network/Segments sent/sec.					
0	86.2	226.3	83	85.2	44.5
LG 104.197.60.7:443/Network/Segments retransmitted/sec.					
0	0.002	0.202	0	0	0.019
LG 104.197.60.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	5.91	1.45	1.52	1.01
LG 104.197.60.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.27	0.132	0.132	0.059

LG 130.211.207.198:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.207.198:443/CPU Load					
0	0.73	6	1	0.652	0.752
LG 130.211.207.198:443/Memory Used					
1	7.81	22	7	7.54	4.72
LG 130.211.207.198:443/Throughput					
0	1.47	4.9	1.38	1.43	0.958
LG 130.211.207.198:443/User Load					
0	22.1	44	22	22.1	12.1
LG 130.211.207.198:443/Thread Count					
21	81.8	106	82	82.1	13.7
LG 130.211.207.198:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 130.211.207.198:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 130.211.207.198:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.207.198:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.207.198:443/Controller Connection/Ping Duration (ms)					
31	59.6	108	59	58.9	9.87

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.207.198:443/Network/Segments sent/sec.					
0	85.1	237.3	82.4	83.5	44.9
LG 130.211.207.198:443/Network/Segments retransmitted/sec.					
0	0	0.2	0	0	0.009
LG 130.211.207.198:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.53	5.06	1.44	1.49	0.986
LG 130.211.207.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.132	0.283	0.133	0.132	0.059

LG 130.211.209.89:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.209.89:443/CPU Load					
0	0.922	17	1	0.812	1.03
LG 130.211.209.89:443/Memory Used					
1	8.87	24	8	8.56	5.48
LG 130.211.209.89:443/Throughput					
0	1.52	4.33	1.42	1.48	0.972
LG 130.211.209.89:443/User Load					
0	22.8	45	22	22.8	12
LG 130.211.209.89:443/Thread Count					
20	83.1	109	82	83.2	13.7
LG 130.211.209.89:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 130.211.209.89:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 130.211.209.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.209.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.209.89:443/Controller Connection/Ping Duration (ms)					
37	60	101	59	59	8.39
LG 130.211.209.89:443/Network/Segments sent/sec.					
0	86.7	203.8	84.9	85.7	44.1
LG 130.211.209.89:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.031
LG 130.211.209.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.47	1.48	1.54	0.998
LG 130.211.209.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.283	0.131	0.134	0.059

LG 173.255.116.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 173.255.116.62:443/CPU Load					
0	0.833	10	1	0.746	0.851
LG 173.255.116.62:443/Memory Used					
1	9.04	26	8	8.71	5.6
LG 173.255.116.62:443/Throughput					
0	1.54	5.05	1.53	1.51	0.956
LG 173.255.116.62:443/User Load					
0	22.8	45	23	22.8	12.1
LG 173.255.116.62:443/Thread Count					
20	82.9	107	84	83.2	13.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 173.255.116.62:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 173.255.116.62:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 173.255.116.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 173.255.116.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 173.255.116.62:443/Controller Connection/Ping Duration (ms)					
41	62.9	108	60	61.1	12.4
LG 173.255.116.62:443/Network/Segments sent/sec.					
0	87.7	221.1	88.5	86.6	44.1
LG 173.255.116.62:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.017
LG 173.255.116.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.6	5.18	1.58	1.57	0.983
LG 173.255.116.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.136	0.293	0.138	0.135	0.059

LG 34.66.127.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.127.14:443/CPU Load					
0	0.924	6	1	0.852	0.812
LG 34.66.127.14:443/Memory Used					
1	8.54	23	7	8.24	5.27
LG 34.66.127.14:443/Throughput					
0	1.49	4.62	1.36	1.45	0.941
LG 34.66.127.14:443/User Load					
0	22.5	44	22	22.5	12
LG 34.66.127.14:443/Thread Count					
20	83.6	108	84	83.8	14.2
LG 34.66.127.14:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.127.14:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.66.127.14:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.127.14:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.127.14:443/Controller Connection/Ping Duration (ms)					
38	60.3	98	60	59.5	8.25
LG 34.66.127.14:443/Network/Segments sent/sec.					
0	87.2	229.6	83.1	85.7	43.9
LG 34.66.127.14:443/Network/Segments retransmitted/sec.					
0	0.002	0.202	0	0	0.019
LG 34.66.127.14:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.73	1.42	1.5	0.967
LG 34.66.127.14:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.346	0.133	0.133	0.058

LG 34.66.194.158:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.194.158:443/CPU Load					
0	0.623	14	1	0.522	0.908
LG 34.66.194.158:443/Memory Used					
1	9.96	30	8	9.55	6.43
LG 34.66.194.158:443/Throughput					
0	1.53	4.74	1.49	1.49	0.966
LG 34.66.194.158:443/User Load					
0	22.9	45	23	22.9	12
LG 34.66.194.158:443/Thread Count					
21	82.8	107	83	82.9	13.5
LG 34.66.194.158:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.194.158:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.66.194.158:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.194.158:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.194.158:443/Controller Connection/Ping Duration (ms)					
31	60.9	108	59	59.6	12.3
LG 34.66.194.158:443/Network/Segments sent/sec.					
0	87.1	215.4	84.7	85.9	43.5
LG 34.66.194.158:443/Network/Segments retransmitted/sec.					
0	0.001	0.399	0	0	0.019
LG 34.66.194.158:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.6	4.9	1.54	1.55	0.997
LG 34.66.194.158:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.299	0.134	0.134	0.059

LG 34.66.5.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.5.14:443/CPU Load					
0	0.645	15	1	0.526	1
LG 34.66.5.14:443/Memory Used					
1	8.8	24	8	8.47	5.47
LG 34.66.5.14:443/Throughput					
0	1.52	4.46	1.49	1.48	0.981
LG 34.66.5.14:443/User Load					
0	22.5	44	22	22.5	12
LG 34.66.5.14:443/Thread Count					
21	82.5	107	82	82.7	13.4
LG 34.66.5.14:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.5.14:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.66.5.14:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.5.14:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.5.14:443/Controller Connection/Ping Duration (ms)					
32	59.5	100	59	59.1	7.42

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.5.14:443/Network/Segments sent/sec.					
0	87.7	208.7	86.6	86.5	44.5
LG 34.66.5.14:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.66.5.14:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	4.61	1.56	1.54	1.01
LG 34.66.5.14:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.284	0.133	0.134	0.059

LG 34.67.150.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.150.159:443/CPU Load					
0	0.801	7	1	0.707	0.836
LG 34.67.150.159:443/Memory Used					
1	8.12	23	7	7.83	4.88
LG 34.67.150.159:443/Throughput					
0	1.51	4.6	1.38	1.47	0.966
LG 34.67.150.159:443/User Load					
0	22.7	45	22	22.6	12.1
LG 34.67.150.159:443/Thread Count					
21	82.8	108	82	83	14.1
LG 34.67.150.159:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.150.159:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.67.150.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.150.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.150.159:443/Controller Connection/Ping Duration (ms)					
36	60.2	99	60	59.5	8.89
LG 34.67.150.159:443/Network/Segments sent/sec.					
0	86.1	230.4	80.9	84.7	44.2
LG 34.67.150.159:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.67.150.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.74	1.44	1.53	0.993
LG 34.67.150.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.267	0.132	0.133	0.059

LG 34.67.55.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.55.171:443/CPU Load					
0	0.654	6	1	0.565	0.776
LG 34.67.55.171:443/Memory Used					
1	7.37	18	7	7.19	4.19
LG 34.67.55.171:443/Throughput					
0	1.5	4.9	1.35	1.46	0.952
LG 34.67.55.171:443/User Load					
0	22.5	44	22	22.4	12
LG 34.67.55.171:443/Thread Count					
21	82.5	107	82	82.7	13.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.55.171:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.55.171:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.67.55.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.55.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.55.171:443/Controller Connection/Ping Duration (ms)					
42	59.4	89	60	59.3	6.42
LG 34.67.55.171:443/Network/Segments sent/sec.					
0	86.1	237	81.1	84.8	43.6
LG 34.67.55.171:443/Network/Segments retransmitted/sec.					
0	0	0.201	0	0	0.009
LG 34.67.55.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	5.04	1.41	1.52	0.978
LG 34.67.55.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.329	0.132	0.133	0.059

LG 34.67.86.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.86.243:443/CPU Load					
0	0.68	19	1	0.571	1.08
LG 34.67.86.243:443/Memory Used					
1	8.27	22	7	8.01	4.93
LG 34.67.86.243:443/Throughput					
0	1.52	4.05	1.45	1.5	0.913
LG 34.67.86.243:443/User Load					
0	22.9	45	23	22.9	12
LG 34.67.86.243:443/Thread Count					
21	85	109	87	85.2	14.3
LG 34.67.86.243:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.86.243:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.67.86.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.86.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.86.243:443/Controller Connection/Ping Duration (ms)					
33	58.8	83	59	59.2	6.03
LG 34.67.86.243:443/Network/Segments sent/sec.					
0	87.7	209.7	85.3	86.7	43
LG 34.67.86.243:443/Network/Segments retransmitted/sec.					
0	0.001	0.4	0	0	0.019
LG 34.67.86.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.18	1.52	1.55	0.938
LG 34.67.86.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.136	0.281	0.133	0.135	0.059

LG 34.68.181.234:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.181.234:443/CPU Load					
0	0.794	6	1	0.715	0.77
LG 34.68.181.234:443/Memory Used					
1	9.6	28	8	9.19	6.34
LG 34.68.181.234:443/Throughput					
0	1.49	4.34	1.41	1.46	0.925
LG 34.68.181.234:443/User Load					
0	22.4	44	22	22.3	12.1
LG 34.68.181.234:443/Thread Count					
21	82.9	107	82	83.2	14.1
LG 34.68.181.234:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.181.234:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.68.181.234:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.181.234:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.181.234:443/Controller Connection/Ping Duration (ms)					
38	60.8	114	59	59.8	10.75
LG 34.68.181.234:443/Network/Segments sent/sec.					
0	86	211.3	81.8	84.9	43.9
LG 34.68.181.234:443/Network/Segments retransmitted/sec.					
0	0.001	0.401	0	0	0.019
LG 34.68.181.234:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.47	1.47	1.52	0.951
LG 34.68.181.234:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.405	0.132	0.132	0.059

LG 34.68.235.75:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.235.75:443/CPU Load					
0	0.775	6	1	0.697	0.757
LG 34.68.235.75:443/Memory Used					
1	8.57	24	7	8.24	5.36
LG 34.68.235.75:443/Throughput					
0	1.49	4.87	1.37	1.44	0.977
LG 34.68.235.75:443/User Load					
0	22	44	22	21.9	12
LG 34.68.235.75:443/Thread Count					
20	82.3	107	83	82.6	14.2
LG 34.68.235.75:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.235.75:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.68.235.75:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.235.75:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.235.75:443/Controller Connection/Ping Duration (ms)					
40	61.7	105	60	60.3	9.72

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.235.75:443/Network/Segments sent/sec.					
0	85.2	218.8	80.5	83.8	44.8
LG 34.68.235.75:443/Network/Segments retransmitted/sec.					
0	0.002	0.204	0	0	0.021
LG 34.68.235.75:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.54	4.97	1.43	1.5	1
LG 34.68.235.75:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.132	0.283	0.134	0.131	0.059

LG 34.68.84.209:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.84.209:443/CPU Load					
0	0.786	6	1	0.709	0.745
LG 34.68.84.209:443/Memory Used					
1	9.09	27	8	8.68	6.08
LG 34.68.84.209:443/Throughput					
0	1.51	4.79	1.46	1.47	0.95
LG 34.68.84.209:443/User Load					
0	22	44	22	21.9	12
LG 34.68.84.209:443/Thread Count					
21	82.9	106	83	83.2	14.2
LG 34.68.84.209:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.84.209:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.68.84.209:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.84.209:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.84.209:443/Controller Connection/Ping Duration (ms)					
41	61.1	106	59	59.5	10.32
LG 34.68.84.209:443/Network/Segments sent/sec.					
0	87.3	217.6	83.4	86.2	44.7
LG 34.68.84.209:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.015
LG 34.68.84.209:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.92	1.52	1.53	0.977
LG 34.68.84.209:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.298	0.135	0.133	0.059

LG 34.68.86.233:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.86.233:443/CPU Load					
0	0.771	6	1	0.693	0.746
LG 34.68.86.233:443/Memory Used					
1	9.54	28	8	9.15	6.28
LG 34.68.86.233:443/Throughput					
0	1.48	4.41	1.36	1.44	0.949
LG 34.68.86.233:443/User Load					
0	22.4	44	22	22.3	12.1
LG 34.68.86.233:443/Thread Count					
20	83	108	83	83.2	14

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.86.233:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.86.233:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.68.86.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.86.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.86.233:443/Controller Connection/Ping Duration (ms)					
33	60.2	90	60	59.9	7.94
LG 34.68.86.233:443/Network/Segments sent/sec.					
0	85.9	210	82.6	84.5	44.4
LG 34.68.86.233:443/Network/Segments retransmitted/sec.					
0	0	0.201	0	0	0.009
LG 34.68.86.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.54	4.53	1.41	1.5	0.975
LG 34.68.86.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.304	0.132	0.133	0.059

LG 34.69.63.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.63.166:443/CPU Load					
0	0.838	6	1	0.775	0.723
LG 34.69.63.166:443/Memory Used					
1	8.74	25	8	8.39	5.49
LG 34.69.63.166:443/Throughput					
0	1.49	4.24	1.44	1.46	0.941
LG 34.69.63.166:443/User Load					
0	22.4	44	22	22.3	12.1
LG 34.69.63.166:443/Thread Count					
20	83.7	107	83	84	14.2
LG 34.69.63.166:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.63.166:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.69.63.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.63.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.63.166:443/Controller Connection/Ping Duration (ms)					
32	60.2	100	60	59.7	9.1
LG 34.69.63.166:443/Network/Segments sent/sec.					
0	86.5	199.9	85.2	85.5	44.1
LG 34.69.63.166:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.017
LG 34.69.63.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.35	1.49	1.52	0.968
LG 34.69.63.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.347	0.136	0.133	0.06

LG 34.70.100.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.100.35:443/CPU Load					
0	0.868	7	1	0.773	0.856
LG 34.70.100.35:443/Memory Used					
1	8.84	24	8	8.51	5.49
LG 34.70.100.35:443/Throughput					
0	1.53	5.07	1.4	1.47	1
LG 34.70.100.35:443/User Load					
0	22.7	45	23	22.6	12
LG 34.70.100.35:443/Thread Count					
21	82.7	107	83	82.9	13.8
LG 34.70.100.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.100.35:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.70.100.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.100.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.100.35:443/Controller Connection/Ping Duration (ms)					
31	58.7	95	59	58.3	9.2
LG 34.70.100.35:443/Network/Segments sent/sec.					
0	86.9	210.8	83.1	85.4	44.8
LG 34.70.100.35:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.70.100.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	5.18	1.44	1.53	1.03
LG 34.70.100.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.328	0.136	0.134	0.059

LG 34.70.190.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.190.224:443/CPU Load					
0	0.757	14	1	0.66	0.919
LG 34.70.190.224:443/Memory Used					
1	9.49	28	8	9.07	6.28
LG 34.70.190.224:443/Throughput					
0	1.47	4.62	1.35	1.43	0.952
LG 34.70.190.224:443/User Load					
0	22.2	44	22	22.1	12.1
LG 34.70.190.224:443/Thread Count					
20	82.9	108	84.5	83.2	14.6
LG 34.70.190.224:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.190.224:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.70.190.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.190.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.190.224:443/Controller Connection/Ping Duration (ms)					
39	59.9	95	59	59.2	7.82

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.190.224:443/Network/Segments sent/sec.					
0	85	231.6	82.8	83.9	44.4
LG 34.70.190.224:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.027
LG 34.70.190.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.53	4.75	1.4	1.49	0.979
LG 34.70.190.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.132	0.286	0.131	0.131	0.059

LG 35.192.22.199:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.22.199:443/CPU Load					
0	0.81	11	1	0.718	0.874
LG 35.192.22.199:443/Memory Used					
0	8.54	23	8	8.25	5.31
LG 35.192.22.199:443/Throughput					
0	1.49	5.24	1.42	1.44	0.962
LG 35.192.22.199:443/User Load					
0	22.7	45	22	22.6	12.1
LG 35.192.22.199:443/Thread Count					
20	83.4	108	83	83.5	14
LG 35.192.22.199:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.192.22.199:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.192.22.199:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.22.199:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.22.199:443/Controller Connection/Ping Duration (ms)					
35	59.1	88	59	58.9	7.34
LG 35.192.22.199:443/Network/Segments sent/sec.					
0	86.1	249	84.7	84.2	44.1
LG 35.192.22.199:443/Network/Segments retransmitted/sec.					
0	0.006	0.6	0	0	0.048
LG 35.192.22.199:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	5.38	1.48	1.49	0.989
LG 35.192.22.199:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.299	0.132	0.132	0.058

LG 35.202.66.219:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.66.219:443/CPU Load					
0	0.775	6	1	0.697	0.747
LG 35.202.66.219:443/Memory Used					
1	9.14	27	8	8.75	5.97
LG 35.202.66.219:443/Throughput					
0	1.51	4.86	1.43	1.47	0.952
LG 35.202.66.219:443/User Load					
0	22.6	45	22	22.5	12
LG 35.202.66.219:443/Thread Count					
20	82.7	107	83	82.9	13.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.66.219:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.202.66.219:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.202.66.219:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.66.219:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.66.219:443/Controller Connection/Ping Duration (ms)					
45	59.4	82	60	59.4	4.72
LG 35.202.66.219:443/Network/Segments sent/sec.					
0	87.2	237.4	84.2	85.8	44.4
LG 35.202.66.219:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.023
LG 35.202.66.219:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	5.01	1.48	1.53	0.978
LG 35.202.66.219:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.31	0.133	0.133	0.059

LG 35.222.247.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.247.112:443/CPU Load					
0	0.816	16	1	0.713	1.01
LG 35.222.247.112:443/Memory Used					
1	9.08	27	8	8.69	6.01
LG 35.222.247.112:443/Throughput					
0	1.5	4.5	1.42	1.47	0.962
LG 35.222.247.112:443/User Load					
0	22.3	44	22	22.2	12.1
LG 35.222.247.112:443/Thread Count					
21	82.8	107	83	83	14.2
LG 35.222.247.112:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.247.112:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.222.247.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.247.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.247.112:443/Controller Connection/Ping Duration (ms)					
38	61.6	117	59	59.8	11.8
LG 35.222.247.112:443/Network/Segments sent/sec.					
0	86.1	210.9	82.6	85	44.6
LG 35.222.247.112:443/Network/Segments retransmitted/sec.					
0	0.002	0.202	0	0	0.019
LG 35.222.247.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.64	1.48	1.52	0.989
LG 35.222.247.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.284	0.133	0.133	0.06

LG 35.222.55.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.55.18:443/CPU Load					
0	0.678	5	1	0.614	0.676
LG 35.222.55.18:443/Memory Used					
1	8.81	24	8	8.49	5.48
LG 35.222.55.18:443/Throughput					
0	1.52	4.06	1.42	1.49	0.935
LG 35.222.55.18:443/User Load					
0	22.7	45	22	22.6	12.1
LG 35.222.55.18:443/Thread Count					
20	83.9	109	84	84	14.3
LG 35.222.55.18:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.55.18:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.222.55.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.55.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.55.18:443/Controller Connection/Ping Duration (ms)					
34	60.9	103	59	59.8	9.33
LG 35.222.55.18:443/Network/Segments sent/sec.					
0	88.6	210	82.3	87.5	44.9
LG 35.222.55.18:443/Network/Segments retransmitted/sec.					
0	0.003	0.598	0	0	0.033
LG 35.222.55.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.22	1.47	1.55	0.964
LG 35.222.55.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.136	0.271	0.136	0.136	0.058

LG 35.222.89.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.89.231:443/CPU Load					
0	0.797	10	1	0.713	0.822
LG 35.222.89.231:443/Memory Used					
1	8.63	24	7	8.3	5.45
LG 35.222.89.231:443/Throughput					
0	1.5	4.66	1.45	1.46	0.963
LG 35.222.89.231:443/User Load					
0	22.3	44	22	22.2	12.2
LG 35.222.89.231:443/Thread Count					
21	83.8	109	85	84.1	14.8
LG 35.222.89.231:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.89.231:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.222.89.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.89.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.89.231:443/Controller Connection/Ping Duration (ms)					
59	62.4	106	60	60.6	9.15

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.89.231:443/Network/Segments sent/sec.					
0	86.3	215.5	84.5	84.8	44.5
LG 35.222.89.231:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.017
LG 35.222.89.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.8	1.51	1.51	0.99
LG 35.222.89.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.273	0.134	0.133	0.058

LG 35.223.128.103:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.128.103:443/CPU Load					
0	0.799	6	1	0.715	0.765
LG 35.223.128.103:443/Memory Used					
1	9.18	27	8	8.77	6.09
LG 35.223.128.103:443/Throughput					
0	1.5	4.48	1.39	1.46	0.989
LG 35.223.128.103:443/User Load					
0	22.1	44	22	22	12
LG 35.223.128.103:443/Thread Count					
20	82.1	106	82	82.4	13.8
LG 35.223.128.103:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.128.103:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.223.128.103:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.128.103:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.128.103:443/Controller Connection/Ping Duration (ms)					
40	59.2	86	59	59.3	5.86
LG 35.223.128.103:443/Network/Segments sent/sec.					
0	85.8	211.5	80.4	84.3	45.1
LG 35.223.128.103:443/Network/Segments retransmitted/sec.					
0	0.003	0.202	0	0	0.023
LG 35.223.128.103:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.62	1.45	1.51	1.02
LG 35.223.128.103:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.132	0.296	0.129	0.131	0.059

LG 35.223.141.77:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.141.77:443/CPU Load					
0	0.768	11	1	0.652	0.997
LG 35.223.141.77:443/Memory Used					
1	9.76	28	8	9.34	6.38
LG 35.223.141.77:443/Throughput					
0	1.52	3.72	1.42	1.49	0.923
LG 35.223.141.77:443/User Load					
0	22.5	44	22	22.4	12
LG 35.223.141.77:443/Thread Count					
20	83.5	107	84	83.8	14.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.141.77:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.141.77:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.223.141.77:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.141.77:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.141.77:443/Controller Connection/Ping Duration (ms)					
41	60.2	98	59	59.3	8.09
LG 35.223.141.77:443/Network/Segments sent/sec.					
0	88.5	203.6	84.4	87.6	43.7
LG 35.223.141.77:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.03
LG 35.223.141.77:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	3.83	1.48	1.55	0.948
LG 35.223.141.77:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.325	0.132	0.135	0.059

LG 35.223.156.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.156.169:443/CPU Load					
0	0.612	6	1	0.522	0.762
LG 35.223.156.169:443/Memory Used					
1	9.11	27	8	8.69	6.04
LG 35.223.156.169:443/Throughput					
0	1.49	4.62	1.38	1.45	0.938
LG 35.223.156.169:443/User Load					
0	22.1	44	22	22.1	12.1
LG 35.223.156.169:443/Thread Count					
21	81.8	105	82	82.1	13.7
LG 35.223.156.169:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.156.169:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.223.156.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.156.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.156.169:443/Controller Connection/Ping Duration (ms)					
45	60.7	99	60	59.7	8.29
LG 35.223.156.169:443/Network/Segments sent/sec.					
0	85.6	226.5	82.1	84.2	43.8
LG 35.223.156.169:443/Network/Segments retransmitted/sec.					
0	0	0.201	0	0	0.009
LG 35.223.156.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.79	1.45	1.51	0.969
LG 35.223.156.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.344	0.132	0.133	0.059

LG 35.223.210.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.210.184:443/CPU Load					
0	0.809	6	1	0.736	0.742
LG 35.223.210.184:443/Memory Used					
1	8.8	24	8	8.48	5.5
LG 35.223.210.184:443/Throughput					
0	1.5	5.47	1.4	1.46	0.943
LG 35.223.210.184:443/User Load					
0	22.5	44	22	22.4	12
LG 35.223.210.184:443/Thread Count					
21	83	106	83	83.2	13.7
LG 35.223.210.184:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.210.184:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.223.210.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.210.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.210.184:443/Controller Connection/Ping Duration (ms)					
36	61	111	60	59.7	9.54
LG 35.223.210.184:443/Network/Segments sent/sec.					
0	86.3	246.8	82.7	84.9	43.6
LG 35.223.210.184:443/Network/Segments retransmitted/sec.					
0	0.003	0.8	0	0	0.045
LG 35.223.210.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	5.63	1.46	1.52	0.971
LG 35.223.210.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.277	0.135	0.134	0.058

LG 35.224.12.69:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.12.69:443/CPU Load					
0	0.712	6	1	0.625	0.775
LG 35.224.12.69:443/Memory Used					
1	7.36	19	7	7.14	4.29
LG 35.224.12.69:443/Throughput					
0	1.51	4.43	1.38	1.47	1
LG 35.224.12.69:443/User Load					
0	22	44	22	21.9	12
LG 35.224.12.69:443/Thread Count					
20	81.8	105	82	82.1	13.8
LG 35.224.12.69:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.12.69:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.224.12.69:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.12.69:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.12.69:443/Controller Connection/Ping Duration (ms)					
42	60.7	96	60	59.9	8.48

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.12.69:443/Network/Segments sent/sec.					
0	87.4	221.2	81.4	85.9	45.6
LG 35.224.12.69:443/Network/Segments retransmitted/sec.					
0	0	0.202	0	0	0.009
LG 35.224.12.69:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.59	1.43	1.53	1.03
LG 35.224.12.69:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.277	0.133	0.133	0.059

LG 35.225.136.198:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.136.198:443/CPU Load					
0	1.02	10	1	0.932	0.901
LG 35.225.136.198:443/Memory Used					
1	7.85	20	7	7.62	4.68
LG 35.225.136.198:443/Throughput					
0	1.52	4.72	1.44	1.47	0.949
LG 35.225.136.198:443/User Load					
0	22.4	44	22	22.3	12.1
LG 35.225.136.198:443/Thread Count					
20	83.4	108	83	83.7	14.4
LG 35.225.136.198:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.136.198:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.225.136.198:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.136.198:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.136.198:443/Controller Connection/Ping Duration (ms)					
34	61.1	94	60	60.3	7.94
LG 35.225.136.198:443/Network/Segments sent/sec.					
0	86.7	221	82.8	85.2	44.3
LG 35.225.136.198:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.015
LG 35.225.136.198:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.85	1.48	1.53	0.975
LG 35.225.136.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.415	0.131	0.134	0.06

LG 35.225.74.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.74.235:443/CPU Load					
0	0.809	11	1	0.732	0.822
LG 35.225.74.235:443/Memory Used					
1	8.59	23	7	8.27	5.27
LG 35.225.74.235:443/Throughput					
0	1.53	4.35	1.46	1.49	0.94
LG 35.225.74.235:443/User Load					
0	22.9	45	23	22.9	12
LG 35.225.74.235:443/Thread Count					
20	84.4	109	86	84.6	14.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.74.235:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.74.235:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.225.74.235:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.74.235:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.74.235:443/Controller Connection/Ping Duration (ms)					
37	60.2	101	59	59.6	8.99
LG 35.225.74.235:443/Network/Segments sent/sec.					
0	88.2	222	86.9	86.9	44.2
LG 35.225.74.235:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.225.74.235:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	4.5	1.52	1.55	0.966
LG 35.225.74.235:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.136	0.374	0.137	0.135	0.06

LG 35.225.91.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.91.29:443/CPU Load					
0	0.836	10	1	0.73	0.947
LG 35.225.91.29:443/Memory Used					
1	9.41	31	8	8.92	6.36
LG 35.225.91.29:443/Throughput					
0	1.52	5.38	1.41	1.47	0.98
LG 35.225.91.29:443/User Load					
0	22.7	45	22	22.6	12.1
LG 35.225.91.29:443/Thread Count					
21	83.3	110	82	83.5	14.5
LG 35.225.91.29:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.91.29:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.225.91.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.91.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.91.29:443/Controller Connection/Ping Duration (ms)					
40	61.8	111	59	60.3	10.53
LG 35.225.91.29:443/Network/Segments sent/sec.					
0	86.4	218.8	83.6	84.8	44.4
LG 35.225.91.29:443/Network/Segments retransmitted/sec.					
0	0	0.2	0	0	0.009
LG 35.225.91.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	5.49	1.46	1.53	1.01
LG 35.225.91.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.298	0.134	0.134	0.059

LG 35.226.209.89:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.209.89:443/CPU Load					
0	0.885	6	1	0.81	0.794
LG 35.226.209.89:443/Memory Used					
1	8.65	25	7.5	8.31	5.5
LG 35.226.209.89:443/Throughput					
0	1.51	5.03	1.38	1.45	1.02
LG 35.226.209.89:443/User Load					
0	22.5	44	22	22.5	12
LG 35.226.209.89:443/Thread Count					
20	83.2	106	83	83.5	14.1
LG 35.226.209.89:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.226.209.89:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.226.209.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.209.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.209.89:443/Controller Connection/Ping Duration (ms)					
36	62.1	112	60	60.5	11.1
LG 35.226.209.89:443/Network/Segments sent/sec.					
0	87.9	233.4	84.5	85.8	46.3
LG 35.226.209.89:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.012
LG 35.226.209.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	5.17	1.44	1.51	1.04
LG 35.226.209.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.295	0.134	0.133	0.059

LG 35.226.90.89:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.90.89:443/CPU Load					
0	0.797	15	1	0.693	0.964
LG 35.226.90.89:443/Memory Used					
1	7.81	20	7	7.56	4.64
LG 35.226.90.89:443/Throughput					
0	1.5	5.25	1.42	1.47	0.923
LG 35.226.90.89:443/User Load					
0	22.3	44	22	22.2	12.2
LG 35.226.90.89:443/Thread Count					
21	83.4	110	84	83.6	14.3
LG 35.226.90.89:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.226.90.89:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.226.90.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.90.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.90.89:443/Controller Connection/Ping Duration (ms)					
42	61.4	108	60	60.2	8.91

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.90.89:443/Network/Segments sent/sec.					
0	86.1	254.6	83.3	84.9	44.1
LG 35.226.90.89:443/Network/Segments retransmitted/sec.					
0	0.001	0.6	0	0	0.027
LG 35.226.90.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	5.43	1.49	1.53	0.95
LG 35.226.90.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.282	0.132	0.133	0.059

LG 35.232.141.95:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.141.95:443/CPU Load					
0	0.662	16	1	0.538	1.06
LG 35.232.141.95:443/Memory Used					
1	7.6	19	7	7.39	4.45
LG 35.232.141.95:443/Throughput					
0	1.51	5.09	1.43	1.47	0.941
LG 35.232.141.95:443/User Load					
0	22.6	45	23	22.6	12
LG 35.232.141.95:443/Thread Count					
21	83.7	109	84	83.9	14.2
LG 35.232.141.95:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.232.141.95:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.232.141.95:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.141.95:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.141.95:443/Controller Connection/Ping Duration (ms)					
46	59.7	101	59	59	6.68
LG 35.232.141.95:443/Network/Segments sent/sec.					
0	87.1	242.3	83.4	85.7	43.8
LG 35.232.141.95:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.232.141.95:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	5.27	1.49	1.54	0.972
LG 35.232.141.95:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.289	0.137	0.135	0.058

LG 35.232.144.180:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.144.180:443/CPU Load					
0	0.801	12	1	0.691	0.969
LG 35.232.144.180:443/Memory Used					
1	8.67	25	7.5	8.33	5.48
LG 35.232.144.180:443/Throughput					
0	1.5	4.48	1.44	1.46	0.945
LG 35.232.144.180:443/User Load					
0	22.4	44	22	22.3	12.1
LG 35.232.144.180:443/Thread Count					
21	83.6	107	84	83.9	14.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.144.180:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.232.144.180:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.232.144.180:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.144.180:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.144.180:443/Controller Connection/Ping Duration (ms)					
35	59.1	113	59	58.3	11.1
LG 35.232.144.180:443/Network/Segments sent/sec.					
0	87	223.3	84.3	85.8	44.5
LG 35.232.144.180:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.232.144.180:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.61	1.49	1.52	0.973
LG 35.232.144.180:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.283	0.136	0.133	0.059

LG 35.238.99.130:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.99.130:443/CPU Load					
0	0.797	7	1	0.72	0.751
LG 35.238.99.130:443/Memory Used					
1	9.21	29	8	8.76	6.11
LG 35.238.99.130:443/Throughput					
0	1.49	4.41	1.38	1.46	0.915
LG 35.238.99.130:443/User Load					
0	22.5	45	22	22.5	12
LG 35.238.99.130:443/Thread Count					
21	83.7	109	84	84	14.1
LG 35.238.99.130:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.238.99.130:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.238.99.130:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.99.130:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.99.130:443/Controller Connection/Ping Duration (ms)					
39	61.2	106	59	59.7	10.26
LG 35.238.99.130:443/Network/Segments sent/sec.					
0	85.8	209.3	80.6	84.7	42.7
LG 35.238.99.130:443/Network/Segments retransmitted/sec.					
0	0	0.2	0	0	0.009
LG 35.238.99.130:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.52	1.44	1.52	0.941
LG 35.238.99.130:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.321	0.133	0.133	0.058

LG 35.239.236.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.236.175:443/CPU Load					
0	0.875	23	1	0.742	1.29
LG 35.239.236.175:443/Memory Used					
1	9.26	27	8	8.85	6.15
LG 35.239.236.175:443/Throughput					
0	1.5	4.6	1.37	1.45	0.998
LG 35.239.236.175:443/User Load					
0	22	44	22	22	12
LG 35.239.236.175:443/Thread Count					
21	82.2	106	83	82.5	13.8
LG 35.239.236.175:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.239.236.175:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.239.236.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.236.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.236.175:443/Controller Connection/Ping Duration (ms)					
36	61.4	108	60	60.4	11.3
LG 35.239.236.175:443/Network/Segments sent/sec.					
0	86.2	208.8	82.9	84.5	45.5
LG 35.239.236.175:443/Network/Segments retransmitted/sec.					
0	0	0.2	0	0	0.009
LG 35.239.236.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.74	1.43	1.51	1.02
LG 35.239.236.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.326	0.134	0.132	0.06

LG 35.239.241.100:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.241.100:443/CPU Load					
0	0.914	19	1	0.792	1.2
LG 35.239.241.100:443/Memory Used					
1	8.64	25	8	8.3	5.48
LG 35.239.241.100:443/Throughput					
0	1.5	4.75	1.37	1.46	0.965
LG 35.239.241.100:443/User Load					
0	22.1	44	22	22.1	12.1
LG 35.239.241.100:443/Thread Count					
20	82.3	107	83	82.5	14
LG 35.239.241.100:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.239.241.100:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.239.241.100:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.241.100:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.241.100:443/Controller Connection/Ping Duration (ms)					
38	59.9	102	60	59.9	7.77

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.241.100:443/Network/Segments sent/sec.					
0	85.3	211.1	81.8	84	44.2
LG 35.239.241.100:443/Network/Segments retransmitted/sec.					
0	0	0.202	0	0	0.009
LG 35.239.241.100:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.88	1.42	1.51	0.99
LG 35.239.241.100:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.27	0.132	0.132	0.059

LG 104.196.140.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.140.200:443/CPU Load					
0	0.825	15	1	0.726	0.972
LG 104.196.140.200:443/Memory Used					
1	9.97	32	8	9.5	6.64
LG 104.196.140.200:443/Throughput					
0	1.52	4.63	1.4	1.48	0.95
LG 104.196.140.200:443/User Load					
0	22.8	45	23	22.7	12.1
LG 104.196.140.200:443/Thread Count					
20	83.3	108	84	83.5	13.9
LG 104.196.140.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.140.200:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.196.140.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.140.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.140.200:443/Controller Connection/Ping Duration (ms)					
27	29	67	27	27.3	7.78
LG 104.196.140.200:443/Network/Segments sent/sec.					
0	86.3	217.7	83.1	84.9	44
LG 104.196.140.200:443/Network/Segments retransmitted/sec.					
0	0.003	0.202	0	0	0.024
LG 104.196.140.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.79	1.47	1.54	0.976
LG 104.196.140.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.303	0.136	0.134	0.059

LG 104.196.29.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.29.160:443/CPU Load					
0	0.797	15	1	0.709	0.926
LG 104.196.29.160:443/Memory Used					
1	8.79	24	8	8.47	5.46
LG 104.196.29.160:443/Throughput					
0	1.52	5.02	1.4	1.47	0.965
LG 104.196.29.160:443/User Load					
0	22.6	45	22	22.5	12
LG 104.196.29.160:443/Thread Count					
20	83.4	108	83.5	83.6	14

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.29.160:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.29.160:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.196.29.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.29.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.29.160:443/Controller Connection/Ping Duration (ms)					
16	29.1	67	28	27.7	8.06
LG 104.196.29.160:443/Network/Segments sent/sec.					
0	86.9	210.7	83.2	85.5	43.9
LG 104.196.29.160:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 104.196.29.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	5.15	1.45	1.53	0.992
LG 104.196.29.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.296	0.134	0.134	0.058

LG 104.196.51.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.51.121:443/CPU Load					
0	0.836	15	1	0.753	0.919
LG 104.196.51.121:443/Memory Used					
1	8.42	25	7	8.08	5.33
LG 104.196.51.121:443/Throughput					
0	1.48	4.53	1.38	1.44	0.952
LG 104.196.51.121:443/User Load					
0	22.1	44	22	22.1	12.1
LG 104.196.51.121:443/Thread Count					
20	82	106	82	82.3	14
LG 104.196.51.121:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.51.121:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.196.51.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.51.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.51.121:443/Controller Connection/Ping Duration (ms)					
15	28.4	67	28	27.7	6.25
LG 104.196.51.121:443/Network/Segments sent/sec.					
0	85.3	210.7	81.6	83.8	44.3
LG 104.196.51.121:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.026
LG 104.196.51.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.54	4.71	1.43	1.5	0.979
LG 104.196.51.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.278	0.129	0.133	0.06

LG 34.73.137.143:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.137.143:443/CPU Load					
0	0.753	6	1	0.666	0.77
LG 34.73.137.143:443/Memory Used					
1	9.48	28	8	9.07	6.26
LG 34.73.137.143:443/Throughput					
0	1.48	4.85	1.43	1.44	0.954
LG 34.73.137.143:443/User Load					
0	22.1	44	22	22.1	12.1
LG 34.73.137.143:443/Thread Count					
20	82.7	108	84	83	14.6
LG 34.73.137.143:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.137.143:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.137.143:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.137.143:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.137.143:443/Controller Connection/Ping Duration (ms)					
22	52	76	66	52.2	19.8
LG 34.73.137.143:443/Network/Segments sent/sec.					
0	86.2	220.3	84.6	84.6	44.8
LG 34.73.137.143:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.73.137.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.54	4.99	1.49	1.5	0.983
LG 34.73.137.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.29	0.131	0.133	0.059

LG 34.73.144.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.144.9:443/CPU Load					
0	0.84	5	1	0.765	0.745
LG 34.73.144.9:443/Memory Used					
1	9.04	26	8	8.69	5.7
LG 34.73.144.9:443/Throughput					
0	1.53	4.08	1.51	1.49	0.967
LG 34.73.144.9:443/User Load					
0	23	45	23	22.9	12
LG 34.73.144.9:443/Thread Count					
20	83.4	107	84	83.5	13.6
LG 34.73.144.9:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.144.9:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.144.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.144.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.144.9:443/Controller Connection/Ping Duration (ms)					
27	29	66	27	27.3	7.87

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.144.9:443/Network/Segments sent/sec.					
0	86.8	195.7	87.2	85.4	44.6
LG 34.73.144.9:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 34.73.144.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	4.21	1.56	1.55	0.994
LG 34.73.144.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.296	0.133	0.134	0.061

LG 34.73.159.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.159.169:443/CPU Load					
0	0.773	6	1	0.701	0.733
LG 34.73.159.169:443/Memory Used					
1	9.11	27	8	8.72	5.83
LG 34.73.159.169:443/Throughput					
0	1.51	5.3	1.39	1.47	0.967
LG 34.73.159.169:443/User Load					
0	22.7	45	22	22.6	12.1
LG 34.73.159.169:443/Thread Count					
20	82.7	107	83	82.9	13.7
LG 34.73.159.169:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.159.169:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.159.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.159.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.159.169:443/Controller Connection/Ping Duration (ms)					
27	29.3	66	28	27.8	7.21
LG 34.73.159.169:443/Network/Segments sent/sec.					
0	87.2	251.5	83.1	85.7	45.4
LG 34.73.159.169:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.021
LG 34.73.159.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	5.46	1.46	1.53	0.995
LG 34.73.159.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.136	0.296	0.137	0.135	0.06

LG 34.73.182.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.182.7:443/CPU Load					
0	0.794	6	1	0.715	0.753
LG 34.73.182.7:443/Memory Used					
1	7.54	20	7	7.31	4.42
LG 34.73.182.7:443/Throughput					
0	1.52	4.69	1.42	1.47	0.973
LG 34.73.182.7:443/User Load					
0	22.7	45	22	22.6	12.1
LG 34.73.182.7:443/Thread Count					
20	82.7	107	82	82.9	13.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.182.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.182.7:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.182.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.182.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.182.7:443/Controller Connection/Ping Duration (ms)					
27	28.9	64	27	27.3	7.46
LG 34.73.182.7:443/Network/Segments sent/sec.					
0	86.2	228.3	82.3	84.7	44.6
LG 34.73.182.7:443/Network/Segments retransmitted/sec.					
0	0.002	0.6	0	0	0.03
LG 34.73.182.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.82	1.48	1.53	1
LG 34.73.182.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.309	0.133	0.134	0.06

LG 34.73.207.61:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.207.61:443/CPU Load					
0	0.727	6	1	0.67	0.67
LG 34.73.207.61:443/Memory Used					
1	8.69	26	8	8.34	5.51
LG 34.73.207.61:443/Throughput					
0	1.51	4.23	1.37	1.48	0.937
LG 34.73.207.61:443/User Load					
0	22.6	45	22	22.5	12
LG 34.73.207.61:443/Thread Count					
20	83.1	107	83	83.4	13.9
LG 34.73.207.61:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.207.61:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.207.61:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.207.61:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.207.61:443/Controller Connection/Ping Duration (ms)					
27	28.7	65	27	27	7.61
LG 34.73.207.61:443/Network/Segments sent/sec.					
0	88	214.8	83.3	86.8	44.7
LG 34.73.207.61:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.73.207.61:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.34	1.43	1.54	0.965
LG 34.73.207.61:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.291	0.132	0.135	0.059

LG 34.73.78.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.78.32:443/CPU Load					
0	0.796	7	1	0.726	0.734
LG 34.73.78.32:443/Memory Used					
1	9.08	27	8	8.69	5.94
LG 34.73.78.32:443/Throughput					
0	1.49	4	1.45	1.46	0.917
LG 34.73.78.32:443/User Load					
0	22.4	44	22	22.3	12.1
LG 34.73.78.32:443/Thread Count					
20	84.2	109	84	84.4	14.5
LG 34.73.78.32:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.78.32:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.78.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.78.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.78.32:443/Controller Connection/Ping Duration (ms)					
26	28.7	66	27	27.1	7.64
LG 34.73.78.32:443/Network/Segments sent/sec.					
0	86	201.5	84.3	85.2	43.1
LG 34.73.78.32:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.023
LG 34.73.78.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.13	1.51	1.52	0.945
LG 34.73.78.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.269	0.133	0.132	0.058

LG 34.73.84.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.84.246:443/CPU Load					
0	0.788	9	1	0.711	0.779
LG 34.73.84.246:443/Memory Used					
1	8.81	26	8	8.45	5.67
LG 34.73.84.246:443/Throughput					
0	1.49	4.95	1.42	1.45	0.929
LG 34.73.84.246:443/User Load					
0	22.3	44	22	22.2	12.1
LG 34.73.84.246:443/Thread Count					
20	83.2	109	84	83.4	14.3
LG 34.73.84.246:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.84.246:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.84.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.84.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.84.246:443/Controller Connection/Ping Duration (ms)					
27	29.7	66	28	28.1	7.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.84.246:443/Network/Segments sent/sec.					
0	85.9	220.1	83	84.8	43.6
LG 34.73.84.246:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 34.73.84.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	5.08	1.48	1.51	0.956
LG 34.73.84.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.3	0.134	0.133	0.059

LG 34.73.86.253:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.86.253:443/CPU Load					
0	0.792	15	1	0.697	0.94
LG 34.73.86.253:443/Memory Used					
1	8.53	24	7	8.23	5.3
LG 34.73.86.253:443/Throughput					
0	1.49	4.91	1.36	1.44	0.968
LG 34.73.86.253:443/User Load					
0	22	44	22	22	12
LG 34.73.86.253:443/Thread Count					
20	82.6	107	83	82.8	14
LG 34.73.86.253:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.86.253:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.86.253:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.86.253:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.86.253:443/Controller Connection/Ping Duration (ms)					
17	27.6	67	27	27.1	6.32
LG 34.73.86.253:443/Network/Segments sent/sec.					
0	86	220.2	82.9	84.5	44.5
LG 34.73.86.253:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.026
LG 34.73.86.253:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	5.06	1.42	1.5	0.997
LG 34.73.86.253:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.293	0.132	0.132	0.059

LG 34.74.126.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.126.242:443/CPU Load					
0	0.755	8	1	0.672	0.781
LG 34.74.126.242:443/Memory Used					
1	8.59	25	7.5	8.26	5.44
LG 34.74.126.242:443/Throughput					
0	1.5	4.08	1.37	1.47	0.958
LG 34.74.126.242:443/User Load					
0	22.2	44	22	22.1	12.1
LG 34.74.126.242:443/Thread Count					
20	82.7	107	83	82.9	14.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.126.242:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.126.242:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.126.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.126.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.126.242:443/Controller Connection/Ping Duration (ms)					
17	28.4	67	28	27.7	6.13
LG 34.74.126.242:443/Network/Segments sent/sec.					
0	86.2	202.2	80.7	85.1	44.6
LG 34.74.126.242:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.023
LG 34.74.126.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.21	1.43	1.53	0.986
LG 34.74.126.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.282	0.132	0.133	0.059

LG 34.74.15.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.15.178:443/CPU Load					
0	0.706	5	1	0.637	0.684
LG 34.74.15.178:443/Memory Used					
1	9.12	27	8	8.73	5.98
LG 34.74.15.178:443/Throughput					
0	1.51	4.19	1.4	1.47	0.947
LG 34.74.15.178:443/User Load					
0	22.5	45	22	22.5	12
LG 34.74.15.178:443/Thread Count					
20	82.4	106	82	82.7	13.4
LG 34.74.15.178:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.15.178:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.74.15.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.15.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.15.178:443/Controller Connection/Ping Duration (ms)					
26	28.9	67	27	27.2	8.11
LG 34.74.15.178:443/Network/Segments sent/sec.					
0	87	205.5	80.8	85.8	44.5
LG 34.74.15.178:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.74.15.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.3	1.46	1.54	0.974
LG 34.74.15.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.34	0.133	0.134	0.06

LG 34.74.189.25:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.189.25:443/CPU Load					
0	0.786	9	1	0.707	0.792
LG 34.74.189.25:443/Memory Used					
1	9.35	28	8	8.93	6.21
LG 34.74.189.25:443/Throughput					
0	1.5	4.78	1.39	1.45	1
LG 34.74.189.25:443/User Load					
0	22.2	44	22	22.1	12.1
LG 34.74.189.25:443/Thread Count					
20	82.1	105	83	82.4	13.6
LG 34.74.189.25:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.189.25:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.189.25:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.189.25:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.189.25:443/Controller Connection/Ping Duration (ms)					
26	28.2	67	27	27.2	5.96
LG 34.74.189.25:443/Network/Segments sent/sec.					
0	85.5	225.6	80.6	84.2	45.4
LG 34.74.189.25:443/Network/Segments retransmitted/sec.					
0	0.004	0.603	0	0	0.034
LG 34.74.189.25:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.93	1.45	1.51	1.03
LG 34.74.189.25:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.302	0.13	0.132	0.06

LG 34.74.54.194:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.54.194:443/CPU Load					
0	0.796	15	1	0.697	0.961
LG 34.74.54.194:443/Memory Used					
1	8.16	23	7	7.85	5.09
LG 34.74.54.194:443/Throughput					
0	1.49	5.17	1.41	1.45	0.96
LG 34.74.54.194:443/User Load					
0	22	44	22	21.9	12
LG 34.74.54.194:443/Thread Count					
20	82.6	106	83	83	14.3
LG 34.74.54.194:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.54.194:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.54.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.54.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.54.194:443/Controller Connection/Ping Duration (ms)					
27	29.2	67	27	27.4	8.17

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.54.194:443/Network/Segments sent/sec.					
0	86.6	251.2	82	85.1	45.2
LG 34.74.54.194:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.027
LG 34.74.54.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	5.32	1.47	1.51	0.987
LG 34.74.54.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.132	0.307	0.133	0.132	0.059

LG 34.74.77.56:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.77.56:443/CPU Load					
0	0.73	5	1	0.666	0.688
LG 34.74.77.56:443/Memory Used					
1	8.54	25	7	8.21	5.43
LG 34.74.77.56:443/Throughput					
0	1.5	4.51	1.44	1.46	0.946
LG 34.74.77.56:443/User Load					
0	22.4	44	22	22.3	12.1
LG 34.74.77.56:443/Thread Count					
20	83.7	109	84	84	14.4
LG 34.74.77.56:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.77.56:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.74.77.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.77.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.77.56:443/Controller Connection/Ping Duration (ms)					
16	28.3	65	27	26.9	7.86
LG 34.74.77.56:443/Network/Segments sent/sec.					
0	86.7	220.6	85.5	85.3	44.6
LG 34.74.77.56:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.74.77.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.65	1.49	1.52	0.974
LG 34.74.77.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.284	0.133	0.133	0.06

LG 35.185.6.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.6.83:443/CPU Load					
0	0.853	15	1	0.751	1.02
LG 35.185.6.83:443/Memory Used					
1	8.93	26	8	8.53	5.92
LG 35.185.6.83:443/Throughput					
0	1.46	4.72	1.4	1.42	0.954
LG 35.185.6.83:443/User Load					
0	22.1	44	22	22.1	12.1
LG 35.185.6.83:443/Thread Count					
21	82.2	107	83	82.5	13.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.6.83:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.6.83:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.185.6.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.6.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.6.83:443/Controller Connection/Ping Duration (ms)					
27	29.1	68	27	27.3	8.09
LG 35.185.6.83:443/Network/Segments sent/sec.					
0	84.8	230.4	81.2	83.3	44.1
LG 35.185.6.83:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 35.185.6.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.52	4.89	1.46	1.48	0.98
LG 35.185.6.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.132	0.306	0.131	0.131	0.059

LG 35.185.98.57:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.98.57:443/CPU Load					
0	0.842	7	1	0.763	0.795
LG 35.185.98.57:443/Memory Used					
1	8.96	25	8	8.62	5.6
LG 35.185.98.57:443/Throughput					
0	1.53	4.45	1.44	1.5	0.935
LG 35.185.98.57:443/User Load					
0	22.6	45	22	22.5	12
LG 35.185.98.57:443/Thread Count					
20	83.5	108	85	83.8	14
LG 35.185.98.57:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.98.57:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.185.98.57:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.98.57:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.98.57:443/Controller Connection/Ping Duration (ms)					
27	29.2	67	27	27.6	7.86
LG 35.185.98.57:443/Network/Segments sent/sec.					
0	87.9	216.2	85.7	87	43.3
LG 35.185.98.57:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.024
LG 35.185.98.57:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	4.59	1.5	1.56	0.962
LG 35.185.98.57:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.311	0.137	0.135	0.059

LG 35.196.20.17:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.20.17:443/CPU Load					
0	0.727	10	1	0.635	0.817
LG 35.196.20.17:443/Memory Used					
1	8.93	26	8	8.58	5.72
LG 35.196.20.17:443/Throughput					
0	1.52	4.64	1.45	1.48	0.987
LG 35.196.20.17:443/User Load					
0	22.5	44	22	22.5	12
LG 35.196.20.17:443/Thread Count					
20	82.7	105	83	83	13.5
LG 35.196.20.17:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.20.17:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.20.17:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.20.17:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.20.17:443/Controller Connection/Ping Duration (ms)					
23	52.8	68	67	53.4	19
LG 35.196.20.17:443/Network/Segments sent/sec.					
0	87.6	203.7	86.1	86.1	45.9
LG 35.196.20.17:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.023
LG 35.196.20.17:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.77	1.51	1.54	1.02
LG 35.196.20.17:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.289	0.132	0.133	0.06

LG 35.196.221.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.221.22:443/CPU Load					
0	0.846	18	1	0.748	1.06
LG 35.196.221.22:443/Memory Used					
1	8.51	24	7	8.19	5.2
LG 35.196.221.22:443/Throughput					
0	1.52	4.26	1.46	1.49	0.945
LG 35.196.221.22:443/User Load					
0	22.9	45	23	22.9	12
LG 35.196.221.22:443/Thread Count					
20	82.9	107	84	83	13.5
LG 35.196.221.22:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.221.22:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.221.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.221.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.221.22:443/Controller Connection/Ping Duration (ms)					
26	28.4	64	27	26.8	7.69

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.221.22:443/Network/Segments sent/sec.					
0	86.6	211	81.8	85.4	44.1
LG 35.196.221.22:443/Network/Segments retransmitted/sec.					
0	0.004	0.6	0	0	0.034
LG 35.196.221.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.4	1.53	1.55	0.972
LG 35.196.221.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.136	0.3	0.135	0.135	0.059

LG 35.196.250.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.250.44:443/CPU Load					
0	0.842	9	1	0.744	0.886
LG 35.196.250.44:443/Memory Used					
1	8.19	23	7	7.92	4.9
LG 35.196.250.44:443/Throughput					
0	1.51	4.53	1.48	1.47	0.922
LG 35.196.250.44:443/User Load					
0	22.7	45	22	22.7	12.1
LG 35.196.250.44:443/Thread Count					
20	83.8	108	84	83.9	13.7
LG 35.196.250.44:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.250.44:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.250.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.250.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.250.44:443/Controller Connection/Ping Duration (ms)					
20	29.2	68	28	27.6	8.14
LG 35.196.250.44:443/Network/Segments sent/sec.					
0	86.3	218	85.2	85.2	43.1
LG 35.196.250.44:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.196.250.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.66	1.53	1.53	0.947
LG 35.196.250.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.309	0.135	0.134	0.059

LG 35.196.50.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.50.93:443/CPU Load					
0	0.77	7	1	0.689	0.766
LG 35.196.50.93:443/Memory Used					
1	8.01	21	7	7.75	4.79
LG 35.196.50.93:443/Throughput					
0	1.51	4.71	1.37	1.46	0.979
LG 35.196.50.93:443/User Load					
0	22.5	44	22	22.4	12
LG 35.196.50.93:443/Thread Count					
20	82.9	107	83	83.2	13.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.50.93:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.50.93:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.50.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.50.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.50.93:443/Controller Connection/Ping Duration (ms)					
27	28.8	65	27	27.2	7.49
LG 35.196.50.93:443/Network/Segments sent/sec.					
0	87.6	226.4	82.2	86	45.8
LG 35.196.50.93:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.026
LG 35.196.50.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.86	1.43	1.52	1.01
LG 35.196.50.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.305	0.133	0.134	0.06

LG 35.196.89.193:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.89.193:443/CPU Load					
0	0.717	9	1	0.635	0.792
LG 35.196.89.193:443/Memory Used					
1	7.95	22	7	7.66	4.89
LG 35.196.89.193:443/Throughput					
0	1.47	4.3	1.38	1.44	0.928
LG 35.196.89.193:443/User Load					
0	22.1	44	22	22	12
LG 35.196.89.193:443/Thread Count					
20	82.2	107	82	82.4	14
LG 35.196.89.193:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.89.193:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.196.89.193:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.89.193:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.89.193:443/Controller Connection/Ping Duration (ms)					
26	28.5	67	27	26.8	8.2
LG 35.196.89.193:443/Network/Segments sent/sec.					
0	86.1	208.8	82.7	84.7	44.8
LG 35.196.89.193:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.024
LG 35.196.89.193:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.54	4.45	1.45	1.5	0.956
LG 35.196.89.193:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.291	0.134	0.132	0.059

LG 35.196.97.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.97.32:443/CPU Load					
0	0.875	6	1	0.798	0.753
LG 35.196.97.32:443/Memory Used					
1	8.85	24	8	8.54	5.5
LG 35.196.97.32:443/Throughput					
0	1.51	4.51	1.44	1.48	0.967
LG 35.196.97.32:443/User Load					
0	22.6	45	22	22.5	12
LG 35.196.97.32:443/Thread Count					
21	83.1	108	83	83.3	13.7
LG 35.196.97.32:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.97.32:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.97.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.97.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.97.32:443/Controller Connection/Ping Duration (ms)					
21	28.3	63	28	27.7	5.41
LG 35.196.97.32:443/Network/Segments sent/sec.					
0	86.5	207.2	83.9	85.1	44.3
LG 35.196.97.32:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.033
LG 35.196.97.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.64	1.51	1.53	0.994
LG 35.196.97.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.282	0.132	0.134	0.059

LG 35.227.70.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.70.4:443/CPU Load					
0	0.717	12	1	0.635	0.829
LG 35.227.70.4:443/Memory Used					
1	7.99	21	7	7.73	4.84
LG 35.227.70.4:443/Throughput					
0	1.52	4.45	1.42	1.48	0.973
LG 35.227.70.4:443/User Load					
0	22.7	45	22	22.6	12.1
LG 35.227.70.4:443/Thread Count					
20	82.8	107	82	82.9	13.7
LG 35.227.70.4:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.70.4:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.227.70.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.70.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.70.4:443/Controller Connection/Ping Duration (ms)					
27	28.9	66	27	27.2	7.79

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.70.4:443/Network/Segments sent/sec.					
0	88	227.5	83.3	86.3	45.8
LG 35.227.70.4:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.024
LG 35.227.70.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.57	1.48	1.54	1
LG 35.227.70.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.301	0.134	0.134	0.059

LG 35.227.81.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.81.144:443/CPU Load					
0	0.757	6	1	0.678	0.739
LG 35.227.81.144:443/Memory Used					
1	8.61	25	7	8.28	5.44
LG 35.227.81.144:443/Throughput					
0	1.52	4.05	1.43	1.49	0.944
LG 35.227.81.144:443/User Load					
0	22.7	45	22	22.6	12.1
LG 35.227.81.144:443/Thread Count					
20	83.2	108	83	83.4	14
LG 35.227.81.144:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.81.144:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.227.81.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.81.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.81.144:443/Controller Connection/Ping Duration (ms)					
27	29.6	66	28	28	7.74
LG 35.227.81.144:443/Network/Segments sent/sec.					
0	87.6	208.4	84.9	86.4	44.7
LG 35.227.81.144:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.033
LG 35.227.81.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.17	1.49	1.55	0.972
LG 35.227.81.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.317	0.134	0.134	0.06

LG 35.227.99.113:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.99.113:443/CPU Load					
0	0.864	9	1	0.773	0.834
LG 35.227.99.113:443/Memory Used					
1	9.7	29	8	9.29	6.48
LG 35.227.99.113:443/Throughput					
0	1.52	4.77	1.48	1.49	0.934
LG 35.227.99.113:443/User Load					
0	22.8	45	23	22.7	12.1
LG 35.227.99.113:443/Thread Count					
20	84	108	85	84.2	13.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.99.113:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.99.113:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.227.99.113:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.99.113:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.99.113:443/Controller Connection/Ping Duration (ms)					
26	28.7	63	28	27.7	5.45
LG 35.227.99.113:443/Network/Segments sent/sec.					
0	87.2	224	82.9	86.2	43.9
LG 35.227.99.113:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.019
LG 35.227.99.113:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.89	1.54	1.55	0.959
LG 35.227.99.113:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.136	0.303	0.135	0.135	0.06

LG 35.229.103.56:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.103.56:443/CPU Load					
0	0.783	10	1	0.664	0.978
LG 35.229.103.56:443/Memory Used					
1	9.87	29	8	9.42	6.52
LG 35.229.103.56:443/Throughput					
0	1.53	4.98	1.41	1.49	0.98
LG 35.229.103.56:443/User Load					
0	22.7	45	22	22.6	12.1
LG 35.229.103.56:443/Thread Count					
20	82.6	107	82	82.7	13.5
LG 35.229.103.56:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.103.56:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.229.103.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.103.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.103.56:443/Controller Connection/Ping Duration (ms)					
22	53.9	69	67	54.7	18.7
LG 35.229.103.56:443/Network/Segments sent/sec.					
0	87.5	229	83.7	85.9	45.5
LG 35.229.103.56:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.032
LG 35.229.103.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	5.17	1.47	1.55	1.01
LG 35.229.103.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.29	0.135	0.135	0.059

LG 35.229.117.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.117.7:443/CPU Load					
0	0.77	5	1	0.705	0.676
LG 35.229.117.7:443/Memory Used					
1	7.24	18	7	7.05	4.1
LG 35.229.117.7:443/Throughput					
0	1.53	5.01	1.44	1.48	0.94
LG 35.229.117.7:443/User Load					
0	22.7	45	22	22.7	12.1
LG 35.229.117.7:443/Thread Count					
20	84.1	109	84	84.3	14.4
LG 35.229.117.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.117.7:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.229.117.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.117.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.117.7:443/Controller Connection/Ping Duration (ms)					
20	28.6	66	28	27.9	5.87
LG 35.229.117.7:443/Network/Segments sent/sec.					
0	88	219.4	84	86.5	44.6
LG 35.229.117.7:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.229.117.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	5.16	1.51	1.55	0.968
LG 35.229.117.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.137	0.291	0.139	0.136	0.059

LG 35.231.1.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.1.140:443/CPU Load					
0	0.738	5	1	0.672	0.68
LG 35.231.1.140:443/Memory Used					
1	8.64	23	7.5	8.33	5.35
LG 35.231.1.140:443/Throughput					
0	1.52	4.51	1.42	1.48	0.963
LG 35.231.1.140:443/User Load					
0	22.8	45	23	22.8	12.1
LG 35.231.1.140:443/Thread Count					
20	83.6	108	84	83.8	14.1
LG 35.231.1.140:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.1.140:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.1.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.1.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.1.140:443/Controller Connection/Ping Duration (ms)					
17	28.4	67	27	26.9	8.25

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.1.140:443/Network/Segments sent/sec.					
0	87.8	221.9	85.5	86.1	45.8
LG 35.231.1.140:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.033
LG 35.231.1.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	4.67	1.49	1.54	0.993
LG 35.231.1.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.369	0.136	0.134	0.061

LG 35.231.128.49:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.128.49:443/CPU Load					
0	0.747	13	1	0.633	0.951
LG 35.231.128.49:443/Memory Used					
1	7.52	20	7	7.27	4.49
LG 35.231.128.49:443/Throughput					
0	1.5	4.9	1.36	1.46	0.981
LG 35.231.128.49:443/User Load					
0	22	44	22	21.9	12
LG 35.231.128.49:443/Thread Count					
20	82.6	107	83	82.9	14.1
LG 35.231.128.49:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.128.49:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.231.128.49:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.128.49:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.128.49:443/Controller Connection/Ping Duration (ms)					
26	30	74	27	27.9	10.78
LG 35.231.128.49:443/Network/Segments sent/sec.					
0	85.5	228	81.8	84.1	45.1
LG 35.231.128.49:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.028
LG 35.231.128.49:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	5.03	1.42	1.52	1.01
LG 35.231.128.49:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.288	0.131	0.132	0.059

LG 35.231.247.66:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.247.66:443/CPU Load					
0	0.723	12	1	0.631	0.882
LG 35.231.247.66:443/Memory Used					
1	8.49	25	7	8.17	5.36
LG 35.231.247.66:443/Throughput					
0	1.51	5.31	1.39	1.46	0.98
LG 35.231.247.66:443/User Load					
0	22.4	44	22	22.3	12.1
LG 35.231.247.66:443/Thread Count					
20	82.9	107	84	83.1	14.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.247.66:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.247.66:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.247.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.247.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.247.66:443/Controller Connection/Ping Duration (ms)					
26	28.7	66	27	27	7.94
LG 35.231.247.66:443/Network/Segments sent/sec.					
0	87.6	250.7	83.4	85.9	46.8
LG 35.231.247.66:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 35.231.247.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	5.47	1.45	1.52	1.01
LG 35.231.247.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.279	0.134	0.134	0.06

LG 35.231.253.228:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.253.228:443/CPU Load					
0	0.822	6	1	0.738	0.797
LG 35.231.253.228:443/Memory Used					
1	8.51	25	7	8.19	5.34
LG 35.231.253.228:443/Throughput					
0	1.5	4.86	1.44	1.46	0.944
LG 35.231.253.228:443/User Load					
0	22.5	44	22	22.5	12
LG 35.231.253.228:443/Thread Count					
20	83	107	83	83.2	13.9
LG 35.231.253.228:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.253.228:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.253.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.253.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.253.228:443/Controller Connection/Ping Duration (ms)					
27	28	66	27	27.1	5.81
LG 35.231.253.228:443/Network/Segments sent/sec.					
0	86.3	229.2	82.6	84.8	44
LG 35.231.253.228:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 35.231.253.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	5.01	1.5	1.52	0.971
LG 35.231.253.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.282	0.135	0.134	0.058

LG 35.231.94.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.94.79:443/CPU Load					
0	0.81	7	1	0.734	0.765
LG 35.231.94.79:443/Memory Used					
1	8.61	24	7	8.29	5.44
LG 35.231.94.79:443/Throughput					
0	1.49	4.74	1.37	1.46	0.942
LG 35.231.94.79:443/User Load					
0	22.3	44	22	22.2	12.1
LG 35.231.94.79:443/Thread Count					
20	82.5	107	83	82.7	14.2
LG 35.231.94.79:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.94.79:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.94.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.94.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.94.79:443/Controller Connection/Ping Duration (ms)					
21	28	64	27	27.1	5.77
LG 35.231.94.79:443/Network/Segments sent/sec.					
0	85.9	210.8	78.4	84.7	44.3
LG 35.231.94.79:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.231.94.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.87	1.42	1.52	0.969
LG 35.231.94.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.402	0.132	0.133	0.061

LG 35.237.109.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.109.35:443/CPU Load					
0	0.903	12	1	0.798	0.974
LG 35.237.109.35:443/Memory Used					
1	7.96	21	7	7.7	4.83
LG 35.237.109.35:443/Throughput					
0	1.47	5.11	1.45	1.43	0.93
LG 35.237.109.35:443/User Load					
0	22.2	44	22	22.2	12.2
LG 35.237.109.35:443/Thread Count					
20	82.2	106	82	82.5	13.9
LG 35.237.109.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.109.35:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.109.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.109.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.109.35:443/Controller Connection/Ping Duration (ms)					
27	28.5	64	28	27.7	5.44

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.109.35:443/Network/Segments sent/sec.					
0	85.8	249.3	82.6	84.4	44.2
LG 35.237.109.35:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.019
LG 35.237.109.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.53	5.24	1.52	1.49	0.955
LG 35.237.109.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.133	0.295	0.132	0.132	0.059

LG 35.237.147.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.147.42:443/CPU Load					
0	0.771	15	1	0.674	0.952
LG 35.237.147.42:443/Memory Used					
1	7.99	22	7	7.73	4.78
LG 35.237.147.42:443/Throughput					
0	1.51	4.65	1.43	1.47	0.95
LG 35.237.147.42:443/User Load					
0	22.7	45	22	22.6	12.1
LG 35.237.147.42:443/Thread Count					
20	83	109	82	83.2	13.8
LG 35.237.147.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.147.42:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.147.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.147.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.147.42:443/Controller Connection/Ping Duration (ms)					
27	29.3	63	28	27.9	6.84
LG 35.237.147.42:443/Network/Segments sent/sec.					
0	87.1	213.6	83.8	85.7	44.3
LG 35.237.147.42:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 35.237.147.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.75	1.49	1.53	0.978
LG 35.237.147.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.299	0.134	0.135	0.059

LG 35.237.168.185:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.168.185:443/CPU Load					
0	0.829	17	1	0.728	1.04
LG 35.237.168.185:443/Memory Used					
1	9.53	28	8	9.1	6.32
LG 35.237.168.185:443/Throughput					
0	1.5	4.58	1.46	1.46	0.944
LG 35.237.168.185:443/User Load					
0	22.3	44	22	22.2	12.2
LG 35.237.168.185:443/Thread Count					
20	83.4	108	83	83.7	14.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.168.185:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.168.185:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.168.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.168.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.168.185:443/Controller Connection/Ping Duration (ms)					
27	29.6	67	28	27.9	7.88
LG 35.237.168.185:443/Network/Segments sent/sec.					
0	86.3	222	84.1	84.9	44.4
LG 35.237.168.185:443/Network/Segments retransmitted/sec.					
0	0.004	0.6	0	0	0.036
LG 35.237.168.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.71	1.52	1.51	0.971
LG 35.237.168.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.284	0.135	0.133	0.06

LG 35.237.179.185:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.179.185:443/CPU Load					
0	0.784	5	1	0.718	0.7
LG 35.237.179.185:443/Memory Used					
1	8.77	26	8	8.41	5.63
LG 35.237.179.185:443/Throughput					
0	1.49	4.01	1.39	1.46	0.941
LG 35.237.179.185:443/User Load					
0	22.4	44	22	22.3	12.1
LG 35.237.179.185:443/Thread Count					
20	82.2	106	82	82.5	13.6
LG 35.237.179.185:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.179.185:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.179.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.179.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.179.185:443/Controller Connection/Ping Duration (ms)					
21	29.4	68	28	27.9	8.02
LG 35.237.179.185:443/Network/Segments sent/sec.					
0	85.3	200.4	83	84.2	43.4
LG 35.237.179.185:443/Network/Segments retransmitted/sec.					
0	0.004	0.6	0	0	0.034
LG 35.237.179.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.55	4.13	1.45	1.52	0.967
LG 35.237.179.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.272	0.133	0.133	0.059

LG 35.237.180.229:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.180.229:443/CPU Load					
0	0.786	16	1	0.678	1.01
LG 35.237.180.229:443/Memory Used					
1	8.67	24	8	8.34	5.45
LG 35.237.180.229:443/Throughput					
0	1.51	4.6	1.4	1.47	0.962
LG 35.237.180.229:443/User Load					
0	22.1	44	23	22	12
LG 35.237.180.229:443/Thread Count					
20	82.6	108	85	82.9	14.1
LG 35.237.180.229:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.180.229:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.180.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.180.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.180.229:443/Controller Connection/Ping Duration (ms)					
17	29.3	67	27	27.7	10.15
LG 35.237.180.229:443/Network/Segments sent/sec.					
0	86.1	219.4	81.2	84.5	44.5
LG 35.237.180.229:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.237.180.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	4.75	1.46	1.53	0.994
LG 35.237.180.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.314	0.135	0.134	0.059

LG 35.237.35.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.35.132:443/CPU Load					
0	0.844	17	1	0.748	0.996
LG 35.237.35.132:443/Memory Used					
1	8.86	24	8	8.54	5.53
LG 35.237.35.132:443/Throughput					
0	1.52	5.69	1.45	1.47	0.974
LG 35.237.35.132:443/User Load					
0	22.6	45	23	22.6	12
LG 35.237.35.132:443/Thread Count					
20	83.3	108	84	83.5	14
LG 35.237.35.132:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.35.132:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.35.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.35.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.35.132:443/Controller Connection/Ping Duration (ms)					
15	27.9	65	27	27.2	5.98

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.35.132:443/Network/Segments sent/sec.					
0	87.5	266.9	84.3	86	44.7
LG 35.237.35.132:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.021
LG 35.237.35.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.58	5.86	1.52	1.53	1
LG 35.237.35.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.287	0.133	0.133	0.059

LG 35.243.128.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.128.37:443/CPU Load					
0	0.79	5	1	0.718	0.739
LG 35.243.128.37:443/Memory Used					
1	9.49	28	8	9.09	6.15
LG 35.243.128.37:443/Throughput					
0	1.53	4.71	1.41	1.48	0.977
LG 35.243.128.37:443/User Load					
0	23	45	23	22.9	12
LG 35.243.128.37:443/Thread Count					
20	83.9	108	84	84.1	13.9
LG 35.243.128.37:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.128.37:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.243.128.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.128.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.128.37:443/Controller Connection/Ping Duration (ms)					
27	29.8	68	28	28.1	8.25
LG 35.243.128.37:443/Network/Segments sent/sec.					
0	87.5	218.8	83.1	86.2	44.7
LG 35.243.128.37:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.026
LG 35.243.128.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.59	4.84	1.46	1.54	1
LG 35.243.128.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.135	0.275	0.134	0.134	0.06

LG 35.243.134.192:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.134.192:443/CPU Load					
0	0.833	5	1	0.765	0.705
LG 35.243.134.192:443/Memory Used					
1	7.37	19	7	7.18	4.21
LG 35.243.134.192:443/Throughput					
0	1.54	4.86	1.45	1.5	0.972
LG 35.243.134.192:443/User Load					
0	22.9	45	23	22.9	12
LG 35.243.134.192:443/Thread Count					
20	83.2	108	84	83.3	13.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.134.192:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.134.192:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.243.134.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.134.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.134.192:443/Controller Connection/Ping Duration (ms)					
27	29.8	68	27	27.9	9.29
LG 35.243.134.192:443/Network/Segments sent/sec.					
0	87.1	225.8	85.2	85.4	44.1
LG 35.243.134.192:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.021
LG 35.243.134.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.6	4.99	1.5	1.56	0.999
LG 35.243.134.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.137	0.309	0.139	0.136	0.059

LG 35.243.203.126:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.203.126:443/CPU Load					
0	0.794	10	1	0.699	0.861
LG 35.243.203.126:443/Memory Used					
1	8.05	21	7	7.79	4.86
LG 35.243.203.126:443/Throughput					
0	1.5	5.34	1.43	1.46	0.965
LG 35.243.203.126:443/User Load					
0	22.7	45	23	22.7	12.1
LG 35.243.203.126:443/Thread Count					
20	84.4	108	85	84.7	14.6
LG 35.243.203.126:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.203.126:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.243.203.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.203.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.203.126:443/Controller Connection/Ping Duration (ms)					
25	28.8	65	28	28	5.56
LG 35.243.203.126:443/Network/Segments sent/sec.					
0	86.7	227.7	82.6	85.2	44.7
LG 35.243.203.126:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 35.243.203.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	5.46	1.49	1.52	0.993
LG 35.243.203.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.297	0.134	0.134	0.059

LG 35.243.214.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.214.32:443/CPU Load					
0	0.809	9	1	0.73	0.79
LG 35.243.214.32:443/Memory Used					
1	7.84	21	7	7.57	4.77
LG 35.243.214.32:443/Throughput					
0	1.5	4.18	1.35	1.47	0.937
LG 35.243.214.32:443/User Load					
0	22.3	44	22	22.2	12.2
LG 35.243.214.32:443/Thread Count					
20	83.2	106	84	83.5	14.4
LG 35.243.214.32:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.214.32:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.243.214.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.214.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.214.32:443/Controller Connection/Ping Duration (ms)					
27	29	67	27	27.3	8
LG 35.243.214.32:443/Network/Segments sent/sec.					
0	86.1	199.3	80.6	85.2	43.8
LG 35.243.214.32:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.243.214.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.56	4.29	1.41	1.52	0.963
LG 35.243.214.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.275	0.131	0.133	0.059


LG 35.243.227.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.227.200:443/CPU Load					
0	0.81	10	1	0.713	0.866
LG 35.243.227.200:443/Memory Used					
1	8.88	24	8	8.56	5.51
LG 35.243.227.200:443/Throughput					
0	1.52	4.5	1.44	1.48	0.956
LG 35.243.227.200:443/User Load					
0	23	45	23	22.9	12
LG 35.243.227.200:443/Thread Count					
20	83.5	107	84	83.6	13.7
LG 35.243.227.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.227.200:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.243.227.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.227.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.227.200:443/Controller Connection/Ping Duration (ms)					
26	29	68	27	27.3	7.91

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.227.200:443/Network/Segments sent/sec.					
0	86.6	214.8	82.8	85.4	44.4
LG 35.243.227.200:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.019
LG 35.243.227.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0	1.57	4.63	1.5	1.54	0.982
LG 35.243.227.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.134	0.278	0.132	0.133	0.06


Average page response time



Min	Average	Max
0.329	1.312	1.542

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.327	1.123	1.693

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.325	1.584	4.055	1.586	1.594	0.163

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



Min	Average	Max
6.8	487.8	1,032

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	12.4	124

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	135.9	274.05

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.296	1.184	1.617

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.