MyVerizon Standalone OpenIG 03132020 SDC LT



Date	Mar 13, 2020 12:54:40 AM
Project	MVO_NSA_DocsReceipts_03062020
Scenario	MVO_SDC_LT_03_04_2020
Comment	
Notes	MyVerizon Standalone OpenIG 03132020 SDC LT

Table of Contents

Table of Contents	2
Summary	3
Results summary	3
Statistics Summary	4
Hot spots	6
Errors	6
Alerts	6
General statistics	6
Transaction statistics	
Execution context	
Scenario	
Servers	
Cloud	
Populations	
User Paths	
Transactions	
Pages	
Media Contents	
Push messages	
Monitors	
Alerts	
Main graphs	
Average page response time	
Average request response time	
Average response time (Transactions)	
Requests per second	
Errors	
Throughput	
Response time against load	
Distribution of Transaction Durations	
Top 10 First Alerts	_



Results summary

Name	MVO_OpenIG_SDC_LT2_03		MVO_NSA_DocsReceipts_03062020			
Description		Scenario	MVO_SDC_LT_03_04_2020			
Status	Passed	Load Policy	The population MVO_LT_032020 is customized			
Start date End date	Mar 13, 2020 12:54:40 AM Mar 13, 2020 1:12:04 AM	Stop Policy	 Population MVO_LT_032020: immediate. 			
Duration	00:17:24	Ctop i olicy	r opulation in v o_E1_502526. Illimediate.			
Termination reason	Execution policy	Filters	 By time interval: from 00:00:00.000 to 00:17:26.000 Errors taken in account in response times: No 			
	35.236.28.29:443					
	, 35.235.118.208:443					
	34.94.203.198:443					
	, 34.94.81.79:443					
	, 34.94.1.240:443					
	, 35.236.79.71:443					
	, 35.235.99.207:443					
	, 35.235.76.54:443					
	, 35.236.46.62:443					
	, 34.94.59.208:443					
	, 34.94.128.220:443					
	, 34.94.126.194:443					
	, 34.94.232.205:443					
	, 34.94.187.2:443					
	, 35.236.50.178:443					
	, 34.94.8.48:443		Disabled			
LG Hosts	, 35.236.89.138:443	Debug				
	, 34.94.165.47:443					
	, 35.236.33.116:443					
	, 34.94.183.244:443					
	, 34.94.124.142:443					
	, 35.235.72.121:443					
	, 34.94.232.211:443					
	, 34.94.49.215:443					
	, 35.235.90.170:443					
	, 34.94.19.75:443					
	, 34.94.164.47:443					
	, 35.236.2.158:443					
	, 34.94.25.234:443					
	, 34.94.63.255:443					
	, 34.94.169.84:443					
	, 35.236.38.73:443					

34.94.10.52:443 35.236.48.220:443 34.94.71.95:443 35.236.21.100:443 34.94.57.54:443 34.94.184.132:443 35.236.41.0:443 35.235.98.163:443 13.66.208.61:443 , 52.229.21.216:443 52.229.36.67:443 52.229.27.184:443 , 52.191.184.98:443 , 52.229.37.195:443 52.229.33.62:443 52.191.129.223:443 52.191.135.27:443 52.191.136.212:443 , 52.191.136.128:443 52.175.205.188:443 52.191.161.70:443 52.191.169.159:443 52.229.33.39:443 52.191.170.84:443 52.191.174.80:443 52.175.232.24:443 52.229.54.4:443 13.66.249.190:443

Statistics Summary

Total pages	1381090	_	Average pages/s	1,321.6	
Total requests	5763779	-	Average requests/s	5,515.6	
Total users launched	7982	-	Average Request response time	0.304 s	-
Total iterations completed	40854	-	Average Page response time	1.03 s	
Total throughput	205,352 MB	-	Average throughput	1,572.07 Mb/s	-
Total request errors	103786	-	Error rate	1.8 %	_
Total action errors	0	_	Alerts total duration	10.5 %	_














Hot spots

Top 5 errors

User Path	Parent	Page	Count
03_MVO_M_BAU_0312	03_M_MVO_SigninOver	vie·/vzauth/UI/Login_1	7055
04_MVO_M_Login_0312	03_M_MVO_SigninOver	vie·/vzauth/UI/Login_1	5636
01_MVO_D_BAU_0312	03_D_MVO_SigninOver	viev/ui/hub/data/secure/overview/get_ensighten_tags	5383
02_MVO_D_Login_0312	03_D_MVO_SigninOver	viev/ui/hub/data/secure/overview/get_ensighten_tags	4425
03_MVO_M_BAU_0312	06_M_MVO_MyPlan	/ui/hub/ao/myplan	4349

Top 5 alerts

Sev.	Alert	Duration %	Occurrences
Controller/Memory Used >= 80.0%		10.5	2

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
03_MVO_M_BAU_0312	06_M_MVO_MyPlan	/ui/hub/ao/myplan	21.2
04_MVO_M_Login_0312	03_M_MVO_SigninOvervie	er/vzauth/UI/Login_1	19.6
03_MVO_M_BAU_0312	03_M_MVO_SigninOvervie	er/vzauth/UI/Login_1	19.3
01_MVO_D_BAU_0312	06_D_MVO_MyPlan	/ui/hub/ao/myplan	18
02_MVO_D_Login_0312	03_D_MVO_SigninOvervie	ev/ui/hub/data/secure/overview/get_ensighten_tags	13.3

Top 5 maximum response time (Pages)

User Path	Parent		Page	Duration
03_MVO_M_BAU_0312	03_M_MVO_SigninOverv	viev/vzauth/UI/Login_1		90.1
03_MVO_M_BAU_0312	06_M_MVO_MyPlan	/ui/hub/ao/myplan		84.5
04_MVO_M_Login_0312	03_M_MVO_SigninOverv	viev/vzauth/UI/Login_1		75.1
01_MVO_D_BAU_0312	03_D_MVO_SigninOverv	riev/vzauth/UI/Login_1		68.3
01_MVO_D_BAU_0312	06_D_MVO_MyPlan	/ui/hub/ao/myplan		65.6

Errors

Request errors

Error Type	Count	Description
502	87,872	Bad Gateway
400	8,712	Bad Request - The request could not be understood by the server due to malformed syntax.
NL-REDIRECT-03	3,623	NeoLoad could not follow the sendRedirect directive for the previous request. The previous request did not issue a redirection.
Assertions	3,549	Validation of the response failed.
500	30	Internal Server Error
Total	103,786	Total error count.

Action errors

No errors

Alerts

Element	Critical	Warning	Monitored
✓ Controller	0	1	3

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User P	aths					
0	0	0	4,266	4,266	100	-
All pages						
0.001	1.03	90.1	1,381,090	89,391	6.5	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
All reques	ts					
0	0.303	194.6	5,763,779	103,786	1.8	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transa	ctions										
0.109	5.3	90.7	244,996	54,314	22.2	0.92	28.5	46.2	9.94	3.71	-



Summary

Name	MVO_OpenIG_SDC_LT2_0313	Project	MVO_NSA_DocsReceipts_03062020
Description		Scenario	MVO_SDC_LT_03_04_2020
Status	✓ Passed	Load Policy	The population MVO_LT_032020 is customized
Start date	Mar 13, 2020 12:54:40 AM	Stan Daliay	- Deputation MVO LT 022020: immediate
End date Duration	Mar 13, 2020 1:12:04 AM 00:17:24	Stop Policy	Population MVO_LT_032020: immediate.
Termination reason	Execution policy	Filters	 By time interval: from 00:00:00.000 to 00:17:26.000 Errors taken in account in response times: No
	35.236.28.29:443		
	35.235.118.208:443		
	34.94.203.198:443		
	34.94.81.79:443		
	34.94.1.240:443		
	35.236.79.71:443		
	35.235.99.207:443		
	, 35.235.76.54:443		
	, 35.236.46.62:443		
	, 34.94.59.208:443		
	, 34.94.128.220:443		
	, 34.94.126.194:443		
	, 34.94.232.205:443		
	34.94.187.2:443		
	35.236.50.178:443		
LG Hosts	34.94.8.48:443	Debug	Disabled
	35.236.89.138:443		
	34.94.165.47:443		
	35.236.33.116:443		
	34.94.183.244:443		
	34.94.124.142:443		
	35.235.72.121:443		
	34.94.232.211:443		
	34.94.49.215:443		
	35.235.90.170:443		
	34.94.19.75:443		
	, 34.94.164.47:443		
	35.236.2.158:443		
	34.94.25.234:443		
	, 34.94.63.255:443		
	, 34.94.169.84:443		



35.236.38.73:443 34.94.10.52:443 35.236.48.220:443 34.94.71.95:443 35.236.21.100:443 34.94.57.54:443 34.94.184.132:443 35.236.41.0:443 35.235.98.163:443 13.66.208.61:443 52.229.21.216:443 52.229.36.67:443 52.229.27.184:443 52.191.184.98:443 52.229.37.195:443 52.229.33.62:443 52.191.129.223:443 52.191.135.27:443 52.191.136.212:443 52.191.136.128:443 52.175.205.188:443 52.191.161.70:443 52.191.169.159:443 52.229.33.39:443 52.191.170.84:443 52.191.174.80:443 52.175.232.24:443 52.229.54.4:443 13.66.249.190:443

Populations

MVO_LT_032020

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle Co	nnection	Handle cache
01_MVO_D_BAU_0	35.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
03_MVO_M_BAU_0	35.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 8	Yes	6	New user
02_MVO_D_Login_0	15.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
04_MVO_M_Login_0	15.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 8	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
01_MVO_D_BAU_031		Go to the next iteration	Do nothing	0ms	0%
03_MVO_M_BAU_031		Go to the next iteration	Do nothing	0ms	0%
02_MVO_D_Login_03		Go to the next iteration	Do nothing	0ms	0%



Name	Description	On failed assertion	On error	Think time	Thinktime range
04_MVO_M_Login_03		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				



Execution context

Settings data not available on this result (old project)




Servers

Servers

Host		Port	HTTP/2 ready	HTTP/2 used
api.verizon.com	443	No	No	
stcache.vzw.com	443	Yes	Yes	
login.verizonwireless.com	443	No	No	
ssoauth.verizon.com	443	No	No	
s7.vzw.com	80	No	No	
ecache.vzw.com	443	Yes	Yes	
scache2.vzw.com	443	Yes	Yes	
scache.verizonwireless.com	443	Yes	Yes	
www.verizonwireless.com	443	No	No	
scache1.vzw.com	443	Yes	Yes	
billpaysvc.verizonwireless.com	443	No	No	
ss7.vzw.com	443	Yes	Yes	
scache.vzw.com	443	Yes	Yes	
myvpostpay.verizonwireless.co	r443	No	No	
www.verizonwireless.com	80	No	No	
login.vzw.com	443	No	No	



Graphs



— USA West - California (Los Angeles 1) — USA West - California (Los Angeles 2) — Global

00:08

Time

00:10

00:12

Statistics

3,000 2,000

1,000

00:00

00:02

00:04


00:06

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA West - California (Los Angeles 1)	Microsoft Azure	20	1961176 (34%)	1,876.7	0.982s (-4.57%)	1.8% (+0.827%)
USA West - California (Los Angeles 2)	Google Compute Engine	40	3802603 (66%)	3,638.9	1.05s (+2.33%)	1.8% (-0.426%)
Global		60	5763779 (100%)	5,515.6	1.03s	1.8%

00:18

00:16

Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
MVO_LT_032020	5763779 (100%)	5,515.6	1.03s (0%)	1.8% (0%)
Global	5763779 (100%)	5,515.6	1.03s	1.8%

User Paths

User Paths

Min	n Avg	Max	Count	Err	% of Err	SLA Profile
₫ 01_	MVO_D_BAI	J_0312				
0	0	0	1,236	1,236	100	-
₫ 02_	MVO_D_Log	in_0312				
0	0	0	716	716	100	-
₫ 03_	MVO_M_BA	U_0312				
0	0	0	1,518	1,518	100	-
₫ 04_	MVO_M_Log	jin_0312				
0	0	0	796	796	100	-

Transactions

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev Avg-90%	SLA Profile
Empty list										

01_MVO_D_BAU_0312

Mir	1	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
01_	MVC)_D_BAU_0:	312									
0		0	0	1,236	1,236	100	-	-	-	-	-	-
	Init											
0		0	0.001	2,794	0	0	-	-	-	-	-	-
	Acti	ons										
11		49.1	137.8	10,671	5,669	53.1	-	-	-	-	-	-
		01_D_MVO_	Launch									
0.33		1.26	11.8	13,154	0	0	0.907	4.12	5.49	1.19	1.11	-
		02_D_MVO_	MyAccount									
0.109		0.228	27.2	13,048	0	0	0.13	0.212	1.45	0.86	0.153	-
		03_D_MVO_	SigninOver	/iew								
3.84		20.4	84.9	12,467	6,386	51.2	19.1	47.7	56.4	13.9	19.4	-
		04_D_MVO_	MyDevice									
0.693		7.54	55.7	11,868	5,008	42.2	2.94	24.3	33.4	8.45	6.69	-
		05_D_MVO_	ViewBill									
2.34		4.5	33.9	10,619	1,798	16.9	3.03	12.7	20.4	3.78	3.85	-
		06_D_MVO_	MyPlan									
1.83		21	72	9,854	3,695	37.5	19.1	47.6	59.1	14.3	20.2	-
		07_D_MVO_	Signout									
0.147		1.42	28.9	9,587	1,815	18.9	0.389	8.43	18.7	3.45	0.767	-
	End											
0		0	0.001	1,236	0	0	-	-	-	-	-	-

02_MVO_D_Login_0312

Mi	n	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
02_	_MVO_D	_Login_0	312									
0	0		0	716	716	100	-	-	-	-	-	-
	Init											
0	0		0.001	1,197	0	0	-	-	-	-	-	-
	Actions	S										
4.93	22	.3	85.9	8,825	4,650	52.7	-	-	-	-	-	-
	<u></u> 01_	D_MVO_I	Launch									
0.353	1.2	29	11.1	9,671	0	0	0.936	4.17	5.69	1.2	1.14	-
	<u></u> 02_	D_MVO_I	MyAccount									
0.109	0.2	227	27.3	9,599	0	0	0.129	0.209	1.11	0.915	0.151	-
	<u></u> 03_	D_MVO_S	SigninOverv	riew								
4	20	.7	84	9,082	4,874	53.7	19.3	48	57.6	13.9	19.7	-



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
	07_D_MVO	_Signout									
0.157	1.65	28.8	8,825	2,276	25.8	0.424	9.7	21.2	3.91	0.895	-
Enc	d										
0	0	0.001	716	0	0	-	-	-	-	-	-

03_MVO_M_BAU_0312

Mir	1	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
₫ 03_	MVC	_M_BAU_(0312									
0		0	0	1,518	1,518	100	-	-	-	-	-	-
	Init											
0		0	0.001	2,794	0	0	-	-	-	-	-	-
	Acti	ons										
11.1		50.8	157.6	11,466	6,230	54.3	-	-	-	-	-	-
		01_M_MVO	_Launch									
0.196		0.415	10.63	14,011	0	0	0.244	1.05	3.57	0.656	0.307	-
	<u></u>	02_M_MVO	_MyAccoun	t								
0.419		0.883	26.8	13,832	0	0	0.511	1.51	5.55	1.04	0.712	-
		03_M_MVO	_SigninOve	rview								
3.9		20.1	90.7	13,279	6,921	52.1	18.9	47	56.5	13.8	19.1	-
		04_M_MVO	_MyDevice									
0.76		7.34	51.1	12,625	5,482	43.4	2.75	23.7	32.3	8.24	6.49	-
		05_M_MVO	_ViewBill									
2.38		4.64	54.8	11,207	1,949	17.4	3.11	12.6	22.5	3.98	3.98	-
		06_M_MVO	_MyPlan									
1.58		21.9	84.7	10,532	4,067	38.6	20	46.2	56	13.5	21.3	-
		07_M_MVO	_Signout									
0.282		1.92	52	10,217	1,918	18.8	0.724	9.43	20.5	3.82	1.23	-
	End											
0		0	0.001	1,518	0	0	-	-	-	-	-	-

04_MVO_M_Login_0312

Mi	n	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
04_	_MVO	_M_Login_0	0312									
0		0	0	796	796	100	-	-	-	-	-	-
	Init											
0		0	0.001	1,197	0	0	-	-	-	-	-	-
	Actio	ons										
5.05		22.5	80.5	9,892	5,317	53.8	-	-	-	-	-	-
	<u></u> 0	1_M_MVO_	Launch									
0.193		0.411	10.5	10,865	0	0	0.245	1.02	3.1	0.616	0.312	-
	<u></u>	2_M_MVO_	MyAccount									
0.42		0.883	52.5	10,635	0	0	0.51	1.48	5.63	1.2	0.705	-
	<u></u> 0	3_M_MVO_	SigninOver	view								
3.93		20.4	75.8	10,127	5,518	54.5	19.2	47.2	56	13.8	19.5	-



Min	n Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
	© 07_M_MVO	_Signout									
0.293	2.28	30.9	9,892	2,607	26.4	0.783	11.6	21.3	4.14	1.55	-
	End										
0	0	0.001	796	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

01_MVO_D_BAU_0312

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

02_MVO_D_Login_0312

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

03_MVO_M_BAU_0312

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

04_MVO_M_Login_0312

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						



Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

01_MVO_D_BAU_0312

Min	Avg	Max	Count	Err	% of Err	SLA Profile
⊕ 01_MV0	D_D_BAU_0	312				
0	0	0	1,236	1,236	100	-
Act	ions					
11	49.1	137.8	10,671	5,669	53.1	-
	01_D_MVO_	Launch				
0.33	1.26	11.8	13,154	0	0	-
	<u>i</u> /					
0.151	0.291	7.16	13,435	0	0	-
	🤳 /globaln	av/fonts/Neu	ıeHaasGrote	eskDisplay.w	off2	
0.022	0.085	10.35	13,435	0	0	-
	omni/co	mmon/js/ve	ndor/monot	ype/helvetic	aNeue.js	
0.009	0.022	3.05	13,435	0	0	-
	₫ /tr					
0.012	0.051	8.41	13,435	0	0	-
	/pagead/	viewthrough	nconversion	/1030624533	3/_1	
0.103	0.766	6.24	13,154	0	0	-
	/favicon.	.ico				
0.015	0.048	3.31	13,154	0	0	-
	02_D_MVO_	MyAccount				
0.109	0.228	27.2	13,048	0	0	-
	/my-veri	zon/				
0.109	0.228	27.2	13,151	0	0	-
	🤳 /vzaı	uth/UI/Login				
0.086	0.13	25.9	13,153	0	0	-
	03_D_MVO_	SigninOverv	/iew			
3.84	20.4	84.9	12,467	6,386	51.2	-
	/vzauth/	UI/Login				
0.03	0.092	51.5	13,047	0	0	-
	/favicon.	ico				
0.015	0.021	0.557	13,047	0	0	-
	/vzauth/	UI/Login_1				
0.654	7.23	68.3	12,864	3,492	27.1	-
	Jui/hub/c	lata/secure/d	overview/ge	t_ensighten_	tags	
1.71	12.6	52.8	12,624	5,383	42.6	-
	/pixel					
0.02	0.108	27.5	12,624	0	0	-
	Jvzwsvc/	/asc/GlobalN	lavServices	nfo.action		
0.077	0.238	3.38	12,624	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
	/activityi	;dc_pre=CJr	Eg7rKcC	.bwi00;ord=	1;num=4842	
0.002	0.036	13.8	12,624	0	0	-
	dest5.ht	tml				
0.266	1.19	13.6	12,594	0	0	-
	Jui/hub/ii	nqChat.html				
0.034	1.08		12,478	2,541	20.4	-
	04_D_MVO_	MyDevice				
0.693	7.54		11,868	5,008	42.2	-
	Jui/hub/s	secure/myde	vices			
0.179	2.44	27.9	12,211	3,455	28.3	-
	in /fonts/v2	Ufonts css				
0.371	6.61		10,928	3,730	34.1	-
	Irest/v1/e		,	,		
0.093	0.445	10.85	10.924	0	0	-
0.000			-,-			
0.022	1.15	nqChat.html 24.8	10,786	2,118	19.6	-
			10,700	2,110	19.0	-
	05_D_MVO_		10.610	1 700	16.0	
2.34	4.5		10,619	1,798	16.9	-
	/ui/bill/ad					
1.43	2.06		10,748	13	0.1	-
	/rest/v1/	delivery				
0.632	0.868	4.95	10,734	7	0.1	-
	dest5.ht	iml				
0.001	0.103	26.3	10,734	0	0	-
	/ui/hub/i	nqChat.html				
0.021	1.24	28	10,654	1,824	17.1	-
	/pagead/	viewthrough	conversion	/1030624533	3/_1	
0.143	0.513	11.5	10,633	0	0	-
<u></u>	06_D_MVO_	MyPlan				
1.83	21	72	9,854	3,695	37.5	-
	Jui/hub/a	o/myplan				
1.38	18	65.6	10,312	3,952	38.3	-
	-	viewthrough				
0.004	0.051	26.3	10,312	0	0	-
		nqChat.html				
0.177	3.56	31.1	10,086	2,936	29.1	-
	170		1,100	.,		
0.123	2.04	no/myplan_1 30.4	9,854	2,226	22.6	-
			0,004	2,220	22.0	
	07_D_MVO_ 1.42		0.597	1 915	19.0	
0.147		28.9	9,587	1,815	18.9	-
0.455	/ui/hub/r	_	0.070	4.075	10.0	
0.123	1.4	28.8	9,676	1,870	19.3	-
		so/public/c/s				
0.063	0.093	0.591	7,806	0	0	-
		logout/oneV)		
0.073	0.204	0.775	7,806	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	/vzauth/l	JI/Login				
0.018	0.03	0.632	9,673	0	0	-

02_MVO_D_Login_0312

Min	Avg	Max	Count	Err	% of Err	SLA Profile
02_M	VO_D_Login	_0312				
0	0	0	716	716	100	-
a Ac	ctions					
4.93	22.3	85.9	8,825	4,650	52.7	-
<u>~</u>	01_D_MVO	Launch				
0.353	1.29	11.1	9,671	0	0	-
	<u>i</u>					
0.154	0.283	4.48	10,012	0	0	-
	🥑 /globalı	nav/fonts/Ne	ueHaasGrot	eskDisplay.	woff2	
0.021	0.081	10.29	10,012	0	0	-
	Jomni/c	ommon/js/v	endor/mono	type/helveti	caNeue.js	
0.009	0.024	1.23	10,012	0	0	-
	₫ /tr					
0.012	0.049	7.89	10,012	0	0	-
	inqcha /	t.html				
0.015	0.024	3.23	10,012	0	0	-
	i ✓ pagead	d/viewthroug	ghconversion	n/103062453	33/ 1	
0.1	0.783	5.34	9,670	0	0	-
	/favico	ı.ico				
0.015	0.048	3.27	9,671	0	0	-
<u>~</u>	02_D_MVO	MvAccoun	t			
0.109	0.227	27.3	9,599	0	0	-
	i /my-vei	rizon/				
0.109	0.226	27.3	9,669	0	0	-
	i √vza	auth/UI/Logi	n			
0.087	0.132	26.3	9,670	0	0	-
<u>~</u>	03_D_MVO	SigninOve	rview			
4	20.7	84	9,082	4,874	53.7	-
	/vzauth	/UI/Login				
0.03	0.092	26.3	9,598	0	0	-
	Ifavico	ı.ico				
0.015	0.02	0.5	9,598	0	0	-
	J/vzauth	/UI/Login_1				
0.65	7.4	44.9	9,434	2,753	29.2	-
	Jui/hub	/data/secure	/overview/ge		n tags	
1.72	13.3	50.7	9,269	4,425	47.7	-
	/pixel					
0.02	0.118	31.2	9,268	0	0	-
			NavServices	Info action		
0.077	0.246	3.42	9,267	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
	/activi	tyi;dc_pre=C	JrEg7rKcC	bwi00;ord	d=1;num=4842	2
0.003	0.041	13.8	9,267	0	0	-
	dest5	.html				
0.264	1.34	13.2	9,252	0	0	-
	🤳 /ui/hul	b/inqChat.htn	nl			
0.035	1.19	27.2	9,089	2,213	24.3	-
<u>~</u>	07_D_MV	O_Signout				
0.157	1.65	28.8	8,825	2,276	25.8	-
	🤳 /ui/hul	b/nos/logout				
0.132	1.63	28.8	8,879	2,298	25.9	-
	<u></u> /co	dsso/public/c	/silentLogou	t		
0.063	0.093	0.424	6,582	0	0	-
	/sso/logout/oneVZLogout.jsp					
0.072	0.206	1.46	6,582	0	0	-
/vzauth/Ul/Login						
0.018	0.03	0.477	8,309	0	0	-

03_MVO_M_BAU_0312

Min	Avg	Max	Count	Err	% of Err	SLA Profile
∯ 03 MV0	D_M_BAU_0	312				
0	0	0	1,518	1,518	100	-
Acti	ions					
11.1	50.8	157.6	11,466	6,230	54.3	-
	01_M_MVO_	Launch				
0.196	0.415	10.63	14,011	0	0	-
	₫ /					
0.156	0.346	10.59	14,229	0	0	-
	🥑 /globaln	av/fonts/Neu	ıeHaasGrote	eskDisplay.v	voff2	
0.011	0.023		14,229	0	0	-
0.008	0.018	4.11	14,229	0	0	-
	/wdcus/	8838/onsite/	embed.js			
0.001	0.003	0.106	14,229	0	0	-
	/favicon	.ico				
0.015	0.024	2.35	14,229	0	0	-
	02_M_MVO_	_MyAccount				
0.419	0.883	26.8	13,832	0	0	-
	/myv/no	s/index.jsp				
0.113	0.256	5.71	14,010	0	0	-
	/activity	i;src=276176	8;type=b2	m=20027267	754337.1362	
0.106	0.145	1.22	14,009	0	0	-
	Jvzauth/	UI/Login				
0.033	0.054	26.3	14,009	0	0	-
	domain /	reliability/up	load			
0.01	0.125	25.8	14,009	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	/am/css/	bootstrap.m	in.css.map_	1		
0.093	0.218	4.18	14,005	0	0	-
	/favicon.	ico				
0.015	0.021	0.493	14,003	0	0	-
	/activity_	pixel				
0.006	0.039	15.7	14,003	0	0	-
	/pagead/	viewthrough	conversion	/1052677307	/ /_1	
0.001	0.003		14,002	0	0	-
	Jinqchat.	html				
0.015	0.021	0.498	14,002	0	0	-
<u>a</u>	03 M MVO	SigninOverv	view			
3.9			13,279	6,921	52.1	-
	Jvzauth/l	II/I ogin				
0.03	0.099		13,829	0	0	-
	/vzauth/l					
3.32	19.3		13,492	7,055	52.3	-
		asc/GlobalN			-2.0	
0.076	0.245		13,462	nto.action	0	-
0.070		5.5	13,402	o .	U	
0.002	/gtag/js	26.7	12.455	0	0	
0.003	0.04	26.7	13,455	1.	0	-
		;src=276176				
0.271	1.14		13,424	0	0	-
		nqChat.html				
0.035	1.11	27.1	13,306	2,726	20.5	-
	04_M_MVO_	-				
0.76	7.34		12,625	5,482	43.4	-
		ecure/myde				
0.18	2.54	34.9	13,015	3,823	29.4	-
	🤳 /globalna	av/fonts/Neu	eHaasGrote	skDisplayB	old.woff	
0.002	0.008	0.323	11,766	0	0	-
	/fonts/v2	/fonts.css				
0.365	6.31	40.1	11,512	4,115	35.7	-
	Jv1/qceu	v8449dzg58 _l	ott1bhda9g8	Bue19c7s/tra	ck	
0.003	0.022	26.3	11,512	0	0	-
	Jgtag/js					
0.002	0.041	15.1	11,512	0	0	-
	in /rest/v1/d	deliverv				
0.001	0.003	0.926	11,512	0	0	-
	<pre>/activity_</pre>					
0.133	0.827	13.6	11,470	0	0	-
		nqChat.html				
0.021	1.1	23.9	11,377	2,262	19.9	-
_			.,	.,_ J _		
2.38	05_M_MVO_ 4.64	54.8	11,207	1,949	17.4	-
			. 1,201	.,0 70		
1.41	2.22	32.5	11,324	16	0.1	-
1.41	L.LL	JZ.J	11,024	10	0.1	



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	/gtag/js	i				
0.001	0.002	0.173	11,324	0	0	-
	/activity	/i;src=68597	3;type=vzw.	Fao%2Fvi	ewbill;u17=%	
0.635	0.868	4.42	11,308	3	0	-
	/activity	/i;src=27617	68;type=b2	.um=80235	75871534.543	1
0.004	0.135	25.7	11,308	0	0	-
	/ui/hub/	/inqChat.htm	nl			
0.175	1.51	28.9	11,245	1,973	17.5	-
	06_M_MVO	_MyPlan				
1.58	21.9	84.7	10,532	4,067	38.6	-
	/ui/hub/	ao/myplan				
1.36	21.2	84.5	10,943	4,349	39.7	-
	/ui/hub/	/ao/myplan_	1			
0.12	2.37	34.5	10,733	2,741	25.5	-
	/activity	/i;src=27617	'68;type=b2	.m=338236	493993.76654	
0.002	0.083	30.5	10,733	0	0	-
	/xbbe/p	ixel				
0.001	0.003	0.935	10,733	0	0	-
	Jui/hub/	/inqChat.htm	nl			
0.021	1.27	28.5	10,532	2,307	21.9	-
<u></u>	07_M_MVO	Signout				
0.282	1.92	52	10,217	1,918	18.8	-
	Jui/hub/	nos/logout				
0.122	1.44	28.2	10,317	1,995	19.3	-
	d /cds	sso/public/c	/silentLogou	t		
0.063	0.093	0.765	8,322	0	0	-
	₫ /sso	o/logout/one	VZLogout.js	D		
0.072	0.204	0.884	8,322	0	0	-
	/vzauth	/UI/Login				
0.028	0.092	25.7	10,317	0	0	-
	i /am/css	s/bootstrap.i	min.css.map			
0.093	0.213	4.67	10,293	0	0	-
	i /am/cor	ntent/fonts/N	 HaasGrotes	kDSW02-75	Bd.woff2	
0.006	0.112	51.5	10,293	0	0	-
	/activity	/i:src=27617	68:tvne=h2	.zonwireles	ss.com%2Fvz	
0.002	0.026	15.2	10,293	0	0	-
	₫ /pagear	d/viewthroug	ghconversio	1/10526773	07/	
0.001	0.002	0.635	10,293	0	0	-
	inqcha	t html				
0.015	0.021	1.04	10,290	0	0	-
			,			

04_MVO_M_Login_0312

Mii	n Avg	Max	Count	Err	% of Err	SLA Profile
04_	MVO_M_Log	jin_0312				
0	0	0	796	796	100	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
Act	ions					
5.05	22.5	80.5	9,892	5,317	53.8	-
<u>~</u>	01_M_MVO_	Launch				
0.193	0.411	10.5	10,865	0	0	-
	i					
0.153	0.342	10.45	11,084	0	0	-
	🥑 /globaln	av/fonts/Neu	eHaasGrote	eskDisplav.w	voff2	
0.011	0.023	5.05	11,084	0	0	-
	Jgtag/js					
0.008	0.018	2.22	11,084	0	0	-
	/wdcus/8	3838/onsite/e	embed is			
0.001	0.003	0.304	11,084	0	0	-
	Jfavicon	ico				
0.015	0.025	2.6	11,084	0	0	-
		MyAccount				
0.42	0.883	52.5	10,635	0	0	_
0	/myv/no		. 0,000			
0.113	0.256	5.7	10,860	0	0	-
0.110						
0.108	0.144	;src=276176 1.13	8;type=b2 10,860	m=20027267	754337.1362 0	-
0.100			10,000	U	U	
0.000	/vzauth/	_	40.000	0	0	
0.032	0.053	26.2	10,860	0	0	-
0.04		reliability/up		0	0	
0.01	0.121	52	10,860	0	0	-
		bootstrap.m			-	
0.093	0.215	4.04	10,854	0	0	-
	Ifavicon					
0.015	0.021	0.657	10,854	0	0	-
	activity					
0.006	0.048	15.7	10,854	0	0	-
		viewthrough				
0.001	0.003	1.16	10,854	0	0	-
	inqchat /					
0.015	0.02	0.129	10,853	0	0	-
	03_M_MVO_	SigninOver	view			
3.93	20.4	75.8	10,127	5,518	54.5	-
	Jvzauth/	UI/Login				
0.031	0.096	25.8	10,635	0	0	-
	Jvzauth/	UI/Login_1				
3.34	19.6	75.1	10,308	5,636	54.7	-
	Jvzwsvc	asc/GlobalN	lavServices	Info.action		
0.078	0.252	5.33	10,263	0	0	-
	Jgtag/js					
0.003	0.038	13.7	10,263	0	0	-
	/activity	;src=276176	8;type=b2	d=13944033	53977.8645	
0.272	1.31	35.1	10,252	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	Jui/hub	/inqChat.html	l			
0.034	1.29	26.4	10,137	2,494	24.6	-
	07_M_MVC	_Signout				
0.293	2.28	30.9	9,892	2,607	26.4	-
	🤳 /ui/hub	/nos/logout				
0.127	1.84	30.1	9,974	2,660	26.7	-
	₫ /cd	sso/public/c/s	silentLogout			
0.063	0.093	0.736	7,316	0	0	-
	₫ /ss	o/logout/one\	/ZLogout.jsp)		
0.071	0.205	0.944	7,316	0	0	-
	J/vzauth	/UI/Login				
0.028	0.092	26.1	9,304	0	0	-
	am/cs	s/bootstrap.m	in.css.map			
0.093	0.214	4.7	9,283	0	0	-
	i /am/co	ntent/fonts/NI	HaasGrotesk	CDSW02-75E	3d.woff2	
0.007	0.094	25.9	9,283	0	0	-
	activity	yi;src=276176	88;type=b2	zonwireless	.com%2Fvz	
0.002	0.012	15.2	9,283	0	0	-
	/pagea	d/viewthroug	hconversion	/1052677307	7/	
0.001	0.002	0.934	9,283	0	0	-
	inqcha /	it.html				
0.015	0.021	0.51	9,283	0	0	-



SLA per User Path

Shared Containers

SLA	Value	Severity
Empty list		

01_MVO_D_BAU_0312

SLA	Value	Severity
[↑] 01_MVO_D_BAU_0312		
Actions		
C 01_D_MVO_Launch		
<u>•</u> /		
Jglobalnav/fonts/NeueH	laasGroteskDisplay.woff2	
i /omni/common/js/vend	or/monotype/helveticaNeue.js	
₫ /tr		
ighthal pagead/viewthroughco	onversion/1030624533/_1	
/favicon.ico		
2 02_D_MVO_MyAccount		
iny-verizon/		
/vzauth/UI/Login		
© 03_D_MVO_SigninOvervie	w	
/vzauth/UI/Login		
/favicon.ico		
/vzauth/UI/Login_1		
	erview/get_ensighten_tags	
i /pixel		
/vzwsvc/asc/GlobalNav	ServicesInfo.action	
//activityi;dc_pre=CJrEg	g7rKcCbwi00;ord=1;num=4842	
dest5.html		
/ui/hub/inqChat.html		
© 04_D_MVO_MyDevice		
ui/hub/secure/mydevic	es	
/fonts/v2/fonts.css		
/rest/v1/delivery		
/ui/hub/inqChat.html		
© 05_D_MVO_ViewBill		
/ui/bill/ao/viewbill		
/dest5.html		
/ui/hub/inqChat.html		
/pagead/viewthroughco	onversion/1030624533/_1	



SLA	Value	Severity
C 06_D_MVO_MyPlan		
🤳 /ui/hub/ao/myplan		
/pagead/viewthroughconve	ersion/1030624533/_1	
/ui/hub/inqChat.html		
/ui/hub/ao/myplan_1		
© 07_D_MVO_Signout		
/ui/hub/nos/logout		
/cdsso/public/c/silentLo	ogout	
isso/logout/oneVZLogo	out.jsp	
/vzauth/UI/Login		

02_MVO_D_Login_0312

SLA	Value	Severity
02_MVO_D_Login_0312		
Actions		
C 01_D_MVO_Launch		
<u> </u>		
Jglobalnav/fonts/NeueH	aasGroteskDisplay.woff2	
omni/common/js/vendo	or/monotype/helveticaNeue.js	
₫ /tr		
inqchat.html		
/pagead/viewthroughco	nversion/1030624533/_1	
₫ /favicon.ico		
D2_D_MVO_MyAccount		
/my-verizon/		
/vzauth/UI/Login		
© 03_D_MVO_SigninOverview	V	
/vzauth/Ul/Login		
Ifavicon.ico		
<pre>/vzauth/UI/Login_1</pre>		
/ui/hub/data/secure/ove	rview/get_ensighten_tags	
<pre>/pixel</pre>		
/vzwsvc/asc/GlobalNav	ServicesInfo.action	
<pre>/activityi;dc_pre=CJrEg</pre>	7rKcCbwi00;ord=1;num=4842	
/dest5.html		
/ui/hub/inqChat.html		
CONTRACTOR OF THE PROPERTY OF		
/ui/hub/nos/logout		
dcdsso/public/c/sile		
sso/logout/oneVZL	ogout.jsp	



03_MVO_M_BAU_0312

SLA	Value	Severity
03_MVO_M_BAU_0312		
Actions		
CONTRACTOR OF THE PROPERTY OF		
i j		
/globalnav/fonts/NeueH	aasGroteskDisplay.woff2	
₫ /gtag/js		
/wdcus/8838/onsite/emb	oed.js	
//favicon.ico		
2 02_M_MVO_MyAccount		
/myv/nos/index.jsp		
//activityi;src=2761768;ty	ype=b2m=2002726754337.1362	
/vzauth/Ul/Login		
domainreliability/uploa	d	
/am/css/bootstrap.min.o	css.map_1	
//favicon.ico		
<pre>/activity_pixel</pre>		
/pagead/viewthroughco	nversion/1052677307/_1	
inqchat.html		
03_M_MVO_SigninOverview	N	
/vzauth/Ul/Login		
<pre>/vzauth/UI/Login_1</pre>		
Jvzwsvc/asc/GlobalNav	ServicesInfo.action	
₫ /gtag/js		
Jactivityi;src=2761768;ty	ype=b2d=1394403353977.8645	
/ui/hub/inqChat.html		
04_M_MVO_MyDevice		
ui/hub/secure/mydevice	es	
Jglobalnav/fonts/NeueH	aasGroteskDisplayBold.woff	
Ifonts/v2/fonts.css		
Jv1/qceuv8449dzg58ptt1	1bhda9g8ue19c7s/track	
₫ /gtag/js		
//rest/v1/delivery		
<pre>/activity_pixel</pre>		
ui/hub/inqChat.html		
05_M_MVO_ViewBill		
ui/bill/ao/viewbill		



SLA	Value	Severity
₫ /gtag/js		
activityi;src=685973;type	=vzwFao%2Fviewbill;u17=%	
activityi;src=2761768;typ	e=b2um=8023575871534.543	
Jui/hub/inqChat.html		
COM_MVO_MyPlan		
ui/hub/ao/myplan		
<pre>/ui/hub/ao/myplan_1</pre>		
activityi;src=2761768;typ	e=b2m=338236493993.76654	
/xbbe/pixel		
/ui/hub/inqChat.html		
CONTRACTOR OF THE PROPERTY OF		
ui/hub/nos/logout		
dcdsso/public/c/silent	Logout	
☑ /sso/logout/oneVZLog	out.jsp	
/vzauth/UI/Login		
/am/css/bootstrap.min.cs	s.map	
am/content/fonts/NHaas	GroteskDSW02-75Bd.woff2	
activityi;src=2761768;typ	e=b2zonwireless.com%2Fvz	
/pagead/viewthroughcon	version/1052677307/	
inqchat.html		

04_MVO_M_Login_0312

SLA	Value	Severity
04_MVO_M_Login_0312		
C Actions		
C 01_M_MVO_Launch		
<u>i</u> ,		
/globalnav/fonts/NeueHaasGroteskD	Display.woff2	
🥑 /gtag/js		
/wdcus/8838/onsite/embed.js		
//favicon.ico		
2_M_MVO_MyAccount		
/myv/nos/index.jsp		
/activityi;src=2761768;type=b2m=2	2002726754337.1362	
/vzauth/Ul/Login		
/domainreliability/upload		
// // // // // // // // // // // // //		
/favicon.ico		
/activity_pixel		
/pagead/viewthroughconversion/105	52677307/_1	



SLA	Value	Severity
inqchat.html		
© 03_M_MVO_SigninOverview		
/vzauth/UI/Login		
/vzauth/UI/Login_1		
/vzwsvc/asc/GlobalNavSer	vicesInfo.action	
Jgtag/js		
activityi;src=2761768;type	e=b2d=1394403353977.8645	
/ui/hub/inqChat.html		
C 07_M_MVO_Signout		
ui/hub/nos/logout		
dcdsso/public/c/silentL	ogout	
/sso/logout/oneVZLogo	out.jsp	
/vzauth/UI/Login		
am/css/bootstrap.min.css	.map	
/am/content/fonts/NHaasG	roteskDSW02-75Bd.woff2	
/activityi;src=2761768;type	e=b2zonwireless.com%2Fvz	
/pagead/viewthroughconv	ersion/1052677307/	
inqchat.html		



Media Contents

01_MVO_D_BAU_0312

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
/pagead/view	wthroughconvers	ion/1030624533/	_1 / /is/content/Ve	erizonWireless/20	220_preorder-	0221.mp4
13,426	0	1.42 Mb/s	00:00:16.216	00:00:00.000	0%	00:00:00.418

02_MVO_D_Login_0312

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
/pagead/vi	ewthroughconver	sion/1030624533	_1 / /is/content/V	erizonWireless/20)220_preorder-	0221.mp4
10,006	0	1.42 Mb/s	00:00:16.216	00:00:00.000	0%	00:00:00.430

03_MVO_M_BAU_0312

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

04_MVO_M_Login_0312

	Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Em	pty list						



Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Loa	ad				
0	4,474	7,739	4,000	4,508	2,192
Controller/Through	iput				
0	1,567	2,864	1,523	1,579	597.4
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical	Alerts				
0	0	0	0	0	-
Controller/Warning	Alerts				
0	0	0	0	0	-
Controller/CPU Loa	ad				
3	12.3	57	6	10.72	12.2
Controller/Memory	Used				
5	26.9	92	15	24.3	26.7
Controller/Thread (Count				
814	918.9	1,182	870	908.2	90
Controller/Connect	ed				
60	60	60	60	60	0
Controller/Total Dis	sconnections				
0	0	0	0	0	0
Controller/Total Re	connections				
0	0	0	0	0	0
Controller/Network	/Segments sent/sec				
0	1,241	18,757	0	764.6	2,673
Controller/Network	/Segments retransm	nitted/sec.			
0	0	0	0	0	0
Controller/NeoLoad	d Web/Megabits rece	eived/sec.			
0	0	0	0	0	-
Controller/NeoLoad	d Web/Megabits sen	t/sec.			
0	0	0	0	0	-
Controller/Default 2	zone/User Load				
0	0	0	0	0	-
Controller/USA We	st - California (Los A	Angeles 2)/User Loa	d		
0	2,994	5,201	2,668	3,015	1,470
Controller/USA We	st - California (Los A	Angeles 2)/MVO_LT_	032020/User Load		
0	2,994	5,201	2,668	3,015	1,470
Controller/USA We	st - California (Los A	Angeles 2)/MVO_LT_	D_BAU_0312/Use	r Load	
0	1,047	1,820	932	1,054	514.7
Controller/USA We	st - California (Los A		M_BAU_0312/Use	r Load	
0	1,048	1,820	935	1,055	514.3
Controller/USA We	st - California (Los A	Angeles 2)/MVO_LT_	Login_0312/User	Load	
0	449.7	780	401	453	220.4
Controller/USA We	st - California (Los A	Angeles 2)/MVO_LT_	Login_0312/User	Load	
0	449.5	781	400	452.6	220.7
Controller/USA We	st - California (Los A	Angeles 1)/User Loa	d		
0	1,483	2,532	1,332	1,496	715.9
	st - California (Los A				
0	1,483	2,532	1,332	1,496	715.9
	st - California (Los A				
0	519.7	886	468	524.3	250.3



Min	Avg	Max	Med	Avg-90%	Std Dev		
Controller/USA Wes	Controller/USA West - California (Los Angeles 1)/MVO_LTM_BAU_0312/User Load						
0	518.9	887	465	523.5	250.9		
Controller/USA Wes	Controller/USA West - California (Los Angeles 1)/MVO_LTLogin_0312/User Load						
0	221.9	380	199	223.8	107.4		
Controller/USA West - California (Los Angeles 1)/MVO_LTLogin_0312/User Load							
0	222.2	379	200	224.2	107.2		

LG 13.66.208.61:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 13.66.208.61:443	3/CPU Load					
0	6.34	20	6	6.09	3.08	
LG 13.66.208.61:443	3/Memory Used					
2	14.7	34	14	14.5	7.78	
LG 13.66.208.61:443	3/Throughput					
0	27	75.8	26.6	26.8	12.3	
LG 13.66.208.61:443	3/User Load					
0	75.1	133	66	75.5	37.5	
LG 13.66.208.61:443	LG 13.66.208.61:443/Controller Connection/Disconnections					
0	0	0	0	0	-	
LG 13.66.208.61:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 13.66.208.61:443	27 75.8 26.6 26.8 12.3 .61:443/User Load 75.1 133 66 75.5 37.5 .61:443/Controller Connection/Disconnections 0 0 0 0 0 - .61:443/Controller Connection/Reconnections 0 0 0 0 0 - .61:443/Controller Connection/Ping Duration (ms) 32.9 85 28 30.7 16.1 .61:443/Network/Segments sent/sec. 922.9 2,577 891.8 917.6 398.7 .61:443/Network/Segments retransmitted/sec. 0.031 0.8 0 0.0016 0.097					
21	32.9	85	28	30.7	16.1	
LG 13.66.208.61:443/Network/Segments sent/sec.						
0	922.9	2,577	891.8	917.6	398.7	
LG 13.66.208.61:443	208.61:443/User Load 75.1 133 66 75.5 37.5 208.61:443/Controller Connection/Disconnections 0 0 0 0 0 - 208.61:443/Controller Connection/Reconnections 0 0 0 0 - 208.61:443/Controller Connection/Ping Duration (ms) 32.9 85 28 30.7 16.1 208.61:443/Network/Segments sent/sec. 922.9 2,577 891.8 917.6 398.7 208.61:443/Network/Segments retransmitted/sec. 0.031 0.8 0 0.016 0.097					
0	0.031	0.8	0	0.016	0.097	
LG 13.66.208.61:443	3/Network/eth0 (eth0)/Megabits received	d/sec.			
0	29.1	81.6	28.6	28.8	13.2	
LG 13.66.208.61:443	3/Network/eth0 (eth0)/Megabits sent/sec).			
0	2.34	65	1.83	1.79	4.88	

LG 13.66.249.190:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 13.66.249.190:443/CPU Load							
0	6.01	23	5	5.71	3.35		
LG 13.66.249.190:4	43/Memory Used						
2	14.3	33	14	14	7.56		
LG 13.66.249.190:44	43/Throughput						
0	24.8	52.7	24.7	24.5	11.6		
LG 13.66.249.190:443/User Load							
0	75.5	133	67	75.9	37.4		
LG 13.66.249.190:443/Controller Connection/Disconnections							
0	0	0	0	0	-		
LG 13.66.249.190:443/Controller Connection/Reconnections							
0	0	0	0	0	-		
LG 13.66.249.190:443/Controller Connection/Ping Duration (ms)							
23	27	60	25	25.3	8.44		
LG 13.66.249.190:443/Network/Segments sent/sec.							
0	1,344	2,826	1,332	1,334	568.2		
LG 13.66.249.190:443/Network/Segments retransmitted/sec.							
0	0.039	0.923	0	0.019	0.117		



Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 13.66.249.190:443/Network/eth0 (eth0)/Megabits received/sec.						
0	26.7	56.8	26.4	26.4	12.4	
LG 13.66.249.190:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	2.58	73.9	1.92	1.94	5.51	

LG 52.175.205.188:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 52.175.205.188:443/CPU Load						
0	12.6	31	11	12.4	5.53	
LG 52.175.205.188:443/Memory Used						
1	21.4	52	22	21.1	11.3	
LG 52.175.205.188:	443/Throughput					
0	55.4	114.8	54.9	55.1	28.5	
LG 52.175.205.188:	443/User Load					
0	75.5	133	67	75.9	37.4	
LG 52.175.205.188:443/Controller Connection/Disconnections 0 0 0 - 0 -						
0	0	0	0	0	-	
LG 52.175.205.188:	CO 0 0 0					
0	0	0	0	0	-	
LG 52.175.205.188:443/Controller Connection/Ping Duration (ms)						
24	28.2	65	26	26.4	9.44	
LG 52.175.205.188:	443/Network/Segme	ents sent/sec.				
0	1,946	3,927	1,910	1,938	949.6	
LG 52.175.205.188:	443/Network/Segme	ents retransmitted/se	ec.			
0	0.029	0.798	0	0.017	0.088	
LG 52.175.205.188:	LG 52.175.205.188:443/Network/eth0 (eth0)/Megabits received/sec.					
0	59.6	123.3	59	59.3	30.6	
LG 52.175.205.188:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.			
0	3	5.83	2.97	3.01	1.35	

LG 52.175.232.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.175.232.24:443/CPU Load								
0	6.08	25	5	5.77	3.38			
LG 52.175.232.24:44	LG 52.175.232.24:443/Memory Used							
1	15.1	34	15	14.8	7.77			
LG 52.175.232.24:44	43/Throughput							
0	25.9	56.5	25.5	25.7	11.9			
LG 52.175.232.24:44	43/User Load							
0	75	133	66	75.4	37.5			
LG 52.175.232.24:44	43/Controller Conne	ction/Disconnection	ns					
0	0	0	0	0	-			
LG 52.175.232.24:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 52.175.232.24:44	43/Controller Conne	ction/Ping Duration	(ms)					
24	28.2	61	26	26.6	8.41			
LG 52.175.232.24:443/Network/Segments sent/sec.								
0	899.3	1,867	909.3	894.8	375.1			
LG 52.175.232.24:443/Network/Segments retransmitted/sec.								
0	0.024	0.919	0	0.005	0.1			
LG 52.175.232.24:443/Network/eth0 (eth0)/Megabits received/sec.								
0	27.9	60.4	27.7	27.6	12.8			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.175.232.24:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	2.18	38	1.73	1.74	3.25			

LG 52.191.129.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.191.129.223:	LG 52.191.129.223:443/CPU Load								
0	6.25	18	6	6.02	3.09				
LG 52.191.129.223:	443/Memory Used								
1	14.1	34	13	13.8	7.82				
LG 52.191.129.223:	443/Throughput								
0	24.5	73.4	24.4	24.2	11.3				
LG 52.191.129.223:	443/User Load								
0	75.1	133	66	75.5	37.5				
LG 52.191.129.223:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 52.191.129.223:	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 52.191.129.223:	443/Controller Conn	ection/Ping Duration	n (ms)						
25	29.7	61	27	28.3	8.4				
LG 52.191.129.223:	443/Network/Segme	nts sent/sec.							
0	962.4	2,726	976.4	959	403.8				
LG 52.191.129.223:	443/Network/Segme	nts retransmitted/se	ec.						
0	0.04	4.76	0	0.006	0.334				
LG 52.191.129.223:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0	26.3	78.9	26.3	26	12.1				
LG 52.191.129.223:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.						
0	2.22	50	1.68	1.72	4.09				

LG 52.191.135.27:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.191.135.27:443/CPU Load								
0	6.4	19	6	6.17	3.16			
LG 52.191.135.27:4	43/Memory Used							
1	14.4	33	14	14.2	7.67			
LG 52.191.135.27:4	43/Throughput							
0	24.6	54.5	24.1	24.3	11.4			
LG 52.191.135.27:4	43/User Load							
0	75.4	133	67	75.8	37.5			
LG 52.191.135.27:4	43/Controller Conne	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 52.191.135.27:4	43/Controller Conne	ection/Reconnection	ıs					
0	0	0	0	0	-			
LG 52.191.135.27:4	43/Controller Conne	ection/Ping Duration	(ms)					
15	27.3	65	26	25.9	9.91			
LG 52.191.135.27:4	43/Network/Segmen	its sent/sec.						
0	873.7	1,950	864.9	868.2	372.4			
LG 52.191.135.27:4	43/Network/Segmen	ts retransmitted/sed	. .					
0	0.075	10.77	0	0.007	0.748			
LG 52.191.135.27:4	43/Network/eth0 (etl	h0)/Megabits receive	ed/sec.					
0	26.4	58.9	25.9	26.2	12.2			
LG 52.191.135.27:4	43/Network/eth0 (etl	h0)/Megabits sent/se	ec.					
0	2.2	72.1	1.7	1.67	5.3			



LG 52.191.136.128:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.191.136.128:4	443/CPU Load				
0	6.97	21	7	6.81	3.26
LG 52.191.136.128:4	443/Memory Used				
1	14.6	36	14	14.4	7.76
LG 52.191.136.128:4	443/Throughput				
0	26.9	62.5	28	26.8	12.2
LG 52.191.136.128:4	443/User Load				
0	75.4	134	67	75.8	37.7
LG 52.191.136.128:4	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.191.136.128:4	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.191.136.128:4	443/Controller Conn	ection/Ping Duration	n (ms)		
23	27.8	57	26	26.5	7.59
LG 52.191.136.128:4	443/Network/Segme	nts sent/sec.			
0	1,065	2,205	1,094	1,069	421.9
LG 52.191.136.128:4	443/Network/Segme	nts retransmitted/se	ec.		
0	0.03	1.16	0	0.009	0.116
LG 52.191.136.128:4	443/Network/eth0 (et	th0)/Megabits receiv	red/sec.		
0	28.9	66.9	30.1	28.9	13.1
LG 52.191.136.128:4	443/Network/eth0 (et	th0)/Megabits sent/s	ec.		
0	2.42	65.4	1.91	1.88	5.02

LG 52.191.136.212:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.191.136.212:	443/CPU Load				
0	6.52	25	6	6.21	3.4
LG 52.191.136.212:	443/Memory Used				
1	15	33	14	14.7	7.76
LG 52.191.136.212:	443/Throughput				
0	25.6	72.8	24.7	25.1	12.5
LG 52.191.136.212:	443/User Load				
0	75.7	134	67	76.1	37.6
LG 52.191.136.212:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.191.136.212:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.191.136.212:	443/Controller Conn	ection/Ping Duration	n (ms)		
25	28.6	61	26	27	8.26
LG 52.191.136.212:	443/Network/Segme	nts sent/sec.			
0	865.4	2,319	836.4	854.2	393.2
LG 52.191.136.212:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.029	1.79	0	0.007	0.156
LG 52.191.136.212:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0	27.5	77.9	26.5	27	13.4
LG 52.191.136.212:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0	2.3	60.1	1.65	1.7	4.97

LG 52.191.161.70:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.191.161.70:44	43/CPU Load				
0	6.38	26	6	6.11	3.32
LG 52.191.161.70:44	43/Memory Used				
2	15.2	32	15	14.9	7.94
LG 52.191.161.70:44	43/Throughput				
0	26.1	58.9	26	25.9	12
LG 52.191.161.70:44	43/User Load				
0	75.3	133	67	75.7	37.5
LG 52.191.161.70:44	43/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 52.191.161.70:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 52.191.161.70:44	43/Controller Conne	ction/Ping Duration	(ms)		
16	28	67	26	26.5	10.21
LG 52.191.161.70:44	43/Network/Segmen	ts sent/sec.			
0	885.3	2,220	883.2	879.5	383.3
LG 52.191.161.70:44	43/Network/Segmen	ts retransmitted/sec	.		
0	0.07	9.18	0	0.014	0.636
LG 52.191.161.70:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	28.1	63.2	28.1	27.9	12.9
LG 52.191.161.70:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.33	80	1.73	1.72	5.88

LG 52.191.169.159:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.191.169.159:4	443/CPU Load							
0	6.01	26	5	5.68	3.45			
LG 52.191.169.159:4	LG 52.191.169.159:443/Memory Used							
1	13.6	32	13	13.4	7.07			
LG 52.191.169.159:4	443/Throughput							
0	24.4	65.7	23.7	24.1	11.7			
LG 52.191.169.159:4	443/User Load							
0	75	134	66	75.3	37.9			
LG 52.191.169.159:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.191.169.159:4	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 52.191.169.159:4	443/Controller Conn	ection/Ping Duration	n (ms)					
23	27.6	64	26	25.8	9.36			
LG 52.191.169.159:4	443/Network/Segme	nts sent/sec.						
0	887.7	2,437	851	876.8	384.8			
LG 52.191.169.159:4	443/Network/Segme	nts retransmitted/se	ec.					
0	0.03	0.8	0	0.017	0.093			
LG 52.191.169.159:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0	26.3	70.9	25.5	25.9	12.5			
LG 52.191.169.159:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0	2.24	61.5	1.66	1.66	5.32			

LG 52.191.170.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.191.170.84:44	43/CPU Load				
0	6.63	21	6	6.38	3.34
LG 52.191.170.84:44	43/Memory Used				
1	15.1	35	15	14.9	7.7
LG 52.191.170.84:44	43/Throughput				
0	25.3	62	24.1	25	11.9
LG 52.191.170.84:44	43/User Load				
0	75.2	133	67	75.6	37.5
LG 52.191.170.84:44	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 52.191.170.84:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 52.191.170.84:44	43/Controller Conne	ection/Ping Duration	(ms)		
24	34	68	27	32.6	15.3
LG 52.191.170.84:44	43/Network/Segmen	ts sent/sec.			
0	1,205	3,186	1,176	1,188	543.9
LG 52.191.170.84:44	43/Network/Segmen	ts retransmitted/sec	.		
0	0.032	0.8	0	0.013	0.105
LG 52.191.170.84:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	27.2	66.5	25.9	26.9	12.7
LG 52.191.170.84:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.41	34.5	1.97	1.91	3.51

LG 52.191.174.80:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.191.174.80:4	43/CPU Load				
0	6.12	26	5	5.82	3.28
LG 52.191.174.80:4	43/Memory Used				
1	13.9	35	14	13.6	7.61
LG 52.191.174.80:4	43/Throughput				
0	24.5	55.2	24.5	24.2	11.2
LG 52.191.174.80:4	43/User Load				
0	75	133	66	75.4	37.6
LG 52.191.174.80:4	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 52.191.174.80:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 52.191.174.80:4	43/Controller Conne	ction/Ping Duration	(ms)		
24	30.8	68	26	29	13
LG 52.191.174.80:4	43/Network/Segmen	ts sent/sec.			
0	854.4	2,536	847.8	848.5	372.4
LG 52.191.174.80:4	43/Network/Segmen	ts retransmitted/sec	.		
0	0.033	0.8	0	0.017	0.101
LG 52.191.174.80:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	26.3	59.8	26.5	26.1	12
LG 52.191.174.80:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.37	70	1.63	1.65	5.91



LG 52.191.184.98:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.191.184.98:44	43/CPU Load				
0	6.67	26	6	6.43	3.27
LG 52.191.184.98:44	43/Memory Used				
1	15	32	14	14.8	7.97
LG 52.191.184.98:44	43/Throughput				
0	26.3	60.4	26.4	26.2	11.6
LG 52.191.184.98:44	43/User Load				
0	75.7	134	67	76.1	37.6
LG 52.191.184.98:44	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 52.191.184.98:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 52.191.184.98:44	43/Controller Conne	ction/Ping Duration	(ms)		
24	27.7	62	26	26	8.7
LG 52.191.184.98:44	43/Network/Segmen	ts sent/sec.			
0	1,185	2,351	1,193	1,188	454.5
LG 52.191.184.98:44	43/Network/Segmen	ts retransmitted/sec).		
0	0.146	25.7	0	0.009	1.77
LG 52.191.184.98:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	28.3	64.4	28.3	28.2	12.4
LG 52.191.184.98:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.54	69.9	1.88	1.91	5.52

LG 52.229.21.216:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.229.21.216:4	43/CPU Load				
0	6.17	19	6	5.92	3
LG 52.229.21.216:4	43/Memory Used				
1	14.4	35	14	14.1	7.64
LG 52.229.21.216:4	43/Throughput				
0	24.4	69	23.6	24.1	11.3
LG 52.229.21.216:4	43/User Load				
0	75	133	66	75.4	37.5
LG 52.229.21.216:4	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 52.229.21.216:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 52.229.21.216:4	43/Controller Conne	ction/Ping Duration	(ms)		
23	27.2	57	26	25.8	7.66
LG 52.229.21.216:4	43/Network/Segmen	ts sent/sec.			
0	905	2,307	888.6	896.9	389.4
LG 52.229.21.216:4	43/Network/Segmen	ts retransmitted/sed	. .		
0	0.091	12.3	0	0.014	0.854
LG 52.229.21.216:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	26.3	74.1	25.4	25.9	12.1
LG 52.229.21.216:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.2	52.1	1.62	1.67	4.26

LG 52.229.27.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.229.27.184:44	43/CPU Load				
0	6.31	22	6	5.94	3.55
LG 52.229.27.184:44	43/Memory Used				
1	14.2	35	14	13.9	7.49
LG 52.229.27.184:44	43/Throughput				
0	24.4	73.8	22.9	24.1	11.5
LG 52.229.27.184:44	43/User Load				
0	75	133	66	75.4	37.5
LG 52.229.27.184:44	43/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 52.229.27.184:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 52.229.27.184:44	43/Controller Conne	ction/Ping Duration	(ms)		
25	28.6	65	26	26.8	9.3
LG 52.229.27.184:44	43/Network/Segmen	ts sent/sec.			
0	887.3	2,438	845.2	876.1	391.1
LG 52.229.27.184:44	43/Network/Segmen	ts retransmitted/sed	:.		
0	0.123	20.1	0	0.013	1.39
LG 52.229.27.184:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	26.3	79.3	24.8	26	12.3
LG 52.229.27.184:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.2	61.9	1.65	1.64	4.97

LG 52.229.33.39:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.229.33.39:44	3/CPU Load				
0	6	17	6	5.79	2.88
LG 52.229.33.39:44	3/Memory Used				
1	14.6	34	14	14.4	7.77
LG 52.229.33.39:44	3/Throughput				
0	26.1	63.5	26	25.8	12.4
LG 52.229.33.39:44	3/User Load				
0	75.2	133	67	75.6	37.5
LG 52.229.33.39:44	3/Controller Connec	tion/Disconnections	6		
0	0	0	0	0	-
LG 52.229.33.39:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 52.229.33.39:44	3/Controller Connec	tion/Ping Duration (ms)		
16	26.9	30	28	27.3	3.06
LG 52.229.33.39:44	3/Network/Segments	s sent/sec.			
0	949	2,208	975.8	941	408.3
LG 52.229.33.39:44	3/Network/Segments	s retransmitted/sec.			
0	0.029	0.8	0	0.013	0.094
LG 52.229.33.39:44	3/Network/eth0 (eth0)/Megabits received	d/sec.		
0	28.1	68	27.9	27.7	13.3
LG 52.229.33.39:44	3/Network/eth0 (eth0)/Megabits sent/sec	: .		
0	2.39	69.5	1.8	1.77	5.53

LG 52.229.33.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.229.33.62:443	3/CPU Load				
0	6.63	19	6	6.44	3.18
LG 52.229.33.62:443	3/Memory Used				
1	14.9	33	14	14.7	8.24
LG 52.229.33.62:443	3/Throughput				
0	25.7	64.7	25.1	25.4	12.2
LG 52.229.33.62:443	3/User Load				
0	75.2	133	67	75.6	37.5
LG 52.229.33.62:443	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 52.229.33.62:443	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 52.229.33.62:443	3/Controller Connec	tion/Ping Duration (ms)		
26	28.6	65	26	26.7	9.26
LG 52.229.33.62:443	3/Network/Segments	s sent/sec.			
0	868.8	1,980	862.4	860.3	387.8
LG 52.229.33.62:443	3/Network/Segments	s retransmitted/sec.			
0	0.179	20.9	0	0.019	1.6
LG 52.229.33.62:443	3/Network/eth0 (eth0)/Megabits received	d/sec.		
0	27.7	69.4	26.9	27.3	13.1
LG 52.229.33.62:443	3/Network/eth0 (eth0)/Megabits sent/sec	.		
0	2.3	45.8	1.72	1.7	4.4

LG 52.229.36.67:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.229.36.67:44	LG 52.229.36.67:443/CPU Load								
0	5.89	17	5	5.68	2.96				
LG 52.229.36.67:44	3/Memory Used								
1	15	35	14	14.8	7.81				
LG 52.229.36.67:44	3/Throughput								
0	25.1	62.7	24.2	24.9	11.4				
LG 52.229.36.67:44	3/User Load								
0	75.8	134	67	76.2	37.6				
LG 52.229.36.67:44	3/Controller Connec	tion/Disconnections	3						
0	0	0	0	0	-				
LG 52.229.36.67:44	3/Controller Connec	tion/Reconnections							
0	0	0	0	0	-				
LG 52.229.36.67:44	3/Controller Connec	tion/Ping Duration (ms)						
21	28.8	65	26	27.2	9.48				
LG 52.229.36.67:44	3/Network/Segments	s sent/sec.							
0	969.4	2,549	969.9	963	412.4				
LG 52.229.36.67:44	3/Network/Segments	s retransmitted/sec.							
0	0.028	0.91	0	0.006	0.113				
LG 52.229.36.67:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.						
0	27	67	26	26.8	12.2				
LG 52.229.36.67:44	3/Network/eth0 (eth)	0)/Megabits sent/sec	.						
0	2.36	90.4	1.76	1.76	6.29				

LG 52.229.37.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.229.37.195:44	43/CPU Load				
0	5.6	24	6	5.37	3.88
LG 52.229.37.195:44	43/Memory Used				
0	11.3	36	10	10.77	8.75
LG 52.229.37.195:44	43/Throughput				
0	21.8	55.3	21.7	21.5	14.6
LG 52.229.37.195:44	43/User Load				
0	53.6	124	67	52.6	36.4
LG 52.229.37.195:44	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 52.229.37.195:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 52.229.37.195:44	43/Controller Conne	ection/Ping Duration	(ms)		
23	27.3	61	26	25.6	8.63
LG 52.229.37.195:44	43/Network/Segmen	ts sent/sec.			
0	1,197	2,457	1,202	1,207	506.4
LG 52.229.37.195:44	43/Network/Segmen	ts retransmitted/sed	.		
0	0.017	0.578	0	0.003	0.071
LG 52.229.37.195:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	23.5	59.2	23.3	23.1	15.6
LG 52.229.37.195:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	1.74	38.1	1.66	1.5	2.8

LG 52.229.54.4:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.229.54.4:443/	CPU Load				
0	6.44	19	6	6.18	3.28
LG 52.229.54.4:443/	Memory Used				
2	14.5	34	14	14.3	7.7
LG 52.229.54.4:443/	Throughput				
0	25.1	59.1	23.8	24.7	12.2
LG 52.229.54.4:443/	User Load				
0	75	133	66	75.3	37.5
LG 52.229.54.4:443/	Controller Connecti	on/Disconnections			
0	0	0	0	0	-
LG 52.229.54.4:443/	Controller Connecti	on/Reconnections			
0	0	0	0	0	-
LG 52.229.54.4:443/	Controller Connecti	on/Ping Duration (m	ns)		
25	31.2	66	30	29.6	9.05
LG 52.229.54.4:443/	Network/Segments	sent/sec.			
0	1,344	3,046	1,280	1,323	599
LG 52.229.54.4:443/	Network/Segments	retransmitted/sec.			
0	0.12	19.5	0	0.013	1.34
LG 52.229.54.4:443/	Network/eth0 (eth0)	/Megabits received/	sec.		
0	27	63.5	25.6	26.6	13
LG 52.229.54.4:443/	Network/eth0 (eth0)	/Megabits sent/sec.			
0	2.5	58.6	1.95	1.95	4.72

LG 34.94.1.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 34.94.1.240:443/CPU Load							
1	7.38	22	7	7.05	3.86		
LG 34.94.1.240:443/	Memory Used						
2	17.1	32	18	17.1	7.35		
LG 34.94.1.240:443/	Throughput						
0	25.7	65.3	24.9	25.4	11.9		
LG 34.94.1.240:443/	/User Load						
0	75.7	134	67	76.1	37.7		
LG 34.94.1.240:443/	Controller Connecti	ion/Disconnections					
0	0	0	0	0	-		
LG 34.94.1.240:443/	Controller Connecti	ion/Reconnections					
0	0	0	0	0	-		
LG 34.94.1.240:443/	Controller Connecti	ion/Ping Duration (n	ns)				
44	121.1	899	63	81.8	199.3		
LG 34.94.1.240:443/	/Network/Segments	sent/sec.					
0	849.5	2,146	855.9	840.6	377.9		
LG 34.94.1.240:443/	/Network/Segments	retransmitted/sec.					
0	0.014	0.4	0	0	0.065		
LG 34.94.1.240:443/	/Network/eth0 (eth0)	/Megabits received/	sec.				
0	26.6	67	25.8	26.3	12.3		
LG 34.94.1.240:443/	/Network/eth0 (eth0)	/Megabits sent/sec.					
0	2.37	76.4	1.68	1.69	6.12		

LG 34.94.10.52:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.10.52:443/	CPU Load				
0	7.64	20	7	7.43	3.71
LG 34.94.10.52:443/	Memory Used				
1	18.4	35	19	18.4	8.65
LG 34.94.10.52:443/	Throughput				
0	25.2	57.9	25.2	24.9	11.7
LG 34.94.10.52:443/	/User Load				
0	75.5	133	67	75.9	37.4
LG 34.94.10.52:443/	Controller Connecti	ion/Disconnections			
0	0	0	0	0	-
LG 34.94.10.52:443/	Controller Connecti	ion/Reconnections			
0	0	0	0	0	-
LG 34.94.10.52:443/	Controller Connecti	ion/Ping Duration (m	ns)		
46	108.4	703	66	78.8	157.4
LG 34.94.10.52:443/	/Network/Segments	sent/sec.			
0	831.2	1,943	820.6	824.1	364.7
LG 34.94.10.52:443/	/Network/Segments	retransmitted/sec.			
0	0.15	3.63	0	0.054	0.482
LG 34.94.10.52:443/	/Network/eth0 (eth0)	/Megabits received/	sec.		
0	26	59.5	26.1	25.7	12
LG 34.94.10.52:443/	/Network/eth0 (eth0)	/Megabits sent/sec.			
0	2.32	65.7	1.69	1.66	5.72

LG 34.94.124.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.124.142:44	13/CPU Load				
0	6.98	22	6	6.69	3.71
LG 34.94.124.142:44	13/Memory Used				
1	17.3	33	18	17.3	7.81
LG 34.94.124.142:44	13/Throughput				
0	24.5	76.6	24.1	24.1	12
LG 34.94.124.142:44	13/User Load				
0	75.3	133	67	75.8	37.5
LG 34.94.124.142:44	13/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 34.94.124.142:44	13/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 34.94.124.142:44	13/Controller Conne	ction/Ping Duration	(ms)		
44	118.3	771	66	85.7	173.9
LG 34.94.124.142:44	13/Network/Segmen	ts sent/sec.			
0	820.8	2,069	791.7	815.5	367.1
LG 34.94.124.142:44	13/Network/Segmen	ts retransmitted/sec			
0	0.018	1.2	0	0	0.101
LG 34.94.124.142:44	13/Network/eth0 (eth	0)/Megabits receive	ed/sec.		
0	25.3	78.8	24.9	24.9	12.3
LG 34.94.124.142:44	13/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.16	48.2	1.6	1.64	4.5

LG 34.94.126.194:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.126.194:44	43/CPU Load				
0	7.32	21	7	7.08	3.55
LG 34.94.126.194:44	43/Memory Used				
1	17.6	35	18	17.5	7.88
LG 34.94.126.194:44	43/Throughput				
0	25.1	61.6	23.8	24.8	11.8
LG 34.94.126.194:44	43/User Load				
0	74.9	133	66	75.3	37.6
LG 34.94.126.194:44	43/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 34.94.126.194:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 34.94.126.194:44	43/Controller Conne	ction/Ping Duration	(ms)		
63	124.4	740	68	93.3	167.5
LG 34.94.126.194:44	43/Network/Segmen	ts sent/sec.			
0	835.4	1,903	842.5	831.7	368.6
LG 34.94.126.194:44	43/Network/Segmen	ts retransmitted/sec	.		
0	0.104	2.96	0	0.023	0.415
LG 34.94.126.194:44	43/Network/eth0 (eth	0)/Megabits receive	ed/sec.		
0	25.9	63.4	24.5	25.6	12.2
LG 34.94.126.194:44	43/Network/eth0 (eth	0)/Megabits sent/se	c.		
0	2.22	50.7	1.71	1.7	4.04

LG 34.94.128.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.128.220:44	13/CPU Load				
1	6.57	26	6	6.18	3.8
LG 34.94.128.220:44	13/Memory Used				
2	17.3	34	17	17.2	7.87
LG 34.94.128.220:44	13/Throughput				
0	24.3	62.1	22.9	23.8	12.2
LG 34.94.128.220:44	13/User Load				
0	75.4	133	67	75.8	37.4
LG 34.94.128.220:44	13/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 34.94.128.220:44	13/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 34.94.128.220:44	13/Controller Conne	ction/Ping Duration	(ms)		
45	122.9	774	65	91.1	174.8
LG 34.94.128.220:44	13/Network/Segmen	ts sent/sec.			
0	818.2	2,233	789.6	804.4	379.1
LG 34.94.128.220:44	13/Network/Segmen	ts retransmitted/sec	. .		
0	0.097	3	0	0.023	0.391
LG 34.94.128.220:44	13/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	25.2	64.2	23.7	24.6	12.5
LG 34.94.128.220:44	13/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.12	62.6	1.65	1.62	4.83

LG 34.94.164.47:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.164.47:44	3/CPU Load				
1	7.43	31	7	7.07	4.21
LG 34.94.164.47:44	3/Memory Used				
1	17.1	33	17	17.1	7.82
LG 34.94.164.47:44	3/Throughput				
0	24.6	61.2	22.8	24.1	12.1
LG 34.94.164.47:44	3/User Load				
0	75.7	134	67	76.1	37.6
LG 34.94.164.47:44	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 34.94.164.47:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 34.94.164.47:443	3/Controller Connec	tion/Ping Duration (ms)		
44	105.1	677	65	76.8	151.4
LG 34.94.164.47:443	3/Network/Segments	s sent/sec.			
0	818.3	1,976	806.7	807.9	370.5
LG 34.94.164.47:443	3/Network/Segments	s retransmitted/sec.			
0	0.031	1.19	0	0.007	0.13
LG 34.94.164.47:443	3/Network/eth0 (eth))/Megabits received	d/sec.		
0	25.4	62.7	23.6	24.9	12.5
LG 34.94.164.47:443	3/Network/eth0 (eth))/Megabits sent/sec	. .		
0	2.21	51.6	1.61	1.61	5.02

LG 34.94.165.47:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.165.47:443	3/CPU Load				
0	6.69	20	6	6.43	3.47
LG 34.94.165.47:443	3/Memory Used				
2	19.3	37	20	19.3	8.48
LG 34.94.165.47:443	3/Throughput				
0	25.1	56.4	24.9	24.9	11.5
LG 34.94.165.47:443	3/User Load				
0	75.7	134	67	76.1	37.6
LG 34.94.165.47:443	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 34.94.165.47:443	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 34.94.165.47:443	3/Controller Connec	tion/Ping Duration (ms)		
45	114.1	773	64	81.4	174.8
LG 34.94.165.47:443	3/Network/Segments	s sent/sec.			
0	835.2	2,021	823.4	829.8	360.4
LG 34.94.165.47:443	3/Network/Segments	s retransmitted/sec.			
0	0.036	0.8	0	0.014	0.116
LG 34.94.165.47:443	3/Network/eth0 (eth))/Megabits received	d/sec.		
0	25.9	58.3	25.7	25.7	11.9
LG 34.94.165.47:443	3/Network/eth0 (eth))/Megabits sent/sec	.		
0	2.22	34.9	1.68	1.66	3.78

LG 34.94.169.84:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 34.94.169.84:44	LG 34.94.169.84:443/CPU Load								
0	7.08	24	7	6.83	3.54				
LG 34.94.169.84:44	3/Memory Used								
1	17.4	32	19	17.4	7.25				
LG 34.94.169.84:44	3/Throughput								
0	25.5	51.5	24.5	25.4	11.5				
LG 34.94.169.84:44	3/User Load								
0	75	133	66	75.3	37.5				
LG 34.94.169.84:44	3/Controller Connec	tion/Disconnections	S						
0	0	0	0	0	-				
LG 34.94.169.84:44	3/Controller Connec	tion/Reconnections							
0	0	0	0	0	-				
LG 34.94.169.84:44	3/Controller Connec	tion/Ping Duration (ms)						
44	125.6	641	65	101.6	162				
LG 34.94.169.84:44	3/Network/Segments	s sent/sec.							
0	844.6	1,836	843.8	843.6	361.5				
LG 34.94.169.84:44	3/Network/Segments	s retransmitted/sec.							
0	0.02	0.8	0	0.005	0.081				
LG 34.94.169.84:44	3/Network/eth0 (eth))/Megabits received	l/sec.						
0	26.4	53	25.3	26.3	11.9				
LG 34.94.169.84:44	3/Network/eth0 (eth))/Megabits sent/sec							
0	2.18	42.7	1.71	1.68	3.95				

LG 34.94.183.244:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.183.244:44	43/CPU Load				
0	7.36	21	7	7.19	3.3
LG 34.94.183.244:44	43/Memory Used				
1	16.8	32	17	16.8	7.6
LG 34.94.183.244:44	43/Throughput				
0	25.7	56	24.8	25.5	12.3
LG 34.94.183.244:44	43/User Load				
0	75.5	133	67	75.9	37.4
LG 34.94.183.244:44	43/Controller Conne	ction/Disconnection	ıs		
0	0	0	0	0	-
LG 34.94.183.244:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 34.94.183.244:44	43/Controller Conne	ction/Ping Duration	(ms)		
39	115.6	726	64	86	163.2
LG 34.94.183.244:44	43/Network/Segmen	ts sent/sec.			
0	846.5	1,732	845	847.4	371.6
LG 34.94.183.244:44	43/Network/Segmen	ts retransmitted/sec			
0	0.033	1.37	0	0.007	0.146
LG 34.94.183.244:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	26.6	57.5	25.5	26.4	12.7
LG 34.94.183.244:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.17	42.7	1.77	1.7	3.56

LG 34.94.184.132:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 34.94.184.132:44	LG 34.94.184.132:443/CPU Load							
0	6.96	28	6	6.59	3.86			
LG 34.94.184.132:44	43/Memory Used							
2	18	36	19	18	7.99			
LG 34.94.184.132:44	43/Throughput							
0	25.6	59.6	24.5	25.3	12.3			
LG 34.94.184.132:44	43/User Load							
0	75.6	134	67	76	37.6			
LG 34.94.184.132:44	43/Controller Conne	ction/Disconnection	ns					
0	0	0	0	0	-			
LG 34.94.184.132:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 34.94.184.132:44	43/Controller Conne	ction/Ping Duration	(ms)					
49	126.5	722	65	97.7	168.2			
LG 34.94.184.132:44	43/Network/Segmen	ts sent/sec.						
0	847.6	2,174	854.5	841.7	370.8			
LG 34.94.184.132:44	43/Network/Segmen	ts retransmitted/sec	.					
0	0.027	1.61	0	0.001	0.151			
LG 34.94.184.132:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.					
0	26.5	61.3	25.4	26.1	12.7			
LG 34.94.184.132:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.					
0	2.23	48.9	1.73	1.7	4.16			

LG 34.94.187.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.187.2:443/	CPU Load				
0	8.93	26	9	8.67	4
LG 34.94.187.2:443/	Memory Used				
2	18.9	35	20	19	8.25
LG 34.94.187.2:443/	Throughput				
0	33.3	72.8	34.7	33.2	14.8
LG 34.94.187.2:443/	/User Load				
0	75.2	133	67	75.6	37.5
LG 34.94.187.2:443/	Controller Connecti	ion/Disconnections			
0	0	0	0	0	-
LG 34.94.187.2:443/	Controller Connecti	ion/Reconnections			
0	0	0	0	0	-
LG 34.94.187.2:443/	Controller Connecti	ion/Ping Duration (n	ns)		
41	119.9	745	66	89.5	168.4
LG 34.94.187.2:443/	/Network/Segments	sent/sec.			
0	1,083	2,310	1,124	1,083	462
LG 34.94.187.2:443/	/Network/Segments	retransmitted/sec.			
0	0.269	8.38	0	0.039	1.1
LG 34.94.187.2:443/	/Network/eth0 (eth0)	/Megabits received/	sec.		
0	34.4	75.2	35.9	34.3	15.2
LG 34.94.187.2:443/	/Network/eth0 (eth0)	/Megabits sent/sec.			
0	2.52	44.7	2.17	2.06	4.01

LG 34.94.19.75:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.19.75:443/	CPU Load				
0	6.63	23	6	6.32	3.63
LG 34.94.19.75:443/	Memory Used				
1	16.9	33	17	16.9	7.59
LG 34.94.19.75:443/	Throughput				
0	24.4	60.3	23.8	24.1	11.8
LG 34.94.19.75:443/	/User Load				
0	75.7	134	67	76.1	37.6
LG 34.94.19.75:443/	Controller Connect	ion/Disconnections			
0	0	0	0	0	-
LG 34.94.19.75:443/	Controller Connect	ion/Reconnections			
0	0	0	0	0	-
LG 34.94.19.75:443/	Controller Connect	ion/Ping Duration (m	ns)		
46	129.5	768	67	98.7	181.2
LG 34.94.19.75:443/	/Network/Segments	sent/sec.			
0	816.1	2,022	786.4	807.3	364.5
LG 34.94.19.75:443/	/Network/Segments	retransmitted/sec.			
0	0.133	6.37	0	0.025	0.582
LG 34.94.19.75:443/	/Network/eth0 (eth0)	/Megabits received/	sec.		
0	25.2	62.4	24.5	24.9	12.2
LG 34.94.19.75:443/	/Network/eth0 (eth0)	/Megabits sent/sec.			
0	2.13	56.3	1.61	1.63	4.68

LG 34.94.203.198:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.203.198:44	43/CPU Load				
0	6.7	27	6	6.38	3.69
LG 34.94.203.198:44	43/Memory Used				
1	16.5	34	17	16.3	7.91
LG 34.94.203.198:44	43/Throughput				
0	25	60.9	23	24.6	12.3
LG 34.94.203.198:44	43/User Load				
0	75.4	133	67	75.8	37.4
LG 34.94.203.198:44	43/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 34.94.203.198:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 34.94.203.198:44	43/Controller Conne	ection/Ping Duration	(ms)		
47	120.3	850	68	83.8	185.5
LG 34.94.203.198:44	43/Network/Segmen	ts sent/sec.			
0	842.8	2,107	806.6	831.6	390.9
LG 34.94.203.198:44	43/Network/Segmen	ts retransmitted/sed	. .		
0	0.125	4.67	0	0.029	0.489
LG 34.94.203.198:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	25.9	63.2	23.4	25.5	12.7
LG 34.94.203.198:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.34	53.4	1.65	1.67	5.11

LG 34.94.232.205:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.232.205:44	43/CPU Load				
0	6.62	26	6	6.32	3.67
LG 34.94.232.205:44	43/Memory Used				
1	18.2	36	18	18.1	8.31
LG 34.94.232.205:44	43/Throughput				
0	24.1	58.3	22.6	23.7	11.8
LG 34.94.232.205:44	43/User Load				
0	75.1	133	66	75.4	37.5
LG 34.94.232.205:44	43/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 34.94.232.205:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 34.94.232.205:44	43/Controller Conne	ction/Ping Duration	(ms)		
39	112.4	773	66	79.8	174.9
LG 34.94.232.205:44	43/Network/Segmen	ts sent/sec.			
0	801.2	2,400	781.6	789.7	369
LG 34.94.232.205:44	43/Network/Segmen	ts retransmitted/sec	. .		
0	0.107	18.2	0	0.003	1.26
LG 34.94.232.205:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	24.9	60.1	23.3	24.5	12.2
LG 34.94.232.205:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.14	37	1.57	1.6	4.14

LG 34.94.232.211:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.232.211:44	43/CPU Load				
0	6.83	19	7	6.59	3.32
LG 34.94.232.211:44	43/Memory Used				
2	16.2	32	16	16.1	7.73
LG 34.94.232.211:44	43/Throughput				
0	25.3	54.4	24.6	25.1	11.7
LG 34.94.232.211:44	43/User Load				
0	74.9	133	66	75.3	37.5
LG 34.94.232.211:44	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 34.94.232.211:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 34.94.232.211:44	43/Controller Conne	ection/Ping Duration	(ms)		
37	122.4	876	67	85.3	199.9
LG 34.94.232.211:44	43/Network/Segmen	ts sent/sec.			
0	840.7	2,202	826.3	833.9	374.3
LG 34.94.232.211:44	43/Network/Segmen	ts retransmitted/sec	.		
0	0.134	4.73	0	0.029	0.586
LG 34.94.232.211:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	26.1	55.9	25.4	25.9	12
LG 34.94.232.211:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.32	45.4	1.69	1.68	4.66

LG 34.94.25.234:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.25.234:44	3/CPU Load				
0	7.63	26	7	7.32	3.84
LG 34.94.25.234:44	3/Memory Used				
2	17	32	18	17	7.61
LG 34.94.25.234:44	3/Throughput				
0	25.5	62.5	25.4	25.1	12.1
LG 34.94.25.234:44	3/User Load				
0	75	133	66	75.4	37.5
LG 34.94.25.234:44	3/Controller Connec	tion/Disconnections	6		
0	0	0	0	0	-
LG 34.94.25.234:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 34.94.25.234:44	3/Controller Connec	tion/Ping Duration (ms)		
45	99.7	552	65	77.6	120.3
LG 34.94.25.234:44	3/Network/Segments	s sent/sec.			
0	841.8	2,004	865.8	834.6	369.2
LG 34.94.25.234:44	3/Network/Segments	s retransmitted/sec.			
0	0.042	2.4	0	0.002	0.224
LG 34.94.25.234:44	3/Network/eth0 (eth))/Megabits received	d/sec.		
0	26.3	64.7	26.3	26	12.4
LG 34.94.25.234:44	3/Network/eth0 (eth))/Megabits sent/sec	: .		
0	2.35	85.9	1.73	1.69	6.38

LG 34.94.49.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.49.215:443	3/CPU Load				
1	6.06	24	5	5.68	3.49
LG 34.94.49.215:443	3/Memory Used				
2	18.8	38	19	18.7	8.5
LG 34.94.49.215:443	3/Throughput				
0	25.5	53.3	25.7	25.3	11.7
LG 34.94.49.215:443	3/User Load				
0	75.8	134	67	76.2	37.6
LG 34.94.49.215:443	3/Controller Connec	tion/Disconnections	S		
0	0	0	0	0	-
LG 34.94.49.215:443	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 34.94.49.215:443	3/Controller Connec	tion/Ping Duration (ms)		
	133	1,093	63	84.7	254
LG 34.94.49.215:443	3/Network/Segments	s sent/sec.			
0	860.8	1,945	860.6	858.9	367.3
LG 34.94.49.215:443	3/Network/Segments	s retransmitted/sec.			
0	0.008	0.39	0	0	0.044
LG 34.94.49.215:443	3/Network/eth0 (eth0)/Megabits received	l/sec.		
0	26.4	55.1	26.6	26.2	12
LG 34.94.49.215:443	3/Network/eth0 (eth0)/Megabits sent/sec	.		
0	2.16	44.9	1.75	1.72	4.1

LG 34.94.57.54:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 34.94.57.54:44	LG 34.94.57.54:443/CPU Load							
0	7.28	23	7	7.03	3.69			
LG 34.94.57.54:44	3/Memory Used							
2	17.1	34	17	17	7.68			
LG 34.94.57.54:44	3/Throughput							
0	25.7	59.2	24.6	25.3	12.5			
LG 34.94.57.54:44	3/User Load							
0	75.4	133	67	75.8	37.4			
LG 34.94.57.54:44	3/Controller Connec	tion/Disconnections						
0	0	0	0	0	-			
LG 34.94.57.54:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 34.94.57.54:44	3/Controller Connec	tion/Ping Duration (r	ns)					
35	122	663	66	96.8	160.3			
LG 34.94.57.54:44	3/Network/Segments	s sent/sec.						
0	850.6	1,826	852	845.3	382			
LG 34.94.57.54:44	3/Network/Segments	retransmitted/sec.						
0	0.01	0.4	0	0	0.052			
LG 34.94.57.54:44	3/Network/eth0 (eth0)/Megabits received	/sec.					
0	26.5	60.6	25.5	26.1	12.9			
LG 34.94.57.54:44	3/Network/eth0 (eth0)/Megabits sent/sec						
0	2.29	59.7	1.73	1.7	4.81			

LG 34.94.59.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 34.94.59.208:443/CPU Load								
0	7.03	29	7	6.58	4.22			
LG 34.94.59.208:443	3/Memory Used							
1	17.1	32	18	17.1	7.66			
LG 34.94.59.208:443	3/Throughput							
0	24.1	57.8	24.1	23.7	11.5			
LG 34.94.59.208:443	3/User Load							
0	75	133	66	75.4	37.5			
LG 34.94.59.208:443	3/Controller Connec	tion/Disconnections	5					
0	0	0	0	0	-			
LG 34.94.59.208:443	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 34.94.59.208:443	3/Controller Connec	tion/Ping Duration (ms)					
46	112.9	749	65	81.2	168.8			
LG 34.94.59.208:443	3/Network/Segments	s sent/sec.						
0	804.7	2,326	809.4	792.4	372			
LG 34.94.59.208:443	3/Network/Segments	s retransmitted/sec.						
0	0.02	1	0	0.003	0.095			
LG 34.94.59.208:443	3/Network/eth0 (eth0)/Megabits received	d/sec.					
0	24.9	59.8	24.8	24.5	11.9			
LG 34.94.59.208:443	3/Network/eth0 (eth0)/Megabits sent/sec	.					
0	2.26	59.6	1.63	1.61	5.3			

LG 34.94.63.255:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 34.94.63.255:443/CPU Load								
0	6.29	25	5	5.98	3.49			
LG 34.94.63.255:44	3/Memory Used							
1	17	34	17	16.9	7.86			
LG 34.94.63.255:44	3/Throughput							
0	25.2	63	25.2	24.8	12			
LG 34.94.63.255:44	3/User Load							
0	75.6	134	67	76	37.6			
LG 34.94.63.255:44	3/Controller Connec	tion/Disconnections	3					
0	0	0	0	0	-			
LG 34.94.63.255:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 34.94.63.255:44	3/Controller Connec	tion/Ping Duration (ms)					
46	116.6	855	65	79.5	195.4			
LG 34.94.63.255:44	3/Network/Segment	s sent/sec.						
0	848.9	2,074	843.1	839.1	382.4			
LG 34.94.63.255:44	3/Network/Segment	s retransmitted/sec.						
0	0.146	4.79	0	0.033	0.594			
LG 34.94.63.255:44	3/Network/eth0 (eth	0)/Megabits received	l/sec.					
0	26.1	65	26.1	25.7	12.4			
LG 34.94.63.255:44	3/Network/eth0 (eth	0)/Megabits sent/sec	.					
0	2.25	55.6	1.66	1.65	4.71			

LG 34.94.71.95:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.71.95:443	/CPU Load				
0	6.78	27	6	6.53	3.51
LG 34.94.71.95:443	/Memory Used				
2	17.2	32	18	17.2	7.81
LG 34.94.71.95:443	/Throughput				
0	24.3	66	22.9	23.9	11.8
LG 34.94.71.95:443	/User Load				
0	75.1	133	66	75.5	37.5
LG 34.94.71.95:443	/Controller Connect	ion/Disconnections			
0	0	0	0	0	-
LG 34.94.71.95:443	/Controller Connect	ion/Reconnections			
0	0	0	0	0	-
LG 34.94.71.95:443	/Controller Connect	ion/Ping Duration (m	ns)		
39	125.2	1,011	62	80.8	234.3
LG 34.94.71.95:443	/Network/Segments	sent/sec.			
0	809.4	1,953	797.2	798.7	368.8
LG 34.94.71.95:443	/Network/Segments	retransmitted/sec.			
0	0.018	0.794	0	0.002	0.081
LG 34.94.71.95:443	/Network/eth0 (eth0)	/Megabits received/	sec.		
0	25.1	67.7	23.7	24.7	12.1
LG 34.94.71.95:443	/Network/eth0 (eth0)	/Megabits sent/sec.			
0	2.17	61.4	1.64	1.62	4.67

LG 34.94.8.48:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.8.48:443/C	PU Load				
0	7.68	23	7	7.41	3.91
LG 34.94.8.48:443/N	lemory Used				
2	17.6	35	18	17.6	7.86
LG 34.94.8.48:443/T	hroughput				
0	25.2	66.3	24	24.7	12.5
LG 34.94.8.48:443/U	Iser Load				
0	75.3	134	67	75.7	37.7
LG 34.94.8.48:443/C	Controller Connection	n/Disconnections			
0	0	0	0	0	-
LG 34.94.8.48:443/C	Controller Connection	n/Reconnections			
0	0	0	0	0	-
LG 34.94.8.48:443/C	Controller Connection	n/Ping Duration (ms	s)		
43	123.3	726	66	94.2	167.6
LG 34.94.8.48:443/N	letwork/Segments s	ent/sec.			
0	831.3	1,825	814.5	823.7	378.4
LG 34.94.8.48:443/N	letwork/Segments re	etransmitted/sec.			
0	0.03	0.8	0	0.006	0.116
LG 34.94.8.48:443/N	letwork/eth0 (eth0)/l	Megabits received/s	ec.		
0	26	67.9	24.7	25.6	12.9
LG 34.94.8.48:443/N	letwork/eth0 (eth0)/l	Megabits sent/sec.			
0	2.28	51.6	1.72	1.68	4.65

LG 34.94.81.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.81.79:443/	CPU Load				
0	6.89	32	7	6.53	3.85
LG 34.94.81.79:443/	Memory Used				
2	17.5	34	18	17.4	7.98
LG 34.94.81.79:443/	Throughput				
0	25.3	61	24.6	24.9	11.9
LG 34.94.81.79:443/	/User Load				
0	75.8	134	67	76.1	37.6
LG 34.94.81.79:443/	Controller Connecti	ion/Disconnections			
0	0	0	0	0	-
LG 34.94.81.79:443/	Controller Connecti	ion/Reconnections			
0	0	0	0	0	-
LG 34.94.81.79:443/	Controller Connecti	ion/Ping Duration (n	ns)		
43	114.4	765	67	82.2	172.4
LG 34.94.81.79:443/	/Network/Segments	sent/sec.			
0	843.5	2,225	834.4	832.5	379.7
LG 34.94.81.79:443/	/Network/Segments	retransmitted/sec.			
0	0.167	5.6	0	0.036	0.685
LG 34.94.81.79:443/	/Network/eth0 (eth0)	/Megabits received/	sec.		
0	26.1	62.6	25.4	25.8	12.2
LG 34.94.81.79:443/	/Network/eth0 (eth0)	/Megabits sent/sec.			
0	2.24	33.3	1.71	1.69	3.65

LG 35.235.118.208:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.118.208:	443/CPU Load				
0	7.1	19	7	6.89	3.57
LG 35.235.118.208:	443/Memory Used				
2	19.4	40	20	19.3	9.3
LG 35.235.118.208:	443/Throughput				
0	25.2	69.6	26.3	25	12
LG 35.235.118.208:	443/User Load				
0	74.9	133	66	75.3	37.5
LG 35.235.118.208:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.235.118.208:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.235.118.208:	443/Controller Conn	ection/Ping Duratio	n (ms)		
48	114.7	843	68	77.9	184.7
LG 35.235.118.208:	443/Network/Segme	nts sent/sec.			
0	843.2	1,987	853.8	839	374.9
LG 35.235.118.208:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.531	107.4	0	0.002	7.39
LG 35.235.118.208:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0	26.1	71.7	27.2	25.9	12.3
LG 35.235.118.208:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0	2.33	37.2	1.71	1.69	4.33

LG 35.235.72.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.72.121:44	13/CPU Load				
1	7.62	26	7	7.35	3.73
LG 35.235.72.121:44	13/Memory Used				
2	17.9	34	19	17.9	8.04
LG 35.235.72.121:44	13/Throughput				
0	24.6	62.9	23.7	24.4	11.4
LG 35.235.72.121:44	13/User Load				
0	75.3	134	67	75.7	37.8
LG 35.235.72.121:44	13/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 35.235.72.121:44	13/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.235.72.121:44	13/Controller Conne	ction/Ping Duration	(ms)		
42	111.1	732	66	80	164.9
LG 35.235.72.121:44	13/Network/Segmen	ts sent/sec.			
0	816.1	1,759	790.2	811.9	352.2
LG 35.235.72.121:44	13/Network/Segmen	ts retransmitted/sec	. .		
0	0.094	2.6	0	0.019	0.368
LG 35.235.72.121:44	13/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	25.5	64.6	24.4	25.2	11.8
LG 35.235.72.121:44	13/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.31	66	1.63	1.65	5.41

LG 35.235.76.54:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.76.54:443	3/CPU Load				
0	9.16	24	9	8.95	3.69
LG 35.235.76.54:443	3/Memory Used				
2	18.6	39	19	18.4	8.36
LG 35.235.76.54:443	3/Throughput				
0	33.4	71.8	34.7	33.3	14.7
LG 35.235.76.54:443	3/User Load				
0	75.4	133	67	75.8	37.4
LG 35.235.76.54:443	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 35.235.76.54:443	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 35.235.76.54:443	3/Controller Connec	tion/Ping Duration (ms)		
44	123.1	831	66	88.1	184.4
LG 35.235.76.54:443	3/Network/Segments	s sent/sec.			
0	1,085	2,218	1,127	1,083	462
LG 35.235.76.54:443	3/Network/Segments	s retransmitted/sec.			
0	0.235	7.36	0	0.043	0.954
LG 35.235.76.54:443	3/Network/eth0 (eth))/Megabits received	d/sec.		
0	34.5	74	35.7	34.4	15.1
LG 35.235.76.54:443	3/Network/eth0 (eth))/Megabits sent/sec	.		
0	2.46	33.8	2.14	2.07	2.98

LG 35.235.90.170:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.90.170:44	43/CPU Load				
0	7.08	27	6	6.71	3.91
LG 35.235.90.170:44	43/Memory Used				
2	17.2	35	18	17.2	7.58
LG 35.235.90.170:44	43/Throughput				
0	24.7	57.2	24.7	24.5	11.5
LG 35.235.90.170:44	43/User Load				
0	75	133	66	75.4	37.5
LG 35.235.90.170:44	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 35.235.90.170:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.235.90.170:44	43/Controller Conne	ection/Ping Duration	(ms)		
45	117.6	740	64	87.1	166.9
LG 35.235.90.170:44	43/Network/Segmen	ts sent/sec.			
0	820.4	2,093	834.6	815.6	360.9
LG 35.235.90.170:44	43/Network/Segmen	ts retransmitted/sec	. .		
0	0.141	4.07	0	0.05	0.483
LG 35.235.90.170:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	25.6	59	25.6	25.3	11.8
LG 35.235.90.170:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.24	49.5	1.69	1.64	4.57

LG 35.235.98.163:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.98.163:4	43/CPU Load				
0	7.31	23	7	7.07	3.77
LG 35.235.98.163:4	43/Memory Used				
2	18.5	37	19	18.4	8.62
LG 35.235.98.163:4	43/Throughput				
0	25.6	72.3	23.7	25	12.8
LG 35.235.98.163:4	43/User Load				
0	75.7	134	67	76.1	37.6
LG 35.235.98.163:4	43/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 35.235.98.163:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.235.98.163:4	43/Controller Conne	ction/Ping Duration	(ms)		
44	120	723	64	90.7	164.6
LG 35.235.98.163:4	43/Network/Segmen	ts sent/sec.			
0	849.5	2,296	808.4	839	386.6
LG 35.235.98.163:4	43/Network/Segmen	ts retransmitted/sec	.		
0	0.021	0.924	0	0.003	0.092
LG 35.235.98.163:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	26.4	74.5	24.5	25.9	13.1
LG 35.235.98.163:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.26	54.6	1.71	1.7	5.1

LG 35.235.99.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.99.207:44	13/CPU Load				
0	6.9	26	6	6.56	3.81
LG 35.235.99.207:44	13/Memory Used				
2	17	32	17	17	7.57
LG 35.235.99.207:44	13/Throughput				
0	25.1	61.4	24.7	24.7	12
LG 35.235.99.207:44	13/User Load				
0	75.6	134	67	76	37.6
LG 35.235.99.207:44	13/Controller Conne	ction/Disconnection	ıs		
0	0	0	0	0	-
LG 35.235.99.207:44	13/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.235.99.207:44	13/Controller Conne	ction/Ping Duration	(ms)		
47	123.9	767	65	92.5	171.6
LG 35.235.99.207:44	13/Network/Segmen	ts sent/sec.			
0	834.9	2,437	836	827	372.3
LG 35.235.99.207:44	13/Network/Segmen	ts retransmitted/sed	; .		
0	0.036	3	0	0.003	0.228
LG 35.235.99.207:44	13/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	25.9	63.3	25.6	25.5	12.4
LG 35.235.99.207:44	13/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.28	75.8	1.65	1.67	5.59

LG 35.236.2.158:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.2.158:44	3/CPU Load				
0	7.22	26	7	6.92	3.79
LG 35.236.2.158:44	3/Memory Used				
1	17	31	17	17	7.44
LG 35.236.2.158:44	3/Throughput				
0	25.9	59.9	25.3	25.7	12.4
LG 35.236.2.158:44	3/User Load				
0	75.4	133	67	75.8	37.4
LG 35.236.2.158:44	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 35.236.2.158:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 35.236.2.158:44	3/Controller Connec	tion/Ping Duration (ms)		
44	125.3	672	63	99.5	166.4
LG 35.236.2.158:44	3/Network/Segments	s sent/sec.			
0	865.2	2,365	823.2	854.3	403.5
LG 35.236.2.158:44	3/Network/Segments	s retransmitted/sec.			
0	0.159	6.88	0	0.022	0.725
LG 35.236.2.158:44	3/Network/eth0 (eth))/Megabits received	d/sec.		
0	26.8	61.9	26.2	26.5	12.8
LG 35.236.2.158:44	3/Network/eth0 (eth))/Megabits sent/sec	·-		
0	2.22	36.7	1.73	1.71	3.68

LG 35.236.21.100:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.21.100:44	43/CPU Load				
0	6.96	22	7	6.71	3.58
LG 35.236.21.100:44	43/Memory Used				
1	17.4	35	18	17.3	7.96
LG 35.236.21.100:44	43/Throughput				
0	24.8	58.2	24.1	24.4	12.4
LG 35.236.21.100:44	43/User Load				
0	75.7	134	67	76.1	37.6
LG 35.236.21.100:44	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 35.236.21.100:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.236.21.100:44	43/Controller Conne	ction/Ping Duration	(ms)		
45	122.4	709	66	94.1	165.1
LG 35.236.21.100:44	43/Network/Segmen	ts sent/sec.			
0	826	1,914	791.8	814.6	385.7
LG 35.236.21.100:44	43/Network/Segmen	ts retransmitted/sec	.		
0	0.022	0.8	0	0.007	0.086
LG 35.236.21.100:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	25.6	60.1	25	25.3	12.7
LG 35.236.21.100:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.33	63.7	1.63	1.64	5.26

LG 35.236.28.29:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.28.29:44	3/CPU Load				
0	6.23	23	6	5.9	4.4
LG 35.236.28.29:44	3/Memory Used				
0	14.9	36	15	14.7	9.82
LG 35.236.28.29:44	3/Throughput				
0	21.6	54.9	22.1	21	14.2
LG 35.236.28.29:44	3/User Load				
0	56.3	129	67	55.3	37.1
LG 35.236.28.29:44	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 35.236.28.29:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 35.236.28.29:44	3/Controller Connec	tion/Ping Duration (ms)		
46	79.2	268	67	70.6	48.7
LG 35.236.28.29:44	3/Network/Segments	s sent/sec.			
0	1,039	2,299	895.4	1,016	635.3
LG 35.236.28.29:443	3/Network/Segments	s retransmitted/sec.			
0	0.047	0.6	0	0.035	0.099
LG 35.236.28.29:443	3/Network/eth0 (eth))/Megabits received	d/sec.		
0	22.3	56.9	22.8	21.7	14.7
LG 35.236.28.29:44	3/Network/eth0 (eth))/Megabits sent/sec).		
0	1.62	31.6	1.53	1.39	2.46



LG 35.236.33.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.33.116:44	43/CPU Load				
0	6.73	25	6	6.41	3.84
LG 35.236.33.116:44	43/Memory Used				
2	17.3	32	17.5	17.3	7.96
LG 35.236.33.116:44	43/Throughput				
0	24.1	56.4	23.1	23.7	12.1
LG 35.236.33.116:44	43/User Load				
0	75.3	133	67	75.8	37.5
LG 35.236.33.116:44	43/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 35.236.33.116:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.236.33.116:44	43/Controller Conne	ction/Ping Duration	(ms)		
45	124.3	805	65	90.4	183.3
LG 35.236.33.116:44	43/Network/Segmen	ts sent/sec.			
0	803.2	1,865	773.1	795.9	367.3
LG 35.236.33.116:44	43/Network/Segmen	ts retransmitted/sec	.		
0	0.015	0.41	0	0.001	0.066
LG 35.236.33.116:44	43/Network/eth0 (eth	0)/Megabits receive	ed/sec.		
0	24.9	58.2	23.9	24.5	12.4
LG 35.236.33.116:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.14	50.9	1.54	1.6	4.09

LG 35.236.38.73:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.236.38.73:44	3/CPU Load						
0	8.54	23	8	8.29	3.83		
LG 35.236.38.73:44	3/Memory Used						
1	18.8	38	19	18.7	8.47		
LG 35.236.38.73:44	3/Throughput						
0	25.8	72.2	25.3	25.4	12.4		
LG 35.236.38.73:44	3/User Load						
0	75	133	66	75.4	37.5		
LG 35.236.38.73:44	3/Controller Connec	tion/Disconnections	5				
0	0	0	0	0	-		
LG 35.236.38.73:44	3/Controller Connec	tion/Reconnections					
0	0	0	0	0	-		
LG 35.236.38.73:44	3/Controller Connec	tion/Ping Duration (ms)				
63	117.6	655	63	90.8	151.3		
LG 35.236.38.73:44	3/Network/Segments	s sent/sec.					
0	851.2	1,932	866.2	843.2	374.6		
LG 35.236.38.73:44	3/Network/Segments	s retransmitted/sec.					
0	0.105	2.8	0	0.026	0.38		
LG 35.236.38.73:44	LG 35.236.38.73:443/Network/eth0 (eth0)/Megabits received/sec.						
0	26.7	74.1	26	26.3	12.8		
LG 35.236.38.73:44	3/Network/eth0 (eth))/Megabits sent/sec	.				
0	2.34	59.1	1.71	1.71	5.12		



LG 35.236.41.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.41.0:443	/CPU Load				
0	7.79	26	8	7.49	4
LG 35.236.41.0:443	/Memory Used				
1	19.7	40	20	19.6	9.23
LG 35.236.41.0:443	/Throughput				
0	27	61.5	27.6	26.8	12.8
LG 35.236.41.0:443	/User Load				
0	75.4	133	67	75.8	37.4
LG 35.236.41.0:443	/Controller Connect	ion/Disconnections			
0	0	0	0	0	-
LG 35.236.41.0:443	/Controller Connect	ion/Reconnections			
0	0	0	0	0	-
LG 35.236.41.0:443	/Controller Connect	ion/Ping Duration (m	ns)		
45	129.1	720	65	100.9	171.4
LG 35.236.41.0:443	/Network/Segments	sent/sec.			
0	896.8	2,801	915.4	885.7	412.7
LG 35.236.41.0:443	/Network/Segments	retransmitted/sec.			
0	0.02	0.992	0	0.002	0.097
LG 35.236.41.0:443	/Network/eth0 (eth0)	/Megabits received/	sec.		
0	27.9	63.5	28.6	27.7	13.1
LG 35.236.41.0:443	/Network/eth0 (eth0)	/Megabits sent/sec.			
0	2.32	41.6	1.84	1.78	4.14

LG 35.236.46.62:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.236.46.62:44	3/CPU Load						
0	6.58	27	6	6.3	3.61		
LG 35.236.46.62:44	3/Memory Used						
1	17.9	36	18	17.9	8.01		
LG 35.236.46.62:44	3/Throughput						
0	25.2	59	24.5	24.9	12.3		
LG 35.236.46.62:44	3/User Load						
0	75.1	133	66	75.4	37.5		
LG 35.236.46.62:44	3/Controller Connec	tion/Disconnections	5				
0	0	0	0	0	-		
LG 35.236.46.62:44	3/Controller Connec	tion/Reconnections					
0	0	0	0	0	-		
LG 35.236.46.62:44	3/Controller Connec	tion/Ping Duration (ms)				
47	124.2	804	66	90.8	180.2		
LG 35.236.46.62:443	3/Network/Segments	s sent/sec.					
0	856.2	2,159	849.4	846.5	398.3		
LG 35.236.46.62:44	3/Network/Segment	s retransmitted/sec.					
0	0.018	0.6	0	0.004	0.072		
LG 35.236.46.62:443	LG 35.236.46.62:443/Network/eth0 (eth0)/Megabits received/sec.						
0	26.1	60.8	25.4	25.8	12.7		
LG 35.236.46.62:44	3/Network/eth0 (eth)	0)/Megabits sent/sec	.				
0	2.34	40.7	1.67	1.69	4.35		



LG 35.236.48.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.48.220:44	13/CPU Load				
0	7.7	31	7	7.44	3.84
LG 35.236.48.220:44	13/Memory Used				
1	16.5	33	17	16.4	7.78
LG 35.236.48.220:44	13/Throughput				
0	25	59	23.4	24.6	12.3
LG 35.236.48.220:44	13/User Load				
0	75.6	134	67	76	37.7
LG 35.236.48.220:44	13/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 35.236.48.220:44	13/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.236.48.220:44	13/Controller Conne	ction/Ping Duration	(ms)		
35	121.7	829	64	86.7	190.3
LG 35.236.48.220:44	13/Network/Segmen	ts sent/sec.			
0	823.8	1,861	830	815.9	368.4
LG 35.236.48.220:44	13/Network/Segmen	ts retransmitted/sec	.		
0	0.15	23.9	0	0.009	1.65
LG 35.236.48.220:44	13/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	25.8	60.9	24.1	25.4	12.7
LG 35.236.48.220:44	13/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	2.1	45.9	1.66	1.66	3.7

LG 35.236.50.178:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.236.50.178:4	43/CPU Load						
0	7.27	24	7	6.96	3.81		
LG 35.236.50.178:4	43/Memory Used						
1	17.7	36	18	17.6	8.18		
LG 35.236.50.178:4	43/Throughput						
0	24.6	61	23.6	24.3	11.8		
LG 35.236.50.178:4	43/User Load						
0	75.4	133	67	75.8	37.4		
LG 35.236.50.178:4	43/Controller Conne	ection/Disconnection	าร				
0	0	0	0	0	-		
LG 35.236.50.178:4	43/Controller Conne	ection/Reconnection	s				
0	0	0	0	0	-		
LG 35.236.50.178:4	43/Controller Conne	ection/Ping Duration	(ms)				
37	126.3	769	62	95.6	181.9		
LG 35.236.50.178:4	43/Network/Segmen	ts sent/sec.					
0	818.5	2,196	796	809.3	371.9		
LG 35.236.50.178:4	43/Network/Segmen	ts retransmitted/sec	>.				
0	0.026	0.8	0	0.003	0.109		
LG 35.236.50.178:4	LG 35.236.50.178:443/Network/eth0 (eth0)/Megabits received/sec.						
0	25.5	63.1	24.4	25.1	12.2		
LG 35.236.50.178:4	43/Network/eth0 (etl	n0)/Megabits sent/se	ec.				
0	2.08	38.3	1.63	1.62	3.76		



LG 35.236.79.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.71:443	3/CPU Load				
0	6.5	19	6	6.28	3.32
LG 35.236.79.71:443	3/Memory Used				
1	16.5	31	17	16.4	7.5
LG 35.236.79.71:443	3/Throughput				
0	24.2	53.5	23.9	24	11.4
LG 35.236.79.71:443	3/User Load				
0	74.8	133	66	75.2	37.6
LG 35.236.79.71:443	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 35.236.79.71:443	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 35.236.79.71:443	3/Controller Connec	tion/Ping Duration (ms)		
46	116.2	904	65	75.9	200.3
LG 35.236.79.71:443	3/Network/Segments	s sent/sec.			
0	814.5	1,808	827.1	809.1	367.8
LG 35.236.79.71:443	3/Network/Segments	s retransmitted/sec.			
0	0.013	0.597	0	0	0.068
LG 35.236.79.71:443	3/Network/eth0 (eth0)/Megabits received	d/sec.		
0	25	55.2	24.8	24.8	11.8
LG 35.236.79.71:443	3/Network/eth0 (eth0)/Megabits sent/sec	.		
0	2.25	62.4	1.62	1.61	5.23

LG 35.236.89.138:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.89.138:44	43/CPU Load				
0	9.34	24	9	9.14	3.85
LG 35.236.89.138:44	43/Memory Used				
2	17.7	36	18	17.7	8
LG 35.236.89.138:44	43/Throughput				
0	32.3	67.5	32.3	32.3	14
LG 35.236.89.138:44	43/User Load				
0	75.4	133	67	75.9	37.4
LG 35.236.89.138:44	43/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 35.236.89.138:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.236.89.138:44	43/Controller Conne	ection/Ping Duration	(ms)		
45	112.1	740	66	81	166.4
LG 35.236.89.138:44	43/Network/Segmen	ts sent/sec.			
0	1,048	2,288	1,069	1,048	444.8
LG 35.236.89.138:44	43/Network/Segmen	ts retransmitted/sec	.		
0	0.201	7.08	0	0.049	0.8
LG 35.236.89.138:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	33.3	69.6	33.4	33.4	14.4
LG 35.236.89.138:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.5	36	2.04	2.01	4.08

Alerts


Controller

Alerts

Sev.	Alert	Occurrences	First Occurrence	Duration %
	Controller/Memory Used >= 80.0%	2	00:15:17.534	10.5
Too h	igh amount of memory used			




Average page response time



Min	Average	Max
0.09	1.017	2.432

 $\textbf{Notes:} \ \mathsf{Displays} \ \mathsf{the} \ \mathsf{average} \ \mathsf{response} \ \mathsf{time}, \ \mathsf{in} \ \mathsf{seconds}, \ \mathsf{of} \ \mathsf{all} \ \mathsf{pages} \ \mathsf{during} \ \mathsf{the} \ \mathsf{test}.$


Average request response time



Min	Average	Max
0.034	0.304	0.725

Notes: Displays the average response time, in seconds, of all requests during the test.

Average response time (Transactions)




Min	Average	Max	Median	Avg-90%	Std. Dev.
0.441	4.958	13.443	4.128	4.808	2.737

Notes: Displays the average response time, in seconds, of all Transactions during the test.




Requests per second



Min	Average	Max
176.3	5,515.6	8,948

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	969.4	10,220

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	1,561.74	2,527.29

Notes: Displays the number of megabits of data per second returned by the server.

Response time against load




Min	Average	Max
0.085	0.857	1.724

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.




Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

Top 10 First Alerts



Notes: Displays the list of alerts on the monitored counters during the test.