

10-24-Retail Holiday Readiness GW LT



Date	Oct 25, 2019 1:19:50 AM
Project	GW_DEALS
Scenario	GW_1
Comment	
Notes	10-24-Retail Holiday Readiness GW LT

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	8
Hot spots.....	9
Errors.....	9
Alerts.....	9
General statistics.....	9
Transaction statistics.....	10
Execution context.....	17
Scenario	11
Servers.....	23
Populations.....	24
User Paths.....	25
Transactions.....	26
Pages.....	28
Requests.....	33
Media Contents.....	55
Push messages.....	27
Monitors.....	56
Main graphs.....	174
Average page response time.....	174
Average request response time.....	175
Average response time (Transactions).....	176
Requests per second.....	177
Errors.....	178
Throughput.....	179
Response time against load.....	180
Distribution of Transaction Durations.....	181

Summary

Results summary

Name	01:18 - 25 Oct 2019_GW_LoadTest	Project	GW_DEALS
Description		Scenario	GW_1
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population GridWall is customized
Start date	Oct 25, 2019 1:19:50 AM		
End date	Oct 25, 2019 1:50:28 AM	Stop Policy	<ul style="list-style-type: none"> Population GridWall: immediate.
Duration	00:30:38		
Termination reason	Manual action	Filters	None
LG Hosts	18.222.109.14:443	Debug	Disabled
	,		
	13.58.21.94:443		
	,		
	18.189.143.160:443		
	,		
	18.224.44.90:443		
	,		
	18.223.209.128:443		
	,		
	3.17.164.232:443		
	,		
	18.219.248.179:443		
	,		
	18.221.103.156:443		
	,		
	18.219.80.74:443		
	,		
	3.15.0.171:443		
	,		
	3.16.217.250:443		
	,		
	3.15.221.102:443		
	,		
	13.59.56.228:443		
	,		
	18.221.31.189:443		
	,		
	18.191.31.19:443		
	,		
	18.191.176.81:443		
	,		
	18.191.150.51:443		
	,		
	18.222.109.203:443		
	,		
	3.17.79.55:443		
	,		
	18.220.162.67:443		
	,		
	18.191.150.1:443		
	,		
	18.189.145.169:443		
	,		
	18.222.23.54:443		
	,		
	18.220.10.243:443		
	,		
	18.221.65.238:443		
	,		
	52.14.127.136:443		
	,		
	18.188.110.26:443		
	,		
	3.17.73.168:443		
	,		
	18.221.198.73:443		
	,		
	18.221.127.250:443		
	,		
	3.16.37.250:443		
	,		

3.17.24.229:443		
,		
3.19.246.241:443		
,		
18.189.27.205:443		
,		
3.14.84.155:443		
,		
18.222.30.102:443		
,		
13.59.11.27:443		
,		
3.18.212.229:443		
,		
18.224.199.1:443		
,		
18.218.48.132:443		
,		
18.224.71.169:443		
,		
18.221.226.173:443		
,		
18.224.213.216:443		
,		
18.223.143.2:443		
,		
52.14.93.10:443		
,		
52.14.44.132:443		
,		
13.58.43.231:443		
,		
13.59.77.226:443		
,		
18.218.224.57:443		
,		
3.19.60.19:443		
,		
3.18.223.91:443		
,		
3.18.113.196:443		
,		
18.222.140.55:443		
,		
18.218.130.59:443		
,		
18.220.89.222:443		
,		
18.221.164.166:443		
,		
18.220.116.173:443		
,		
18.189.30.196:443		
,		
18.224.16.166:443		
,		
18.218.119.160:443		
,		
18.216.99.27:443		
,		
13.59.123.41:443		
,		
3.133.13.199:443		
,		
52.15.132.133:443		
,		
18.216.202.13:443		
,		
13.58.107.112:443		
,		
3.14.7.243:443		
,		
18.221.34.49:443		
,		
18.219.93.96:443		
,		
18.217.15.192:443		
,		

3.14.68.224:443		
,		
3.19.219.211:443		
,		
18.222.205.109:443		
,		
3.14.7.207:443		
,		
18.220.58.2:443		
,		
18.222.54.242:443		
,		
3.19.69.31:443		
,		
18.224.140.133:443		
,		
3.14.127.80:443		
,		
18.224.55.75:443		
,		
3.15.237.232:443		
,		
3.15.11.79:443		
,		
18.191.165.153:443		
,		
18.188.53.20:443		
,		
3.15.229.181:443		
,		
13.59.157.38:443		
,		
18.220.129.27:443		
,		
18.221.225.0:443		
,		
18.221.175.5:443		
,		
13.58.225.58:443		
,		
18.224.252.70:443		
,		
18.219.48.68:443		
,		
13.59.84.151:443		
,		
3.133.12.157:443		
,		
3.15.194.158:443		
,		
18.220.181.63:443		
,		
18.219.238.49:443		
,		
3.16.30.179:443		
,		
18.189.16.89:443		
,		
3.15.187.115:443		
,		
35.239.125.82:443		
,		
104.197.86.159:443		
,		
35.232.149.251:443		
,		
35.222.97.171:443		
,		
35.184.138.152:443		
,		
35.239.181.246:443		
,		
35.193.75.217:443		
,		
35.202.213.121:443		
,		
35.202.202.99:443		
,		

34.69.227.71:443		
,		
104.155.156.165:443		
,		
35.224.110.209:443		
,		
35.224.116.40:443		
,		
35.184.243.123:443		
,		
35.226.203.242:443		
,		
104.154.60.206:443		
,		
35.223.228.146:443		
,		
130.211.119.37:443		
,		
34.70.31.161:443		
,		
35.223.46.169:443		
,		
34.70.76.117:443		
,		
35.223.103.29:443		
,		
35.238.161.171:443		
,		
35.184.228.200:443		
,		
35.193.210.47:443		
,		
35.224.209.52:443		
,		
35.232.5.150:443		
,		
35.226.219.33:443		
,		
35.223.122.214:443		
,		
34.69.150.235:443		
,		
34.68.219.126:443		
,		
35.224.5.127:443		
,		
35.193.174.122:443		
,		
35.223.221.228:443		
,		
35.192.10.41:443		
,		
34.67.191.48:443		
,		
35.202.106.246:443		
,		
35.223.215.7:443		
,		
34.69.169.154:443		
,		
35.223.128.107:443		
,		
104.154.28.223:443		
,		
104.154.50.241:443		
,		
35.239.5.156:443		
,		
34.70.125.107:443		
,		
35.225.53.36:443		
,		
35.224.49.54:443		
,		
104.197.133.18:443		
,		
34.69.42.32:443		
,		

34.70.79.81:443		
,		
35.194.36.1:443		
,		
35.224.20.233:443		
,		
35.223.185.22:443		
,		
104.198.59.156:443		
,		
35.232.174.166:443		
,		
35.223.210.90:443		
,		
104.197.205.94:443		
,		
35.184.100.161:443		
,		
35.194.61.84:443		
,		
34.70.67.84:443		
,		
35.188.134.2:443		
,		
35.223.49.140:443		
,		
34.70.3.87:443		
,		
35.202.116.133:443		
,		
35.223.168.46:443		
,		
35.184.86.62:443		
,		
35.224.147.233:443		
,		
34.68.74.105:443		
,		
34.69.23.172:443		
,		
104.198.45.128:443		
,		
35.188.115.179:443		
,		
35.194.63.50:443		
,		
35.192.157.166:443		
,		
35.232.254.246:443		
,		
34.69.119.34:443		
,		
35.223.236.42:443		
,		
34.69.5.102:443		
,		
35.223.214.200:443		
,		
35.223.182.253:443		
,		
35.238.2.74:443		
,		
35.222.133.60:443		
,		
35.239.65.44:443		
,		
35.194.46.21:443		
,		
35.223.217.72:443		
,		
34.68.123.88:443		
,		
34.66.193.38:443		
,		
146.148.46.153:443		
,		
34.66.135.156:443		
,		

	34.66.67.139:443		
	, 35.239.27.145:443		
	, 34.69.161.46:443		
	, 35.192.181.206:443		
	, 34.67.227.117:443		
	, 34.68.83.36:443		
	, 34.69.123.205:443		
	, 35.202.71.28:443		

Statistics Summary

Total pages	25962752	—	Average pages/s	14,117.9	—
Total requests	69755662	—	Average requests/s	37,931.3	—
Total users launched	12500	—	Average Request response time	0.142 s	—
Total iterations completed	698176	—	Average Page response time	0.346 s	—
Total throughput	1,348,695 MB	—	Average throughput	5,867.08 Mb/s	—
Total request errors	40842	—	Error rate	0.1 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ☁ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
GW_MOBILE	GW-M	/resources/dist/assets/css/live...endor-7a445f15ef.css	38102
GW-Desk	GW_DESK	/tapestry/1	87
GW-Desk	GW_DESK	/c/263109848-1/ascend.js	15
GW_MOBILE	GW-M	/glassbox/VZW/SHOP/reporting/cls_report	11
GW-Desk	GW_DESK	/activity;dc_pre=CPCI_ISfteUCF...bwi00;u18=https%3A%2	11

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
GW_MOBILE	GW-M	/resources/dist/assets/css/live...endor-7a445f15ef.css	55.7
GW-Desk	GW_DESK	/is/image/VerizonWireless/googl...-4xl-6-2-8-1-9-black	0.453
GW_MOBILE	GW-M	/c/263109848-1/ascend.js	0.378
GW-Desk	GW_DESK	/tagserver/postToServer.min.htm	0.33
GW_MOBILE	GW-M	/v2/TC-3477-1.gif	0.313

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
GW_MOBILE	GW-M	/resources/dist/assets/css/live...endor-7a445f15ef.css	300
GW-Desk	GW_DESK	/tagserver/postToServer.min.htm	130.8
GW_MOBILE	GW-M	/glassbox/VZW/SHOP/reporting/cls_report	60.4
GW-Desk	GW_DESK	/smartphones/	31.8
GW_MOBILE	GW-M	/smartphones/	31.8

Errors

Request errors

Error Type	Count	Description
503	40,710	Service Unavailable - The server is currently unable to handle the request due to a temporary overloading or maintenance of the server.
NL-REDIRECT-03	87	NeoLoad could not follow the sendRedirect directive for the previous request. The previous request did not issue a redirection.
NL-NETWORK-03	29	Error when connecting to the server. Indicates a server-side error occurring when attempting to bind a socket.
504	12	Gateway Timeout
500	2	Internal Server Error
NL-NETWORK-01	2	Miscellaneous I/O error when connecting to the server.
Total	40,842	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
70.5	755.1	1,791	12,496	6,344	50.8	-
All pages						
0	0.346	300	25,962,752	38,233	0.1	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All requests						
0	0.141	300	69,755,662	40,842	0.1	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
2.97	12.8	303.5	698,176	38,209	5.5	4.01	94.8	103.1	25.3	8.46	-

Scenario

Summary

Name	01:18 - 25 Oct 2019_GW_LoadTest	Project	GW_DEALS
Description		Scenario	GW_1
Status	✓ Passed	Load Policy	• The population GridWall is customized
Start date	Oct 25, 2019 1:19:50 AM		
End date	Oct 25, 2019 1:50:28 AM	Stop Policy	• Population GridWall: immediate.
Duration	00:30:38		
Termination reason	Manual action	Filters	None
LG Hosts	18.222.109.14:443 , 13.58.21.94:443 , 18.189.143.160:443 , 18.224.44.90:443 , 18.223.209.128:443 , 3.17.164.232:443 , 18.219.248.179:443 , 18.221.103.156:443 , 18.219.80.74:443 , 3.15.0.171:443 , 3.16.217.250:443 , 3.15.221.102:443 , 13.59.56.228:443 , 18.221.31.189:443 , 18.191.31.19:443 , 18.191.176.81:443 , 18.191.150.51:443 , 18.222.109.203:443 , 3.17.79.55:443 , 18.220.162.67:443 , 18.191.150.1:443 , 18.189.145.169:443 , 18.222.23.54:443 , 18.220.10.243:443 , 18.221.65.238:443 , 52.14.127.136:443 , 18.188.110.26:443 , 3.17.73.168:443 , 18.221.198.73:443 , 18.221.127.250:443 ,	Debug	Disabled

3.16.37.250:443		
,		
3.17.24.229:443		
,		
3.19.246.241:443		
,		
18.189.27.205:443		
,		
3.14.84.155:443		
,		
18.222.30.102:443		
,		
13.59.11.27:443		
,		
3.18.212.229:443		
,		
18.224.199.1:443		
,		
18.218.48.132:443		
,		
18.224.71.169:443		
,		
18.221.226.173:443		
,		
18.224.213.216:443		
,		
18.223.143.2:443		
,		
52.14.93.10:443		
,		
52.14.44.132:443		
,		
13.58.43.231:443		
,		
13.59.77.226:443		
,		
18.218.224.57:443		
,		
3.19.60.19:443		
,		
3.18.223.91:443		
,		
3.18.113.196:443		
,		
18.222.140.55:443		
,		
18.218.130.59:443		
,		
18.220.89.222:443		
,		
18.221.164.166:443		
,		
18.220.116.173:443		
,		
18.189.30.196:443		
,		
18.224.16.166:443		
,		
18.218.119.160:443		
,		
18.216.99.27:443		
,		
13.59.123.41:443		
,		
3.133.13.199:443		
,		
52.15.132.133:443		
,		
18.216.202.13:443		
,		
13.58.107.112:443		
,		
3.14.7.243:443		
,		
18.221.34.49:443		
,		
18.219.93.96:443		
,		

18.217.15.192:443		
,		
3.14.68.224:443		
,		
3.19.219.211:443		
,		
18.222.205.109:443		
,		
3.14.7.207:443		
,		
18.220.58.2:443		
,		
18.222.54.242:443		
,		
3.19.69.31:443		
,		
18.224.140.133:443		
,		
3.14.127.80:443		
,		
18.224.55.75:443		
,		
3.15.237.232:443		
,		
3.15.11.79:443		
,		
18.191.165.153:443		
,		
18.188.53.20:443		
,		
3.15.229.181:443		
,		
13.59.157.38:443		
,		
18.220.129.27:443		
,		
18.221.225.0:443		
,		
18.221.175.5:443		
,		
13.58.225.58:443		
,		
18.224.252.70:443		
,		
18.219.48.68:443		
,		
13.59.84.151:443		
,		
3.133.12.157:443		
,		
3.15.194.158:443		
,		
18.220.181.63:443		
,		
18.219.238.49:443		
,		
3.16.30.179:443		
,		
18.189.16.89:443		
,		
3.15.187.115:443		
,		
35.239.125.82:443		
,		
104.197.86.159:443		
,		
35.232.149.251:443		
,		
35.222.97.171:443		
,		
35.184.138.152:443		
,		
35.239.181.246:443		
,		
35.193.75.217:443		
,		
35.202.213.121:443		
,		

35.202.202.99:443		
,		
34.69.227.71:443		
,		
104.155.156.165:443		
,		
35.224.110.209:443		
,		
35.224.116.40:443		
,		
35.184.243.123:443		
,		
35.226.203.242:443		
,		
104.154.60.206:443		
,		
35.223.228.146:443		
,		
130.211.119.37:443		
,		
34.70.31.161:443		
,		
35.223.46.169:443		
,		
34.70.76.117:443		
,		
35.223.103.29:443		
,		
35.238.161.171:443		
,		
35.184.228.200:443		
,		
35.193.210.47:443		
,		
35.224.209.52:443		
,		
35.232.5.150:443		
,		
35.226.219.33:443		
,		
35.223.122.214:443		
,		
34.69.150.235:443		
,		
34.68.219.126:443		
,		
35.224.5.127:443		
,		
35.193.174.122:443		
,		
35.223.221.228:443		
,		
35.192.10.41:443		
,		
34.67.191.48:443		
,		
35.202.106.246:443		
,		
35.223.215.7:443		
,		
34.69.169.154:443		
,		
35.223.128.107:443		
,		
104.154.28.223:443		
,		
104.154.50.241:443		
,		
35.239.5.156:443		
,		
34.70.125.107:443		
,		
35.225.53.36:443		
,		
35.224.49.54:443		
,		
104.197.133.18:443		
,		

34.69.42.32:443
,
34.70.79.81:443
,
35.194.36.1:443
,
35.224.20.233:443
,
35.223.185.22:443
,
104.198.59.156:443
,
35.232.174.166:443
,
35.223.210.90:443
,
104.197.205.94:443
,
35.184.100.161:443
,
35.194.61.84:443
,
34.70.67.84:443
,
35.188.134.2:443
,
35.223.49.140:443
,
34.70.3.87:443
,
35.202.116.133:443
,
35.223.168.46:443
,
35.184.86.62:443
,
35.224.147.233:443
,
34.68.74.105:443
,
34.69.23.172:443
,
104.198.45.128:443
,
35.188.115.179:443
,
35.194.63.50:443
,
35.192.157.166:443
,
35.232.254.246:443
,
34.69.119.34:443
,
35.223.236.42:443
,
34.69.5.102:443
,
35.223.214.200:443
,
35.223.182.253:443
,
35.238.2.74:443
,
35.222.133.60:443
,
35.239.65.44:443
,
35.194.46.21:443
,
35.223.217.72:443
,
34.68.123.88:443
,
34.66.193.38:443
,
146.148.46.153:443
,

34.66.135.156:443		
,		
34.66.67.139:443		
,		
35.239.27.145:443		
,		
34.69.161.46:443		
,		
35.192.181.206:443		
,		
34.67.227.117:443		
,		
34.68.83.36:443		
,		
34.69.123.205:443		
,		
35.202.71.28:443		

Populations

GridWall

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
GW_MOBILE	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone X	Yes	6	New user
GW-Desk	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
GW_MOBILE		Go to the next iteration	Do nothing	0ms	0%
GW-Desk		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	01:18 - 25 Oct 2019_GW_LoadTest	Project	GW_DEALS
Description		Scenario	GW_1
Status	✓ Passed	Load Policy	• The population GridWall is customized
Start date	Oct 25, 2019 1:19:50 AM	Stop Policy	• Population GridWall: immediate.
End date	Oct 25, 2019 1:50:28 AM		
Duration	00:30:38	Filters	None
Termination reason	Manual action		
LG Hosts	18.222.109.14:443	Debug	Disabled
	,		
	13.58.21.94:443		
	,		
	18.189.143.160:443		
	,		
	18.224.44.90:443		
	,		
	18.223.209.128:443		
	,		
	3.17.164.232:443		
	,		
	18.219.248.179:443		
	,		
	18.221.103.156:443		
	,		
	18.219.80.74:443		
	,		
	3.15.0.171:443		
	,		
	3.16.217.250:443		
	,		
	3.15.221.102:443		
	,		
	13.59.56.228:443		
	,		
	18.221.31.189:443		
	,		
	18.191.31.19:443		
	,		
	18.191.176.81:443		
	,		
	18.191.150.51:443		
	,		
	18.222.109.203:443		
	,		
	3.17.79.55:443		
	,		
	18.220.162.67:443		
	,		
	18.191.150.1:443		
	,		
	18.189.145.169:443		
	,		
	18.222.23.54:443		
	,		
	18.220.10.243:443		
	,		
	18.221.65.238:443		
	,		
	52.14.127.136:443		
	,		
	18.188.110.26:443		
	,		
	3.17.73.168:443		
	,		
	18.221.198.73:443		
	,		
	18.221.127.250:443		
	,		
	3.16.37.250:443		
	,		
	3.17.24.229:443		

3.19.246.241:443		
,		
18.189.27.205:443		
,		
3.14.84.155:443		
,		
18.222.30.102:443		
,		
13.59.11.27:443		
,		
3.18.212.229:443		
,		
18.224.199.1:443		
,		
18.218.48.132:443		
,		
18.224.71.169:443		
,		
18.221.226.173:443		
,		
18.224.213.216:443		
,		
18.223.143.2:443		
,		
52.14.93.10:443		
,		
52.14.44.132:443		
,		
13.58.43.231:443		
,		
13.59.77.226:443		
,		
18.218.224.57:443		
,		
3.19.60.19:443		
,		
3.18.223.91:443		
,		
3.18.113.196:443		
,		
18.222.140.55:443		
,		
18.218.130.59:443		
,		
18.220.89.222:443		
,		
18.221.164.166:443		
,		
18.220.116.173:443		
,		
18.189.30.196:443		
,		
18.224.16.166:443		
,		
18.218.119.160:443		
,		
18.216.99.27:443		
,		
13.59.123.41:443		
,		
3.133.13.199:443		
,		
52.15.132.133:443		
,		
18.216.202.13:443		
,		
13.58.107.112:443		
,		
3.14.7.243:443		
,		
18.221.34.49:443		
,		
18.219.93.96:443		
,		
18.217.15.192:443		
,		
3.14.68.224:443		

,
3.19.219.211:443
,
18.222.205.109:443
,
3.14.7.207:443
,
18.220.58.2:443
,
18.222.54.242:443
,
3.19.69.31:443
,
18.224.140.133:443
,
3.14.127.80:443
,
18.224.55.75:443
,
3.15.237.232:443
,
3.15.11.79:443
,
18.191.165.153:443
,
18.188.53.20:443
,
3.15.229.181:443
,
13.59.157.38:443
,
18.220.129.27:443
,
18.221.225.0:443
,
18.221.175.5:443
,
13.58.225.58:443
,
18.224.252.70:443
,
18.219.48.68:443
,
13.59.84.151:443
,
3.133.12.157:443
,
3.15.194.158:443
,
18.220.181.63:443
,
18.219.238.49:443
,
3.16.30.179:443
,
18.189.16.89:443
,
3.15.187.115:443
,
35.239.125.82:443
,
104.197.86.159:443
,
35.232.149.251:443
,
35.222.97.171:443
,
35.184.138.152:443
,
35.239.181.246:443
,
35.193.75.217:443
,
35.202.213.121:443
,
35.202.202.99:443
,
34.69.227.71:443

,	104.155.156.165:443		
,	35.224.110.209:443		
,	35.224.116.40:443		
,	35.184.243.123:443		
,	35.226.203.242:443		
,	104.154.60.206:443		
,	35.223.228.146:443		
,	130.211.119.37:443		
,	34.70.31.161:443		
,	35.223.46.169:443		
,	34.70.76.117:443		
,	35.223.103.29:443		
,	35.238.161.171:443		
,	35.184.228.200:443		
,	35.193.210.47:443		
,	35.224.209.52:443		
,	35.232.5.150:443		
,	35.226.219.33:443		
,	35.223.122.214:443		
,	34.69.150.235:443		
,	34.68.219.126:443		
,	35.224.5.127:443		
,	35.193.174.122:443		
,	35.223.221.228:443		
,	35.192.10.41:443		
,	34.67.191.48:443		
,	35.202.106.246:443		
,	35.223.215.7:443		
,	34.69.169.154:443		
,	35.223.128.107:443		
,	104.154.28.223:443		
,	104.154.50.241:443		
,	35.239.5.156:443		
,	34.70.125.107:443		
,	35.225.53.36:443		
,	35.224.49.54:443		
,	104.197.133.18:443		
,	34.69.42.32:443		
,	34.70.79.81:443		

	,	35.194.36.1:443	
	,	35.224.20.233:443	
	,	35.223.185.22:443	
	,	104.198.59.156:443	
	,	35.232.174.166:443	
	,	35.223.210.90:443	
	,	104.197.205.94:443	
	,	35.184.100.161:443	
	,	35.194.61.84:443	
	,	34.70.67.84:443	
	,	35.188.134.2:443	
	,	35.223.49.140:443	
	,	34.70.3.87:443	
	,	35.202.116.133:443	
	,	35.223.168.46:443	
	,	35.184.86.62:443	
	,	35.224.147.233:443	
	,	34.68.74.105:443	
	,	34.69.23.172:443	
	,	104.198.45.128:443	
	,	35.188.115.179:443	
	,	35.194.63.50:443	
	,	35.192.157.166:443	
	,	35.232.254.246:443	
	,	34.69.119.34:443	
	,	35.223.236.42:443	
	,	34.69.5.102:443	
	,	35.223.214.200:443	
	,	35.223.182.253:443	
	,	35.238.2.74:443	
	,	35.222.133.60:443	
	,	35.239.65.44:443	
	,	35.194.46.21:443	
	,	35.223.217.72:443	
	,	34.68.123.88:443	
	,	34.66.193.38:443	
	,	146.148.46.153:443	
	,	34.66.135.156:443	
	,	34.66.67.139:443	

	,	35.239.27.145:443		
	,	34.69.161.46:443		
	,	35.192.181.206:443		
	,	34.67.227.117:443		
	,	34.68.83.36:443		
	,	34.69.123.205:443		
	,	35.202.71.28:443		

NeoLoad version 6.6.0;build=20180904-56
Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

GW_MOBILE	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
GW-Desk	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
ss72.vzw.com	443	Yes	Yes
media.ascend.ai	443	Yes	Yes
www.google-analytics.com	443	Yes	Yes
gateway.verizonwireless.com	443	No	No
www.facebook.com	443		No
sp.analytics.yahoo.com	443	Yes	No
dpm.demdex.net	443		No
vt.myvisualiq.net	443	No	No
scache2.vzw.com	443	Yes	No
2761768.flis.doubleclick.net	443	Yes	Yes
685973.flis.doubleclick.net	443	Yes	Yes
resources.digital-cloud.medallia.com	443	Yes	No
ss71.vzw.com	443	Yes	No
324-bzd-350.mktorep.com	443	No	No
www.verizonwireless.com	443	No	No
loadus.exelator.com	443		No
pt.ispot.tv	443	Yes	Yes
scache1.vzw.com	443	Yes	No
t.myvisualiq.net	443	No	No
ss7.vzw.com	443	Yes	No
scache.vzw.com	443	Yes	Yes
verizon.inq.com	443	Yes	Yes
ss73.vzw.com	443	Yes	Yes



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
GridWall	69755662 (100%)	37,931.3	0.346s (0%)	0.1% (0%)
Global	69755662 (100%)	37,931.3	0.346s	0.1%






User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-Desk						
70.5	353.6	679.1	6,250	114	1.8	-
 GW_MOBILE						
267	1,157	1,791	6,246	6,230	99.7	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

GW-Desk

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 GW-Desk											
70.5	353.6	679.1	6,250	114	1.8	-	-	-	-	-	-
 Init											
0	0	0.001	6,250	0	0	-	-	-	-	-	-
 Actions											
2.97	3.74	134.8	585,179	116	0	-	-	-	-	-	-
 GW_DESK											
2.97	3.74	134.8	585,179	116	0	3.94	4.3	4.79	0.792	3.71	-
 End											
0	0	0.001	6,250	0	0	-	-	-	-	-	-

GW_MOBILE

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 GW_MOBILE											
267	1,157	1,791	6,246	6,230	99.7	-	-	-	-	-	-
 Init											
0	0	0.001	6,250	0	0	-	-	-	-	-	-
 Actions											
3.35	59.8	303.5	112,997	38,093	33.7	-	-	-	-	-	-
 GW-M											
3.35	59.8	303.5	112,997	38,093	33.7	59.1	104.3	125.3	36.2	59.7	-
 End											
0	0	0.001	6,246	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

GW-Desk

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




















GW_MOBILE




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers



Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						
























GW-Desk























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-Desk						
70.5	353.6	679.1	6,250	114	1.8	-
 Actions						
2.97	3.74	134.8	585,179	116	0	-
 GW_DESK						
2.97	3.74	134.8	585,179	116	0	-
 /smartphones/						
0.157	0.223	31.8	590,912	0	0	-
 /tonedigital/uf/build/assets/css/gw.min.css						
0.046	0.074	5.08	590,912	0	0	-
 /tonedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.097	0.159	11.6	590,912	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.057	0.09	8	590,912	0	0	-
 /tonedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.057	0.125	10.08	590,907	0	0	-
 /tonedigital/uf/build/chunk.1...be53acfd3d67eda35.js						
0.02	0.035	1.85	590,905	0	0	-
 /rest/v1/delivery						
0.066	0.095	6.42	590,899	0	0	-
 /is/image/VerizonWireless/goog...-4xl-6-2-8-1-9-black						
0.297	0.453	10.25	590,790	0	0	-
 /tbproxy/af/query_1						
0.192	0.303	8.89	590,624	0	0	-
 /askverizon/js/askverizon.js						
0.033	0.058	6.23	590,601	0	0	-
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html						
0.022	0.033	29.2	590,579	0	0	-
 /v2/TC-3477-1.gif						
0.044	0.049	1.66	590,548	0	0	-
 /munchkin.js						
0.192	0.252	4.74	590,409	0	0	-
 /inqchat.html						
0.075	0.093	14.7	590,364	0	0	-
 /spp.pl						
0.088	0.118	1.69	590,316	1	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar						
0.009	0.056	1.7	590,284	0	0	-


Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart						
0.003	0.018	0.557	590,279	0	0	-
 /activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F						
0.003	0.02	0.953	590,267	0	0	-
 /activityi;dc_pre=CPCI_ISfteUC...bwi00;u18=https%3A%2F						
0.041	0.097	1.71	590,205	11	0	-
 /activityi;src=685973;type=vzw...cff83812f9af78de91a;						
0.009	0.057	2.72	590,176	0	0	-
 /activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12						
0.026	0.052	1.88	590,151	1	0	-
 /c/263109848-1/ascend.js						
0.01	0.114	1.31	590,100	15	0	-
 /media/launch/tcFramework.min.js						
0.044	0.049	1.07	590,068	0	0	-
 /tagserver/postToServer.min.htm						
0.179	0.33	130.8	589,925	1	0	-
 /tapestry/1						
0	0.024	2.61	589,910	87	0	-
 /tagserver/init/initFramework						
0.047	0.062	6.57	589,882	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.062	0.628	589,846	0	0	-
 /tagserver/launch/requestC2CImage						
0.047	0.063	3.11	589,813	0	0	-
 /tagserver/incrementality/onEvent_1						
0.047	0.062	1.83	589,784	0	0	-
 /tagserver/incrementality/onEvent_2						
0.14	0.186	4.72	589,659	0	0	-
 /wizard/ready_to_open.html						
0.086	0.122	3.23	589,597	0	0	-
 /favicon.ico						
0.021	0.032	29.3	589,577	0	0	-
 /tagserver/incrementality/onEvent_4						
0.057	0.073	3.27	589,528	0	0	-
 /tagserver/incrementality/onEvent_3						
0.047	0.062	1.08	589,487	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504						
0.012	0.022	1.61	589,473	0	0	-

GW_MOBILE

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_MOBILE						
267	1,157	1,791	6,246	6,230	99.7	-
 Actions						
3.35	59.8	303.5	112,997	38,093	33.7	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-M						
3.35	59.8	303.5	112,997	38,093	33.7	-
 /smartphones/						
0.158	0.221	31.8	119,176	0	0	-
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.15	0.241	11.5	119,175	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.046	0.075	4	119,174	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.057	0.092	7.72	119,174	0	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.01	0.017	1.43	119,173	0	0	-
 /t/onedigital/uf/build/chunk.1...be53acfd3d67eda35.js						
0.021	0.036	2.08	119,172	0	0	-
 /id/rd						
0.099	0.149	5.44	119,165	0	0	-
 /is/image/VerizonWireless/goog...el-4-6-2-8-2-5-black						
0.182	0.289	6.17	119,148	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.042	0.07	3.06	119,146	0	0	-
 /tbproxy/af/query						
0.024	0.039	3.7	119,145	0	0	-
 /activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u						
0.01	0.06	1.11	119,140	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart						
0.01	0.06	3.38	119,137	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar						
0.003	0.02	0.545	119,134	0	0	-
 /v4/fullHashes:find						
0.032	0.054	9.47	119,128	0	0	-
 /tbproxy/af/query_1						
0.021	0.035	3.16	119,125	0	0	-
 /gtag/js						
0.043	0.072	3.38	119,118	0	0	-
 /ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar						
0.122	0.202	6.88	119,105	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.01	0.076	1.06	119,098	2	0	-
 /wi/yt.c.js						
0.042	0.071	3.35	119,093	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.01	0.017	1.33	119,093	0	0	-
 /content/vzw-engage/c2c/btn.di...ontainer-mobile.html						
0.022	0.033	29.2	119,089	0	0	-
 /v2/TC-3477-1.gif						
0.022	0.313	2.95	119,056	1	0	-




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
	 /dcm					
0.065	0.109	2.96	119,052	0	0	-
	 /b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017					
0.01	0.017	1.84	119,051	0	0	-
	 /c/263109848-1/ascend.js					
0.01	0.378	19	119,032	1	0	-
	 /is/image/VerizonWireless/sams...s10-plus-white-prism					
0.065	0.108	3.45	119,023	0	0	-
	 /c/263109848-1/runtime.js.map					
0.01	0.018	0.741	119,018	0	0	-
	 /activity_pixel					
0.047	0.085	1.07	119,006	0	0	-
	 /inqchat.html					
0.107	0.124	16.8	118,998	0	0	-
	 /sync					
0.05	0.074	1.75	118,987	0	0	-
	 /webevents/visitWebPage					
0.053	0.087	3.19	118,976	0	0	-
	 /tagserver/postToServer.min.htm					
0.046	0.062	6.49	118,972	0	0	-
	 /wizard/ready_to_open.html					
0.077	0.096	0.831	118,963	0	0	-
	 /favicon.ico					
0.021	0.031	7.19	118,962	0	0	-
	 /wdcus/8838/forms/1280/form1570643277166.html					
0.01	0.011	0.529	118,962	0	0	-
	 /wdcus/8838/forms/1280/form1570643277166.html_1					
0.021	0.024	0.56	118,961	0	0	-
	 /resources/dist/assets/css/liv...endor-7a445f15ef.css					
0.121	55.7	300	113,050	38,102	33.7	-
	 /glassbox/VZW/SHOP/reporting/cls_report					
0.079	0.102	60.4	113,044	11	0	-
	 /tagserver/init/initFramework					
0.047	0.065	3.01	113,038	0	0	-
	 /flash/jquery-3.3.1.min.js					
0.093	0.124	3.53	113,027	0	0	-
	 /tagserver/incrementality/onEvent					
0.047	0.063	1.75	113,020	0	0	-
	 /tagserver/incrementality/onEvent_1					
0.047	0.063	0.582	113,017	0	0	-
	 /tagserver/launch/requestC2CImage					
0.047	0.063	1.86	113,014	0	0	-
	 /tagserver/incrementality/onEvent_2					
0.047	0.063	3.39	113,010	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tagserver/incrementality/onEvent_3						
0.047	0.063	0.595	113,004	0	0	-
























Shared Containers
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						
























GW-Desk




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-Desk						
70.5	353.6	679.1	6,250	114	1.8	-
 Actions						
2.97	3.74	134.8	585,179	116	0	-
 GW_DESK						
2.97	3.74	134.8	585,179	116	0	-
 /smartphones/						
0.157	0.223	31.8	590,912	0	0	-
 /smartphones/						
0.157	0.223	31.8	590,912	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.046	0.074	5.08	590,912	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.046	0.074	5.08	590,912	0	0	-
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.097	0.159	11.6	590,912	0	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.045	0.071	3.73	590,912	0	0	-
 /t/onedigital/uf/build/gw/bundle.gw.js						
0.051	0.088	11.5	590,912	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.057	0.09	8	590,912	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.045	0.072	3.35	590,912	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.011	0.018	7.91	590,912	0	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.057	0.125	10.08	590,907	0	0	-
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js						
0.01	0.017	0.824	590,912	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.011	0.019	9.96	590,912	0	0	-
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf						
0.012	0.071	2.82	590,910	0	0	-
 /ui-one-digital/global-head...ct.globalheader.json						
0.01	0.071	3.34	590,912	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.011	0.018	3.75	590,912	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.01	0.017	1.56	590,912	0	0	-
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.011	0.018	3.48	590,912	0	0	-
 /t/onedigital/uf/build/chunk.1...be53acfd3d67eda35.js						
0.02	0.035	1.85	590,905	0	0	-
 /t/onedigital/uf/build/chunk...be53acfd3d67eda35.js						
0.01	0.016	0.776	590,907	0	0	-
 /t/onedigital/uf/build/assets/css/4.min.css						
0.01	0.017	0.921	590,905	0	0	-
 /t/onedigital/uf/build/chunk...7475efd7c3587e72e.js						
0.01	0.017	0.877	590,905	0	0	-
 /t/onedigital/uf/build/chunk...88a465643ba468b1b.js						
0.01	0.018	1.48	590,905	0	0	-
 /rest/v1/delivery						
0.066	0.095	6.42	590,899	0	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.066	0.095	6.42	590,905	0	0	-
 /is/image/VerizonWireless/goog...-4xl-6-2-8-1-9-black						
0.297	0.453	10.25	590,790	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black						
0.046	0.071	6.32	590,899	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white						
0.01	0.017	2.94	590,891	0	0	-
 /is/image/VerizonWireless/go...4xl-6-2-8-1-9-orange						
0.01	0.017	3.15	590,889	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.055	0.077	4.43	590,885	0	0	-
 /is/image/VerizonWireless/Ap..._Pro_Silver_09102019						
0.011	0.018	3.25	590,869	0	0	-
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019						
0.011	0.018	3.27	590,864	0	0	-
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019						
0.011	0.018	3.35	590,861	0	0	-
 /is/image/VerizonWireless/ip...1-pro-max-space-gray						
0.011	0.018	3.5	590,859	0	0	-
 /is/image/VerizonWireless/ip...o-max-midnight-green						
0.011	0.018	3.55	590,856	0	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-gold						
0.011	0.018	3.17	590,851	0	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-silver						
0.011	0.018	3.82	590,844	0	0	-
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019						
0.011	0.017	3.03	590,839	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019						
0.011	0.017	4.07	590,833	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/Ap...ne_11_White_09102019						
0.011	0.017	2.96	590,828	0	0	-
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019						
0.011	0.017	2.95	590,822	0	0	-
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019						
0.011	0.017	3.01	590,818	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019						
0.011	0.017	3.34	590,811	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles						
0.011	0.017	2.78	590,802	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles						
0.011	0.017	4.61	590,797	0	0	-
 /tbproxy/af/query_1						
0.192	0.303	8.89	590,624	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles						
0.011	0.017	2.89	590,790	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles						
0.011	0.017	3.09	590,784	0	0	-
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles						
0.011	0.017	2.65	590,773	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles						
0.011	0.018	2.51	590,767	0	0	-
 /is/image/VerizonWireless/55...outube-minibanner-x1						
0.01	0.017	2.08	590,760	0	0	-
 /is/image/VerizonWireless/iPhone8-SpGry						
0.011	0.017	2.91	590,753	0	0	-
 /is/image/VerizonWireless/iPhone8-Svr						
0.011	0.017	2.41	590,746	0	0	-
 /is/image/VerizonWireless/iPhone8-Gld						
0.011	0.017	2.96	590,730	0	0	-
 /is/image/VerizonWireless/iPhone8_RED						
0.01	0.017	2.92	590,726	0	0	-
 /is/image/VerizonWireless/iphone7-front-matblk						
0.046	0.072	3.58	590,714	0	0	-
 /is/image/VerizonWireless/iphone7-front-jetblk						
0.011	0.017	3.36	590,668	0	0	-
 /is/image/VerizonWireless/iphone7-front-svr						
0.011	0.017	2.9	590,662	0	0	-
 /is/image/VerizonWireless/iphone7-front-rsgld						
0.011	0.017	2.88	590,646	0	0	-
 /is/image/VerizonWireless/iphone7-front-gld						
0.011	0.017	2.9	590,638	0	0	-
 /askverizon/js/askverizon.js						
0.033	0.058	6.23	590,601	0	0	-
 /askverizon/js/askverizon.js						
0.022	0.041	6.2	590,624	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /support/etc/designs/support_rd/c2c.js						
0.01	0.017	1.52	590,602	0	0	-
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html						
0.022	0.033	29.2	590,579	0	0	-
 /content/vzw-engage/c2c/btn....ntainer-desktop.html						
0.022	0.033	29.2	590,601	0	0	-
 /v2/TC-3477-1.gif						
0.044	0.049	1.66	590,548	0	0	-
 /v2/TC-3477-1.gif						
0.044	0.049	1.66	590,579	0	0	-
 /munchkin.js						
0.192	0.252	4.74	590,409	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.192	0.252	4.74	590,548	0	0	-
 /inqchat.html						
0.075	0.093	14.7	590,364	0	0	-
 /inqchat.html						
0.021	0.031	14.6	590,409	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.046	0.061	3.41	590,364	0	0	-
 /spp.pl						
0.088	0.118	1.69	590,316	1	0	-
 /spp.pl						
0.088	0.118	1.69	590,364	1	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar						
0.009	0.056	1.7	590,284	0	0	-
 /activityi;src=2761768;type=...um=6377803691626.312						
0.009	0.056	1.7	590,316	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart						
0.003	0.018	0.557	590,279	0	0	-
 /activityi;src=2761768;type=...rd=6822912973472.224						
0.003	0.018	0.557	590,284	0	0	-
 /activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F						
0.003	0.02	0.953	590,267	0	0	-
 /activityi;dc_pre=CKue_ISfte...rd=6822912973472.224						
0.003	0.02	0.953	590,279	0	0	-
 /activityi;dc_pre=CPCI_ISfteUC...bwi00;u18=https%3A%2F						
0.041	0.097	1.71	590,205	11	0	-
 /activityi;dc_pre=CPCI_ISfte...um=6377803691626.312						
0.003	0.02	0.701	590,267	0	0	-
 /2/PS5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.009	0.077	1.67	590,208	11	0	-
 /activityi;src=685973;type=vzw...cff83812f9af78de91a;						
0.009	0.057	2.72	590,176	0	0	-
 /activityi;src=685973;type=v...um=5474536749569.184						
0.009	0.057	2.72	590,205	0	0	-























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12						
0.026	0.052	1.88	590,151	1	0	-
 /activityi;dc_pre=CLTzwYWfte...um=5474536749569.184						
0.003	0.02	1.07	590,176	0	0	-
 /sp.pl						
0.022	0.032	1.84	590,168	1	0	-
 /c/263109848-1/ascend.js						
0.01	0.114	1.31	590,100	15	0	-
 /c/263109848-1/ascend.js						
0.01	0.114	1.31	590,151	15	0	-
 /media/launch/tcFramework.min.js						
0.044	0.049	1.07	590,068	0	0	-
 /wdcus/8838/onsite/embed.js						
0.044	0.049	1.07	590,100	0	0	-
 /tagserver/postToServer.min.htm						
0.179	0.33	130.8	589,925	1	0	-
 /tagserver/postToServer.min.htm						
0.046	0.061	7.26	590,068	0	0	-
 /activity_pixel						
0.047	0.091	0.747	589,983	0	0	-
 /sync						
0.013	0.094	0.757	590,027	0	0	-
 /sync						
0.048	0.091	0.755	589,982	0	0	-
 /tagserver/postToServer.min.js						
0.047	0.062	4.24	590,001	0	0	-
 /impression_pixel						
0.048	0.092	0.755	589,982	0	0	-
 /sync						
0.048	0.093	0.764	589,982	0	0	-
 /ul_cb/sync						
0.011	0.117	130.7	590,027	0	0	-
 /sync						
0.013	0.057	130.5	590,027	1	0	-
 /tapestry/1						
0	0.024	2.61	589,910	87	0	-
 /sync						
0	0.024	2.61	589,925	87	0	-
 /tagserver/init/initFramework						
0.047	0.062	6.57	589,882	0	0	-
 /tagserver/init/initFramework						
0.047	0.062	6.57	589,910	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.062	0.628	589,846	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.062	0.628	589,882	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tagserver/launch/requestC2CImage						
0.047	0.063	3.11	589,813	0	0	-
 /tagserver/launch/requestC2CImage						
0.047	0.063	3.11	589,846	0	0	-
 /tagserver/incrementality/onEvent_1						
0.047	0.062	1.83	589,784	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.062	1.83	589,813	0	0	-
 /tagserver/incrementality/onEvent_2						
0.14	0.186	4.72	589,659	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.062	3.1	589,784	0	0	-
 /tagserver/cbc-min.js						
0.07	0.123	4.65	589,659	0	0	-
 /wizard/ready_to_open.html						
0.086	0.122	3.23	589,597	0	0	-
 /wdcus/8838/onsite/generic1571670842717.js						
0.03	0.033	0.717	589,659	0	0	-
 /webevents/visitWebPage						
0.053	0.089	3.2	589,597	0	0	-
 /favicon.ico						
0.021	0.032	29.3	589,577	0	0	-
 /favicon.ico						
0.021	0.032	29.3	589,597	0	0	-
 /tagserver/incrementality/onEvent_4						
0.057	0.073	3.27	589,528	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.062	3.26	589,577	0	0	-
 /wdcus/8838/resources/image/...lia_feedbank_min.png						
0.01	0.011	0.546	589,529	0	0	-
 /tagserver/incrementality/onEvent_3						
0.047	0.062	1.08	589,487	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.062	1.08	589,528	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504						
0.012	0.022	1.61	589,473	0	0	-
 /webevents/visitWebPage						
0.012	0.022	1.61	589,487	0	0	-
























GW_MOBILE














Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_MOBILE						
267	1,157	1,791	6,246	6,230	99.7	-
 Actions						
3.35	59.8	303.5	112,997	38,093	33.7	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-M						
3.35	59.8	303.5	112,997	38,093	33.7	-
 /smartphones/						
0.158	0.221	31.8	119,176	0	0	-
 /smartphones/						
0.158	0.221	31.8	119,176	0	0	-
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.15	0.241	11.5	119,175	0	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.046	0.074	3.24	119,176	0	0	-
 /t/onedigital/uf/build/gw/bundle.gw.js						
0.103	0.166	11.4	119,175	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.046	0.075	4	119,174	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.046	0.075	4	119,175	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.057	0.092	7.72	119,174	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.046	0.074	7.22	119,174	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.011	0.018	2.19	119,174	0	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.01	0.017	1.43	119,173	0	0	-
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js						
0.01	0.017	1.43	119,174	0	0	-
 /t/onedigital/uf/build/chunk.1...be53acfd3d67eda35.js						
0.021	0.036	2.08	119,172	0	0	-
 /t/onedigital/uf/build/chunk...be53acfd3d67eda35.js						
0.01	0.017	0.979	119,173	0	0	-
 /t/onedigital/uf/build/assets/css/4.min.css						
0.01	0.017	0.721	119,172	0	0	-
 /t/onedigital/uf/build/chunk...7475efd7c3587e72e.js						
0.01	0.018	2.07	119,172	0	0	-
 /t/onedigital/uf/build/chunk...88a465643ba468b1b.js						
0.01	0.018	2.07	119,172	0	0	-
 /id/rd						
0.099	0.149	5.44	119,165	0	0	-
 /ui-one-digital/gn/build/gnav.js.map						
0.022	0.036	3.36	119,172	0	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.076	0.113	5.21	119,165	0	0	-
 /is/image/VerizonWireless/goog...el-4-6-2-8-2-5-black						
0.182	0.289	6.17	119,148	0	0	-
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-black						
0.01	0.017	1.88	119,165	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/go...l-4-6-2-8-2-5-orange						
0.01	0.017	2.16	119,164	0	0	-
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-white						
0.011	0.017	1.58	119,163	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black						
0.046	0.073	3.97	119,162	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white						
0.011	0.017	1.63	119,160	0	0	-
 /is/image/VerizonWireless/go...4xl-6-2-8-1-9-orange						
0.011	0.017	1.46	119,158	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.046	0.073	2.71	119,154	0	0	-
 /is/image/VerizonWireless/Ap..._Pro_Silver_09102019						
0.01	0.017	1.71	119,153	0	0	-
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019						
0.01	0.017	3.29	119,152	0	0	-
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019						
0.01	0.017	0.92	119,149	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.042	0.07	3.06	119,146	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.021	0.035	2.89	119,148	0	0	-
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf						
0.01	0.017	2.61	119,147	0	0	-
 /ui-one-digital/global-head...ct.globalheader.json						
0.01	0.017	1.23	119,146	0	0	-
 /tbproxy/af/query						
0.024	0.039	3.7	119,145	0	0	-
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.011	0.019	3.6	119,146	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.012	0.02	3.07	119,145	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.01	0.019	2.41	119,145	0	0	-
 /is/image/VerizonWireless/google-pixel-3-liquorice						
0.011	0.018	2.17	119,145	0	0	-
 /activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u						
0.01	0.06	1.11	119,140	0	0	-
 /activityi;src=685973;type=v...um=6367984012243.537						
0.01	0.06	1.11	119,145	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart						
0.01	0.06	3.38	119,137	0	0	-
 /activityi;src=2761768;type=...rd=5712158622854.915						
0.01	0.06	3.38	119,140	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar						
0.003	0.02	0.545	119,134	0	0	-
















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;src=2761768;type=...;num=7598002111842.9						
0.003	0.02	0.545	119,137	0	0	-
 /v4/fullHashes:find						
0.032	0.054	9.47	119,128	0	0	-
 /is/image/VerizonWireless/ip...1-pro-max-space-gray						
0.01	0.017	2.44	119,134	0	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-silver						
0.01	0.017	2.79	119,131	0	0	-
 /is/image/VerizonWireless/davinci-2-front-aurablack						
0.01	0.018	9.43	119,129	0	0	-
 /tbproxy/af/query_1						
0.021	0.035	3.16	119,125	0	0	-
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019						
0.011	0.017	2.2	119,128	0	0	-
 /is/image/VerizonWireless/SamsungGalaxyS10_Blue						
0.01	0.017	3.04	119,127	0	0	-
 /gtag/js						
0.043	0.072	3.38	119,118	0	0	-
 /is/image/VerizonWireless/lg-v50-thinq-5g-black						
0.011	0.018	3.32	119,125	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles						
0.01	0.018	1.9	119,120	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles						
0.011	0.017	2.85	119,120	0	0	-
 /is/image/VerizonWireless/davinci-1-front-aurablack						
0.01	0.017	1.45	119,120	0	0	-
 /ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar						
0.122	0.202	6.88	119,105	0	0	-
 /is/image/VerizonWireless/sa...s-5g-front-aura-glow						
0.046	0.074	3.21	119,118	0	0	-
 /is/image/VerizonWireless/sa...s-5g-front-aurablack						
0.01	0.019	3.6	119,115	0	0	-
 /is/image/VerizonWireless/iphone7-front-matblk						
0.011	0.018	2.12	119,113	0	0	-
 /is/image/VerizonWireless/iphone7-front-gld						
0.011	0.018	2.34	119,112	0	0	-
 /is/image/VerizonWireless/lg-black-vzw-alpha						
0.011	0.018	2.56	119,112	0	0	-
 /is/image/VerizonWireless/Sa...10-5G-Majestic-Black						
0.01	0.017	1.14	119,110	0	0	-
 /is/image/VerizonWireless/lg-gray-vzw-alpha						
0.011	0.018	1.25	119,109	0	0	-
 /is/image/VerizonWireless/Sa...-S10-5G-Crown-Silver						
0.01	0.017	1.54	119,106	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OImi1Yw%3D%3D/vt-237.js						
0.01	0.076	1.06	119,098	2	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.01	0.076	1.06	119,105	2	0	-
 /wi/yt.js						
0.042	0.071	3.35	119,093	0	0	-
 /askverizon/js/askverizon.js						
0.042	0.071	3.35	119,098	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.01	0.017	1.33	119,093	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.01	0.017	1.33	119,093	0	0	-
 /content/vzw-engage/c2c/btn.di...ontainer-mobile.html						
0.022	0.033	29.2	119,089	0	0	-
 /content/vzw-engage/c2c/btn....ontainer-mobile.html						
0.022	0.033	29.2	119,093	0	0	-
 /v2/TC-3477-1.gif						
0.022	0.313	2.95	119,056	1	0	-
 /v2/TC-3477-1.gif						
0.022	0.05	1.36	119,089	1	0	-
 /spp.pl						
0.089	0.119	1.67	119,084	0	0	-
 /is/image/VerizonWireless/sa...-5g-front-aura-white						
0.01	0.017	1.92	119,069	0	0	-
 /is/image/VerizonWireless/google-pixel-3-sand						
0.011	0.018	1.96	119,068	0	0	-
 /is/image/VerizonWireless/google-pixel-3-rockcandy						
0.011	0.018	1.98	119,065	0	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-gold						
0.01	0.017	1.57	119,064	0	0	-
 /is/image/VerizonWireless/ip...o-max-midnight-green						
0.01	0.017	1.32	119,063	0	0	-
 /is/image/VerizonWireless/davinci-2-front-aura-white						
0.01	0.017	2.48	119,061	0	0	-
 /is/image/VerizonWireless/davinci-2-front-aura-glow						
0.01	0.017	1.62	119,061	0	0	-
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019						
0.01	0.017	1.61	119,060	0	0	-
 /dcm						
0.065	0.109	2.96	119,052	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_White_09102019						
0.01	0.017	1.76	119,056	0	0	-
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019						
0.01	0.019	2.33	119,056	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019						
0.01	0.017	1.75	119,055	0	0	-
 /is/image/VerizonWireless/sa...laxy-s10-white-prism						
0.01	0.017	1.64	119,055	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/samsung-galaxy-s10-black						
0.01	0.017	2.31	119,054	0	0	-
 /is/image/VerizonWireless/SamsungGalaxyS10_Pink						
0.01	0.018	2.58	119,054	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017						
0.01	0.017	1.84	119,051	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019						
0.01	0.017	1.84	119,052	0	0	-
 /c/263109848-1/ascend.js						
0.01	0.378	19	119,032	1	0	-
 /c/263109848-1/ascend.js						
0.01	0.122	1.33	119,051	1	0	-
 /wdcus/8838/onsite/embed.js						
0.045	0.05	1.06	119,041	0	0	-
 /is/image/VerizonWireless/apple-iphonexs-spacegrey						
0.011	0.018	1.91	119,043	0	0	-
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Blue						
0.011	0.018	1.22	119,043	0	0	-
 /is/image/VerizonWireless/sa...alaxy-s10-plus-black						
0.011	0.018	18.9	119,043	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.192	0.255	2.81	119,031	0	0	-
 /is/image/VerizonWireless/sams...s10-plus-white-prism						
0.065	0.108	3.45	119,023	0	0	-
 /is/image/VerizonWireless/sa...s10-plus-white-prism						
0.01	0.017	2.84	119,032	0	0	-
 /is/image/VerizonWireless/apple-iphonexs-silver						
0.011	0.018	2.84	119,031	0	0	-
 /is/image/VerizonWireless/Sa...S10PLUS_WhiteCeramic						
0.01	0.018	2.11	119,029	0	0	-
 /is/image/VerizonWireless/apple-iphonexs-gold						
0.011	0.018	2.05	119,029	0	0	-
 /is/image/VerizonWireless/Sa...S10PLUS_BlackCeramic						
0.01	0.017	2.53	119,026	0	0	-
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Pink						
0.01	0.017	0.681	119,026	0	0	-
 /c/263109848-1/runtime.js.map						
0.01	0.018	0.741	119,018	0	0	-
 /c/263109848-1/runtime.js.map						
0.01	0.018	0.741	119,023	0	0	-
 /activity_pixel						
0.047	0.085	1.07	119,006	0	0	-
 /activity_pixel						
0.047	0.085	1.07	119,018	0	0	-
 /inqchat.html						
0.107	0.124	16.8	118,998	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /inqchat.html						
0.021	0.031	14.7	119,006	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles						
0.011	0.018	2.3	119,004	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles						
0.011	0.019	16.8	119,004	0	0	-
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles						
0.011	0.019	16.8	119,004	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles						
0.011	0.019	16.8	119,004	0	0	-
 /is/image/VerizonWireless/iphone7-front-svr						
0.011	0.019	2.86	119,004	0	0	-
 /is/image/VerizonWireless/iphone7-front-rsgld						
0.011	0.02	16.8	119,004	0	0	-
 /is/image/VerizonWireless/iphone7-front-jetblk						
0.011	0.034	16.8	119,003	0	0	-
 /is/image/VerizonWireless/davinci-1-front-aura-white						
0.01	0.018	1.5	119,004	0	0	-
 /is/image/VerizonWireless/davinci-1-front-aura-glow						
0.011	0.018	16.8	119,004	0	0	-
 /sync						
0.011	0.021	0.571	119,001	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.046	0.062	0.61	119,001	0	0	-
 /sync						
0.013	0.06	0.672	118,999	0	0	-
 /impression_pixel						
0.012	0.06	0.669	118,999	0	0	-
 /analytics.js						
0.008	0.054	16.8	119,003	0	0	-
 /sync						
0.012	0.059	0.669	118,999	0	0	-
 /sync						
0.022	0.058	16.8	118,999	0	0	-
 /collect						
0.003	0.051	0.582	119,004	0	0	-
 /sync						
0.05	0.074	1.75	118,987	0	0	-
 /sync						
0.011	0.02	0.625	118,998	0	0	-
 /sync						
0.011	0.02	0.524	118,994	0	0	-
 /sp.pl						
0.023	0.032	1.73	118,988	0	0	-
 /webevents/visitWebPage						
0.053	0.087	3.19	118,976	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /webevents/visitWebPage						
0.053	0.087	3.19	118,987	0	0	-
 /tagserver/postToServer.min.htm						
0.046	0.062	6.49	118,972	0	0	-
 /tagserver/postToServer.min.htm						
0.046	0.062	6.49	118,976	0	0	-
 /wizard/ready_to_open.html						
0.077	0.096	0.831	118,963	0	0	-
 /tagserver/postToServer.min.js						
0.047	0.063	0.796	118,972	0	0	-
 /wdcus/8838/onsite/generic1571670842717.js						
0.03	0.033	0.621	118,963	0	0	-
 /favicon.ico						
0.021	0.031	7.19	118,962	0	0	-
 /favicon.ico						
0.021	0.031	7.19	118,963	0	0	-
 /wdcus/8838/forms/1280/form1570643277166.html						
0.01	0.011	0.529	118,962	0	0	-
 /wdcus/8838/forms/1280/form1570643277166.html						
0.01	0.011	0.529	118,962	0	0	-
 /wdcus/8838/forms/1280/form1570643277166.html_1						
0.021	0.024	0.56	118,961	0	0	-
 /wdcus/8838/forms/1280/form1570643277166.html						
0.01	0.011	0.527	118,962	0	0	-
 /wdcus/8838/forms/1280/formD...3277335_default.json						
0.01	0.012	0.548	118,962	0	0	-
 /wdcus/8838/forms/1280/formD...3277335_default.json						
0.01	0.012	0.548	118,961	0	0	-
 /resources/onsite/images/kloader.gif						
0.01	0.012	0.549	118,961	0	0	-
 /wdcus/8838/resources/image/...lia_feedbank_min.png						
0.01	0.012	0.547	118,961	0	0	-
 /resources/dist/assets/css/liv...endor-7a445f15ef.css						
0.121	55.7	300	113,050	38,102	33.7	-
 /resources/dist/assets/css/l...endor-7a445f15ef.css						
0.031	0.035	0.65	118,961	0	0	-
 /resources/dist/assets/css/k...style-397576f700.css						
0.01	0.018	0.555	118,961	0	0	-
 /resources/dist/assets/js/li...vendor-554ad4cd26.js						
0.083	0.094	16.3	118,955	0	0	-
 /resources/dist/assets/js/li...eb-app-aea20456b4.js						
0.044	0.077	16.1	118,956	0	0	-
 /resources/dist/assets/css/k...e/neb-rating.css.map						
0.066	56.7	300	118,957	40,711	34.2	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.079	0.102	60.4	113,044	11	0	-






































Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /glassbox/VZW/SHOP/reporting/cls_report						
0.079	0.102	60.4	113,050	11	0	-
 /tagserver/init/initFramework						
0.047	0.065	3.01	113,038	0	0	-
 /tagserver/init/initFramework						
0.047	0.065	3.01	113,044	0	0	-
 /flash/jquery-3.3.1.min.js						
0.093	0.124	3.53	113,027	0	0	-
 /tagserver/cbc-min.js						
0.093	0.124	3.53	113,037	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.063	1.75	113,020	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.063	1.75	113,027	0	0	-
 /tagserver/incrementality/onEvent_1						
0.047	0.063	0.582	113,017	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.063	0.582	113,020	0	0	-
 /tagserver/launch/requestC2CImage						
0.047	0.063	1.86	113,014	0	0	-
 /tagserver/launch/requestC2CImage						
0.047	0.063	1.86	113,017	0	0	-
 /tagserver/incrementality/onEvent_2						
0.047	0.063	3.39	113,010	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.063	3.39	113,014	0	0	-
 /tagserver/incrementality/onEvent_3						
0.047	0.063	0.595	113,004	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.063	0.595	113,010	0	0	-

Shared Containers


















SLA	Value	Severity
Empty list		

GW-Desk





















SLA	Value	Severity
 GW-Desk		
 Actions		
 GW_DESK		
 /smartphones/		
 /smartphones/		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/gw/bundle.gw.js		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf		
 /ui-one-digital/global-head...ct.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /t/onedigital/uf/build/chunk.1...be53acfd3d67eda35.js		
 /t/onedigital/uf/build/chunk...be53acfd3d67eda35.js		
 /t/onedigital/uf/build/assets/css/4.min.css		
 /t/onedigital/uf/build/chunk...7475efd7c3587e72e.js		
 /t/onedigital/uf/build/chunk...88a465643ba468b1b.js		
 /rest/v1/delivery		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /is/image/VerizonWireless/goog...-4xl-6-2-8-1-9-black		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white		
 /is/image/VerizonWireless/go...4xl-6-2-8-1-9-orange		
 /is/image/VerizonWireless/Ap...night_Green_09102019		

SLA	Value	Severity
 /is/image/VerizonWireless/Ap..._Pro_Silver_09102019		
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019		
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019		
 /is/image/VerizonWireless/ip...1-pro-max-space-gray		
 /is/image/VerizonWireless/ip...o-max-midnight-green		
 /is/image/VerizonWireless/iphone-11-pro-max-gold		
 /is/image/VerizonWireless/iphone-11-pro-max-silver		
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019		
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019		
 /is/image/VerizonWireless/Ap...ne_11_White_09102019		
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019		
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019		
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019		
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles		
 /tbproxy/af/query_1		
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles		
 /is/image/VerizonWireless/55...outube-minibanner-x1		
 /is/image/VerizonWireless/iPhone8-SpGry		
 /is/image/VerizonWireless/iPhone8-Svr		
 /is/image/VerizonWireless/iPhone8-Gld		
 /is/image/VerizonWireless/iPhone8_RED		
 /is/image/VerizonWireless/iphone7-front-matblk		
 /is/image/VerizonWireless/iphone7-front-jetblk		
 /is/image/VerizonWireless/iphone7-front-svr		
 /is/image/VerizonWireless/iphone7-front-rsgld		
 /is/image/VerizonWireless/iphone7-front-gld		
 /askverizon/js/askverizon.js		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html		
 /content/vzw-engage/c2c/btn....ntainer-desktop.html		
 /v2/TC-3477-1.gif		
 /v2/TC-3477-1.gif		
 /munchkin.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /inqchat.html		


SLA	Value	Severity
 /inqchat.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /spp.pl		
 /spp.pl		
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar		
 /activityi;src=2761768;type=...um=6377803691626.312		
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart		
 /activityi;src=2761768;type=...rd=6822912973472.224		
 /activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F		
 /activityi;dc_pre=CKue_ISfte...rd=6822912973472.224		
 /activityi;dc_pre=CPCI_ISfteUC...bwi00;u18=https%3A%2		
 /activityi;dc_pre=CPCI_ISfte...um=6377803691626.312		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /activityi;src=685973;type=vzw...cff83812f9af78de91a;		
 /activityi;src=685973;type=v...um=5474536749569.184		
 /activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12		
 /activityi;dc_pre=CLTzwYWfte...um=5474536749569.184		
 /sp.pl		
 /c/263109848-1/ascend.js		
 /c/263109848-1/ascend.js		
 /media/launch/tcFramework.min.js		
 /wdcus/8838/onsite/embed.js		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.htm		
 /activity_pixel		
 /sync		
 /sync		
 /tagserver/postToServer.min.js		
 /impression_pixel		
 /sync		
 /ul_cb/sync		
 /sync		
 /tapestry/1		
 /sync		
 /tagserver/init/initFramework		
 /tagserver/init/initFramework		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent		
 /tagserver/launch/requestC2CImage		
 /tagserver/launch/requestC2CImage		





SLA	Value	Severity
 /tagserver/incrementality/onEvent_1		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_2		
 /tagserver/incrementality/onEvent		
 /tagserver/cbc-min.js		
 /wizard/ready_to_open.html		
 /wdcus/8838/onsite/generic1571670842717.js		
 /webevents/visitWebPage		
 /favicon.ico		
 /favicon.ico		
 /tagserver/incrementality/onEvent_4		
 /tagserver/incrementality/onEvent		
 /wdcus/8838/resources/image/...lia_feedbank_min.png		
 /tagserver/incrementality/onEvent_3		
 /tagserver/incrementality/onEvent		
 /b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504		
 /webevents/visitWebPage		

GW_MOBILE

SLA	Value	Severity
 GW_MOBILE		
 Actions		
 GW-M		
 /smartphones/		
 /smartphones/		
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/gw/bundle.gw.js		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk.1...be53acfd3d67eda35.js		
 /t/onedigital/uf/build/chunk...be53acfd3d67eda35.js		
 /t/onedigital/uf/build/assets/css/4.min.css		
 /t/onedigital/uf/build/chunk...7475efd7c3587e72e.js		
 /t/onedigital/uf/build/chunk...88a465643ba468b1b.js		

SLA	Value	Severity
 /id/rd		
 /ui-one-digital/gn/build/gnav.js.map		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /is/image/VerizonWireless/goog...el-4-6-2-8-2-5-black		
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-black		
 /is/image/VerizonWireless/go...l-4-6-2-8-2-5-orange		
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-white		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white		
 /is/image/VerizonWireless/go...4xl-6-2-8-1-9-orange		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/Ap..._Pro_Silver_09102019		
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019		
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /tbproxy/af/query		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /is/image/VerizonWireless/google-pixel-3-liquorice		
 /activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u		
 /activityi;src=685973;type=v...um=6367984012243.537		
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart		
 /activityi;src=2761768;type=...rd=5712158622854.915		
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar		
 /activityi;src=2761768;type=...;num=7598002111842.9		
 /v4/fullHashes:find		
 /is/image/VerizonWireless/ip...1-pro-max-space-gray		
 /is/image/VerizonWireless/iphone-11-pro-max-silver		
 /is/image/VerizonWireless/davinci-2-front-aurablack		
 /tbproxy/af/query_1		
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019		
 /is/image/VerizonWireless/SamsungGalaxyS10_Blue		
 /gtag/js		
 /is/image/VerizonWireless/lg-v50-thinq-5g-black		
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles		

SLA	Value	Severity
 /is/image/VerizonWireless/davinci-1-front-aurablack		
 /ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar		
 /is/image/VerizonWireless/sa...s-5g-front-aura-glow		
 /is/image/VerizonWireless/sa...s-5g-front-aurablack		
 /is/image/VerizonWireless/iphone7-front-matblk		
 /is/image/VerizonWireless/iphone7-front-gld		
 /is/image/VerizonWireless/lg-black-vzw-alpha		
 /is/image/VerizonWireless/Sa...10-5G-Majestic-Black		
 /is/image/VerizonWireless/lg-gray-vzw-alpha		
 /is/image/VerizonWireless/Sa...-S10-5G-Crown-Silver		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /wi/yt.js		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /support/etc/designs/support_rd/c2c.js		
 /content/vzw-engage/c2c/btn.di...ontainer-mobile.html		
 /content/vzw-engage/c2c/btn....ontainer-mobile.html		
 /v2/TC-3477-1.gif		
 /v2/TC-3477-1.gif		
 /spp.pl		
 /is/image/VerizonWireless/sa...-5g-front-aura-white		
 /is/image/VerizonWireless/google-pixel-3-sand		
 /is/image/VerizonWireless/google-pixel-3-rockcandy		
 /is/image/VerizonWireless/iphone-11-pro-max-gold		
 /is/image/VerizonWireless/ip...o-max-midnight-green		
 /is/image/VerizonWireless/davinci-2-front-aura-white		
 /is/image/VerizonWireless/davinci-2-front-aura-glow		
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019		
 /dcm		
 /is/image/VerizonWireless/Ap...ne_11_White_09102019		
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019		
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019		
 /is/image/VerizonWireless/sa...laxy-s10-white-prism		
 /is/image/VerizonWireless/samsung-galaxy-s10-black		
 /is/image/VerizonWireless/SamsungGalaxyS10_Pink		
 /b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017		
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019		
 /c/263109848-1/ascend.js		
 /c/263109848-1/ascend.js		

SLA	Value	Severity
 /wdcus/8838/onsite/embed.js		
 /is/image/VerizonWireless/apple-iphonexs-spacegrey		
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Blue		
 /is/image/VerizonWireless/sa...alaxy-s10-plus-black		
 /chatskins/launch/inqChatLaunch10004593.js		
 /is/image/VerizonWireless/sams...s10-plus-white-prism		
 /is/image/VerizonWireless/sa...s10-plus-white-prism		
 /is/image/VerizonWireless/apple-iphonexs-silver		
 /is/image/VerizonWireless/Sa...S10PLUS_WhiteCeramic		
 /is/image/VerizonWireless/apple-iphonexs-gold		
 /is/image/VerizonWireless/Sa...S10PLUS_BlackCeramic		
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Pink		
 /c/263109848-1/runtime.js.map		
 /c/263109848-1/runtime.js.map		
 /activity_pixel		
 /activity_pixel		
 /inqchat.html		
 /inqchat.html		
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles		
 /is/image/VerizonWireless/iphone7-front-svr		
 /is/image/VerizonWireless/iphone7-front-rsgld		
 /is/image/VerizonWireless/iphone7-front-jetblk		
 /is/image/VerizonWireless/davinci-1-front-aura-white		
 /is/image/VerizonWireless/davinci-1-front-aura-glow		
 /sync		
 /chatskins/launch/inqChatLaunch10004593.js		
 /sync		
 /impression_pixel		
 /analytics.js		
 /sync		
 /sync		
 /collect		
 /sync		
 /sync		
 /sync		
 /sp.pl		
 /webevents/visitWebPage		

SLA	Value	Severity
 /webevents/visitWebPage		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.htm		
 /wizard/ready_to_open.html		
 /tagserver/postToServer.min.js		
 /wdcus/8838/onsite/generic1571670842717.js		
 /favicon.ico		
 /favicon.ico		
 /wdcus/8838/forms/1280/form1570643277166.html		
 /wdcus/8838/forms/1280/form1570643277166.html		
 /wdcus/8838/forms/1280/form1570643277166.html_1		
 /wdcus/8838/forms/1280/form1570643277166.html		
 /wdcus/8838/forms/1280/formD...3277335_default.json		
 /wdcus/8838/forms/1280/formD...3277335_default.json		
 /resources/onsite/images/kloader.gif		
 /wdcus/8838/resources/image/...lia_feedbank_min.png		
 /resources/dist/assets/css/liv...endor-7a445f15ef.css		
 /resources/dist/assets/css/l...endor-7a445f15ef.css		
 /resources/dist/assets/css/k...style-397576f700.css		
 /resources/dist/assets/js/li...vendor-554ad4cd26.js		
 /resources/dist/assets/js/li...eb-app-aea20456b4.js		
 /resources/dist/assets/css/k...e/neb-rating.css.map		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /tagserver/init/initFramework		
 /tagserver/init/initFramework		
 /flash/jquery-3.3.1.min.js		
 /tagserver/cbc-min.js		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_1		
 /tagserver/incrementality/onEvent		
 /tagserver/launch/requestC2CImage		
 /tagserver/launch/requestC2CImage		
 /tagserver/incrementality/onEvent_2		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_3		
 /tagserver/incrementality/onEvent		

GW-Desk

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

GW_MOBILE

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	7,807	12,500	9,043	7,933	3,709
Controller/Throughput					
0	5,800	9,483	6,606	5,915	2,669
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
5	15.4	48	16	15.3	4.52
Controller/Memory Used					
11	27.1	44	27	27.1	8.83
Controller/Thread Count					
1,312	1,505	3,810	1,432	1,435	381.5
Controller/Connected					
195	195	195	195	195	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,564	10,610	1,195	1,372	1,643
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - Ohio (Columbus)/User Load					
0	3,991	6,411	4,617	4,057	1,925
Controller/USA East - Ohio (Columbus)/GridWall/User Load					
0	3,991	6,411	4,617	4,057	1,925
Controller/USA East - Ohio (Columbus)/GridWall/GW_MOBILE/User Load					
0	2,023	3,205	2,373	2,058	946.3
Controller/USA East - Ohio (Columbus)/GridWall/GW-Desk/User Load					
0	1,968	3,206	2,308	2,004	1,005
Controller/USA Central - Iowa (Council Bluffs)/User Load					
0	3,795	6,089	4,385	3,854	1,817
Controller/USA Central - Iowa (Council Bluffs)/GridWall/User Load					
0	3,795	6,089	4,385	3,854	1,817
Controller/USA Central - Iowa (Council Bluffs)/GridWall/GW_MOBILE/User Load					
0	1,929	3,045	2,271	1,961	892.8
Controller/USA Central - Iowa (Council Bluffs)/GridWall/GW-Desk/User Load					
0	1,866	3,044	2,193	1,899	954.6

LG 104.154.28.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.28.223:443/CPU Load					
0	13.5	50	14	13.2	7.4
LG 104.154.28.223:443/Memory Used					
3	21.8	45	21	21.8	8.47
LG 104.154.28.223:443/Throughput					
0	29.2	104.6	29.2	28.5	17.6
LG 104.154.28.223:443/User Load					
0	39.9	64	46	40.6	19.2
LG 104.154.28.223:443/Thread Count					
39	123.7	168	129	124.7	31.8
LG 104.154.28.223:443/Http client/Thread Pool used					
0.1	0.103	0.155	0.1	0.102	0.01
LG 104.154.28.223:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.011
LG 104.154.28.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.28.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.28.223:443/Controller Connection/Ping Duration (ms)					
62	86	119	79	85.3	19
LG 104.154.28.223:443/Network/Segments sent/sec.					
1.6	1,582	5,281	1,561	1,548	919.8
LG 104.154.28.223:443/Network/Segments retransmitted/sec.					
0	0.022	1.02	0	0.001	0.105
LG 104.154.28.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	108.2	29.9	29.5	18.2
LG 104.154.28.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	6.82	1.93	1.92	1.08

LG 104.154.50.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.50.241:443/CPU Load					
0	14.5	48	14	14.2	8.06
LG 104.154.50.241:443/Memory Used					
3	22	42	21	22	8.65
LG 104.154.50.241:443/Throughput					
0	29	88.4	26.8	28.4	17.5
LG 104.154.50.241:443/User Load					
0	40	64	46	40.6	19
LG 104.154.50.241:443/Thread Count					
39	123.1	165	130	124.2	31.7
LG 104.154.50.241:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.101	0.008
LG 104.154.50.241:443/Http client/Task Pool used					
0	0.002	0.133	0	0.001	0.01
LG 104.154.50.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.50.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.50.241:443/Controller Connection/Ping Duration (ms)					
66	79.3	145	68	76.2	21.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.50.241:443/Network/Segments sent/sec.					
1.8	1,556	4,486	1,456	1,529	902.6
LG 104.154.50.241:443/Network/Segments retransmitted/sec.					
0	0.027	2	0	0.003	0.163
LG 104.154.50.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	91.3	27.6	29.3	18
LG 104.154.50.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.93	5.4	1.83	1.91	1.07

LG 104.154.60.206:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.60.206:443/CPU Load					
0	15.2	59	14	14.7	9.07
LG 104.154.60.206:443/Memory Used					
2	20.6	49	20	20.3	8.72
LG 104.154.60.206:443/Throughput					
0	29.4	141.9	27.2	28.2	19.1
LG 104.154.60.206:443/User Load					
0	39.6	64	46	40.3	19.2
LG 104.154.60.206:443/Thread Count					
39	123.7	174	130	124.5	32.9
LG 104.154.60.206:443/Http client/Thread Pool used					
0.1	0.108	0.19	0.1	0.104	0.02
LG 104.154.60.206:443/Http client/Task Pool used					
0	0.002	0.067	0	0.001	0.007
LG 104.154.60.206:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.60.206:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.60.206:443/Controller Connection/Ping Duration (ms)					
94	112.6	191	108	109.8	16.8
LG 104.154.60.206:443/Network/Segments sent/sec.					
1.6	1,572	6,446	1,475	1,521	968.1
LG 104.154.60.206:443/Network/Segments retransmitted/sec.					
0	0.022	1.2	0	0.006	0.101
LG 104.154.60.206:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	146.4	28.2	29.3	19.7
LG 104.154.60.206:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	6.89	1.88	1.9	1.16

LG 104.197.133.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.133.18:443/CPU Load					
0	17.3	70	17	16.8	10.03
LG 104.197.133.18:443/Memory Used					
3	21.8	44	21	21.7	8.63
LG 104.197.133.18:443/Throughput					
0	29.6	133.9	28.3	28.4	19
LG 104.197.133.18:443/User Load					
0	40.5	65	47	41.1	19.3
LG 104.197.133.18:443/Thread Count					
39	123.8	165	131	124.9	30.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.133.18:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.103	0.009
LG 104.197.133.18:443/Http client/Task Pool used					
0	0.005	0.183	0	0.001	0.018
LG 104.197.133.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.133.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.133.18:443/Controller Connection/Ping Duration (ms)					
64	91.7	145	105	90.8	22.8
LG 104.197.133.18:443/Network/Segments sent/sec.					
2.2	1,571	5,888	1,514	1,519	961.2
LG 104.197.133.18:443/Network/Segments retransmitted/sec.					
0	0.015	0.806	0	0	0.08
LG 104.197.133.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	137.1	29.1	29.3	19.6
LG 104.197.133.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.97	7.24	1.88	1.9	1.16

LG 104.197.205.94:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.205.94:443/CPU Load					
0	14.5	51	15	14.2	7.85
LG 104.197.205.94:443/Memory Used					
3	21.1	43	21	21	8.16
LG 104.197.205.94:443/Throughput					
0	29.5	128.6	29.4	28.7	18
LG 104.197.205.94:443/User Load					
0	40.4	64	46.5	41.1	18.9
LG 104.197.205.94:443/Thread Count					
39	124.7	172	129.5	125.6	32
LG 104.197.205.94:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.101	0.012
LG 104.197.205.94:443/Http client/Task Pool used					
0	0.002	0.133	0	0.001	0.011
LG 104.197.205.94:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.205.94:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.205.94:443/Controller Connection/Ping Duration (ms)					
70	109.7	148	109	109.3	12
LG 104.197.205.94:443/Network/Segments sent/sec.					
2.42	1,582	6,097	1,586	1,544	929.3
LG 104.197.205.94:443/Network/Segments retransmitted/sec.					
0	0.021	0.717	0	0.003	0.091
LG 104.197.205.94:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	131.5	30.6	29.7	18.6
LG 104.197.205.94:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.96	6.76	1.99	1.93	1.09

LG 104.197.86.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.86.159:443/CPU Load					
0	15	40	16	15	7.11
LG 104.197.86.159:443/Memory Used					
3	21.4	43	21	21.3	8.28
LG 104.197.86.159:443/Throughput					
0	29.1	77.2	30.9	29	15.4
LG 104.197.86.159:443/User Load					
0	39.8	64	46	40.4	19
LG 104.197.86.159:443/Thread Count					
38	121.1	160	130	122.5	29.8
LG 104.197.86.159:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 104.197.86.159:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.01
LG 104.197.86.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.86.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.86.159:443/Controller Connection/Ping Duration (ms)					
63	102.1	156	80	101.1	33.4
LG 104.197.86.159:443/Network/Segments sent/sec.					
1.6	1,557	4,005	1,672	1,553	809.6
LG 104.197.86.159:443/Network/Segments retransmitted/sec.					
0	0.034	0.8	0	0.014	0.111
LG 104.197.86.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	80.1	31.9	29.9	15.9
LG 104.197.86.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	4.6	2.09	1.94	0.957

LG 104.198.45.128:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.45.128:443/CPU Load					
0	14.7	59	14	14.2	9.28
LG 104.198.45.128:443/Memory Used					
1	20.5	42	20	20.3	8.39
LG 104.198.45.128:443/Throughput					
0	28.6	123.4	26.2	27.4	19.2
LG 104.198.45.128:443/User Load					
0	39.8	64	46	40.4	19.1
LG 104.198.45.128:443/Thread Count					
39	123.9	169	129	125	32.4
LG 104.198.45.128:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.102	0.011
LG 104.198.45.128:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.013
LG 104.198.45.128:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.45.128:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.45.128:443/Controller Connection/Ping Duration (ms)					
68	94.9	145	105	93.5	22.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.45.128:443/Network/Segments sent/sec.					
2.4	1,540	6,066	1,410	1,481	992.3
LG 104.198.45.128:443/Network/Segments retransmitted/sec.					
0	0.019	0.801	0	0.002	0.082
LG 104.198.45.128:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.7	127.4	27	28.4	19.8
LG 104.198.45.128:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.91	6.97	1.77	1.85	1.16

LG 104.198.59.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.59.156:443/CPU Load					
0	14.8	42	15	14.8	7.17
LG 104.198.59.156:443/Memory Used					
3	21.6	44	22	21.5	8.52
LG 104.198.59.156:443/Throughput					
0	28.9	86.5	29.3	28.7	16
LG 104.198.59.156:443/User Load					
0	39.5	64	46	40.1	19.3
LG 104.198.59.156:443/Thread Count					
39	121.2	161	129	122.4	30
LG 104.198.59.156:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 104.198.59.156:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.011
LG 104.198.59.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.59.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.59.156:443/Controller Connection/Ping Duration (ms)					
55	75.3	145	69	73	16
LG 104.198.59.156:443/Network/Segments sent/sec.					
1.6	1,545	4,173	1,584	1,539	830.9
LG 104.198.59.156:443/Network/Segments retransmitted/sec.					
0	0.014	0.8	0	0	0.077
LG 104.198.59.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.8	87.8	30.3	29.7	16.5
LG 104.198.59.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.92	4.83	2.02	1.92	0.982

LG 130.211.119.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.119.37:443/CPU Load					
0	14.3	56	15	13.9	8.1
LG 130.211.119.37:443/Memory Used					
3	21.5	40	21	21.4	7.99
LG 130.211.119.37:443/Throughput					
0	29.3	147.2	31	28.4	18.5
LG 130.211.119.37:443/User Load					
0	40.2	64	46	40.9	19.2
LG 130.211.119.37:443/Thread Count					
39	124.1	169	130	125.2	31.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.119.37:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.102	0.01
LG 130.211.119.37:443/Http client/Task Pool used					
0	0.002	0.117	0	0.001	0.01
LG 130.211.119.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.119.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.119.37:443/Controller Connection/Ping Duration (ms)					
74	108.1	152	114	107.5	19.2
LG 130.211.119.37:443/Network/Segments sent/sec.					
1.59	1,575	6,566	1,684	1,533	944.6
LG 130.211.119.37:443/Network/Segments retransmitted/sec.					
0	0.024	0.79	0	0.009	0.085
LG 130.211.119.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	150.3	32.3	29.3	19.1
LG 130.211.119.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	7.3	2.12	1.91	1.12

LG 104.155.156.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.155.156.165:443/CPU Load					
0	13.6	45	13	13.3	7.2
LG 104.155.156.165:443/Memory Used					
3	20.2	42	20	20.1	7.59
LG 104.155.156.165:443/Throughput					
0	29.2	130.2	28.6	28.3	17.8
LG 104.155.156.165:443/User Load					
0	39.8	64	46	40.4	19.1
LG 104.155.156.165:443/Thread Count					
39	122.2	165	130	123.4	30.6
LG 104.155.156.165:443/Http client/Thread Pool used					
0.1	0.102	0.135	0.1	0.101	0.006
LG 104.155.156.165:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.01
LG 104.155.156.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.155.156.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.155.156.165:443/Controller Connection/Ping Duration (ms)					
64	119	150	145	120.2	35.1
LG 104.155.156.165:443/Network/Segments sent/sec.					
1.6	1,572	5,253	1,563	1,536	897.5
LG 104.155.156.165:443/Network/Segments retransmitted/sec.					
0	0.025	0.801	0	0.008	0.095
LG 104.155.156.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	133	29.5	29.3	18.3
LG 104.155.156.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	6.11	1.95	1.91	1.06

LG 13.58.107.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.58.107.112:443/CPU Load					
0	9.8	46	9	9.47	5.91
LG 13.58.107.112:443/Memory Used					
2	18.5	42	17	18.2	8.26
LG 13.58.107.112:443/Throughput					
0	30.4	116.2	27.7	29.6	18.1
LG 13.58.107.112:443/User Load					
0	40.2	64	46	40.9	19.2
LG 13.58.107.112:443/Thread Count					
38	121.1	160	127	122.4	29.8
LG 13.58.107.112:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.101	0.008
LG 13.58.107.112:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 13.58.107.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.58.107.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.58.107.112:443/Controller Connection/Ping Duration (ms)					
89	126.8	184	142	126.4	24
LG 13.58.107.112:443/Network/Segments sent/sec.					
2.2	1,655	4,843	1,518	1,624	926.6
LG 13.58.107.112:443/Network/Segments retransmitted/sec.					
0	0.144	12.2	0	0.007	1.02
LG 13.58.107.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	32.5	122.6	29.7	31.7	19.4
LG 13.58.107.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	5.38	1.89	1.99	1.09

LG 13.58.21.94:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.58.21.94:443/CPU Load					
0	8.56	25	8	8.4	4.62
LG 13.58.21.94:443/Memory Used					
2	17.6	38	17	17.4	7.67
LG 13.58.21.94:443/Throughput					
0	29.5	75.4	30.6	29.3	16.2
LG 13.58.21.94:443/User Load					
0	39.5	64	46	40.2	19.3
LG 13.58.21.94:443/Thread Count					
38	119.5	158	128	120.9	29.4
LG 13.58.21.94:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 13.58.21.94:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 13.58.21.94:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.58.21.94:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.58.21.94:443/Controller Connection/Ping Duration (ms)					
86	141.4	541	141	128	81

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.58.21.94:443/Network/Segments sent/sec.					
3.8	1,657	3,823	1,704	1,649	868.4
LG 13.58.21.94:443/Network/Segments retransmitted/sec.					
0	1.12	11.2	1	1.01	1.03
LG 13.58.21.94:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.6	80.1	32.8	31.4	17.3
LG 13.58.21.94:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.99	4.42	2.12	1.99	1.01

LG 13.58.225.58:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.58.225.58:443/CPU Load					
0	9.22	27	9	9.07	5.15
LG 13.58.225.58:443/Memory Used					
2	18.1	41	17	17.9	7.63
LG 13.58.225.58:443/Throughput					
0	29.9	92.2	30.6	29.6	16.2
LG 13.58.225.58:443/User Load					
0	39.7	64	46	40.4	19.3
LG 13.58.225.58:443/Thread Count					
39	119.8	159	128	121	29.3
LG 13.58.225.58:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 13.58.225.58:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 13.58.225.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.58.225.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.58.225.58:443/Controller Connection/Ping Duration (ms)					
119	138.1	141	139	138.9	4.9
LG 13.58.225.58:443/Network/Segments sent/sec.					
1.6	1,629	4,159	1,671	1,620	843.9
LG 13.58.225.58:443/Network/Segments retransmitted/sec.					
0	0.159	9.52	0	0.02	0.909
LG 13.58.225.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32	96.7	32.8	31.7	17.3
LG 13.58.225.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.99	4.52	2.11	1.99	0.996

LG 13.58.43.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.58.43.231:443/CPU Load					
0	9.05	32	9	8.83	5.14
LG 13.58.43.231:443/Memory Used					
2	18	43	17	17.7	7.77
LG 13.58.43.231:443/Throughput					
0	29.7	119.6	29.9	29.1	16.9
LG 13.58.43.231:443/User Load					
0	40.1	64	47	40.8	19.4
LG 13.58.43.231:443/Thread Count					
38	122	165	128	123	30.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.58.43.231:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 13.58.43.231:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 13.58.43.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.58.43.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.58.43.231:443/Controller Connection/Ping Duration (ms)					
72	96.2	152	94	94.4	16.4
LG 13.58.43.231:443/Network/Segments sent/sec.					
5	1,662	5,526	1,702	1,638	896.1
LG 13.58.43.231:443/Network/Segments retransmitted/sec.					
0	0.147	14.2	0	0.007	1.12
LG 13.58.43.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	31.8	126.9	31.8	31.2	18
LG 13.58.43.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2	5.93	2.08	1.98	1.04

LG 13.59.11.27:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.59.11.27:443/CPU Load					
0	9	29	9	8.73	5.19
LG 13.59.11.27:443/Memory Used					
2	18.3	40	17	18.1	7.63
LG 13.59.11.27:443/Throughput					
0	29.6	121	28.7	28.7	17.9
LG 13.59.11.27:443/User Load					
0	39.9	64	46	40.6	19.2
LG 13.59.11.27:443/Thread Count					
38	122.5	167	128	123.4	31.6
LG 13.59.11.27:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.1	0.007
LG 13.59.11.27:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 13.59.11.27:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.59.11.27:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.59.11.27:443/Controller Connection/Ping Duration (ms)					
91	137.3	182	140	137.9	15.4
LG 13.59.11.27:443/Network/Segments sent/sec.					
3.2	1,652	5,181	1,648	1,610	933
LG 13.59.11.27:443/Network/Segments retransmitted/sec.					
0	0.129	10.4	0	0.013	0.875
LG 13.59.11.27:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	31.7	128.5	30.5	30.7	19.1
LG 13.59.11.27:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.99	6.38	2.05	1.95	1.09

LG 13.59.123.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.59.123.41:443/CPU Load					
0	8.56	29	8	8.26	5.23
LG 13.59.123.41:443/Memory Used					
2	18.3	37	17	18.1	7.81
LG 13.59.123.41:443/Throughput					
0	29.7	120.7	26.3	28.8	18.2
LG 13.59.123.41:443/User Load					
0	39.7	64	46	40.4	19.3
LG 13.59.123.41:443/Thread Count					
38	120.3	159	128	121.6	29.9
LG 13.59.123.41:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.101	0.004
LG 13.59.123.41:443/Http client/Task Pool used					
0	0.002	0.217	0	0	0.014
LG 13.59.123.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.59.123.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.59.123.41:443/Controller Connection/Ping Duration (ms)					
87	133.9	283	142	129.9	35.7
LG 13.59.123.41:443/Network/Segments sent/sec.					
1.6	1,656	5,237	1,502	1,617	951.3
LG 13.59.123.41:443/Network/Segments retransmitted/sec.					
0	0.146	11.4	0	0.01	0.988
LG 13.59.123.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.9	127	28	30.9	19.5
LG 13.59.123.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	5.91	1.85	1.96	1.11

LG 13.59.157.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.59.157.38:443/CPU Load					
0	9.58	35	10	9.38	5.18
LG 13.59.157.38:443/Memory Used					
3	19	38	18	18.9	7.98
LG 13.59.157.38:443/Throughput					
0	30.2	98.3	31.5	29.9	16.3
LG 13.59.157.38:443/User Load					
0	40	64	46	40.6	19.1
LG 13.59.157.38:443/Thread Count					
39	121.4	163	127	122.6	30.3
LG 13.59.157.38:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.005
LG 13.59.157.38:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 13.59.157.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.59.157.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.59.157.38:443/Controller Connection/Ping Duration (ms)					
71	134.8	183	137	135.3	40.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.59.157.38:443/Network/Segments sent/sec.					
1.6	1,663	4,114	1,736	1,651	860.5
LG 13.59.157.38:443/Network/Segments retransmitted/sec.					
0	0.137	12	0	0.009	0.976
LG 13.59.157.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.3	103.7	33.8	32	17.5
LG 13.59.157.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	4.63	2.18	2.01	1

LG 13.59.56.228:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.59.56.228:443/CPU Load					
0	8.85	46	9	8.57	5.31
LG 13.59.56.228:443/Memory Used					
2	18.5	40	17	18.3	8.15
LG 13.59.56.228:443/Throughput					
0	29.8	93.4	29.5	29.2	17.3
LG 13.59.56.228:443/User Load					
0	40.1	64	46	40.7	19.4
LG 13.59.56.228:443/Thread Count					
38	120.9	159	129	122.2	29.7
LG 13.59.56.228:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 13.59.56.228:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 13.59.56.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.59.56.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.59.56.228:443/Controller Connection/Ping Duration (ms)					
74	99.8	182	97	97.2	18.3
LG 13.59.56.228:443/Network/Segments sent/sec.					
5.6	1,686	4,536	1,690	1,659	932
LG 13.59.56.228:443/Network/Segments retransmitted/sec.					
0	0.148	11.8	0	0.015	1.02
LG 13.59.56.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	31.9	99.6	31.7	31.3	18.5
LG 13.59.56.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.02	5.32	2.06	1.99	1.08

LG 13.59.77.226:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.59.77.226:443/CPU Load					
0	8.33	28	8	8.13	4.79
LG 13.59.77.226:443/Memory Used					
2	18.6	36	18	18.5	7.93
LG 13.59.77.226:443/Throughput					
0	29.8	97.3	27.9	29.2	17.6
LG 13.59.77.226:443/User Load					
0	39.9	64	46	40.5	19.1
LG 13.59.77.226:443/Thread Count					
38	121.5	166	127	122.6	30.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.59.77.226:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 13.59.77.226:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 13.59.77.226:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.59.77.226:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.59.77.226:443/Controller Connection/Ping Duration (ms)					
90	132.7	184	141	132.2	21.6
LG 13.59.77.226:443/Network/Segments sent/sec.					
2.4	1,675	4,493	1,614	1,648	931.7
LG 13.59.77.226:443/Network/Segments retransmitted/sec.					
0	0.161	17.6	0	0.019	1.14
LG 13.59.77.226:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	32	103.2	29.9	31.2	18.9
LG 13.59.77.226:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	5.38	1.97	1.99	1.08

LG 13.59.84.151:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.59.84.151:443/CPU Load					
0	8.65	35	9	8.52	4.56
LG 13.59.84.151:443/Memory Used					
3	19	42	18	18.8	8.13
LG 13.59.84.151:443/Throughput					
0	30.4	74.7	31.2	30.5	15.3
LG 13.59.84.151:443/User Load					
0	39.8	64	46	40.5	19.3
LG 13.59.84.151:443/Thread Count					
39	119.8	157	128	121	29.2
LG 13.59.84.151:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 13.59.84.151:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 13.59.84.151:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.59.84.151:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.59.84.151:443/Controller Connection/Ping Duration (ms)					
87	142.2	188	143	142.6	14
LG 13.59.84.151:443/Network/Segments sent/sec.					
2.4	1,712	3,839	1,793	1,721	831.4
LG 13.59.84.151:443/Network/Segments retransmitted/sec.					
0	1.02	13.2	0.8	0.917	1.04
LG 13.59.84.151:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.5	77.7	33.4	32.6	16.3
LG 13.59.84.151:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.05	4.66	2.18	2.06	0.96

LG 18.188.110.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.188.110.26:443/CPU Load					
0	8.48	26	8	8.34	4.58
LG 18.188.110.26:443/Memory Used					
2	17.5	39	15.5	17	8.21
LG 18.188.110.26:443/Throughput					
0	29.5	67.8	29.9	29.3	15.7
LG 18.188.110.26:443/User Load					
0	39.5	64	46	40.2	19.3
LG 18.188.110.26:443/Thread Count					
38	119.5	159	127.5	120.7	29.2
LG 18.188.110.26:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 18.188.110.26:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 18.188.110.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.188.110.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.188.110.26:443/Controller Connection/Ping Duration (ms)					
92	124.4	242	97	120.6	40.7
LG 18.188.110.26:443/Network/Segments sent/sec.					
1.6	1,651	3,639	1,663	1,648	851.5
LG 18.188.110.26:443/Network/Segments retransmitted/sec.					
0	0.162	11.2	0	0.016	0.999
LG 18.188.110.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.5	71.8	32.1	31.4	16.8
LG 18.188.110.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.99	4.34	2.11	1.99	0.988

LG 18.188.53.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.188.53.20:443/CPU Load					
0	8.6	24	8	8.42	4.8
LG 18.188.53.20:443/Memory Used					
3	18.5	39	18	18.4	7.82
LG 18.188.53.20:443/Throughput					
0	30.3	87.7	28.5	29.7	17.4
LG 18.188.53.20:443/User Load					
0	40.1	64	46.5	40.8	18.9
LG 18.188.53.20:443/Thread Count					
38	120.7	158	130.5	122	29.8
LG 18.188.53.20:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 18.188.53.20:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 18.188.53.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.188.53.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.188.53.20:443/Controller Connection/Ping Duration (ms)					
78	135.8	186	143	137.6	18.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.188.53.20:443/Network/Segments sent/sec.					
1.6	1,706	4,314	1,670	1,682	924.5
LG 18.188.53.20:443/Network/Segments retransmitted/sec.					
0	0.155	14.2	0	0.019	1.11
LG 18.188.53.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.4	93.8	30.5	31.8	18.6
LG 18.188.53.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.04	5.53	1.97	2.02	1.07

LG 18.189.143.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.189.143.160:443/CPU Load					
0	8.8	28	8	8.6	4.86
LG 18.189.143.160:443/Memory Used					
1	16.4	40	15	16	7.2
LG 18.189.143.160:443/Throughput					
0	29.5	107.4	29.1	29	16.6
LG 18.189.143.160:443/User Load					
0	39.6	64	46	40.3	19.3
LG 18.189.143.160:443/Thread Count					
38	120.5	163	127	121.6	30.9
LG 18.189.143.160:443/Http client/Thread Pool used					
0.1	0.102	0.155	0.1	0.1	0.01
LG 18.189.143.160:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 18.189.143.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.189.143.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.189.143.160:443/Controller Connection/Ping Duration (ms)					
101	144.1	216	141	142.7	19.4
LG 18.189.143.160:443/Network/Segments sent/sec.					
3.4	1,662	4,733	1,632	1,641	881.7
LG 18.189.143.160:443/Network/Segments retransmitted/sec.					
0	0.145	11.2	0	0.013	0.925
LG 18.189.143.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	31.7	113.9	31.2	31	17.8
LG 18.189.143.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2	5.14	2.02	1.98	1.02

LG 18.189.145.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.189.145.169:443/CPU Load					
0	8.91	30	9	8.82	4.65
LG 18.189.145.169:443/Memory Used					
2	17.3	39	16	17.2	7.11
LG 18.189.145.169:443/Throughput					
0	29.7	62.3	29.2	29.8	15.3
LG 18.189.145.169:443/User Load					
0	39.9	64	46	40.5	19.2
LG 18.189.145.169:443/Thread Count					
38	120.2	162	127	121.4	29.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.189.145.169:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 18.189.145.169:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 18.189.145.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.189.145.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.189.145.169:443/Controller Connection/Ping Duration (ms)					
78	100.9	145	98	99.5	15.2
LG 18.189.145.169:443/Network/Segments sent/sec.					
1.6	1,636	3,154	1,668	1,646	804.7
LG 18.189.145.169:443/Network/Segments retransmitted/sec.					
0	0.115	8.8	0	0.009	0.729
LG 18.189.145.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.8	66.3	31.5	31.9	16.4
LG 18.189.145.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.99	3.84	2.05	2.01	0.954

LG 18.189.16.89:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.189.16.89:443/CPU Load					
0	8.75	35	9	8.63	4.82
LG 18.189.16.89:443/Memory Used					
3	18.2	39	18	18.1	7.54
LG 18.189.16.89:443/Throughput					
0	29.7	83.2	31.3	29.4	16.2
LG 18.189.16.89:443/User Load					
0	39.6	64	46	40.3	19.3
LG 18.189.16.89:443/Thread Count					
38	120	158	127.5	121.2	30
LG 18.189.16.89:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 18.189.16.89:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.008
LG 18.189.16.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.189.16.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.189.16.89:443/Controller Connection/Ping Duration (ms)					
75	96.4	140	94	95	11.3
LG 18.189.16.89:443/Network/Segments sent/sec.					
1.6	1,672	4,095	1,744	1,667	878.3
LG 18.189.16.89:443/Network/Segments retransmitted/sec.					
0	0.138	11.2	0	0.008	0.9
LG 18.189.16.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.7	87.2	33.6	31.5	17.4
LG 18.189.16.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	5.36	2.12	2	1.01

LG 18.189.27.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.189.27.205:443/CPU Load					
0	9.01	35	9	8.65	5.52
LG 18.189.27.205:443/Memory Used					
2	18.4	40	18	18.2	7.8
LG 18.189.27.205:443/Throughput					
0	30.4	106.3	29.8	29.6	17.9
LG 18.189.27.205:443/User Load					
0	39.8	64	46	40.5	19.3
LG 18.189.27.205:443/Thread Count					
38	121.4	164	128	122.4	31
LG 18.189.27.205:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 18.189.27.205:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.011
LG 18.189.27.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.189.27.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.189.27.205:443/Controller Connection/Ping Duration (ms)					
98	140.6	183	141	140.7	10.88
LG 18.189.27.205:443/Network/Segments sent/sec.					
1.6	1,709	5,045	1,713	1,676	945.9
LG 18.189.27.205:443/Network/Segments retransmitted/sec.					
0	0.157	14	0	0.017	1
LG 18.189.27.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.6	113	32.1	31.7	19.1
LG 18.189.27.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.05	5.9	2.07	2.01	1.1

LG 18.189.30.196:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.189.30.196:443/CPU Load					
0	8.98	24	9	8.86	4.79
LG 18.189.30.196:443/Memory Used					
2	19.1	42	18	18.8	8.37
LG 18.189.30.196:443/Throughput					
0	30	77.6	31.1	29.7	15.9
LG 18.189.30.196:443/User Load					
0	40.6	65	47	41.2	19.2
LG 18.189.30.196:443/Thread Count					
38	122.6	167	128	123.7	30.8
LG 18.189.30.196:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 18.189.30.196:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 18.189.30.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.189.30.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.189.30.196:443/Controller Connection/Ping Duration (ms)					
85	143.7	187	143	143.6	14.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.189.30.196:443/Network/Segments sent/sec.					
4.8	1,667	3,746	1,770	1,658	842.5
LG 18.189.30.196:443/Network/Segments retransmitted/sec.					
0	0.143	13.2	0	0.008	1
LG 18.189.30.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	32.1	83	33.4	31.8	17
LG 18.189.30.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.02	4.59	2.14	2.01	0.985

LG 18.191.150.1:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.191.150.1:443/CPU Load					
0	9.08	48	8	8.52	6.34
LG 18.191.150.1:443/Memory Used					
2	18.8	39	17	18.6	8.82
LG 18.191.150.1:443/Throughput					
0	30.9	205.2	28	29.3	21.5
LG 18.191.150.1:443/User Load					
0	40.3	64	47	40.9	19.3
LG 18.191.150.1:443/Thread Count					
38	122.4	169	129	123.3	31.3
LG 18.191.150.1:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.101	0.013
LG 18.191.150.1:443/Http client/Task Pool used					
0	0.002	0.2	0	0	0.014
LG 18.191.150.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.191.150.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.191.150.1:443/Controller Connection/Ping Duration (ms)					
91	142.6	185	143	142.9	12.2
LG 18.191.150.1:443/Network/Segments sent/sec.					
5.8	1,736	8,278	1,593	1,664	1,093
LG 18.191.150.1:443/Network/Segments retransmitted/sec.					
0	0.128	14.2	0	0.006	0.944
LG 18.191.150.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	33.1	218.2	29.9	31.3	23
LG 18.191.150.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.07	8.59	1.92	1.99	1.25

LG 18.191.150.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.191.150.51:443/CPU Load					
0	9.11	39	8	8.76	5.57
LG 18.191.150.51:443/Memory Used					
2	18.3	39	17	18.1	7.52
LG 18.191.150.51:443/Throughput					
0	29.5	131.5	26.9	28.6	17.9
LG 18.191.150.51:443/User Load					
0	39.5	64	46	40.2	19.4
LG 18.191.150.51:443/Thread Count					
38	120.1	157	129	121.4	30

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.191.150.51:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.006
LG 18.191.150.51:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 18.191.150.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.191.150.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.191.150.51:443/Controller Connection/Ping Duration (ms)					
74	99.1	148	97	97.8	15.3
LG 18.191.150.51:443/Network/Segments sent/sec.					
1.6	1,656	5,770	1,548	1,617	944.1
LG 18.191.150.51:443/Network/Segments retransmitted/sec.					
0	0.137	8.8	0	0.009	0.857
LG 18.191.150.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.6	138.1	29	30.6	19.2
LG 18.191.150.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.99	6.85	1.89	1.95	1.1

LG 18.191.165.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.191.165.153:443/CPU Load					
0	8.86	32	8	8.61	5.07
LG 18.191.165.153:443/Memory Used					
2	17.5	39	17	17.1	7.41
LG 18.191.165.153:443/Throughput					
0	29.5	101.8	28.8	28.7	17.2
LG 18.191.165.153:443/User Load					
0	39.9	64	46	40.5	19.1
LG 18.191.165.153:443/Thread Count					
38	122	167	128	123	31.3
LG 18.191.165.153:443/Http client/Thread Pool used					
0.1	0.103	0.16	0.1	0.101	0.011
LG 18.191.165.153:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 18.191.165.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.191.165.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.191.165.153:443/Controller Connection/Ping Duration (ms)					
78	117.1	184	102	116.8	25.2
LG 18.191.165.153:443/Network/Segments sent/sec.					
1.6	1,640	4,687	1,627	1,607	904.3
LG 18.191.165.153:443/Network/Segments retransmitted/sec.					
0	0.124	9.2	0	0.008	0.775
LG 18.191.165.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.6	108	30.9	30.7	18.4
LG 18.191.165.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.98	5.52	1.98	1.95	1.05

LG 18.191.176.81:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.191.176.81:443/CPU Load					
0	8.49	20	9	8.44	4.23
LG 18.191.176.81:443/Memory Used					
3	18	40	17	17.7	7.61
LG 18.191.176.81:443/Throughput					
0	29.4	70.5	29.8	29.3	15.5
LG 18.191.176.81:443/User Load					
0	39.5	64	46	40.1	19.3
LG 18.191.176.81:443/Thread Count					
38	119.9	158	128	121.2	29.8
LG 18.191.176.81:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 18.191.176.81:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 18.191.176.81:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.191.176.81:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.191.176.81:443/Controller Connection/Ping Duration (ms)					
75	139.3	184	139	139.4	16.1
LG 18.191.176.81:443/Network/Segments sent/sec.					
1.6	1,657	3,552	1,716	1,659	841.2
LG 18.191.176.81:443/Network/Segments retransmitted/sec.					
0	0.141	10.4	0	0.012	0.895
LG 18.191.176.81:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.5	74.9	31.8	31.4	16.6
LG 18.191.176.81:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.99	4.19	2.1	2	0.963

LG 18.191.31.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.191.31.19:443/CPU Load					
0	8.64	27	8	8.37	5.03
LG 18.191.31.19:443/Memory Used					
1	18.5	41	17	18.2	8.45
LG 18.191.31.19:443/Throughput					
0	29.8	112.2	26.9	29.1	17.5
LG 18.191.31.19:443/User Load					
0	39.5	64	46	40.2	19.4
LG 18.191.31.19:443/Thread Count					
38	121.6	165	130	122.6	31.8
LG 18.191.31.19:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 18.191.31.19:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.01
LG 18.191.31.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.191.31.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.191.31.19:443/Controller Connection/Ping Duration (ms)					
73	117.1	182	99	115.6	28.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.191.31.19:443/Network/Segments sent/sec.					
1.6	1,649	5,088	1,557	1,618	919.5
LG 18.191.31.19:443/Network/Segments retransmitted/sec.					
0	0.126	13.6	0	0.011	0.957
LG 18.191.31.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.9	120.2	28.9	31.1	18.7
LG 18.191.31.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	6.24	1.95	1.96	1.08

LG 18.216.202.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.216.202.13:443/CPU Load					
0	9.14	27	9	8.9	5.06
LG 18.216.202.13:443/Memory Used					
2	19	38	18	18.9	8.26
LG 18.216.202.13:443/Throughput					
0	29.8	105.3	29.7	29	16.8
LG 18.216.202.13:443/User Load					
0	39.8	64	46	40.4	19.2
LG 18.216.202.13:443/Thread Count					
38	121.3	169	127	122.2	30.6
LG 18.216.202.13:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.101	0.008
LG 18.216.202.13:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.005
LG 18.216.202.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.216.202.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.216.202.13:443/Controller Connection/Ping Duration (ms)					
89	138.8	145	141	140.3	9.18
LG 18.216.202.13:443/Network/Segments sent/sec.					
1.6	1,647	4,764	1,658	1,617	883.5
LG 18.216.202.13:443/Network/Segments retransmitted/sec.					
0	0.131	12.2	0	0.007	0.977
LG 18.216.202.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.9	111.9	31.7	31.1	18
LG 18.216.202.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	4.96	2.08	1.97	1.03

LG 18.216.99.27:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.216.99.27:443/CPU Load					
0	9.3	27	9	9.14	5.03
LG 18.216.99.27:443/Memory Used					
2	18.7	45	17	18.5	7.84
LG 18.216.99.27:443/Throughput					
0	30.4	99.1	29.6	30	16.7
LG 18.216.99.27:443/User Load					
0	40.3	64	47	41	19.1
LG 18.216.99.27:443/Thread Count					
38	121	158	129	122.2	29.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.216.99.27:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 18.216.99.27:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.008
LG 18.216.99.27:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.216.99.27:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.216.99.27:443/Controller Connection/Ping Duration (ms)					
85	111.9	183	97	109.3	30.2
LG 18.216.99.27:443/Network/Segments sent/sec.					
2.4	1,677	4,867	1,704	1,662	880.2
LG 18.216.99.27:443/Network/Segments retransmitted/sec.					
0	0.113	11.2	0	0.004	0.896
LG 18.216.99.27:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	32.5	104.6	31.5	32.1	17.8
LG 18.216.99.27:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.03	5.69	2.12	2.02	1.02

LG 18.217.15.192:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.217.15.192:443/CPU Load					
0	8.78	35	9	8.65	4.65
LG 18.217.15.192:443/Memory Used					
2	18.9	40	19	18.8	7.56
LG 18.217.15.192:443/Throughput					
0	30.1	65.1	29.9	30.3	15.3
LG 18.217.15.192:443/User Load					
0	40.3	64	46	41	19
LG 18.217.15.192:443/Thread Count					
38	120.8	156	129	122.1	29
LG 18.217.15.192:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 18.217.15.192:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 18.217.15.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.217.15.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.217.15.192:443/Controller Connection/Ping Duration (ms)					
76	127.8	202	103	126.7	39.8
LG 18.217.15.192:443/Network/Segments sent/sec.					
4.81	1,689	3,687	1,675	1,702	833.5
LG 18.217.15.192:443/Network/Segments retransmitted/sec.					
0	0.151	13.4	0	0.016	1.02
LG 18.217.15.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	32.2	69.6	31.9	32.5	16.3
LG 18.217.15.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.03	4.06	2.08	2.05	0.96

LG 18.218.119.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.218.119.160:443/CPU Load					
0	8.42	34	8	8.13	5.12
LG 18.218.119.160:443/Memory Used					
1	19	40	18	18.8	8.59
LG 18.218.119.160:443/Throughput					
0	29.9	114.5	29.2	29	18.2
LG 18.218.119.160:443/User Load					
0	39.6	64	46	40.2	19.3
LG 18.218.119.160:443/Thread Count					
38	121.1	165	127	122.1	31.4
LG 18.218.119.160:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.101	0.012
LG 18.218.119.160:443/Http client/Task Pool used					
0	0.001	0.183	0	0	0.01
LG 18.218.119.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.218.119.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.218.119.160:443/Controller Connection/Ping Duration (ms)					
86	147.3	340	142	142.1	37.6
LG 18.218.119.160:443/Network/Segments sent/sec.					
3.6	1,683	5,277	1,607	1,648	957
LG 18.218.119.160:443/Network/Segments retransmitted/sec.					
0	0.115	12	0	0.002	0.837
LG 18.218.119.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32	119.3	31.2	31.1	19.4
LG 18.218.119.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2.02	7.12	2	1.98	1.12

LG 18.218.130.59:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.218.130.59:443/CPU Load					
0	8.52	27	8	8.22	4.99
LG 18.218.130.59:443/Memory Used					
2	17.3	39	17	17.1	6.71
LG 18.218.130.59:443/Throughput					
0	30.4	109.1	28.3	29.4	18.3
LG 18.218.130.59:443/User Load					
0	40.3	64	46	40.9	19.1
LG 18.218.130.59:443/Thread Count					
38	122.7	165	127	123.8	31
LG 18.218.130.59:443/Http client/Thread Pool used					
0.1	0.102	0.135	0.1	0.101	0.006
LG 18.218.130.59:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.013
LG 18.218.130.59:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.218.130.59:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.218.130.59:443/Controller Connection/Ping Duration (ms)					
104	140.5	184	139	139.7	11.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.218.130.59:443/Network/Segments sent/sec.					
4.8	1,706	4,650	1,638	1,664	957.5
LG 18.218.130.59:443/Network/Segments retransmitted/sec.					
0	0.153	12.8	0	0.01	1.01
LG 18.218.130.59:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	32.5	115.7	30.5	31.5	19.6
LG 18.218.130.59:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.04	5.95	1.95	2	1.11

LG 18.218.224.57:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.218.224.57:443/CPU Load					
0	9.45	28	10	9.36	4.88
LG 18.218.224.57:443/Memory Used					
2	18.6	39	17	18.4	8.02
LG 18.218.224.57:443/Throughput					
0	29.5	64.6	31.8	29.6	14.9
LG 18.218.224.57:443/User Load					
0	39.6	64	46	40.2	19.3
LG 18.218.224.57:443/Thread Count					
38	119.6	157	127	120.8	29.3
LG 18.218.224.57:443/Http client/Thread Pool used					
0.1	0.1	0.125	0.1	0.1	0.003
LG 18.218.224.57:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 18.218.224.57:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.218.224.57:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.218.224.57:443/Controller Connection/Ping Duration (ms)					
87	121.2	185	131	120.2	25.2
LG 18.218.224.57:443/Network/Segments sent/sec.					
1.6	1,607	3,453	1,738	1,617	794.3
LG 18.218.224.57:443/Network/Segments retransmitted/sec.					
0	0.142	13.8	0	0.009	0.995
LG 18.218.224.57:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.6	69.2	33.9	31.7	16
LG 18.218.224.57:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.97	4.01	2.2	1.99	0.927

LG 18.218.48.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.218.48.132:443/CPU Load					
0	8.12	24	8	7.97	4.31
LG 18.218.48.132:443/Memory Used					
2	17.4	41	16	17.2	7.54
LG 18.218.48.132:443/Throughput					
0	29.4	79.1	29.7	29.3	15.4
LG 18.218.48.132:443/User Load					
0	39.6	64	46	40.2	19.4
LG 18.218.48.132:443/Thread Count					
38	119.7	156	128	120.9	29.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.218.48.132:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 18.218.48.132:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 18.218.48.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.218.48.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.218.48.132:443/Controller Connection/Ping Duration (ms)					
117	144.9	189	143	143.7	11.7
LG 18.218.48.132:443/Network/Segments sent/sec.					
1.6	1,673	3,960	1,694	1,669	847.7
LG 18.218.48.132:443/Network/Segments retransmitted/sec.					
0	0.139	12.2	0	0.009	0.984
LG 18.218.48.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.5	84.8	31.6	31.4	16.5
LG 18.218.48.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	4.78	2.04	2	0.972

LG 18.219.238.49:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.219.238.49:443/CPU Load					
0	8.69	25	8	8.58	4.65
LG 18.219.238.49:443/Memory Used					
3	19	42	17	18.7	8.92
LG 18.219.238.49:443/Throughput					
0	30.1	72.6	29.9	30	16.2
LG 18.219.238.49:443/User Load					
0	40.2	65	47	40.9	19.6
LG 18.219.238.49:443/Thread Count					
39	121	163	129	122.1	29.3
LG 18.219.238.49:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.005
LG 18.219.238.49:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 18.219.238.49:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.219.238.49:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.219.238.49:443/Controller Connection/Ping Duration (ms)					
95	140.6	152	142	141.9	9.2
LG 18.219.238.49:443/Network/Segments sent/sec.					
1.6	1,706	3,613	1,732	1,704	881.9
LG 18.219.238.49:443/Network/Segments retransmitted/sec.					
0	0.124	10.8	0	0.013	0.89
LG 18.219.238.49:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.3	76.8	32.2	32.2	17.4
LG 18.219.238.49:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.04	4.19	2.05	2.04	1.01

LG 18.219.248.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.219.248.179:443/CPU Load					
0	8.81	27	8	8.61	4.91
LG 18.219.248.179:443/Memory Used					
2	18	42	17	17.9	7.58
LG 18.219.248.179:443/Throughput					
0	30.4	94.6	29.4	29.7	17.2
LG 18.219.248.179:443/User Load					
0	40.6	65	47	41.3	19.4
LG 18.219.248.179:443/Thread Count					
38	122.1	164	128	123.2	30.4
LG 18.219.248.179:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 18.219.248.179:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.011
LG 18.219.248.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.219.248.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.219.248.179:443/Controller Connection/Ping Duration (ms)					
133	144.3	186	142	142.4	9.71
LG 18.219.248.179:443/Network/Segments sent/sec.					
5.8	1,684	4,709	1,629	1,656	897
LG 18.219.248.179:443/Network/Segments retransmitted/sec.					
0	0.14	11.8	0	0.013	0.968
LG 18.219.248.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	32.5	100.8	31.6	31.8	18.4
LG 18.219.248.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.03	5.87	2.01	2.01	1.05

LG 18.219.48.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.219.48.68:443/CPU Load					
0	8.6	25	8	8.37	4.88
LG 18.219.48.68:443/Memory Used					
2	19.1	38	19	18.9	7.97
LG 18.219.48.68:443/Throughput					
0	30.2	98.1	28.1	29.7	17.2
LG 18.219.48.68:443/User Load					
0	40.3	64	47	40.9	19.1
LG 18.219.48.68:443/Thread Count					
39	122.2	165	128	123.3	31
LG 18.219.48.68:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.005
LG 18.219.48.68:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 18.219.48.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.219.48.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.219.48.68:443/Controller Connection/Ping Duration (ms)					
75	139.6	179	140	140.2	14.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.219.48.68:443/Network/Segments sent/sec.					
1.6	1,706	4,804	1,620	1,687	919.9
LG 18.219.48.68:443/Network/Segments retransmitted/sec.					
0	0.12	11	0	0.018	0.787
LG 18.219.48.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.4	104.9	30.2	31.8	18.5
LG 18.219.48.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.04	5.47	1.93	2.02	1.06

LG 18.219.80.74:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.219.80.74:443/CPU Load					
0	8.89	30	8	8.6	5.13
LG 18.219.80.74:443/Memory Used					
2	17.8	38	16	17.6	7.68
LG 18.219.80.74:443/Throughput					
0	30.4	123.8	28.6	29.3	18.5
LG 18.219.80.74:443/User Load					
0	40.2	64	46	40.8	19.3
LG 18.219.80.74:443/Thread Count					
38	122.6	166	130	123.7	31.3
LG 18.219.80.74:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.005
LG 18.219.80.74:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 18.219.80.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.219.80.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.219.80.74:443/Controller Connection/Ping Duration (ms)					
125	145.2	190	143	143.7	11.8
LG 18.219.80.74:443/Network/Segments sent/sec.					
5.8	1,721	6,134	1,669	1,676	977.5
LG 18.219.80.74:443/Network/Segments retransmitted/sec.					
0	0.158	12	0	0.005	1.12
LG 18.219.80.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	32.5	131.8	31	31.4	19.7
LG 18.219.80.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.05	6.23	2.05	2.01	1.12

LG 18.219.93.96:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.219.93.96:443/CPU Load					
0	8.01	26	8	7.91	4.19
LG 18.219.93.96:443/Memory Used					
1	17.8	39	17	17.7	6.99
LG 18.219.93.96:443/Throughput					
0	29.8	76.9	28.7	29.8	15.2
LG 18.219.93.96:443/User Load					
0	40	64	46	40.7	19
LG 18.219.93.96:443/Thread Count					
38	120.2	157	127	121.5	29

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.219.93.96:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 18.219.93.96:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 18.219.93.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.219.93.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.219.93.96:443/Controller Connection/Ping Duration (ms)					
84	124.5	184	137	123.9	24.1
LG 18.219.93.96:443/Network/Segments sent/sec.					
2.43	1,669	4,082	1,681	1,677	828.2
LG 18.219.93.96:443/Network/Segments retransmitted/sec.					
0	0.161	12	0	0.016	1.03
LG 18.219.93.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	31.9	81.6	30.9	32	16.3
LG 18.219.93.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.01	4.48	2.07	2.03	0.953

LG 18.220.10.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.10.243:443/CPU Load					
0	9.2	39	9	8.87	5.44
LG 18.220.10.243:443/Memory Used					
2	18.3	42	18	18	8.16
LG 18.220.10.243:443/Throughput					
0	30.2	129.8	28.9	29.5	17.3
LG 18.220.10.243:443/User Load					
0	39.9	64	46	40.6	19.1
LG 18.220.10.243:443/Thread Count					
38	121.8	166	129	122.8	30.9
LG 18.220.10.243:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 18.220.10.243:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.013
LG 18.220.10.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.220.10.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.220.10.243:443/Controller Connection/Ping Duration (ms)					
132	146.4	187	143	144.7	12
LG 18.220.10.243:443/Network/Segments sent/sec.					
5.8	1,705	5,306	1,672	1,675	921.6
LG 18.220.10.243:443/Network/Segments retransmitted/sec.					
0	0.152	13	0	0.009	0.974
LG 18.220.10.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	32.3	136.8	30.9	31.6	18.5
LG 18.220.10.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.04	6.23	2.01	2.01	1.07

LG 18.220.116.173:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.116.173:443/CPU Load					
0	8.29	25	8	8.07	4.68
LG 18.220.116.173:443/Memory Used					
2	18.5	37	18	18.3	7.8
LG 18.220.116.173:443/Throughput					
0	30.2	92.9	30.1	29.6	17
LG 18.220.116.173:443/User Load					
0	39.7	64	46	40.4	19.2
LG 18.220.116.173:443/Thread Count					
38	120.3	158	127	121.5	30.1
LG 18.220.116.173:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 18.220.116.173:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 18.220.116.173:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.220.116.173:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.220.116.173:443/Controller Connection/Ping Duration (ms)					
101	138.9	181	140	139.6	9.67
LG 18.220.116.173:443/Network/Segments sent/sec.					
1.6	1,689	4,420	1,745	1,664	899.8
LG 18.220.116.173:443/Network/Segments retransmitted/sec.					
0	0.16	11.6	0	0.008	0.993
LG 18.220.116.173:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.3	98.5	32.3	31.7	18.2
LG 18.220.116.173:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.03	5.09	2.11	2	1.05

LG 18.220.129.27:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.129.27:443/CPU Load					
0	8.66	32	8	8.31	5.35
LG 18.220.129.27:443/Memory Used					
2	18.4	41	17	18.2	7.55
LG 18.220.129.27:443/Throughput					
0	30	110.9	28.7	29.1	18.4
LG 18.220.129.27:443/User Load					
0	39.9	64	46	40.6	19.1
LG 18.220.129.27:443/Thread Count					
39	122.1	166	129	123.2	31
LG 18.220.129.27:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.005
LG 18.220.129.27:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.008
LG 18.220.129.27:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.220.129.27:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.220.129.27:443/Controller Connection/Ping Duration (ms)					
76	141.9	184	142	142.2	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.129.27:443/Network/Segments sent/sec.					
1.6	1,675	5,110	1,629	1,631	975.7
LG 18.220.129.27:443/Network/Segments retransmitted/sec.					
0	0.124	18.4	0	0.006	1.08
LG 18.220.129.27:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.2	118.4	30.7	31.1	19.7
LG 18.220.129.27:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	6.36	1.98	1.97	1.14

LG 18.220.162.67:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.162.67:443/CPU Load					
0	8.54	28	8	8.23	5.13
LG 18.220.162.67:443/Memory Used					
2	18.5	39	17	18.3	8.02
LG 18.220.162.67:443/Throughput					
0	29.8	117	28	28.8	18.3
LG 18.220.162.67:443/User Load					
0	39.8	64	46	40.5	19.2
LG 18.220.162.67:443/Thread Count					
38	121.2	161	129	122.4	30.5
LG 18.220.162.67:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.005
LG 18.220.162.67:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.01
LG 18.220.162.67:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.220.162.67:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.220.162.67:443/Controller Connection/Ping Duration (ms)					
79	134.7	141	138	137	12.8
LG 18.220.162.67:443/Network/Segments sent/sec.					
3.6	1,683	5,281	1,596	1,639	969.5
LG 18.220.162.67:443/Network/Segments retransmitted/sec.					
0	0.155	16.1	0	0.016	1.11
LG 18.220.162.67:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	31.9	124	30.2	30.8	19.6
LG 18.220.162.67:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2.01	6	1.99	1.97	1.12

LG 18.220.181.63:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.181.63:443/CPU Load					
0	8.68	28	9	8.6	4.39
LG 18.220.181.63:443/Memory Used					
3	18.2	43	17	17.9	7.77
LG 18.220.181.63:443/Throughput					
0	29.9	63.6	30.5	30	15.2
LG 18.220.181.63:443/User Load					
0	39.9	64	46	40.5	19.2
LG 18.220.181.63:443/Thread Count					
39	120.2	157	128	121.5	28.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.181.63:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 18.220.181.63:443/Http client/Task Pool used					
0	0.001	0.233	0	0	0.013
LG 18.220.181.63:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.220.181.63:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.220.181.63:443/Controller Connection/Ping Duration (ms)					
73	122.4	187	126	121.2	29.6
LG 18.220.181.63:443/Network/Segments sent/sec.					
1.6	1,656	3,487	1,674	1,664	813.1
LG 18.220.181.63:443/Network/Segments retransmitted/sec.					
0	0.134	13.2	0	0.007	0.972
LG 18.220.181.63:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32	67.7	32.8	32.1	16.2
LG 18.220.181.63:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	3.85	2.1	2.02	0.947

LG 18.220.58.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.58.2:443/CPU Load					
0	8.17	27	8	7.9	4.85
LG 18.220.58.2:443/Memory Used					
2	18.2	38	17	17.9	8
LG 18.220.58.2:443/Throughput					
0	29.5	117.7	28.4	28.6	17.6
LG 18.220.58.2:443/User Load					
0	39.5	64	46	40.2	19.3
LG 18.220.58.2:443/Thread Count					
38	120.6	162	128	121.8	30.6
LG 18.220.58.2:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.101	0.011
LG 18.220.58.2:443/Http client/Task Pool used					
0	0.002	0.183	0	0	0.012
LG 18.220.58.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.220.58.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.220.58.2:443/Controller Connection/Ping Duration (ms)					
80	133.1	353	141	127.6	45.9
LG 18.220.58.2:443/Network/Segments sent/sec.					
1.6	1,662	5,467	1,587	1,622	937.8
LG 18.220.58.2:443/Network/Segments retransmitted/sec.					
0	0.133	12	0	0.008	0.958
LG 18.220.58.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.6	125.3	30.4	30.7	18.8
LG 18.220.58.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	6.52	1.98	1.95	1.09

LG 18.220.89.222:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.220.89.222:443/CPU Load					
0	8.75	28	9	8.68	4.56
LG 18.220.89.222:443/Memory Used					
2	17.5	41	16	17.3	7.43
LG 18.220.89.222:443/Throughput					
0	29.4	66.2	30.8	29.4	15.1
LG 18.220.89.222:443/User Load					
0	39.5	64	45.5	40.2	19.3
LG 18.220.89.222:443/Thread Count					
38	119.4	157	126	120.7	29.7
LG 18.220.89.222:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 18.220.89.222:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.007
LG 18.220.89.222:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.220.89.222:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.220.89.222:443/Controller Connection/Ping Duration (ms)					
102	141.9	146	143	143.1	7.32
LG 18.220.89.222:443/Network/Segments sent/sec.					
1.6	1,610	3,637	1,734	1,615	807.2
LG 18.220.89.222:443/Network/Segments retransmitted/sec.					
0	0.122	10	0	0.007	0.849
LG 18.220.89.222:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.4	70.9	32.9	31.5	16.2
LG 18.220.89.222:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.97	4.18	2.13	1.98	0.947

LG 18.221.103.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.103.156:443/CPU Load					
0	8.31	24	8	8.14	4.55
LG 18.221.103.156:443/Memory Used					
2	18.3	39	17	17.9	8.04
LG 18.221.103.156:443/Throughput					
0	29.7	97.3	28.5	29.2	17
LG 18.221.103.156:443/User Load					
0	39.9	64	46.5	40.6	19.2
LG 18.221.103.156:443/Thread Count					
38	121.4	161	128.5	122.6	30.8
LG 18.221.103.156:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.005
LG 18.221.103.156:443/Http client/Task Pool used					
0	0.002	0.2	0	0	0.012
LG 18.221.103.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.103.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.103.156:443/Controller Connection/Ping Duration (ms)					
90	118.2	149	131	118.3	22.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.103.156:443/Network/Segments sent/sec.					
1.6	1,676	4,752	1,625	1,655	906.8
LG 18.221.103.156:443/Network/Segments retransmitted/sec.					
0	0.141	9.2	0	0.004	0.889
LG 18.221.103.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.8	102.8	30.7	31.2	18.2
LG 18.221.103.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.01	5.66	1.99	1.99	1.05

LG 18.221.127.250:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.127.250:443/CPU Load					
0	8.74	28	8	8.54	4.91
LG 18.221.127.250:443/Memory Used					
2	19	40	18	18.9	7.82
LG 18.221.127.250:443/Throughput					
0	30	98.3	29.2	29.5	17.1
LG 18.221.127.250:443/User Load					
0	40	64	46	40.6	19.1
LG 18.221.127.250:443/Thread Count					
38	121.1	162	127	122.2	30.6
LG 18.221.127.250:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 18.221.127.250:443/Http client/Task Pool used					
0	0.002	0.183	0	0	0.011
LG 18.221.127.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.127.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.127.250:443/Controller Connection/Ping Duration (ms)					
125	136.2	152	136	136	3.43
LG 18.221.127.250:443/Network/Segments sent/sec.					
3.6	1,665	4,812	1,640	1,642	900
LG 18.221.127.250:443/Network/Segments retransmitted/sec.					
0	0.17	12	0	0.014	1.03
LG 18.221.127.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32.2	104	31.2	31.5	18.3
LG 18.221.127.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2.02	5.87	2.09	1.99	1.05

LG 18.221.164.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.164.166:443/CPU Load					
0	9.4	36	9	9.14	5.39
LG 18.221.164.166:443/Memory Used					
2	18.9	41	18	18.7	7.93
LG 18.221.164.166:443/Throughput					
0	30.2	99.2	28.9	29.6	17.5
LG 18.221.164.166:443/User Load					
0	39.5	64	46	40.1	19.5
LG 18.221.164.166:443/Thread Count					
38	120.6	160	128	121.8	30.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.164.166:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 18.221.164.166:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 18.221.164.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.164.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.164.166:443/Controller Connection/Ping Duration (ms)					
88	120.2	146	105	120.5	23.1
LG 18.221.164.166:443/Network/Segments sent/sec.					
2.4	1,665	4,545	1,640	1,641	905.1
LG 18.221.164.166:443/Network/Segments retransmitted/sec.					
0	0.145	11.8	0	0.011	0.95
LG 18.221.164.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	32.4	105.7	30.9	31.7	18.6
LG 18.221.164.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	5.52	2.04	1.99	1.06

LG 18.221.175.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.175.5:443/CPU Load					
0	8.72	33	8	8.41	5.24
LG 18.221.175.5:443/Memory Used					
2	18.5	40	18	18.3	7.51
LG 18.221.175.5:443/Throughput					
0	29.9	115.8	28.4	29.1	17.6
LG 18.221.175.5:443/User Load					
0	40.2	64	46	40.8	19.2
LG 18.221.175.5:443/Thread Count					
39	121.4	161	127	122.5	30.1
LG 18.221.175.5:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.005
LG 18.221.175.5:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 18.221.175.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.175.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.175.5:443/Controller Connection/Ping Duration (ms)					
124	140.1	183	139	138.8	9.82
LG 18.221.175.5:443/Network/Segments sent/sec.					
1.6	1,673	5,346	1,591	1,640	926.7
LG 18.221.175.5:443/Network/Segments retransmitted/sec.					
0	0.183	17.6	0	0.004	1.35
LG 18.221.175.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32	122.9	30.4	31.2	18.8
LG 18.221.175.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.01	6.14	1.92	1.97	1.08

LG 18.221.198.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.198.73:443/CPU Load					
0	8.15	25	8	8.01	4.43
LG 18.221.198.73:443/Memory Used					
2	16.9	32	17	17	5.86
LG 18.221.198.73:443/Throughput					
0	29.6	113.6	28.2	29.3	16.4
LG 18.221.198.73:443/User Load					
0	39.9	64	46	40.5	19.1
LG 18.221.198.73:443/Thread Count					
38	120.2	157	127	121.5	29.3
LG 18.221.198.73:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.005
LG 18.221.198.73:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.005
LG 18.221.198.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.198.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.198.73:443/Controller Connection/Ping Duration (ms)					
114	137.7	184	138	137.1	9.99
LG 18.221.198.73:443/Network/Segments sent/sec.					
1.6	1,690	5,000	1,651	1,678	888.4
LG 18.221.198.73:443/Network/Segments retransmitted/sec.					
0	0.133	11.6	0	0.006	0.893
LG 18.221.198.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.7	119.9	30.2	31.4	17.6
LG 18.221.198.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.01	5.82	1.99	2	1.02

LG 18.221.225.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.225.0:443/CPU Load					
0	8.67	36	9	8.55	4.44
LG 18.221.225.0:443/Memory Used					
2	19.1	43	18	18.9	8.46
LG 18.221.225.0:443/Throughput					
0	30	69.7	32	30.1	15
LG 18.221.225.0:443/User Load					
0	40	64	46	40.7	19
LG 18.221.225.0:443/Thread Count					
39	120.1	159	128	121.2	28.9
LG 18.221.225.0:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 18.221.225.0:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 18.221.225.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.225.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.225.0:443/Controller Connection/Ping Duration (ms)					
133	146.6	188	143	144.9	12.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.225.0:443/Network/Segments sent/sec.					
1.6	1,671	3,751	1,806	1,682	806.2
LG 18.221.225.0:443/Network/Segments retransmitted/sec.					
0	0.121	10	0	0.013	0.739
LG 18.221.225.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.1	74	34	32.3	16
LG 18.221.225.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	4.24	2.25	2.04	0.938

LG 18.221.226.173:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.226.173:443/CPU Load					
0	8.99	24	9	8.78	5.07
LG 18.221.226.173:443/Memory Used					
2	18.4	38	17	18.3	7.96
LG 18.221.226.173:443/Throughput					
0	30.2	88.3	29.6	29.6	17.2
LG 18.221.226.173:443/User Load					
0	40.1	64	46	40.8	19.3
LG 18.221.226.173:443/Thread Count					
38	121.4	161	127	122.6	30
LG 18.221.226.173:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 18.221.226.173:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 18.221.226.173:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.226.173:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.226.173:443/Controller Connection/Ping Duration (ms)					
75	116.5	152	100	116.8	24
LG 18.221.226.173:443/Network/Segments sent/sec.					
5.6	1,683	4,532	1,656	1,658	915.7
LG 18.221.226.173:443/Network/Segments retransmitted/sec.					
0	0.133	12.2	0	0.012	0.93
LG 18.221.226.173:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	32.3	94.1	32	31.6	18.4
LG 18.221.226.173:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.02	4.87	2	2	1.06

LG 18.221.31.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.31.189:443/CPU Load					
0	8.31	31	8	8.02	5.03
LG 18.221.31.189:443/Memory Used					
2	18.1	42	17	17.8	7.76
LG 18.221.31.189:443/Throughput					
0	29.4	112	27.6	28.3	18
LG 18.221.31.189:443/User Load					
0	39.5	64	46	40.2	19.3
LG 18.221.31.189:443/Thread Count					
38	120.1	158	128	121.4	30.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.31.189:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 18.221.31.189:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 18.221.31.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.31.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.31.189:443/Controller Connection/Ping Duration (ms)					
74	140.6	183	141	141.2	14.8
LG 18.221.31.189:443/Network/Segments sent/sec.					
1.6	1,640	5,416	1,579	1,596	939.7
LG 18.221.31.189:443/Network/Segments retransmitted/sec.					
0	0.145	11.4	0	0.006	0.996
LG 18.221.31.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.5	118.2	29.7	30.3	19.3
LG 18.221.31.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.97	5.61	1.96	1.94	1.07

LG 18.221.34.49:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.34.49:443/CPU Load					
0	8.8	27	8	8.51	5.1
LG 18.221.34.49:443/Memory Used					
2	19	42	18	18.7	8.47
LG 18.221.34.49:443/Throughput					
0	30.3	96.5	29.2	29.6	17.5
LG 18.221.34.49:443/User Load					
0	40	64	46	40.6	19.2
LG 18.221.34.49:443/Thread Count					
38	120.9	161	128	122.1	29.6
LG 18.221.34.49:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.101	0.006
LG 18.221.34.49:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 18.221.34.49:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.34.49:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.34.49:443/Controller Connection/Ping Duration (ms)					
88	140.9	184	143	142.1	13.1
LG 18.221.34.49:443/Network/Segments sent/sec.					
4.2	1,671	4,950	1,643	1,641	912.2
LG 18.221.34.49:443/Network/Segments retransmitted/sec.					
0	0.157	14.8	0	0.016	1.09
LG 18.221.34.49:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	32.5	103.2	31.3	31.7	18.8
LG 18.221.34.49:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	2.02	5.68	2.01	1.99	1.06

LG 18.221.65.238:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.221.65.238:443/CPU Load					
0	9.11	34	8	8.73	5.76
LG 18.221.65.238:443/Memory Used					
2	19.2	43	18	19	7.88
LG 18.221.65.238:443/Throughput					
0	30.2	138	29.1	29.2	18.8
LG 18.221.65.238:443/User Load					
0	40.3	65	47	41	19.4
LG 18.221.65.238:443/Thread Count					
38	122.7	167	128	123.7	31.6
LG 18.221.65.238:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.1	0.007
LG 18.221.65.238:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 18.221.65.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.221.65.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.221.65.238:443/Controller Connection/Ping Duration (ms)					
96	141.2	147	143	142.7	8.46
LG 18.221.65.238:443/Network/Segments sent/sec.					
5.6	1,697	5,674	1,665	1,655	976.8
LG 18.221.65.238:443/Network/Segments retransmitted/sec.					
0	0.131	14	0	0.009	0.937
LG 18.221.65.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	32.4	145.3	31	31.3	20.1
LG 18.221.65.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.04	6.23	1.99	1.99	1.14

LG 18.222.109.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.109.14:443/CPU Load					
0	8.29	26	8	8.14	4.39
LG 18.222.109.14:443/Memory Used					
2	18.2	41	17	18	7.85
LG 18.222.109.14:443/Throughput					
0	30	89.5	28.9	29.6	16.4
LG 18.222.109.14:443/User Load					
0	40	64	47	40.7	19.1
LG 18.222.109.14:443/Thread Count					
38	121.7	165	129	122.8	31.4
LG 18.222.109.14:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 18.222.109.14:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 18.222.109.14:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.222.109.14:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.222.109.14:443/Controller Connection/Ping Duration (ms)					
81	119.1	182	130	118.8	24.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.109.14:443/Network/Segments sent/sec.					
1.6	1,704	4,126	1,656	1,691	884.2
LG 18.222.109.14:443/Network/Segments retransmitted/sec.					
0	0.126	10.6	0	0.009	0.862
LG 18.222.109.14:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.1	94.6	30.8	31.7	17.6
LG 18.222.109.14:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.03	4.79	2.02	2.02	1.01

LG 18.222.109.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.109.203:443/CPU Load					
0	8.54	24	9	8.45	4.46
LG 18.222.109.203:443/Memory Used					
1	17.9	42	17	17.7	7.8
LG 18.222.109.203:443/Throughput					
0	29.6	66.6	30.6	29.7	15.1
LG 18.222.109.203:443/User Load					
0	40	64	46	40.6	19
LG 18.222.109.203:443/Thread Count					
38	120.1	156	128.5	121.4	28.9
LG 18.222.109.203:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 18.222.109.203:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 18.222.109.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.222.109.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.222.109.203:443/Controller Connection/Ping Duration (ms)					
94	139.5	184	141	140.1	13.9
LG 18.222.109.203:443/Network/Segments sent/sec.					
5.6	1,650	3,574	1,704	1,659	813
LG 18.222.109.203:443/Network/Segments retransmitted/sec.					
0	0.134	9.2	0	0.016	0.8
LG 18.222.109.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	31.7	71	32.7	31.8	16.2
LG 18.222.109.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	1.99	3.93	2.1	2.01	0.946

LG 18.222.140.55:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.140.55:443/CPU Load					
0	8.82	25	9	8.69	4.66
LG 18.222.140.55:443/Memory Used					
2	19.6	43	19	19.5	8.57
LG 18.222.140.55:443/Throughput					
0	30	95.7	31	29.9	15.8
LG 18.222.140.55:443/User Load					
0	40	64	46	40.6	19
LG 18.222.140.55:443/Thread Count					
38	121.9	163	127	123	30.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.140.55:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 18.222.140.55:443/Http client/Task Pool used					
0	0.001	0.183	0	0	0.011
LG 18.222.140.55:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.222.140.55:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.222.140.55:443/Controller Connection/Ping Duration (ms)					
99	138.5	173	139	138.9	9.63
LG 18.222.140.55:443/Network/Segments sent/sec.					
1.6	1,667	4,256	1,678	1,665	845.7
LG 18.222.140.55:443/Network/Segments retransmitted/sec.					
0	0.124	11	0	0.006	0.863
LG 18.222.140.55:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.2	101.3	32.9	32	17
LG 18.222.140.55:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.01	5.22	2.15	2.01	0.988

LG 18.222.205.109:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.205.109:443/CPU Load					
0	8.39	22	8	8.28	4.42
LG 18.222.205.109:443/Memory Used					
2	18.1	42	17	17.7	8.01
LG 18.222.205.109:443/Throughput					
0	30.2	76	31.4	30	15.8
LG 18.222.205.109:443/User Load					
0	40.3	64	46	40.9	19.1
LG 18.222.205.109:443/Thread Count					
38	121.2	162	127	122.4	29.9
LG 18.222.205.109:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 18.222.205.109:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 18.222.205.109:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.222.205.109:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.222.205.109:443/Controller Connection/Ping Duration (ms)					
85	112.8	140	97	112.7	22.9
LG 18.222.205.109:443/Network/Segments sent/sec.					
1.6	1,700	3,790	1,768	1,694	859.1
LG 18.222.205.109:443/Network/Segments retransmitted/sec.					
0	0.132	10.2	0	0.018	0.858
LG 18.222.205.109:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.3	80.3	33.5	32.1	16.9
LG 18.222.205.109:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.04	4.49	2.13	2.04	0.993

LG 18.222.23.54:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.23.54:443/CPU Load					
0	8.97	28	9	8.76	5.01
LG 18.222.23.54:443/Memory Used					
3	17.8	41	17	17.5	7.66
LG 18.222.23.54:443/Throughput					
0	30.2	106.6	28.9	29.6	17
LG 18.222.23.54:443/User Load					
0	39.8	64	46	40.5	19.3
LG 18.222.23.54:443/Thread Count					
38	120.3	159	128.5	121.5	29.9
LG 18.222.23.54:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 18.222.23.54:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.009
LG 18.222.23.54:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.222.23.54:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.222.23.54:443/Controller Connection/Ping Duration (ms)					
72	116.2	181	99	115.5	26.2
LG 18.222.23.54:443/Network/Segments sent/sec.					
1.6	1,677	4,757	1,621	1,653	898.3
LG 18.222.23.54:443/Network/Segments retransmitted/sec.					
0	0.168	17.1	0	0.007	1.26
LG 18.222.23.54:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.3	113.6	31	31.7	18.2
LG 18.222.23.54:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	5.97	2.05	2	1.06

LG 18.222.30.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.30.102:443/CPU Load					
0	8.97	38	9	8.8	4.73
LG 18.222.30.102:443/Memory Used					
2	19.5	39	19	19.3	8.09
LG 18.222.30.102:443/Throughput					
0	30.4	84.8	30.8	30	16.6
LG 18.222.30.102:443/User Load					
0	40.4	64	46.5	41.1	19
LG 18.222.30.102:443/Thread Count					
38	121.9	161	127.5	123.1	30.6
LG 18.222.30.102:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 18.222.30.102:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.005
LG 18.222.30.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.222.30.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.222.30.102:443/Controller Connection/Ping Duration (ms)					
77	114.4	162	99	113.7	25.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.30.102:443/Network/Segments sent/sec.					
5.6	1,702	4,594	1,752	1,683	904.9
LG 18.222.30.102:443/Network/Segments retransmitted/sec.					
0	0.127	12	0	0.007	0.943
LG 18.222.30.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	32.5	90.9	32.9	32.1	17.8
LG 18.222.30.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.04	5.58	2.16	2.03	1.03

LG 18.222.54.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.222.54.242:443/CPU Load					
0	8.46	29	7	8.16	5.34
LG 18.222.54.242:443/Memory Used					
2	17.3	43	17	17	7.27
LG 18.222.54.242:443/Throughput					
0	29.4	111.1	25.2	28.6	18.5
LG 18.222.54.242:443/User Load					
0	39.6	64	46	40.3	19.3
LG 18.222.54.242:443/Thread Count					
38	121.9	165	128	123	31.8
LG 18.222.54.242:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 18.222.54.242:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 18.222.54.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.222.54.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.222.54.242:443/Controller Connection/Ping Duration (ms)					
130	142.6	180	140	141.2	8.86
LG 18.222.54.242:443/Network/Segments sent/sec.					
1.6	1,638	5,644	1,441	1,604	982.4
LG 18.222.54.242:443/Network/Segments retransmitted/sec.					
0	0.135	11.6	0	0.007	0.916
LG 18.222.54.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.4	118.5	27.1	30.6	19.8
LG 18.222.54.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.98	6.1	1.78	1.94	1.14

LG 18.223.143.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.223.143.2:443/CPU Load					
0	8.35	27	8	8.15	4.6
LG 18.223.143.2:443/Memory Used					
2	17.6	40	16	17.2	7.53
LG 18.223.143.2:443/Throughput					
0	30.5	116.7	30.1	29.9	17
LG 18.223.143.2:443/User Load					
0	40.1	64	46	40.8	19.3
LG 18.223.143.2:443/Thread Count					
38	121.1	161	127	122.3	30

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.223.143.2:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 18.223.143.2:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 18.223.143.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.223.143.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.223.143.2:443/Controller Connection/Ping Duration (ms)					
131	142.5	188	140	140.8	9.87
LG 18.223.143.2:443/Network/Segments sent/sec.					
3.2	1,744	5,498	1,746	1,718	923
LG 18.223.143.2:443/Network/Segments retransmitted/sec.					
0	0.113	11.8	0	0.005	0.835
LG 18.223.143.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	32.6	123.7	32.7	32	18.1
LG 18.223.143.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.06	5.93	2.14	2.05	1.04

LG 18.223.209.128:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.223.209.128:443/CPU Load					
0	8.92	30	8	8.63	5.37
LG 18.223.209.128:443/Memory Used					
2	19.1	41	19	18.9	8.26
LG 18.223.209.128:443/Throughput					
0	30	111	28.5	29.3	17.7
LG 18.223.209.128:443/User Load					
0	40	64	46	40.6	19.1
LG 18.223.209.128:443/Thread Count					
38	121.9	166	128	123	31.5
LG 18.223.209.128:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 18.223.209.128:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 18.223.209.128:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.223.209.128:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.223.209.128:443/Controller Connection/Ping Duration (ms)					
128	141	181	139	139.3	10.59
LG 18.223.209.128:443/Network/Segments sent/sec.					
1.6	1,675	5,217	1,624	1,647	921.9
LG 18.223.209.128:443/Network/Segments retransmitted/sec.					
0	0.137	8.8	0	0.009	0.899
LG 18.223.209.128:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.1	117.9	30.3	31.3	18.9
LG 18.223.209.128:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.01	6.31	1.97	1.99	1.08

LG 18.224.140.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.140.133:443/CPU Load					
0	8.25	23	8	8.16	4.35
LG 18.224.140.133:443/Memory Used					
2	17.5	40	17	17.2	7.22
LG 18.224.140.133:443/Throughput					
0	30.1	68.4	30	30.1	15.7
LG 18.224.140.133:443/User Load					
0	40.3	65	47	40.9	19.5
LG 18.224.140.133:443/Thread Count					
39	121.1	162	129	122.2	29.9
LG 18.224.140.133:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 18.224.140.133:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 18.224.140.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.224.140.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.224.140.133:443/Controller Connection/Ping Duration (ms)					
73	143.9	189	142	143	14.1
LG 18.224.140.133:443/Network/Segments sent/sec.					
1.6	1,673	3,356	1,730	1,679	837.9
LG 18.224.140.133:443/Network/Segments retransmitted/sec.					
0	0.127	11	0	0.008	0.935
LG 18.224.140.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.2	72.8	32.1	32.3	16.9
LG 18.224.140.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	3.88	2.12	2.04	0.972

LG 18.224.16.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.16.166:443/CPU Load					
0	9.05	26	9	8.92	4.85
LG 18.224.16.166:443/Memory Used					
3	17.7	43	17	17.4	8
LG 18.224.16.166:443/Throughput					
0	29.7	67.7	31.4	29.4	15.9
LG 18.224.16.166:443/User Load					
0	39.5	64	46	40.1	19.5
LG 18.224.16.166:443/Thread Count					
38	119.1	161	128.5	120.3	29.6
LG 18.224.16.166:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 18.224.16.166:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 18.224.16.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.224.16.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.224.16.166:443/Controller Connection/Ping Duration (ms)					
72	115.6	184	102	114.7	25.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.16.166:443/Network/Segments sent/sec.					
1.6	1,636	3,652	1,743	1,629	839.6
LG 18.224.16.166:443/Network/Segments retransmitted/sec.					
0	0.129	9.4	0	0.018	0.754
LG 18.224.16.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.8	72.6	33.5	31.5	17
LG 18.224.16.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.99	4.36	2.18	1.98	0.987

LG 18.224.199.1:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.199.1:443/CPU Load					
0	8.22	27	8	8.06	4.48
LG 18.224.199.1:443/Memory Used					
2	18.6	41	17	18.4	8.43
LG 18.224.199.1:443/Throughput					
0	29.8	110.7	28.7	29.3	16.4
LG 18.224.199.1:443/User Load					
0	39.8	64	46	40.5	19.2
LG 18.224.199.1:443/Thread Count					
38	122.2	166	128	123.2	31.7
LG 18.224.199.1:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 18.224.199.1:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 18.224.199.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.224.199.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.224.199.1:443/Controller Connection/Ping Duration (ms)					
124	141.1	143	142	141.8	3.6
LG 18.224.199.1:443/Network/Segments sent/sec.					
2.6	1,662	4,906	1,598	1,647	870
LG 18.224.199.1:443/Network/Segments retransmitted/sec.					
0	1.12	12.8	1	0.986	1.14
LG 18.224.199.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.9	117.1	30.7	31.4	17.6
LG 18.224.199.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	6.53	2.01	1.99	1.02

LG 18.224.213.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.213.216:443/CPU Load					
0	8.85	30	8	8.71	4.86
LG 18.224.213.216:443/Memory Used					
3	16.5	36	16	16.4	6.56
LG 18.224.213.216:443/Throughput					
0	29.8	78.8	30.2	29.6	15.7
LG 18.224.213.216:443/User Load					
0	40.1	64	46.5	40.8	19
LG 18.224.213.216:443/Thread Count					
38	120.8	158	127.5	122.1	29.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.213.216:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.004
LG 18.224.213.216:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 18.224.213.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.224.213.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.224.213.216:443/Controller Connection/Ping Duration (ms)					
71	138	184	139	139.3	13.9
LG 18.224.213.216:443/Network/Segments sent/sec.					
4.4	1,670	3,829	1,711	1,667	843.9
LG 18.224.213.216:443/Network/Segments retransmitted/sec.					
0	0.136	17	0	0.005	1.11
LG 18.224.213.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	31.9	83.8	32.5	31.7	16.8
LG 18.224.213.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2.01	4.88	2.1	2.01	0.979

LG 18.224.252.70:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.252.70:443/CPU Load					
0	8.8	25	8	8.56	5.13
LG 18.224.252.70:443/Memory Used					
2	18.1	46	17	17.7	8.46
LG 18.224.252.70:443/Throughput					
0	30.4	106.6	28.7	29.5	18
LG 18.224.252.70:443/User Load					
0	40.4	64	46.5	41.1	19
LG 18.224.252.70:443/Thread Count					
39	122.9	167	128	123.9	31.6
LG 18.224.252.70:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 18.224.252.70:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 18.224.252.70:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.224.252.70:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.224.252.70:443/Controller Connection/Ping Duration (ms)					
90	144.1	189	143	144.5	32
LG 18.224.252.70:443/Network/Segments sent/sec.					
1.6	1,693	5,152	1,627	1,658	948
LG 18.224.252.70:443/Network/Segments retransmitted/sec.					
0	0.137	11.8	0	0.011	0.905
LG 18.224.252.70:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.5	113.8	30.7	31.6	19.3
LG 18.224.252.70:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.04	6.2	2.02	2	1.11

LG 18.224.44.90:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.44.90:443/CPU Load					
0	9.35	29	9	9.2	5.02
LG 18.224.44.90:443/Memory Used					
2	18.5	43	18	18.3	7.83
LG 18.224.44.90:443/Throughput					
0	29.7	96.4	30.4	29.2	16.5
LG 18.224.44.90:443/User Load					
0	39.8	64	46	40.5	19.3
LG 18.224.44.90:443/Thread Count					
38	121.4	164	127	122.5	31
LG 18.224.44.90:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 18.224.44.90:443/Http client/Task Pool used					
0	0.002	0.183	0	0	0.012
LG 18.224.44.90:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.224.44.90:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.224.44.90:443/Controller Connection/Ping Duration (ms)					
72	139.1	184	140	139.8	17.6
LG 18.224.44.90:443/Network/Segments sent/sec.					
1.6	1,620	4,764	1,671	1,600	864.4
LG 18.224.44.90:443/Network/Segments retransmitted/sec.					
0	0.141	12.8	0	0.011	0.934
LG 18.224.44.90:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.8	102.6	32.4	31.2	17.7
LG 18.224.44.90:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.98	5.28	2.06	1.96	1.01

LG 18.224.55.75:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.55.75:443/CPU Load					
0	8.8	29	8	8.49	5.36
LG 18.224.55.75:443/Memory Used					
2	18.1	44	17	17.9	7.61
LG 18.224.55.75:443/Throughput					
0	29.6	132.3	26.8	28.7	18
LG 18.224.55.75:443/User Load					
0	39.5	64	46	40.2	19.4
LG 18.224.55.75:443/Thread Count					
38	121.3	166	128	122.2	31.8
LG 18.224.55.75:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 18.224.55.75:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 18.224.55.75:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.224.55.75:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.224.55.75:443/Controller Connection/Ping Duration (ms)					
73	142.9	184	143	143.2	16.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.55.75:443/Network/Segments sent/sec.					
1.6	1,652	5,810	1,493	1,613	939.2
LG 18.224.55.75:443/Network/Segments retransmitted/sec.					
0	0.138	14.4	0	0.013	0.996
LG 18.224.55.75:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.7	139.6	28.3	30.7	19.3
LG 18.224.55.75:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.99	6.5	1.87	1.95	1.1

LG 18.224.71.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 18.224.71.169:443/CPU Load					
0	8.9	24	9	8.84	4.57
LG 18.224.71.169:443/Memory Used					
2	17.4	41	16	17.1	8.17
LG 18.224.71.169:443/Throughput					
0	30.1	71.1	31.6	29.9	16.3
LG 18.224.71.169:443/User Load					
0	39.9	64	46	40.5	19.2
LG 18.224.71.169:443/Thread Count					
38	120.3	158	129	121.6	29.3
LG 18.224.71.169:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 18.224.71.169:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 18.224.71.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 18.224.71.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 18.224.71.169:443/Controller Connection/Ping Duration (ms)					
72	116.8	180	101	116.8	26.1
LG 18.224.71.169:443/Network/Segments sent/sec.					
1.6	1,670	3,841	1,795	1,665	869.3
LG 18.224.71.169:443/Network/Segments retransmitted/sec.					
0	0.114	7.4	0	0.013	0.723
LG 18.224.71.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.2	75.7	33.9	32	17.4
LG 18.224.71.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	4.36	2.22	2.02	1.01

LG 3.133.12.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.133.12.157:443/CPU Load					
0	8.87	32	9	8.69	4.89
LG 3.133.12.157:443/Memory Used					
2	16.9	41	16	16.5	7.07
LG 3.133.12.157:443/Throughput					
0	29.7	134.9	29.4	28.9	17.6
LG 3.133.12.157:443/User Load					
0	40.2	64	46.5	40.9	19.1
LG 3.133.12.157:443/Thread Count					
39	123.5	172	127.5	124.3	32.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.133.12.157:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.1	0.009
LG 3.133.12.157:443/Http client/Task Pool used					
0	0.002	0.2	0	0	0.013
LG 3.133.12.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.133.12.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.133.12.157:443/Controller Connection/Ping Duration (ms)					
86	138.9	184	141	139.3	16.2
LG 3.133.12.157:443/Network/Segments sent/sec.					
1.6	1,660	5,541	1,666	1,629	923.2
LG 3.133.12.157:443/Network/Segments retransmitted/sec.					
0	0.153	13.6	0	0.004	1.15
LG 3.133.12.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.8	142.6	31.5	31	18.8
LG 3.133.12.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2	7	2.03	1.97	1.06

LG 3.133.13.199:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.133.13.199:443/CPU Load					
0	8.73	27	8	8.5	4.89
LG 3.133.13.199:443/Memory Used					
2	18.6	41	18	18.4	7.6
LG 3.133.13.199:443/Throughput					
0	29.8	85.9	29.3	29.2	16.9
LG 3.133.13.199:443/User Load					
0	39.6	64	46	40.2	19.3
LG 3.133.13.199:443/Thread Count					
38	120.2	158	131	121.4	29.8
LG 3.133.13.199:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.101	0.005
LG 3.133.13.199:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 3.133.13.199:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.133.13.199:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.133.13.199:443/Controller Connection/Ping Duration (ms)					
132	145.4	184	142	143.7	11.4
LG 3.133.13.199:443/Network/Segments sent/sec.					
3.6	1,661	4,209	1,665	1,636	891.3
LG 3.133.13.199:443/Network/Segments retransmitted/sec.					
0	0.129	14.6	0	0.011	0.938
LG 3.133.13.199:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	31.9	92.2	31.4	31.2	18.1
LG 3.133.13.199:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2	5.23	2.02	1.98	1.05

LG 3.14.127.80:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.14.127.80:443/CPU Load					
0	8.63	22	9	8.56	4.27
LG 3.14.127.80:443/Memory Used					
2	20.5	42	20	20.5	8.32
LG 3.14.127.80:443/Throughput					
0	30.2	66.5	30.7	30.3	15.1
LG 3.14.127.80:443/User Load					
0	40.2	64	47	40.9	19.2
LG 3.14.127.80:443/Thread Count					
39	120.6	161	130	121.8	29.3
LG 3.14.127.80:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 3.14.127.80:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.009
LG 3.14.127.80:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.14.127.80:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.14.127.80:443/Controller Connection/Ping Duration (ms)					
73	140.6	190	143	141.8	17.8
LG 3.14.127.80:443/Network/Segments sent/sec.					
2.43	1,704	3,783	1,768	1,713	825.4
LG 3.14.127.80:443/Network/Segments retransmitted/sec.					
0	1.07	15.4	0.814	0.929	1.29
LG 3.14.127.80:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.4	71.1	33	32.4	16.1
LG 3.14.127.80:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.04	4.28	2.21	2.06	0.948

LG 3.14.68.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.14.68.224:443/CPU Load					
0	8.39	23	8	8.34	4.1
LG 3.14.68.224:443/Memory Used					
2	19.7	41	18	19.5	8.63
LG 3.14.68.224:443/Throughput					
0	30	66.1	31.6	30.2	15
LG 3.14.68.224:443/User Load					
0	39.8	64	46	40.4	19.3
LG 3.14.68.224:443/Thread Count					
38	119.8	163	128	120.9	29.2
LG 3.14.68.224:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.004
LG 3.14.68.224:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.009
LG 3.14.68.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.14.68.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.14.68.224:443/Controller Connection/Ping Duration (ms)					
94	136.2	152	138	137.3	9.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.14.68.224:443/Network/Segments sent/sec.					
3.6	1,705	3,526	1,838	1,720	829
LG 3.14.68.224:443/Network/Segments retransmitted/sec.					
0	0.13	13.8	0	0.004	1
LG 3.14.68.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32.1	70.7	33.8	32.3	16
LG 3.14.68.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2.03	4.07	2.21	2.05	0.952

LG 3.14.7.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.14.7.207:443/CPU Load					
0	8.24	25	8	8.02	4.57
LG 3.14.7.207:443/Memory Used					
2	17.4	40	16	17.1	7.97
LG 3.14.7.207:443/Throughput					
0	30.1	111.6	29.2	29.3	17.4
LG 3.14.7.207:443/User Load					
0	39.9	64	46.5	40.5	19.3
LG 3.14.7.207:443/Thread Count					
38	121.3	164	127.5	122.4	30.7
LG 3.14.7.207:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 3.14.7.207:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 3.14.7.207:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.14.7.207:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.14.7.207:443/Controller Connection/Ping Duration (ms)					
80	123.6	192	136	122	28.2
LG 3.14.7.207:443/Network/Segments sent/sec.					
2.4	1,685	5,110	1,683	1,656	905.6
LG 3.14.7.207:443/Network/Segments retransmitted/sec.					
0	0.141	18.6	0	0.012	1.12
LG 3.14.7.207:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	32.2	117.9	31.5	31.4	18.6
LG 3.14.7.207:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.03	5.59	2.1	2	1.05

LG 3.14.7.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.14.7.243:443/CPU Load					
0	8.77	28	8	8.56	4.88
LG 3.14.7.243:443/Memory Used					
2	17.4	35	17	17.3	6.7
LG 3.14.7.243:443/Throughput					
0	29.8	107.3	28.8	29.2	17.1
LG 3.14.7.243:443/User Load					
0	39.8	64	46	40.5	19.3
LG 3.14.7.243:443/Thread Count					
38	120.7	157	129	122	29.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.14.7.243:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 3.14.7.243:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.008
LG 3.14.7.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.14.7.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.14.7.243:443/Controller Connection/Ping Duration (ms)					
99	143.4	184	141	142.8	13.7
LG 3.14.7.243:443/Network/Segments sent/sec.					
3.6	1,653	4,494	1,609	1,634	887.2
LG 3.14.7.243:443/Network/Segments retransmitted/sec.					
0	0.12	11.4	0	0.008	0.937
LG 3.14.7.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	31.9	112.9	30.9	31.3	18.2
LG 3.14.7.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2	5.57	1.96	1.98	1.04

LG 3.14.84.155:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.14.84.155:443/CPU Load					
0	8.79	22	8	8.68	4.43
LG 3.14.84.155:443/Memory Used					
2	19.5	41	18	19.1	9.16
LG 3.14.84.155:443/Throughput					
0	30.2	79.2	30	30.1	15.5
LG 3.14.84.155:443/User Load					
0	40.6	65	47	41.2	19.1
LG 3.14.84.155:443/Thread Count					
38	121.1	160	130	122.3	29.2
LG 3.14.84.155:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 3.14.84.155:443/Http client/Task Pool used					
0	0	0.083	0	0	0.005
LG 3.14.84.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.14.84.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.14.84.155:443/Controller Connection/Ping Duration (ms)					
89	140.5	180	140	140.4	12.3
LG 3.14.84.155:443/Network/Segments sent/sec.					
5.8	1,688	3,648	1,700	1,690	835.8
LG 3.14.84.155:443/Network/Segments retransmitted/sec.					
0	0.132	11.6	0	0.018	0.867
LG 3.14.84.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	32.3	83.1	32.5	32.3	16.6
LG 3.14.84.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.03	4.21	2.09	2.04	0.959

LG 3.15.0.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.0.171:443/CPU Load					
0	8.98	39	8	8.72	5.32
LG 3.15.0.171:443/Memory Used					
2	17.9	42	17	17.7	7.71
LG 3.15.0.171:443/Throughput					
0	29.9	99	29.2	29.2	17.6
LG 3.15.0.171:443/User Load					
0	39.8	64	46.5	40.5	19.3
LG 3.15.0.171:443/Thread Count					
38	120.6	160	128.5	121.9	30.1
LG 3.15.0.171:443/Http client/Thread Pool used					
0.1	0.103	0.16	0.1	0.101	0.011
LG 3.15.0.171:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 3.15.0.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.15.0.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.15.0.171:443/Controller Connection/Ping Duration (ms)					
116	147	188	144	145.9	12.9
LG 3.15.0.171:443/Network/Segments sent/sec.					
3.6	1,684	4,225	1,667	1,656	930.3
LG 3.15.0.171:443/Network/Segments retransmitted/sec.					
0	0.126	12.2	0	0.007	0.868
LG 3.15.0.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32	105	31.4	31.2	18.8
LG 3.15.0.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2.02	5.11	2.02	1.99	1.08

LG 3.15.11.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.11.79:443/CPU Load					
0	9.45	46	9	9.2	5.4
LG 3.15.11.79:443/Memory Used					
1	18.6	42	17	18.4	8.14
LG 3.15.11.79:443/Throughput					
0	29.8	89.4	28.7	29.3	16.3
LG 3.15.11.79:443/User Load					
0	39.8	64	46	40.5	19.4
LG 3.15.11.79:443/Thread Count					
39	120.3	160	128	121.5	29.6
LG 3.15.11.79:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.1	0.006
LG 3.15.11.79:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 3.15.11.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.15.11.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.15.11.79:443/Controller Connection/Ping Duration (ms)					
133	145.9	191	143	144	11.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.11.79:443/Network/Segments sent/sec.					
1.6	1,638	4,440	1,584	1,621	861.6
LG 3.15.11.79:443/Network/Segments retransmitted/sec.					
0	0.125	12	0	0.013	0.934
LG 3.15.11.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.9	95.7	31	31.4	17.5
LG 3.15.11.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.99	5.39	1.97	1.98	1.02

LG 3.15.187.115:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.187.115:443/CPU Load					
0	9.22	29	9	9.09	4.89
LG 3.15.187.115:443/Memory Used					
2	18.3	45	17	18	7.58
LG 3.15.187.115:443/Throughput					
0	30.3	119	31	29.8	16.8
LG 3.15.187.115:443/User Load					
0	39.7	64	46	40.3	19.1
LG 3.15.187.115:443/Thread Count					
39	121.3	164	127	122.3	30.8
LG 3.15.187.115:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 3.15.187.115:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.01
LG 3.15.187.115:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.15.187.115:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.15.187.115:443/Controller Connection/Ping Duration (ms)					
132	141.8	157	141	141.5	3.92
LG 3.15.187.115:443/Network/Segments sent/sec.					
1.6	1,660	4,924	1,651	1,646	876.3
LG 3.15.187.115:443/Network/Segments retransmitted/sec.					
0	0.168	13.8	0	0.017	1.08
LG 3.15.187.115:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.4	124.4	32.8	31.9	18
LG 3.15.187.115:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	5.66	2.09	2.01	1.03

LG 3.15.194.158:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.194.158:443/CPU Load					
0	8.58	21	9	8.52	4.32
LG 3.15.194.158:443/Memory Used					
2	18.3	41	17	18.1	7.76
LG 3.15.194.158:443/Throughput					
0	30.1	70.9	30.3	30.1	15.6
LG 3.15.194.158:443/User Load					
0	39.8	64	46	40.4	19.3
LG 3.15.194.158:443/Thread Count					
39	120.3	159	127	121.5	29.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.194.158:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 3.15.194.158:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 3.15.194.158:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.15.194.158:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.15.194.158:443/Controller Connection/Ping Duration (ms)					
73	143.3	183	142	143.7	16
LG 3.15.194.158:443/Network/Segments sent/sec.					
1.6	1,696	3,567	1,731	1,701	845.8
LG 3.15.194.158:443/Network/Segments retransmitted/sec.					
0	0.135	16.2	0	0.01	1.03
LG 3.15.194.158:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.2	74.7	32.3	32.2	16.7
LG 3.15.194.158:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.03	4.84	2.13	2.04	0.978

LG 3.15.221.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.221.102:443/CPU Load					
0	9.13	39	9	8.85	5.39
LG 3.15.221.102:443/Memory Used					
2	17.7	40	17	17.4	7.54
LG 3.15.221.102:443/Throughput					
0	29.9	89.7	28.5	29.2	17.4
LG 3.15.221.102:443/User Load					
0	40.2	64	46	40.9	19.3
LG 3.15.221.102:443/Thread Count					
38	121.5	160	129	122.8	30
LG 3.15.221.102:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.006
LG 3.15.221.102:443/Http client/Task Pool used					
0	0.001	0.2	0	0	0.012
LG 3.15.221.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.15.221.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.15.221.102:443/Controller Connection/Ping Duration (ms)					
87	126.8	183	141	125.8	25.8
LG 3.15.221.102:443/Network/Segments sent/sec.					
5.6	1,665	4,620	1,612	1,634	911.6
LG 3.15.221.102:443/Network/Segments retransmitted/sec.					
0	0.149	12.4	0	0.017	0.934
LG 3.15.221.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	32	94.7	30.3	31.3	18.6
LG 3.15.221.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.01	5.93	1.96	1.98	1.06

LG 3.15.229.181:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.229.181:443/CPU Load					
0	8.93	30	8	8.69	5.12
LG 3.15.229.181:443/Memory Used					
2	20.3	43	21	20.3	7.6
LG 3.15.229.181:443/Throughput					
0	30	100.6	27.4	29.4	17.4
LG 3.15.229.181:443/User Load					
0	39.7	64	46	40.4	19.3
LG 3.15.229.181:443/Thread Count					
38	121.4	163	127	122.5	31.1
LG 3.15.229.181:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 3.15.229.181:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 3.15.229.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.15.229.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.15.229.181:443/Controller Connection/Ping Duration (ms)					
101	145.7	184	143	145.4	14.5
LG 3.15.229.181:443/Network/Segments sent/sec.					
1.6	1,673	4,531	1,568	1,647	921.5
LG 3.15.229.181:443/Network/Segments retransmitted/sec.					
0	0.185	15.2	0	0.008	1.33
LG 3.15.229.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.2	106.7	29.4	31.5	18.6
LG 3.15.229.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	5.45	1.93	2	1.07

LG 3.15.237.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.237.232:443/CPU Load					
0	9.01	37	9	8.66	5.53
LG 3.15.237.232:443/Memory Used					
3	17.5	39	17	17.2	7.39
LG 3.15.237.232:443/Throughput					
0	30.3	115.9	28.4	29.1	18.6
LG 3.15.237.232:443/User Load					
0	40.4	65	47	41.1	19.4
LG 3.15.237.232:443/Thread Count					
39	121.6	160	130	122.8	30.1
LG 3.15.237.232:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.006
LG 3.15.237.232:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 3.15.237.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.15.237.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.15.237.232:443/Controller Connection/Ping Duration (ms)					
77	139.8	147	142	141.9	11.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.15.237.232:443/Network/Segments sent/sec.					
1.6	1,697	5,085	1,629	1,647	971.7
LG 3.15.237.232:443/Network/Segments retransmitted/sec.					
0	0.137	9.6	0	0.013	0.836
LG 3.15.237.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.4	123.6	30	31.1	19.9
LG 3.15.237.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.04	5.98	1.96	1.99	1.13

LG 3.16.217.250:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.16.217.250:443/CPU Load					
0	8.86	24	9	8.82	4.21
LG 3.16.217.250:443/Memory Used					
2	17.5	38	17	17.2	6.98
LG 3.16.217.250:443/Throughput					
0	30.1	62	31.5	30.3	14.6
LG 3.16.217.250:443/User Load					
0	39.9	64	46	40.6	19.1
LG 3.16.217.250:443/Thread Count					
38	119.9	158	130.5	121.2	29
LG 3.16.217.250:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 3.16.217.250:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 3.16.217.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.16.217.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.16.217.250:443/Controller Connection/Ping Duration (ms)					
76	98.3	183	98	95.8	18.1
LG 3.16.217.250:443/Network/Segments sent/sec.					
2.4	1,709	3,745	1,803	1,719	812.3
LG 3.16.217.250:443/Network/Segments retransmitted/sec.					
0	0.148	12	0	0.019	0.962
LG 3.16.217.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32.3	66.5	33.8	32.5	15.6
LG 3.16.217.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.04	4.08	2.21	2.06	0.936

LG 3.16.30.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.16.30.179:443/CPU Load					
0	9.37	28	9	9.22	5.15
LG 3.16.30.179:443/Memory Used					
1	18.7	41	18	18.6	7.8
LG 3.16.30.179:443/Throughput					
0	30	91.8	29.5	29.6	16.9
LG 3.16.30.179:443/User Load					
0	39.7	64	46	40.3	19.2
LG 3.16.30.179:443/Thread Count					
39	121.5	167	126	122.5	31.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.16.30.179:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.101	0.008
LG 3.16.30.179:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 3.16.30.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.16.30.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.16.30.179:443/Controller Connection/Ping Duration (ms)					
87	139.3	169	140	140.3	11.1
LG 3.16.30.179:443/Network/Segments sent/sec.					
1.6	1,666	4,099	1,666	1,649	903.7
LG 3.16.30.179:443/Network/Segments retransmitted/sec.					
0	0.128	11.6	0	0.008	0.958
LG 3.16.30.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.1	96.9	31.7	31.7	18.1
LG 3.16.30.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.01	5.29	2.01	2	1.05

LG 3.16.37.250:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.16.37.250:443/CPU Load					
0	8.9	23	9	8.8	4.65
LG 3.16.37.250:443/Memory Used					
2	19.2	44	18	19	7.97
LG 3.16.37.250:443/Throughput					
0	30.7	75.9	31.4	30.5	16.1
LG 3.16.37.250:443/User Load					
0	40.4	65	47	41.1	19.4
LG 3.16.37.250:443/Thread Count					
38	120.8	161	128	122	29.4
LG 3.16.37.250:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 3.16.37.250:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 3.16.37.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.16.37.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.16.37.250:443/Controller Connection/Ping Duration (ms)					
89	101.6	184	96	98.3	19
LG 3.16.37.250:443/Network/Segments sent/sec.					
4.6	1,703	3,499	1,756	1,697	858.9
LG 3.16.37.250:443/Network/Segments retransmitted/sec.					
0	1.13	17	1	1.02	1.19
LG 3.16.37.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32.8	79.7	33.7	32.6	17.2
LG 3.16.37.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	2.05	4.22	2.18	2.05	0.995

LG 3.17.164.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.17.164.232:443/CPU Load					
0	9.29	29	9	9.01	5.44
LG 3.17.164.232:443/Memory Used					
2	18.2	44	17	17.9	8.07
LG 3.17.164.232:443/Throughput					
0	29.9	103.6	28.3	29	18.2
LG 3.17.164.232:443/User Load					
0	39.9	64	47	40.6	19.3
LG 3.17.164.232:443/Thread Count					
38	121.9	167	128	122.8	31.2
LG 3.17.164.232:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.101	0.012
LG 3.17.164.232:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.011
LG 3.17.164.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.17.164.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.17.164.232:443/Controller Connection/Ping Duration (ms)					
97	139.3	180	139	139	12.4
LG 3.17.164.232:443/Network/Segments sent/sec.					
4	1,628	4,741	1,605	1,592	913.7
LG 3.17.164.232:443/Network/Segments retransmitted/sec.					
0	0.142	17.8	0	0.013	1.1
LG 3.17.164.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	32	110	30.5	31.1	19.4
LG 3.17.164.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.99	5.89	2.01	1.95	1.08

LG 3.17.24.229:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.17.24.229:443/CPU Load					
0	9.06	27	9	8.99	4.65
LG 3.17.24.229:443/Memory Used					
2	18.4	44	18	18.1	8.01
LG 3.17.24.229:443/Throughput					
0	30	62	33.5	30.1	15.5
LG 3.17.24.229:443/User Load					
0	39.6	64	46	40.2	19.3
LG 3.17.24.229:443/Thread Count					
38	119.6	157	128	120.8	29.4
LG 3.17.24.229:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 3.17.24.229:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 3.17.24.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.17.24.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.17.24.229:443/Controller Connection/Ping Duration (ms)					
99	136.5	142	140	138.2	11.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.17.24.229:443/Network/Segments sent/sec.					
2.6	1,679	3,384	1,867	1,686	841.5
LG 3.17.24.229:443/Network/Segments retransmitted/sec.					
0	0.115	9.4	0	0.011	0.776
LG 3.17.24.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32.1	66.2	35.6	32.2	16.6
LG 3.17.24.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	3.95	2.27	2.04	0.976

LG 3.17.73.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.17.73.168:443/CPU Load					
0	8.72	24	9	8.59	4.63
LG 3.17.73.168:443/Memory Used					
2	19	43	18	18.8	8.26
LG 3.17.73.168:443/Throughput					
0	30.3	69.7	30.8	30.1	16.2
LG 3.17.73.168:443/User Load					
0	40.3	64	46.5	41	19.1
LG 3.17.73.168:443/Thread Count					
38	120.8	161	128.5	122	29.5
LG 3.17.73.168:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 3.17.73.168:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 3.17.73.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.17.73.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.17.73.168:443/Controller Connection/Ping Duration (ms)					
103	137.9	200	136	136.7	13.3
LG 3.17.73.168:443/Network/Segments sent/sec.					
5.6	1,689	3,696	1,752	1,683	865.6
LG 3.17.73.168:443/Network/Segments retransmitted/sec.					
0	0.128	11.6	0	0.013	0.845
LG 3.17.73.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	32.4	75	33.1	32.2	17.4
LG 3.17.73.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.03	4.5	2.17	2.03	1

LG 3.17.79.55:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.17.79.55:443/CPU Load					
0	9.25	32	8	9.01	5.3
LG 3.17.79.55:443/Memory Used					
2	19.1	42	17.5	18.9	8.65
LG 3.17.79.55:443/Throughput					
0	30.5	120.5	28.6	29.7	18
LG 3.17.79.55:443/User Load					
0	39.9	64	46.5	40.6	19.3
LG 3.17.79.55:443/Thread Count					
38	121.3	160	128	122.5	30.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.17.79.55:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 3.17.79.55:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 3.17.79.55:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.17.79.55:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.17.79.55:443/Controller Connection/Ping Duration (ms)					
82	140.7	196	141	140.9	21.5
LG 3.17.79.55:443/Network/Segments sent/sec.					
4.8	1,680	5,227	1,587	1,651	922.3
LG 3.17.79.55:443/Network/Segments retransmitted/sec.					
0	0.157	11.6	0	0.01	0.984
LG 3.17.79.55:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	32.7	127.7	30.6	31.8	19.2
LG 3.17.79.55:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.03	5.53	1.96	2	1.06

LG 3.18.113.196:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.18.113.196:443/CPU Load					
0	8.55	32	8	8.36	4.66
LG 3.18.113.196:443/Memory Used					
1	17.9	41	17	17.7	7.9
LG 3.18.113.196:443/Throughput					
0	29.5	72.6	30.2	29.5	15.4
LG 3.18.113.196:443/User Load					
0	39.6	64	46	40.2	19.3
LG 3.18.113.196:443/Thread Count					
38	119.5	160	128	120.7	29.3
LG 3.18.113.196:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 3.18.113.196:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.008
LG 3.18.113.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.18.113.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.18.113.196:443/Controller Connection/Ping Duration (ms)					
80	146	348	141	141.1	40.9
LG 3.18.113.196:443/Network/Segments sent/sec.					
3.6	1,639	3,758	1,695	1,642	825.2
LG 3.18.113.196:443/Network/Segments retransmitted/sec.					
0	0.123	12	0	0.009	0.902
LG 3.18.113.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	31.6	77.2	32.4	31.6	16.5
LG 3.18.113.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.99	4.4	2.06	1.99	0.966

LG 3.18.212.229:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.18.212.229:443/CPU Load					
0	8.81	42	8	8.58	5.16
LG 3.18.212.229:443/Memory Used					
2	17	44	16	16.6	7.83
LG 3.18.212.229:443/Throughput					
0	30.1	181.8	27.9	29.3	18.5
LG 3.18.212.229:443/User Load					
0	39.9	64	46	40.6	19.2
LG 3.18.212.229:443/Thread Count					
38	121.4	166	130	122.4	31.1
LG 3.18.212.229:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.004
LG 3.18.212.229:443/Http client/Task Pool used					
0	0.003	0.15	0	0	0.014
LG 3.18.212.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.18.212.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.18.212.229:443/Controller Connection/Ping Duration (ms)					
82	133.4	167	135	134.5	12.2
LG 3.18.212.229:443/Network/Segments sent/sec.					
1.6	1,677	7,243	1,628	1,644	944
LG 3.18.212.229:443/Network/Segments retransmitted/sec.					
0	0.122	10.8	0	0.008	0.831
LG 3.18.212.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.2	193	30.1	31.4	19.8
LG 3.18.212.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.02	8.02	2.01	1.98	1.1

LG 3.18.223.91:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.18.223.91:443/CPU Load					
0	9.12	42	8	8.76	5.59
LG 3.18.223.91:443/Memory Used					
2	19.5	41	18	19.1	8.89
LG 3.18.223.91:443/Throughput					
0	30	106.4	29.3	29.2	17.5
LG 3.18.223.91:443/User Load					
0	39.9	64	46	40.5	19.2
LG 3.18.223.91:443/Thread Count					
38	121.6	163	128	122.7	30.3
LG 3.18.223.91:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.004
LG 3.18.223.91:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.011
LG 3.18.223.91:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.18.223.91:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.18.223.91:443/Controller Connection/Ping Duration (ms)					
100	143.5	184	142	142.8	13.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.18.223.91:443/Network/Segments sent/sec.					
4.8	1,669	4,965	1,645	1,635	920.5
LG 3.18.223.91:443/Network/Segments retransmitted/sec.					
0	0.131	11.8	0	0.013	0.907
LG 3.18.223.91:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	32.1	112.5	31.5	31.3	18.7
LG 3.18.223.91:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.02	6.02	1.98	1.98	1.07

LG 3.19.219.211:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.19.219.211:443/CPU Load					
0	8.49	22	8	8.41	4.31
LG 3.19.219.211:443/Memory Used					
1	19	38	17	18.7	9.36
LG 3.19.219.211:443/Throughput					
0	29.6	89.1	29.9	29.3	16
LG 3.19.219.211:443/User Load					
0	39.4	64	46	40.1	19.5
LG 3.19.219.211:443/Thread Count					
38	119.4	159	126	120.7	29.3
LG 3.19.219.211:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 3.19.219.211:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 3.19.219.211:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.19.219.211:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.19.219.211:443/Controller Connection/Ping Duration (ms)					
75	140.9	156	143	142.8	12.4
LG 3.19.219.211:443/Network/Segments sent/sec.					
2.8	1,683	4,464	1,725	1,672	879.5
LG 3.19.219.211:443/Network/Segments retransmitted/sec.					
0	0.14	13.2	0	0.011	0.944
LG 3.19.219.211:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	31.7	94.1	32.3	31.4	17
LG 3.19.219.211:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.01	4.79	2.09	2	1

LG 3.19.246.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.19.246.241:443/CPU Load					
0	8.71	34	8	8.43	5.24
LG 3.19.246.241:443/Memory Used					
1	17.7	39	17	17.4	7.63
LG 3.19.246.241:443/Throughput					
0	30.1	127.4	29.3	29.1	18.6
LG 3.19.246.241:443/User Load					
0	39.6	64	46	40.3	19.2
LG 3.19.246.241:443/Thread Count					
38	121.2	164	129	122.3	31.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.19.246.241:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.1	0.007
LG 3.19.246.241:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 3.19.246.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.19.246.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.19.246.241:443/Controller Connection/Ping Duration (ms)					
90	140.4	185	142	141.2	14.1
LG 3.19.246.241:443/Network/Segments sent/sec.					
4.2	1,697	5,179	1,663	1,658	960.2
LG 3.19.246.241:443/Network/Segments retransmitted/sec.					
0	1	17.4	0.8	0.886	1.19
LG 3.19.246.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.3	134.1	31.2	31.2	19.8
LG 3.19.246.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.03	5.9	2.04	1.99	1.1

LG 3.19.60.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.19.60.19:443/CPU Load					
0	8.99	23	9	8.91	4.64
LG 3.19.60.19:443/Memory Used					
2	19.3	42	18	19	7.91
LG 3.19.60.19:443/Throughput					
0	30.3	93.7	30.6	30	16.2
LG 3.19.60.19:443/User Load					
0	40.4	65	47	41	19.5
LG 3.19.60.19:443/Thread Count					
38	121.1	160	130	122.3	29.5
LG 3.19.60.19:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 3.19.60.19:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 3.19.60.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.19.60.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.19.60.19:443/Controller Connection/Ping Duration (ms)					
71	136	159	140	138.1	15.1
LG 3.19.60.19:443/Network/Segments sent/sec.					
3.23	1,665	4,134	1,712	1,661	843
LG 3.19.60.19:443/Network/Segments retransmitted/sec.					
0	0.149	14.2	0	0.018	0.967
LG 3.19.60.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32.4	99	32.9	32.1	17.3
LG 3.19.60.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.02	4.38	2.12	2.02	0.975

LG 3.19.69.31:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 3.19.69.31:443/CPU Load					
0	9.12	34	9	8.99	4.78
LG 3.19.69.31:443/Memory Used					
2	17.3	45	17	17.1	7.05
LG 3.19.69.31:443/Throughput					
0	30.3	64.9	30.5	30.4	15.5
LG 3.19.69.31:443/User Load					
0	39.8	64	46	40.5	19.2
LG 3.19.69.31:443/Thread Count					
38	120.3	156	128	121.6	28.8
LG 3.19.69.31:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 3.19.69.31:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 3.19.69.31:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 3.19.69.31:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 3.19.69.31:443/Controller Connection/Ping Duration (ms)					
86	136.1	150	139	138.3	12.1
LG 3.19.69.31:443/Network/Segments sent/sec.					
1.6	1,681	3,363	1,713	1,689	836.9
LG 3.19.69.31:443/Network/Segments retransmitted/sec.					
0	0.139	9.6	0	0.008	0.9
LG 3.19.69.31:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	32.5	69.1	32.7	32.6	16.6
LG 3.19.69.31:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.03	4.1	2.09	2.05	0.968

LG 52.14.127.136:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.14.127.136:443/CPU Load					
0	8.1	25	8	7.99	4.31
LG 52.14.127.136:443/Memory Used					
2	18.1	39	17	18	7.43
LG 52.14.127.136:443/Throughput					
0	29.7	68.8	28.6	29.5	16.1
LG 52.14.127.136:443/User Load					
0	39.6	64	46	40.3	19.3
LG 52.14.127.136:443/Thread Count					
38	119.8	159	127	121	29.5
LG 52.14.127.136:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 52.14.127.136:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 52.14.127.136:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.14.127.136:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.14.127.136:443/Controller Connection/Ping Duration (ms)					
129	140.8	204	138	138.7	12.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.14.127.136:443/Network/Segments sent/sec.					
1.6	1,675	3,577	1,649	1,673	871.4
LG 52.14.127.136:443/Network/Segments retransmitted/sec.					
0	0.149	12	0	0.012	0.934
LG 52.14.127.136:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.8	73.9	30.8	31.6	17.3
LG 52.14.127.136:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.01	4.26	1.96	2.01	1

LG 52.14.44.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.14.44.132:443/CPU Load					
0	8.59	28	8	8.37	5.04
LG 52.14.44.132:443/Memory Used					
2	17.9	39	17	17.8	7.4
LG 52.14.44.132:443/Throughput					
0	30	87.2	27.2	29.5	17.5
LG 52.14.44.132:443/User Load					
0	40.5	65	47	41.1	19.3
LG 52.14.44.132:443/Thread Count					
38	122.1	159	129	123.4	29.4
LG 52.14.44.132:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.1	0.007
LG 52.14.44.132:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.012
LG 52.14.44.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.14.44.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.14.44.132:443/Controller Connection/Ping Duration (ms)					
75	136.7	204	139	137	19.4
LG 52.14.44.132:443/Network/Segments sent/sec.					
5.6	1,667	4,411	1,524	1,640	922.7
LG 52.14.44.132:443/Network/Segments retransmitted/sec.					
0	0.135	14.6	0	0.01	0.969
LG 52.14.44.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	32.2	94	29.1	31.5	18.7
LG 52.14.44.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	2.02	5.6	1.91	1.99	1.08

LG 52.14.93.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.14.93.10:443/CPU Load					
0	8.81	28	9	8.72	4.48
LG 52.14.93.10:443/Memory Used					
2	18.2	40	18	18	7.33
LG 52.14.93.10:443/Throughput					
0	30.5	64.4	30.7	30.6	15
LG 52.14.93.10:443/User Load					
0	40.5	65	47	41.2	19.3
LG 52.14.93.10:443/Thread Count					
38	121.1	159	129	122.3	29.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.14.93.10:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 52.14.93.10:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 52.14.93.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.14.93.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.14.93.10:443/Controller Connection/Ping Duration (ms)					
110	139	180	139	138.6	8.98
LG 52.14.93.10:443/Network/Segments sent/sec.					
3.2	1,704	3,447	1,752	1,715	810.6
LG 52.14.93.10:443/Network/Segments retransmitted/sec.					
0	0.155	11.2	0	0.007	0.983
LG 52.14.93.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	32.6	68.4	33	32.8	16
LG 52.14.93.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.05	4.07	2.21	2.07	0.937

LG 52.15.132.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.15.132.133:443/CPU Load					
0	8.73	27	9	8.51	5.07
LG 52.15.132.133:443/Memory Used					
2	18.6	39	18	18.4	7.89
LG 52.15.132.133:443/Throughput					
0	29.7	94.6	30.6	29.2	17
LG 52.15.132.133:443/User Load					
0	39.5	64	46	40.2	19.3
LG 52.15.132.133:443/Thread Count					
38	119.3	158	127	120.6	29.8
LG 52.15.132.133:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 52.15.132.133:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 52.15.132.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.15.132.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.15.132.133:443/Controller Connection/Ping Duration (ms)					
78	101.4	182	96	98.8	19
LG 52.15.132.133:443/Network/Segments sent/sec.					
1.6	1,675	4,564	1,744	1,648	919.9
LG 52.15.132.133:443/Network/Segments retransmitted/sec.					
0	0.133	16.8	0	0.005	1.09
LG 52.15.132.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	31.9	100	32.9	31.2	18.2
LG 52.15.132.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.01	5.66	2.11	1.99	1.08

LG 146.148.46.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 146.148.46.153:443/CPU Load					
0	16.3	54	16	16	8.63
LG 146.148.46.153:443/Memory Used					
3	21.8	45	21	21.7	9.09
LG 146.148.46.153:443/Throughput					
0	29.2	106.9	29.7	28.5	17.2
LG 146.148.46.153:443/User Load					
0	40.2	64	46	40.8	18.8
LG 146.148.46.153:443/Thread Count					
39	123.5	165	129	124.7	31.1
LG 146.148.46.153:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.101	0.007
LG 146.148.46.153:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.014
LG 146.148.46.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 146.148.46.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 146.148.46.153:443/Controller Connection/Ping Duration (ms)					
67	104.5	141	107	104.9	15.6
LG 146.148.46.153:443/Network/Segments sent/sec.					
2.4	1,561	5,430	1,606	1,528	891.9
LG 146.148.46.153:443/Network/Segments retransmitted/sec.					
0	0.014	0.608	0	0	0.082
LG 146.148.46.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	110.6	30.8	29.5	17.7
LG 146.148.46.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	6.41	2.06	1.91	1.06

LG 34.66.135.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.135.156:443/CPU Load					
0	13.7	43	13	13.4	8.11
LG 34.66.135.156:443/Memory Used					
2	20.9	45	20	20.8	7.93
LG 34.66.135.156:443/Throughput					
0	29.2	104.9	27.1	28.3	18.5
LG 34.66.135.156:443/User Load					
0	40	64	46	40.6	19.1
LG 34.66.135.156:443/Thread Count					
39	124.3	170	130	125.4	31.7
LG 34.66.135.156:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.102	0.01
LG 34.66.135.156:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.008
LG 34.66.135.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.135.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.135.156:443/Controller Connection/Ping Duration (ms)					
62	91	147	103	89.2	24.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.135.156:443/Network/Segments sent/sec.					
2.4	1,577	5,187	1,481	1,539	957.1
LG 34.66.135.156:443/Network/Segments retransmitted/sec.					
0	0.023	1.01	0	0.003	0.105
LG 34.66.135.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	107.8	28.3	29.3	19.1
LG 34.66.135.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	6.73	1.86	1.91	1.14

LG 34.66.193.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.193.38:443/CPU Load					
0	13.9	36	15	13.8	6.78
LG 34.66.193.38:443/Memory Used					
4	20.2	40	19	20	8.47
LG 34.66.193.38:443/Throughput					
0	29	68.4	29.4	28.9	16.1
LG 34.66.193.38:443/User Load					
0	39.6	64	45.5	40.2	19.1
LG 34.66.193.38:443/Thread Count					
39	120.8	160	128.5	122.1	29.8
LG 34.66.193.38:443/Http client/Thread Pool used					
0.1	0.101	0.11	0.1	0.1	0.002
LG 34.66.193.38:443/Http client/Task Pool used					
0	0.002	0.2	0	0	0.014
LG 34.66.193.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.193.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.193.38:443/Controller Connection/Ping Duration (ms)					
63	92.6	124	104	92.5	20.3
LG 34.66.193.38:443/Network/Segments sent/sec.					
1.58	1,561	3,808	1,610	1,554	842
LG 34.66.193.38:443/Network/Segments retransmitted/sec.					
0	0.028	1	0	0.009	0.109
LG 34.66.193.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	70	30.3	29.8	16.6
LG 34.66.193.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	4.41	2.09	1.94	0.992

LG 34.66.67.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.67.139:443/CPU Load					
0	13.8	50	14	13.6	7.32
LG 34.66.67.139:443/Memory Used					
3	20.8	42	20	20.8	8.1
LG 34.66.67.139:443/Throughput					
0	29.3	117.2	29.4	28.8	16.7
LG 34.66.67.139:443/User Load					
0	40	64	46	40.6	19.2
LG 34.66.67.139:443/Thread Count					
39	122.3	167	129	123.3	30.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.67.139:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.101	0.007
LG 34.66.67.139:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.013
LG 34.66.67.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.67.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.67.139:443/Controller Connection/Ping Duration (ms)					
66	114	154	132	114.4	37.2
LG 34.66.67.139:443/Network/Segments sent/sec.					
4.62	1,588	5,285	1,592	1,563	871.4
LG 34.66.67.139:443/Network/Segments retransmitted/sec.					
0	0.019	0.792	0	0.003	0.083
LG 34.66.67.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.4	121	30.7	29.8	17.3
LG 34.66.67.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.96	6.49	2.05	1.94	1.03

LG 34.67.191.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.191.48:443/CPU Load					
0	14.6	31	15	14.6	6.85
LG 34.67.191.48:443/Memory Used					
2	21.9	46	21	21.8	8.87
LG 34.67.191.48:443/Throughput					
0	29	67.6	30.5	29.1	15.2
LG 34.67.191.48:443/User Load					
0	39.6	64	45.5	40.2	19.2
LG 34.67.191.48:443/Thread Count					
39	120.6	160	128	121.8	29.6
LG 34.67.191.48:443/Http client/Thread Pool used					
0.1	0.101	0.11	0.1	0.1	0.002
LG 34.67.191.48:443/Http client/Task Pool used					
0	0.002	0.067	0	0.001	0.008
LG 34.67.191.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.191.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.191.48:443/Controller Connection/Ping Duration (ms)					
77	105.7	149	107	106.1	8.66
LG 34.67.191.48:443/Network/Segments sent/sec.					
1.6	1,564	3,255	1,642	1,570	802
LG 34.67.191.48:443/Network/Segments retransmitted/sec.					
0	0.019	0.603	0	0.003	0.08
LG 34.67.191.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	68.7	31.6	30.1	15.7
LG 34.67.191.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	3.82	2.03	1.95	0.952

LG 34.67.227.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.227.117:443/CPU Load					
0	15.6	58	15	15.2	8.82
LG 34.67.227.117:443/Memory Used					
2	22.4	40	22	22.5	8.55
LG 34.67.227.117:443/Throughput					
0	29.2	114.7	27.6	28.3	17.8
LG 34.67.227.117:443/User Load					
0	40.1	64	46.5	40.8	18.9
LG 34.67.227.117:443/Thread Count					
39	124.1	171	129.5	125	32.2
LG 34.67.227.117:443/Http client/Thread Pool used					
0.1	0.105	0.165	0.1	0.102	0.012
LG 34.67.227.117:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.013
LG 34.67.227.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.227.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.227.117:443/Controller Connection/Ping Duration (ms)					
61	111.9	117	114	113.8	9.81
LG 34.67.227.117:443/Network/Segments sent/sec.					
2.41	1,568	5,619	1,522	1,527	927.1
LG 34.67.227.117:443/Network/Segments retransmitted/sec.					
0	0.028	0.802	0	0.009	0.107
LG 34.67.227.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	118.8	28.5	29.3	18.4
LG 34.67.227.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.94	6.35	1.92	1.9	1.1

LG 34.68.123.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.123.88:443/CPU Load					
0	15.1	48	15	14.9	8.34
LG 34.68.123.88:443/Memory Used					
3	20.6	45	20	20.4	8.33
LG 34.68.123.88:443/Throughput					
0	29.4	119.7	28.5	28.7	18
LG 34.68.123.88:443/User Load					
0	40.5	65	47	41.2	19.2
LG 34.68.123.88:443/Thread Count					
39	124.8	174	130	125.6	32.2
LG 34.68.123.88:443/Http client/Thread Pool used					
0.1	0.107	0.195	0.1	0.103	0.019
LG 34.68.123.88:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.011
LG 34.68.123.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.123.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.123.88:443/Controller Connection/Ping Duration (ms)					
68	104.4	140	106	104.9	12.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.123.88:443/Network/Segments sent/sec.					
4.4	1,573	5,300	1,525	1,540	929.5
LG 34.68.123.88:443/Network/Segments retransmitted/sec.					
0	0.019	0.601	0	0.003	0.08
LG 34.68.123.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	30.4	122.8	29.4	29.6	18.6
LG 34.68.123.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.96	6.37	1.88	1.92	1.12

LG 34.68.219.126:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.219.126:443/CPU Load					
0	15.6	60	15	15.4	8.12
LG 34.68.219.126:443/Memory Used					
3	21.1	46	21	21	8.41
LG 34.68.219.126:443/Throughput					
0	28.5	123.1	27.6	27.8	17.1
LG 34.68.219.126:443/User Load					
0	39.6	64	46	40.2	19.3
LG 34.68.219.126:443/Thread Count					
39	122.3	164	129	123.5	31.5
LG 34.68.219.126:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 34.68.219.126:443/Http client/Task Pool used					
0	0.003	0.167	0	0.001	0.013
LG 34.68.219.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.219.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.219.126:443/Controller Connection/Ping Duration (ms)					
63	128.2	153	146	130.3	26.6
LG 34.68.219.126:443/Network/Segments sent/sec.					
1.6	1,522	5,748	1,495	1,491	877
LG 34.68.219.126:443/Network/Segments retransmitted/sec.					
0	0.015	0.8	0	0.001	0.072
LG 34.68.219.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.4	125.5	28.6	28.7	17.6
LG 34.68.219.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.9	7.19	1.96	1.87	1.04

LG 34.68.74.105:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.74.105:443/CPU Load					
0	15.8	35	16	15.8	7.61
LG 34.68.74.105:443/Memory Used					
2	23.1	45	23	23.1	9.04
LG 34.68.74.105:443/Throughput					
0	29.5	71.6	29.7	29.3	16
LG 34.68.74.105:443/User Load					
0	40.1	64	46	40.7	18.9
LG 34.68.74.105:443/Thread Count					
39	122.4	162	129	123.6	29.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.74.105:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.101	0.003
LG 34.68.74.105:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.009
LG 34.68.74.105:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.74.105:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.74.105:443/Controller Connection/Ping Duration (ms)					
68	93.3	147	93	91.6	22.4
LG 34.68.74.105:443/Network/Segments sent/sec.					
4.61	1,574	3,636	1,613	1,565	833.9
LG 34.68.74.105:443/Network/Segments retransmitted/sec.					
0	0.026	0.99	0	0.009	0.097
LG 34.68.74.105:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.5	74	30.9	30.3	16.6
LG 34.68.74.105:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.96	4.61	2.02	1.96	0.997

LG 34.68.83.36:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.83.36:443/CPU Load					
0	15.2	40	15	15.1	7.88
LG 34.68.83.36:443/Memory Used					
2	22	45	21	22	9.18
LG 34.68.83.36:443/Throughput					
0	29.5	96.1	28.6	28.9	16.8
LG 34.68.83.36:443/User Load					
0	40	64	46	40.7	19.1
LG 34.68.83.36:443/Thread Count					
39	123.2	165	128	124.4	31
LG 34.68.83.36:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.101	0.006
LG 34.68.83.36:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.009
LG 34.68.83.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.83.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.83.36:443/Controller Connection/Ping Duration (ms)					
66	97.1	114	108	97.8	19.5
LG 34.68.83.36:443/Network/Segments sent/sec.					
2.4	1,577	4,546	1,564	1,552	868.1
LG 34.68.83.36:443/Network/Segments retransmitted/sec.					
0	0.015	1.2	0	0	0.092
LG 34.68.83.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	99	29.8	29.9	17.4
LG 34.68.83.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.96	5.55	1.94	1.94	1.03

LG 34.69.119.34:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.119.34:443/CPU Load					
0	13.6	53	13	13.1	8.31
LG 34.69.119.34:443/Memory Used					
3	20.9	42	20	20.9	7.8
LG 34.69.119.34:443/Throughput					
0	29.2	110.7	27.3	28	18.9
LG 34.69.119.34:443/User Load					
0	40.2	64	46	40.9	18.8
LG 34.69.119.34:443/Thread Count					
39	124.4	174	128	125.2	32.3
LG 34.69.119.34:443/Http client/Thread Pool used					
0.1	0.106	0.18	0.1	0.103	0.015
LG 34.69.119.34:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.007
LG 34.69.119.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.119.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.119.34:443/Controller Connection/Ping Duration (ms)					
69	106.5	155	106	105.9	12
LG 34.69.119.34:443/Network/Segments sent/sec.					
5.79	1,582	5,666	1,477	1,525	984.1
LG 34.69.119.34:443/Network/Segments retransmitted/sec.					
0	0.013	0.601	0	0	0.063
LG 34.69.119.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	30.3	115.4	28.2	29	19.6
LG 34.69.119.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.95	6.45	1.89	1.89	1.14

LG 34.69.123.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.123.205:443/CPU Load					
0	15.3	55	15	15.2	7.94
LG 34.69.123.205:443/Memory Used					
3	21.5	41	21	21.6	8.19
LG 34.69.123.205:443/Throughput					
0	29.3	126.4	28.9	28.7	17.1
LG 34.69.123.205:443/User Load					
0	40	64	46	40.6	19.1
LG 34.69.123.205:443/Thread Count					
39	123.8	170	129	124.8	31.3
LG 34.69.123.205:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.101	0.004
LG 34.69.123.205:443/Http client/Task Pool used					
0	0.003	0.183	0	0.001	0.015
LG 34.69.123.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.123.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.123.205:443/Controller Connection/Ping Duration (ms)					
64	95.3	146	108	94.5	21.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.123.205:443/Network/Segments sent/sec.					
3.03	1,573	5,858	1,592	1,547	883.1
LG 34.69.123.205:443/Network/Segments retransmitted/sec.					
0	0.018	0.403	0	0.005	0.067
LG 34.69.123.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.3	130.1	29.8	29.7	17.6
LG 34.69.123.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.96	6.95	2.02	1.93	1.04

LG 34.69.150.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.150.235:443/CPU Load					
0	14	51	13	13.7	7.86
LG 34.69.150.235:443/Memory Used					
3	21.2	39	21	21.3	8.07
LG 34.69.150.235:443/Throughput					
0	29	139.3	26.1	28.1	18.5
LG 34.69.150.235:443/User Load					
0	40.2	64	46.5	40.9	19.2
LG 34.69.150.235:443/Thread Count					
39	124	166	130.5	125.1	31.5
LG 34.69.150.235:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.102	0.011
LG 34.69.150.235:443/Http client/Task Pool used					
0	0.002	0.067	0	0.001	0.008
LG 34.69.150.235:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.150.235:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.150.235:443/Controller Connection/Ping Duration (ms)					
63	73.3	121	67	71.3	14.7
LG 34.69.150.235:443/Network/Segments sent/sec.					
4.64	1,560	6,035	1,399	1,517	953.8
LG 34.69.150.235:443/Network/Segments retransmitted/sec.					
0	0.028	0.799	0	0.013	0.092
LG 34.69.150.235:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30	142.2	26.8	29.1	19.1
LG 34.69.150.235:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.94	6.85	1.82	1.89	1.14

LG 34.69.161.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.161.46:443/CPU Load					
0	14.1	61	14	13.6	8.62
LG 34.69.161.46:443/Memory Used					
2	22.2	47	21	21.8	9.9
LG 34.69.161.46:443/Throughput					
0	29.3	175.2	28.6	28.1	19.6
LG 34.69.161.46:443/User Load					
0	40.1	64	46.5	40.8	18.9
LG 34.69.161.46:443/Thread Count					
39	123.9	167	129.5	125	31.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.161.46:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.101	0.008
LG 34.69.161.46:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.011
LG 34.69.161.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.161.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.161.46:443/Controller Connection/Ping Duration (ms)					
64	90.6	148	100	89.6	20.4
LG 34.69.161.46:443/Network/Segments sent/sec.					
3.2	1,583	7,312	1,583	1,524	998.8
LG 34.69.161.46:443/Network/Segments retransmitted/sec.					
0	0.022	0.982	0	0.004	0.098
LG 34.69.161.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30.3	179.8	29.8	29.1	20.2
LG 34.69.161.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.96	8.19	1.98	1.9	1.18

LG 34.69.169.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.169.154:443/CPU Load					
0	14.7	54	14	14.2	8.56
LG 34.69.169.154:443/Memory Used					
2	22.1	49	22	22	8.5
LG 34.69.169.154:443/Throughput					
0	30	123.9	28.7	29.1	18.2
LG 34.69.169.154:443/User Load					
0	40.5	65	47	41.1	19.2
LG 34.69.169.154:443/Thread Count					
39	125	172	133	125.9	32.4
LG 34.69.169.154:443/Http client/Thread Pool used					
0.1	0.105	0.165	0.1	0.103	0.012
LG 34.69.169.154:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.011
LG 34.69.169.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.169.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.169.154:443/Controller Connection/Ping Duration (ms)					
90	105.6	108	106	106.1	3.45
LG 34.69.169.154:443/Network/Segments sent/sec.					
4.61	1,616	5,792	1,575	1,572	952.4
LG 34.69.169.154:443/Network/Segments retransmitted/sec.					
0	0.006	0.4	0	0	0.04
LG 34.69.169.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	31.1	127.3	29.7	30.2	18.8
LG 34.69.169.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	2	7.15	1.95	1.95	1.14

LG 34.69.227.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.227.71:443/CPU Load					
0	14.9	58	15	14.5	8.46
LG 34.69.227.71:443/Memory Used					
2	21.3	44	22	21.2	8.08
LG 34.69.227.71:443/Throughput					
0	29.3	135.8	27.8	28.1	18.7
LG 34.69.227.71:443/User Load					
0	40	64	46	40.6	19.1
LG 34.69.227.71:443/Thread Count					
39	123.7	168	129	124.7	32
LG 34.69.227.71:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.101	0.006
LG 34.69.227.71:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.01
LG 34.69.227.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.227.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.227.71:443/Controller Connection/Ping Duration (ms)					
64	127	154	148	128.6	33
LG 34.69.227.71:443/Network/Segments sent/sec.					
2.43	1,563	6,487	1,490	1,509	957.1
LG 34.69.227.71:443/Network/Segments retransmitted/sec.					
0	0.027	0.596	0	0.014	0.081
LG 34.69.227.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	138.9	28.6	29	19.3
LG 34.69.227.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.94	7.23	1.94	1.89	1.12

LG 34.69.23.172:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.23.172:443/CPU Load					
0	14.4	34	15	14.4	6.73
LG 34.69.23.172:443/Memory Used					
3	21.2	49	20	21	8.41
LG 34.69.23.172:443/Throughput					
0	29.6	70.2	30.6	29.7	15
LG 34.69.23.172:443/User Load					
0	40.3	64	47	41	19.1
LG 34.69.23.172:443/Thread Count					
39	122.1	163	130	123.3	29.7
LG 34.69.23.172:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 34.69.23.172:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.01
LG 34.69.23.172:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.23.172:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.23.172:443/Controller Connection/Ping Duration (ms)					
88	113.1	151	112	112.1	11.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.23.172:443/Network/Segments sent/sec.					
4.62	1,600	3,579	1,673	1,608	794.2
LG 34.69.23.172:443/Network/Segments retransmitted/sec.					
0	0.025	1.19	0	0.006	0.104
LG 34.69.23.172:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.6	72	31.6	30.7	15.6
LG 34.69.23.172:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.98	4.32	2.08	2	0.942

LG 34.69.42.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.42.32:443/CPU Load					
0	15	62	14.5	14.5	8.89
LG 34.69.42.32:443/Memory Used					
3	21.9	41	21	21.9	8.53
LG 34.69.42.32:443/Throughput					
0	29.7	131.3	27.9	28.6	19.2
LG 34.69.42.32:443/User Load					
0	40.3	64	46	41	19
LG 34.69.42.32:443/Thread Count					
39	125.1	175	131	125.9	32.3
LG 34.69.42.32:443/Http client/Thread Pool used					
0.1	0.108	0.2	0.1	0.104	0.021
LG 34.69.42.32:443/Http client/Task Pool used					
0	0.003	0.2	0	0.001	0.017
LG 34.69.42.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.42.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.42.32:443/Controller Connection/Ping Duration (ms)					
68	95.4	142	107	94.4	20.2
LG 34.69.42.32:443/Network/Segments sent/sec.					
4.61	1,597	6,450	1,519	1,544	984.7
LG 34.69.42.32:443/Network/Segments retransmitted/sec.					
0	0.048	1.01	0	0.02	0.15
LG 34.69.42.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.8	136	28.7	29.6	19.8
LG 34.69.42.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.97	7.18	1.92	1.92	1.16

LG 34.69.5.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.5.102:443/CPU Load					
0	15.4	51	13	14.9	9.46
LG 34.69.5.102:443/Memory Used					
2	20	46	19	19.7	8.21
LG 34.69.5.102:443/Throughput					
0	29.1	99.6	25.1	28	19.4
LG 34.69.5.102:443/User Load					
0	39.6	64	46	40.2	19.3
LG 34.69.5.102:443/Thread Count					
39	124	169	131	125	32.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.5.102:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.104	0.01
LG 34.69.5.102:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.014
LG 34.69.5.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.5.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.5.102:443/Controller Connection/Ping Duration (ms)					
64	107	148	105	107	35.4
LG 34.69.5.102:443/Network/Segments sent/sec.					
1.6	1,561	5,198	1,390	1,507	1,001
LG 34.69.5.102:443/Network/Segments retransmitted/sec.					
0	0.009	0.401	0	0	0.045
LG 34.69.5.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	103.3	25.8	29	20.1
LG 34.69.5.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	6.01	1.71	1.88	1.19

LG 34.70.125.107:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.125.107:443/CPU Load					
0	14	47	15	13.8	7.38
LG 34.70.125.107:443/Memory Used					
3	21	46	21	21	8.34
LG 34.70.125.107:443/Throughput					
0	29.4	97.4	30.3	28.8	16.6
LG 34.70.125.107:443/User Load					
0	40	64	46	40.6	19
LG 34.70.125.107:443/Thread Count					
39	122.3	165	129	123.4	30.5
LG 34.70.125.107:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.101	0.007
LG 34.70.125.107:443/Http client/Task Pool used					
0	0.003	0.067	0	0.001	0.008
LG 34.70.125.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.125.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.125.107:443/Controller Connection/Ping Duration (ms)					
74	104.6	153	107	103.8	17.6
LG 34.70.125.107:443/Network/Segments sent/sec.					
3.8	1,587	4,974	1,663	1,561	867.3
LG 34.70.125.107:443/Network/Segments retransmitted/sec.					
0	0.028	0.661	0	0.011	0.094
LG 34.70.125.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30.4	101.2	31.4	29.8	17.1
LG 34.70.125.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.97	6.17	2.13	1.94	1.03

LG 34.70.3.87:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.3.87:443/CPU Load					
0	14.3	49	14	14.2	6.9
LG 34.70.3.87:443/Memory Used					
1	20.9	45	20	20.9	7.96
LG 34.70.3.87:443/Throughput					
0	29.1	97.3	28.6	28.8	15.9
LG 34.70.3.87:443/User Load					
0	40.1	64	46	40.7	19
LG 34.70.3.87:443/Thread Count					
39	121.6	161	128	122.9	29.4
LG 34.70.3.87:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 34.70.3.87:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.008
LG 34.70.3.87:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.3.87:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.3.87:443/Controller Connection/Ping Duration (ms)					
64	86.1	148	69	83.7	25.3
LG 34.70.3.87:443/Network/Segments sent/sec.					
4.61	1,564	4,370	1,589	1,550	831.7
LG 34.70.3.87:443/Network/Segments retransmitted/sec.					
0	0.008	0.602	0	0	0.058
LG 34.70.3.87:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30.1	99.4	29.7	29.7	16.4
LG 34.70.3.87:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.94	5.05	2.07	1.93	0.984

LG 34.70.31.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.31.161:443/CPU Load					
0	16	55	16	15.5	9.14
LG 34.70.31.161:443/Memory Used					
3	22.5	44	23	22.6	8.65
LG 34.70.31.161:443/Throughput					
0	29.2	149.7	27.5	27.8	19.8
LG 34.70.31.161:443/User Load					
0	39.7	64	46	40.3	19.2
LG 34.70.31.161:443/Thread Count					
39	123.6	169	130	124.6	32.2
LG 34.70.31.161:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.102	0.012
LG 34.70.31.161:443/Http client/Task Pool used					
0	0.004	0.217	0	0.001	0.016
LG 34.70.31.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.31.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.31.161:443/Controller Connection/Ping Duration (ms)					
56	99.8	143	108	99.7	21.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.31.161:443/Network/Segments sent/sec.					
2.4	1,552	6,478	1,480	1,489	989.2
LG 34.70.31.161:443/Network/Segments retransmitted/sec.					
0	0.029	1.2	0	0.009	0.115
LG 34.70.31.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	154	28.2	28.7	20.5
LG 34.70.31.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.93	6.79	1.92	1.87	1.15

LG 34.70.67.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.67.84:443/CPU Load					
0	15.7	35	16	15.7	7.62
LG 34.70.67.84:443/Memory Used					
2	22	47	22	21.9	9.09
LG 34.70.67.84:443/Throughput					
0	29.2	69.3	30.2	29	15.9
LG 34.70.67.84:443/User Load					
0	39.7	64	46	40.3	19.2
LG 34.70.67.84:443/Thread Count					
39	121.1	160	129	122.4	30.2
LG 34.70.67.84:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 34.70.67.84:443/Http client/Task Pool used					
0	0.003	0.1	0	0.001	0.011
LG 34.70.67.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.67.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.67.84:443/Controller Connection/Ping Duration (ms)					
68	90.2	111	81	90.2	15.5
LG 34.70.67.84:443/Network/Segments sent/sec.					
1.58	1,558	3,612	1,604	1,552	830.8
LG 34.70.67.84:443/Network/Segments retransmitted/sec.					
0	0.02	0.651	0	0.005	0.078
LG 34.70.67.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	71.6	31.2	30	16.4
LG 34.70.67.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	4.44	2.03	1.94	0.991

LG 34.70.76.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.76.117:443/CPU Load					
0	14.4	51	14	14.1	8.12
LG 34.70.76.117:443/Memory Used					
2	22	42	22	22	9.05
LG 34.70.76.117:443/Throughput					
0	28.9	122.1	29.4	28.2	17.4
LG 34.70.76.117:443/User Load					
0	39.7	64	45.5	40.3	19.1
LG 34.70.76.117:443/Thread Count					
39	123.9	176	130	124.7	32.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.76.117:443/Http client/Thread Pool used					
0.1	0.11	0.215	0.1	0.105	0.025
LG 34.70.76.117:443/Http client/Task Pool used					
0	0.003	0.2	0	0	0.014
LG 34.70.76.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.76.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.76.117:443/Controller Connection/Ping Duration (ms)					
60	105.7	148	109	105.7	23.3
LG 34.70.76.117:443/Network/Segments sent/sec.					
1.6	1,562	5,514	1,584	1,526	914.1
LG 34.70.76.117:443/Network/Segments retransmitted/sec.					
0	0.016	0.602	0	0	0.075
LG 34.70.76.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	125.9	30.5	29.2	18.1
LG 34.70.76.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.93	6.52	1.97	1.9	1.08

LG 34.70.79.81:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.79.81:443/CPU Load					
0	14.7	38	15	14.7	7.08
LG 34.70.79.81:443/Memory Used					
2	21.1	42	21	21	8.21
LG 34.70.79.81:443/Throughput					
0	28.8	75.6	29.6	28.7	15.7
LG 34.70.79.81:443/User Load					
0	39.6	64	46	40.2	19.3
LG 34.70.79.81:443/Thread Count					
39	121.8	161	129	123.1	30.1
LG 34.70.79.81:443/Http client/Thread Pool used					
0.1	0.102	0.135	0.1	0.101	0.005
LG 34.70.79.81:443/Http client/Task Pool used					
0	0.003	0.15	0	0.001	0.011
LG 34.70.79.81:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.79.81:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.79.81:443/Controller Connection/Ping Duration (ms)					
66	94.4	141	104	93.7	17.6
LG 34.70.79.81:443/Network/Segments sent/sec.					
1.58	1,542	3,713	1,548	1,539	820.5
LG 34.70.79.81:443/Network/Segments retransmitted/sec.					
0	0.023	0.611	0	0.007	0.085
LG 34.70.79.81:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.8	77.8	30.2	29.7	16.2
LG 34.70.79.81:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.92	4.54	2.03	1.93	0.974

LG 35.184.100.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.100.161:443/CPU Load					
0	13.9	59	13	13.5	8.5
LG 35.184.100.161:443/Memory Used					
3	21.6	46	21	21.5	8.95
LG 35.184.100.161:443/Throughput					
0	28.5	91.4	25.5	27.5	18.8
LG 35.184.100.161:443/User Load					
0	39.7	64	46	40.3	19.1
LG 35.184.100.161:443/Thread Count					
39	123.9	170	130	124.9	32.4
LG 35.184.100.161:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.101	0.007
LG 35.184.100.161:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.012
LG 35.184.100.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.100.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.100.161:443/Controller Connection/Ping Duration (ms)					
67	93.5	148	106	92.5	20.7
LG 35.184.100.161:443/Network/Segments sent/sec.					
2.4	1,534	4,465	1,354	1,489	969.1
LG 35.184.100.161:443/Network/Segments retransmitted/sec.					
0	0.026	0.8	0	0.009	0.094
LG 35.184.100.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.5	94.5	26.2	28.5	19.4
LG 35.184.100.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.9	6.2	1.74	1.86	1.14

LG 35.184.138.152:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.138.152:443/CPU Load					
0	15.5	61	15	15	9.38
LG 35.184.138.152:443/Memory Used					
2	21.7	43	21	21.8	8.47
LG 35.184.138.152:443/Throughput					
0	29.2	116.5	27	27.9	19.3
LG 35.184.138.152:443/User Load					
0	39.7	64	46	40.4	19.2
LG 35.184.138.152:443/Thread Count					
39	124.6	173	129	125.7	32.9
LG 35.184.138.152:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.103	0.01
LG 35.184.138.152:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.011
LG 35.184.138.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.138.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.138.152:443/Controller Connection/Ping Duration (ms)					
55	93.4	143	107	93	21.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.138.152:443/Network/Segments sent/sec.					
1.6	1,567	5,672	1,458	1,507	989.2
LG 35.184.138.152:443/Network/Segments retransmitted/sec.					
0	0.02	0.796	0	0.005	0.081
LG 35.184.138.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	119.6	28	28.9	19.9
LG 35.184.138.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	1.94	6.64	1.83	1.88	1.16

LG 35.184.228.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.228.200:443/CPU Load					
0	15.1	57	14	14.8	8.1
LG 35.184.228.200:443/Memory Used					
3	23.8	45	23	23.9	9.39
LG 35.184.228.200:443/Throughput					
0	29.2	121.6	28.2	28.5	17.4
LG 35.184.228.200:443/User Load					
0	40.3	64	47	41	19
LG 35.184.228.200:443/Thread Count					
39	124.4	168	131	125.5	31.7
LG 35.184.228.200:443/Http client/Thread Pool used					
0.1	0.103	0.155	0.1	0.102	0.009
LG 35.184.228.200:443/Http client/Task Pool used					
0	0.003	0.183	0	0.001	0.015
LG 35.184.228.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.228.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.228.200:443/Controller Connection/Ping Duration (ms)					
63	79.7	148	68	76.8	24.9
LG 35.184.228.200:443/Network/Segments sent/sec.					
3.8	1,575	5,675	1,536	1,540	911.1
LG 35.184.228.200:443/Network/Segments retransmitted/sec.					
0	0.02	0.6	0	0.004	0.08
LG 35.184.228.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30.3	125.9	29.4	29.6	18.1
LG 35.184.228.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.95	6.84	1.9	1.92	1.08

LG 35.184.243.123:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.243.123:443/CPU Load					
0	14.2	33	15	14.2	6.59
LG 35.184.243.123:443/Memory Used					
3	21.4	43	22	21.3	8.31
LG 35.184.243.123:443/Throughput					
0	29.5	91.3	30.8	29.4	15.5
LG 35.184.243.123:443/User Load					
0	40.1	64	46	40.7	18.9
LG 35.184.243.123:443/Thread Count					
39	121.8	162	129	123	29.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.243.123:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 35.184.243.123:443/Http client/Task Pool used					
0	0.002	0.083	0	0.001	0.009
LG 35.184.243.123:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.243.123:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.243.123:443/Controller Connection/Ping Duration (ms)					
67	81.9	158	79	79	18
LG 35.184.243.123:443/Network/Segments sent/sec.					
2.6	1,584	4,284	1,676	1,583	809.8
LG 35.184.243.123:443/Network/Segments retransmitted/sec.					
0	0.022	0.806	0	0.003	0.099
LG 35.184.243.123:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.5	94	31.8	30.4	16
LG 35.184.243.123:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.97	4.52	2.1	1.98	0.957

LG 35.184.86.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.86.62:443/CPU Load					
0	16.6	64	16	16.2	9.15
LG 35.184.86.62:443/Memory Used					
3	22.1	41	22	22.2	8.21
LG 35.184.86.62:443/Throughput					
0	29.3	118	27.9	28.5	17.5
LG 35.184.86.62:443/User Load					
0	40.2	64	47	40.9	19.2
LG 35.184.86.62:443/Thread Count					
39	124.3	169	130	125.3	31.9
LG 35.184.86.62:443/Http client/Thread Pool used					
0.1	0.105	0.16	0.1	0.103	0.011
LG 35.184.86.62:443/Http client/Task Pool used					
0	0.002	0.133	0	0.001	0.01
LG 35.184.86.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.86.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.86.62:443/Controller Connection/Ping Duration (ms)					
68	115.7	620	112	98.9	96.4
LG 35.184.86.62:443/Network/Segments sent/sec.					
2.41	1,555	5,868	1,521	1,522	893.9
LG 35.184.86.62:443/Network/Segments retransmitted/sec.					
0	0.03	1.8	0	0.006	0.14
LG 35.184.86.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	121.6	28.8	29.4	18.1
LG 35.184.86.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.94	7.73	1.95	1.91	1.07

LG 35.188.115.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.115.179:443/CPU Load					
0	14.4	53	14	14.1	7.74
LG 35.188.115.179:443/Memory Used					
3	21.8	45	21	21.7	8.49
LG 35.188.115.179:443/Throughput					
0	29.2	112.7	28.9	28.4	17.6
LG 35.188.115.179:443/User Load					
0	40.4	64	46.5	41	19
LG 35.188.115.179:443/Thread Count					
39	123.7	166	129.5	124.8	31.2
LG 35.188.115.179:443/Http client/Thread Pool used					
0.1	0.103	0.16	0.1	0.101	0.01
LG 35.188.115.179:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.013
LG 35.188.115.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.115.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.115.179:443/Controller Connection/Ping Duration (ms)					
63	70.6	101	68	69.2	8.62
LG 35.188.115.179:443/Network/Segments sent/sec.					
4.64	1,568	5,505	1,534	1,529	909.8
LG 35.188.115.179:443/Network/Segments retransmitted/sec.					
0	0.019	0.608	0	0.002	0.083
LG 35.188.115.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.2	116.5	29.8	29.3	18.2
LG 35.188.115.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.95	7.3	1.91	1.91	1.08

LG 35.188.134.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.134.2:443/CPU Load					
0	14.8	67	14	14.3	9.16
LG 35.188.134.2:443/Memory Used					
2	20.6	45	20	20.4	8.28
LG 35.188.134.2:443/Throughput					
0	29.7	129.6	28.1	28.6	19.1
LG 35.188.134.2:443/User Load					
0	40.5	65	47	41.1	19.3
LG 35.188.134.2:443/Thread Count					
39	124.2	168	130	125.3	31.8
LG 35.188.134.2:443/Http client/Thread Pool used					
0.1	0.104	0.155	0.1	0.102	0.009
LG 35.188.134.2:443/Http client/Task Pool used					
0	0.002	0.183	0	0	0.012
LG 35.188.134.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.134.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.134.2:443/Controller Connection/Ping Duration (ms)					
73	110.4	146	108	110.2	14.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.134.2:443/Network/Segments sent/sec.					
3.36	1,601	6,109	1,498	1,550	978.3
LG 35.188.134.2:443/Network/Segments retransmitted/sec.					
0	0.023	1.31	0	0.007	0.098
LG 35.188.134.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.7	132.7	28.8	29.5	19.7
LG 35.188.134.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.98	7.26	1.9	1.93	1.16

LG 35.192.10.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.10.41:443/CPU Load					
0	14.2	48	14	13.8	8
LG 35.192.10.41:443/Memory Used					
3	20.3	42	19	20.2	8.12
LG 35.192.10.41:443/Throughput					
0	29	94	28.8	28.1	17.5
LG 35.192.10.41:443/User Load					
0	39.6	64	46	40.2	19.4
LG 35.192.10.41:443/Thread Count					
39	122.8	164	129	124	31.1
LG 35.192.10.41:443/Http client/Thread Pool used					
0.1	0.105	0.16	0.1	0.102	0.012
LG 35.192.10.41:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.013
LG 35.192.10.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.10.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.10.41:443/Controller Connection/Ping Duration (ms)					
66	123	156	146	124.4	31.1
LG 35.192.10.41:443/Network/Segments sent/sec.					
1.6	1,570	4,679	1,555	1,529	919
LG 35.192.10.41:443/Network/Segments retransmitted/sec.					
0	0.032	1.19	0	0.012	0.114
LG 35.192.10.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	95.9	29.8	29.2	18.2
LG 35.192.10.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	6.01	1.93	1.9	1.1

LG 35.192.157.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.157.166:443/CPU Load					
0	16.3	68	16	15.8	9.41
LG 35.192.157.166:443/Memory Used					
3	22.5	43	22	22.6	8.3
LG 35.192.157.166:443/Throughput					
0	29.6	111.9	29.2	28.7	18.3
LG 35.192.157.166:443/User Load					
0	40.2	64	47	40.9	19.3
LG 35.192.157.166:443/Thread Count					
39	124.5	169	130	125.6	31.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.157.166:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 35.192.157.166:443/Http client/Task Pool used					
0	0.003	0.167	0	0.001	0.013
LG 35.192.157.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.157.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.157.166:443/Controller Connection/Ping Duration (ms)					
67	89.8	149	85	88.1	22.8
LG 35.192.157.166:443/Network/Segments sent/sec.					
4.2	1,583	5,089	1,578	1,539	936.5
LG 35.192.157.166:443/Network/Segments retransmitted/sec.					
0	0.019	0.792	0	0.005	0.079
LG 35.192.157.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30.6	115.3	30.3	29.6	18.9
LG 35.192.157.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.97	6.44	2.01	1.93	1.12

LG 35.192.181.206:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.181.206:443/CPU Load					
0	15.4	34	15	15.4	7.32
LG 35.192.181.206:443/Memory Used					
3	22.4	45	21	22.4	9.53
LG 35.192.181.206:443/Throughput					
0	29	71	28.3	28.7	15.8
LG 35.192.181.206:443/User Load					
0	39.5	64	45.5	40.1	19.4
LG 35.192.181.206:443/Thread Count					
39	121.3	162	128.5	122.6	30
LG 35.192.181.206:443/Http client/Thread Pool used					
0.1	0.101	0.11	0.1	0.1	0.002
LG 35.192.181.206:443/Http client/Task Pool used					
0	0.003	0.25	0	0.001	0.017
LG 35.192.181.206:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.181.206:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.181.206:443/Controller Connection/Ping Duration (ms)					
58	95.2	140	107	94.5	23
LG 35.192.181.206:443/Network/Segments sent/sec.					
1.6	1,548	3,616	1,528	1,539	820.5
LG 35.192.181.206:443/Network/Segments retransmitted/sec.					
0	0.021	1.01	0	0.004	0.093
LG 35.192.181.206:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	72.7	29.1	29.7	16.3
LG 35.192.181.206:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.93	4.38	1.94	1.93	0.972

LG 35.193.174.122:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.174.122:443/CPU Load					
0	13.8	50	13	13.4	8.14
LG 35.193.174.122:443/Memory Used					
2	20.4	39	20	20.4	7.51
LG 35.193.174.122:443/Throughput					
0	29.1	115.5	27.3	28	18.8
LG 35.193.174.122:443/User Load					
0	39.6	64	46	40.2	19.3
LG 35.193.174.122:443/Thread Count					
38	122.6	165	128	123.8	31.5
LG 35.193.174.122:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.101	0.008
LG 35.193.174.122:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.012
LG 35.193.174.122:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.174.122:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.174.122:443/Controller Connection/Ping Duration (ms)					
66	98.5	148	108	97.6	20.7
LG 35.193.174.122:443/Network/Segments sent/sec.					
1.6	1,568	5,647	1,451	1,513	977.9
LG 35.193.174.122:443/Network/Segments retransmitted/sec.					
0	0.019	0.602	0	0.003	0.08
LG 35.193.174.122:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	119.5	28.3	28.9	19.5
LG 35.193.174.122:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	6.52	1.85	1.88	1.15

LG 35.193.210.47:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.210.47:443/CPU Load					
0	14.1	59	13.5	13.8	8.23
LG 35.193.210.47:443/Memory Used					
3	20.7	40	21	20.7	7.87
LG 35.193.210.47:443/Throughput					
0	28.9	135.8	26.6	28.2	17.7
LG 35.193.210.47:443/User Load					
0	39.9	64	46	40.5	18.9
LG 35.193.210.47:443/Thread Count					
39	123.8	175	131	124.6	33.3
LG 35.193.210.47:443/Http client/Thread Pool used					
0.1	0.104	0.175	0.1	0.101	0.013
LG 35.193.210.47:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.012
LG 35.193.210.47:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.210.47:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.210.47:443/Controller Connection/Ping Duration (ms)					
65	99.9	138	105	100.3	15.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.210.47:443/Network/Segments sent/sec.					
1.6	1,552	5,932	1,427	1,521	912.3
LG 35.193.210.47:443/Network/Segments retransmitted/sec.					
0	0.03	0.81	0	0.012	0.102
LG 35.193.210.47:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.8	139.5	27.3	29.1	18.3
LG 35.193.210.47:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.93	7.36	1.82	1.89	1.1

LG 35.193.75.217:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.75.217:443/CPU Load					
0	14.6	41	15	14.4	7.67
LG 35.193.75.217:443/Memory Used					
3	21.5	49	21	21.4	8.67
LG 35.193.75.217:443/Throughput					
0	28.7	85.8	28.4	28.3	16.2
LG 35.193.75.217:443/User Load					
0	39.8	64	46	40.4	19.1
LG 35.193.75.217:443/Thread Count					
39	122.9	165	129	124.1	31.2
LG 35.193.75.217:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.101	0.006
LG 35.193.75.217:443/Http client/Task Pool used					
0	0.003	0.183	0	0.001	0.014
LG 35.193.75.217:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.75.217:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.75.217:443/Controller Connection/Ping Duration (ms)					
66	95.3	121	106	95.6	19.8
LG 35.193.75.217:443/Network/Segments sent/sec.					
1.6	1,541	4,555	1,549	1,524	852.3
LG 35.193.75.217:443/Network/Segments retransmitted/sec.					
0	0.024	0.795	0	0.009	0.087
LG 35.193.75.217:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.7	89.9	29.3	29.3	16.8
LG 35.193.75.217:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.92	5.51	1.96	1.9	1

LG 35.194.36.1:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.36.1:443/CPU Load					
0	13.9	50	15	13.9	7.14
LG 35.194.36.1:443/Memory Used					
2	20.8	38	21	20.9	7.49
LG 35.194.36.1:443/Throughput					
0	29.4	124.3	29.9	29.1	16.7
LG 35.194.36.1:443/User Load					
0	40.5	65	47	41.1	19.3
LG 35.194.36.1:443/Thread Count					
39	124.4	170	130	125.3	31.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.36.1:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.101	0.011
LG 35.194.36.1:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.009
LG 35.194.36.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.36.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.36.1:443/Controller Connection/Ping Duration (ms)					
66	81.6	132	68	80	20
LG 35.194.36.1:443/Network/Segments sent/sec.					
4.64	1,580	5,434	1,601	1,571	865.1
LG 35.194.36.1:443/Network/Segments retransmitted/sec.					
0	0.019	0.605	0	0.002	0.084
LG 35.194.36.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.3	127.4	30.9	30.1	17.2
LG 35.194.36.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.96	6.63	2.01	1.95	1.02

LG 35.194.46.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.46.21:443/CPU Load					
0	15.5	47	15	15.3	8.17
LG 35.194.46.21:443/Memory Used					
3	21.9	45	21	21.9	8.83
LG 35.194.46.21:443/Throughput					
0	29.2	105.1	28.7	28.4	17.3
LG 35.194.46.21:443/User Load					
0	39.7	64	46	40.3	19.2
LG 35.194.46.21:443/Thread Count					
39	122.1	162	129	123.3	30.5
LG 35.194.46.21:443/Http client/Thread Pool used					
0.1	0.104	0.155	0.1	0.102	0.01
LG 35.194.46.21:443/Http client/Task Pool used					
0	0.002	0.117	0	0.001	0.01
LG 35.194.46.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.46.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.46.21:443/Controller Connection/Ping Duration (ms)					
64	115.5	154	146	116	39.8
LG 35.194.46.21:443/Network/Segments sent/sec.					
1.6	1,559	5,020	1,524	1,526	894.4
LG 35.194.46.21:443/Network/Segments retransmitted/sec.					
0	0.031	0.803	0	0.01	0.107
LG 35.194.46.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	108.1	29.6	29.4	17.9
LG 35.194.46.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	6.08	1.92	1.91	1.05

LG 35.194.61.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.61.84:443/CPU Load					
0	13.1	40	13	12.9	7.05
LG 35.194.61.84:443/Memory Used					
2	20.9	42	21	20.9	7.82
LG 35.194.61.84:443/Throughput					
0	29	104.6	27.9	28.2	17.2
LG 35.194.61.84:443/User Load					
0	39.8	64	46	40.4	19.1
LG 35.194.61.84:443/Thread Count					
39	123.7	177	129	124.5	33.1
LG 35.194.61.84:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.102	0.008
LG 35.194.61.84:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.012
LG 35.194.61.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.61.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.61.84:443/Controller Connection/Ping Duration (ms)					
66	93.5	148	105	92	24
LG 35.194.61.84:443/Network/Segments sent/sec.					
2.38	1,571	5,207	1,522	1,537	896.2
LG 35.194.61.84:443/Network/Segments retransmitted/sec.					
0	0.02	0.814	0	0.002	0.087
LG 35.194.61.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30	108.1	28.7	29.2	17.8
LG 35.194.61.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	6.23	1.91	1.9	1.06

LG 35.194.63.50:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.63.50:443/CPU Load					
0	14.4	35	15	14.4	6.93
LG 35.194.63.50:443/Memory Used					
2	20.5	39	21	20.5	7.93
LG 35.194.63.50:443/Throughput					
0	28.9	85.1	30	28.7	15.5
LG 35.194.63.50:443/User Load					
0	39.8	64	46	40.4	19.1
LG 35.194.63.50:443/Thread Count					
39	121	161	129	122.2	29.7
LG 35.194.63.50:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 35.194.63.50:443/Http client/Task Pool used					
0	0.003	0.183	0	0	0.015
LG 35.194.63.50:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.63.50:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.63.50:443/Controller Connection/Ping Duration (ms)					
61	88.9	147	90	87.5	22.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.63.50:443/Network/Segments sent/sec.					
1.6	1,551	3,644	1,599	1,544	808.7
LG 35.194.63.50:443/Network/Segments retransmitted/sec.					
0	0.026	1.2	0	0.006	0.112
LG 35.194.63.50:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	88	30.9	29.7	16
LG 35.194.63.50:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.93	4.28	2.06	1.93	0.958

LG 35.202.106.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.106.246:443/CPU Load					
0	15.6	47	16	15.4	8.31
LG 35.202.106.246:443/Memory Used					
2	21	42	20	20.9	8.09
LG 35.202.106.246:443/Throughput					
0	29.4	93.1	29.9	28.8	17.2
LG 35.202.106.246:443/User Load					
0	40.5	65	47	41.2	19.3
LG 35.202.106.246:443/Thread Count					
39	123.9	164	130	125.1	31
LG 35.202.106.246:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.101	0.008
LG 35.202.106.246:443/Http client/Task Pool used					
0	0.003	0.15	0	0.001	0.011
LG 35.202.106.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.106.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.106.246:443/Controller Connection/Ping Duration (ms)					
75	86.6	117	76	85.5	16.8
LG 35.202.106.246:443/Network/Segments sent/sec.					
2.8	1,565	4,909	1,588	1,536	892.4
LG 35.202.106.246:443/Network/Segments retransmitted/sec.					
0	0.018	0.804	0	0.002	0.084
LG 35.202.106.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	96.1	31.1	29.7	17.8
LG 35.202.106.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.95	5.69	2.02	1.93	1.06

LG 35.202.116.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.116.133:443/CPU Load					
0	16	39	17	16	7.18
LG 35.202.116.133:443/Memory Used					
3	21	44	20	20.9	8.09
LG 35.202.116.133:443/Throughput					
0	29.1	64.8	29.4	29	15.1
LG 35.202.116.133:443/User Load					
0	39.9	64	46	40.6	19.1
LG 35.202.116.133:443/Thread Count					
39	121.6	161	130	122.9	29.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.116.133:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.101	0.004
LG 35.202.116.133:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.013
LG 35.202.116.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.116.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.116.133:443/Controller Connection/Ping Duration (ms)					
62	76.9	148	67	73.7	22.2
LG 35.202.116.133:443/Network/Segments sent/sec.					
2.4	1,552	3,284	1,607	1,552	789.2
LG 35.202.116.133:443/Network/Segments retransmitted/sec.					
0	0.021	0.8	0	0.002	0.095
LG 35.202.116.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	66.8	30.6	30	15.6
LG 35.202.116.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	4.56	2.02	1.94	0.958

LG 35.202.202.99:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.202.99:443/CPU Load					
0	14.5	55	14	14.2	8.08
LG 35.202.202.99:443/Memory Used					
3	21.7	45	22	21.7	8.59
LG 35.202.202.99:443/Throughput					
0	29.3	125.4	27.7	28.6	17.5
LG 35.202.202.99:443/User Load					
0	40.3	64	46	40.9	19.1
LG 35.202.202.99:443/Thread Count					
39	123.8	171	129	124.8	31.8
LG 35.202.202.99:443/Http client/Thread Pool used					
0.1	0.104	0.175	0.1	0.102	0.013
LG 35.202.202.99:443/Http client/Task Pool used					
0	0.003	0.167	0	0.001	0.011
LG 35.202.202.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.202.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.202.99:443/Controller Connection/Ping Duration (ms)					
94	131.4	155	119	131.8	20.7
LG 35.202.202.99:443/Network/Segments sent/sec.					
1.59	1,576	5,796	1,514	1,547	905.3
LG 35.202.202.99:443/Network/Segments retransmitted/sec.					
0	0.028	0.691	0	0.011	0.099
LG 35.202.202.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	128.4	28.7	29.6	18.1
LG 35.202.202.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	7.08	1.92	1.92	1.07

LG 35.202.213.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.213.121:443/CPU Load					
0	15	51	15	14.6	8.44
LG 35.202.213.121:443/Memory Used					
2	20.8	44	20	20.6	8.52
LG 35.202.213.121:443/Throughput					
0	28.7	105.1	28.2	27.9	17.7
LG 35.202.213.121:443/User Load					
0	39.6	64	46	40.2	19.1
LG 35.202.213.121:443/Thread Count					
38	123.4	171	129	124.3	33.1
LG 35.202.213.121:443/Http client/Thread Pool used					
0.1	0.104	0.155	0.1	0.102	0.011
LG 35.202.213.121:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.01
LG 35.202.213.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.213.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.213.121:443/Controller Connection/Ping Duration (ms)					
86	107.5	145	106	106.5	12.1
LG 35.202.213.121:443/Network/Segments sent/sec.					
1.6	1,546	4,842	1,530	1,507	913.6
LG 35.202.213.121:443/Network/Segments retransmitted/sec.					
0	0.018	0.789	0	0.004	0.078
LG 35.202.213.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.7	107.8	29.1	28.8	18.3
LG 35.202.213.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.92	6.3	1.96	1.88	1.08

LG 35.202.71.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.71.28:443/CPU Load					
0	14.7	34	15	14.6	7.21
LG 35.202.71.28:443/Memory Used					
3	20.7	39	21	20.7	7.68
LG 35.202.71.28:443/Throughput					
0	29.4	75	28.7	29.2	15.8
LG 35.202.71.28:443/User Load					
0	40.6	65	47	41.2	19.4
LG 35.202.71.28:443/Thread Count					
39	123.1	166	130	124.1	30.1
LG 35.202.71.28:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.101	0.004
LG 35.202.71.28:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.01
LG 35.202.71.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.71.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.71.28:443/Controller Connection/Ping Duration (ms)					
65	123.2	609	107	106.6	94.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.71.28:443/Network/Segments sent/sec.					
2.97	1,588	3,757	1,582	1,575	831.5
LG 35.202.71.28:443/Network/Segments retransmitted/sec.					
0	0.024	0.995	0	0.001	0.116
LG 35.202.71.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.4	76.5	29.8	30.1	16.3
LG 35.202.71.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.97	4.46	2.01	1.96	0.987

LG 35.222.133.60:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.133.60:443/CPU Load					
0	14.8	54	14	14.3	8.88
LG 35.222.133.60:443/Memory Used					
3	21.2	44	21	21.1	8.7
LG 35.222.133.60:443/Throughput					
0	29.3	116.6	26.2	28.1	19.6
LG 35.222.133.60:443/User Load					
0	40	64	46	40.7	18.9
LG 35.222.133.60:443/Thread Count					
39	123.3	163	129.5	124.6	30.9
LG 35.222.133.60:443/Http client/Thread Pool used					
0.1	0.102	0.12	0.1	0.101	0.004
LG 35.222.133.60:443/Http client/Task Pool used					
0	0.003	0.167	0	0.001	0.013
LG 35.222.133.60:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.133.60:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.133.60:443/Controller Connection/Ping Duration (ms)					
64	90.8	115	105	90.9	20.2
LG 35.222.133.60:443/Network/Segments sent/sec.					
2.4	1,578	5,599	1,439	1,523	1,012
LG 35.222.133.60:443/Network/Segments retransmitted/sec.					
0	0.022	0.798	0	0.005	0.093
LG 35.222.133.60:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	120	27.1	29.1	20.3
LG 35.222.133.60:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	6.89	1.8	1.89	1.18

LG 35.222.97.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.97.171:443/CPU Load					
0	15	44	14	14.7	8.24
LG 35.222.97.171:443/Memory Used					
3	21.4	46	22	21.4	8.24
LG 35.222.97.171:443/Throughput					
0	29.3	89.4	26.7	28.5	17.7
LG 35.222.97.171:443/User Load					
0	40	64	46	40.6	19
LG 35.222.97.171:443/Thread Count					
39	121.9	164	131	123.1	29.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.97.171:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.101	0.005
LG 35.222.97.171:443/Http client/Task Pool used					
0	0.002	0.05	0	0.001	0.008
LG 35.222.97.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.97.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.97.171:443/Controller Connection/Ping Duration (ms)					
67	98.6	151	111	98.7	18.8
LG 35.222.97.171:443/Network/Segments sent/sec.					
1.6	1,571	4,427	1,472	1,535	913.7
LG 35.222.97.171:443/Network/Segments retransmitted/sec.					
0	0.022	0.8	0	0.004	0.091
LG 35.222.97.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	92.7	27.6	29.6	18.2
LG 35.222.97.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	5.4	1.88	1.91	1.07

LG 35.223.103.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.103.29:443/CPU Load					
0	14.3	32	14	14.3	6.75
LG 35.223.103.29:443/Memory Used					
3	20	39	19	20	7.59
LG 35.223.103.29:443/Throughput					
0	29	60	29.3	29	15.4
LG 35.223.103.29:443/User Load					
0	40.1	64	46	40.8	18.9
LG 35.223.103.29:443/Thread Count					
39	122.1	161	129	123.4	29.5
LG 35.223.103.29:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.223.103.29:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.01
LG 35.223.103.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.103.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.103.29:443/Controller Connection/Ping Duration (ms)					
65	77	146	69	74.1	18.9
LG 35.223.103.29:443/Network/Segments sent/sec.					
3.61	1,555	3,095	1,575	1,561	803.2
LG 35.223.103.29:443/Network/Segments retransmitted/sec.					
0	0.024	0.8	0	0.006	0.093
LG 35.223.103.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	62.2	30.4	30	15.9
LG 35.223.103.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.93	3.91	2.01	1.95	0.959

LG 35.223.122.214:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.122.214:443/CPU Load					
0	15.3	63	15	14.7	9.04
LG 35.223.122.214:443/Memory Used					
2	22	39	22	22.1	8.33
LG 35.223.122.214:443/Throughput					
0	28.8	132.6	26.1	27.3	19.3
LG 35.223.122.214:443/User Load					
0	40	64	46	40.6	19.1
LG 35.223.122.214:443/Thread Count					
39	124.9	176	131	125.8	33.4
LG 35.223.122.214:443/Http client/Thread Pool used					
0.1	0.105	0.17	0.1	0.103	0.013
LG 35.223.122.214:443/Http client/Task Pool used					
0	0.002	0.05	0	0.001	0.008
LG 35.223.122.214:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.122.214:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.122.214:443/Controller Connection/Ping Duration (ms)					
66	105.3	146	108	105.2	16.1
LG 35.223.122.214:443/Network/Segments sent/sec.					
3.8	1,538	6,035	1,481	1,466	985.7
LG 35.223.122.214:443/Network/Segments retransmitted/sec.					
0	0.03	0.81	0	0.011	0.103
LG 35.223.122.214:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	29.7	136.4	27.3	28.2	19.9
LG 35.223.122.214:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.92	7.5	1.85	1.84	1.17

LG 35.223.128.107:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.128.107:443/CPU Load					
0	15.8	58	15	15.5	8.66
LG 35.223.128.107:443/Memory Used					
2	22.7	42	23	22.7	8.14
LG 35.223.128.107:443/Throughput					
0	29.7	121.5	27.9	28.9	18.1
LG 35.223.128.107:443/User Load					
0	40.3	65	47	41	19.5
LG 35.223.128.107:443/Thread Count					
39	123.5	166	130	124.6	31.1
LG 35.223.128.107:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.102	0.009
LG 35.223.128.107:443/Http client/Task Pool used					
0	0.003	0.1	0	0.001	0.013
LG 35.223.128.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.128.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.128.107:443/Controller Connection/Ping Duration (ms)					
69	81.6	149	70	79	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.128.107:443/Network/Segments sent/sec.					
3	1,596	6,034	1,518	1,557	941.5
LG 35.223.128.107:443/Network/Segments retransmitted/sec.					
0	0.021	0.802	0	0.001	0.099
LG 35.223.128.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.8	125.8	28.9	29.9	18.7
LG 35.223.128.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.98	6.86	1.97	1.94	1.11

LG 35.223.168.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.168.46:443/CPU Load					
0	14.1	48	14	13.8	7.71
LG 35.223.168.46:443/Memory Used					
3	22	44	21	21.8	9.53
LG 35.223.168.46:443/Throughput					
0	29.1	102.9	30.1	28.4	17.2
LG 35.223.168.46:443/User Load					
0	39.6	64	46	40.3	19.2
LG 35.223.168.46:443/Thread Count					
39	123	168	128	124.1	31.9
LG 35.223.168.46:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.101	0.012
LG 35.223.168.46:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.223.168.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.168.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.168.46:443/Controller Connection/Ping Duration (ms)					
59	84.3	154	69	81.6	29.4
LG 35.223.168.46:443/Network/Segments sent/sec.					
1.59	1,574	4,885	1,655	1,540	907
LG 35.223.168.46:443/Network/Segments retransmitted/sec.					
0	0.02	1.32	0	0.004	0.094
LG 35.223.168.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	106.3	31.5	29.4	17.9
LG 35.223.168.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	6.25	2.05	1.91	1.07

LG 35.223.182.253:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.182.253:443/CPU Load					
0	14.8	43	14	14.5	8.2
LG 35.223.182.253:443/Memory Used					
2	22.5	47	23	22.5	8.53
LG 35.223.182.253:443/Throughput					
0	29.2	102	28.5	28.6	16.9
LG 35.223.182.253:443/User Load					
0	40	64	46	40.7	19
LG 35.223.182.253:443/Thread Count					
39	122.7	164	129	123.9	30.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.182.253:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.101	0.005
LG 35.223.182.253:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.009
LG 35.223.182.253:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.182.253:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.182.253:443/Controller Connection/Ping Duration (ms)					
92	109.4	163	106	107.4	12.5
LG 35.223.182.253:443/Network/Segments sent/sec.					
3.35	1,575	4,873	1,554	1,545	877.7
LG 35.223.182.253:443/Network/Segments retransmitted/sec.					
0	0.011	0.403	0	0	0.052
LG 35.223.182.253:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.2	105.1	29.4	29.5	17.5
LG 35.223.182.253:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.95	5.62	1.96	1.92	1.04

LG 35.223.185.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.185.22:443/CPU Load					
0	14.5	49	14	14.2	8.11
LG 35.223.185.22:443/Memory Used					
3	21.2	43	22	21.1	8.59
LG 35.223.185.22:443/Throughput					
0	29	94.5	26.5	28.3	17.2
LG 35.223.185.22:443/User Load					
0	39.8	64	46	40.4	19.1
LG 35.223.185.22:443/Thread Count					
39	123.6	168	131	124.7	32.2
LG 35.223.185.22:443/Http client/Thread Pool used					
0.1	0.105	0.17	0.1	0.102	0.012
LG 35.223.185.22:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.011
LG 35.223.185.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.185.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.185.22:443/Controller Connection/Ping Duration (ms)					
57	105.9	154	107	105.8	13.9
LG 35.223.185.22:443/Network/Segments sent/sec.					
2.8	1,562	4,803	1,463	1,527	902.8
LG 35.223.185.22:443/Network/Segments retransmitted/sec.					
0	0.016	0.6	0	0.002	0.068
LG 35.223.185.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	97.7	27.4	29.2	17.8
LG 35.223.185.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.94	5.99	1.94	1.9	1.06

LG 35.223.210.90:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.210.90:443/CPU Load					
0	15.7	66	15	15.3	9.22
LG 35.223.210.90:443/Memory Used					
3	21.4	47	21	21.3	8.4
LG 35.223.210.90:443/Throughput					
0	29.2	137.4	26.3	28.3	18.5
LG 35.223.210.90:443/User Load					
0	40.3	64	46	41	19
LG 35.223.210.90:443/Thread Count					
39	124	166	131	125.1	31.4
LG 35.223.210.90:443/Http client/Thread Pool used					
0.1	0.104	0.155	0.1	0.102	0.01
LG 35.223.210.90:443/Http client/Task Pool used					
0	0.004	0.4	0	0.001	0.023
LG 35.223.210.90:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.210.90:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.210.90:443/Controller Connection/Ping Duration (ms)					
62	82.8	147	69	80.5	22.2
LG 35.223.210.90:443/Network/Segments sent/sec.					
3.02	1,565	5,646	1,431	1,526	943.7
LG 35.223.210.90:443/Network/Segments retransmitted/sec.					
0	0.024	0.805	0	0.004	0.106
LG 35.223.210.90:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30.2	140.5	27.1	29.3	19.1
LG 35.223.210.90:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.95	7.72	1.79	1.9	1.14

LG 35.223.214.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.214.200:443/CPU Load					
0	13.6	58	13	13.2	7.89
LG 35.223.214.200:443/Memory Used					
3	20.8	39	20	20.8	7.74
LG 35.223.214.200:443/Throughput					
0	29.4	142.5	27.2	28.5	18.2
LG 35.223.214.200:443/User Load					
0	40.3	64	46	41	19
LG 35.223.214.200:443/Thread Count					
39	124.1	169	129	125.1	31.8
LG 35.223.214.200:443/Http client/Thread Pool used					
0.1	0.102	0.12	0.1	0.101	0.005
LG 35.223.214.200:443/Http client/Task Pool used					
0	0.002	0.083	0	0.001	0.01
LG 35.223.214.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.214.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.214.200:443/Controller Connection/Ping Duration (ms)					
67	109	146	108	109	12.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.214.200:443/Network/Segments sent/sec.					
4.61	1,586	6,533	1,467	1,543	936.7
LG 35.223.214.200:443/Network/Segments retransmitted/sec.					
0	0.022	1.58	0	0.003	0.111
LG 35.223.214.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.4	145.9	28	29.4	18.8
LG 35.223.214.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.96	7.4	1.88	1.92	1.1

LG 35.223.215.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.215.7:443/CPU Load					
0	15	55	15	14.6	8.66
LG 35.223.215.7:443/Memory Used					
3	21	44	20	20.9	8.29
LG 35.223.215.7:443/Throughput					
0	29.5	112.1	29	28.5	19
LG 35.223.215.7:443/User Load					
0	40	64	46	40.7	18.9
LG 35.223.215.7:443/Thread Count					
39	123.2	164	129	124.5	31
LG 35.223.215.7:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.102	0.007
LG 35.223.215.7:443/Http client/Task Pool used					
0	0.003	0.15	0	0.001	0.012
LG 35.223.215.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.215.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.215.7:443/Controller Connection/Ping Duration (ms)					
70	108.7	116	114	110.4	13.5
LG 35.223.215.7:443/Network/Segments sent/sec.					
1.6	1,583	5,341	1,577	1,534	977.7
LG 35.223.215.7:443/Network/Segments retransmitted/sec.					
0	0.026	0.792	0	0.006	0.1
LG 35.223.215.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	114.8	30.1	29.4	19.6
LG 35.223.215.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.96	6.73	1.96	1.91	1.15

LG 35.223.217.72:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.217.72:443/CPU Load					
0	13.9	30	14	13.8	6.65
LG 35.223.217.72:443/Memory Used					
3	21.2	43	20	21	8.44
LG 35.223.217.72:443/Throughput					
0	29.2	86.3	29.2	28.8	16
LG 35.223.217.72:443/User Load					
0	40.3	64	46	41	19.1
LG 35.223.217.72:443/Thread Count					
39	122.3	160	128	123.6	29.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.217.72:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.223.217.72:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.011
LG 35.223.217.72:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.217.72:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.217.72:443/Controller Connection/Ping Duration (ms)					
97	139.5	158	147	140.8	19.2
LG 35.223.217.72:443/Network/Segments sent/sec.					
4.61	1,575	3,708	1,572	1,560	833.2
LG 35.223.217.72:443/Network/Segments retransmitted/sec.					
0	0.04	1.21	0	0.013	0.142
LG 35.223.217.72:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.2	87.3	30.3	29.8	16.5
LG 35.223.217.72:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.95	4.54	2	1.94	0.988

LG 35.223.221.228:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.221.228:443/CPU Load					
0	16	60	15	15.8	8.73
LG 35.223.221.228:443/Memory Used					
3	21.9	48	22	21.8	8.83
LG 35.223.221.228:443/Throughput					
0	29.1	126.5	27.4	28.6	17.8
LG 35.223.221.228:443/User Load					
0	39.7	64	46	40.4	19.2
LG 35.223.221.228:443/Thread Count					
39	122.4	163	129	123.6	31.1
LG 35.223.221.228:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.102	0.008
LG 35.223.221.228:443/Http client/Task Pool used					
0	0.003	0.1	0	0.001	0.012
LG 35.223.221.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.221.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.221.228:443/Controller Connection/Ping Duration (ms)					
64	101.8	154	86	100.8	34.8
LG 35.223.221.228:443/Network/Segments sent/sec.					
1.6	1,556	6,042	1,474	1,530	917.4
LG 35.223.221.228:443/Network/Segments retransmitted/sec.					
0	0.017	0.601	0	0.001	0.078
LG 35.223.221.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	130.4	28.2	29.5	18.4
LG 35.223.221.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.93	7.19	1.88	1.91	1.08

LG 35.223.228.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.228.146:443/CPU Load					
0	14.2	55	13	13.7	8.7
LG 35.223.228.146:443/Memory Used					
3	20	41	20	19.9	7.88
LG 35.223.228.146:443/Throughput					
0	29	116.6	27	27.8	18.8
LG 35.223.228.146:443/User Load					
0	39.6	64	46	40.3	19.1
LG 35.223.228.146:443/Thread Count					
38	123.7	172	128	124.7	33.3
LG 35.223.228.146:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.102	0.009
LG 35.223.228.146:443/Http client/Task Pool used					
0	0.003	0.25	0	0.001	0.016
LG 35.223.228.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.228.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.228.146:443/Controller Connection/Ping Duration (ms)					
69	106.1	148	108	105.9	13.6
LG 35.223.228.146:443/Network/Segments sent/sec.					
1.6	1,560	5,514	1,461	1,503	961.6
LG 35.223.228.146:443/Network/Segments retransmitted/sec.					
0	0.02	0.79	0	0.004	0.087
LG 35.223.228.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	119.6	28.1	28.8	19.4
LG 35.223.228.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.93	6.57	1.85	1.87	1.13

LG 35.223.236.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.236.42:443/CPU Load					
0	15.5	47	15	15.1	8.67
LG 35.223.236.42:443/Memory Used					
2	21.3	40	21	21.3	8.44
LG 35.223.236.42:443/Throughput					
0	28.8	89.3	27.2	28.1	17.4
LG 35.223.236.42:443/User Load					
0	39.6	64	46	40.2	19.1
LG 35.223.236.42:443/Thread Count					
39	122.6	165	131	123.8	31.2
LG 35.223.236.42:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.102	0.012
LG 35.223.236.42:443/Http client/Task Pool used					
0	0.002	0.1	0	0.001	0.01
LG 35.223.236.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.236.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.236.42:443/Controller Connection/Ping Duration (ms)					
69	105	145	106	105	10.24

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.236.42:443/Network/Segments sent/sec.					
2.4	1,537	4,475	1,477	1,503	902.9
LG 35.223.236.42:443/Network/Segments retransmitted/sec.					
0	0.018	0.8	0	0.003	0.081
LG 35.223.236.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.8	92.5	28.2	29.1	18
LG 35.223.236.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.92	6.06	1.9	1.88	1.07

LG 35.223.46.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.46.169:443/CPU Load					
0	15.6	57	15	15.2	8.58
LG 35.223.46.169:443/Memory Used					
3	21.5	42	21	21.4	8.34
LG 35.223.46.169:443/Throughput					
0	29.8	119.8	28.8	29	17.8
LG 35.223.46.169:443/User Load					
0	40.5	65	47	41.2	19.2
LG 35.223.46.169:443/Thread Count					
39	124.6	170	132	125.6	32
LG 35.223.46.169:443/Http client/Thread Pool used					
0.1	0.105	0.175	0.1	0.103	0.014
LG 35.223.46.169:443/Http client/Task Pool used					
0	0.002	0.083	0	0.001	0.009
LG 35.223.46.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.46.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.46.169:443/Controller Connection/Ping Duration (ms)					
55	97.6	138	105	98	18.2
LG 35.223.46.169:443/Network/Segments sent/sec.					
3.84	1,601	5,578	1,519	1,562	915
LG 35.223.46.169:443/Network/Segments retransmitted/sec.					
0	0.02	0.998	0	0.002	0.097
LG 35.223.46.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30.8	123.3	29.5	29.9	18.4
LG 35.223.46.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.98	6.58	1.94	1.94	1.08

LG 35.223.49.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.49.140:443/CPU Load					
0	16.7	53	16	16.4	9.36
LG 35.223.49.140:443/Memory Used					
2	23	46	23	23	9.95
LG 35.223.49.140:443/Throughput					
0	28.8	104.4	27.2	28.1	17.5
LG 35.223.49.140:443/User Load					
0	39.8	64	46	40.4	19.1
LG 35.223.49.140:443/Thread Count					
39	123.6	170	129	124.6	32.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.49.140:443/Http client/Thread Pool used					
0.1	0.104	0.155	0.1	0.102	0.009
LG 35.223.49.140:443/Http client/Task Pool used					
0	0.003	0.15	0	0.001	0.012
LG 35.223.49.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.49.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.49.140:443/Controller Connection/Ping Duration (ms)					
58	108.4	154	109	108.5	13.6
LG 35.223.49.140:443/Network/Segments sent/sec.					
1.6	1,536	5,239	1,481	1,503	900
LG 35.223.49.140:443/Network/Segments retransmitted/sec.					
0	0.035	0.998	0	0.016	0.107
LG 35.223.49.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	108.1	28.3	29.1	18.1
LG 35.223.49.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.92	5.84	1.93	1.88	1.07

LG 35.224.110.209:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.110.209:443/CPU Load					
0	14.8	41	15	14.6	7.91
LG 35.224.110.209:443/Memory Used					
3	21.2	42	20	21.1	8.44
LG 35.224.110.209:443/Throughput					
0	28.7	85.7	28.4	28.1	16.8
LG 35.224.110.209:443/User Load					
0	39.9	64	46	40.5	19
LG 35.224.110.209:443/Thread Count					
39	123	167	131	124.1	31.6
LG 35.224.110.209:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.102	0.011
LG 35.224.110.209:443/Http client/Task Pool used					
0	0.002	0.067	0	0.001	0.008
LG 35.224.110.209:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.110.209:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.110.209:443/Controller Connection/Ping Duration (ms)					
56	125.7	154	147	127.7	36
LG 35.224.110.209:443/Network/Segments sent/sec.					
1.6	1,539	4,490	1,527	1,509	880.7
LG 35.224.110.209:443/Network/Segments retransmitted/sec.					
0	0.024	0.606	0	0.009	0.08
LG 35.224.110.209:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.7	89.5	29.6	29.1	17.5
LG 35.224.110.209:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.92	5.4	1.92	1.89	1.05

LG 35.224.116.40:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.116.40:443/CPU Load					
0	14.1	53	14	13.6	8.37
LG 35.224.116.40:443/Memory Used					
3	20.7	43	21	20.7	7.82
LG 35.224.116.40:443/Throughput					
0	29	113.2	28.9	27.8	18.3
LG 35.224.116.40:443/User Load					
0	39.6	64	46	40.2	19.2
LG 35.224.116.40:443/Thread Count					
38	122.5	165	129	123.8	31.6
LG 35.224.116.40:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.101	0.008
LG 35.224.116.40:443/Http client/Task Pool used					
0	0.004	0.283	0	0.001	0.019
LG 35.224.116.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.116.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.116.40:443/Controller Connection/Ping Duration (ms)					
61	103.2	189	107	101.9	21
LG 35.224.116.40:443/Network/Segments sent/sec.					
1.6	1,562	5,545	1,577	1,508	948.4
LG 35.224.116.40:443/Network/Segments retransmitted/sec.					
0	0.02	0.6	0	0.005	0.079
LG 35.224.116.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	116.9	30.1	28.8	19
LG 35.224.116.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	7.29	1.97	1.88	1.12

LG 35.224.147.233:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.147.233:443/CPU Load					
0	14.1	65	13	13.7	8.3
LG 35.224.147.233:443/Memory Used					
3	22.3	45	23	22.4	8.61
LG 35.224.147.233:443/Throughput					
0	28.6	138.5	27	27.4	18.9
LG 35.224.147.233:443/User Load					
0	39.7	64	46	40.3	19.1
LG 35.224.147.233:443/Thread Count					
39	122.4	163	130	123.7	31
LG 35.224.147.233:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.101	0.007
LG 35.224.147.233:443/Http client/Task Pool used					
0	0.002	0.1	0	0.001	0.009
LG 35.224.147.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.147.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.147.233:443/Controller Connection/Ping Duration (ms)					
65	96.4	146	106	95.2	23.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.147.233:443/Network/Segments sent/sec.					
1.6	1,535	6,750	1,460	1,480	970.1
LG 35.224.147.233:443/Network/Segments retransmitted/sec.					
0	0.026	0.8	0	0.011	0.089
LG 35.224.147.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.5	143.6	27.8	28.3	19.5
LG 35.224.147.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.91	8.24	1.83	1.85	1.14

LG 35.224.20.233:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.20.233:443/CPU Load					
0	15.6	52	15	15.3	8.24
LG 35.224.20.233:443/Memory Used					
2	22.4	44	22	22.4	8.83
LG 35.224.20.233:443/Throughput					
0	29.3	130.9	27.1	28.5	18
LG 35.224.20.233:443/User Load					
0	39.9	64	46	40.6	19.1
LG 35.224.20.233:443/Thread Count					
39	123.2	166	129	124.4	31.3
LG 35.224.20.233:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.101	0.004
LG 35.224.20.233:443/Http client/Task Pool used					
0	0.003	0.233	0	0.001	0.017
LG 35.224.20.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.20.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.20.233:443/Controller Connection/Ping Duration (ms)					
66	94.1	146	105	92.7	23.5
LG 35.224.20.233:443/Network/Segments sent/sec.					
4.61	1,570	6,060	1,526	1,533	930.3
LG 35.224.20.233:443/Network/Segments retransmitted/sec.					
0	0.026	0.8	0	0.011	0.092
LG 35.224.20.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	30.3	133	27.9	29.5	18.6
LG 35.224.20.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.95	7.01	1.91	1.92	1.1

LG 35.224.209.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.209.52:443/CPU Load					
0	14.4	35	15	14.3	7.1
LG 35.224.209.52:443/Memory Used					
2	20.2	44	19	20.1	7.94
LG 35.224.209.52:443/Throughput					
0	28.9	74.4	29.5	28.5	16
LG 35.224.209.52:443/User Load					
0	39.6	64	45.5	40.2	19.2
LG 35.224.209.52:443/Thread Count					
39	122.6	163	127.5	123.9	30.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.209.52:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 35.224.209.52:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.013
LG 35.224.209.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.209.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.209.52:443/Controller Connection/Ping Duration (ms)					
63	85.6	125	82	84.8	16.5
LG 35.224.209.52:443/Network/Segments sent/sec.					
1.6	1,546	3,616	1,608	1,533	838
LG 35.224.209.52:443/Network/Segments retransmitted/sec.					
0	0.026	0.812	0	0.01	0.091
LG 35.224.209.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.8	77	30.5	29.5	16.6
LG 35.224.209.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.93	4.33	2.08	1.92	1

LG 35.224.49.54:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.49.54:443/CPU Load					
0	14.3	56	14	13.9	8.08
LG 35.224.49.54:443/Memory Used					
2	21.1	44	22	21.1	8.31
LG 35.224.49.54:443/Throughput					
0	28.7	148.8	27.8	27.8	17.8
LG 35.224.49.54:443/User Load					
0	39.7	64	46	40.3	19.2
LG 35.224.49.54:443/Thread Count					
39	124	176	130	124.8	33.3
LG 35.224.49.54:443/Http client/Thread Pool used					
0.1	0.106	0.19	0.1	0.103	0.017
LG 35.224.49.54:443/Http client/Task Pool used					
0	0.003	0.15	0	0.001	0.011
LG 35.224.49.54:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.49.54:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.49.54:443/Controller Connection/Ping Duration (ms)					
68	94.8	145	105	93.8	19.7
LG 35.224.49.54:443/Network/Segments sent/sec.					
1.58	1,546	6,284	1,512	1,506	919.1
LG 35.224.49.54:443/Network/Segments retransmitted/sec.					
0	0.029	1.59	0	0.006	0.13
LG 35.224.49.54:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.7	152.4	29	28.8	18.5
LG 35.224.49.54:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.92	7.12	1.94	1.88	1.09

LG 35.224.5.127:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.5.127:443/CPU Load					
0	13.7	58	13	13.1	8.55
LG 35.224.5.127:443/Memory Used					
1	21.3	41	21	21.3	8.33
LG 35.224.5.127:443/Throughput					
0	28.9	134.4	27.4	27.7	18.6
LG 35.224.5.127:443/User Load					
0	40.1	64	46	40.7	19
LG 35.224.5.127:443/Thread Count					
39	124.3	176	128	125	32.8
LG 35.224.5.127:443/Http client/Thread Pool used					
0.1	0.108	0.2	0.1	0.104	0.02
LG 35.224.5.127:443/Http client/Task Pool used					
0	0.003	0.167	0	0.001	0.013
LG 35.224.5.127:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.5.127:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.5.127:443/Controller Connection/Ping Duration (ms)					
58	107.6	154	108	107.8	12.5
LG 35.224.5.127:443/Network/Segments sent/sec.					
3.41	1,567	5,966	1,493	1,511	956.3
LG 35.224.5.127:443/Network/Segments retransmitted/sec.					
0	0.019	1.2	0	0.002	0.099
LG 35.224.5.127:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30	137.9	28.4	28.7	19.2
LG 35.224.5.127:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.94	6.88	1.88	1.88	1.13

LG 35.225.53.36:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.53.36:443/CPU Load					
0	15.7	39	16	15.6	7.47
LG 35.225.53.36:443/Memory Used					
3	21.5	43	21	21.4	8.3
LG 35.225.53.36:443/Throughput					
0	29.6	81.6	29.7	29.2	16.1
LG 35.225.53.36:443/User Load					
0	40.4	64	46.5	41.1	19.1
LG 35.225.53.36:443/Thread Count					
39	123	163	128.5	124.2	30.3
LG 35.225.53.36:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.101	0.004
LG 35.225.53.36:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.01
LG 35.225.53.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.53.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.53.36:443/Controller Connection/Ping Duration (ms)					
62	88.1	148	78	86	24

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.53.36:443/Network/Segments sent/sec.					
4.61	1,580	4,209	1,578	1,566	834.7
LG 35.225.53.36:443/Network/Segments retransmitted/sec.					
0	0.029	0.989	0	0.01	0.107
LG 35.225.53.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	30.5	84	30.6	30.1	16.6
LG 35.225.53.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.96	4.76	2.03	1.96	0.985

LG 35.226.203.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.203.242:443/CPU Load					
0	15.3	35	16	15.3	7.53
LG 35.226.203.242:443/Memory Used					
3	21.1	47	21	21	8.56
LG 35.226.203.242:443/Throughput					
0	28.7	74.6	29.3	28.6	15.8
LG 35.226.203.242:443/User Load					
0	39.8	64	46	40.4	18.9
LG 35.226.203.242:443/Thread Count					
38	121.5	161	131	122.9	29.7
LG 35.226.203.242:443/Http client/Thread Pool used					
0.1	0.102	0.12	0.1	0.101	0.004
LG 35.226.203.242:443/Http client/Task Pool used					
0	0.003	0.183	0	0.001	0.014
LG 35.226.203.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.203.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.203.242:443/Controller Connection/Ping Duration (ms)					
58	94.9	153	113	94.2	23.6
LG 35.226.203.242:443/Network/Segments sent/sec.					
1.8	1,528	3,781	1,570	1,524	819.4
LG 35.226.203.242:443/Network/Segments retransmitted/sec.					
0	0.023	0.608	0	0.008	0.081
LG 35.226.203.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.7	77.1	30.3	29.6	16.3
LG 35.226.203.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.91	4.42	1.99	1.91	0.97

LG 35.226.219.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.219.33:443/CPU Load					
0	14.3	48	14	13.9	8.24
LG 35.226.219.33:443/Memory Used					
3	20.7	45	20	20.5	8.25
LG 35.226.219.33:443/Throughput					
0	28.5	110.2	27	27.7	17.6
LG 35.226.219.33:443/User Load					
0	39.5	64	45.5	40.1	19.3
LG 35.226.219.33:443/Thread Count					
38	123.4	171	128.5	124.4	32.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.219.33:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.102	0.011
LG 35.226.219.33:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.008
LG 35.226.219.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.219.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.219.33:443/Controller Connection/Ping Duration (ms)					
71	107.1	167	107	106.7	14.6
LG 35.226.219.33:443/Network/Segments sent/sec.					
1.6	1,534	5,214	1,473	1,496	912.2
LG 35.226.219.33:443/Network/Segments retransmitted/sec.					
0	0.029	0.8	0	0.011	0.104
LG 35.226.219.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.5	113.4	27.9	28.6	18.2
LG 35.226.219.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.91	6.46	1.91	1.87	1.08

LG 35.232.149.251:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.149.251:443/CPU Load					
0	16.6	47	17	16.5	7.98
LG 35.232.149.251:443/Memory Used					
3	22.2	41	22	22.3	8.58
LG 35.232.149.251:443/Throughput					
0	29.1	96.1	30.9	28.8	16
LG 35.232.149.251:443/User Load					
0	39.5	64	46	40.1	19.3
LG 35.232.149.251:443/Thread Count					
38	122.4	164	129	123.6	31.2
LG 35.232.149.251:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.101	0.007
LG 35.232.149.251:443/Http client/Task Pool used					
0	0.002	0.067	0	0.001	0.008
LG 35.232.149.251:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.149.251:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.149.251:443/Controller Connection/Ping Duration (ms)					
66	103.2	155	114	102.2	25.4
LG 35.232.149.251:443/Network/Segments sent/sec.					
1.6	1,554	4,354	1,635	1,543	826
LG 35.232.149.251:443/Network/Segments retransmitted/sec.					
0	0.037	1.2	0	0.012	0.138
LG 35.232.149.251:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	97.5	31.8	29.7	16.5
LG 35.232.149.251:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	5.58	2.04	1.93	0.981

LG 35.232.174.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.174.166:443/CPU Load					
0	13.3	52	13	13	7.65
LG 35.232.174.166:443/Memory Used					
3	19.6	39	20	19.6	7.17
LG 35.232.174.166:443/Throughput					
0	29.1	129.6	28.4	28	18.5
LG 35.232.174.166:443/User Load					
0	39.8	64	46	40.5	19.2
LG 35.232.174.166:443/Thread Count					
39	123.2	170	129	124.2	31.7
LG 35.232.174.166:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.102	0.009
LG 35.232.174.166:443/Http client/Task Pool used					
0	0.002	0.117	0	0.001	0.01
LG 35.232.174.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.174.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.174.166:443/Controller Connection/Ping Duration (ms)					
70	81.6	118	73	80.3	16.1
LG 35.232.174.166:443/Network/Segments sent/sec.					
3	1,569	6,263	1,567	1,522	950.7
LG 35.232.174.166:443/Network/Segments retransmitted/sec.					
0	0.023	1.47	0	0.005	0.107
LG 35.232.174.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.1	133.5	29.4	29	19.1
LG 35.232.174.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	7.3	1.97	1.89	1.11

LG 35.232.254.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.254.246:443/CPU Load					
0	13.7	31	14	13.8	6.45
LG 35.232.254.246:443/Memory Used					
3	20.1	43	20	19.9	8.03
LG 35.232.254.246:443/Throughput					
0	28.7	61.3	29	28.7	15.4
LG 35.232.254.246:443/User Load					
0	39.4	64	46	40.1	19.4
LG 35.232.254.246:443/Thread Count					
39	120.4	161	128	121.5	29.9
LG 35.232.254.246:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 35.232.254.246:443/Http client/Task Pool used					
0	0.002	0.05	0	0.001	0.006
LG 35.232.254.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.254.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.254.246:443/Controller Connection/Ping Duration (ms)					
66	92.2	140	108	91.5	20.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.254.246:443/Network/Segments sent/sec.					
1.59	1,547	3,321	1,585	1,553	808.5
LG 35.232.254.246:443/Network/Segments retransmitted/sec.					
0	0.022	0.789	0	0.007	0.086
LG 35.232.254.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.6	63.2	30.1	29.7	15.9
LG 35.232.254.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.92	3.94	1.98	1.94	0.96

LG 35.232.5.150:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.5.150:443/CPU Load					
0	13.7	35	14	13.7	6.45
LG 35.232.5.150:443/Memory Used					
2	20.8	40	21	20.8	7.82
LG 35.232.5.150:443/Throughput					
0	29	68.9	29.7	28.9	15.3
LG 35.232.5.150:443/User Load					
0	40.1	64	46	40.7	18.9
LG 35.232.5.150:443/Thread Count					
39	122.3	164	129	123.6	30.2
LG 35.232.5.150:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 35.232.5.150:443/Http client/Task Pool used					
0	0.003	0.1	0	0.001	0.011
LG 35.232.5.150:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.5.150:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.5.150:443/Controller Connection/Ping Duration (ms)					
66	74.4	108	69	72.9	13.6
LG 35.232.5.150:443/Network/Segments sent/sec.					
1.6	1,566	3,576	1,612	1,565	799
LG 35.232.5.150:443/Network/Segments retransmitted/sec.					
0	0.018	0.806	0	0.002	0.08
LG 35.232.5.150:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	70.5	30.6	29.9	15.7
LG 35.232.5.150:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.94	4.3	2.04	1.94	0.956

LG 35.238.161.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.161.171:443/CPU Load					
0	13.5	60	13	12.9	8.14
LG 35.238.161.171:443/Memory Used					
3	20.2	43	20	20.1	7.64
LG 35.238.161.171:443/Throughput					
0	29.4	170.8	27.7	28.2	18.8
LG 35.238.161.171:443/User Load					
0	39.9	64	46	40.6	19.2
LG 35.238.161.171:443/Thread Count					
39	124.1	170	129	125	32.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.161.171:443/Http client/Thread Pool used					
0.1	0.102	0.135	0.1	0.101	0.006
LG 35.238.161.171:443/Http client/Task Pool used					
0	0.003	0.167	0	0	0.014
LG 35.238.161.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.161.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.161.171:443/Controller Connection/Ping Duration (ms)					
70	80	153	73	76.7	18.9
LG 35.238.161.171:443/Network/Segments sent/sec.					
2.41	1,587	7,156	1,509	1,528	965.7
LG 35.238.161.171:443/Network/Segments retransmitted/sec.					
0	0.034	0.991	0	0.013	0.116
LG 35.238.161.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	174.9	28.6	29.1	19.4
LG 35.238.161.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.96	7.92	1.91	1.9	1.13

LG 35.238.2.74:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.2.74:443/CPU Load					
0	14.1	53	14	13.8	7.73
LG 35.238.2.74:443/Memory Used					
2	21.3	44	21	21.2	8.32
LG 35.238.2.74:443/Throughput					
0	29.5	131.2	27.3	28.5	18.3
LG 35.238.2.74:443/User Load					
0	39.9	64	46	40.5	19.1
LG 35.238.2.74:443/Thread Count					
39	123.7	168	130	124.8	32.3
LG 35.238.2.74:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.101	0.007
LG 35.238.2.74:443/Http client/Task Pool used					
0	0.004	0.183	0	0.001	0.017
LG 35.238.2.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.2.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.2.74:443/Controller Connection/Ping Duration (ms)					
58	111.5	157	106	111.7	36
LG 35.238.2.74:443/Network/Segments sent/sec.					
2.4	1,583	5,932	1,512	1,539	932.9
LG 35.238.2.74:443/Network/Segments retransmitted/sec.					
0	0.025	0.81	0	0.006	0.1
LG 35.238.2.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	132.9	28.2	29.4	18.9
LG 35.238.2.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.96	7.52	1.97	1.91	1.11

LG 35.239.125.82:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.125.82:443/CPU Load					
0	14.3	54	14	14.1	7.6
LG 35.239.125.82:443/Memory Used					
3	20.7	44	20	20.6	8.09
LG 35.239.125.82:443/Throughput					
0	29.3	136.9	29.2	28.6	17.1
LG 35.239.125.82:443/User Load					
0	40.3	64	46	40.9	19
LG 35.239.125.82:443/Thread Count					
39	122.9	162	129	124.1	30.5
LG 35.239.125.82:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.101	0.007
LG 35.239.125.82:443/Http client/Task Pool used					
0	0.003	0.233	0	0.001	0.015
LG 35.239.125.82:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.125.82:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.125.82:443/Controller Connection/Ping Duration (ms)					
59	100.3	120	108	101.4	15.6
LG 35.239.125.82:443/Network/Segments sent/sec.					
2.8	1,582	5,957	1,588	1,552	881.3
LG 35.239.125.82:443/Network/Segments retransmitted/sec.					
0	0.024	1	0	0.003	0.113
LG 35.239.125.82:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.3	138.2	30.4	29.6	17.6
LG 35.239.125.82:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.96	7.15	2	1.93	1.04

LG 35.239.181.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.181.246:443/CPU Load					
0	14.3	35	15	14.3	6.93
LG 35.239.181.246:443/Memory Used					
3	20.7	42	21	20.6	8.25
LG 35.239.181.246:443/Throughput					
0	29.2	68.3	30.2	29.2	15.6
LG 35.239.181.246:443/User Load					
0	39.7	64	46	40.3	19.1
LG 35.239.181.246:443/Thread Count					
38	120.6	160	128	121.9	29.8
LG 35.239.181.246:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 35.239.181.246:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.007
LG 35.239.181.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.181.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.181.246:443/Controller Connection/Ping Duration (ms)					
62	79.8	170	68	76.5	24

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.181.246:443/Network/Segments sent/sec.					
1.6	1,580	3,675	1,622	1,579	824
LG 35.239.181.246:443/Network/Segments retransmitted/sec.					
0	0.017	0.596	0	0.001	0.079
LG 35.239.181.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	70.6	31.3	30.2	16.1
LG 35.239.181.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	4.25	2.04	1.96	0.96

LG 35.239.27.145:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.27.145:443/CPU Load					
0	15.1	55	15	14.8	8.04
LG 35.239.27.145:443/Memory Used					
3	21.7	41	21	21.7	8.34
LG 35.239.27.145:443/Throughput					
0	29.3	126.2	28.2	28.5	17.8
LG 35.239.27.145:443/User Load					
0	40.3	64	47	41	19.1
LG 35.239.27.145:443/Thread Count					
39	124.3	169	130	125.3	31.8
LG 35.239.27.145:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.101	0.008
LG 35.239.27.145:443/Http client/Task Pool used					
0	0.002	0.133	0	0.001	0.01
LG 35.239.27.145:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.27.145:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.27.145:443/Controller Connection/Ping Duration (ms)					
61	90	148	103	89	21.8
LG 35.239.27.145:443/Network/Segments sent/sec.					
3.37	1,569	5,888	1,532	1,527	914.1
LG 35.239.27.145:443/Network/Segments retransmitted/sec.					
0	0.038	2.01	0	0.011	0.158
LG 35.239.27.145:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.3	128.8	28.9	29.4	18.3
LG 35.239.27.145:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.95	7.34	1.94	1.91	1.09

LG 35.239.5.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.5.156:443/CPU Load					
0	14.5	43	13	14	8.72
LG 35.239.5.156:443/Memory Used					
3	20.4	44	20	20.4	7.75
LG 35.239.5.156:443/Throughput					
0	29.3	100	26.5	28	19.2
LG 35.239.5.156:443/User Load					
0	39.7	64	46	40.4	19.2
LG 35.239.5.156:443/Thread Count					
39	122.3	164	129	123.5	31.3


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.5.156:443/Http client/Thread Pool used					
0.1	0.103	0.145	0.1	0.102	0.007
LG 35.239.5.156:443/Http client/Task Pool used					
0	0.002	0.167	0	0.001	0.013
LG 35.239.5.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.5.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.5.156:443/Controller Connection/Ping Duration (ms)					
92	109.1	157	108	107.7	10.37
LG 35.239.5.156:443/Network/Segments sent/sec.					
1.6	1,576	4,751	1,452	1,518	990.7
LG 35.239.5.156:443/Network/Segments retransmitted/sec.					
0	0.017	0.8	0	0.001	0.085
LG 35.239.5.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	103.2	27.5	29	19.9
LG 35.239.5.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.95	5.81	1.83	1.89	1.17

LG 35.239.65.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.65.44:443/CPU Load					
0	15.1	47	15	14.7	8.45
LG 35.239.65.44:443/Memory Used					
3	21.1	45	21	20.9	8.02
LG 35.239.65.44:443/Throughput					
0	29	104	27.5	28	17.8
LG 35.239.65.44:443/User Load					
0	39.7	64	46	40.3	19.2
LG 35.239.65.44:443/Thread Count					
39	122.4	168	129	123.4	31.7
LG 35.239.65.44:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.102	0.009
LG 35.239.65.44:443/Http client/Task Pool used					
0	0.002	0.117	0	0.001	0.01
LG 35.239.65.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.65.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.65.44:443/Controller Connection/Ping Duration (ms)					
66	97	154	108	95.5	25.4
LG 35.239.65.44:443/Network/Segments sent/sec.					
2.6	1,548	5,059	1,485	1,503	908.6
LG 35.239.65.44:443/Network/Segments retransmitted/sec.					
0	0.023	1.44	0	0.003	0.119
LG 35.239.65.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	107.5	28.5	28.9	18.4
LG 35.239.65.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.93	6.14	1.93	1.88	1.09


Average page response time



Min	Average	Max
0.101	0.346	0.683

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.043	0.142	85.482

Notes: Displays the average response time, in seconds, of all requests during the test.

Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
3.998	12.811	65.3	12.924	12.72	2.249

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



Min	Average	Max
0	37,104.1	60,401.8

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	217.2	690

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	5,708.76	9,374.87

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.1	0.289	0.574

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.