

02132020\_MVOMVA\_ENGAGE\_LT



Date	Feb 12, 2020 11:25:30 PM
Project	MF_02062020_EngagePEGAMigration
Scenario	Baseline/Benchmark LT - Test 1 - Login 0212
Comment	Baseline LT - Engage without NBX - 0212
Notes	MVO MVA ENGAGE LT 02122020

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	4
Hot spots.....	6
Errors.....	6
Alerts.....	6
General statistics.....	6
Transaction statistics.....	6
Execution context.....	10
Scenario .....	7
Servers.....	13
Cloud.....	14
Populations.....	15
User Paths.....	16
Transactions.....	17
Pages.....	19
Media Contents.....	21
Push messages.....	18
Monitors.....	22
Main graphs.....	59
Average page response time.....	59
Average request response time.....	60
Average response time (Transactions).....	61
Requests per second.....	62
Errors.....	63
Throughput.....	64
Response time against load.....	65
Distribution of Transaction Durations.....	66
Test1.....	67
User Load and Error Rate.....	67
Overall Throughput.....	68
/mobileFirstSS/loyaltyEligibilitySelector -TPS.....	69
Average duration.....	70
VzUp_LandingPage - Average duration.....	71
MF_05_VzUpLandingPage - Error rate.....	72

## Summary

### Results summary

<b>Name</b>	23:25 - 12 Feb 2020_EngagewoNBX_LT	<b>Project</b>	MF_02062020_EngagePEGAMigration
<b>Description</b>	Baseline LT - Engage without NBX - 0212	<b>Scenario</b>	Baseline/Benchmark LT - Test 1 - Login 0212
<b>Status</b>	✓ Passed	<b>Load Policy</b>	<ul style="list-style-type: none"> <li>The population VzUp is customized</li> </ul>
<b>Start date</b>	Feb 12, 2020 11:25:30 PM	<b>Stop Policy</b>	<ul style="list-style-type: none"> <li>Population VzUp: immediate.</li> </ul>
<b>End date</b>	Feb 12, 2020 11:53:06 PM		
<b>Duration</b>	00:27:36	<b>Filters</b>	None
<b>Termination reason</b>	Manual action	<b>Debug</b>	Disabled
<b>LG Hosts</b>	35.243.224.26:443		
	,		
	35.231.96.86:443		
	,		
	34.74.79.174:443		
	,		
	35.237.28.122:443		
	,		
	35.227.22.67:443		
	,		
	35.231.82.173:443		
	,		
	34.73.136.143:443		
	,		
	34.74.140.201:443		
	,		
	35.237.249.176:443		
	,		
	35.185.17.80:443		
	,		
	34.74.53.243:443		
	,		
	34.73.1.3:443		
	,		
	35.196.7.33:443		
	,		
	35.231.152.43:443		
	,		
	34.74.63.24:443		
	,		
	34.74.239.211:443		
	,		
	35.237.230.25:443		
	,		
	34.73.229.68:443		
	,		
	35.185.111.188:443		
	,		
	35.237.217.197:443		
	,		
	34.73.221.254:443		
	,		
	35.243.165.160:443		
	,		
	34.73.21.194:443		
	,		
	34.74.177.169:443		
	,		
	35.229.47.212:443		
	,		
	34.74.64.216:443		
	,		
	104.196.132.242:443		
	,		
	35.185.65.127:443		
	,		
	34.74.116.129:443		
	,		
	35.227.73.207:443		
	,		
	34.69.5.34:443		

,	35.193.126.84:443		
,	34.69.30.199:443		
,	35.188.153.154:443		
,	35.223.123.96:443		
,	34.67.139.48:443		
,	35.193.166.68:443		
,	35.193.87.209:443		
,	107.178.220.216:443		
,	35.226.103.201:443		
,	35.224.195.237:443		
,	35.239.232.174:443		
,	34.69.167.168:443		
,	35.184.169.229:443		
,	104.154.96.15:443		
,	35.223.120.125:443		
,	34.70.201.228:443		
,	35.223.41.24:443		
,	35.232.160.239:443		
,	35.188.98.197:443		
,	34.70.167.117:443		
,	34.66.106.116:443		
,	35.224.220.171:443		
,	35.193.111.133:443		
,	35.193.53.99:443		
,	34.69.3.186:443		
,	34.66.206.141:443		
,	104.197.144.73:443		
,	35.223.198.155:443		
,	35.225.21.28:443		

## Statistics Summary


<b>Total pages</b>	1103835	—	<b>Average pages/s</b>	666.2	—
<b>Total requests</b>	1542472	—	<b>Average requests/s</b>	930.9	—
<b>Total users launched</b>	5000	—	<b>Average Request response time</b>	1.24 s	—
<b>Total iterations completed</b>	217964	—	<b>Average Page response time</b>	1.71 s	—
<b>Total throughput</b>	86,467 MB	—	<b>Average throughput</b>	417.46 Mb/s	—
<b>Total request errors</b>	385	—	<b>Error rate</b>	0 %	—
<b>Total action errors</b>	0	—	<b>Alerts total duration</b>	0 %	—

— = No SLA

☀ = Passed

☁ = Warning

⚡ = Failed



## Hot spots

### Top 5 errors

User Path	Parent	Page	Count
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	359
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	14
MF_Login	Then	/mobileFirstSS/adobeTagging_0206	10

### Top 5 alerts

No alerts
-----------

### First critical alerts

No alerts
-----------

### Top 5 average response time (Pages)

User Path	Parent	Page	Duration
MF_Login	Then	/mobileFirstSS/adobeTagging_0206	4.06
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	3.78
MF_Login	MF_01_OpenApp	/mobileFirstSS/launchApp_0206	0.377
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	0.293
MF_Login	MF_02_ImCustomer	/mobileFirstSS/userSignIn_0206	0.118

### Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
MF_Login	Then	/mobileFirstSS/adobeTagging_0206	34.5
MF_Login	MF_04_EnterPassword	/mobileFirstSS/authenticatePassword_0206	31.7
MF_Login	MF_03_EnterMDN	/mobileFirstSS/securePinCheckMDN_0206	7.45
MF_Login	MF_02_ImCustomer	/mobileFirstSS/userSignIn_0206	5.71
MF_Login	MF_01_OpenApp	/mobileFirstSS/launchApp_0206	5.19

## Errors

### Request errors

Error Type	Count	Description
Assertions	385	Validation of the response failed.
Total	385	Total error count.

### Action errors

No errors
-----------

## Alerts

No alerts
-----------

## General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
150.3	380.9	618.4	5,000	360	7.2	-
All pages						
0.039	1.71	34.5	1,103,835	383	0	-
All requests						
0.033	1.23	31.7	1,542,472	385	0	-

## Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.039	2.13	56.1	883,256	383	0	0.31	11.5	22.2	4.46	1.36	-

## Scenario

### Summary

<b>Name</b>	23:25 - 12 Feb 2020_EngagewoNBX_LT	<b>Project</b>	MF_02062020_EngagePEGAMigration
<b>Description</b>	Baseline LT - Engage without NBX - 0212	<b>Scenario</b>	Baseline/Benchmark LT - Test 1 - Login 0212
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population VzUp is customized
<b>Start date</b>	Feb 12, 2020 11:25:30 PM	<b>Stop Policy</b>	• Population VzUp: immediate.
<b>End date</b>	Feb 12, 2020 11:53:06 PM	<b>Filters</b>	None
<b>Duration</b>	00:27:36		
<b>Termination reason</b>	Manual action		
<b>LG Hosts</b>	35.243.224.26:443 , 35.231.96.86:443 , 34.74.79.174:443 , 35.237.28.122:443 , 35.227.22.67:443 , 35.231.82.173:443 , 34.73.136.143:443 , 34.74.140.201:443 , 35.237.249.176:443 , 35.185.17.80:443 , 34.74.53.243:443 , 34.73.1.3:443 , 35.196.7.33:443 , 35.231.152.43:443 , 34.74.63.24:443 , 34.74.239.211:443 , 35.237.230.25:443 , 34.73.229.68:443 , 35.185.111.188:443 , 35.237.217.197:443 , 34.73.221.254:443 , 35.243.165.160:443 , 34.73.21.194:443 , 34.74.177.169:443 , 35.229.47.212:443 , 34.74.64.216:443 , 104.196.132.242:443 , 35.185.65.127:443 , 34.74.116.129:443 , 35.227.73.207:443	<b>Debug</b>	Disabled

,	34.69.5.34:443		
,	35.193.126.84:443		
,	34.69.30.199:443		
,	35.188.153.154:443		
,	35.223.123.96:443		
,	34.67.139.48:443		
,	35.193.166.68:443		
,	35.193.87.209:443		
,	107.178.220.216:443		
,	35.226.103.201:443		
,	35.224.195.237:443		
,	35.239.232.174:443		
,	34.69.167.168:443		
,	35.184.169.229:443		
,	104.154.96.15:443		
,	35.223.120.125:443		
,	34.70.201.228:443		
,	35.223.41.24:443		
,	35.232.160.239:443		
,	35.188.98.197:443		
,	34.70.167.117:443		
,	34.66.106.116:443		
,	35.224.220.171:443		
,	35.193.111.133:443		
,	35.193.53.99:443		
,	34.69.3.186:443		
,	34.66.206.141:443		
,	104.197.144.73:443		
,	35.223.198.155:443		
,			



	35.225.21.28:443		
--	------------------	--	--

Populations

VzUp

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
MF_Login	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
MF_Login		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

## Execution context

<b>Name</b>	23:25 - 12 Feb 2020_EngagewoNBX_LT	<b>Project</b>	MF_02062020_EngagePEGAMigration
<b>Description</b>	Baseline LT - Engage without NBX - 0212	<b>Scenario</b>	Baseline/Benchmark LT - Test 1 - Login 0212
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population VzUp is customized
<b>Start date</b>	Feb 12, 2020 11:25:30 PM		
<b>End date</b>	Feb 12, 2020 11:53:06 PM	<b>Stop Policy</b>	• Population VzUp: immediate.
<b>Duration</b>	00:27:36		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
	35.243.224.26:443 , 35.231.96.86:443 , 34.74.79.174:443 , 35.237.28.122:443 , 35.227.22.67:443 , 35.231.82.173:443 , 34.73.136.143:443 , 34.74.140.201:443 , 35.237.249.176:443 , 35.185.17.80:443 , 34.74.53.243:443 , 34.73.1.3:443 , 35.196.7.33:443 , 35.231.152.43:443 , 34.74.63.24:443 , 34.74.239.211:443 , 35.237.230.25:443 , 34.73.229.68:443 , 35.185.111.188:443 , 35.237.217.197:443 , 34.73.221.254:443 , 35.243.165.160:443 , 34.73.21.194:443 , 34.74.177.169:443 , 35.229.47.212:443 , 34.74.64.216:443 , 104.196.132.242:443 , 35.185.65.127:443 , 34.74.116.129:443 , 35.227.73.207:443 , 34.69.5.34:443 ,		
<b>LG Hosts</b>		<b>Debug</b>	Disabled

35.193.126.84:443		
,		
34.69.30.199:443		
,		
35.188.153.154:443		
,		
35.223.123.96:443		
,		
34.67.139.48:443		
,		
35.193.166.68:443		
,		
35.193.87.209:443		
,		
107.178.220.216:443		
,		
35.226.103.201:443		
,		
35.224.195.237:443		
,		
35.239.232.174:443		
,		
34.69.167.168:443		
,		
35.184.169.229:443		
,		
104.154.96.15:443		
,		
35.223.120.125:443		
,		
34.70.201.228:443		
,		
35.223.41.24:443		
,		
35.232.160.239:443		
,		
35.188.98.197:443		
,		
34.70.167.117:443		
,		
34.66.106.116:443		
,		
35.224.220.171:443		
,		
35.193.111.133:443		
,		
35.193.53.99:443		
,		
34.69.3.186:443		
,		
34.66.206.141:443		
,		
104.197.144.73:443		
,		
35.223.198.155:443		
,		
35.225.21.28:443		

NeoLoad version 6.8.0;build=20190103-16  
 Graphs granularity Standard

## Application proxy

Name	Description
Empty list	

## Zone application proxies

Zone	Name	Description
Empty list		

## Constant variables

Name	Value	Description
Empty list		

## User Paths settings



<b>MF_Login</b>		
Error policy:	Do nothing	
Assertion policy:	Go to the next iteration	
Thinktime policy:	replaced by 0ms.	
Pacing:	Between 15 and 20	

## Servers

### Servers

Host	Port	HTTP/2 ready	HTTP/2 used
mobile.vzw.com	443	No	No



## Graphs



## Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA Central - Iowa (Council Bluffs)	Google Compute Engine	30	769924 (49.9%)	464.6	1.72s (+0.585%)	0% (+2.51%)
USA East - South Carolina (Berkeley County)	Google Compute Engine	30	772548 (50.1%)	466.2	1.7s (-0.585%)	0% (-2.5%)
Global		60	1542472 (100%)	930.9	1.71s	0%


## Graphs



## Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
VzUp	1542472 (100%)	930.9	1.71s (0%)	0% (0%)
Global	1542472 (100%)	930.9	1.71s	0%

## User Paths











Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_Login						
150.3	380.9	618.4	5,000	360	7.2	-



## Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

## MF\_Login

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_Login											
150.3	380.9	618.4	5,000	360	7.2	-	-	-	-	-	-
 Init											
0	0	0.001	5,000	0	0	-	-	-	-	-	-
 Actions											
0.657	8.62	61	217,964	383	0.2	-	-	-	-	-	-
 MF_01_OpenApp											
0.23	0.377	5.19	222,709	0	0	0.342	0.574	1.1	0.172	0.353	-
 MF_02_ImCustomer											
0.039	0.118	5.71	222,180	0	0	0.071	0.342	1.13	0.202	0.083	-
 MF_03_EnterMDN											
0.076	0.293	7.45	220,411	14	0	0.149	1.05	2.64	0.469	0.211	-
 MF_04_EnterPassword											
0.15	7.83	56.1	217,956	369	0.2	5.16	20.8	30.1	6.1	7.1	-
 Then											
0.615	4.06	34.5	217,597	10	0	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 End											
0	0	0.001	5,000	0	0	-	-	-	-	-	-

### Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### MF\_Login

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

## Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						













## MF\_Login

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_Login						
150.3	380.9	618.4	5,000	360	7.2	-
 Actions						
0.657	8.62	61	217,964	383	0.2	-
 MF_01_OpenApp						
0.23	0.377	5.19	222,709	0	0	-
 /mobileFirstSS/launchApp_0206						
0.23	0.377	5.19	222,943	0	0	-
 MF_02_ImCustomer						
0.039	0.118	5.71	222,180	0	0	-
 /mobileFirstSS/userSignIn_0206						
0.039	0.118	5.71	222,703	0	0	-
 MF_03_EnterMDN						
0.076	0.293	7.45	220,411	14	0	-
 /mobileFirstSS/securePinCheckMDN_0206						
0.076	0.293	7.45	222,079	14	0	-
 MF_04_EnterPassword						
0.15	7.83	56.1	217,956	369	0.2	-
 /mobileFirstSS/authenticatePassword_0206						
0.15	3.78	31.7	218,513	359	0.2	-
 Then						
0.615	4.06	34.5	217,597	10	0	-
 /mobileFirstSS/adobeTagging_0206						
0.615	4.06	34.5	217,597	10	0	-

## Shared Containers

SLA	Value	Severity
Empty list		

## MF\_Login

SLA	Value	Severity
 MF_Login		
 Actions		
 MF_01_OpenApp		
 /mobileFirstSS/launchApp_0206		
 MF_02_ImCustomer		
 /mobileFirstSS/userSignIn_0206		
 MF_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN_0206		
 MF_04_EnterPassword		
 /mobileFirstSS/authenticatePassword_0206		
 Then		
 /mobileFirstSS/adobeTagging_0206		

## MF\_Login

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

## Controller

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>Controller/User Load</b>					
0	2,901	5,000	3,000	2,922	1,532
<b>Controller/Throughput</b>					
0	416.6	864.3	450.1	419.4	193.4
<b>Controller/Alerts</b>					
0	0	0	0	0	-
<b>Controller/Critical Alerts</b>					
0	0	0	0	0	-
<b>Controller/Warning Alerts</b>					
0	0	0	0	0	-
<b>Controller/CPU Load</b>					
3	12.2	38	11	11.7	4.41
<b>Controller/Memory Used</b>					
3	10.22	19	10	10.14	4.38
<b>Controller/Thread Count</b>					
820	848.2	1,626	841	842.9	61
<b>Controller/Connected</b>					
60	60	60	60	60	0
<b>Controller/Total Disconnections</b>					
0	0	0	0	0	0
<b>Controller/Total Reconnections</b>					
0	0	0	0	0	0
<b>Controller/Network/Segments sent/sec.</b>					
0	1,626	7,697	1,729	1,561	1,305
<b>Controller/Network/Segments retransmitted/sec.</b>					
0	0	0	0	0	0
<b>Controller/NeoLoad Web/Megabits received/sec.</b>					
0	0	0	0	0	-
<b>Controller/NeoLoad Web/Megabits sent/sec.</b>					
0	0	0	0	0	-
<b>Controller/Default zone/User Load</b>					
0	0	0	0	0	-
<b>Controller/USA East - South Carolina (Berkeley County)/User Load</b>					
0	1,452	2,501	1,500	1,462	765.9
<b>Controller/USA East - South Carolina (Berkeley County)/VzUp/User Load</b>					
0	1,452	2,501	1,500	1,462	765.9
<b>Controller/USA East - South Carolina (Berkeley County)/VzUp/MF_Login/User Load</b>					
0	1,452	2,501	1,500	1,462	765.9
<b>Controller/USA Central - Iowa (Council Bluffs)/User Load</b>					
0	1,449	2,499	1,500	1,459	766.2
<b>Controller/USA Central - Iowa (Council Bluffs)/VzUp/User Load</b>					
0	1,449	2,499	1,500	1,459	766.2
<b>Controller/USA Central - Iowa (Council Bluffs)/VzUp/MF_Login/User Load</b>					
0	1,449	2,499	1,500	1,459	766.2

## LG 104.154.96.15:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.154.96.15:443/CPU Load</b>					
0	2.37	18	2	2.17	1.52

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.154.96.15:443/Memory Used</b>					
1	6.25	14	6	6.14	2.98
<b>LG 104.154.96.15:443/Throughput</b>					
0	6.89	14.8	7.31	6.85	3.54
<b>LG 104.154.96.15:443/User Load</b>					
0	48.4	83	50	48.7	25.4
<b>LG 104.154.96.15:443/Thread Count</b>					
21	123.5	198	120	122.8	39
<b>LG 104.154.96.15:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 104.154.96.15:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.002
<b>LG 104.154.96.15:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.154.96.15:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.154.96.15:443/Controller Connection/Ping Duration (ms)</b>					
40	60.9	96	59	59.8	9.88
<b>LG 104.154.96.15:443/Network/Segments sent/sec.</b>					
0	368.6	787.7	388.2	366.4	184.5
<b>LG 104.154.96.15:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.6	0	0	0.048
<b>LG 104.154.96.15:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	7.15	15.4	7.61	7.1	3.66
<b>LG 104.154.96.15:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.356	0.641	0.384	0.357	0.153

## LG 104.197.144.73:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.197.144.73:443/CPU Load</b>					
0	2.14	16	2	1.95	1.47
<b>LG 104.197.144.73:443/Memory Used</b>					
1	6.6	14	6	6.55	3.01
<b>LG 104.197.144.73:443/Throughput</b>					
0	6.89	15.3	7.23	6.87	3.37
<b>LG 104.197.144.73:443/User Load</b>					
0	48.8	84	50	49.1	25.6
<b>LG 104.197.144.73:443/Thread Count</b>					
21	125.4	210	127	124.3	39.9
<b>LG 104.197.144.73:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 104.197.144.73:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.002
<b>LG 104.197.144.73:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.197.144.73:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.197.144.73:443/Controller Connection/Ping Duration (ms)</b>					
45	60.3	91	60	59.7	6.68
<b>LG 104.197.144.73:443/Network/Segments sent/sec.</b>					
0	373.2	831.6	381.5	371	176
<b>LG 104.197.144.73:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.2	0	0	0.019
<b>LG 104.197.144.73:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	7.17	16	7.57	7.15	3.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.144.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.358	0.65	0.367	0.359	0.147

## LG 107.178.220.216:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 107.178.220.216:443/CPU Load					
0	2.35	11	2	2.2	1.26
LG 107.178.220.216:443/Memory Used					
1	6.32	13	6	6.26	2.97
LG 107.178.220.216:443/Throughput					
0	6.98	15.6	7.09	6.97	3.43
LG 107.178.220.216:443/User Load					
0	48	83	50	48.3	25.5
LG 107.178.220.216:443/Thread Count					
21	121.8	202	121	120.8	38.8
LG 107.178.220.216:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 107.178.220.216:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 107.178.220.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 107.178.220.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 107.178.220.216:443/Controller Connection/Ping Duration (ms)					
41	58.6	88	59	58.3	7.43
LG 107.178.220.216:443/Network/Segments sent/sec.					
0	374.1	816.2	383.8	373.6	180.9
LG 107.178.220.216:443/Network/Segments retransmitted/sec.					
0	0.005	1.2	0	0	0.074
LG 107.178.220.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.24	16.3	7.34	7.23	3.56
LG 107.178.220.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.358	0.641	0.395	0.361	0.153

## LG 34.66.106.116:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.106.116:443/CPU Load					
0	2.45	15	2	2.26	1.51
LG 34.66.106.116:443/Memory Used					
1	6.29	14	6	6.19	2.85
LG 34.66.106.116:443/Throughput					
0	7.02	15.7	6.91	6.98	3.54
LG 34.66.106.116:443/User Load					
0	48.7	84	50	49.1	25.6
LG 34.66.106.116:443/Thread Count					
21	122.6	201	121	121.4	39.1
LG 34.66.106.116:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.106.116:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.66.106.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.106.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.106.116:443/Controller Connection/Ping Duration (ms)					
43	61	97	59	59.8	9.56
LG 34.66.106.116:443/Network/Segments sent/sec.					
0	386.2	882.2	369.7	383.3	195.7
LG 34.66.106.116:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.66.106.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.29	16.3	7.14	7.24	3.67
LG 34.66.106.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.366	0.683	0.371	0.368	0.158

## LG 34.66.206.141:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.206.141:443/CPU Load					
0	2.36	18	2	2.21	1.4
LG 34.66.206.141:443/Memory Used					
1	5.97	14	5	5.82	2.99
LG 34.66.206.141:443/Throughput					
0	6.88	16.7	7.07	6.85	3.46
LG 34.66.206.141:443/User Load					
0	48.1	83	50	48.5	25.6
LG 34.66.206.141:443/Thread Count					
21	122.4	199	119	121.6	39.2
LG 34.66.206.141:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.206.141:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.66.206.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.206.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.206.141:443/Controller Connection/Ping Duration (ms)					
39	61	90	59	60.3	9.08
LG 34.66.206.141:443/Network/Segments sent/sec.					
0	372.5	755.5	376.5	371	179.5
LG 34.66.206.141:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.024
LG 34.66.206.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.13	17.3	7.3	7.1	3.58
LG 34.66.206.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.356	0.635	0.372	0.359	0.151

## LG 34.67.139.48:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.139.48:443/CPU Load					
0	2.52	17	2	2.35	1.51
LG 34.67.139.48:443/Memory Used					
1	5.71	13	5	5.6	2.81
LG 34.67.139.48:443/Throughput					
0	6.97	15.6	7.08	6.96	3.4

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.67.139.48:443/User Load</b>					
0	48.3	83	50	48.7	25.5
<b>LG 34.67.139.48:443/Thread Count</b>					
21	122.5	202	121	121.4	39.6
<b>LG 34.67.139.48:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.67.139.48:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.001
<b>LG 34.67.139.48:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.67.139.48:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.67.139.48:443/Controller Connection/Ping Duration (ms)</b>					
41	60.5	100	58	59.2	10.15
<b>LG 34.67.139.48:443/Network/Segments sent/sec.</b>					
0	375.7	793	394	374.8	179.3
<b>LG 34.67.139.48:443/Network/Segments retransmitted/sec.</b>					
0	0.01	0.8	0	0	0.074
<b>LG 34.67.139.48:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	7.22	16.2	7.33	7.21	3.52
<b>LG 34.67.139.48:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.36	0.649	0.383	0.362	0.152

## LG 34.69.167.168:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.69.167.168:443/CPU Load</b>					
0	2.29	16	2	2.06	1.76
<b>LG 34.69.167.168:443/Memory Used</b>					
1	6.27	14	6	6.17	2.77
<b>LG 34.69.167.168:443/Throughput</b>					
0	7.03	14.4	7.14	6.99	3.47
<b>LG 34.69.167.168:443/User Load</b>					
0	48.8	84	50	49.2	25.7
<b>LG 34.69.167.168:443/Thread Count</b>					
21	122.7	198	117	121.8	39.3
<b>LG 34.69.167.168:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.69.167.168:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.001
<b>LG 34.69.167.168:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.69.167.168:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.69.167.168:443/Controller Connection/Ping Duration (ms)</b>					
44	62.7	98	59	61.5	12.9
<b>LG 34.69.167.168:443/Network/Segments sent/sec.</b>					
0	377.3	812.4	385.6	374.4	181.1
<b>LG 34.69.167.168:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.4	0	0	0.024
<b>LG 34.69.167.168:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	7.31	15	7.43	7.27	3.6
<b>LG 34.69.167.168:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.363	0.655	0.383	0.364	0.152

## LG 34.69.3.186:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.3.186:443/CPU Load					
0	2.41	10	2	2.24	1.35
LG 34.69.3.186:443/Memory Used					
1	6.49	14	6	6.38	2.95
LG 34.69.3.186:443/Throughput					
0	6.93	16.2	6.72	6.92	3.47
LG 34.69.3.186:443/User Load					
0	48	83	50	48.3	25.6
LG 34.69.3.186:443/Thread Count					
21	121.5	200	121	120.6	38.6
LG 34.69.3.186:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.3.186:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.69.3.186:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.3.186:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.3.186:443/Controller Connection/Ping Duration (ms)					
42	58.6	88	59	58.3	7.22
LG 34.69.3.186:443/Network/Segments sent/sec.					
0	368.9	751.9	373.6	368.4	179.1
LG 34.69.3.186:443/Network/Segments retransmitted/sec.					
0	0.007	0.801	0	0	0.062
LG 34.69.3.186:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.18	16.8	6.97	7.17	3.58
LG 34.69.3.186:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.356	0.638	0.378	0.358	0.152

## LG 34.69.30.199:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.30.199:443/CPU Load					
0	2.67	16	2	2.48	1.57
LG 34.69.30.199:443/Memory Used					
1	6.06	15	5	5.93	2.97
LG 34.69.30.199:443/Throughput					
0	6.93	15.1	7.13	6.9	3.4
LG 34.69.30.199:443/User Load					
0	48.4	83	50	48.7	25.5
LG 34.69.30.199:443/Thread Count					
21	123.3	207	120	122.1	39.4
LG 34.69.30.199:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.30.199:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.69.30.199:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.30.199:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.30.199:443/Controller Connection/Ping Duration (ms)					
40	59.3	89	59	58.9	6.92

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.30.199:443/Network/Segments sent/sec.					
0	368.2	780.6	368.7	366.6	175.8
LG 34.69.30.199:443/Network/Segments retransmitted/sec.					
0	0.002	0.6	0	0	0.035
LG 34.69.30.199:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.17	15.6	7.36	7.14	3.51
LG 34.69.30.199:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.358	0.637	0.386	0.36	0.15

## LG 34.69.5.34:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.5.34:443/CPU Load					
0	2.49	16	2	2.28	1.58
LG 34.69.5.34:443/Memory Used					
1	5.74	13	5	5.6	2.86
LG 34.69.5.34:443/Throughput					
0	6.95	16.1	7.05	6.92	3.41
LG 34.69.5.34:443/User Load					
0	48.7	84	50	49.1	25.6
LG 34.69.5.34:443/Thread Count					
21	124.1	202	119	123.1	40
LG 34.69.5.34:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.5.34:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.69.5.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.5.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.5.34:443/Controller Connection/Ping Duration (ms)					
42	59.9	97	59	58.9	8.15
LG 34.69.5.34:443/Network/Segments sent/sec.					
0	379	808.2	393	377.6	181.5
LG 34.69.5.34:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 34.69.5.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.22	16.6	7.31	7.18	3.53
LG 34.69.5.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.361	0.685	0.375	0.363	0.151

## LG 34.70.167.117:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.167.117:443/CPU Load					
0	2.57	17	2	2.38	1.57
LG 34.70.167.117:443/Memory Used					
1	6.56	17	6	6.35	3.52
LG 34.70.167.117:443/Throughput					
0	6.85	15.3	7.23	6.84	3.36
LG 34.70.167.117:443/User Load					
0	48.1	83	50	48.4	25.6
LG 34.70.167.117:443/Thread Count					
21	121.9	202	119	120.9	39

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.70.167.117:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.70.167.117:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.001
<b>LG 34.70.167.117:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.70.167.117:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.70.167.117:443/Controller Connection/Ping Duration (ms)</b>					
42	60.6	89	59	59.7	8.56
<b>LG 34.70.167.117:443/Network/Segments sent/sec.</b>					
0	366	791.2	387	366.1	174.5
<b>LG 34.70.167.117:443/Network/Segments retransmitted/sec.</b>					
0	0.001	0.2	0	0	0.015
<b>LG 34.70.167.117:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	7.1	15.9	7.52	7.09	3.48
<b>LG 34.70.167.117:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.353	0.62	0.387	0.356	0.148

## LG 34.70.201.228:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.70.201.228:443/CPU Load</b>					
0	2.11	15	2	1.87	1.65
<b>LG 34.70.201.228:443/Memory Used</b>					
1	7.28	15	7	7.23	3.47
<b>LG 34.70.201.228:443/Throughput</b>					
0	6.99	16.5	7.04	6.94	3.47
<b>LG 34.70.201.228:443/User Load</b>					
0	48.8	84	50	49.1	25.6
<b>LG 34.70.201.228:443/Thread Count</b>					
21	124.6	205	120	123.5	40.1
<b>LG 34.70.201.228:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.70.201.228:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.002
<b>LG 34.70.201.228:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.70.201.228:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.70.201.228:443/Controller Connection/Ping Duration (ms)</b>					
32	58.7	105	58	58.1	10.75
<b>LG 34.70.201.228:443/Network/Segments sent/sec.</b>					
0	379.6	858.5	383.1	375.1	186.2
<b>LG 34.70.201.228:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.6	0	0	0.038
<b>LG 34.70.201.228:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	7.27	17.2	7.33	7.22	3.6
<b>LG 34.70.201.228:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.361	0.696	0.381	0.362	0.153

## LG 35.184.169.229:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.169.229:443/CPU Load					
0	2.69	16	2	2.45	1.73
LG 35.184.169.229:443/Memory Used					
1	6.77	18	6	6.56	3.59
LG 35.184.169.229:443/Throughput					
0	7.05	14.2	7.33	7.04	3.41
LG 35.184.169.229:443/User Load					
0	48.7	84	50	49.1	25.6
LG 35.184.169.229:443/Thread Count					
21	123	199	121	122	39.4
LG 35.184.169.229:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.184.169.229:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.184.169.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.169.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.169.229:443/Controller Connection/Ping Duration (ms)					
39	60.9	107	59	59.6	11.6
LG 35.184.169.229:443/Network/Segments sent/sec.					
0	376.7	785.6	395.8	376.1	182.2
LG 35.184.169.229:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.026
LG 35.184.169.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.3	14.7	7.58	7.29	3.53
LG 35.184.169.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.362	0.628	0.392	0.364	0.152

## LG 35.188.153.154:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.153.154:443/CPU Load					
0	2.19	14	2	2	1.4
LG 35.188.153.154:443/Memory Used					
1	6.09	12	6	6.02	2.85
LG 35.188.153.154:443/Throughput					
0	6.87	15.4	7.36	6.86	3.38
LG 35.188.153.154:443/User Load					
0	48.1	83	50	48.4	25.6
LG 35.188.153.154:443/Thread Count					
21	121.8	205	118	120.7	39.7
LG 35.188.153.154:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.188.153.154:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.188.153.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.153.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.153.154:443/Controller Connection/Ping Duration (ms)					
32	60.1	98	59	59.4	11.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.153.154:443/Network/Segments sent/sec.					
0	369.1	820.9	386.2	367.6	183.6
LG 35.188.153.154:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.036
LG 35.188.153.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.15	16	7.67	7.13	3.51
LG 35.188.153.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.355	0.656	0.385	0.357	0.153

## LG 35.188.98.197:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.98.197:443/CPU Load					
0	2.29	17	2	2.08	1.57
LG 35.188.98.197:443/Memory Used					
1	6.43	15	6	6.28	3.12
LG 35.188.98.197:443/Throughput					
0	6.85	14.9	7.19	6.85	3.44
LG 35.188.98.197:443/User Load					
0	48	83	50	48.3	25.5
LG 35.188.98.197:443/Thread Count					
21	121.9	199	120	120.9	38.9
LG 35.188.98.197:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.188.98.197:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.188.98.197:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.98.197:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.98.197:443/Controller Connection/Ping Duration (ms)					
43	63.1	110	59	61.5	14.7
LG 35.188.98.197:443/Network/Segments sent/sec.					
0	361.6	725.5	378.8	361.1	176.1
LG 35.188.98.197:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.022
LG 35.188.98.197:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.09	15.5	7.43	7.09	3.55
LG 35.188.98.197:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.353	0.606	0.379	0.356	0.151

## LG 35.193.111.133:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.111.133:443/CPU Load					
0	2.26	15	2	2.01	1.73
LG 35.193.111.133:443/Memory Used					
1	7.53	18	7	7.41	3.56
LG 35.193.111.133:443/Throughput					
0	7.05	16.3	6.92	7	3.55
LG 35.193.111.133:443/User Load					
0	48.8	84	50	49.1	25.6
LG 35.193.111.133:443/Thread Count					
21	123.7	199	123	122.9	39.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.111.133:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.111.133:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.193.111.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.111.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.111.133:443/Controller Connection/Ping Duration (ms)					
43	61.5	114	59	59.7	12.1
LG 35.193.111.133:443/Network/Segments sent/sec.					
0	384.2	799.1	393.2	381.2	190.9
LG 35.193.111.133:443/Network/Segments retransmitted/sec.					
0	0.002	0.258	0	0	0.021
LG 35.193.111.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.31	16.9	7.21	7.25	3.67
LG 35.193.111.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.365	0.699	0.395	0.367	0.156

## LG 35.193.126.84:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.126.84:443/CPU Load					
0	2.44	15	2	2.26	1.46
LG 35.193.126.84:443/Memory Used					
1	5.62	12	5	5.52	2.76
LG 35.193.126.84:443/Throughput					
0	6.9	15.2	6.92	6.89	3.41
LG 35.193.126.84:443/User Load					
0	48.4	83	50	48.7	25.4
LG 35.193.126.84:443/Thread Count					
21	123.6	198	124	122.8	38.7
LG 35.193.126.84:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.126.84:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.193.126.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.126.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.126.84:443/Controller Connection/Ping Duration (ms)					
37	60.1	108	59	58.9	12.3
LG 35.193.126.84:443/Network/Segments sent/sec.					
0	370.7	719.9	373.6	370.2	180.2
LG 35.193.126.84:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.022
LG 35.193.126.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.15	15.7	7.15	7.14	3.53
LG 35.193.126.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.357	0.628	0.382	0.359	0.151



## LG 35.193.166.68:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.166.68:443/CPU Load					
0	2.51	18	2	2.33	1.58
LG 35.193.166.68:443/Memory Used					
1	6.28	13	6	6.22	2.85
LG 35.193.166.68:443/Throughput					
0	6.82	15.4	6.65	6.78	3.41
LG 35.193.166.68:443/User Load					
0	48	83	50	48.3	25.6
LG 35.193.166.68:443/Thread Count					
21	123.1	204	119	122.1	40.2
LG 35.193.166.68:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.166.68:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.193.166.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.166.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.166.68:443/Controller Connection/Ping Duration (ms)					
41	61.4	100	60	60.2	10.07
LG 35.193.166.68:443/Network/Segments sent/sec.					
0	380.8	851.8	388.6	378.9	185
LG 35.193.166.68:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.193.166.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.07	16.1	6.91	7.03	3.53
LG 35.193.166.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.359	0.639	0.379	0.361	0.152

## LG 35.193.53.99:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.53.99:443/CPU Load					
0	2.47	14	2	2.32	1.35
LG 35.193.53.99:443/Memory Used					
1	7	14	7	6.91	3.32
LG 35.193.53.99:443/Throughput					
0	6.89	17.3	7.18	6.84	3.45
LG 35.193.53.99:443/User Load					
0	48	83	50	48.4	25.5
LG 35.193.53.99:443/Thread Count					
21	121.9	205	121	120.8	39.2
LG 35.193.53.99:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.53.99:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.193.53.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.53.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.53.99:443/Controller Connection/Ping Duration (ms)					
35	60.8	98	58	60	13.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.53.99:443/Network/Segments sent/sec.					
0	383.6	899.8	389.8	379.2	187.2
LG 35.193.53.99:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.022
LG 35.193.53.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.14	18	7.43	7.09	3.57
LG 35.193.53.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.36	0.692	0.386	0.361	0.154

## LG 35.193.87.209:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.87.209:443/CPU Load					
0	2.58	13	2	2.4	1.47
LG 35.193.87.209:443/Memory Used					
1	6.25	15	5	6.1	3.05
LG 35.193.87.209:443/Throughput					
0	6.96	16.2	6.85	6.92	3.48
LG 35.193.87.209:443/User Load					
0	48.3	83	50	48.7	25.5
LG 35.193.87.209:443/Thread Count					
21	122.7	201	118	121.6	39.5
LG 35.193.87.209:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.87.209:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.193.87.209:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.87.209:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.87.209:443/Controller Connection/Ping Duration (ms)					
40	61	105	59	59.6	11
LG 35.193.87.209:443/Network/Segments sent/sec.					
0	368.3	816.6	373.4	366.6	176.2
LG 35.193.87.209:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.036
LG 35.193.87.209:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.21	16.8	7.1	7.17	3.6
LG 35.193.87.209:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.357	0.672	0.38	0.358	0.15

## LG 35.223.120.125:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.120.125:443/CPU Load					
0	2.06	14	2	1.91	1.29
LG 35.223.120.125:443/Memory Used					
1	7.98	17	8	7.91	4.01
LG 35.223.120.125:443/Throughput					
0	6.81	13.9	6.92	6.79	3.37
LG 35.223.120.125:443/User Load					
0	48	83	50	48.4	25.5
LG 35.223.120.125:443/Thread Count					
21	123	203	119	122	40.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.120.125:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.120.125:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.223.120.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.120.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.120.125:443/Controller Connection/Ping Duration (ms)					
45	62.9	120	59	60.5	14.7
LG 35.223.120.125:443/Network/Segments sent/sec.					
0	370.2	767.4	382.3	368	179.7
LG 35.223.120.125:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.027
LG 35.223.120.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.09	14.4	7.19	7.07	3.5
LG 35.223.120.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.355	0.649	0.379	0.356	0.151

## LG 35.223.123.96:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.123.96:443/CPU Load					
0	2.52	17	2	2.35	1.57
LG 35.223.123.96:443/Memory Used					
1	6.85	17	6	6.66	3.4
LG 35.223.123.96:443/Throughput					
0	6.94	15.8	7	6.89	3.43
LG 35.223.123.96:443/User Load					
0	48.7	84	50	49	25.6
LG 35.223.123.96:443/Thread Count					
21	124.9	203	121.5	124	40.3
LG 35.223.123.96:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.123.96:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.223.123.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.123.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.123.96:443/Controller Connection/Ping Duration (ms)					
34	58.4	88	59	58.5	8.26
LG 35.223.123.96:443/Network/Segments sent/sec.					
0	368.7	850.1	364.3	364.7	181
LG 35.223.123.96:443/Network/Segments retransmitted/sec.					
0	0.002	0.234	0	0	0.02
LG 35.223.123.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.19	16.5	7.27	7.13	3.54
LG 35.223.123.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.356	0.68	0.374	0.357	0.15

## LG 35.223.198.155:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.198.155:443/CPU Load					
0	2.36	12	2	2.25	1.19
LG 35.223.198.155:443/Memory Used					
1	6.06	13	6	5.98	2.73
LG 35.223.198.155:443/Throughput					
0	6.96	15.7	7.1	6.95	3.43
LG 35.223.198.155:443/User Load					
0	48	83	50	48.3	25.6
LG 35.223.198.155:443/Thread Count					
21	121.7	198	120	120.8	38.5
LG 35.223.198.155:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.198.155:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.223.198.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.198.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.198.155:443/Controller Connection/Ping Duration (ms)					
41	59.7	88	59	59.3	6.59
LG 35.223.198.155:443/Network/Segments sent/sec.					
0	375.6	838.9	387.2	374.3	185.6
LG 35.223.198.155:443/Network/Segments retransmitted/sec.					
0	0.004	0.601	0	0	0.042
LG 35.223.198.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.22	16.3	7.37	7.21	3.55
LG 35.223.198.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.36	0.649	0.39	0.362	0.155

## LG 35.223.41.24:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.41.24:443/CPU Load					
0	2.61	19	2	2.41	1.72
LG 35.223.41.24:443/Memory Used					
1	7.09	17	6	6.9	3.58
LG 35.223.41.24:443/Throughput					
0	6.97	15.6	7.28	6.96	3.39
LG 35.223.41.24:443/User Load					
0	48.3	83	50	48.7	25.5
LG 35.223.41.24:443/Thread Count					
21	122	203	120	120.9	39
LG 35.223.41.24:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.41.24:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.223.41.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.41.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.41.24:443/Controller Connection/Ping Duration (ms)					
41	60.8	93	59	59.8	9.52

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.41.24:443/Network/Segments sent/sec.					
0	373	927.2	388.1	370.6	178.6
LG 35.223.41.24:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.029
LG 35.223.41.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.22	16.2	7.57	7.21	3.5
LG 35.223.41.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.359	0.713	0.392	0.36	0.151

## LG 35.224.195.237:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.195.237:443/CPU Load					
0	2.38	16	2	2.24	1.32
LG 35.224.195.237:443/Memory Used					
1	7.28	17	7	7.11	3.53
LG 35.224.195.237:443/Throughput					
0	6.87	16.1	6.89	6.85	3.45
LG 35.224.195.237:443/User Load					
0	48.1	83	50	48.4	25.6
LG 35.224.195.237:443/Thread Count					
21	123.4	201	123	122.6	40
LG 35.224.195.237:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.195.237:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.224.195.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.195.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.195.237:443/Controller Connection/Ping Duration (ms)					
41	60.5	99	59	59.3	9.96
LG 35.224.195.237:443/Network/Segments sent/sec.					
0	366.8	807.8	375.8	364.5	184.8
LG 35.224.195.237:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 35.224.195.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.13	16.7	7.09	7.11	3.57
LG 35.224.195.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.354	0.646	0.378	0.356	0.153

## LG 35.224.220.171:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.220.171:443/CPU Load					
0	2.28	14	2	2.1	1.43
LG 35.224.220.171:443/Memory Used					
1	6.08	13	6	6.01	2.74
LG 35.224.220.171:443/Throughput					
0	6.86	14.8	7.09	6.84	3.36
LG 35.224.220.171:443/User Load					
0	48.4	83	50	48.7	25.4
LG 35.224.220.171:443/Thread Count					
21	123.8	199	122	122.9	39.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.220.171:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.220.171:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.224.220.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.220.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.220.171:443/Controller Connection/Ping Duration (ms)					
38	60.4	99	59	59.5	10.71
LG 35.224.220.171:443/Network/Segments sent/sec.					
0	366.5	747.9	370.8	365.3	174
LG 35.224.220.171:443/Network/Segments retransmitted/sec.					
0	0.004	0.6	0	0	0.042
LG 35.224.220.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.12	15.3	7.34	7.09	3.48
LG 35.224.220.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.354	0.632	0.375	0.356	0.147

## LG 35.225.21.28:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.21.28:443/CPU Load					
0	2.4	15	2	2.26	1.31
LG 35.225.21.28:443/Memory Used					
1	7.42	16	7	7.33	3.58
LG 35.225.21.28:443/Throughput					
0	6.84	16.4	6.74	6.78	3.46
LG 35.225.21.28:443/User Load					
0	48.3	83	50	48.7	25.4
LG 35.225.21.28:443/Thread Count					
21	122.7	198	121	121.8	39.2
LG 35.225.21.28:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.21.28:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.225.21.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.21.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.21.28:443/Controller Connection/Ping Duration (ms)					
39	59.8	99	59	58.9	11
LG 35.225.21.28:443/Network/Segments sent/sec.					
0	357.2	860.2	359.9	354	174.2
LG 35.225.21.28:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.225.21.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.09	17	6.97	7.02	3.58
LG 35.225.21.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.351	0.685	0.38	0.352	0.148

## LG 35.226.103.201:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.103.201:443/CPU Load					
0	2.64	15	2	2.42	1.7
LG 35.226.103.201:443/Memory Used					
1	5.54	13	5	5.4	2.83
LG 35.226.103.201:443/Throughput					
0	6.97	14.9	7.4	6.94	3.43
LG 35.226.103.201:443/User Load					
0	48.9	84	50	49.2	25.6
LG 35.226.103.201:443/Thread Count					
21	124.6	206	121	123.4	40.2
LG 35.226.103.201:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.226.103.201:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.226.103.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.103.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.103.201:443/Controller Connection/Ping Duration (ms)					
39	61.2	103	59	59.9	11.2
LG 35.226.103.201:443/Network/Segments sent/sec.					
0	370.2	799.1	386.2	368.8	174.9
LG 35.226.103.201:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.011
LG 35.226.103.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.22	15.5	7.62	7.19	3.55
LG 35.226.103.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.358	0.692	0.385	0.359	0.148

## LG 35.232.160.239:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.160.239:443/CPU Load					
0	2.42	19	2	2.26	1.47
LG 35.232.160.239:443/Memory Used					
1	6.56	15	6	6.43	3.15
LG 35.232.160.239:443/Throughput					
0	6.94	15.7	6.81	6.9	3.54
LG 35.232.160.239:443/User Load					
0	48	83	50	48.3	25.5
LG 35.232.160.239:443/Thread Count					
21	121.3	197	119	120.4	38.8
LG 35.232.160.239:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.232.160.239:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.232.160.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.160.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.160.239:443/Controller Connection/Ping Duration (ms)					
37	58.1	88	58	57.9	7.84

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.160.239:443/Network/Segments sent/sec.					
0	365.6	776.5	360.4	363.4	182.3
LG 35.232.160.239:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.011
LG 35.232.160.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.19	16.4	7.04	7.15	3.66
LG 35.232.160.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.355	0.661	0.371	0.357	0.155

## LG 35.239.232.174:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.232.174:443/CPU Load					
0	2.19	17	2	2.01	1.52
LG 35.239.232.174:443/Memory Used					
1	6.59	14	7	6.54	2.88
LG 35.239.232.174:443/Throughput					
0	6.88	16.9	7	6.82	3.62
LG 35.239.232.174:443/User Load					
0	48.1	83	50	48.5	25.6
LG 35.239.232.174:443/Thread Count					
21	123.9	202	123	123	39.6
LG 35.239.232.174:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.239.232.174:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.239.232.174:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.232.174:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.232.174:443/Controller Connection/Ping Duration (ms)					
31	60.1	98	59	59.4	11.2
LG 35.239.232.174:443/Network/Segments sent/sec.					
0	365.1	851.3	377	362.4	185
LG 35.239.232.174:443/Network/Segments retransmitted/sec.					
0	0.003	0.8	0	0	0.045
LG 35.239.232.174:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.13	17.4	7.27	7.06	3.75
LG 35.239.232.174:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.354	0.703	0.378	0.355	0.153

## LG 104.196.132.242:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.132.242:443/CPU Load					
0	2.35	15	2	2.17	1.39
LG 104.196.132.242:443/Memory Used					
1	6.83	13	7	6.81	2.93
LG 104.196.132.242:443/Throughput					
0	7	15.1	7.04	6.95	3.5
LG 104.196.132.242:443/User Load					
0	48.7	84	50	49.1	25.6
LG 104.196.132.242:443/Thread Count					
21	124.1	203	122	123	39.9



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.132.242:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.132.242:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.132.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.132.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.132.242:443/Controller Connection/Ping Duration (ms)					
25	28.7	63	26	26.8	9.64
LG 104.196.132.242:443/Network/Segments sent/sec.					
0	302.4	605.6	301.3	300.9	145
LG 104.196.132.242:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.027
LG 104.196.132.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.22	15.6	7.25	7.17	3.6
LG 104.196.132.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.331	0.572	0.347	0.332	0.138

## LG 34.73.1.3:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.1.3:443/CPU Load					
0	2.27	15	2	2.12	1.34
LG 34.73.1.3:443/Memory Used					
1	6.8	13	7	6.79	2.86
LG 34.73.1.3:443/Throughput					
0	7.06	15.5	7.4	7.05	3.41
LG 34.73.1.3:443/User Load					
0	48.7	84	50	49.1	25.6
LG 34.73.1.3:443/Thread Count					
21	122.7	203	119	121.6	39.3
LG 34.73.1.3:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.1.3:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.1.3:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.1.3:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.1.3:443/Controller Connection/Ping Duration (ms)					
15	28.7	62	27	27.4	9.61
LG 34.73.1.3:443/Network/Segments sent/sec.					
0	309.8	616.5	327.3	309.8	144.2
LG 34.73.1.3:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.025
LG 34.73.1.3:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.29	16	7.62	7.29	3.52
LG 34.73.1.3:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.334	0.583	0.364	0.337	0.137

## LG 34.73.136.143:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.136.143:443/CPU Load					
0	2.11	15	2	1.96	1.31
LG 34.73.136.143:443/Memory Used					
1	6.89	14	7	6.81	3.2
LG 34.73.136.143:443/Throughput					
0	6.89	15.9	7.39	6.86	3.45
LG 34.73.136.143:443/User Load					
0	48.4	83	50	48.7	25.4
LG 34.73.136.143:443/Thread Count					
21	122.5	197	121	121.7	38.5
LG 34.73.136.143:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.136.143:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.136.143:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.136.143:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.136.143:443/Controller Connection/Ping Duration (ms)					
25	29.2	64	25	27.4	11.8
LG 34.73.136.143:443/Network/Segments sent/sec.					
0	305.5	672.5	317.8	304.7	145.2
LG 34.73.136.143:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.025
LG 34.73.136.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.14	16.5	7.64	7.1	3.57
LG 34.73.136.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.33	0.62	0.36	0.332	0.137

## LG 34.73.21.194:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.21.194:443/CPU Load					
0	2.5	18	2	2.29	1.71
LG 34.73.21.194:443/Memory Used					
1	6.6	16	6	6.46	3.29
LG 34.73.21.194:443/Throughput					
0	7.06	16.8	7.09	7	3.6
LG 34.73.21.194:443/User Load					
0	48.3	83	50	48.7	25.5
LG 34.73.21.194:443/Thread Count					
21	121.9	200	119	120.9	39.1
LG 34.73.21.194:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.21.194:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.21.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.21.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.21.194:443/Controller Connection/Ping Duration (ms)					
26	29	63	26	27.2	9.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.21.194:443/Network/Segments sent/sec.					
0	306	677	311.8	304.3	149.1
LG 34.73.21.194:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.73.21.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.29	17.3	7.3	7.22	3.71
LG 34.73.21.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.333	0.631	0.355	0.335	0.142

## LG 34.73.221.254:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.221.254:443/CPU Load					
0	2.51	17	2	2.31	1.64
LG 34.73.221.254:443/Memory Used					
1	7.02	17	6	6.83	3.68
LG 34.73.221.254:443/Throughput					
0	6.9	15.7	6.64	6.87	3.45
LG 34.73.221.254:443/User Load					
0	48.7	84	50	49.1	25.6
LG 34.73.221.254:443/Thread Count					
21	124.7	211	124	123.6	39.9
LG 34.73.221.254:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.221.254:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.221.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.221.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.221.254:443/Controller Connection/Ping Duration (ms)					
26	29.1	63	26	27.2	9.53
LG 34.73.221.254:443/Network/Segments sent/sec.					
0	301.2	652	295.4	300.3	143.8
LG 34.73.221.254:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.73.221.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.13	16.3	6.87	7.1	3.56
LG 34.73.221.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.329	0.582	0.34	0.332	0.136

## LG 34.73.229.68:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.229.68:443/CPU Load					
0	2.55	17	2	2.35	1.57
LG 34.73.229.68:443/Memory Used					
1	6.25	13	6	6.18	2.78
LG 34.73.229.68:443/Throughput					
0	6.95	14.8	7.02	6.93	3.39
LG 34.73.229.68:443/User Load					
0	48.3	83	50	48.7	25.5
LG 34.73.229.68:443/Thread Count					
21	122.6	205	119	121.6	39.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.229.68:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.229.68:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.229.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.229.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.229.68:443/Controller Connection/Ping Duration (ms)					
25	51.1	73	65	51.4	19.5
LG 34.73.229.68:443/Network/Segments sent/sec.					
0	300.1	592.2	306.5	300	141.3
LG 34.73.229.68:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 34.73.229.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.16	15.3	7.24	7.15	3.49
LG 34.73.229.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.329	0.564	0.358	0.331	0.137

## LG 34.74.116.129:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.116.129:443/CPU Load					
0	2.5	19	2	2.3	1.61
LG 34.74.116.129:443/Memory Used					
1	7.56	17	7	7.45	3.55
LG 34.74.116.129:443/Throughput					
0	6.95	14.4	6.94	6.93	3.43
LG 34.74.116.129:443/User Load					
0	48.4	83	50	48.8	25.5
LG 34.74.116.129:443/Thread Count					
21	123.5	200	124	122.6	39
LG 34.74.116.129:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.116.129:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.116.129:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.116.129:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.116.129:443/Controller Connection/Ping Duration (ms)					
19	26.9	62	26	25.8	7.05
LG 34.74.116.129:443/Network/Segments sent/sec.					
0	304	608.6	298.8	303.7	144.2
LG 34.74.116.129:443/Network/Segments retransmitted/sec.					
0	0.001	0.4	0	0	0.022
LG 34.74.116.129:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.18	14.9	7.14	7.15	3.54
LG 34.74.116.129:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.331	0.653	0.344	0.333	0.138

## LG 34.74.140.201:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.140.201:443/CPU Load					
0	2.4	16	2	2.23	1.4
LG 34.74.140.201:443/Memory Used					
1	6.48	15	6	6.34	3.12
LG 34.74.140.201:443/Throughput					
0	6.85	16	7.06	6.79	3.38
LG 34.74.140.201:443/User Load					
0	48.4	83	50	48.7	25.5
LG 34.74.140.201:443/Thread Count					
21	124.1	201	122	123.3	40
LG 34.74.140.201:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.140.201:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.140.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.140.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.140.201:443/Controller Connection/Ping Duration (ms)					
26	49.9	66	66	50.2	19.6
LG 34.74.140.201:443/Network/Segments sent/sec.					
0	298.2	654.4	310.5	296.8	139.4
LG 34.74.140.201:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.036
LG 34.74.140.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.06	16.6	7.28	7.01	3.48
LG 34.74.140.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.327	0.634	0.352	0.328	0.135

## LG 34.74.177.169:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.177.169:443/CPU Load					
0	2.42	15	2	2.25	1.41
LG 34.74.177.169:443/Memory Used					
1	6.97	17	6	6.81	3.45
LG 34.74.177.169:443/Throughput					
0	6.94	16.4	7.09	6.9	3.39
LG 34.74.177.169:443/User Load					
0	48.4	83	50	48.7	25.4
LG 34.74.177.169:443/Thread Count					
21	122.4	199	119	121.5	38.8
LG 34.74.177.169:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.177.169:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.177.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.177.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.177.169:443/Controller Connection/Ping Duration (ms)					
25	45.4	66	35	45.2	19.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.177.169:443/Network/Segments sent/sec.					
0	300.3	647.6	309	299.7	140.4
LG 34.74.177.169:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.027
LG 34.74.177.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.15	16.9	7.31	7.12	3.49
LG 34.74.177.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.329	0.588	0.354	0.331	0.136

## LG 34.74.239.211:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.239.211:443/CPU Load					
0	2.27	15	2	2.1	1.34
LG 34.74.239.211:443/Memory Used					
1	6.27	14	6	6.12	3.25
LG 34.74.239.211:443/Throughput					
0	6.93	15.9	7	6.89	3.45
LG 34.74.239.211:443/User Load					
0	48.8	84	50	49.1	25.6
LG 34.74.239.211:443/Thread Count					
21	124.9	204	121	123.9	40
LG 34.74.239.211:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.239.211:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.74.239.211:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.239.211:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.239.211:443/Controller Connection/Ping Duration (ms)					
19	28.8	67	26	27.1	10.55
LG 34.74.239.211:443/Network/Segments sent/sec.					
0	303.6	669.1	307	302.5	143.8
LG 34.74.239.211:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.74.239.211:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.16	16.5	7.23	7.11	3.56
LG 34.74.239.211:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.329	0.595	0.352	0.331	0.135

## LG 34.74.53.243:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.53.243:443/CPU Load					
0	2.38	15	2	2.16	1.62
LG 34.74.53.243:443/Memory Used					
1	6.66	13	6	6.62	3.02
LG 34.74.53.243:443/Throughput					
0	6.85	15.8	7.11	6.82	3.37
LG 34.74.53.243:443/User Load					
0	48.3	83	50	48.7	25.5
LG 34.74.53.243:443/Thread Count					
21	123.8	210	120	122.7	40.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.53.243:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.53.243:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.53.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.53.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.53.243:443/Controller Connection/Ping Duration (ms)					
19	28.1	62	26	26.5	9.48
LG 34.74.53.243:443/Network/Segments sent/sec.					
0	297.8	635.7	304.9	297.2	139.9
LG 34.74.53.243:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.04
LG 34.74.53.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.07	16.3	7.32	7.04	3.48
LG 34.74.53.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.327	0.609	0.352	0.329	0.135

## LG 34.74.63.24:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.63.24:443/CPU Load					
0	2.48	13	2	2.32	1.39
LG 34.74.63.24:443/Memory Used					
1	6.03	12	6	5.96	2.98
LG 34.74.63.24:443/Throughput					
0	6.92	16.3	6.83	6.88	3.55
LG 34.74.63.24:443/User Load					
0	47.9	83	50	48.3	25.6
LG 34.74.63.24:443/Thread Count					
21	122.3	203	121	121.4	38.8
LG 34.74.63.24:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.63.24:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.63.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.63.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.63.24:443/Controller Connection/Ping Duration (ms)					
25	49.8	66	65	50.2	19.5
LG 34.74.63.24:443/Network/Segments sent/sec.					
0	299	634.9	299.5	297.6	145.7
LG 34.74.63.24:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.025
LG 34.74.63.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.14	16.8	7.04	7.09	3.66
LG 34.74.63.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.327	0.603	0.341	0.329	0.139

## LG 34.74.64.216:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.64.216:443/CPU Load					
0	2.45	16	2	2.25	1.49
LG 34.74.64.216:443/Memory Used					
1	5.79	14	5	5.64	2.87
LG 34.74.64.216:443/Throughput					
0	7.07	15	6.78	7.04	3.45
LG 34.74.64.216:443/User Load					
0	48.8	84	50	49.1	25.6
LG 34.74.64.216:443/Thread Count					
21	122.2	197	121	121.2	38.6
LG 34.74.64.216:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.64.216:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.64.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.64.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.64.216:443/Controller Connection/Ping Duration (ms)					
16	26.9	63	26	26	7.54
LG 34.74.64.216:443/Network/Segments sent/sec.					
0	307.3	614.4	308.4	306.9	143.7
LG 34.74.64.216:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.029
LG 34.74.64.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.29	15.4	7	7.26	3.55
LG 34.74.64.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.334	0.587	0.357	0.336	0.138

## LG 34.74.79.174:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.79.174:443/CPU Load					
0	2.75	14	3	2.57	1.58
LG 34.74.79.174:443/Memory Used					
1	5.71	14	5	5.56	3.01
LG 34.74.79.174:443/Throughput					
0	6.86	14.7	7.39	6.81	3.5
LG 34.74.79.174:443/User Load					
0	48	83	50	48.3	25.6
LG 34.74.79.174:443/Thread Count					
21	122.6	199	120	121.7	39.2
LG 34.74.79.174:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.79.174:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.79.174:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.79.174:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.79.174:443/Controller Connection/Ping Duration (ms)					
25	28.6	64	26	26.7	9.82



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.79.174:443/Network/Segments sent/sec.					
0	295.4	635.7	313.9	294.1	143.3
LG 34.74.79.174:443/Network/Segments retransmitted/sec.					
0	0.003	0.8	0	0	0.045
LG 34.74.79.174:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.07	15.2	7.6	7.02	3.6
LG 34.74.79.174:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.326	0.679	0.356	0.327	0.139

## LG 35.185.111.188:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.111.188:443/CPU Load					
0	2.19	12	2	2.03	1.27
LG 35.185.111.188:443/Memory Used					
1	6.88	14	7	6.85	3.19
LG 35.185.111.188:443/Throughput					
0	6.86	14.2	7	6.85	3.37
LG 35.185.111.188:443/User Load					
0	48.1	83	50	48.4	25.6
LG 35.185.111.188:443/Thread Count					
21	123.2	200	124	122.5	39.5
LG 35.185.111.188:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.111.188:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.185.111.188:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.111.188:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.111.188:443/Controller Connection/Ping Duration (ms)					
26	28.7	63	26	26.9	9.33
LG 35.185.111.188:443/Network/Segments sent/sec.					
0	303.9	597.1	315	303.9	143
LG 35.185.111.188:443/Network/Segments retransmitted/sec.					
0	0.004	0.601	0	0	0.038
LG 35.185.111.188:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.1	14.8	7.23	7.09	3.48
LG 35.185.111.188:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.328	0.57	0.358	0.331	0.137

## LG 35.185.17.80:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.17.80:443/CPU Load					
0	2.09	15	2	1.95	1.25
LG 35.185.17.80:443/Memory Used					
1	5.91	12	6	5.85	2.82
LG 35.185.17.80:443/Throughput					
0	7	15	7.23	6.94	3.51
LG 35.185.17.80:443/User Load					
0	48.8	84	50	49.1	25.6
LG 35.185.17.80:443/Thread Count					
21	123.8	205	119	122.8	39.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.17.80:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.17.80:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.185.17.80:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.17.80:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.17.80:443/Controller Connection/Ping Duration (ms)					
16	26.9	64	26	25.8	7.57
LG 35.185.17.80:443/Network/Segments sent/sec.					
0	307.6	641.5	323.3	305.9	147.1
LG 35.185.17.80:443/Network/Segments retransmitted/sec.					
0	0.002	0.206	0	0	0.019
LG 35.185.17.80:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.25	15.6	7.48	7.19	3.62
LG 35.185.17.80:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.333	0.602	0.365	0.335	0.138

## LG 35.185.65.127:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.65.127:443/CPU Load					
0	2.35	11	2	2.18	1.31
LG 35.185.65.127:443/Memory Used					
1	5.95	13	5.5	5.82	3.03
LG 35.185.65.127:443/Throughput					
0	6.95	15.1	7.16	6.93	3.5
LG 35.185.65.127:443/User Load					
0	48	83	50	48.4	25.5
LG 35.185.65.127:443/Thread Count					
21	122.8	199	125	122	39.5
LG 35.185.65.127:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.65.127:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.185.65.127:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.65.127:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.65.127:443/Controller Connection/Ping Duration (ms)					
25	30.1	65	26	28.3	12
LG 35.185.65.127:443/Network/Segments sent/sec.					
0	302.4	592.6	310	302.3	145.1
LG 35.185.65.127:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.185.65.127:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.17	15.6	7.39	7.16	3.61
LG 35.185.65.127:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.329	0.56	0.346	0.332	0.139

## LG 35.196.7.33:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.7.33:443/CPU Load					
0	2.24	17	2	2.03	1.55
LG 35.196.7.33:443/Memory Used					
1	6.3	15	5	6.12	3.27
LG 35.196.7.33:443/Throughput					
0	7.04	15	7.29	7.01	3.46
LG 35.196.7.33:443/User Load					
0	48.8	84	50	49.1	25.6
LG 35.196.7.33:443/Thread Count					
21	123.1	205	118	122	39.7
LG 35.196.7.33:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.7.33:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.7.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.7.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.7.33:443/Controller Connection/Ping Duration (ms)					
25	28.3	64	26	26.4	9.89
LG 35.196.7.33:443/Network/Segments sent/sec.					
0	311.5	608.6	317.9	310.8	146
LG 35.196.7.33:443/Network/Segments retransmitted/sec.					
0	0.004	0.8	0	0	0.051
LG 35.196.7.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.29	15.6	7.54	7.26	3.58
LG 35.196.7.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.336	0.583	0.357	0.338	0.139

## LG 35.227.22.67:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.22.67:443/CPU Load					
0	2.3	15	2	2.14	1.34
LG 35.227.22.67:443/Memory Used					
1	9.02	19	8.5	8.89	4.87
LG 35.227.22.67:443/Throughput					
0	6.9	16.9	7.11	6.89	3.44
LG 35.227.22.67:443/User Load					
0	48	83	50	48.4	25.5
LG 35.227.22.67:443/Thread Count					
21	122.7	201	122	121.8	39.4
LG 35.227.22.67:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.22.67:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.227.22.67:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.22.67:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.22.67:443/Controller Connection/Ping Duration (ms)					
25	28.5	65	26	26.6	10.12

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.22.67:443/Network/Segments sent/sec.					
0	302.2	661.4	307.3	302	144.2
LG 35.227.22.67:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 35.227.22.67:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.14	17.4	7.35	7.12	3.55
LG 35.227.22.67:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.328	0.599	0.35	0.33	0.138

## LG 35.227.73.207:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.73.207:443/CPU Load					
0	2.46	14	2	2.27	1.48
LG 35.227.73.207:443/Memory Used					
1	6.41	13	6	6.34	2.92
LG 35.227.73.207:443/Throughput					
0	6.96	15.4	6.97	6.93	3.45
LG 35.227.73.207:443/User Load					
0	48.3	83	50	48.7	25.5
LG 35.227.73.207:443/Thread Count					
21	122.5	203	121	121.5	38.9
LG 35.227.73.207:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.73.207:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.227.73.207:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.73.207:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.73.207:443/Controller Connection/Ping Duration (ms)					
26	27.4	63	26	26	7.03
LG 35.227.73.207:443/Network/Segments sent/sec.					
0	301.4	585.2	304.1	301	141.8
LG 35.227.73.207:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.016
LG 35.227.73.207:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.18	15.8	7.17	7.15	3.55
LG 35.227.73.207:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.33	0.627	0.346	0.333	0.138

## LG 35.229.47.212:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.47.212:443/CPU Load					
0	2.12	14	2	1.95	1.34
LG 35.229.47.212:443/Memory Used					
1	5.98	15	5	5.8	3.21
LG 35.229.47.212:443/Throughput					
0	7	15.7	6.89	6.94	3.51
LG 35.229.47.212:443/User Load					
0	48.3	83	50	48.7	25.5
LG 35.229.47.212:443/Thread Count					
20	122	200	120	121	39.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.47.212:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.47.212:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.229.47.212:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.47.212:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.47.212:443/Controller Connection/Ping Duration (ms)					
15	27.9	65	25	26.3	10.48
LG 35.229.47.212:443/Network/Segments sent/sec.					
0	306.6	643.1	310.1	305.2	147
LG 35.229.47.212:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 35.229.47.212:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.25	16.3	7.13	7.19	3.63
LG 35.229.47.212:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.333	0.609	0.359	0.334	0.14

## LG 35.231.152.43:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.152.43:443/CPU Load					
0	2.43	16	2	2.25	1.52
LG 35.231.152.43:443/Memory Used					
1	5.94	14	5	5.81	3.05
LG 35.231.152.43:443/Throughput					
0	6.88	15.2	6.84	6.88	3.35
LG 35.231.152.43:443/User Load					
0	48	83	50	48.3	25.6
LG 35.231.152.43:443/Thread Count					
21	121.8	204	120	120.6	39.7
LG 35.231.152.43:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.152.43:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.152.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.152.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.152.43:443/Controller Connection/Ping Duration (ms)					
25	52.4	66	65	53.1	18.4
LG 35.231.152.43:443/Network/Segments sent/sec.					
0	297.2	596.4	302.7	297.4	139.6
LG 35.231.152.43:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.022
LG 35.231.152.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.09	15.8	7.03	7.1	3.45
LG 35.231.152.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.325	0.562	0.354	0.328	0.136

## LG 35.231.82.173:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.82.173:443/CPU Load					
0	2.57	17	2	2.35	1.76
LG 35.231.82.173:443/Memory Used					
1	6.85	15	6	6.72	3.24
LG 35.231.82.173:443/Throughput					
0	6.99	15	7.27	6.98	3.42
LG 35.231.82.173:443/User Load					
0	48.8	84	50	49.1	25.6
LG 35.231.82.173:443/Thread Count					
21	123.5	203	120	122.3	39.4
LG 35.231.82.173:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.82.173:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.82.173:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.82.173:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.82.173:443/Controller Connection/Ping Duration (ms)					
19	50.1	67	66	50.7	19.8
LG 35.231.82.173:443/Network/Segments sent/sec.					
0	301.7	605.6	315.6	301.6	141.4
LG 35.231.82.173:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.033
LG 35.231.82.173:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.21	15.5	7.48	7.2	3.52
LG 35.231.82.173:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.331	0.567	0.353	0.333	0.137

## LG 35.231.96.86:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.96.86:443/CPU Load					
0	2.41	12	2	2.23	1.4
LG 35.231.96.86:443/Memory Used					
1	6.58	13	6	6.53	3.2
LG 35.231.96.86:443/Throughput					
0	6.93	16	7.09	6.88	3.43
LG 35.231.96.86:443/User Load					
0	48.3	83	50	48.7	25.5
LG 35.231.96.86:443/Thread Count					
21	122.9	198	120	122.2	39
LG 35.231.96.86:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.96.86:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.96.86:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.96.86:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.96.86:443/Controller Connection/Ping Duration (ms)					
15	28.1	65	26	26.5	10.43

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.96.86:443/Network/Segments sent/sec.					
0	300.3	633.6	311.2	298.9	142
LG 35.231.96.86:443/Network/Segments retransmitted/sec.					
0	0.006	0.6	0	0	0.054
LG 35.231.96.86:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.15	16.5	7.31	7.1	3.53
LG 35.231.96.86:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.328	0.596	0.359	0.33	0.136

## LG 35.237.217.197:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.217.197:443/CPU Load					
0	2.5	13	2	2.33	1.38
LG 35.237.217.197:443/Memory Used					
1	7.83	17	7	7.73	3.59
LG 35.237.217.197:443/Throughput					
0	7.01	16.4	6.8	6.97	3.48
LG 35.237.217.197:443/User Load					
0	48.7	84	50	49.1	25.6
LG 35.237.217.197:443/Thread Count					
21	123.6	202	121	122.5	39
LG 35.237.217.197:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.217.197:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.217.197:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.217.197:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.217.197:443/Controller Connection/Ping Duration (ms)					
26	28.8	62	26	27	9.45
LG 35.237.217.197:443/Network/Segments sent/sec.					
0	303.1	660.3	304.8	302.1	143.8
LG 35.237.217.197:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.237.217.197:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.23	17	7.01	7.19	3.58
LG 35.237.217.197:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.332	0.606	0.354	0.334	0.138

## LG 35.237.230.25:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.230.25:443/CPU Load					
0	2.51	12	2	2.3	1.55
LG 35.237.230.25:443/Memory Used					
1	6.62	14	6	6.54	2.95
LG 35.237.230.25:443/Throughput					
0	7	14.7	7.02	6.97	3.43
LG 35.237.230.25:443/User Load					
0	48.8	84	50	49.1	25.6
LG 35.237.230.25:443/Thread Count					
21	123.7	200	122	122.8	39.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.230.25:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.230.25:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.230.25:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.230.25:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.230.25:443/Controller Connection/Ping Duration (ms)					
16	30	66	26	28.5	12.5
LG 35.237.230.25:443/Network/Segments sent/sec.					
0	303.5	631.3	307.8	302.5	142.8
LG 35.237.230.25:443/Network/Segments retransmitted/sec.					
0	0.013	2.8	0	0	0.162
LG 35.237.230.25:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.22	15.1	7.23	7.19	3.53
LG 35.237.230.25:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.332	0.591	0.361	0.335	0.138

## LG 35.237.249.176:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.249.176:443/CPU Load					
0	2.37	14	2	2.17	1.49
LG 35.237.249.176:443/Memory Used					
1	7.03	14	7	6.98	3.02
LG 35.237.249.176:443/Throughput					
0	6.9	15.7	6.71	6.88	3.39
LG 35.237.249.176:443/User Load					
0	48.3	83	50	48.7	25.4
LG 35.237.249.176:443/Thread Count					
21	122.3	205	121	121.1	39
LG 35.237.249.176:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.249.176:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.249.176:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.249.176:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.249.176:443/Controller Connection/Ping Duration (ms)					
26	28.9	64	26	27	9.45
LG 35.237.249.176:443/Network/Segments sent/sec.					
0	300.5	643.5	292.8	300.5	141
LG 35.237.249.176:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 35.237.249.176:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.12	16.2	6.91	7.1	3.49
LG 35.237.249.176:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.328	0.594	0.346	0.33	0.136



## LG 35.237.28.122:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.28.122:443/CPU Load					
0	2.17	15	2	1.98	1.44
LG 35.237.28.122:443/Memory Used					
1	6.77	14	7	6.7	3.15
LG 35.237.28.122:443/Throughput					
0	7.05	14.2	7.29	7.03	3.48
LG 35.237.28.122:443/User Load					
0	48.8	84	50	49.1	25.6
LG 35.237.28.122:443/Thread Count					
21	123.4	200	122	122.4	39.1
LG 35.237.28.122:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.28.122:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.28.122:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.28.122:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.28.122:443/Controller Connection/Ping Duration (ms)					
25	28	62	26	26.3	8.18
LG 35.237.28.122:443/Network/Segments sent/sec.					
0	310.3	617.4	318.8	310.1	145.6
LG 35.237.28.122:443/Network/Segments retransmitted/sec.					
0	0.002	0.8	0	0	0.044
LG 35.237.28.122:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.31	14.8	7.54	7.28	3.6
LG 35.237.28.122:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.335	0.607	0.361	0.338	0.139

## LG 35.243.165.160:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.165.160:443/CPU Load					
0	2.38	16	2	2.2	1.49
LG 35.243.165.160:443/Memory Used					
1	7.23	16	7	7.1	3.45
LG 35.243.165.160:443/Throughput					
0	6.86	17.1	7.25	6.81	3.45
LG 35.243.165.160:443/User Load					
0	47.9	83	50	48.3	25.6
LG 35.243.165.160:443/Thread Count					
21	123.7	198	122	122.9	39.3
LG 35.243.165.160:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.165.160:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.243.165.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.165.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.165.160:443/Controller Connection/Ping Duration (ms)					
25	28.8	63	26	27	9.35


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.165.160:443/Network/Segments sent/sec.					
0	299.4	684.8	316	298.3	143.2
LG 35.243.165.160:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.027
LG 35.243.165.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.08	17.7	7.47	7.03	3.55
LG 35.243.165.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.326	0.62	0.36	0.328	0.137

## LG 35.243.224.26:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.224.26:443/CPU Load					
0	2.25	13	2	2.08	1.39
LG 35.243.224.26:443/Memory Used					
1	7.17	14	7	7.13	3.29
LG 35.243.224.26:443/Throughput					
0	7.02	15.5	7.01	6.97	3.48
LG 35.243.224.26:443/User Load					
0	48.3	83	50	48.7	25.5
LG 35.243.224.26:443/Thread Count					
21	122.3	199	119.5	121.4	39
LG 35.243.224.26:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.224.26:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.243.224.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.224.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.224.26:443/Controller Connection/Ping Duration (ms)					
25	26.7	63	25	25.3	7.18
LG 35.243.224.26:443/Network/Segments sent/sec.					
0	308	616.6	307.7	307.1	144.6
LG 35.243.224.26:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.243.224.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0	7.27	16	7.25	7.21	3.6
LG 35.243.224.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.332	0.586	0.358	0.335	0.138


## Average page response time



Min	Average	Max
0.333	1.708	5.775

**Notes:** Displays the average response time, in seconds, of all pages during the test.


## Average request response time



Min	Average	Max
0.333	1.235	7.982

**Notes:** Displays the average response time, in seconds, of all requests during the test.


## Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.308	2.131	6.22	1.723	1.994	1.305

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.


## Requests per second



Min	Average	Max
9.7	930.9	1,653.7

**Notes:** Displays the number of requests per second.


## Errors



Min	Average	Max
0	2.3	39

**Notes:** Displays the number of errors per sampling interval.

## Throughput




Min	Average	Max
0	414.6	720.62

**Notes:** Displays the number of megabits of data per second returned by the server.




## Response time against load



Min	Average	Max
0.178	1.034	3.19


**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

## User Load and Error Rate




Scale 0.01 Test 21:53 - 1Nov2019\_Test1

Color	Name	Unit	Statistic	Avg
Blue	Controller/User Load	-	-	2,205.392
Red	<all requests> - Errors	Errors	Errors	190.372

Name	Min	Average	Max
Controller/User Load	0	2,205.39	5,000
<all requests> - Errors	0	190.37	3,424


## Overall Throughput



**Scale** 1      **Test** 21:53 - 1Nov2019\_Test1  
**Name** Controller/Throughput    **Unit** Mb/s  
**Statistic** -      **Avg** 436.5947868791786

Name	Min	Average	Max
Controller/Throughput	6.79	436.59	893.69

## /mobileFirstSS/loyaltyEligibilitySelector -TPS




**Test** 21:53 - 1Nov2019\_Test1

Color	Scale	Name	Unit	Statistic	Avg
Green	1	/mobileFirstSS/loyaltyEligibilitySelector - Ele...	/s	Elements/s	147.781
Blue	0.1	Controller/User Load	-	-	2,205.392
Red	1	<all transactions> - Elements/s	/s	Elements/s	444.851

Name	Min	Average	Max
/mobileFirstSS/ loyaltyEligibilitySelector - Elements/s	0	147.78	343
Controller/User Load	0	2,205.39	5,000
<all transactions> - Elements/s	7.9	444.85	1,106.9

## Average duration




**Test** 21:53 - 1Nov2019\_Test1

Color	Scale	Name	Unit	Statistic	Avg
<span style="color: yellow;">■</span>	1	/mobileFirstSS/launchApp_1 - Average dur...	s	Average duration	2.23
<span style="color: blue;">■</span>	1	/mobileFirstSS/asyncPullMyFeed - Average...	s	Average duration	1.318
<span style="color: green;">■</span>	1	/mobileFirstSS/loyaltyEligibilitySelector - Av...	s	Average duration	1.256
<span style="color: red;">■</span>	0.002	Controller/User Load	-	-	2,205.392

Name	Min	Average	Max
/mobileFirstSS/launchApp_1 - Average duration	1.09	2.23	6.94
/mobileFirstSS/ asyncPullMyFeed - Average duration	0.42	1.32	7.44
/mobileFirstSS/ loyaltyEligibilitySelector - Average duration	0.74	1.26	3.2
Controller/User Load	0	2,205.39	5,000

## VzUp\_LandingPage - Average duration




**Test** 21:53 - 1Nov2019\_Test1

Color	Scale	Name	Unit	Statistic	Avg
	1	/mobileFirstSS/loyaltyEligibiltySelector - Av...	s	Average duration	1.256
	0.001	Controller/User Load		-	2,205.392

Name	Min	Average	Max
/mobileFirstSS/ loyaltyEligibiltySelector - Average duration	0.74	1.26	3.2
Controller/User Load	0	2,205.39	5,000

## MF\_05\_VzUpLandingPage - Error rate



**Test** 21:53 - 1Nov2019\_Test1

Color	Scale	Name	Unit	Statistic	Avg
	1	MF_05_VzUpLandingPage - Error rate	%	Error rate	6.805
	0.02	Controller/User Load	-	-	2,205.392

Name	Min	Average	Max
MF_05_VzUpLandingPage - Error rate	0	6.81	100
Controller/User Load	0	2,205.39	5,000