

# 10-29-Retail Holiday Readiness PDP LT



Date	Nov 1, 2019 1:54:16 AM
Project	HP_GRID_PDP
Scenario	GW_Nov01
Comment	
Notes	10-31-Retail Holiday Readiness GW LT

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	7
Hot spots.....	8
Errors.....	8
Alerts.....	8
General statistics.....	8
Transaction statistics.....	8
Execution context.....	15
Scenario .....	10
Servers.....	20
Populations.....	21
User Paths.....	22
Transactions.....	23
Pages.....	25
Requests.....	29
Media Contents.....	50
Push messages.....	24
Monitors.....	51
Main graphs.....	148
Average page response time.....	148
Average request response time.....	149
Average response time (Transactions).....	150
Requests per second.....	151
Errors.....	152
Throughput.....	153
Response time against load.....	154
Distribution of Transaction Durations.....	155

## Summary

### Results summary

<b>Name</b>	01:52 - 1 Nov 2019_GW_LT	<b>Project</b>	HP_GRID_PDP
<b>Description</b>		<b>Scenario</b>	GW_Nov01
<b>Status</b>	✓ Passed	<b>Load Policy</b>	<ul style="list-style-type: none"> <li>The population GridWall_1_Final is customized</li> </ul>
<b>Start date</b>	Nov 1, 2019 1:54:16 AM		
<b>End date</b>	Nov 1, 2019 2:28:42 AM	<b>Stop Policy</b>	<ul style="list-style-type: none"> <li>Population GridWall_1_Final: immediate.</li> </ul>
<b>Duration</b>	00:34:26		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
<b>LG Hosts</b>	40.76.87.118:443	<b>Debug</b>	Disabled
	,		
	40.76.91.219:443		
	,		
	138.91.114.26:443		
	,		
	138.91.117.0:443		
	,		
	138.91.115.150:443		
	,		
	138.91.123.97:443		
	,		
	138.91.117.109:443		
	,		
	138.91.112.32:443		
	,		
	138.91.121.154:443		
	,		
	138.91.122.1:443		
	,		
	138.91.127.185:443		
	,		
	138.91.127.178:443		
	,		
	138.91.124.64:443		
	,		
	138.91.125.70:443		
	,		
	40.121.167.164:443		
	,		
	104.41.135.113:443		
	,		
	104.41.135.103:443		
	,		
	104.41.131.19:443		
	,		
	104.41.140.7:443		
	,		
	104.41.143.83:443		
	,		
	137.117.81.177:443		
	,		
	137.117.86.160:443		
	,		
	137.117.89.73:443		
	,		
	137.135.110.218:443		
	,		
	137.135.103.4:443		
	,		
	137.135.101.229:443		
	,		
	137.135.110.232:443		
	,		
	137.135.106.107:443		
	,		
	137.135.104.129:443		
	,		
	40.114.85.160:443		
	,		
	40.117.94.245:443		
	,		
	40.121.164.159:443		

,	40.121.161.35:443		
,	40.121.161.217:443		
,	40.121.160.88:443		
,	40.121.163.183:443		
,	40.85.182.117:443		
,	40.85.177.216:443		
,	40.121.165.18:443		
,	40.85.180.250:443		
,	40.85.183.41:443		
,	13.68.220.182:443		
,	13.68.221.243:443		
,	13.68.223.56:443		
,	13.68.217.240:443		
,	104.41.130.196:443		
,	13.68.219.229:443		
,	13.68.216.145:443		
,	40.121.163.238:443		
,	137.135.110.73:443		
,	13.90.99.116:443		
,	13.90.101.110:443		
,	13.90.100.44:443		
,	13.90.100.167:443		
,	137.135.102.160:443		
,	13.90.101.237:443		
,	13.90.102.217:443		
,	13.90.97.0:443		
,	13.90.100.28:443		
,	13.90.96.66:443		
,	13.90.103.115:443		
,	13.82.105.65:443		
,	40.121.165.250:443		
,	40.117.95.168:443		
,	13.82.111.42:443		
,	13.90.103.205:443		
,	13.92.126.123:443		
,	13.82.110.31:443		
,	13.92.126.137:443		
,	13.92.123.101:443		
,	13.92.122.242:443		

,	40.121.160.26:443		
,	13.92.120.34:443		
,	13.92.120.39:443		
,	40.114.80.216:443		
,	13.90.96.183:443		
,	40.117.91.161:443		
,	137.135.103.136:443		
,	13.92.97.37:443		
,	13.92.97.139:443		
,	168.62.106.215:443		
,	23.100.73.8:443		
,	23.96.176.116:443		
,	23.101.161.200:443		
,	157.55.141.10:443		
,	23.96.187.110:443		
,	23.96.209.142:443		
,	23.100.79.115:443		
,	23.96.234.77:443		
,	23.96.189.24:443		
,	23.96.187.193:443		
,	23.96.189.10:443		
,	23.96.185.165:443		
,	23.96.189.94:443		
,	23.96.189.88:443		
,	23.96.181.81:443		
,	168.62.104.150:443		
,	23.96.245.163:443		
,	65.52.30.182:443		
,	23.96.188.46:443		
,	23.100.72.19:443		
,	23.96.210.246:443		
,	23.96.181.95:443		
,	23.96.215.35:443		
,	23.96.222.136:443		
,	23.96.211.139:443		
,	23.96.223.124:443		
,	23.96.242.84:443		
,	168.62.111.10:443		
,	168.62.104.21:443		


,	65.52.11.209:443		
,	23.96.222.11:443		
,	65.52.15.161:443		
,	65.52.233.189:443		
,	65.52.5.236:443		
,	23.96.245.141:443		
,	65.52.234.104:443		
,	23.96.252.55:443		
,	65.52.5.247:443		
,	65.52.13.146:443		
,	65.52.11.231:443		
,	157.56.28.13:443		
,	65.52.20.128:443		
,	65.52.24.37:443		
,	65.52.19.45:443		
,	65.52.26.167:443		
,	65.52.26.66:443		
,	23.96.230.165:443		
,	65.52.233.2:443		
,	65.52.31.79:443		
,	65.52.30.102:443		
,	23.96.226.76:443		
,	65.52.30.122:443		
,	65.52.235.168:443		
,	65.52.236.11:443		
,	23.96.225.141:443		
,	157.56.31.174:443		
,	157.56.28.35:443		
,	65.52.5.215:443		
,	23.96.228.72:443		
,	157.56.28.241:443		
,	23.96.227.254:443		
,	23.96.230.243:443		
,	23.96.225.195:443		
,	23.96.226.33:443		
,	23.96.226.189:443		
,	23.96.224.33:443		
,	23.96.224.45:443		
,	65.52.21.68:443		

	23.96.224.100:443		
	23.96.231.200:443		
	23.96.231.208:443		
	23.96.225.202:443		
	23.96.231.141:443		
	23.96.231.144:443		
	23.96.230.224:443		
	23.96.227.37:443		
	23.96.230.197:443		
	23.96.231.56:443		
	23.96.225.46:443		

## Statistics Summary

<b>Total pages</b>	33068405	—	<b>Average pages/s</b>	15,998.3	—
<b>Total requests</b>	88059049	—	<b>Average requests/s</b>	42,602.3	—
<b>Total users launched</b>	14282	—	<b>Average Request response time</b>	0.126 s	—
<b>Total iterations completed</b>	908015	—	<b>Average Page response time</b>	0.312 s	—
<b>Total throughput</b>	1,579,128 MB	—	<b>Average throughput</b>	6,111.77 Mb/s	—
<b>Total request errors</b>	169706	—	<b>Error rate</b>	0.2 %	—
<b>Total action errors</b>	0	—	<b>Alerts total duration</b>	0 %	—

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ☄ = Failed



## Hot spots

### Top 5 errors

User Path	Parent	Page	Count
GW_MOBILE	GW-M	/smartphones/	78446
GW-Desk	GW_DESK	/smartphones/	77999
GW_MOBILE	GW-M	/glassbox/VZW/SHOP/reporting/cls_report	23
GW-Desk	GW_DESK	/	1
GW_MOBILE	GW-M	activityi;dc_pre=CLTzwYWfteUCF...zwvp0;u9=desktop;u12	1

### Top 5 alerts

No alerts
-----------

### First critical alerts

No alerts
-----------

### Top 5 average response time (Pages)

User Path	Parent	Page	Duration
GW_MOBILE	GW-M	/smartphones/	13.2
GW-Desk	GW_DESK	/smartphones/	6.53
GW_MOBILE	GW-M	/c/263109848-1/ascend.js	0.299
GW-Desk	GW_DESK	/munchkin.js	0.277
GW-Desk	GW_DESK	/tagserver/postToServer.min.htm	0.223

### Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
GW_MOBILE	GW-M	/smartphones/	207.9
GW-Desk	GW_DESK	/smartphones/	69.1
GW_MOBILE	GW-M	/glassbox/VZW/SHOP/reporting/cls_report	60.1
GW-Desk	GW_DESK	/content/vzw-engage/c2c/btn.dis...ntainer-desktop.html	13.3
GW_MOBILE	GW-M	/content/vzw-engage/c2c/btn.dis...ontainer-mobile.html	13.2

## Errors

### Request errors

Error Type	Count	Description
NL-NETWORK-01	169,681	Miscellaneous I/O error when connecting to the server.
504	22	Gateway Timeout
500	2	Internal Server Error
502	1	Bad Gateway
Total	169,706	Total error count.

### Action errors

No errors
-----------

## Alerts

No alerts
-----------

## General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
12.6	758.3	1,264	14,282	14,282	100	-
All pages						
0.001	0.311	207.9	33,068,405	156,470	0.5	-
All requests						
0.001	0.126	207.9	88,059,049	169,706	0.2	-

## Transaction statistics



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
1.78	11.3	209.9	908,015	156,015	17.2	2.36	55.7	63.1	18.6	8.86	-

## Scenario

### Summary

<b>Name</b>	01:52 - 1 Nov 2019_GW_LT	<b>Project</b>	HP_GRID_PDP
<b>Description</b>		<b>Scenario</b>	GW_Nov01
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population GridWall_1_Final is customized
<b>Start date</b>	Nov 1, 2019 1:54:16 AM	<b>Stop Policy</b>	• Population GridWall_1_Final: immediate.
<b>End date</b>	Nov 1, 2019 2:28:42 AM		
<b>Duration</b>	00:34:26	<b>Filters</b>	None
<b>Termination reason</b>	Manual action		
	40.76.87.118:443		
	,		
	40.76.91.219:443		
	,		
	138.91.114.26:443		
	,		
	138.91.117.0:443		
	,		
	138.91.115.150:443		
	,		
	138.91.123.97:443		
	,		
	138.91.117.109:443		
	,		
	138.91.112.32:443		
	,		
	138.91.121.154:443		
	,		
	138.91.122.1:443		
	,		
	138.91.127.185:443		
	,		
	138.91.127.178:443		
	,		
	138.91.124.64:443		
	,		
	138.91.125.70:443		
	,		
	40.121.167.164:443		
	,		
<b>LG Hosts</b>	104.41.135.113:443	<b>Debug</b>	Disabled
	,		
	104.41.135.103:443		
	,		
	104.41.131.19:443		
	,		
	104.41.140.7:443		
	,		
	104.41.143.83:443		
	,		
	137.117.81.177:443		
	,		
	137.117.86.160:443		
	,		
	137.117.89.73:443		
	,		
	137.135.110.218:443		
	,		
	137.135.103.4:443		
	,		
	137.135.101.229:443		
	,		
	137.135.110.232:443		
	,		
	137.135.106.107:443		
	,		
	137.135.104.129:443		
	,		
	40.114.85.160:443		
	,		
	40.117.94.245:443		

,	40.121.164.159:443		
,	40.121.161.35:443		
,	40.121.161.217:443		
,	40.121.160.88:443		
,	40.121.163.183:443		
,	40.85.182.117:443		
,	40.85.177.216:443		
,	40.121.165.18:443		
,	40.85.180.250:443		
,	40.85.183.41:443		
,	13.68.220.182:443		
,	13.68.221.243:443		
,	13.68.223.56:443		
,	13.68.217.240:443		
,	104.41.130.196:443		
,	13.68.219.229:443		
,	13.68.216.145:443		
,	40.121.163.238:443		
,	137.135.110.73:443		
,	13.90.99.116:443		
,	13.90.101.110:443		
,	13.90.100.44:443		
,	13.90.100.167:443		
,	137.135.102.160:443		
,	13.90.101.237:443		
,	13.90.102.217:443		
,	13.90.97.0:443		
,	13.90.100.28:443		
,	13.90.96.66:443		
,	13.90.103.115:443		
,	13.82.105.65:443		
,	40.121.165.250:443		
,	40.117.95.168:443		
,	13.82.111.42:443		
,	13.90.103.205:443		
,	13.92.126.123:443		
,	13.82.110.31:443		
,	13.92.126.137:443		
,	13.92.123.101:443		

,	13.92.122.242:443		
,	40.121.160.26:443		
,	13.92.120.34:443		
,	13.92.120.39:443		
,	40.114.80.216:443		
,	13.90.96.183:443		
,	40.117.91.161:443		
,	137.135.103.136:443		
,	13.92.97.37:443		
,	13.92.97.139:443		
,	168.62.106.215:443		
,	23.100.73.8:443		
,	23.96.176.116:443		
,	23.101.161.200:443		
,	157.55.141.10:443		
,	23.96.187.110:443		
,	23.96.209.142:443		
,	23.100.79.115:443		
,	23.96.234.77:443		
,	23.96.189.24:443		
,	23.96.187.193:443		
,	23.96.189.10:443		
,	23.96.185.165:443		
,	23.96.189.94:443		
,	23.96.189.88:443		
,	23.96.181.81:443		
,	168.62.104.150:443		
,	23.96.245.163:443		
,	65.52.30.182:443		
,	23.96.188.46:443		
,	23.100.72.19:443		
,	23.96.210.246:443		
,	23.96.181.95:443		
,	23.96.215.35:443		
,	23.96.222.136:443		
,	23.96.211.139:443		
,	23.96.223.124:443		
,	23.96.242.84:443		
,	168.62.111.10:443		

	,	168.62.104.21:443	
	,	65.52.11.209:443	
	,	23.96.222.11:443	
	,	65.52.15.161:443	
	,	65.52.233.189:443	
	,	65.52.5.236:443	
	,	23.96.245.141:443	
	,	65.52.234.104:443	
	,	23.96.252.55:443	
	,	65.52.5.247:443	
	,	65.52.13.146:443	
	,	65.52.11.231:443	
	,	157.56.28.13:443	
	,	65.52.20.128:443	
	,	65.52.24.37:443	
	,	65.52.19.45:443	
	,	65.52.26.167:443	
	,	65.52.26.66:443	
	,	23.96.230.165:443	
	,	65.52.233.2:443	
	,	65.52.31.79:443	
	,	65.52.30.102:443	
	,	23.96.226.76:443	
	,	65.52.30.122:443	
	,	65.52.235.168:443	
	,	65.52.236.11:443	
	,	23.96.225.141:443	
	,	157.56.31.174:443	
	,	157.56.28.35:443	
	,	65.52.5.215:443	
	,	23.96.228.72:443	
	,	157.56.28.241:443	
	,	23.96.227.254:443	
	,	23.96.230.243:443	
	,	23.96.225.195:443	
	,	23.96.226.33:443	
	,	23.96.226.189:443	
	,	23.96.224.33:443	
	,	23.96.224.45:443	

	65.52.21.68:443		
	23.96.224.100:443		
	23.96.231.200:443		
	23.96.231.208:443		
	23.96.225.202:443		
	23.96.231.141:443		
	23.96.231.144:443		
	23.96.230.224:443		
	23.96.227.37:443		
	23.96.230.197:443		
	23.96.231.56:443		
	23.96.225.46:443		

## Populations

### GridWall\_1\_Final

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
GW_MOBILE	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user
GW-Desk	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

## User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
GW_MOBILE		Go to the next iteration	Do nothing	0ms	0%
GW-Desk		Go to the next iteration	Do nothing	0ms	0%

## Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

## Execution context

<b>Name</b>	01:52 - 1 Nov 2019_GW_LT	<b>Project</b>	HP_GRID_PDP
<b>Description</b>		<b>Scenario</b>	GW_Nov01
<b>Status</b>	✓ Passed	<b>Load Policy</b>	<ul style="list-style-type: none"> <li>The population GridWall_1_Final is customized</li> </ul>
<b>Start date</b>	Nov 1, 2019 1:54:16 AM		
<b>End date</b>	Nov 1, 2019 2:28:42 AM	<b>Stop Policy</b>	<ul style="list-style-type: none"> <li>Population GridWall_1_Final: immediate.</li> </ul>
<b>Duration</b>	00:34:26		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
	40.76.87.118:443		
	,		
	40.76.91.219:443		
	,		
	138.91.114.26:443		
	,		
	138.91.117.0:443		
	,		
	138.91.115.150:443		
	,		
	138.91.123.97:443		
	,		
	138.91.117.109:443		
	,		
	138.91.112.32:443		
	,		
	138.91.121.154:443		
	,		
	138.91.122.1:443		
	,		
	138.91.127.185:443		
	,		
	138.91.127.178:443		
	,		
	138.91.124.64:443		
	,		
	138.91.125.70:443		
	,		
	40.121.167.164:443		
	,		
	104.41.135.113:443		
<b>LG Hosts</b>	104.41.135.103:443	<b>Debug</b>	Disabled
	,		
	104.41.131.19:443		
	,		
	104.41.140.7:443		
	,		
	104.41.143.83:443		
	,		
	137.117.81.177:443		
	,		
	137.117.86.160:443		
	,		
	137.117.89.73:443		
	,		
	137.135.110.218:443		
	,		
	137.135.103.4:443		
	,		
	137.135.101.229:443		
	,		
	137.135.110.232:443		
	,		
	137.135.106.107:443		
	,		
	137.135.104.129:443		
	,		
	40.114.85.160:443		
	,		
	40.117.94.245:443		
	,		
	40.121.164.159:443		
	,		

40.121.161.35:443		
,		
40.121.161.217:443		
,		
40.121.160.88:443		
,		
40.121.163.183:443		
,		
40.85.182.117:443		
,		
40.85.177.216:443		
,		
40.121.165.18:443		
,		
40.85.180.250:443		
,		
40.85.183.41:443		
,		
13.68.220.182:443		
,		
13.68.221.243:443		
,		
13.68.223.56:443		
,		
13.68.217.240:443		
,		
104.41.130.196:443		
,		
13.68.219.229:443		
,		
13.68.216.145:443		
,		
40.121.163.238:443		
,		
137.135.110.73:443		
,		
13.90.99.116:443		
,		
13.90.101.110:443		
,		
13.90.100.44:443		
,		
13.90.100.167:443		
,		
137.135.102.160:443		
,		
13.90.101.237:443		
,		
13.90.102.217:443		
,		
13.90.97.0:443		
,		
13.90.100.28:443		
,		
13.90.96.66:443		
,		
13.90.103.115:443		
,		
13.82.105.65:443		
,		
40.121.165.250:443		
,		
40.117.95.168:443		
,		
13.82.111.42:443		
,		
13.90.103.205:443		
,		
13.92.126.123:443		
,		
13.82.110.31:443		
,		
13.92.126.137:443		
,		
13.92.123.101:443		
,		
13.92.122.242:443		
,		



40.121.160.26:443		
,		
13.92.120.34:443		
,		
13.92.120.39:443		
,		
40.114.80.216:443		
,		
13.90.96.183:443		
,		
40.117.91.161:443		
,		
137.135.103.136:443		
,		
13.92.97.37:443		
,		
13.92.97.139:443		
,		
168.62.106.215:443		
,		
23.100.73.8:443		
,		
23.96.176.116:443		
,		
23.101.161.200:443		
,		
157.55.141.10:443		
,		
23.96.187.110:443		
,		
23.96.209.142:443		
,		
23.100.79.115:443		
,		
23.96.234.77:443		
,		
23.96.189.24:443		
,		
23.96.187.193:443		
,		
23.96.189.10:443		
,		
23.96.185.165:443		
,		
23.96.189.94:443		
,		
23.96.189.88:443		
,		
23.96.181.81:443		
,		
168.62.104.150:443		
,		
23.96.245.163:443		
,		
65.52.30.182:443		
,		
23.96.188.46:443		
,		
23.100.72.19:443		
,		
23.96.210.246:443		
,		
23.96.181.95:443		
,		
23.96.215.35:443		
,		
23.96.222.136:443		
,		
23.96.211.139:443		
,		
23.96.223.124:443		
,		
23.96.242.84:443		
,		
168.62.111.10:443		
,		
168.62.104.21:443		
,		

65.52.11.209:443		
,		
23.96.222.11:443		
,		
65.52.15.161:443		
,		
65.52.233.189:443		
,		
65.52.5.236:443		
,		
23.96.245.141:443		
,		
65.52.234.104:443		
,		
23.96.252.55:443		
,		
65.52.5.247:443		
,		
65.52.13.146:443		
,		
65.52.11.231:443		
,		
157.56.28.13:443		
,		
65.52.20.128:443		
,		
65.52.24.37:443		
,		
65.52.19.45:443		
,		
65.52.26.167:443		
,		
65.52.26.66:443		
,		
23.96.230.165:443		
,		
65.52.233.2:443		
,		
65.52.31.79:443		
,		
65.52.30.102:443		
,		
23.96.226.76:443		
,		
65.52.30.122:443		
,		
65.52.235.168:443		
,		
65.52.236.11:443		
,		
23.96.225.141:443		
,		
157.56.31.174:443		
,		
157.56.28.35:443		
,		
65.52.5.215:443		
,		
23.96.228.72:443		
,		
157.56.28.241:443		
,		
23.96.227.254:443		
,		
23.96.230.243:443		
,		
23.96.225.195:443		
,		
23.96.226.33:443		
,		
23.96.226.189:443		
,		
23.96.224.33:443		
,		
23.96.224.45:443		
,		
65.52.21.68:443		
,		

23.96.224.100:443		
,		
23.96.231.200:443		
,		
23.96.231.208:443		
,		
23.96.225.202:443		
,		
23.96.231.141:443		
,		
23.96.231.144:443		
,		
23.96.230.224:443		
,		
23.96.227.37:443		
,		
23.96.230.197:443		
,		
23.96.231.56:443		
,		
23.96.225.46:443		

**NeoLoad version** 6.6.0;build=20180904-56  
**Graphs granularity** Standard

## Application proxy

Name	Description
Empty list	

## Zone application proxies

Zone	Name	Description
Empty list		

## Constant variables

Name	Value	Description
Empty list		



## User Paths settings

<b>GW_MOBILE</b>	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
<b>GW-Desk</b>	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

## Servers

Host	Port	HTTP/2 ready	HTTP/2 used
ss72.vzw.com	443		No
media.ascend.ai	443		No
www.google-analytics.com	443		No
gateway.verizonwireless.com	443		No
sp.analytics.yahoo.com	443		No
dpm.demdex.net	443		No
vt.myvisualiq.net	443		No
2761768.fl.s.doubleclick.net	443		No
scache2.vzw.com	443		No
ss71.vzw.com	443		No
685973.fl.s.doubleclick.net	443		No
www.verizonwireless.com	443		No
324-bzd-350.mktorep.com	443		No
pt.ispot.tv	443		No
scache1.vzw.com	443		No
t.myvisualiq.net	443		No
ss7.vzw.com	443		No
verizon.inq.com	443		No
scache.vzw.com	443		No
ss73.vzw.com	443		No



## Graphs



## Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
GridWall_1_Final	88059049 (100%)	42,602.3	0.312s (0%)	0.2% (0%)
Global	88059049 (100%)	42,602.3	0.312s	0.2%






## User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-Desk						
12.6	656.8	995.8	7,141	7,141	100	-
 GW_MOBILE						
14	859.8	1,264	7,141	7,141	100	-






## Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

## GW-Desk

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 <b>GW-Desk</b>											
12.6	656.8	995.8	7,141	7,141	100	-	-	-	-	-	-
 <b>Init</b>											
0	0	0.001	7,141	0	0	-	-	-	-	-	-
 <b>Actions</b>											
1.89	8.5	71.6	520,307	77,636	14.9	-	-	-	-	-	-
 <b>GW_DESK</b>											
1.89	8.5	71.6	520,307	77,636	14.9	2.39	44.9	62.1	14.4	6.41	-
 <b>End</b>											
0	0	0.001	7,141	0	0	-	-	-	-	-	-

## GW\_MOBILE

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 <b>GW_MOBILE</b>											
14	859.8	1,264	7,141	7,141	100	-	-	-	-	-	-
 <b>Init</b>											
0	0	0.001	7,141	0	0	-	-	-	-	-	-
 <b>Actions</b>											
1.78	15.1	209.9	387,708	78,379	20.2	-	-	-	-	-	-
 <b>GW-M</b>											
1.78	15.1	209.9	387,708	78,379	20.2	2.27	62.4	66.6	22.4	12.8	-
 <b>End</b>											
0	0	0.001	7,141	0	0	-	-	-	-	-	-

### Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### GW-Desk

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### GW\_MOBILE




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




















## Shared Containers





Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						
























## GW-Desk


















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 <b>GW-Desk</b>						
12.6	656.8	995.8	7,141	7,141	100	-
 <b>Actions</b>						
1.89	8.5	71.6	520,307	77,636	14.9	-
 <b>GW_DESK</b>						
1.89	8.5	71.6	520,307	77,636	14.9	-
 <b>/smartphones/</b>						
0.209	6.53	69.1	520,671	77,999	15	-
 <b>/onedigital/uf/build/assets/css/gw.min.css</b>						
0.009	0.018	1.01	520,671	0	0	-
 <b>/onedigital/uf/build/matchMedia/bundle.matchMedia.js</b>						
0.017	0.041	2.86	520,671	0	0	-
 <b>/ui-one-digital/gn/build/gnav.css</b>						
0.009	0.02	4.83	520,670	0	0	-
 <b>/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js</b>						
0.008	0.025	1.21	520,644	0	0	-
 <b>/rest/v1/delivery</b>						
0.011	0.021	5.02	520,555	0	0	-
 <b>/is/image/VerizonWireless/goog...-4xl-6-2-8-1-9-black</b>						
0.05	0.082	5.14	520,383	0	0	-
 <b>/tbproxy/af/query_1</b>						
0.03	0.051	5.13	520,322	0	0	-
 <b>/askverizon/js/askverizon.js</b>						
0.005	0.01	0.535	520,320	0	0	-
 <b>/content/vzw-engage/c2c/btn.di...ntainer-desktop.html</b>						
0.013	0.1	13.3	520,308	0	0	-
 <b>/v2/TC-3477-1.gif</b>						
0.007	0.017	1.04	520,308	0	0	-
 <b>/munchkin.js</b>						
0.24	0.277	11.5	520,308	0	0	-
 <b>/inqchat.html</b>						
0.082	0.094	3.23	520,308	0	0	-
 <b>/spp.pl</b>						
0.053	0.075	3.7	520,308	0	0	-
 <b>/activityi;src=2761768;type=b2...nwireless.com%2Fsmar</b>						
0.026	0.033	1.08	520,308	0	0	-
 <b>/activityi;src=2761768;type=b2...wireless.com%2Fsmart</b>						
0.011	0.015	0.807	520,308	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
		/activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F				
0.011	0.016	1.04	520,308	0	0	-
		/activityi;dc_pre=CPCI_ISfteUC...bwi0;u18=https%3A%2				
0.021	0.033	11.2	520,308	0	0	-
		/activityi;src=685973;type=vzw...cff83812f9af78de91a;				
0.027	0.034	1.03	520,308	0	0	-
		/activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12				
0.029	0.037	1.89	520,308	1	0	-
		/c/263109848-1/ascend.js				
0.013	0.021	5.55	520,308	0	0	-
		/tagserver/postToServer.min.htm				
0.144	0.223	11.3	520,307	0	0	-
		/tapestry/1				
0.001	0.013	0.47	520,307	0	0	-
		/tagserver/init/initFramework				
0.059	0.068	0.436	520,307	0	0	-
		/tagserver/incrementality/onEvent				
0.059	0.068	0.579	520,307	0	0	-
		/tagserver/launch/requestC2CImage				
0.059	0.068	0.58	520,307	0	0	-
		/tagserver/incrementality/onEvent_1				
0.059	0.068	11.3	520,307	0	0	-
		/tagserver/incrementality/onEvent_2				
0.12	0.203	1.54	520,307	0	0	-
		/wizard/ready_to_open.html				
0.013	0.064	4.41	520,307	0	0	-
		/favicon.ico				
0.012	0.029	3.5	520,307	0	0	-
		/tagserver/incrementality/onEvent_4				
0.059	0.068	1.5	520,307	0	0	-
		/tagserver/incrementality/onEvent_3				
0.059	0.068	0.785	520,307	0	0	-
		/b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504				
0.002	0.016	4.29	520,307	0	0	-

## GW\_MOBILE

Min	Avg	Max	Count	Err	% of Err	SLA Profile
	GW_MOBILE					
14	859.8	1,264	7,141	7,141	100	-
	Actions					
1.78	15.1	209.9	387,708	78,379	20.2	-
	GW-M					
1.78	15.1	209.9	387,708	78,379	20.2	-
	/smartphones/					
0.165	13.2	207.9	387,796	78,446	20.2	-




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
		/t/onedigital/uf/build/matchMedia/bundle.matchMedia.js				
0.017	0.04	2.9	387,710	0	0	-
		/t/onedigital/uf/build/assets/css/gw.min.css				
0.008	0.022	1.05	387,708	0	0	-
		/ui-one-digital/gn/build/gnav.css				
0.009	0.02	5.05	387,708	0	0	-
		/t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js				
0.001	0.003	0.396	387,708	0	0	-
		/id/rd				
0.014	0.028	5.08	387,708	0	0	-
		/is/image/VerizonWireless/goog...el-4-6-2-8-2-5-black				
0.028	0.049	5	387,708	0	0	-
		/globalnav/fonts/NeueHaasGroteskDisplayBold.woff2				
0.004	0.012	0.901	387,708	0	0	-
		/tbproxy/af/query				
0.005	0.02	1.32	387,708	0	0	-
		/activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u				
0.026	0.034	0.946	387,708	0	0	-
		/activityi;src=2761768;type=b2...wireless.com%2Fsmart				
0.026	0.034	0.77	387,708	0	0	-
		/activityi;src=2761768;type=b2...nwireless.com%2Fsmar				
0.011	0.017	0.575	387,708	0	0	-
		/v4/fullHashes:find				
0.003	0.007	0.502	387,708	0	0	-
		/tbproxy/af/query_1				
0.002	0.005	0.403	387,708	0	0	-
		/gtag/js				
0.004	0.01	0.296	387,708	0	0	-
		/ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar				
0.017	0.031	4.81	387,708	0	0	-
		/2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js				
0.01	0.016	11.3	387,708	0	0	-
		/wi/yt.js				
0.004	0.007	0.393	387,708	0	0	-
		/support/etc/designs/support_rd/c2c.js				
0.001	0.002	0.214	387,708	0	0	-
		/content/vzw-engage/c2c/btn.di...ontainer-mobile.html				
0.014	0.117	13.2	387,708	0	0	-
		/v2/TC-3477-1.gif				
0.081	0.115	1.86	387,708	0	0	-
		/dcm				
0.006	0.015	0.577	387,708	0	0	-
		/b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017				
0.001	0.002	0.273	387,708	0	0	-
		/c/263109848-1/ascend.js				
0.258	0.299	6.35	387,708	0	0	-





















Min	Avg	Max	Count	Err	% of Err	SLA Profile
	 /is/image/VerizonWireless/sams...s10-plus-white-prism					
0.006	0.016	0.988	387,708	0	0	-
	 /c/263109848-1/runtime.js.map					
0.001	0.003	0.792	387,708	0	0	-
	 /activity_pixel					
0.009	0.058	0.928	387,708	0	0	-
	 /inqchat.html					
0.084	0.105	5.07	387,708	0	0	-
	 /sync					
0.019	0.048	1.85	387,708	1	0	-
	 /webevents/visitWebPage					
0.014	0.065	12	387,708	0	0	-
	 /tagserver/postToServer.min.htm					
0.058	0.067	1.27	387,708	0	0	-
	 /wizard/ready_to_open.html					
0.059	0.068	11.2	387,708	0	0	-
	 /favicon.ico					
0.012	0.032	3.59	387,708	0	0	-
	 /glassbox/VZW/SHOP/reporting/cls_report					
0.014	0.063	60.1	387,708	23	0	-
	 /tagserver/init/initFramework					
0.059	0.068	0.409	387,708	0	0	-
	 /flash/jquery-3.3.1.min.js					
0.06	0.135	1.7	387,708	0	0	-
	 /tagserver/incrementality/onEvent					
0.059	0.068	1.59	387,708	0	0	-
	 /tagserver/incrementality/onEvent_1					
0.059	0.068	0.414	387,708	0	0	-
	 /tagserver/launch/requestC2CImage					
0.059	0.069	11.2	387,708	0	0	-
	 /tagserver/incrementality/onEvent_2					
0.059	0.068	0.339	387,708	0	0	-
	 /tagserver/incrementality/onEvent_3					
0.059	0.068	0.316	387,708	0	0	-






















## Shared Containers
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

## GW-Desk
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 <b>GW-Desk</b>						
12.6	656.8	995.8	7,141	7,141	100	-
 <b>Actions</b>						
1.89	8.5	71.6	520,307	77,636	14.9	-
 <b>GW_DESK</b>						
1.89	8.5	71.6	520,307	77,636	14.9	-
 <b>/smartphones/</b>						
0.209	6.53	69.1	520,671	77,999	15	-
 <b>/smartphones/</b>						
0.209	6.93	117.8	527,121	84,449	16	-
 <b>/t/onedigital/uf/build/assets/css/gw.min.css</b>						
0.009	0.018	1.01	520,671	0	0	-
 <b>/t/onedigital/uf/build/assets/css/gw.min.css</b>						
0.009	0.018	1.01	520,671	0	0	-
 <b>/t/onedigital/uf/build/matchMedia/bundle.matchMedia.js</b>						
0.017	0.041	2.86	520,671	0	0	-
 <b>/t/onedigital/uf/build/match...bundle.matchMedia.js</b>						
0.008	0.02	1.06	520,671	0	0	-
 <b>/t/onedigital/uf/build/gw/bundle.gw.js</b>						
0.008	0.021	2.05	520,671	0	0	-
 <b>/ui-one-digital/gn/build/gnav.css</b>						
0.009	0.02	4.83	520,670	0	0	-
 <b>/ui-one-digital/gn/build/gnav.css</b>						
0.008	0.014	4.83	520,671	0	0	-
 <b>/ui-one-digital/gn/build/gnav.js</b>						
0.001	0.005	0.352	520,671	0	0	-
 <b>/t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js</b>						
0.008	0.025	1.21	520,644	0	0	-
 <b>/t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js</b>						
0.001	0.003	0.396	520,670	0	0	-
 <b>/globalnav/fonts/NeueHaasGroteskDisplayBold.woff2</b>						
0.002	0.004	0.302	520,664	0	0	-
 <b>/onedigital/uf/build/assets/fonts/vzwFontIcon.ttf</b>						
0.002	0.015	0.839	520,653	0	0	-
 <b>/ui-one-digital/global-head...ct.globalheader.json</b>						
0.001	0.013	0.326	520,667	0	0	-
 <b>/globalnav/fonts/NeueHaasGroteskDisplay.woff2</b>						
0.002	0.005	0.827	520,665	0	0	-











Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.002	0.188	520,667	0	0	-
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.002	0.004	1.19	520,667	0	0	-
 /rest/v1/delivery						
0.011	0.021	5.02	520,555	0	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.011	0.021	5.02	520,644	0	0	-
 /is/image/VerizonWireless/goog...-4xl-6-2-8-1-9-black						
0.05	0.082	5.14	520,383	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black						
0.008	0.013	5.03	520,555	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white						
0.001	0.002	0.313	520,530	0	0	-
 /is/image/VerizonWireless/go...4xl-6-2-8-1-9-orange						
0.001	0.002	0.333	520,527	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.009	0.015	1.02	520,519	0	0	-
 /is/image/VerizonWireless/Ap..._Pro_Silver_09102019						
0.001	0.003	0.278	520,487	0	0	-
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019						
0.001	0.003	0.274	520,481	0	0	-
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019						
0.001	0.003	0.226	520,470	0	0	-
 /is/image/VerizonWireless/ip...1-pro-max-space-gray						
0.001	0.003	0.31	520,463	0	0	-
 /is/image/VerizonWireless/ip...o-max-midnight-green						
0.001	0.003	0.229	520,453	0	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-gold						
0.001	0.003	0.291	520,446	0	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-silver						
0.001	0.003	0.503	520,438	0	0	-
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019						
0.001	0.003	0.255	520,435	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019						
0.001	0.003	0.227	520,431	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_White_09102019						
0.001	0.003	0.27	520,424	0	0	-
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019						
0.001	0.003	0.683	520,418	0	0	-
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019						
0.001	0.003	1.38	520,410	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019						
0.001	0.003	0.283	520,397	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles						
0.001	0.003	0.466	520,390	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles						
0.001	0.003	0.711	520,386	0	0	-
 /tbproxy/af/query_1						
0.03	0.051	5.13	520,322	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles						
0.001	0.003	0.41	520,383	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles						
0.001	0.003	0.313	520,376	0	0	-
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles						
0.001	0.003	0.292	520,373	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles						
0.001	0.003	0.254	520,368	0	0	-
 /is/image/VerizonWireless/55...outube-minibanner-x1						
0.001	0.002	0.233	520,362	0	0	-
 /is/image/VerizonWireless/iPhone8-SpGry						
0.001	0.002	0.244	520,358	0	0	-
 /is/image/VerizonWireless/iPhone8-Svr						
0.001	0.002	0.243	520,353	0	0	-
 /is/image/VerizonWireless/iPhone8-Gld						
0.001	0.002	0.857	520,350	0	0	-
 /is/image/VerizonWireless/iPhone8_RED						
0.001	0.002	0.212	520,346	0	0	-
 /is/image/VerizonWireless/iphone7-front-matblk						
0.008	0.013	5.08	520,344	0	0	-
 /is/image/VerizonWireless/iphone7-front-jetblk						
0.001	0.002	0.242	520,329	0	0	-
 /is/image/VerizonWireless/iphone7-front-svr						
0.001	0.002	0.368	520,327	0	0	-
 /is/image/VerizonWireless/iphone7-front-rsgld						
0.001	0.002	0.269	520,324	0	0	-
 /is/image/VerizonWireless/iphone7-front-gld						
0.001	0.003	0.508	520,323	0	0	-
 /askverizon/js/askverizon.js						
0.005	0.01	0.535	520,320	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.007	0.532	520,322	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.002	0.186	520,320	0	0	-
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html						
0.013	0.1	13.3	520,308	0	0	-
 /content/vzw-engage/c2c/btn....ntainer-desktop.html						
0.013	0.1	13.3	520,320	0	0	-
 /v2/TC-3477-1.gif						
0.007	0.017	1.04	520,308	0	0	-
 /v2/TC-3477-1.gif						
0.007	0.017	1.04	520,308	0	0	-












Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /munchkin.js						
0.24	0.277	11.5	520,308	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.24	0.277	11.5	520,308	0	0	-
 /inqchat.html						
0.082	0.094	3.23	520,308	0	0	-
 /inqchat.html						
0.012	0.026	3.16	520,308	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.058	0.067	0.408	520,308	0	0	-
 /spp.pl						
0.053	0.075	3.7	520,308	0	0	-
 /spp.pl						
0.053	0.075	3.7	520,308	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar						
0.026	0.033	1.08	520,308	0	0	-
 /activityi;src=2761768;type=...um=6377803691626.312						
0.026	0.033	1.08	520,308	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart						
0.011	0.015	0.807	520,308	0	0	-
 /activityi;src=2761768;type=...rd=6822912973472.224						
0.011	0.015	0.807	520,308	0	0	-
 /activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F						
0.011	0.016	1.04	520,308	0	0	-
 /activityi;dc_pre=CKue_ISfte...rd=6822912973472.224						
0.011	0.016	1.04	520,308	0	0	-
 /activityi;dc_pre=CPCI_ISfteUC...bwi00;u18=https%3A%2						
0.021	0.033	11.2	520,308	0	0	-
 /activityi;dc_pre=CPCI_ISfte...um=6377803691626.312						
0.011	0.016	0.708	520,308	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.009	0.016	11.2	520,308	0	0	-
 /activityi;src=685973;type=vzw...cff83812f9af78de91a;						
0.027	0.034	1.03	520,308	0	0	-
 /activityi;src=685973;type=v...um=5474536749569.184						
0.027	0.034	1.03	520,308	0	0	-
 /activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12						
0.029	0.037	1.89	520,308	1	0	-
 /activityi;dc_pre=CLTzwYWfte...um=5474536749569.184						
0.011	0.017	1.07	520,308	0	0	-
 /sp.pl						
0.014	0.02	1.87	520,308	1	0	-
 /c/263109848-1/ascend.js						
0.013	0.021	5.55	520,308	0	0	-
 /c/263109848-1/ascend.js						
0.013	0.021	5.55	520,308	0	0	-
















































Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tagserver/postToServer.min.htm						
0.144	0.223	11.3	520,307	0	0	-
 /tagserver/postToServer.min.htm						
0.058	0.067	1.09	520,308	0	0	-
 /activity_pixel						
0.01	0.059	0.853	520,308	0	0	-
 /sync						
0.001	0.061	0.859	520,308	0	0	-
 /sync						
0.01	0.06	0.858	520,308	0	0	-
 /tagserver/postToServer.min.js						
0.059	0.068	11.2	520,308	0	0	-
 /impression_pixel						
0.002	0.06	0.852	520,308	0	0	-
 /sync						
0.004	0.061	0.861	520,308	0	0	-
 /ul_cb/sync						
0.001	0.051	11.2	520,308	0	0	-
 /sync						
0.003	0.023	5.55	520,308	0	0	-
 /tapestry/1						
0.001	0.013	0.47	520,307	0	0	-
 /sync						
0.001	0.013	0.47	520,307	0	0	-
 /tagserver/init/initFramework						
0.059	0.068	0.436	520,307	0	0	-
 /tagserver/init/initFramework						
0.059	0.068	0.436	520,307	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	0.579	520,307	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	0.579	520,307	0	0	-
 /tagserver/launch/requestC2CImage						
0.059	0.068	0.58	520,307	0	0	-
 /tagserver/launch/requestC2CImage						
0.059	0.068	0.58	520,307	0	0	-
 /tagserver/incrementality/onEvent_1						
0.059	0.068	11.3	520,307	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	11.3	520,307	0	0	-
 /tagserver/incrementality/onEvent_2						
0.12	0.203	1.54	520,307	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	0.647	520,307	0	0	-
 /tagserver/cbc-min.js						
0.06	0.135	1.48	520,307	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /wizard/ready_to_open.html						
0.013	0.064	4.41	520,307	0	0	-
 /webevents/visitWebPage						
0.013	0.064	4.41	520,307	0	0	-
 /favicon.ico						
0.012	0.029	3.5	520,307	0	0	-
 /favicon.ico						
0.012	0.029	3.5	520,307	0	0	-
 /tagserver/incrementality/onEvent_4						
0.059	0.068	1.5	520,307	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	1.5	520,307	0	0	-
 /tagserver/incrementality/onEvent_3						
0.059	0.068	0.785	520,307	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	0.785	520,307	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504						
0.002	0.016	4.29	520,307	0	0	-
 /webevents/visitWebPage						
0.002	0.016	4.29	520,307	0	0	-

## GW\_MOBILE
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_MOBILE						
14	859.8	1,264	7,141	7,141	100	-
 Actions						
1.78	15.1	209.9	387,708	78,379	20.2	-
 GW-M						
1.78	15.1	209.9	387,708	78,379	20.2	-
 /smartphones/						
0.165	13.2	207.9	387,796	78,446	20.2	-
 /smartphones/						
0.165	13.6	207.9	394,582	85,232	21.6	-
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.017	0.04	2.9	387,710	0	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.008	0.019	1.08	387,796	0	0	-
 /t/onedigital/uf/build/gw/bundle.gw.js						
0.008	0.02	2.06	387,710	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.008	0.022	1.05	387,708	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.008	0.022	1.05	387,710	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.009	0.02	5.05	387,708	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui-one-digital/gn/build/gnav.css						
0.008	0.015	5.04	387,708	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.001	0.005	0.319	387,708	0	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.001	0.003	0.396	387,708	0	0	-
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js						
0.001	0.003	0.396	387,708	0	0	-
 /id/rd						
0.014	0.028	5.08	387,708	0	0	-
 /ui-one-digital/gn/build/gnav.js.map						
0.003	0.006	0.353	387,708	0	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.011	0.022	5.06	387,708	0	0	-
 /is/image/VerizonWireless/goog...el-4-6-2-8-2-5-black						
0.028	0.049	5	387,708	0	0	-
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-black						
0.001	0.003	1.62	387,708	0	0	-
 /is/image/VerizonWireless/go...l-4-6-2-8-2-5-orange						
0.001	0.002	0.378	387,708	0	0	-
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-white						
0.001	0.002	0.23	387,708	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black						
0.008	0.013	4.95	387,708	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white						
0.001	0.002	0.201	387,708	0	0	-
 /is/image/VerizonWireless/go...4xl-6-2-8-1-9-orange						
0.001	0.003	0.314	387,708	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.008	0.013	0.312	387,708	0	0	-
 /is/image/VerizonWireless/Ap..._Pro_Silver_09102019						
0.001	0.002	0.238	387,708	0	0	-
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019						
0.001	0.002	0.234	387,708	0	0	-
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019						
0.001	0.002	0.216	387,708	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.004	0.012	0.901	387,708	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.002	0.004	0.254	387,708	0	0	-
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf						
0.001	0.005	0.853	387,708	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.001	0.002	0.215	387,708	0	0	-
 /tbproxy/af/query						
0.005	0.02	1.32	387,708	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.002	0.005	1.3	387,708	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.006	0.805	387,708	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.012	0.255	387,708	0	0	-
 /is/image/VerizonWireless/google-pixel-3-liquorice						
0.001	0.002	0.234	387,708	0	0	-
 /activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u						
0.026	0.034	0.946	387,708	0	0	-
 /activityi;src=685973;type=v...um=6367984012243.537						
0.026	0.034	0.946	387,708	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart						
0.026	0.034	0.77	387,708	0	0	-
 /activityi;src=2761768;type=...rd=5712158622854.915						
0.026	0.034	0.77	387,708	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar						
0.011	0.017	0.575	387,708	0	0	-
 /activityi;src=2761768;type=...;num=7598002111842.9						
0.011	0.017	0.575	387,708	0	0	-
 /v4/fullHashes:find						
0.003	0.007	0.502	387,708	0	0	-
 /is/image/VerizonWireless/ip...1-pro-max-space-gray						
0.001	0.002	0.496	387,708	0	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-silver						
0.001	0.002	0.311	387,708	0	0	-
 /is/image/VerizonWireless/davinci-2-front-aurablack						
0.001	0.002	0.215	387,708	0	0	-
 /tbproxy/af/query_1						
0.002	0.005	0.403	387,708	0	0	-
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019						
0.001	0.002	0.399	387,708	0	0	-
 /is/image/VerizonWireless/SamsungGalaxyS10_Blue						
0.001	0.002	0.278	387,708	0	0	-
 /gtag/js						
0.004	0.01	0.296	387,708	0	0	-
 /is/image/VerizonWireless/lg-v50-thinq-5g-black						
0.001	0.002	0.223	387,708	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles						
0.001	0.002	0.207	387,708	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles						
0.001	0.002	0.288	387,708	0	0	-
 /is/image/VerizonWireless/davinci-1-front-aurablack						
0.001	0.002	0.219	387,708	0	0	-
 /ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar						
0.017	0.031	4.81	387,708	0	0	-









Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/sa...s-5g-front-aura-glow						
0.008	0.013	4.78	387,708	0	0	-
 /is/image/VerizonWireless/sa...s-5g-front-aurablack						
0.001	0.002	0.358	387,708	0	0	-
 /is/image/VerizonWireless/iphone7-front-matblk						
0.001	0.002	0.212	387,708	0	0	-
 /is/image/VerizonWireless/iphone7-front-gld						
0.001	0.002	0.232	387,708	0	0	-
 /is/image/VerizonWireless/lg-black-vzw-alpha						
0.001	0.002	0.219	387,708	0	0	-
 /is/image/VerizonWireless/Sa...10-5G-Majestic-Black						
0.001	0.002	0.506	387,708	0	0	-
 /is/image/VerizonWireless/lg-gray-vzw-alpha						
0.001	0.002	0.376	387,708	0	0	-
 /is/image/VerizonWireless/Sa...-S10-5G-Crown-Silver						
0.001	0.002	0.22	387,708	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.01	0.016	11.3	387,708	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.01	0.016	11.3	387,708	0	0	-
 /wi/yt.js						
0.004	0.007	0.393	387,708	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.007	0.393	387,708	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.002	0.214	387,708	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.002	0.214	387,708	0	0	-
 /content/vzw-engage/c2c/btn.di...ontainer-mobile.html						
0.014	0.117	13.2	387,708	0	0	-
 /content/vzw-engage/c2c/btn....ontainer-mobile.html						
0.014	0.117	13.2	387,708	0	0	-
 /v2/TC-3477-1.gif						
0.081	0.115	1.86	387,708	0	0	-
 /v2/TC-3477-1.gif						
0.008	0.017	1.07	387,708	0	0	-
 /spp.pl						
0.052	0.075	1.83	387,708	0	0	-
 /is/image/VerizonWireless/sa...-5g-front-aura-white						
0.001	0.002	0.237	387,708	0	0	-
 /is/image/VerizonWireless/google-pixel-3-sand						
0.001	0.003	0.484	387,708	0	0	-
 /is/image/VerizonWireless/google-pixel-3-rockcandy						
0.001	0.002	0.765	387,708	0	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-gold						
0.001	0.002	0.349	387,708	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/ip...o-max-midnight-green						
0.001	0.002	0.503	387,708	0	0	-
 /is/image/VerizonWireless/davinci-2-front-aura-white						
0.001	0.002	0.847	387,708	0	0	-
 /is/image/VerizonWireless/davinci-2-front-aura-glow						
0.001	0.002	1.19	387,708	0	0	-
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019						
0.001	0.002	0.796	387,708	0	0	-
 /dcm						
0.006	0.015	0.577	387,708	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_White_09102019						
0.001	0.002	0.255	387,708	0	0	-
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019						
0.001	0.002	0.27	387,708	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019						
0.001	0.002	0.248	387,708	0	0	-
 /is/image/VerizonWireless/sa...laxy-s10-white-prism						
0.001	0.002	0.271	387,708	0	0	-
 /is/image/VerizonWireless/samsung-galaxy-s10-black						
0.001	0.002	0.235	387,708	0	0	-
 /is/image/VerizonWireless/SamsungGalaxyS10_Pink						
0.001	0.002	0.565	387,708	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017						
0.001	0.002	0.273	387,708	0	0	-
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019						
0.001	0.002	0.273	387,708	0	0	-
 /c/263109848-1/ascend.js						
0.258	0.299	6.35	387,708	0	0	-
 /c/263109848-1/ascend.js						
0.012	0.021	6.05	387,708	0	0	-
 /is/image/VerizonWireless/apple-iphonexs-spacegrey						
0.001	0.002	0.551	387,708	0	0	-
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Blue						
0.001	0.002	0.538	387,708	0	0	-
 /is/image/VerizonWireless/sa...alaxy-s10-plus-black						
0.001	0.011	0.921	387,708	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.241	0.277	1.7	387,708	0	0	-
 /is/image/VerizonWireless/sams...s10-plus-white-prism						
0.006	0.016	0.988	387,708	0	0	-
 /is/image/VerizonWireless/sa...s10-plus-white-prism						
0.001	0.003	0.692	387,708	0	0	-
 /is/image/VerizonWireless/apple-iphonexs-silver						
0.001	0.002	0.236	387,708	0	0	-
 /is/image/VerizonWireless/Sa...S10PLUS_WhiteCeramic						
0.001	0.002	0.216	387,708	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/apple-iphonexs-gold						
0.001	0.002	0.234	387,708	0	0	-
 /is/image/VerizonWireless/Sa...S10PLUS_BlackCeramic						
0.001	0.002	0.973	387,708	0	0	-
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Pink						
0.001	0.002	0.213	387,708	0	0	-
 /c/263109848-1/runtime.js.map						
0.001	0.003	0.792	387,708	0	0	-
 /c/263109848-1/runtime.js.map						
0.001	0.003	0.792	387,708	0	0	-
 /activity_pixel						
0.009	0.058	0.928	387,708	0	0	-
 /activity_pixel						
0.009	0.058	0.928	387,708	0	0	-
 /inqchat.html						
0.084	0.105	5.07	387,708	0	0	-
 /inqchat.html						
0.012	0.029	3.23	387,708	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles						
0.001	0.003	0.307	387,708	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles						
0.002	0.015	0.729	387,708	0	0	-
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles						
0.001	0.016	0.721	387,708	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles						
0.002	0.015	0.733	387,708	0	0	-
 /is/image/VerizonWireless/iphone7-front-svr						
0.001	0.003	0.867	387,708	0	0	-
 /is/image/VerizonWireless/iphone7-front-rsgld						
0.002	0.015	0.73	387,708	0	0	-
 /is/image/VerizonWireless/iphone7-front-jetblk						
0.002	0.016	0.445	387,708	0	0	-
 /is/image/VerizonWireless/davinci-1-front-aura-white						
0.001	0.003	0.315	387,708	0	0	-
 /is/image/VerizonWireless/davinci-1-front-aura-glow						
0.001	0.005	0.72	387,708	0	0	-
 /sync						
0.001	0.014	0.319	387,708	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.058	0.067	0.327	387,708	0	0	-
 /sync						
0.002	0.04	0.663	387,708	0	0	-
 /impression_pixel						
0.002	0.041	0.664	387,708	0	0	-
 /analytics.js						
0.016	0.024	5.04	387,708	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /sync						
0.001	0.041	0.662	387,708	0	0	-
 /sync						
0.001	0.04	0.666	387,708	0	0	-
 /collect						
0.002	0.024	5.05	387,708	0	0	-
 /sync						
0.019	0.048	1.85	387,708	1	0	-
 /sync						
0.001	0.013	0.569	387,708	0	0	-
 /sync						
0.001	0.013	0.56	387,708	0	0	-
 /sp.pl						
0.014	0.021	1.85	387,708	1	0	-
 /webevents/visitWebPage						
0.014	0.065	12	387,708	0	0	-
 /webevents/visitWebPage						
0.014	0.065	12	387,708	0	0	-
 /tagserver/postToServer.min.htm						
0.058	0.067	1.27	387,708	0	0	-
 /tagserver/postToServer.min.htm						
0.058	0.067	1.27	387,708	0	0	-
 /wizard/ready_to_open.html						
0.059	0.068	11.2	387,708	0	0	-
 /tagserver/postToServer.min.js						
0.059	0.068	11.2	387,708	0	0	-
 /favicon.ico						
0.012	0.032	3.59	387,708	0	0	-
 /favicon.ico						
0.012	0.032	3.59	387,708	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.014	0.063	60.1	387,708	23	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.014	0.063	60.1	387,708	23	0	-
 /tagserver/init/initFramework						
0.059	0.068	0.409	387,708	0	0	-
 /tagserver/init/initFramework						
0.059	0.068	0.409	387,708	0	0	-
 /flash/jquery-3.3.1.min.js						
0.06	0.135	1.7	387,708	0	0	-
 /tagserver/cbc-min.js						
0.06	0.135	1.7	387,708	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	1.59	387,708	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	1.59	387,708	0	0	-










Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tagserver/incrementality/onEvent_1						
0.059	0.068	0.414	387,708	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	0.414	387,708	0	0	-
 /tagserver/launch/requestC2CImage						
0.059	0.069	11.2	387,708	0	0	-
 /tagserver/launch/requestC2CImage						
0.059	0.069	11.2	387,708	0	0	-
 /tagserver/incrementality/onEvent_2						
0.059	0.068	0.339	387,708	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	0.339	387,708	0	0	-
 /tagserver/incrementality/onEvent_3						
0.059	0.068	0.316	387,708	0	0	-
 /tagserver/incrementality/onEvent						
0.059	0.068	0.316	387,708	0	0	-

## Shared Containers









SLA	Value	Severity
Empty list		

## GW-Desk



SLA	Value	Severity
 GW-Desk		
 Actions		
 GW_DESK		
 /smartphones/		
 /smartphones/		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/gw/bundle.gw.js		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf		
 /ui-one-digital/global-head...ct.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /rest/v1/delivery		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /is/image/VerizonWireless/goog...-4xl-6-2-8-1-9-black		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white		
 /is/image/VerizonWireless/go...4xl-6-2-8-1-9-orange		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/Ap..._Pro_Silver_09102019		
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019		
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019		
 /is/image/VerizonWireless/ip...1-pro-max-space-gray		
 /is/image/VerizonWireless/ip...o-max-midnight-green		

SLA	Value	Severity
 /is/image/VerizonWireless/iphone-11-pro-max-gold		
 /is/image/VerizonWireless/iphone-11-pro-max-silver		
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019		
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019		
 /is/image/VerizonWireless/Ap...ne_11_White_09102019		
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019		
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019		
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019		
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles		
 /tbproxy/af/query_1		
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles		
 /is/image/VerizonWireless/55...outube-minibanner-x1		
 /is/image/VerizonWireless/iPhone8-SpGry		
 /is/image/VerizonWireless/iPhone8-Svr		
 /is/image/VerizonWireless/iPhone8-Gld		
 /is/image/VerizonWireless/iPhone8_RED		
 /is/image/VerizonWireless/iphone7-front-matblk		
 /is/image/VerizonWireless/iphone7-front-jetblk		
 /is/image/VerizonWireless/iphone7-front-svr		
 /is/image/VerizonWireless/iphone7-front-rsgld		
 /is/image/VerizonWireless/iphone7-front-gld		
 /askverizon/js/askverizon.js		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html		
 /content/vzw-engage/c2c/btn....ntainer-desktop.html		
 /v2/TC-3477-1.gif		
 /v2/TC-3477-1.gif		
 /munchkin.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /inqchat.html		
 /inqchat.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /spp.pl		
 /spp.pl		
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar		

SLA	Value	Severity
 /activityi;src=2761768;type=...um=6377803691626.312		
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart		
 /activityi;src=2761768;type=...rd=6822912973472.224		
 /activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F		
 /activityi;dc_pre=CKue_ISfte...rd=6822912973472.224		
 /activityi;dc_pre=CPCI_ISfteUC...bwi00;u18=https%3A%2		
 /activityi;dc_pre=CPCI_ISfte...um=6377803691626.312		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /activityi;src=685973;type=vzw...cff83812f9af78de91a;		
 /activityi;src=685973;type=v...um=5474536749569.184		
 /activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12		
 /activityi;dc_pre=CLTzwYWfte...um=5474536749569.184		
 /sp.pl		
 /c/263109848-1/ascend.js		
 /c/263109848-1/ascend.js		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.htm		
 /activity_pixel		
 /sync		
 /sync		
 /tagserver/postToServer.min.js		
 /impression_pixel		
 /sync		
 /ul_cb/sync		
 /sync		
 /tapestry/1		
 /sync		
 /tagserver/init/initFramework		
 /tagserver/init/initFramework		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent		
 /tagserver/launch/requestC2CImage		
 /tagserver/launch/requestC2CImage		
 /tagserver/incrementality/onEvent_1		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_2		
 /tagserver/incrementality/onEvent		
 /tagserver/cbc-min.js		
 /wizard/ready_to_open.html		
 /webevents/visitWebPage		

SLA	Value	Severity
 /favicon.ico		
 /favicon.ico		
 /tagserver/incrementality/onEvent_4		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_3		
 /tagserver/incrementality/onEvent		
 /b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504		
 /webevents/visitWebPage		

## GW\_MOBILE









SLA	Value	Severity
 GW_MOBILE		
 Actions		
 GW-M		
 /smartphones/		
 /smartphones/		
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/gw/bundle.gw.js		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js		
 /id/rd		
 /ui-one-digital/gn/build/gnav.js.map		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /is/image/VerizonWireless/goog...el-4-6-2-8-2-5-black		
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-black		
 /is/image/VerizonWireless/go...l-4-6-2-8-2-5-orange		
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-white		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white		
 /is/image/VerizonWireless/go...4xl-6-2-8-1-9-orange		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/Ap..._Pro_Silver_09102019		
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019		
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019		

SLA	Value	Severity
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf		
 /ui-one-digital/global-head...ct.globalheader.json		
 /tbproxy/af/query		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /is/image/VerizonWireless/google-pixel-3-liquorice		
 /activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u		
 /activityi;src=685973;type=v...um=6367984012243.537		
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart		
 /activityi;src=2761768;type=...rd=5712158622854.915		
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar		
 /activityi;src=2761768;type=...;num=7598002111842.9		
 /v4/fullHashes:find		
 /is/image/VerizonWireless/ip...1-pro-max-space-gray		
 /is/image/VerizonWireless/iphone-11-pro-max-silver		
 /is/image/VerizonWireless/davinci-2-front-aurablack		
 /tbproxy/af/query_1		
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019		
 /is/image/VerizonWireless/SamsungGalaxyS10_Blue		
 /gtag/js		
 /is/image/VerizonWireless/lg-v50-thinq-5g-black		
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles		
 /is/image/VerizonWireless/davinci-1-front-aurablack		
 /ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar		
 /is/image/VerizonWireless/sa...s-5g-front-aura-glow		
 /is/image/VerizonWireless/sa...s-5g-front-aurablack		
 /is/image/VerizonWireless/iphone7-front-matblk		
 /is/image/VerizonWireless/iphone7-front-gld		
 /is/image/VerizonWireless/lg-black-vzw-alpha		
 /is/image/VerizonWireless/Sa...10-5G-Majestic-Black		
 /is/image/VerizonWireless/lg-gray-vzw-alpha		
 /is/image/VerizonWireless/Sa...-S10-5G-Crown-Silver		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /wi/yt.js		
 /askverizon/js/askverizon.js		

SLA	Value	Severity
 /support/etc/designs/support_rd/c2c.js		
 /support/etc/designs/support_rd/c2c.js		
 /content/vzw-engage/c2c/btn.di...ontainer-mobile.html		
 /content/vzw-engage/c2c/btn....ontainer-mobile.html		
 /v2/TC-3477-1.gif		
 /v2/TC-3477-1.gif		
 /spp.pl		
 /is/image/VerizonWireless/sa...-5g-front-aura-white		
 /is/image/VerizonWireless/google-pixel-3-sand		
 /is/image/VerizonWireless/google-pixel-3-rockcandy		
 /is/image/VerizonWireless/iphone-11-pro-max-gold		
 /is/image/VerizonWireless/ip...o-max-midnight-green		
 /is/image/VerizonWireless/davinci-2-front-aura-white		
 /is/image/VerizonWireless/davinci-2-front-aura-glow		
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019		
 /dcm		
 /is/image/VerizonWireless/Ap...ne_11_White_09102019		
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019		
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019		
 /is/image/VerizonWireless/sa...laxy-s10-white-prism		
 /is/image/VerizonWireless/samsung-galaxy-s10-black		
 /is/image/VerizonWireless/SamsungGalaxyS10_Pink		
 /b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017		
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019		
 /c/263109848-1/ascend.js		
 /c/263109848-1/ascend.js		
 /is/image/VerizonWireless/apple-iphonexs-spacegrey		
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Blue		
 /is/image/VerizonWireless/sa...alaxy-s10-plus-black		
 /chatskins/launch/inqChatLaunch10004593.js		
 /is/image/VerizonWireless/sams...s10-plus-white-prism		
 /is/image/VerizonWireless/sa...s10-plus-white-prism		
 /is/image/VerizonWireless/apple-iphonexs-silver		
 /is/image/VerizonWireless/Sa...S10PLUS_WhiteCeramic		
 /is/image/VerizonWireless/apple-iphonexs-gold		
 /is/image/VerizonWireless/Sa...S10PLUS_BlackCeramic		
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Pink		
 /c/263109848-1/runtime.js.map		
 /c/263109848-1/runtime.js.map		
 /activity_pixel		

SLA	Value	Severity
 /activity_pixel		
 /inqchat.html		
 /inqchat.html		
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles		
 /is/image/VerizonWireless/iphone7-front-svr		
 /is/image/VerizonWireless/iphone7-front-rsgld		
 /is/image/VerizonWireless/iphone7-front-jetblk		
 /is/image/VerizonWireless/davinci-1-front-aura-white		
 /is/image/VerizonWireless/davinci-1-front-aura-glow		
 /sync		
 /chatskins/launch/inqChatLaunch10004593.js		
 /sync		
 /impression_pixel		
 /analytics.js		
 /sync		
 /sync		
 /collect		
 /sync		
 /sync		
 /sync		
 /sp.pl		
 /webevents/visitWebPage		
 /webevents/visitWebPage		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.htm		
 /wizard/ready_to_open.html		
 /tagserver/postToServer.min.js		
 /favicon.ico		
 /favicon.ico		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /tagserver/init/initFramework		
 /tagserver/init/initFramework		
 /flash/jquery-3.3.1.min.js		
 /tagserver/cbc-min.js		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent		



SLA	Value	Severity
 /tagserver/incrementality/onEvent_1		
 /tagserver/incrementality/onEvent		
 /tagserver/launch/requestC2CImage		
 /tagserver/launch/requestC2CImage		
 /tagserver/incrementality/onEvent_2		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_3		
 /tagserver/incrementality/onEvent		

### GW-Desk

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

### GW\_MOBILE

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

## Controller

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>Controller/User Load</b>					
0	8,558	14,240	10,000	8,690	3,893
<b>Controller/Throughput</b>					
0	6,008	16,618	5,865	5,980	3,152
<b>Controller/Alerts</b>					
0	0	0	0	0	-
<b>Controller/Critical Alerts</b>					
0	0	0	0	0	-
<b>Controller/Warning Alerts</b>					
0	0	0	0	0	-
<b>Controller/CPU Load</b>					
1	11.6	22	11	11.5	3.41
<b>Controller/Memory Used</b>					
14	27.3	44	27	27.1	7.42
<b>Controller/Thread Count</b>					
1,142	1,297	2,174	1,278	1,280	113.9
<b>Controller/Connected</b>					
160	160	160	160	160	0
<b>Controller/Total Disconnections</b>					
0	0	0	0	0	0
<b>Controller/Total Reconnections</b>					
0	0	0	0	0	0
<b>Controller/Network/Segments sent/sec.</b>					
0	1,239	8,131	984	1,091	1,315
<b>Controller/Network/Segments retransmitted/sec.</b>					
0	0	0	0	0	0
<b>Controller/NeoLoad Web/Megabits received/sec.</b>					
0	0	0	0	0	-
<b>Controller/NeoLoad Web/Megabits sent/sec.</b>					
0	0	0	0	0	-
<b>Controller/Default zone/User Load</b>					
0	0	0	0	0	-
<b>Controller/USA East - Virginia (Ashburn 2)/User Load</b>					
0	4,296	7,123	4,997	4,366	1,946
<b>Controller/USA East - Virginia (Ashburn 2)/GridWall_1_Final/User Load</b>					
0	4,296	7,123	4,997	4,366	1,946
<b>Controller/USA East - Virginia (Ashburn 2)/GridWall_1_Final/GW_MOBILE/User Load</b>					
0	2,147	3,557	2,496	2,182	972.2
<b>Controller/USA East - Virginia (Ashburn 2)/GridWall_1_Final/GW-Desk/User Load</b>					
0	2,149	3,571	2,501	2,184	973.3
<b>Controller/USA Central - Illinois (Chicago 2)/User Load</b>					
0	4,302	7,121	5,003	4,373	1,943
<b>Controller/USA Central - Illinois (Chicago 2)/GridWall_1_Final/User Load</b>					
0	4,302	7,121	5,003	4,373	1,943
<b>Controller/USA Central - Illinois (Chicago 2)/GridWall_1_.../GW_MOBILE/User Load</b>					
0	2,153	3,563	2,504	2,188	970.8
<b>Controller/USA Central - Illinois (Chicago 2)/GridWall_1_Final/GW-Desk/User Load</b>					
0	2,150	3,558	2,499	2,185	972.4

## LG 157.55.141.10:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.141.10:443/CPU Load					
0	17.8	48	17	17.6	9.11
LG 157.55.141.10:443/Memory Used					
2	11.9	35	10	11.3	6.79
LG 157.55.141.10:443/Throughput					
0	37.7	107.1	37.9	37	21.3
LG 157.55.141.10:443/User Load					
0	53.7	90	63	54.5	24.4
LG 157.55.141.10:443/Thread Count					
39	116.4	158	125	117.2	27.2
LG 157.55.141.10:443/Http client/Thread Pool used					
0.1	0.105	0.175	0.1	0.103	0.012
LG 157.55.141.10:443/Http client/Task Pool used					
0	0.004	0.25	0	0.001	0.016
LG 157.55.141.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.141.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.141.10:443/Controller Connection/Ping Duration (ms)					
59	109.4	153	111	110.3	14.6
LG 157.55.141.10:443/Network/Segments sent/sec.					
10.4	2,042	5,426	2,035	2,010	1,110
LG 157.55.141.10:443/Network/Segments retransmitted/sec.					
0	0.184	18.2	0	0.018	1.19
LG 157.55.141.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.022	40.7	114.9	41.1	40	22.9
LG 157.55.141.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.81	7.34	2.79	2.77	1.48

## LG 157.56.28.13:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.13:443/CPU Load					
0	18.4	54	18	18.1	9.76
LG 157.56.28.13:443/Memory Used					
2	14	37	12	13.6	7.49
LG 157.56.28.13:443/Throughput					
0	37.7	111.9	37.1	37	21.7
LG 157.56.28.13:443/User Load					
0	54	89	63	54.9	24.2
LG 157.56.28.13:443/Thread Count					
39	117.5	162	126	118.4	27.6
LG 157.56.28.13:443/Http client/Thread Pool used					
0.1	0.109	0.17	0.1	0.107	0.014
LG 157.56.28.13:443/Http client/Task Pool used					
0	0.005	0.217	0	0.002	0.017
LG 157.56.28.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.56.28.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.56.28.13:443/Controller Connection/Ping Duration (ms)					
77	109.9	131	112	110.7	8.65

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.13:443/Network/Segments sent/sec.					
10.4	2,049	5,794	1,975	2,010	1,139
LG 157.56.28.13:443/Network/Segments retransmitted/sec.					
0	0.27	19.2	0	0.02	1.53
LG 157.56.28.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	40.7	120	39.9	39.9	23.3
LG 157.56.28.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.81	7.66	2.68	2.76	1.51

## LG 157.56.28.241:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.241:443/CPU Load					
0	17.8	46	17	17.7	8.9
LG 157.56.28.241:443/Memory Used					
2	12.2	37	10	11.5	7.51
LG 157.56.28.241:443/Throughput					
0	37.6	103.8	37.3	37	21.1
LG 157.56.28.241:443/User Load					
0	53.9	89	63	54.9	24.3
LG 157.56.28.241:443/Thread Count					
39	117.1	162	126	117.8	27.9
LG 157.56.28.241:443/Http client/Thread Pool used					
0.1	0.107	0.195	0.1	0.104	0.017
LG 157.56.28.241:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.014
LG 157.56.28.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.56.28.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.56.28.241:443/Controller Connection/Ping Duration (ms)					
68	89.2	153	74	86.8	23.5
LG 157.56.28.241:443/Network/Segments sent/sec.					
6.8	2,050	5,198	1,983	2,015	1,118
LG 157.56.28.241:443/Network/Segments retransmitted/sec.					
0	0.292	16.8	0	0.012	1.75
LG 157.56.28.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	40.5	110.9	40.2	39.8	22.6
LG 157.56.28.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.8	6.92	2.66	2.76	1.48

## LG 157.56.28.35:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.35:443/CPU Load					
0	17.4	49	16	17.3	9.12
LG 157.56.28.35:443/Memory Used					
2	13.3	36	12	12.8	8
LG 157.56.28.35:443/Throughput					
0	37.2	108.5	35.6	36.7	21.5
LG 157.56.28.35:443/User Load					
0	53.7	89	63	54.6	24.3
LG 157.56.28.35:443/Thread Count					
39	116.9	155	127.5	118	27.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 157.56.28.35:443/Http client/Thread Pool used</b>					
0.1	0.108	0.155	0.1	0.107	0.012
<b>LG 157.56.28.35:443/Http client/Task Pool used</b>					
0	0.005	0.183	0	0.001	0.018
<b>LG 157.56.28.35:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 157.56.28.35:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 157.56.28.35:443/Controller Connection/Ping Duration (ms)</b>					
99	113	164	112	111.8	9.24
<b>LG 157.56.28.35:443/Network/Segments sent/sec.</b>					
9.56	2,028	5,473	1,921	2,004	1,127
<b>LG 157.56.28.35:443/Network/Segments retransmitted/sec.</b>					
0	0.276	19.4	0	0.02	1.58
<b>LG 157.56.28.35:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	40.2	116.2	38.3	39.6	23.1
<b>LG 157.56.28.35:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	2.78	7.38	2.59	2.75	1.5

## LG 157.56.31.174:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 157.56.31.174:443/CPU Load</b>					
0	18.5	48	18	18.3	9.36
<b>LG 157.56.31.174:443/Memory Used</b>					
2	12.1	34	10	11.5	7.3
<b>LG 157.56.31.174:443/Throughput</b>					
0	37.2	103.2	36.8	36.7	20.5
<b>LG 157.56.31.174:443/User Load</b>					
0	53.5	89	62	54.4	24.3
<b>LG 157.56.31.174:443/Thread Count</b>					
39	117	163	125	117.8	28.1
<b>LG 157.56.31.174:443/Http client/Thread Pool used</b>					
0.1	0.105	0.14	0.1	0.104	0.009
<b>LG 157.56.31.174:443/Http client/Task Pool used</b>					
0	0.006	0.417	0	0.002	0.027
<b>LG 157.56.31.174:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 157.56.31.174:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 157.56.31.174:443/Controller Connection/Ping Duration (ms)</b>					
97	114.6	163	112	112.9	11.2
<b>LG 157.56.31.174:443/Network/Segments sent/sec.</b>					
8.6	2,017	5,047	1,945	1,993	1,078
<b>LG 157.56.31.174:443/Network/Segments retransmitted/sec.</b>					
0	0.302	16.8	0	0.022	1.67
<b>LG 157.56.31.174:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.012	40.1	110.7	39.8	39.6	21.9
<b>LG 157.56.31.174:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	2.77	6.98	2.64	2.74	1.44

## LG 168.62.104.150:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.104.150:443/CPU Load					
0	17.5	48	17	17.3	9
LG 168.62.104.150:443/Memory Used					
2	11.8	36	10	11.2	6.44
LG 168.62.104.150:443/Throughput					
0	37.1	105.7	36.4	36.4	21.1
LG 168.62.104.150:443/User Load					
0	53.3	89	62	54.2	24.4
LG 168.62.104.150:443/Thread Count					
39	117.1	164	125	117.9	28.5
LG 168.62.104.150:443/Http client/Thread Pool used					
0.1	0.109	0.18	0.1	0.107	0.017
LG 168.62.104.150:443/Http client/Task Pool used					
0	0.005	0.183	0	0.001	0.017
LG 168.62.104.150:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 168.62.104.150:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 168.62.104.150:443/Controller Connection/Ping Duration (ms)					
85	111.6	164	112	111.3	11.4
LG 168.62.104.150:443/Network/Segments sent/sec.					
9.4	2,014	5,278	1,948	1,980	1,104
LG 168.62.104.150:443/Network/Segments retransmitted/sec.					
0	0.201	14.4	0	0.01	1.27
LG 168.62.104.150:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	40	113.2	39.2	39.3	22.6
LG 168.62.104.150:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	2.76	7.05	2.7	2.72	1.47

## LG 168.62.104.21:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.104.21:443/CPU Load					
0	17.8	51	17	17.5	9.05
LG 168.62.104.21:443/Memory Used					
2	12.2	36	10	11.6	7.57
LG 168.62.104.21:443/Throughput					
0	37.8	110.4	36.7	37	21.4
LG 168.62.104.21:443/User Load					
0	54.2	89	63	55.1	24.1
LG 168.62.104.21:443/Thread Count					
39	118.3	162	126	119	28.9
LG 168.62.104.21:443/Http client/Thread Pool used					
0.1	0.107	0.175	0.1	0.105	0.014
LG 168.62.104.21:443/Http client/Task Pool used					
0	0.004	0.2	0	0.001	0.018
LG 168.62.104.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 168.62.104.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 168.62.104.21:443/Controller Connection/Ping Duration (ms)					
61	110.7	150	109	110.4	13.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.104.21:443/Network/Segments sent/sec.					
10.4	2,049	5,377	2,017	2,011	1,105
LG 168.62.104.21:443/Network/Segments retransmitted/sec.					
0	0.34	22.5	0	0.038	1.81
LG 168.62.104.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	40.7	118.2	39.6	39.9	22.9
LG 168.62.104.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.81	7.39	2.77	2.77	1.47

## LG 168.62.106.215:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.106.215:443/CPU Load					
0	17.8	48	17	17.7	9.07
LG 168.62.106.215:443/Memory Used					
2	17.8	38	16	17.6	9.44
LG 168.62.106.215:443/Throughput					
0	37	101.1	36.3	36.6	20.5
LG 168.62.106.215:443/User Load					
0	53.3	89	62	54.2	24.3
LG 168.62.106.215:443/Thread Count					
39	117.1	164	124	117.9	29
LG 168.62.106.215:443/Http client/Thread Pool used					
0.1	0.109	0.195	0.1	0.106	0.02
LG 168.62.106.215:443/Http client/Task Pool used					
0	0.005	0.183	0	0.002	0.017
LG 168.62.106.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 168.62.106.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 168.62.106.215:443/Controller Connection/Ping Duration (ms)					
97	113	163	112	112	9.55
LG 168.62.106.215:443/Network/Segments sent/sec.					
9.76	2,007	5,173	1,943	1,986	1,071
LG 168.62.106.215:443/Network/Segments retransmitted/sec.					
0	0.278	22	0	0.015	1.71
LG 168.62.106.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	39.9	108.3	39.4	39.5	22
LG 168.62.106.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.76	6.89	2.7	2.73	1.43

## LG 168.62.111.10:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.111.10:443/CPU Load					
0	17.4	49	17	17.2	8.91
LG 168.62.111.10:443/Memory Used					
2	13.5	38	11.5	13.1	7.68
LG 168.62.111.10:443/Throughput					
0	37.5	103.9	37	37	21.1
LG 168.62.111.10:443/User Load					
0	54	90	63	54.9	24.3
LG 168.62.111.10:443/Thread Count					
39	116.7	159	126	117.4	27.4



Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 168.62.111.10:443/Http client/Thread Pool used</b>					
0.1	0.105	0.155	0.1	0.103	0.009
<b>LG 168.62.111.10:443/Http client/Task Pool used</b>					
0	0.005	0.333	0	0.001	0.022
<b>LG 168.62.111.10:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 168.62.111.10:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 168.62.111.10:443/Controller Connection/Ping Duration (ms)</b>					
70	77.6	111	76	76.2	9.27
<b>LG 168.62.111.10:443/Network/Segments sent/sec.</b>					
8.29	2,033	5,293	1,948	2,003	1,108
<b>LG 168.62.111.10:443/Network/Segments retransmitted/sec.</b>					
0	0.271	20.6	0	0.015	1.68
<b>LG 168.62.111.10:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	40.5	111.4	40.1	39.9	22.6
<b>LG 168.62.111.10:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.79	7.11	2.61	2.76	1.48

## LG 23.100.72.19:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.100.72.19:443/CPU Load</b>					
0	17.7	56	17	17.6	8.98
<b>LG 23.100.72.19:443/Memory Used</b>					
2	17.6	38	17	17.3	9.04
<b>LG 23.100.72.19:443/Throughput</b>					
0	37.7	128.5	36.5	37.1	21.1
<b>LG 23.100.72.19:443/User Load</b>					
0	54.1	89	63	55	24.1
<b>LG 23.100.72.19:443/Thread Count</b>					
39	117.7	160	126	118.5	27.9
<b>LG 23.100.72.19:443/Http client/Thread Pool used</b>					
0.1	0.106	0.15	0.1	0.105	0.011
<b>LG 23.100.72.19:443/Http client/Task Pool used</b>					
0	0.006	0.3	0	0.002	0.024
<b>LG 23.100.72.19:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.100.72.19:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.100.72.19:443/Controller Connection/Ping Duration (ms)</b>					
66	110	149	111	110.1	15
<b>LG 23.100.72.19:443/Network/Segments sent/sec.</b>					
7.96	2,055	6,257	1,971	2,027	1,101
<b>LG 23.100.72.19:443/Network/Segments retransmitted/sec.</b>					
0	0.223	18	0	0.02	1.41
<b>LG 23.100.72.19:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	40.7	137.6	39.4	40	22.6
<b>LG 23.100.72.19:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.82	8.41	2.69	2.79	1.47

## LG 23.100.73.8:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.100.73.8:443/CPU Load					
0	17.9	48	17	17.8	8.94
LG 23.100.73.8:443/Memory Used					
2	13.2	35	11	12.7	7.31
LG 23.100.73.8:443/Throughput					
0	37.1	104	36	36.7	20.6
LG 23.100.73.8:443/User Load					
0	53.5	89	62	54.3	24.3
LG 23.100.73.8:443/Thread Count					
39	117.1	158	124	118.1	28.6
LG 23.100.73.8:443/Http client/Thread Pool used					
0.1	0.108	0.16	0.1	0.107	0.012
LG 23.100.73.8:443/Http client/Task Pool used					
0	0.004	0.117	0	0.002	0.014
LG 23.100.73.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.100.73.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.100.73.8:443/Controller Connection/Ping Duration (ms)					
64	112	119	114	113.5	9.37
LG 23.100.73.8:443/Network/Segments sent/sec.					
6.63	2,007	5,288	1,938	1,990	1,074
LG 23.100.73.8:443/Network/Segments retransmitted/sec.					
0	0.251	15.4	0	0.009	1.45
LG 23.100.73.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40	111.4	39	39.6	22
LG 23.100.73.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.76	7.15	2.68	2.74	1.44

## LG 23.100.79.115:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.100.79.115:443/CPU Load					
0	17.7	51	17	17.5	9.12
LG 23.100.79.115:443/Memory Used					
1	13.3	36	11	12.8	7.34
LG 23.100.79.115:443/Throughput					
0	37.9	128.1	36.9	37.1	21.7
LG 23.100.79.115:443/User Load					
0	53.4	89	63	54.2	24.5
LG 23.100.79.115:443/Thread Count					
39	116.4	158	124	117.3	28
LG 23.100.79.115:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.01
LG 23.100.79.115:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.015
LG 23.100.79.115:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.100.79.115:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.100.79.115:443/Controller Connection/Ping Duration (ms)					
100	113.8	152	114	113.1	7.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.100.79.115:443/Network/Segments sent/sec.					
8.22	2,059	5,411	1,972	2,024	1,131
LG 23.100.79.115:443/Network/Segments retransmitted/sec.					
0	0.299	21.2	0	0.007	1.86
LG 23.100.79.115:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	40.8	135.1	39.7	40.1	23.3
LG 23.100.79.115:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.83	7.5	2.71	2.79	1.51

## LG 23.101.161.200:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.101.161.200:443/CPU Load					
0	17.8	53	17	17.5	9.28
LG 23.101.161.200:443/Memory Used					
2	12.8	36	11	12.3	7.5
LG 23.101.161.200:443/Throughput					
0	37.4	102	36.5	36.6	21.1
LG 23.101.161.200:443/User Load					
0	53.3	89	62	54.1	24.4
LG 23.101.161.200:443/Thread Count					
39	114.9	158	124	115.8	26.7
LG 23.101.161.200:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 23.101.161.200:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.017
LG 23.101.161.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.101.161.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.101.161.200:443/Controller Connection/Ping Duration (ms)					
58	91.1	147	78.5	90.2	21
LG 23.101.161.200:443/Network/Segments sent/sec.					
6.49	2,029	5,250	1,976	1,993	1,109
LG 23.101.161.200:443/Network/Segments retransmitted/sec.					
0	0.321	23.4	0	0.029	1.82
LG 23.101.161.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.2	109.5	39.4	39.5	22.6
LG 23.101.161.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.79	7.3	2.75	2.74	1.48

## LG 23.96.176.116:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.176.116:443/CPU Load					
0	19	52	18	18.8	9.75
LG 23.96.176.116:443/Memory Used					
2	11.1	35	9	10.43	7.45
LG 23.96.176.116:443/Throughput					
0	36.8	99.4	36.9	36.4	20.6
LG 23.96.176.116:443/User Load					
0	53.4	89	62	54.3	24.3
LG 23.96.176.116:443/Thread Count					
39	116.2	155	124	117.2	27.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.176.116:443/Http client/Thread Pool used</b>					
0.1	0.105	0.14	0.1	0.104	0.009
<b>LG 23.96.176.116:443/Http client/Task Pool used</b>					
0	0.006	0.183	0	0.002	0.019
<b>LG 23.96.176.116:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.176.116:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.176.116:443/Controller Connection/Ping Duration (ms)</b>					
56	111.7	157	112	112	12.7
<b>LG 23.96.176.116:443/Network/Segments sent/sec.</b>					
8.21	1,996	5,083	1,977	1,977	1,081
<b>LG 23.96.176.116:443/Network/Segments retransmitted/sec.</b>					
0	0.313	21	0	0.017	1.8
<b>LG 23.96.176.116:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.012	39.7	106.7	40	39.3	22.1
<b>LG 23.96.176.116:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.74	6.96	2.7	2.72	1.45

## LG 23.96.181.81:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.181.81:443/CPU Load</b>					
0	18.3	54	18	18.1	9.48
<b>LG 23.96.181.81:443/Memory Used</b>					
2	12.7	36	10	12.1	7.13
<b>LG 23.96.181.81:443/Throughput</b>					
0	37.7	119.7	37.4	37.2	21.2
<b>LG 23.96.181.81:443/User Load</b>					
0	54.3	90	63	55.1	24.3
<b>LG 23.96.181.81:443/Thread Count</b>					
39	117.6	160	125	118.5	27.8
<b>LG 23.96.181.81:443/Http client/Thread Pool used</b>					
0.1	0.11	0.165	0.1	0.108	0.016
<b>LG 23.96.181.81:443/Http client/Task Pool used</b>					
0	0.004	0.167	0	0.001	0.015
<b>LG 23.96.181.81:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.181.81:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.181.81:443/Controller Connection/Ping Duration (ms)</b>					
70	112.8	166	113	112.8	12.3
<b>LG 23.96.181.81:443/Network/Segments sent/sec.</b>					
8.23	2,050	5,709	1,992	2,023	1,106
<b>LG 23.96.181.81:443/Network/Segments retransmitted/sec.</b>					
0	0.287	24.2	0	0.023	1.74
<b>LG 23.96.181.81:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.021	40.7	128.1	40.6	40.2	22.7
<b>LG 23.96.181.81:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.82	7.82	2.71	2.78	1.47

## LG 23.96.181.95:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.181.95:443/CPU Load					
0	17.6	49	17	17.5	8.91
LG 23.96.181.95:443/Memory Used					
2	15.2	38	13	14.8	8.36
LG 23.96.181.95:443/Throughput					
0	37.1	104.6	36.2	36.7	20.8
LG 23.96.181.95:443/User Load					
0	53.5	89	62	54.3	24.2
LG 23.96.181.95:443/Thread Count					
39	118.7	174	124	119	30.1
LG 23.96.181.95:443/Http client/Thread Pool used					
0.1	0.108	0.205	0.1	0.104	0.02
LG 23.96.181.95:443/Http client/Task Pool used					
0	0.004	0.2	0	0.001	0.018
LG 23.96.181.95:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.181.95:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.181.95:443/Controller Connection/Ping Duration (ms)					
67	108.1	115	113	109.9	12.9
LG 23.96.181.95:443/Network/Segments sent/sec.					
7.15	2,027	5,279	1,919	2,003	1,105
LG 23.96.181.95:443/Network/Segments retransmitted/sec.					
0	0.271	18.2	0	0.034	1.48
LG 23.96.181.95:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	40.1	112.5	39.1	39.6	22.3
LG 23.96.181.95:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.78	7.27	2.63	2.75	1.47

## LG 23.96.185.165:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.185.165:443/CPU Load					
0	17.6	47	17	17.4	9.04
LG 23.96.185.165:443/Memory Used					
2	12.8	36	10	12.2	7.59
LG 23.96.185.165:443/Throughput					
0	37.1	104.5	35.2	36.5	21
LG 23.96.185.165:443/User Load					
0	53.5	89	62	54.4	24.3
LG 23.96.185.165:443/Thread Count					
39	116.8	158	125	117.6	28
LG 23.96.185.165:443/Http client/Thread Pool used					
0.1	0.105	0.155	0.1	0.103	0.011
LG 23.96.185.165:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.017
LG 23.96.185.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.185.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.185.165:443/Controller Connection/Ping Duration (ms)					
58	94.4	152	109	94	21.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.185.165:443/Network/Segments sent/sec.					
8.87	2,026	5,487	1,977	1,992	1,118
LG 23.96.185.165:443/Network/Segments retransmitted/sec.					
0	0.215	17.4	0	0.015	1.38
LG 23.96.185.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	40.1	112.2	38.1	39.4	22.5
LG 23.96.185.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.77	7.44	2.68	2.73	1.48

## LG 23.96.187.110:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.187.110:443/CPU Load					
0	18.5	46	17	18.3	9.61
LG 23.96.187.110:443/Memory Used					
2	11.5	37	9	10.79	7.18
LG 23.96.187.110:443/Throughput					
0	37.5	102.4	37	36.9	21.3
LG 23.96.187.110:443/User Load					
0	53.5	89	63	54.3	24.5
LG 23.96.187.110:443/Thread Count					
39	116.2	158	127	117	27.2
LG 23.96.187.110:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.009
LG 23.96.187.110:443/Http client/Task Pool used					
0	0.005	0.267	0	0.002	0.022
LG 23.96.187.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.187.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.187.110:443/Controller Connection/Ping Duration (ms)					
70	105.6	267	112	101.6	33.8
LG 23.96.187.110:443/Network/Segments sent/sec.					
10.4	2,031	5,043	1,951	2,003	1,120
LG 23.96.187.110:443/Network/Segments retransmitted/sec.					
0	0.244	17.2	0	0.014	1.56
LG 23.96.187.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.013	40.4	109.5	40.1	39.8	22.9
LG 23.96.187.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.79	6.85	2.69	2.76	1.49

## LG 23.96.187.193:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.187.193:443/CPU Load					
0	18.3	51	18	18.1	9.09
LG 23.96.187.193:443/Memory Used					
2	12.9	36	11	12.4	6.72
LG 23.96.187.193:443/Throughput					
0	38	112.9	38.5	37.5	20.7
LG 23.96.187.193:443/User Load					
0	54.2	90	63	55.1	24.4
LG 23.96.187.193:443/Thread Count					
39	118.3	162	126	119	28.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.187.193:443/Http client/Thread Pool used</b>					
0.1	0.107	0.165	0.1	0.105	0.013
<b>LG 23.96.187.193:443/Http client/Task Pool used</b>					
0	0.004	0.15	0	0.001	0.014
<b>LG 23.96.187.193:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.187.193:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.187.193:443/Controller Connection/Ping Duration (ms)</b>					
66	92.8	152	106	91.8	21.4
<b>LG 23.96.187.193:443/Network/Segments sent/sec.</b>					
6.54	2,043	5,433	2,030	2,019	1,078
<b>LG 23.96.187.193:443/Network/Segments retransmitted/sec.</b>					
0	0.227	23	0	0.023	1.52
<b>LG 23.96.187.193:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.9	120.7	41.4	40.5	22.2
<b>LG 23.96.187.193:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.81	7.51	2.74	2.78	1.44

## LG 23.96.188.46:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.188.46:443/CPU Load</b>					
0	17.8	51	17	17.6	9.1
<b>LG 23.96.188.46:443/Memory Used</b>					
2	12.8	36	11	12.3	7.42
<b>LG 23.96.188.46:443/Throughput</b>					
0	37.1	122.6	36.5	36.4	21
<b>LG 23.96.188.46:443/User Load</b>					
0	53.5	89	62	54.4	24.3
<b>LG 23.96.188.46:443/Thread Count</b>					
39	117.7	163	124	118.5	29.2
<b>LG 23.96.188.46:443/Http client/Thread Pool used</b>					
0.1	0.11	0.18	0.1	0.108	0.018
<b>LG 23.96.188.46:443/Http client/Task Pool used</b>					
0	0.004	0.25	0	0.001	0.019
<b>LG 23.96.188.46:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.188.46:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.188.46:443/Controller Connection/Ping Duration (ms)</b>					
100	114.5	151	112	113.1	10.82
<b>LG 23.96.188.46:443/Network/Segments sent/sec.</b>					
6.35	2,041	6,035	1,955	2,004	1,111
<b>LG 23.96.188.46:443/Network/Segments retransmitted/sec.</b>					
0	0.298	18.9	0	0.026	1.77
<b>LG 23.96.188.46:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.1	131.1	39.5	39.3	22.6
<b>LG 23.96.188.46:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.78	7.99	2.66	2.73	1.47

## LG 23.96.189.10:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.10:443/CPU Load					
0	19.1	56	18	18.9	9.94
LG 23.96.189.10:443/Memory Used					
2	14.2	36	11	13.7	7.95
LG 23.96.189.10:443/Throughput					
0	37.8	110.7	37.2	37.1	21.4
LG 23.96.189.10:443/User Load					
0	53.8	89	63	54.7	24.4
LG 23.96.189.10:443/Thread Count					
39	118.6	167	126	119.4	29.2
LG 23.96.189.10:443/Http client/Thread Pool used					
0.1	0.111	0.17	0.1	0.109	0.018
LG 23.96.189.10:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.012
LG 23.96.189.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.189.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.189.10:443/Controller Connection/Ping Duration (ms)					
97	120	292	113	114.8	31.1
LG 23.96.189.10:443/Network/Segments sent/sec.					
7.77	2,045	6,660	1,993	2,008	1,125
LG 23.96.189.10:443/Network/Segments retransmitted/sec.					
0	0.283	19.6	0	0.018	1.63
LG 23.96.189.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	40.8	118.6	40.1	40.1	22.9
LG 23.96.189.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.81	9.47	2.72	2.76	1.51

## LG 23.96.189.24:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.24:443/CPU Load					
0	17.8	45	17	17.6	9.03
LG 23.96.189.24:443/Memory Used					
2	11.8	37	10	11.2	7.33
LG 23.96.189.24:443/Throughput					
0	37.3	101.6	36.8	36.6	20.7
LG 23.96.189.24:443/User Load					
0	53.3	89	62	54.2	24.3
LG 23.96.189.24:443/Thread Count					
39	117.1	161	123	118	28.1
LG 23.96.189.24:443/Http client/Thread Pool used					
0.1	0.107	0.175	0.1	0.105	0.016
LG 23.96.189.24:443/Http client/Task Pool used					
0	0.004	0.283	0	0.001	0.019
LG 23.96.189.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.189.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.189.24:443/Controller Connection/Ping Duration (ms)					
97	114.4	149	113	113.6	9.11



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.24:443/Network/Segments sent/sec.					
10.8	2,021	5,626	1,995	1,983	1,104
LG 23.96.189.24:443/Network/Segments retransmitted/sec.					
0	0.279	24.1	0	0.032	1.66
LG 23.96.189.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	40.2	108.8	39.7	39.5	22.2
LG 23.96.189.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	2.78	8.02	2.74	2.73	1.48

## LG 23.96.189.88:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.88:443/CPU Load					
0	18.3	53	17	18	9.6
LG 23.96.189.88:443/Memory Used					
2	13.9	38	12	13.4	7.82
LG 23.96.189.88:443/Throughput					
0	37.7	111.8	36.5	37	21.5
LG 23.96.189.88:443/User Load					
0	54.1	90	63	55	24.2
LG 23.96.189.88:443/Thread Count					
39	116.9	160	125	117.8	27.1
LG 23.96.189.88:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.105	0.011
LG 23.96.189.88:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.022
LG 23.96.189.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.189.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.189.88:443/Controller Connection/Ping Duration (ms)					
84	115	149	115	114.8	9.27
LG 23.96.189.88:443/Network/Segments sent/sec.					
9.05	2,045	5,571	1,968	2,010	1,115
LG 23.96.189.88:443/Network/Segments retransmitted/sec.					
0	0.202	17.6	0	0.016	1.22
LG 23.96.189.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.021	40.7	119.9	39.5	40	23
LG 23.96.189.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.82	7.46	2.75	2.78	1.49

## LG 23.96.189.94:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.94:443/CPU Load					
0	17.6	54	17	17.4	9.08
LG 23.96.189.94:443/Memory Used					
2	13.5	37	12	13	7.53
LG 23.96.189.94:443/Throughput					
0	37.3	122.7	35.7	36.7	21.4
LG 23.96.189.94:443/User Load					
0	53.9	89	63	54.8	24.4
LG 23.96.189.94:443/Thread Count					
39	117.4	156	125	118.4	28.1

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.189.94:443/Http client/Thread Pool used</b>					
0.1	0.109	0.155	0.1	0.107	0.015
<b>LG 23.96.189.94:443/Http client/Task Pool used</b>					
0	0.004	0.083	0	0.001	0.014
<b>LG 23.96.189.94:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.189.94:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.189.94:443/Controller Connection/Ping Duration (ms)</b>					
67	119.2	159	152	119.7	37
<b>LG 23.96.189.94:443/Network/Segments sent/sec.</b>					
9.68	2,023	5,812	1,954	1,994	1,112
<b>LG 23.96.189.94:443/Network/Segments retransmitted/sec.</b>					
0	0.209	19.6	0	0.013	1.35
<b>LG 23.96.189.94:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	40.2	131.2	38.5	39.6	22.9
<b>LG 23.96.189.94:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	2.78	7.79	2.7	2.74	1.48

## LG 23.96.209.142:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.209.142:443/CPU Load</b>					
0	17.4	48	17	17.2	9.1
<b>LG 23.96.209.142:443/Memory Used</b>					
2	11.9	37	9	11.2	7.3
<b>LG 23.96.209.142:443/Throughput</b>					
0	37.1	117.8	36.1	36.3	21.5
<b>LG 23.96.209.142:443/User Load</b>					
0	53.5	89	62	54.3	24.3
<b>LG 23.96.209.142:443/Thread Count</b>					
39	116.5	158	125	117.4	27.6
<b>LG 23.96.209.142:443/Http client/Thread Pool used</b>					
0.1	0.107	0.17	0.1	0.105	0.013
<b>LG 23.96.209.142:443/Http client/Task Pool used</b>					
0	0.005	0.217	0	0.001	0.021
<b>LG 23.96.209.142:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.209.142:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.209.142:443/Controller Connection/Ping Duration (ms)</b>					
60	100.1	150	111	99.3	22.8
<b>LG 23.96.209.142:443/Network/Segments sent/sec.</b>					
8.2	2,007	5,675	1,892	1,967	1,123
<b>LG 23.96.209.142:443/Network/Segments retransmitted/sec.</b>					
0	0.246	19.6	0	0.008	1.57
<b>LG 23.96.209.142:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.012	40	126.1	39.1	39.2	23
<b>LG 23.96.209.142:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.76	7.53	2.6	2.71	1.49

## LG 23.96.210.246:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.210.246:443/CPU Load					
0	17.8	50	17	17.7	9.22
LG 23.96.210.246:443/Memory Used					
2	17.6	37	17	17.4	9.09
LG 23.96.210.246:443/Throughput					
0	37.6	106	37	37.1	21.3
LG 23.96.210.246:443/User Load					
0	54	89	63	54.8	24.3
LG 23.96.210.246:443/Thread Count					
39	117	156	126	118	27
LG 23.96.210.246:443/Http client/Thread Pool used					
0.1	0.108	0.17	0.1	0.106	0.013
LG 23.96.210.246:443/Http client/Task Pool used					
0	0.004	0.167	0	0.002	0.016
LG 23.96.210.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.210.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.210.246:443/Controller Connection/Ping Duration (ms)					
75	108.9	139	110	109.5	9.42
LG 23.96.210.246:443/Network/Segments sent/sec.					
6.55	2,031	5,333	2,006	2,007	1,105
LG 23.96.210.246:443/Network/Segments retransmitted/sec.					
0	0.254	20.6	0	0.01	1.62
LG 23.96.210.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.5	113.7	40.1	40	22.8
LG 23.96.210.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.79	7.32	2.74	2.76	1.47

## LG 23.96.211.139:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.211.139:443/CPU Load					
0	18.2	48	18	18.1	9.27
LG 23.96.211.139:443/Memory Used					
2	11.9	36	10	11.3	7.5
LG 23.96.211.139:443/Throughput					
0	37	102.7	36.8	36.5	20.5
LG 23.96.211.139:443/User Load					
0	53.4	89	62	54.2	24.3
LG 23.96.211.139:443/Thread Count					
39	117	155	124	118.2	28.3
LG 23.96.211.139:443/Http client/Thread Pool used					
0.1	0.107	0.16	0.1	0.105	0.011
LG 23.96.211.139:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.015
LG 23.96.211.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.211.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.211.139:443/Controller Connection/Ping Duration (ms)					
60	113.2	205	113	111.6	20.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.211.139:443/Network/Segments sent/sec.					
10.38	2,001	5,103	1,939	1,980	1,075
LG 23.96.211.139:443/Network/Segments retransmitted/sec.					
0	0.324	19.6	0	0.02	1.82
LG 23.96.211.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	39.9	110.1	39.5	39.4	22
LG 23.96.211.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	2.75	6.94	2.68	2.73	1.44

## LG 23.96.215.35:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.215.35:443/CPU Load					
0	17.9	50	17	17.6	9.2
LG 23.96.215.35:443/Memory Used					
2	12	36	10	11.5	7.07
LG 23.96.215.35:443/Throughput					
0	37.5	112.4	37	36.8	21.1
LG 23.96.215.35:443/User Load					
0	53.7	89	63	54.6	24.3
LG 23.96.215.35:443/Thread Count					
39	116.7	158	125	117.7	27.6
LG 23.96.215.35:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.009
LG 23.96.215.35:443/Http client/Task Pool used					
0	0.006	0.267	0	0.002	0.024
LG 23.96.215.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.215.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.215.35:443/Controller Connection/Ping Duration (ms)					
59	111.6	116	114	113.3	9.46
LG 23.96.215.35:443/Network/Segments sent/sec.					
6.48	2,023	5,884	1,955	1,986	1,104
LG 23.96.215.35:443/Network/Segments retransmitted/sec.					
0	0.264	16.4	0	0.023	1.49
LG 23.96.215.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.4	120.4	39.9	39.8	22.6
LG 23.96.215.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.78	8.06	2.66	2.74	1.48

## LG 23.96.222.11:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.222.11:443/CPU Load					
0	17.6	47	17	17.4	8.96
LG 23.96.222.11:443/Memory Used					
2	13.2	37	11	12.6	7.73
LG 23.96.222.11:443/Throughput					
0	37.7	101.5	37.1	37	21.2
LG 23.96.222.11:443/User Load					
0	54.2	89	63	55.1	24.4
LG 23.96.222.11:443/Thread Count					
39	117.7	159	127	118.7	28.3

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.222.11:443/Http client/Thread Pool used</b>					
0.1	0.106	0.15	0.1	0.104	0.011
<b>LG 23.96.222.11:443/Http client/Task Pool used</b>					
0	0.005	0.317	0	0.001	0.023
<b>LG 23.96.222.11:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.222.11:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.222.11:443/Controller Connection/Ping Duration (ms)</b>					
74	109.2	116	112	110.6	8.43
<b>LG 23.96.222.11:443/Network/Segments sent/sec.</b>					
6.54	2,053	5,339	1,971	2,016	1,117
<b>LG 23.96.222.11:443/Network/Segments retransmitted/sec.</b>					
0	0.33	22	0	0.012	1.99
<b>LG 23.96.222.11:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.7	109.4	40.1	39.9	22.7
<b>LG 23.96.222.11:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	2.81	7.01	2.68	2.77	1.49

## LG 23.96.222.136:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.222.136:443/CPU Load</b>					
0	18.1	50	17	18	9.42
<b>LG 23.96.222.136:443/Memory Used</b>					
2	13.1	36	11	12.6	7.44
<b>LG 23.96.222.136:443/Throughput</b>					
0	37.7	107.4	37	37.2	21.3
<b>LG 23.96.222.136:443/User Load</b>					
0	54.2	89	63	55.1	24.3
<b>LG 23.96.222.136:443/Thread Count</b>					
39	117	161	125	117.8	27.4
<b>LG 23.96.222.136:443/Http client/Thread Pool used</b>					
0.1	0.106	0.15	0.1	0.105	0.01
<b>LG 23.96.222.136:443/Http client/Task Pool used</b>					
0	0.005	0.15	0	0.002	0.016
<b>LG 23.96.222.136:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.222.136:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.222.136:443/Controller Connection/Ping Duration (ms)</b>					
60	111	122	113	112.5	9.8
<b>LG 23.96.222.136:443/Network/Segments sent/sec.</b>					
8.23	2,042	5,208	1,985	2,017	1,118
<b>LG 23.96.222.136:443/Network/Segments retransmitted/sec.</b>					
0	0.244	17.6	0	0.015	1.43
<b>LG 23.96.222.136:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.029	40.7	114.9	39.8	40.1	22.8
<b>LG 23.96.222.136:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.81	6.97	2.68	2.78	1.5

## LG 23.96.223.124:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.223.124:443/CPU Load					
0	17.9	48	18	17.8	8.93
LG 23.96.223.124:443/Memory Used					
2	11.4	37	10	10.74	7.32
LG 23.96.223.124:443/Throughput					
0	37.3	108.3	38	36.8	20.7
LG 23.96.223.124:443/User Load					
0	53.3	89	62	54.2	24.3
LG 23.96.223.124:443/Thread Count					
39	117	165	124	117.7	29.1
LG 23.96.223.124:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.011
LG 23.96.223.124:443/Http client/Task Pool used					
0	0.007	0.233	0	0.003	0.021
LG 23.96.223.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.223.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.223.124:443/Controller Connection/Ping Duration (ms)					
98	113.6	154	112	112.1	10.08
LG 23.96.223.124:443/Network/Segments sent/sec.					
7.67	2,013	5,287	1,952	1,988	1,080
LG 23.96.223.124:443/Network/Segments retransmitted/sec.					
0	0.264	19	0	0.017	1.64
LG 23.96.223.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.3	116.1	40.9	39.8	22.2
LG 23.96.223.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.77	7.23	2.69	2.74	1.44

## LG 23.96.224.100:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.100:443/CPU Load					
0	19.2	61	18	18.8	10.74
LG 23.96.224.100:443/Memory Used					
2	13.7	37	11	13.1	7.78
LG 23.96.224.100:443/Throughput					
0	37.8	123.1	37.1	36.9	22.1
LG 23.96.224.100:443/User Load					
0	54	89	63	54.8	24.4
LG 23.96.224.100:443/Thread Count					
39	118.1	160	125	119.1	27.6
LG 23.96.224.100:443/Http client/Thread Pool used					
0.1	0.113	0.175	0.1	0.111	0.017
LG 23.96.224.100:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.016
LG 23.96.224.100:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.224.100:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.224.100:443/Controller Connection/Ping Duration (ms)					
96	110.4	117	111	110.7	3.87

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.100:443/Network/Segments sent/sec.					
7.15	2,053	6,023	1,972	2,016	1,154
LG 23.96.224.100:443/Network/Segments retransmitted/sec.					
0	0.285	14.2	0	0.019	1.63
LG 23.96.224.100:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.7	131.6	39.9	39.9	23.7
LG 23.96.224.100:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.82	8.15	2.7	2.77	1.54

## LG 23.96.224.33:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.33:443/CPU Load					
0	17.4	48	17	17.3	8.72
LG 23.96.224.33:443/Memory Used					
2	11.4	35	9	10.77	6.99
LG 23.96.224.33:443/Throughput					
0	37	112.2	35.2	36.5	20.6
LG 23.96.224.33:443/User Load					
0	53.4	89	62	54.3	24.3
LG 23.96.224.33:443/Thread Count					
39	115.9	161	124	116.6	27.5
LG 23.96.224.33:443/Http client/Thread Pool used					
0.1	0.105	0.175	0.1	0.103	0.013
LG 23.96.224.33:443/Http client/Task Pool used					
0	0.003	0.15	0	0.001	0.012
LG 23.96.224.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.224.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.224.33:443/Controller Connection/Ping Duration (ms)					
100	113.1	143	112	112.5	5.75
LG 23.96.224.33:443/Network/Segments sent/sec.					
8.6	2,015	5,525	1,935	1,992	1,087
LG 23.96.224.33:443/Network/Segments retransmitted/sec.					
0	0.29	19	0	0.023	1.62
LG 23.96.224.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	39.9	120.3	37.9	39.4	22.1
LG 23.96.224.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	2.76	7.24	2.67	2.74	1.44

## LG 23.96.224.45:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.45:443/CPU Load					
0	18.4	52	18	18.1	9.47
LG 23.96.224.45:443/Memory Used					
2	11.8	37	10	11.2	7.55
LG 23.96.224.45:443/Throughput					
0	37.2	113.1	36.4	36.6	20.9
LG 23.96.224.45:443/User Load					
0	53.6	89	62	54.5	24.3
LG 23.96.224.45:443/Thread Count					
39	116.5	157	125	117.5	27.5

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.224.45:443/Http client/Thread Pool used</b>					
0.1	0.106	0.175	0.1	0.104	0.014
<b>LG 23.96.224.45:443/Http client/Task Pool used</b>					
0	0.003	0.283	0	0.001	0.017
<b>LG 23.96.224.45:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.224.45:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.224.45:443/Controller Connection/Ping Duration (ms)</b>					
63	110.4	207	111	108.5	38.5
<b>LG 23.96.224.45:443/Network/Segments sent/sec.</b>					
10.13	2,013	5,424	1,945	1,983	1,085
<b>LG 23.96.224.45:443/Network/Segments retransmitted/sec.</b>					
0	0.282	15.8	0	0.032	1.4
<b>LG 23.96.224.45:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.033	40.2	121.4	39.5	39.5	22.4
<b>LG 23.96.224.45:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.017	2.76	7.24	2.71	2.73	1.44

## LG 23.96.225.141:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.225.141:443/CPU Load</b>					
0	19.3	59	18	18.9	10.37
<b>LG 23.96.225.141:443/Memory Used</b>					
2	12.3	35	10	11.7	7.51
<b>LG 23.96.225.141:443/Throughput</b>					
0	37.4	112.5	36.2	36.7	21.3
<b>LG 23.96.225.141:443/User Load</b>					
0	53.8	89	63	54.7	24.4
<b>LG 23.96.225.141:443/Thread Count</b>					
39	116.3	159	127	117.1	27.3
<b>LG 23.96.225.141:443/Http client/Thread Pool used</b>					
0.1	0.104	0.145	0.1	0.103	0.008
<b>LG 23.96.225.141:443/Http client/Task Pool used</b>					
0	0.006	0.183	0	0.002	0.021
<b>LG 23.96.225.141:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.225.141:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.225.141:443/Controller Connection/Ping Duration (ms)</b>					
105	117.4	158	115	115.7	10.44
<b>LG 23.96.225.141:443/Network/Segments sent/sec.</b>					
7.16	2,026	5,619	1,952	1,994	1,102
<b>LG 23.96.225.141:443/Network/Segments retransmitted/sec.</b>					
0	0.284	18.2	0	0.018	1.63
<b>LG 23.96.225.141:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.029	40.3	120.6	39.1	39.6	22.8
<b>LG 23.96.225.141:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.78	7.71	2.66	2.74	1.47



## LG 23.96.225.195:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.195:443/CPU Load					
0	18.1	45	17	17.8	9.31
LG 23.96.225.195:443/Memory Used					
2	12.2	36	11	11.7	7.21
LG 23.96.225.195:443/Throughput					
0	37.3	99.1	35.5	36.6	21.4
LG 23.96.225.195:443/User Load					
0	53.9	89	63	54.8	24.3
LG 23.96.225.195:443/Thread Count					
39	117.6	158	125	118.4	28.5
LG 23.96.225.195:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.104	0.01
LG 23.96.225.195:443/Http client/Task Pool used					
0	0.006	0.3	0	0.001	0.024
LG 23.96.225.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.225.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.225.195:443/Controller Connection/Ping Duration (ms)					
57	108.3	117	113	110.4	13.8
LG 23.96.225.195:443/Network/Segments sent/sec.					
7.15	2,030	5,014	1,930	1,992	1,122
LG 23.96.225.195:443/Network/Segments retransmitted/sec.					
0	0.269	17.4	0	0.014	1.57
LG 23.96.225.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	40.3	106.1	38.2	39.5	22.9
LG 23.96.225.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.78	6.85	2.62	2.74	1.49

## LG 23.96.225.202:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.202:443/CPU Load					
0	18.8	52	18	18.7	9.37
LG 23.96.225.202:443/Memory Used					
2	13.8	36	12	13.2	7.9
LG 23.96.225.202:443/Throughput					
0	38.1	110.7	38.6	37.8	20.6
LG 23.96.225.202:443/User Load					
0	54.4	90	63	55.3	24.3
LG 23.96.225.202:443/Thread Count					
39	117.9	164	125	118.6	27.9
LG 23.96.225.202:443/Http client/Thread Pool used					
0.1	0.11	0.205	0.1	0.106	0.02
LG 23.96.225.202:443/Http client/Task Pool used					
0	0.003	0.1	0	0.001	0.011
LG 23.96.225.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.225.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.225.202:443/Controller Connection/Ping Duration (ms)					
97	109.7	114	110	110	2.88

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.202:443/Network/Segments sent/sec.					
6.81	2,056	5,351	2,011	2,037	1,074
LG 23.96.225.202:443/Network/Segments retransmitted/sec.					
0	0.285	20.4	0	0.026	1.64
LG 23.96.225.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	41.1	118.5	41.7	40.7	22.1
LG 23.96.225.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.82	7.17	2.75	2.8	1.43

## LG 23.96.225.46:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.46:443/CPU Load					
0	18.2	50	18	18.1	9.24
LG 23.96.225.46:443/Memory Used					
2	14.2	39	13	13.7	7.89
LG 23.96.225.46:443/Throughput					
0	37.9	102.6	37.3	37.5	20.9
LG 23.96.225.46:443/User Load					
0	54.3	90	63	55.2	24.3
LG 23.96.225.46:443/Thread Count					
39	117.3	157	125	118.3	27.8
LG 23.96.225.46:443/Http client/Thread Pool used					
0.1	0.107	0.155	0.1	0.106	0.014
LG 23.96.225.46:443/Http client/Task Pool used					
0	0.005	0.15	0	0.001	0.019
LG 23.96.225.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.225.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.225.46:443/Controller Connection/Ping Duration (ms)					
69	114.8	362	112	107.7	47.6
LG 23.96.225.46:443/Network/Segments sent/sec.					
6.53	2,051	5,060	1,974	2,031	1,096
LG 23.96.225.46:443/Network/Segments retransmitted/sec.					
0	0.291	14.4	0	0.02	1.54
LG 23.96.225.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.9	109.8	40.2	40.5	22.4
LG 23.96.225.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	2.82	6.82	2.7	2.79	1.46

## LG 23.96.226.189:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.226.189:443/CPU Load					
0	18.6	54	18	18.2	10.16
LG 23.96.226.189:443/Memory Used					
2	13.3	35	11	12.7	8.11
LG 23.96.226.189:443/Throughput					
0	37.2	104.2	37.3	36.4	21.6
LG 23.96.226.189:443/User Load					
0	53.9	89	63	54.8	24.3
LG 23.96.226.189:443/Thread Count					
39	117.1	156	127	118.1	27.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.226.189:443/Http client/Thread Pool used</b>					
0.1	0.108	0.16	0.1	0.106	0.014
<b>LG 23.96.226.189:443/Http client/Task Pool used</b>					
0	0.006	0.183	0	0.002	0.019
<b>LG 23.96.226.189:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.226.189:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.226.189:443/Controller Connection/Ping Duration (ms)</b>					
82	110.6	151	111	110.4	8.77
<b>LG 23.96.226.189:443/Network/Segments sent/sec.</b>					
9.53	2,018	5,524	1,996	1,974	1,130
<b>LG 23.96.226.189:443/Network/Segments retransmitted/sec.</b>					
0	0.295	13.8	0	0.019	1.56
<b>LG 23.96.226.189:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.012	40.1	111.9	40.3	39.3	23.1
<b>LG 23.96.226.189:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.017	2.77	7.53	2.69	2.72	1.51

## LG 23.96.226.33:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.226.33:443/CPU Load</b>					
0	17.7	53	17	17.6	8.98
<b>LG 23.96.226.33:443/Memory Used</b>					
2	12.7	36	11	12.2	7.31
<b>LG 23.96.226.33:443/Throughput</b>					
0	37.5	113.9	37.3	37	21
<b>LG 23.96.226.33:443/User Load</b>					
0	54.2	89	63	55.1	24.1
<b>LG 23.96.226.33:443/Thread Count</b>					
39	118.1	163	126	119.1	27.9
<b>LG 23.96.226.33:443/Http client/Thread Pool used</b>					
0.1	0.109	0.15	0.1	0.107	0.014
<b>LG 23.96.226.33:443/Http client/Task Pool used</b>					
0	0.005	0.183	0	0.002	0.017
<b>LG 23.96.226.33:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.226.33:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.226.33:443/Controller Connection/Ping Duration (ms)</b>					
101	112.7	154	111	111.8	7.55
<b>LG 23.96.226.33:443/Network/Segments sent/sec.</b>					
11	2,040	5,875	1,996	2,011	1,108
<b>LG 23.96.226.33:443/Network/Segments retransmitted/sec.</b>					
0	0.251	17.8	0	0.019	1.41
<b>LG 23.96.226.33:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.034	40.4	122.1	40.3	39.9	22.5
<b>LG 23.96.226.33:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.017	2.8	7.94	2.7	2.76	1.47

## LG 23.96.226.76:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.226.76:443/CPU Load					
0	18.9	52	18	18.7	9.51
LG 23.96.226.76:443/Memory Used					
2	11.8	37	9	11	7.83
LG 23.96.226.76:443/Throughput					
0	38	117.1	36.6	37.3	21.4
LG 23.96.226.76:443/User Load					
0	53.8	89	63	54.7	24.3
LG 23.96.226.76:443/Thread Count					
39	117.8	162	125	118.6	28.5
LG 23.96.226.76:443/Http client/Thread Pool used					
0.1	0.111	0.175	0.1	0.109	0.018
LG 23.96.226.76:443/Http client/Task Pool used					
0	0.004	0.367	0	0.001	0.022
LG 23.96.226.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.226.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.226.76:443/Controller Connection/Ping Duration (ms)					
72	110.9	153	113	111.4	12.6
LG 23.96.226.76:443/Network/Segments sent/sec.					
8.6	2,061	5,240	1,980	2,039	1,093
LG 23.96.226.76:443/Network/Segments retransmitted/sec.					
0	0.29	16.2	0	0.023	1.61
LG 23.96.226.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	41	120.5	39.5	40.3	22.8
LG 23.96.226.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.83	7.34	2.73	2.8	1.46

## LG 23.96.227.254:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.227.254:443/CPU Load					
0	18.9	57	18	18.6	10.06
LG 23.96.227.254:443/Memory Used					
2	14.6	38	12	14.1	8.45
LG 23.96.227.254:443/Throughput					
0	37.6	114.3	37	37.1	21.4
LG 23.96.227.254:443/User Load					
0	54.1	89	63	55	24.2
LG 23.96.227.254:443/Thread Count					
39	118.1	163	125	118.9	28.3
LG 23.96.227.254:443/Http client/Thread Pool used					
0.1	0.112	0.195	0.1	0.109	0.021
LG 23.96.227.254:443/Http client/Task Pool used					
0	0.006	0.25	0	0.002	0.022
LG 23.96.227.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.227.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.227.254:443/Controller Connection/Ping Duration (ms)					
100	112	118	112	112.2	2.78

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.227.254:443/Network/Segments sent/sec.					
8.6	2,043	5,647	2,025	2,013	1,121
LG 23.96.227.254:443/Network/Segments retransmitted/sec.					
0	0.23	15.2	0	0.017	1.35
LG 23.96.227.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	40.6	122.2	40	40	23
LG 23.96.227.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	2.8	7.71	2.75	2.77	1.49

## LG 23.96.227.37:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.227.37:443/CPU Load					
0	17.2	45	17	17.1	8.82
LG 23.96.227.37:443/Memory Used					
2	15.3	38	13	14.9	8.64
LG 23.96.227.37:443/Throughput					
0	37.1	105.1	35.4	36.6	21.2
LG 23.96.227.37:443/User Load					
0	53.5	89	62	54.4	24.3
LG 23.96.227.37:443/Thread Count					
39	115.6	157	123	116.5	26.7
LG 23.96.227.37:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.008
LG 23.96.227.37:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.013
LG 23.96.227.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.227.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.227.37:443/Controller Connection/Ping Duration (ms)					
104	115.9	182	112	113.3	14.6
LG 23.96.227.37:443/Network/Segments sent/sec.					
6.42	2,022	5,231	1,964	1,997	1,107
LG 23.96.227.37:443/Network/Segments retransmitted/sec.					
0	0.262	17.4	0	0.01	1.51
LG 23.96.227.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40	112.7	38	39.5	22.7
LG 23.96.227.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.77	6.98	2.7	2.74	1.47

## LG 23.96.228.72:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.228.72:443/CPU Load					
0	17.7	47	17	17.6	8.78
LG 23.96.228.72:443/Memory Used					
2	11.7	36	10	11.1	6.82
LG 23.96.228.72:443/Throughput					
0	37.7	109.6	37	37.3	20.9
LG 23.96.228.72:443/User Load					
0	54.2	89	63	55.1	24.4
LG 23.96.228.72:443/Thread Count					
39	117.1	162	125	117.9	27.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.228.72:443/Http client/Thread Pool used</b>					
0.1	0.107	0.175	0.1	0.105	0.014
<b>LG 23.96.228.72:443/Http client/Task Pool used</b>					
0	0.005	0.233	0	0.001	0.019
<b>LG 23.96.228.72:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.228.72:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.228.72:443/Controller Connection/Ping Duration (ms)</b>					
74	111.7	116	113	113	7.01
<b>LG 23.96.228.72:443/Network/Segments sent/sec.</b>					
7.68	2,050	5,438	2,001	2,028	1,093
<b>LG 23.96.228.72:443/Network/Segments retransmitted/sec.</b>					
0	0.335	21.4	0	0.02	1.87
<b>LG 23.96.228.72:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.012	40.7	117.4	39.9	40.2	22.4
<b>LG 23.96.228.72:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.81	7.23	2.77	2.78	1.45

## LG 23.96.230.165:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.230.165:443/CPU Load</b>					
0	18.4	50	18	18.3	9.2
<b>LG 23.96.230.165:443/Memory Used</b>					
1	11.3	36	9	10.61	7.17
<b>LG 23.96.230.165:443/Throughput</b>					
0	37.5	116.9	37.1	37	20.9
<b>LG 23.96.230.165:443/User Load</b>					
0	53.7	89	63	54.6	24.5
<b>LG 23.96.230.165:443/Thread Count</b>					
39	116.5	163	126	117.1	27.6
<b>LG 23.96.230.165:443/Http client/Thread Pool used</b>					
0.1	0.108	0.17	0.1	0.105	0.015
<b>LG 23.96.230.165:443/Http client/Task Pool used</b>					
0	0.006	0.267	0	0.002	0.023
<b>LG 23.96.230.165:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.230.165:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.230.165:443/Controller Connection/Ping Duration (ms)</b>					
70	90.4	155	75	87.9	24.5
<b>LG 23.96.230.165:443/Network/Segments sent/sec.</b>					
7.19	2,031	5,318	1,988	2,010	1,092
<b>LG 23.96.230.165:443/Network/Segments retransmitted/sec.</b>					
0	0.369	21	0	0.041	1.96
<b>LG 23.96.230.165:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.01	40.4	124.5	39.9	39.9	22.4
<b>LG 23.96.230.165:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.79	7.11	2.71	2.76	1.46

## LG 23.96.230.197:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.197:443/CPU Load					
0	17.6	52	17	17.3	9.18
LG 23.96.230.197:443/Memory Used					
2	12.1	36	11	11.6	7.46
LG 23.96.230.197:443/Throughput					
0	37.5	118	37.2	36.7	21.5
LG 23.96.230.197:443/User Load					
0	53.9	90	63	54.8	24.3
LG 23.96.230.197:443/Thread Count					
39	117.5	162	125	118.2	28.2
LG 23.96.230.197:443/Http client/Thread Pool used					
0.1	0.109	0.18	0.1	0.107	0.017
LG 23.96.230.197:443/Http client/Task Pool used					
0	0.002	0.25	0	0.001	0.014
LG 23.96.230.197:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.230.197:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.230.197:443/Controller Connection/Ping Duration (ms)					
99	114.8	192	110	111.9	16.9
LG 23.96.230.197:443/Network/Segments sent/sec.					
6.42	2,036	5,765	1,973	1,991	1,125
LG 23.96.230.197:443/Network/Segments retransmitted/sec.					
0	0.243	13.4	0	0.009	1.37
LG 23.96.230.197:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.5	126.4	40.2	39.6	23
LG 23.96.230.197:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.79	7.68	2.68	2.74	1.5

## LG 23.96.230.224:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.224:443/CPU Load					
0	18.9	75	18	18.5	10.3
LG 23.96.230.224:443/Memory Used					
2	12	35	10	11.4	6.92
LG 23.96.230.224:443/Throughput					
0	38.3	179.5	37.3	37.2	23.4
LG 23.96.230.224:443/User Load					
0	54.1	90	63	55	24.1
LG 23.96.230.224:443/Thread Count					
39	118.7	164	125	119.5	29.5
LG 23.96.230.224:443/Http client/Thread Pool used					
0.1	0.109	0.155	0.1	0.107	0.014
LG 23.96.230.224:443/Http client/Task Pool used					
0	0.004	0.1	0	0.001	0.013
LG 23.96.230.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.230.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.230.224:443/Controller Connection/Ping Duration (ms)					
75	111.1	149	112	111.1	9.15

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.224:443/Network/Segments sent/sec.					
8.42	2,073	7,593	1,980	2,026	1,183
LG 23.96.230.224:443/Network/Segments retransmitted/sec.					
0	0.261	13.3	0	0.019	1.41
LG 23.96.230.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	41.3	190.3	40.3	40.2	25
LG 23.96.230.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.85	10.76	2.72	2.79	1.58

## LG 23.96.230.243:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.243:443/CPU Load					
0	18	57	17	17.7	9.13
LG 23.96.230.243:443/Memory Used					
2	11.5	35	9	10.92	7.13
LG 23.96.230.243:443/Throughput					
0	37.4	103.1	36.6	36.9	20.6
LG 23.96.230.243:443/User Load					
0	53.5	89	62	54.3	24.3
LG 23.96.230.243:443/Thread Count					
39	118.4	169	124	119	30.3
LG 23.96.230.243:443/Http client/Thread Pool used					
0.1	0.112	0.19	0.1	0.109	0.021
LG 23.96.230.243:443/Http client/Task Pool used					
0	0.003	0.1	0	0.001	0.012
LG 23.96.230.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.230.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.230.243:443/Controller Connection/Ping Duration (ms)					
98	112.4	115	113	112.8	2.86
LG 23.96.230.243:443/Network/Segments sent/sec.					
7.41	2,045	6,805	1,970	2,009	1,127
LG 23.96.230.243:443/Network/Segments retransmitted/sec.					
0	0.235	12.8	0	0.028	1.17
LG 23.96.230.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.4	110.7	39.5	39.9	22.2
LG 23.96.230.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.81	9.75	2.69	2.76	1.51

## LG 23.96.231.141:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.141:443/CPU Load					
0	17.9	54	17	17.7	9.13
LG 23.96.231.141:443/Memory Used					
2	12.5	37	10	11.8	8.48
LG 23.96.231.141:443/Throughput					
0	37.1	122.6	35.7	36.4	20.9
LG 23.96.231.141:443/User Load					
0	53.4	89	62	54.3	24.3
LG 23.96.231.141:443/Thread Count					
39	118.6	166	124	119.2	29.8



Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.231.141:443/Http client/Thread Pool used</b>					
0.1	0.109	0.17	0.1	0.107	0.016
<b>LG 23.96.231.141:443/Http client/Task Pool used</b>					
0	0.005	0.233	0	0.002	0.018
<b>LG 23.96.231.141:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.231.141:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.231.141:443/Controller Connection/Ping Duration (ms)</b>					
99	112.3	161	111	111.2	8.7
<b>LG 23.96.231.141:443/Network/Segments sent/sec.</b>					
8.01	2,032	6,024	1,936	1,991	1,122
<b>LG 23.96.231.141:443/Network/Segments retransmitted/sec.</b>					
0	0.286	13.6	0	0.026	1.45
<b>LG 23.96.231.141:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.029	40.1	131.2	38.6	39.3	22.4
<b>LG 23.96.231.141:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.79	8.1	2.7	2.74	1.49

## LG 23.96.231.144:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.231.144:443/CPU Load</b>					
0	17.7	51	17	17.5	9.08
<b>LG 23.96.231.144:443/Memory Used</b>					
2	12.2	37	10	11.6	7.41
<b>LG 23.96.231.144:443/Throughput</b>					
0	37.4	117.3	37	36.8	21.2
<b>LG 23.96.231.144:443/User Load</b>					
0	53.7	89	63	54.5	24.4
<b>LG 23.96.231.144:443/Thread Count</b>					
39	116.4	165	126	117.2	27.4
<b>LG 23.96.231.144:443/Http client/Thread Pool used</b>					
0.1	0.105	0.16	0.1	0.103	0.012
<b>LG 23.96.231.144:443/Http client/Task Pool used</b>					
0	0.003	0.133	0	0.001	0.013
<b>LG 23.96.231.144:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.231.144:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.231.144:443/Controller Connection/Ping Duration (ms)</b>					
62	86.6	160	74.5	84	23.7
<b>LG 23.96.231.144:443/Network/Segments sent/sec.</b>					
8.1	2,040	5,913	2,006	2,008	1,119
<b>LG 23.96.231.144:443/Network/Segments retransmitted/sec.</b>					
0	0.289	12.6	0	0.023	1.51
<b>LG 23.96.231.144:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.011	40.4	125.4	39.7	39.7	22.7
<b>LG 23.96.231.144:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.014	2.79	8.08	2.73	2.75	1.49

## LG 23.96.231.200:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.200:443/CPU Load					
0	17.6	46	17	17.5	8.83
LG 23.96.231.200:443/Memory Used					
2	12.9	35	11	12.3	7.15
LG 23.96.231.200:443/Throughput					
0	37.6	105.4	37	37.1	21.1
LG 23.96.231.200:443/User Load					
0	54.2	89	63	55.1	24.4
LG 23.96.231.200:443/Thread Count					
39	118.2	165	126	118.9	28.7
LG 23.96.231.200:443/Http client/Thread Pool used					
0.1	0.109	0.195	0.1	0.106	0.021
LG 23.96.231.200:443/Http client/Task Pool used					
0	0.004	0.1	0	0.001	0.014
LG 23.96.231.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.231.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.231.200:443/Controller Connection/Ping Duration (ms)					
58	81.6	113	74	81	16.7
LG 23.96.231.200:443/Network/Segments sent/sec.					
7.56	2,039	5,239	2,020	2,013	1,096
LG 23.96.231.200:443/Network/Segments retransmitted/sec.					
0	0.229	12.6	0	0.015	1.28
LG 23.96.231.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	40.6	113	39.9	40	22.6
LG 23.96.231.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.8	7.1	2.76	2.77	1.46

## LG 23.96.231.208:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.208:443/CPU Load					
0	17.6	49	17	17.4	8.91
LG 23.96.231.208:443/Memory Used					
2	13.8	37	11	13.2	8.55
LG 23.96.231.208:443/Throughput					
0	37	106.7	35.3	36.5	20.8
LG 23.96.231.208:443/User Load					
0	53.5	89	62	54.3	24.4
LG 23.96.231.208:443/Thread Count					
39	116.5	164	124	117.2	28
LG 23.96.231.208:443/Http client/Thread Pool used					
0.1	0.107	0.19	0.1	0.104	0.016
LG 23.96.231.208:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.021
LG 23.96.231.208:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.231.208:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.231.208:443/Controller Connection/Ping Duration (ms)					
56	80.7	148	72	78.9	20

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.208:443/Network/Segments sent/sec.					
6.54	2,008	5,588	1,925	1,981	1,091
LG 23.96.231.208:443/Network/Segments retransmitted/sec.					
0	0.244	11.8	0	0.013	1.29
LG 23.96.231.208:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	39.9	114.5	38.3	39.4	22.2
LG 23.96.231.208:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.76	7.51	2.63	2.72	1.46

## LG 23.96.231.56:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.56:443/CPU Load					
0	19.7	60	18	19.4	10.49
LG 23.96.231.56:443/Memory Used					
2	11.5	36	10	10.79	7.1
LG 23.96.231.56:443/Throughput					
0	37.1	111.3	35.9	36.5	21.2
LG 23.96.231.56:443/User Load					
0	53.6	89	62	54.5	24.3
LG 23.96.231.56:443/Thread Count					
39	117.3	160	124	118.1	28.3
LG 23.96.231.56:443/Http client/Thread Pool used					
0.1	0.109	0.15	0.1	0.107	0.012
LG 23.96.231.56:443/Http client/Task Pool used					
0	0.006	0.283	0	0.002	0.024
LG 23.96.231.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.231.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.231.56:443/Controller Connection/Ping Duration (ms)					
68	92.9	153	87	91.7	21.5
LG 23.96.231.56:443/Network/Segments sent/sec.					
6.56	2,009	5,471	1,886	1,978	1,110
LG 23.96.231.56:443/Network/Segments retransmitted/sec.					
0	0.243	15	0	0.01	1.46
LG 23.96.231.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40	119.3	38.9	39.4	22.7
LG 23.96.231.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.76	7.24	2.58	2.72	1.48

## LG 23.96.234.77:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.234.77:443/CPU Load					
0	18.8	56	18	18.6	9.58
LG 23.96.234.77:443/Memory Used					
2	13.8	37	12	13.2	8.55
LG 23.96.234.77:443/Throughput					
0	37.8	115.2	37	37.3	21.4
LG 23.96.234.77:443/User Load					
0	54.4	90	63	55.2	24.3
LG 23.96.234.77:443/Thread Count					
39	117.2	157	125	118.3	27

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.234.77:443/Http client/Thread Pool used</b>					
0.1	0.104	0.135	0.1	0.103	0.008
<b>LG 23.96.234.77:443/Http client/Task Pool used</b>					
0	0.003	0.183	0	0.001	0.013
<b>LG 23.96.234.77:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.234.77:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.234.77:443/Controller Connection/Ping Duration (ms)</b>					
71	110.7	151	111	110.6	15.6
<b>LG 23.96.234.77:443/Network/Segments sent/sec.</b>					
6.34	2,055	5,777	1,971	2,027	1,130
<b>LG 23.96.234.77:443/Network/Segments retransmitted/sec.</b>					
0	0.23	18.2	0	0.021	1.39
<b>LG 23.96.234.77:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.7	123.4	39.8	40.2	22.9
<b>LG 23.96.234.77:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.82	7.91	2.69	2.78	1.51

## LG 23.96.242.84:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.242.84:443/CPU Load</b>					
0	17.4	47	17	17.3	8.99
<b>LG 23.96.242.84:443/Memory Used</b>					
2	11.7	36	9	10.94	7.58
<b>LG 23.96.242.84:443/Throughput</b>					
0	37.1	103.7	36.7	36.6	21.1
<b>LG 23.96.242.84:443/User Load</b>					
0	53.3	89	62	54.2	24.3
<b>LG 23.96.242.84:443/Thread Count</b>					
39	119.2	181	124	119.2	31.9
<b>LG 23.96.242.84:443/Http client/Thread Pool used</b>					
0.1	0.115	0.25	0.1	0.109	0.034
<b>LG 23.96.242.84:443/Http client/Task Pool used</b>					
0	0.004	0.167	0	0.001	0.014
<b>LG 23.96.242.84:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.242.84:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.242.84:443/Controller Connection/Ping Duration (ms)</b>					
71	106.1	165	112	105	20.6
<b>LG 23.96.242.84:443/Network/Segments sent/sec.</b>					
9.4	2,036	5,446	2,004	2,004	1,126
<b>LG 23.96.242.84:443/Network/Segments retransmitted/sec.</b>					
0	0.266	19.4	0	0.019	1.56
<b>LG 23.96.242.84:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	40.1	111.2	39.4	39.5	22.6
<b>LG 23.96.242.84:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	2.79	7.42	2.69	2.75	1.5

## LG 23.96.245.141:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.245.141:443/CPU Load					
0	17.9	50	17	17.8	9.22
LG 23.96.245.141:443/Memory Used					
2	12.1	35	10	11.5	7.05
LG 23.96.245.141:443/Throughput					
0	37	107.4	37.1	36.5	20.8
LG 23.96.245.141:443/User Load					
0	53.5	89	62	54.4	24.3
LG 23.96.245.141:443/Thread Count					
39	116.9	161	125	117.7	27.8
LG 23.96.245.141:443/Http client/Thread Pool used					
0.1	0.106	0.165	0.1	0.104	0.013
LG 23.96.245.141:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.016
LG 23.96.245.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.245.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.245.141:443/Controller Connection/Ping Duration (ms)					
63	110.3	154	111	111	12.9
LG 23.96.245.141:443/Network/Segments sent/sec.					
6.34	2,013	5,280	1,966	1,993	1,092
LG 23.96.245.141:443/Network/Segments retransmitted/sec.					
0	0.273	22.8	0	0.021	1.65
LG 23.96.245.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	39.9	114.8	40	39.4	22.3
LG 23.96.245.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.76	7.39	2.71	2.74	1.46

## LG 23.96.245.163:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.245.163:443/CPU Load					
0	17.9	47	17	17.5	9.54
LG 23.96.245.163:443/Memory Used					
2	15.3	39	13	14.8	8.42
LG 23.96.245.163:443/Throughput					
0	37	98.8	35.5	36.2	21.4
LG 23.96.245.163:443/User Load					
0	53.3	89	62	54.2	24.5
LG 23.96.245.163:443/Thread Count					
39	116	156	124	117	27.8
LG 23.96.245.163:443/Http client/Thread Pool used					
0.1	0.105	0.16	0.1	0.103	0.01
LG 23.96.245.163:443/Http client/Task Pool used					
0	0.005	0.283	0	0.001	0.024
LG 23.96.245.163:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.245.163:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.245.163:443/Controller Connection/Ping Duration (ms)					
102	114.8	162	113	113.1	9.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.245.163:443/Network/Segments sent/sec.					
11.4	2,005	5,033	1,950	1,963	1,114
LG 23.96.245.163:443/Network/Segments retransmitted/sec.					
0	0.243	20.2	0	0.014	1.51
LG 23.96.245.163:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	39.9	105.9	38.2	39	22.9
LG 23.96.245.163:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	2.76	6.77	2.66	2.71	1.49

## LG 23.96.252.55:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.252.55:443/CPU Load					
0	18.8	65	18	18.4	10.22
LG 23.96.252.55:443/Memory Used					
2	12.3	36	10	11.7	7.46
LG 23.96.252.55:443/Throughput					
0	37.8	158.4	37.6	36.7	22.7
LG 23.96.252.55:443/User Load					
0	53.3	89	62	54.2	24.4
LG 23.96.252.55:443/Thread Count					
39	118	165	125	118.7	29.2
LG 23.96.252.55:443/Http client/Thread Pool used					
0.1	0.108	0.175	0.1	0.106	0.015
LG 23.96.252.55:443/Http client/Task Pool used					
0	0.005	0.183	0	0.001	0.018
LG 23.96.252.55:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.252.55:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.252.55:443/Controller Connection/Ping Duration (ms)					
72	111.1	151	111	111.3	9.89
LG 23.96.252.55:443/Network/Segments sent/sec.					
9.72	2,051	6,688	1,965	2,005	1,158
LG 23.96.252.55:443/Network/Segments retransmitted/sec.					
0	0.302	21	0	0.022	1.82
LG 23.96.252.55:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	40.8	167.7	40.7	39.7	24.3
LG 23.96.252.55:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.81	9.14	2.68	2.75	1.54

## LG 65.52.11.209:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.11.209:443/CPU Load					
0	17.8	51	17	17.7	8.86
LG 65.52.11.209:443/Memory Used					
2	11.8	36	9	11.1	6.86
LG 65.52.11.209:443/Throughput					
0	37.8	117.9	37.1	37.4	21
LG 65.52.11.209:443/User Load					
0	54.2	89	63	55.1	24.4
LG 65.52.11.209:443/Thread Count					
39	117.6	166	127	118.5	27.7

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.11.209:443/Http client/Thread Pool used</b>					
0.1	0.108	0.165	0.1	0.106	0.013
<b>LG 65.52.11.209:443/Http client/Task Pool used</b>					
0	0.003	0.233	0	0.001	0.016
<b>LG 65.52.11.209:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.11.209:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.11.209:443/Controller Connection/Ping Duration (ms)</b>					
67	113	162	114	113.3	12.3
<b>LG 65.52.11.209:443/Network/Segments sent/sec.</b>					
6.54	2,057	5,975	1,999	2,035	1,107
<b>LG 65.52.11.209:443/Network/Segments retransmitted/sec.</b>					
0	0.275	20.4	0	0.01	1.76
<b>LG 65.52.11.209:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.8	126.2	40	40.4	22.5
<b>LG 65.52.11.209:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.014	2.82	8.02	2.71	2.79	1.47

## LG 65.52.11.231:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.11.231:443/CPU Load</b>					
0	18.4	53	17	18.3	9.51
<b>LG 65.52.11.231:443/Memory Used</b>					
2	12.5	36	10	12	7.47
<b>LG 65.52.11.231:443/Throughput</b>					
0	37.8	116	37.6	37.4	21.4
<b>LG 65.52.11.231:443/User Load</b>					
0	54.3	89	63	55.2	24.3
<b>LG 65.52.11.231:443/Thread Count</b>					
39	118.1	161	126	118.9	28.4
<b>LG 65.52.11.231:443/Http client/Thread Pool used</b>					
0.1	0.107	0.18	0.1	0.104	0.016
<b>LG 65.52.11.231:443/Http client/Task Pool used</b>					
0	0.005	0.15	0	0.002	0.018
<b>LG 65.52.11.231:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.11.231:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.11.231:443/Controller Connection/Ping Duration (ms)</b>					
58	110.2	146	111	111.3	12.1
<b>LG 65.52.11.231:443/Network/Segments sent/sec.</b>					
6.8	2,055	5,649	1,991	2,034	1,117
<b>LG 65.52.11.231:443/Network/Segments retransmitted/sec.</b>					
0	0.301	18.6	0	0.023	1.65
<b>LG 65.52.11.231:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.014	40.8	124.2	40.7	40.3	22.9
<b>LG 65.52.11.231:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.81	7.61	2.7	2.79	1.49

## LG 65.52.13.146:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.13.146:443/CPU Load					
0	18.3	61	17	18	9.72
LG 65.52.13.146:443/Memory Used					
2	12.6	37	11	11.9	7.89
LG 65.52.13.146:443/Throughput					
0	37.2	129.3	37.1	36.3	21.4
LG 65.52.13.146:443/User Load					
0	53.6	89	62	54.5	24.2
LG 65.52.13.146:443/Thread Count					
39	117.3	161	125	118.1	28
LG 65.52.13.146:443/Http client/Thread Pool used					
0.1	0.107	0.175	0.1	0.104	0.014
LG 65.52.13.146:443/Http client/Task Pool used					
0	0.006	0.25	0	0.001	0.025
LG 65.52.13.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.13.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.13.146:443/Controller Connection/Ping Duration (ms)					
62	95.6	151	72	94.3	31.6
LG 65.52.13.146:443/Network/Segments sent/sec.					
7.15	2,023	6,527	1,954	1,974	1,131
LG 65.52.13.146:443/Network/Segments retransmitted/sec.					
0	0.252	18.4	0	0.019	1.48
LG 65.52.13.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.01	40.1	138.6	39.9	39.2	23
LG 65.52.13.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.77	8.8	2.66	2.71	1.51

## LG 65.52.15.161:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.15.161:443/CPU Load					
0	17.8	55	17	17.7	9.35
LG 65.52.15.161:443/Memory Used					
2	11.6	36	10	10.97	6.98
LG 65.52.15.161:443/Throughput					
0	37.2	113.3	36.6	36.7	21.6
LG 65.52.15.161:443/User Load					
0	53.5	89	62	54.4	24.3
LG 65.52.15.161:443/Thread Count					
39	119.2	194	125	119.8	28.6
LG 65.52.15.161:443/Http client/Thread Pool used					
0.1	0.117	0.29	0.1	0.111	0.033
LG 65.52.15.161:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.014
LG 65.52.15.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.15.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.15.161:443/Controller Connection/Ping Duration (ms)					
56	79	114	73	78.2	16.6



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.15.161:443/Network/Segments sent/sec.					
6.54	2,024	5,510	1,964	1,998	1,119
LG 65.52.15.161:443/Network/Segments retransmitted/sec.					
0	0.315	19.8	0	0.029	1.73
LG 65.52.15.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.1	121.2	39.5	39.6	23.1
LG 65.52.15.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.77	7.6	2.69	2.74	1.49

## LG 65.52.19.45:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.19.45:443/CPU Load					
0	18.4	46	17	18.4	9.39
LG 65.52.19.45:443/Memory Used					
2	12.4	37	10	11.7	7.7
LG 65.52.19.45:443/Throughput					
0	37.5	104.7	37.1	37.1	21
LG 65.52.19.45:443/User Load					
0	53.4	89	62	54.3	24.3
LG 65.52.19.45:443/Thread Count					
39	116.8	160	123	117.7	28.7
LG 65.52.19.45:443/Http client/Thread Pool used					
0.1	0.109	0.18	0.1	0.106	0.017
LG 65.52.19.45:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.016
LG 65.52.19.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.19.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.19.45:443/Controller Connection/Ping Duration (ms)					
65	107.4	114	111	109.2	12.6
LG 65.52.19.45:443/Network/Segments sent/sec.					
6.47	2,039	5,134	1,940	2,021	1,111
LG 65.52.19.45:443/Network/Segments retransmitted/sec.					
0	0.29	18.4	0	0.024	1.57
LG 65.52.19.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.4	112.1	40.1	40.1	22.5
LG 65.52.19.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.8	6.8	2.64	2.78	1.49

## LG 65.52.20.128:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.20.128:443/CPU Load					
0	17.5	46	17	17.3	8.7
LG 65.52.20.128:443/Memory Used					
3	11.4	36	9	10.69	7.47
LG 65.52.20.128:443/Throughput					
0	37.3	108.5	36.7	36.5	21
LG 65.52.20.128:443/User Load					
0	53.8	89	63	54.7	24.4
LG 65.52.20.128:443/Thread Count					
39	116.1	156	125	117.2	27

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.20.128:443/Http client/Thread Pool used</b>					
0.1	0.104	0.15	0.1	0.103	0.009
<b>LG 65.52.20.128:443/Http client/Task Pool used</b>					
0	0.005	0.4	0	0.001	0.025
<b>LG 65.52.20.128:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.20.128:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.20.128:443/Controller Connection/Ping Duration (ms)</b>					
70	102.7	149	111	101.9	19.9
<b>LG 65.52.20.128:443/Network/Segments sent/sec.</b>					
6.54	2,017	5,395	1,922	1,978	1,101
<b>LG 65.52.20.128:443/Network/Segments retransmitted/sec.</b>					
0	0.275	21	0	0.015	1.64
<b>LG 65.52.20.128:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.2	115.9	39.6	39.4	22.5
<b>LG 65.52.20.128:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.78	7.32	2.61	2.73	1.47

## LG 65.52.21.68:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.21.68:443/CPU Load</b>					
0	17.5	52	17	17.3	8.86
<b>LG 65.52.21.68:443/Memory Used</b>					
2	16.3	38	15	16	8.77
<b>LG 65.52.21.68:443/Throughput</b>					
0	37.1	118.2	36.2	36.6	20.9
<b>LG 65.52.21.68:443/User Load</b>					
0	53.4	89	62	54.3	24.4
<b>LG 65.52.21.68:443/Thread Count</b>					
39	116.1	156	124	117.1	27.6
<b>LG 65.52.21.68:443/Http client/Thread Pool used</b>					
0.1	0.106	0.165	0.1	0.104	0.013
<b>LG 65.52.21.68:443/Http client/Task Pool used</b>					
0	0.004	0.183	0	0.001	0.016
<b>LG 65.52.21.68:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.21.68:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.21.68:443/Controller Connection/Ping Duration (ms)</b>					
91	114.7	162	114	114	9.87
<b>LG 65.52.21.68:443/Network/Segments sent/sec.</b>					
6.83	2,015	5,725	1,939	1,989	1,088
<b>LG 65.52.21.68:443/Network/Segments retransmitted/sec.</b>					
0	0.285	13.2	0	0.019	1.52
<b>LG 65.52.21.68:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.027	40.1	126.6	39	39.5	22.4
<b>LG 65.52.21.68:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.77	7.72	2.69	2.73	1.45

## LG 65.52.233.189:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.233.189:443/CPU Load					
0	17.6	45	17	17.4	8.9
LG 65.52.233.189:443/Memory Used					
2	14.2	37	12.5	13.8	7.33
LG 65.52.233.189:443/Throughput					
0	37.3	103.9	37.9	36.7	21
LG 65.52.233.189:443/User Load					
0	53.5	89	62	54.4	24.3
LG 65.52.233.189:443/Thread Count					
39	117.5	168	124	118	29.2
LG 65.52.233.189:443/Http client/Thread Pool used					
0.1	0.111	0.215	0.1	0.107	0.023
LG 65.52.233.189:443/Http client/Task Pool used					
0	0.004	0.183	0	0.001	0.017
LG 65.52.233.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.233.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.233.189:443/Controller Connection/Ping Duration (ms)					
99	116.8	154	114	115.5	10.9
LG 65.52.233.189:443/Network/Segments sent/sec.					
7.15	2,023	5,290	1,993	1,991	1,103
LG 65.52.233.189:443/Network/Segments retransmitted/sec.					
0	0.33	18.8	0	0.023	1.76
LG 65.52.233.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.2	111	41.1	39.6	22.5
LG 65.52.233.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.78	7.07	2.76	2.74	1.47

## LG 65.52.233.2:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.233.2:443/CPU Load					
0	18.2	52	18	18.1	9.42
LG 65.52.233.2:443/Memory Used					
2	12.4	36	10	11.9	6.99
LG 65.52.233.2:443/Throughput					
0	37.2	104.7	37	36.7	21
LG 65.52.233.2:443/User Load					
0	53.5	89	62	54.4	24.4
LG 65.52.233.2:443/Thread Count					
39	116.7	162	125	117.6	27.9
LG 65.52.233.2:443/Http client/Thread Pool used					
0.1	0.107	0.16	0.1	0.105	0.012
LG 65.52.233.2:443/Http client/Task Pool used					
0	0.004	0.2	0	0.001	0.016
LG 65.52.233.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.233.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.233.2:443/Controller Connection/Ping Duration (ms)					
73	138.6	181	151.5	139.9	23.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.233.2:443/Network/Segments sent/sec.					
7.73	2,013	5,145	1,995	1,989	1,091
LG 65.52.233.2:443/Network/Segments retransmitted/sec.					
0	0.256	18.2	0	0.019	1.51
LG 65.52.233.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.01	40.2	112.2	39.6	39.6	22.5
LG 65.52.233.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.77	7.07	2.71	2.74	1.46

## LG 65.52.234.104:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.234.104:443/CPU Load					
0	17.8	50	17	17.4	9.44
LG 65.52.234.104:443/Memory Used					
1	17.2	38	16	16.9	8.58
LG 65.52.234.104:443/Throughput					
0	37.5	114.9	36.4	36.8	21.4
LG 65.52.234.104:443/User Load					
0	53.8	89	63	54.7	24.3
LG 65.52.234.104:443/Thread Count					
39	118.6	161	126	119.5	28.4
LG 65.52.234.104:443/Http client/Thread Pool used					
0.1	0.112	0.16	0.105	0.111	0.015
LG 65.52.234.104:443/Http client/Task Pool used					
0	0.004	0.233	0	0.001	0.019
LG 65.52.234.104:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.234.104:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.234.104:443/Controller Connection/Ping Duration (ms)					
74	112.6	155	113	112.6	9.98
LG 65.52.234.104:443/Network/Segments sent/sec.					
9.8	2,053	5,741	1,962	2,007	1,161
LG 65.52.234.104:443/Network/Segments retransmitted/sec.					
0	0.227	19.4	0	0.016	1.4
LG 65.52.234.104:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	40.5	123.2	39.4	39.7	22.9
LG 65.52.234.104:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	2.81	7.56	2.62	2.75	1.55

## LG 65.52.235.168:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.235.168:443/CPU Load					
0	18.3	57	18	18.1	9.48
LG 65.52.235.168:443/Memory Used					
2	11.4	36	9	10.75	7.53
LG 65.52.235.168:443/Throughput					
0	37.2	122.4	36	36.6	21.2
LG 65.52.235.168:443/User Load					
0	53	89	62	53.9	24.4
LG 65.52.235.168:443/Thread Count					
39	115.3	162	124	116.1	27

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.235.168:443/Http client/Thread Pool used</b>					
0.1	0.104	0.14	0.1	0.103	0.009
<b>LG 65.52.235.168:443/Http client/Task Pool used</b>					
0	0.004	0.167	0	0.001	0.015
<b>LG 65.52.235.168:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.235.168:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.235.168:443/Controller Connection/Ping Duration (ms)</b>					
60	108.2	116	112	110.2	12.6
<b>LG 65.52.235.168:443/Network/Segments sent/sec.</b>					
7.15	2,017	5,987	1,956	1,988	1,106
<b>LG 65.52.235.168:443/Network/Segments retransmitted/sec.</b>					
0	0.257	15	0	0.018	1.5
<b>LG 65.52.235.168:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	40.1	130.9	39.1	39.5	22.7
<b>LG 65.52.235.168:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.77	8.06	2.69	2.74	1.47

## LG 65.52.236.11:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.236.11:443/CPU Load</b>					
0	17.4	47	16	17.2	8.98
<b>LG 65.52.236.11:443/Memory Used</b>					
1	12.3	36	10	11.8	7.68
<b>LG 65.52.236.11:443/Throughput</b>					
0	37.3	109.5	36.2	36.7	21.4
<b>LG 65.52.236.11:443/User Load</b>					
0	53.8	89	63	54.7	24.4
<b>LG 65.52.236.11:443/Thread Count</b>					
39	118.5	168	126	119.1	29.6
<b>LG 65.52.236.11:443/Http client/Thread Pool used</b>					
0.1	0.112	0.205	0.1	0.108	0.023
<b>LG 65.52.236.11:443/Http client/Task Pool used</b>					
0	0.005	0.117	0	0.002	0.016
<b>LG 65.52.236.11:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.236.11:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.236.11:443/Controller Connection/Ping Duration (ms)</b>					
59	89	151	73	87.1	25.7
<b>LG 65.52.236.11:443/Network/Segments sent/sec.</b>					
8.6	2,025	5,236	1,917	1,990	1,125
<b>LG 65.52.236.11:443/Network/Segments retransmitted/sec.</b>					
0	0.295	15.6	0	0.007	1.72
<b>LG 65.52.236.11:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.029	40.2	116.9	38.9	39.6	22.9
<b>LG 65.52.236.11:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.017	2.78	7.14	2.61	2.73	1.5

## LG 65.52.24.37:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.24.37:443/CPU Load					
0	18.1	51	17	17.9	9.35
LG 65.52.24.37:443/Memory Used					
2	13.2	37	11	12.6	8.19
LG 65.52.24.37:443/Throughput					
0	37.1	112.3	36.1	36.4	21.2
LG 65.52.24.37:443/User Load					
0	53.5	89	62	54.4	24.4
LG 65.52.24.37:443/Thread Count					
39	116.4	154	124	117.5	27.5
LG 65.52.24.37:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.104	0.012
LG 65.52.24.37:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.018
LG 65.52.24.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.24.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.24.37:443/Controller Connection/Ping Duration (ms)					
70	112.3	153	113	112.5	10.57
LG 65.52.24.37:443/Network/Segments sent/sec.					
11.4	1,999	5,377	1,909	1,967	1,101
LG 65.52.24.37:443/Network/Segments retransmitted/sec.					
0	0.219	16.6	0	0.011	1.28
LG 65.52.24.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	40	120.4	38.9	39.3	22.7
LG 65.52.24.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	2.75	7.16	2.66	2.71	1.47

## LG 65.52.26.167:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.26.167:443/CPU Load					
0	17.6	50	17	17.3	9.33
LG 65.52.26.167:443/Memory Used					
2	11.6	36	9	10.93	7.56
LG 65.52.26.167:443/Throughput					
0	37.1	115	36.2	36.3	21.4
LG 65.52.26.167:443/User Load					
0	53.4	89	62	54.2	24.3
LG 65.52.26.167:443/Thread Count					
39	117.7	159	124	118.7	29.1
LG 65.52.26.167:443/Http client/Thread Pool used					
0.1	0.112	0.21	0.1	0.109	0.022
LG 65.52.26.167:443/Http client/Task Pool used					
0	0.006	0.267	0	0.002	0.021
LG 65.52.26.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.26.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.26.167:443/Controller Connection/Ping Duration (ms)					
80	114.6	166	113	113.4	12.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.26.167:443/Network/Segments sent/sec.					
6.8	2,001	5,752	1,903	1,959	1,128
LG 65.52.26.167:443/Network/Segments retransmitted/sec.					
0	0.31	18.6	0	0.017	1.76
LG 65.52.26.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0.025	40	123.1	39.2	39.2	23
LG 65.52.26.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.75	7.69	2.64	2.7	1.51

## LG 65.52.26.66:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.26.66:443/CPU Load					
0	17.6	45	17	17.5	8.96
LG 65.52.26.66:443/Memory Used					
3	12.2	36	10	11.6	6.68
LG 65.52.26.66:443/Throughput					
0	37.4	103.6	36.3	36.9	21
LG 65.52.26.66:443/User Load					
0	53.7	89	63	54.6	24.4
LG 65.52.26.66:443/Thread Count					
39	116.5	155	126	117.6	27.6
LG 65.52.26.66:443/Http client/Thread Pool used					
0.1	0.108	0.17	0.1	0.106	0.015
LG 65.52.26.66:443/Http client/Task Pool used					
0	0.004	0.217	0	0.001	0.018
LG 65.52.26.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.26.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.26.66:443/Controller Connection/Ping Duration (ms)					
95	111.8	152	111	111.2	8.11
LG 65.52.26.66:443/Network/Segments sent/sec.					
7.17	2,026	5,253	1,966	1,999	1,098
LG 65.52.26.66:443/Network/Segments retransmitted/sec.					
0	0.259	18.8	0	0.02	1.58
LG 65.52.26.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	40.4	111.1	39.2	39.8	22.5
LG 65.52.26.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.78	7.2	2.71	2.75	1.47

## LG 65.52.30.102:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.30.102:443/CPU Load					
0	17.5	50	17	17.2	8.91
LG 65.52.30.102:443/Memory Used					
2	12.4	37	10	11.8	7.36
LG 65.52.30.102:443/Throughput					
0	37	118.8	36.6	36.2	20.9
LG 65.52.30.102:443/User Load					
0	53.6	89	62	54.4	24.2
LG 65.52.30.102:443/Thread Count					
39	116.1	158	124	117.1	27.3

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.30.102:443/Http client/Thread Pool used</b>					
0.1	0.105	0.155	0.1	0.103	0.011
<b>LG 65.52.30.102:443/Http client/Task Pool used</b>					
0	0.005	0.1	0	0.002	0.014
<b>LG 65.52.30.102:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.30.102:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.30.102:443/Controller Connection/Ping Duration (ms)</b>					
76	135.2	155	149	136.7	21.9
<b>LG 65.52.30.102:443/Network/Segments sent/sec.</b>					
7.14	2,001	5,765	1,948	1,963	1,089
<b>LG 65.52.30.102:443/Network/Segments retransmitted/sec.</b>					
0	0.294	17	0	0.024	1.54
<b>LG 65.52.30.102:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	39.9	127	39.7	39.1	22.3
<b>LG 65.52.30.102:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.75	7.54	2.65	2.7	1.46

## LG 65.52.30.122:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.30.122:443/CPU Load</b>					
0	17.5	45	17	17.4	8.67
<b>LG 65.52.30.122:443/Memory Used</b>					
2	11.5	35	9	10.93	7.08
<b>LG 65.52.30.122:443/Throughput</b>					
0	37.4	99.8	37	37	20.6
<b>LG 65.52.30.122:443/User Load</b>					
0	53.7	89	63	54.6	24.4
<b>LG 65.52.30.122:443/Thread Count</b>					
39	115.8	160	126	116.6	26.9
<b>LG 65.52.30.122:443/Http client/Thread Pool used</b>					
0.1	0.104	0.16	0.1	0.102	0.009
<b>LG 65.52.30.122:443/Http client/Task Pool used</b>					
0	0.004	0.15	0	0.001	0.016
<b>LG 65.52.30.122:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.30.122:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.30.122:443/Controller Connection/Ping Duration (ms)</b>					
61	111.8	151	111	112	15
<b>LG 65.52.30.122:443/Network/Segments sent/sec.</b>					
7.16	2,024	5,042	1,965	1,999	1,084
<b>LG 65.52.30.122:443/Network/Segments retransmitted/sec.</b>					
0	0.283	17.2	0	0.02	1.56
<b>LG 65.52.30.122:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.01	40.4	107.2	39.9	39.9	22.1
<b>LG 65.52.30.122:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.78	7.07	2.71	2.75	1.45



## LG 65.52.30.182:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.30.182:443/CPU Load					
0	17.3	45	17	17.1	8.75
LG 65.52.30.182:443/Memory Used					
3	18	37	17	17.8	9.26
LG 65.52.30.182:443/Throughput					
0	37.2	105.1	35.9	36.7	20.9
LG 65.52.30.182:443/User Load					
0	53.9	89	63	54.8	24.3
LG 65.52.30.182:443/Thread Count					
39	117.9	164	125	118.6	28.7
LG 65.52.30.182:443/Http client/Thread Pool used					
0.1	0.108	0.185	0.1	0.106	0.017
LG 65.52.30.182:443/Http client/Task Pool used					
0	0.005	0.283	0	0.001	0.022
LG 65.52.30.182:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.30.182:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.30.182:443/Controller Connection/Ping Duration (ms)					
69	99.6	149	112	99.2	21.4
LG 65.52.30.182:443/Network/Segments sent/sec.					
8.29	2,012	5,171	1,992	1,988	1,092
LG 65.52.30.182:443/Network/Segments retransmitted/sec.					
0	0.265	18	0	0.013	1.65
LG 65.52.30.182:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	40.2	112.6	38.6	39.6	22.4
LG 65.52.30.182:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.77	7.02	2.73	2.74	1.46

## LG 65.52.31.79:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.31.79:443/CPU Load					
0	18.2	56	17	18	9.67
LG 65.52.31.79:443/Memory Used					
2	12.5	36	11	11.9	6.99
LG 65.52.31.79:443/Throughput					
0	37.2	121.7	36.4	36.5	21.6
LG 65.52.31.79:443/User Load					
0	53.4	89	62	54.2	24.3
LG 65.52.31.79:443/Thread Count					
39	115.5	157	123	116.4	27.5
LG 65.52.31.79:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.102	0.009
LG 65.52.31.79:443/Http client/Task Pool used					
0	0.005	0.35	0	0.001	0.023
LG 65.52.31.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.31.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.31.79:443/Controller Connection/Ping Duration (ms)					
59	110.2	117	115	112.2	12.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.31.79:443/Network/Segments sent/sec.					
8.79	2,006	6,062	1,934	1,970	1,121
LG 65.52.31.79:443/Network/Segments retransmitted/sec.					
0	0.265	15.3	0	0.013	1.46
LG 65.52.31.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	40.1	130.7	39.3	39.4	23.1
LG 65.52.31.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.76	8.13	2.63	2.72	1.5

## LG 65.52.5.215:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.5.215:443/CPU Load					
0	18.9	55	18	18.7	10.04
LG 65.52.5.215:443/Memory Used					
2	15.4	37	14	15	7.9
LG 65.52.5.215:443/Throughput					
0	37.3	111.8	38	36.7	21.6
LG 65.52.5.215:443/User Load					
0	53.6	89	62	54.5	24.3
LG 65.52.5.215:443/Thread Count					
39	116.5	157	124	117.5	27.2
LG 65.52.5.215:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.105	0.011
LG 65.52.5.215:443/Http client/Task Pool used					
0	0.005	0.233	0	0.001	0.022
LG 65.52.5.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.5.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.5.215:443/Controller Connection/Ping Duration (ms)					
69	113.2	169	111	112.2	14.7
LG 65.52.5.215:443/Network/Segments sent/sec.					
6.33	2,021	5,489	2,039	1,999	1,122
LG 65.52.5.215:443/Network/Segments retransmitted/sec.					
0	0.23	16.2	0	0.008	1.33
LG 65.52.5.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.2	119.9	41	39.7	23.2
LG 65.52.5.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.77	7.54	2.71	2.75	1.5

## LG 65.52.5.236:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.5.236:443/CPU Load					
0	17.4	54	16	17.2	8.86
LG 65.52.5.236:443/Memory Used					
2	11.9	35	10	11.3	7.7
LG 65.52.5.236:443/Throughput					
0	37.3	117.5	35.4	36.7	21.1
LG 65.52.5.236:443/User Load					
0	53.4	89	62	54.3	24.3
LG 65.52.5.236:443/Thread Count					
39	116.2	157	125	117.2	27.3

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.5.236:443/Http client/Thread Pool used</b>					
0.1	0.104	0.14	0.1	0.103	0.007
<b>LG 65.52.5.236:443/Http client/Task Pool used</b>					
0	0.004	0.15	0	0.001	0.017
<b>LG 65.52.5.236:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.5.236:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.5.236:443/Controller Connection/Ping Duration (ms)</b>					
68	129.6	154	150	131.4	28.3
<b>LG 65.52.5.236:443/Network/Segments sent/sec.</b>					
8.08	2,020	5,942	1,923	1,992	1,095
<b>LG 65.52.5.236:443/Network/Segments retransmitted/sec.</b>					
0	0.345	19	0	0.032	1.9
<b>LG 65.52.5.236:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.01	40.2	125.7	38.3	39.6	22.6
<b>LG 65.52.5.236:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.77	8.26	2.65	2.74	1.46

## LG 65.52.5.247:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 65.52.5.247:443/CPU Load</b>					
0	18	47	17	17.9	9.06
<b>LG 65.52.5.247:443/Memory Used</b>					
2	12.9	36	11	12.4	6.82
<b>LG 65.52.5.247:443/Throughput</b>					
0	37.7	105.7	36.9	37.1	21.1
<b>LG 65.52.5.247:443/User Load</b>					
0	54	89	63	54.9	24.3
<b>LG 65.52.5.247:443/Thread Count</b>					
39	117.2	156	125	118.2	27.5
<b>LG 65.52.5.247:443/Http client/Thread Pool used</b>					
0.1	0.108	0.155	0.1	0.106	0.013
<b>LG 65.52.5.247:443/Http client/Task Pool used</b>					
0	0.007	0.15	0	0.002	0.023
<b>LG 65.52.5.247:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.5.247:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 65.52.5.247:443/Controller Connection/Ping Duration (ms)</b>					
72	109.3	113	111	110.6	6.84
<b>LG 65.52.5.247:443/Network/Segments sent/sec.</b>					
10.4	2,051	5,346	1,972	2,023	1,107
<b>LG 65.52.5.247:443/Network/Segments retransmitted/sec.</b>					
0	0.264	18.6	0	0.012	1.64
<b>LG 65.52.5.247:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.022	40.7	112.9	39.9	40.1	22.6
<b>LG 65.52.5.247:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	2.81	7.02	2.7	2.77	1.47

## LG 104.41.130.196:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.130.196:443/CPU Load					
0	17.3	52	16	17	9.05
LG 104.41.130.196:443/Memory Used					
2	11.5	36	10	10.87	6.97
LG 104.41.130.196:443/Throughput					
0	37.8	118	37.1	37	21.3
LG 104.41.130.196:443/User Load					
0	54	90	63	54.9	24.2
LG 104.41.130.196:443/Thread Count					
38	116.6	159	123	117.4	28.3
LG 104.41.130.196:443/Http client/Thread Pool used					
0.1	0.109	0.165	0.1	0.107	0.015
LG 104.41.130.196:443/Http client/Task Pool used					
0	0.004	0.267	0	0.001	0.019
LG 104.41.130.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.130.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.130.196:443/Controller Connection/Ping Duration (ms)					
95	149.3	193	153	150.5	16.8
LG 104.41.130.196:443/Network/Segments sent/sec.					
8.6	1,994	5,316	1,940	1,953	1,080
LG 104.41.130.196:443/Network/Segments retransmitted/sec.					
0	0.271	16.2	0	0.02	1.55
LG 104.41.130.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.8	126.4	40.2	39.9	22.8
LG 104.41.130.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	2.8	7.31	2.74	2.75	1.47

## LG 104.41.131.19:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.131.19:443/CPU Load					
0	17.8	55	17	17.4	9.48
LG 104.41.131.19:443/Memory Used					
2	13.2	35	11	12.8	7.18
LG 104.41.131.19:443/Throughput					
0	37.5	122.5	36.5	36.7	21.7
LG 104.41.131.19:443/User Load					
0	53.5	89	62	54.4	24.3
LG 104.41.131.19:443/Thread Count					
38	115.3	164	122	116	27.1
LG 104.41.131.19:443/Http client/Thread Pool used					
0.1	0.107	0.17	0.1	0.105	0.013
LG 104.41.131.19:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.018
LG 104.41.131.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.131.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.131.19:443/Controller Connection/Ping Duration (ms)					
139	156.3	195	153.5	154.9	11.9

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.41.131.19:443/Network/Segments sent/sec.</b>					
8.6	1,964	5,804	1,862	1,920	1,103
<b>LG 104.41.131.19:443/Network/Segments retransmitted/sec.</b>					
0	0.189	16	0	0.017	1.16
<b>LG 104.41.131.19:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.019	40.4	130.9	39.2	39.6	23.2
<b>LG 104.41.131.19:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.014	2.76	8.21	2.59	2.7	1.51

## LG 104.41.135.103:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.41.135.103:443/CPU Load</b>					
0	17.8	47	17	17.6	9.16
<b>LG 104.41.135.103:443/Memory Used</b>					
2	11.9	35	10	11.3	6.64
<b>LG 104.41.135.103:443/Throughput</b>					
0	37.5	99.9	36.7	36.9	21.1
<b>LG 104.41.135.103:443/User Load</b>					
0	53.7	89	63	54.5	24.4
<b>LG 104.41.135.103:443/Thread Count</b>					
38	117	160	124	117.7	28.6
<b>LG 104.41.135.103:443/Http client/Thread Pool used</b>					
0.1	0.114	0.185	0.105	0.112	0.02
<b>LG 104.41.135.103:443/Http client/Task Pool used</b>					
0	0.005	0.183	0	0.002	0.017
<b>LG 104.41.135.103:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.41.135.103:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.41.135.103:443/Controller Connection/Ping Duration (ms)</b>					
107	152.8	190	152	152.8	11.2
<b>LG 104.41.135.103:443/Network/Segments sent/sec.</b>					
6.66	1,968	4,947	1,915	1,939	1,076
<b>LG 104.41.135.103:443/Network/Segments retransmitted/sec.</b>					
0	0.223	15.6	0	0.015	1.33
<b>LG 104.41.135.103:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.4	106.8	39.5	39.8	22.6
<b>LG 104.41.135.103:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.76	6.78	2.68	2.72	1.47

## LG 104.41.135.113:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.41.135.113:443/CPU Load</b>					
0	17.4	48	17	17	9.13
<b>LG 104.41.135.113:443/Memory Used</b>					
2	11.3	35	9	10.61	7.27
<b>LG 104.41.135.113:443/Throughput</b>					
0	37.3	112.9	36.1	36.4	21.6
<b>LG 104.41.135.113:443/User Load</b>					
0	53.5	89	62	54.3	24.3
<b>LG 104.41.135.113:443/Thread Count</b>					
38	114.9	155	123	115.9	26.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.41.135.113:443/Http client/Thread Pool used</b>					
0.1	0.107	0.145	0.1	0.106	0.01
<b>LG 104.41.135.113:443/Http client/Task Pool used</b>					
0	0.004	0.1	0	0.001	0.015
<b>LG 104.41.135.113:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.41.135.113:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.41.135.113:443/Controller Connection/Ping Duration (ms)</b>					
79	151	156	153	153.4	13
<b>LG 104.41.135.113:443/Network/Segments sent/sec.</b>					
8	1,955	5,376	1,909	1,910	1,082
<b>LG 104.41.135.113:443/Network/Segments retransmitted/sec.</b>					
0	0.2	13.8	0	0.017	1.18
<b>LG 104.41.135.113:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.023	40.2	120.9	39	39.3	23.1
<b>LG 104.41.135.113:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.014	2.75	7.27	2.66	2.69	1.47

## LG 104.41.140.7:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.41.140.7:443/CPU Load</b>					
0	18.9	60	18	18.7	9.14
<b>LG 104.41.140.7:443/Memory Used</b>					
2	13.2	38	11	12.7	8.49
<b>LG 104.41.140.7:443/Throughput</b>					
0	38.1	123.3	36.8	37.5	21.5
<b>LG 104.41.140.7:443/User Load</b>					
0	54.3	90	63	55.2	24.3
<b>LG 104.41.140.7:443/Thread Count</b>					
38	116.7	167	123	117	27.8
<b>LG 104.41.140.7:443/Http client/Thread Pool used</b>					
0.1	0.113	0.225	0.1	0.109	0.024
<b>LG 104.41.140.7:443/Http client/Task Pool used</b>					
0	0.005	0.25	0	0.001	0.019
<b>LG 104.41.140.7:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.41.140.7:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.41.140.7:443/Controller Connection/Ping Duration (ms)</b>					
84	113.6	193	113	110.7	23.1
<b>LG 104.41.140.7:443/Network/Segments sent/sec.</b>					
7.6	2,004	6,007	1,940	1,972	1,083
<b>LG 104.41.140.7:443/Network/Segments retransmitted/sec.</b>					
0	0.199	17.6	0	0.023	1.22
<b>LG 104.41.140.7:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.021	41.1	132.1	39.6	40.4	23
<b>LG 104.41.140.7:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.81	8.2	2.69	2.77	1.48

## LG 104.41.143.83:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.143.83:443/CPU Load					
0	18	55	18	17.8	9.19
LG 104.41.143.83:443/Memory Used					
2	11.9	37	9	11.3	6.95
LG 104.41.143.83:443/Throughput					
0	37.5	116.2	37	36.8	21.2
LG 104.41.143.83:443/User Load					
0	53.8	89	63	54.6	24.4
LG 104.41.143.83:443/Thread Count					
38	115.3	162	124	116.3	26.7
LG 104.41.143.83:443/Http client/Thread Pool used					
0.1	0.108	0.15	0.1	0.106	0.011
LG 104.41.143.83:443/Http client/Task Pool used					
0	0.005	0.217	0	0.001	0.021
LG 104.41.143.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.143.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.143.83:443/Controller Connection/Ping Duration (ms)					
83	114.5	193	112	112	23.7
LG 104.41.143.83:443/Network/Segments sent/sec.					
8.71	1,967	5,427	1,930	1,936	1,070
LG 104.41.143.83:443/Network/Segments retransmitted/sec.					
0	0.196	25	0	0.009	1.5
LG 104.41.143.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0.026	40.5	124.2	39.9	39.8	22.7
LG 104.41.143.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.76	7.57	2.69	2.72	1.46

## LG 13.68.216.145:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.216.145:443/CPU Load					
0	17.6	48	17	17.5	9.18
LG 13.68.216.145:443/Memory Used					
2	12	38	10	11.4	7.82
LG 13.68.216.145:443/Throughput					
0	37.5	107.9	37.9	37	21.2
LG 13.68.216.145:443/User Load					
0	53.7	89	63	54.5	24.4
LG 13.68.216.145:443/Thread Count					
38	115.9	157	124	116.9	27.8
LG 13.68.216.145:443/Http client/Thread Pool used					
0.1	0.108	0.165	0.1	0.106	0.013
LG 13.68.216.145:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.012
LG 13.68.216.145:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.216.145:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.216.145:443/Controller Connection/Ping Duration (ms)					
78	110.7	192	106	108.1	22.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.216.145:443/Network/Segments sent/sec.					
6.93	1,969	5,236	1,972	1,949	1,079
LG 13.68.216.145:443/Network/Segments retransmitted/sec.					
0	0.215	17.8	0	0.018	1.28
LG 13.68.216.145:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	40.4	115.8	41.2	40	22.7
LG 13.68.216.145:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.76	7.23	2.69	2.73	1.47

## LG 13.68.217.240:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.217.240:443/CPU Load					
0	17.1	51	16	17	8.71
LG 13.68.217.240:443/Memory Used					
2	13.1	35	11	12.5	7.02
LG 13.68.217.240:443/Throughput					
0	37.1	114.8	35.9	36.7	20.8
LG 13.68.217.240:443/User Load					
0	53.4	89	62	54.2	24.4
LG 13.68.217.240:443/Thread Count					
38	115.3	155	123	116.3	27.5
LG 13.68.217.240:443/Http client/Thread Pool used					
0.1	0.109	0.15	0.105	0.108	0.013
LG 13.68.217.240:443/Http client/Task Pool used					
0	0.006	0.2	0	0.002	0.022
LG 13.68.217.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.217.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.217.240:443/Controller Connection/Ping Duration (ms)					
96	158.6	326	152	155.4	43.9
LG 13.68.217.240:443/Network/Segments sent/sec.					
7.92	1,948	5,498	1,865	1,927	1,051
LG 13.68.217.240:443/Network/Segments retransmitted/sec.					
0	0.191	17	0	0.013	1.19
LG 13.68.217.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0.023	40	123.2	38.8	39.6	22.3
LG 13.68.217.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.73	7.55	2.64	2.71	1.43

## LG 13.68.219.229:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.219.229:443/CPU Load					
0	18.7	51	18	18.5	9.44
LG 13.68.219.229:443/Memory Used					
2	13.1	36	11	12.5	7.37
LG 13.68.219.229:443/Throughput					
0	37.1	110.5	35.5	36.3	21.3
LG 13.68.219.229:443/User Load					
0	53.4	89	62	54.3	24.3
LG 13.68.219.229:443/Thread Count					
38	116.1	155	126	117.2	27.8



Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.68.219.229:443/Http client/Thread Pool used</b>					
0.1	0.112	0.165	0.105	0.111	0.015
<b>LG 13.68.219.229:443/Http client/Task Pool used</b>					
0	0.006	0.217	0	0.001	0.021
<b>LG 13.68.219.229:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.68.219.229:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.68.219.229:443/Controller Connection/Ping Duration (ms)</b>					
77	147.6	217	153	148	25.5
<b>LG 13.68.219.229:443/Network/Segments sent/sec.</b>					
7.4	1,953	5,312	1,869	1,916	1,088
<b>LG 13.68.219.229:443/Network/Segments retransmitted/sec.</b>					
0	0.202	15.8	0	0.019	1.21
<b>LG 13.68.219.229:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	39.9	118.3	38.3	39.2	22.8
<b>LG 13.68.219.229:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.73	7.5	2.62	2.69	1.48

## LG 13.68.220.182:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.68.220.182:443/CPU Load</b>					
0	17.7	48	17	17.6	9.09
<b>LG 13.68.220.182:443/Memory Used</b>					
2	11.9	36	10	11.2	7.14
<b>LG 13.68.220.182:443/Throughput</b>					
0	37.4	105.5	35.9	37	20.7
<b>LG 13.68.220.182:443/User Load</b>					
0	53.5	89	62	54.3	24.3
<b>LG 13.68.220.182:443/Thread Count</b>					
38	115.8	160	123	116.6	27.5
<b>LG 13.68.220.182:443/Http client/Thread Pool used</b>					
0.1	0.111	0.165	0.105	0.109	0.015
<b>LG 13.68.220.182:443/Http client/Task Pool used</b>					
0	0.004	0.15	0	0.001	0.016
<b>LG 13.68.220.182:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.68.220.182:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.68.220.182:443/Controller Connection/Ping Duration (ms)</b>					
107	150	192	152	150.7	13.7
<b>LG 13.68.220.182:443/Network/Segments sent/sec.</b>					
6.64	1,969	5,076	1,900	1,951	1,064
<b>LG 13.68.220.182:443/Network/Segments retransmitted/sec.</b>					
0	0.194	14.8	0	0.013	1.18
<b>LG 13.68.220.182:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.3	112.7	38.7	39.9	22.2
<b>LG 13.68.220.182:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.018	2.76	7.11	2.64	2.73	1.45

## LG 13.68.221.243:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.221.243:443/CPU Load					
0	18.6	59	18	18.5	9.6
LG 13.68.221.243:443/Memory Used					
2	11.9	35	10	11.4	7.02
LG 13.68.221.243:443/Throughput					
0	37.6	123	36.8	37.1	21.2
LG 13.68.221.243:443/User Load					
0	53.7	89	63	54.6	24.4
LG 13.68.221.243:443/Thread Count					
38	115.3	162	123	116	27
LG 13.68.221.243:443/Http client/Thread Pool used					
0.1	0.109	0.165	0.1	0.107	0.014
LG 13.68.221.243:443/Http client/Task Pool used					
0	0.005	0.117	0	0.002	0.017
LG 13.68.221.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.221.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.221.243:443/Controller Connection/Ping Duration (ms)					
84	112.8	193	111	109.8	25
LG 13.68.221.243:443/Network/Segments sent/sec.					
10.43	1,974	5,928	1,883	1,948	1,074
LG 13.68.221.243:443/Network/Segments retransmitted/sec.					
0	0.166	11	0	0.01	0.99
LG 13.68.221.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.019	40.6	132.2	39.7	40	22.8
LG 13.68.221.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	2.77	8.16	2.65	2.73	1.46

## LG 13.68.223.56:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.223.56:443/CPU Load					
0	17.9	48	17	17.8	9.01
LG 13.68.223.56:443/Memory Used					
2	13.7	38	11	13.1	7.84
LG 13.68.223.56:443/Throughput					
0	37.9	111.3	37	37.3	21
LG 13.68.223.56:443/User Load					
0	54.3	90	63	55.1	24.3
LG 13.68.223.56:443/Thread Count					
38	116.9	158	124	117.7	28
LG 13.68.223.56:443/Http client/Thread Pool used					
0.1	0.11	0.17	0.1	0.108	0.015
LG 13.68.223.56:443/Http client/Task Pool used					
0	0.006	0.35	0	0.002	0.028
LG 13.68.223.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.223.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.223.56:443/Controller Connection/Ping Duration (ms)					
85	152.5	195	154	153.6	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.223.56:443/Network/Segments sent/sec.					
6.31	1,988	5,003	1,948	1,960	1,068
LG 13.68.223.56:443/Network/Segments retransmitted/sec.					
0	0.196	14.6	0	0.008	1.24
LG 13.68.223.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	40.8	118.9	40.1	40.3	22.5
LG 13.68.223.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	2.78	7	2.7	2.75	1.46

## LG 13.82.105.65:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.82.105.65:443/CPU Load					
0	18.4	49	18	18.2	9.08
LG 13.82.105.65:443/Memory Used					
2	13.7	36	12	13.2	8.21
LG 13.82.105.65:443/Throughput					
0	37.1	111.3	36.8	36.5	20.6
LG 13.82.105.65:443/User Load					
0	53.4	89	62	54.3	24.3
LG 13.82.105.65:443/Thread Count					
38	114.5	157	122	115.5	26.5
LG 13.82.105.65:443/Http client/Thread Pool used					
0.1	0.105	0.13	0.1	0.104	0.007
LG 13.82.105.65:443/Http client/Task Pool used					
0	0.005	0.267	0	0.001	0.02
LG 13.82.105.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.82.105.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.82.105.65:443/Controller Connection/Ping Duration (ms)					
82	150.7	193	153	151.8	17.9
LG 13.82.105.65:443/Network/Segments sent/sec.					
6.64	1,952	5,169	1,917	1,926	1,044
LG 13.82.105.65:443/Network/Segments retransmitted/sec.					
0	0.234	17.6	0	0.02	1.35
LG 13.82.105.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40	119.1	39.9	39.4	22.1
LG 13.82.105.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.74	7.22	2.69	2.71	1.42

## LG 13.82.110.31:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.82.110.31:443/CPU Load					
0	18.1	66	18	17.7	9.56
LG 13.82.110.31:443/Memory Used					
1	11.3	36	9	10.66	6.66
LG 13.82.110.31:443/Throughput					
0	37.9	124.1	37.1	36.9	21.7
LG 13.82.110.31:443/User Load					
0	53.8	89	63	54.6	24.4
LG 13.82.110.31:443/Thread Count					
38	116.8	162	124	117.5	28.8

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.82.110.31:443/Http client/Thread Pool used</b>					
0.1	0.108	0.17	0.1	0.106	0.015
<b>LG 13.82.110.31:443/Http client/Task Pool used</b>					
0	0.007	0.35	0	0.002	0.028
<b>LG 13.82.110.31:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.82.110.31:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.82.110.31:443/Controller Connection/Ping Duration (ms)</b>					
90	154	235	154	153.8	19.7
<b>LG 13.82.110.31:443/Network/Segments sent/sec.</b>					
9.09	1,983	7,913	1,931	1,935	1,115
<b>LG 13.82.110.31:443/Network/Segments retransmitted/sec.</b>					
0	0.211	14	0	0.014	1.26
<b>LG 13.82.110.31:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	40.8	134.2	40.1	39.9	23.2
<b>LG 13.82.110.31:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	2.78	11.2	2.7	2.72	1.52

## LG 13.82.111.42:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.82.111.42:443/CPU Load</b>					
0	18	51	17	17.8	9.21
<b>LG 13.82.111.42:443/Memory Used</b>					
3	13.8	36	12	13.2	8.11
<b>LG 13.82.111.42:443/Throughput</b>					
0	37.3	104.4	36.5	36.7	20.9
<b>LG 13.82.111.42:443/User Load</b>					
0	53.3	89	62	54.2	24.3
<b>LG 13.82.111.42:443/Thread Count</b>					
38	114.5	154	122	115.5	27.2
<b>LG 13.82.111.42:443/Http client/Thread Pool used</b>					
0.1	0.105	0.14	0.1	0.104	0.009
<b>LG 13.82.111.42:443/Http client/Task Pool used</b>					
0	0.005	0.333	0	0.001	0.022
<b>LG 13.82.111.42:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.82.111.42:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.82.111.42:443/Controller Connection/Ping Duration (ms)</b>					
79	130.6	193	114	129.6	37.7
<b>LG 13.82.111.42:443/Network/Segments sent/sec.</b>					
6.39	1,957	5,077	1,873	1,929	1,051
<b>LG 13.82.111.42:443/Network/Segments retransmitted/sec.</b>					
0	0.185	16.4	0	0.019	1.15
<b>LG 13.82.111.42:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.2	111.7	39.3	39.6	22.4
<b>LG 13.82.111.42:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.74	6.94	2.63	2.71	1.44

## LG 13.90.100.167:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.100.167:443/CPU Load					
0	17.3	60	16	17	9.43
LG 13.90.100.167:443/Memory Used					
2	11.8	34	10	11.2	7.03
LG 13.90.100.167:443/Throughput					
0	37.1	122.7	36.4	36	21.7
LG 13.90.100.167:443/User Load					
0	53.3	89	62	54.2	24.4
LG 13.90.100.167:443/Thread Count					
38	114.9	157	123	115.8	27.5
LG 13.90.100.167:443/Http client/Thread Pool used					
0.1	0.108	0.175	0.1	0.105	0.015
LG 13.90.100.167:443/Http client/Task Pool used					
0	0.005	0.267	0	0.002	0.022
LG 13.90.100.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.100.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.100.167:443/Controller Connection/Ping Duration (ms)					
121	153	189	154	153.2	9.53
LG 13.90.100.167:443/Network/Segments sent/sec.					
6.31	1,946	6,096	1,846	1,892	1,107
LG 13.90.100.167:443/Network/Segments retransmitted/sec.					
0	0.176	13.9	0	0.015	1.04
LG 13.90.100.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	40	131.7	39.2	38.9	23.3
LG 13.90.100.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.73	8.49	2.58	2.66	1.51

## LG 13.90.100.28:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.100.28:443/CPU Load					
0	18.8	54	18	18.7	9.38
LG 13.90.100.28:443/Memory Used					
2	11.9	36	10	11.3	7.73
LG 13.90.100.28:443/Throughput					
0	37.4	111	36.6	36.9	20.8
LG 13.90.100.28:443/User Load					
0	53.5	89	62	54.4	24.4
LG 13.90.100.28:443/Thread Count					
38	115.5	156	123	116.4	26.6
LG 13.90.100.28:443/Http client/Thread Pool used					
0.1	0.108	0.145	0.105	0.107	0.01
LG 13.90.100.28:443/Http client/Task Pool used					
0	0.005	0.2	0	0.002	0.019
LG 13.90.100.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.100.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.100.28:443/Controller Connection/Ping Duration (ms)					
78	120.5	192	111	118.5	28.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.100.28:443/Network/Segments sent/sec.					
7.89	1,958	5,632	1,838	1,933	1,056
LG 13.90.100.28:443/Network/Segments retransmitted/sec.					
0	0.181	13	0	0.014	1.1
LG 13.90.100.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	40.3	119.3	39.6	39.8	22.3
LG 13.90.100.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.75	7.8	2.6	2.71	1.44

## LG 13.90.100.44:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.100.44:443/CPU Load					
0	19.4	56	19	19.2	9.93
LG 13.90.100.44:443/Memory Used					
2	12.1	36	10	11.5	7.55
LG 13.90.100.44:443/Throughput					
0	37.3	116.7	36.2	36.6	21.5
LG 13.90.100.44:443/User Load					
0	53.5	89	62	54.3	24.2
LG 13.90.100.44:443/Thread Count					
38	115.8	160	122	116.7	28.2
LG 13.90.100.44:443/Http client/Thread Pool used					
0.1	0.109	0.175	0.1	0.107	0.015
LG 13.90.100.44:443/Http client/Task Pool used					
0	0.004	0.1	0	0.001	0.014
LG 13.90.100.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.100.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.100.44:443/Controller Connection/Ping Duration (ms)					
93	160.4	197	157	162	35.4
LG 13.90.100.44:443/Network/Segments sent/sec.					
7.99	1,957	5,507	1,886	1,926	1,086
LG 13.90.100.44:443/Network/Segments retransmitted/sec.					
0	0.241	14.8	0	0.011	1.38
LG 13.90.100.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.017	40.1	124.5	39.2	39.5	23
LG 13.90.100.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.74	7.64	2.63	2.7	1.48

## LG 13.90.101.110:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.101.110:443/CPU Load					
0	17.6	55	17	17.4	9.12
LG 13.90.101.110:443/Memory Used					
2	12.3	37	10	11.7	7.49
LG 13.90.101.110:443/Throughput					
0	37.8	119.4	37.4	37.2	21.5
LG 13.90.101.110:443/User Load					
0	54.1	90	63	55	24.2
LG 13.90.101.110:443/Thread Count					
38	116.1	156	125.5	117	27.1

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.90.101.110:443/Http client/Thread Pool used</b>					
0.1	0.108	0.16	0.1	0.107	0.013
<b>LG 13.90.101.110:443/Http client/Task Pool used</b>					
0	0.005	0.3	0	0.001	0.02
<b>LG 13.90.101.110:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.90.101.110:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.90.101.110:443/Controller Connection/Ping Duration (ms)</b>					
89	151.7	193	154	152.9	14.4
<b>LG 13.90.101.110:443/Network/Segments sent/sec.</b>					
6.63	1,984	5,766	1,920	1,950	1,085
<b>LG 13.90.101.110:443/Network/Segments retransmitted/sec.</b>					
0	0.17	8.2	0	0.017	0.904
<b>LG 13.90.101.110:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.8	128.1	40.2	40.1	23
<b>LG 13.90.101.110:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.014	2.78	7.75	2.68	2.74	1.48

## LG 13.90.101.237:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.90.101.237:443/CPU Load</b>					
0	19	50	18	18.7	9.76
<b>LG 13.90.101.237:443/Memory Used</b>					
2	13.4	37	11	12.9	7.68
<b>LG 13.90.101.237:443/Throughput</b>					
0	37.7	103.4	36.5	37	21.6
<b>LG 13.90.101.237:443/User Load</b>					
0	53.8	89	63	54.6	24.3
<b>LG 13.90.101.237:443/Thread Count</b>					
38	116.1	156	125	117.1	27.5
<b>LG 13.90.101.237:443/Http client/Thread Pool used</b>					
0.1	0.109	0.155	0.105	0.108	0.013
<b>LG 13.90.101.237:443/Http client/Task Pool used</b>					
0	0.003	0.15	0	0.001	0.014
<b>LG 13.90.101.237:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.90.101.237:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.90.101.237:443/Controller Connection/Ping Duration (ms)</b>					
85	113.9	186	113	111.7	23.1
<b>LG 13.90.101.237:443/Network/Segments sent/sec.</b>					
7.4	1,976	5,059	1,862	1,942	1,097
<b>LG 13.90.101.237:443/Network/Segments retransmitted/sec.</b>					
0	0.182	12.6	0	0.013	1.07
<b>LG 13.90.101.237:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.025	40.6	111	39.3	39.9	23.2
<b>LG 13.90.101.237:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.77	7.06	2.64	2.72	1.5

## LG 13.90.102.217:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.102.217:443/CPU Load					
0	17.9	53	17	17.6	9.31
LG 13.90.102.217:443/Memory Used					
2	12.4	34	11	11.9	7.58
LG 13.90.102.217:443/Throughput					
0	37.2	113.7	36.1	36.5	21.3
LG 13.90.102.217:443/User Load					
0	53.4	89	62	54.2	24.3
LG 13.90.102.217:443/Thread Count					
38	115.5	160	123	116.4	27.8
LG 13.90.102.217:443/Http client/Thread Pool used					
0.1	0.11	0.16	0.105	0.109	0.013
LG 13.90.102.217:443/Http client/Task Pool used					
0	0.005	0.167	0	0.001	0.017
LG 13.90.102.217:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.102.217:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.102.217:443/Controller Connection/Ping Duration (ms)					
87	149.2	166	152	151.2	12.1
LG 13.90.102.217:443/Network/Segments sent/sec.					
9.4	1,952	5,467	1,892	1,920	1,073
LG 13.90.102.217:443/Network/Segments retransmitted/sec.					
0	0.196	12.6	0	0.015	1.13
LG 13.90.102.217:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	40.1	121.6	38.9	39.4	22.8
LG 13.90.102.217:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.74	7.64	2.67	2.7	1.46

## LG 13.90.103.115:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.103.115:443/CPU Load					
0	18.5	47	18	18.3	9.42
LG 13.90.103.115:443/Memory Used					
2	13.6	38	11	13	7.9
LG 13.90.103.115:443/Throughput					
0	37.3	104.3	36.4	36.8	21.2
LG 13.90.103.115:443/User Load					
0	53.6	89	63	54.4	24.3
LG 13.90.103.115:443/Thread Count					
38	115.5	158	123	116.4	27.5
LG 13.90.103.115:443/Http client/Thread Pool used					
0.1	0.109	0.15	0.105	0.108	0.011
LG 13.90.103.115:443/Http client/Task Pool used					
0	0.005	0.15	0	0.002	0.016
LG 13.90.103.115:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.103.115:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.103.115:443/Controller Connection/Ping Duration (ms)					
79	166	195	191	169.2	33.5



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.103.115:443/Network/Segments sent/sec.					
6.5	1,960	4,835	1,896	1,933	1,083
LG 13.90.103.115:443/Network/Segments retransmitted/sec.					
0	0.215	15.4	0	0.018	1.22
LG 13.90.103.115:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.3	111.9	39.1	39.7	22.7
LG 13.90.103.115:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.75	6.68	2.67	2.71	1.48

## LG 13.90.103.205:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.103.205:443/CPU Load					
0	18	46	17	17.9	9.26
LG 13.90.103.205:443/Memory Used					
2	12.2	36	10	11.5	7.25
LG 13.90.103.205:443/Throughput					
0	37.8	105.7	36.8	37.4	21.1
LG 13.90.103.205:443/User Load					
0	54.2	90	63	55.1	24.4
LG 13.90.103.205:443/Thread Count					
38	116	158	124	116.9	27.2
LG 13.90.103.205:443/Http client/Thread Pool used					
0.1	0.11	0.175	0.1	0.107	0.015
LG 13.90.103.205:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.014
LG 13.90.103.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.103.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.103.205:443/Controller Connection/Ping Duration (ms)					
122	152.9	189	153	152.7	10.52
LG 13.90.103.205:443/Network/Segments sent/sec.					
6.46	1,991	4,887	1,924	1,971	1,078
LG 13.90.103.205:443/Network/Segments retransmitted/sec.					
0	0.182	17	0	0.011	1.16
LG 13.90.103.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.8	113	39.7	40.4	22.6
LG 13.90.103.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.82	7.43	2.73	2.79	1.5

## LG 13.90.96.183:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.96.183:443/CPU Load					
0	19.4	56	18	19.1	10.25
LG 13.90.96.183:443/Memory Used					
1	12.1	37	10	11.4	7.94
LG 13.90.96.183:443/Throughput					
0	37.4	105.4	35.8	36.8	21.3
LG 13.90.96.183:443/User Load					
0	53.8	89	63	54.6	24.4
LG 13.90.96.183:443/Thread Count					
39	115.4	159	123	116.4	26.1

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.90.96.183:443/Http client/Thread Pool used</b>					
0.1	0.109	0.14	0.105	0.108	0.01
<b>LG 13.90.96.183:443/Http client/Task Pool used</b>					
0	0.005	0.25	0	0.002	0.019
<b>LG 13.90.96.183:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.90.96.183:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.90.96.183:443/Controller Connection/Ping Duration (ms)</b>					
88	141.2	300	151	137.2	37.1
<b>LG 13.90.96.183:443/Network/Segments sent/sec.</b>					
6.49	1,962	5,334	1,902	1,923	1,092
<b>LG 13.90.96.183:443/Network/Segments retransmitted/sec.</b>					
0	0.21	17.8	0	0.018	1.23
<b>LG 13.90.96.183:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.4	112.9	38.7	39.6	22.8
<b>LG 13.90.96.183:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	2.75	7.53	2.62	2.7	1.5

## LG 13.90.96.66:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.90.96.66:443/CPU Load</b>					
0	18.4	48	18	18.2	9.27
<b>LG 13.90.96.66:443/Memory Used</b>					
3	12	36	10	11.4	7.03
<b>LG 13.90.96.66:443/Throughput</b>					
0	37.3	102.9	37.3	36.7	21.1
<b>LG 13.90.96.66:443/User Load</b>					
0	53.5	89	62	54.3	24.4
<b>LG 13.90.96.66:443/Thread Count</b>					
38	115.3	159	122	116.2	27.2
<b>LG 13.90.96.66:443/Http client/Thread Pool used</b>					
0.1	0.108	0.145	0.1	0.106	0.011
<b>LG 13.90.96.66:443/Http client/Task Pool used</b>					
0	0.003	0.15	0	0.001	0.014
<b>LG 13.90.96.66:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.90.96.66:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.90.96.66:443/Controller Connection/Ping Duration (ms)</b>					
110	165.8	205	154	166.6	24.6
<b>LG 13.90.96.66:443/Network/Segments sent/sec.</b>					
6.54	1,957	4,997	1,931	1,926	1,075
<b>LG 13.90.96.66:443/Network/Segments retransmitted/sec.</b>					
0	0.2	10.2	0	0.017	1.07
<b>LG 13.90.96.66:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.2	110.1	40.3	39.6	22.6
<b>LG 13.90.96.66:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	2.74	7.09	2.68	2.7	1.47

## LG 13.90.97.0:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.97.0:443/CPU Load					
0	17.2	49	16	17	9.2
LG 13.90.97.0:443/Memory Used					
2	14.2	35	12	13.8	7.8
LG 13.90.97.0:443/Throughput					
0	37.3	105.8	36.7	36.8	21.1
LG 13.90.97.0:443/User Load					
0	53.6	89	62	54.5	24.4
LG 13.90.97.0:443/Thread Count					
38	115.1	159	123	116.1	26.5
LG 13.90.97.0:443/Http client/Thread Pool used					
0.1	0.107	0.14	0.1	0.106	0.01
LG 13.90.97.0:443/Http client/Task Pool used					
0	0.005	0.217	0	0.002	0.019
LG 13.90.97.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.97.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.97.0:443/Controller Connection/Ping Duration (ms)					
96	150.8	157	153	152.9	10.87
LG 13.90.97.0:443/Network/Segments sent/sec.					
8.42	1,955	5,185	1,911	1,934	1,066
LG 13.90.97.0:443/Network/Segments retransmitted/sec.					
0	0.209	19	0	0.011	1.35
LG 13.90.97.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.2	113.5	39.7	39.7	22.5
LG 13.90.97.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.74	7.31	2.65	2.72	1.46

## LG 13.90.99.116:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.99.116:443/CPU Load					
0	18.1	55	17	18	9.08
LG 13.90.99.116:443/Memory Used					
2	11.3	35	10	10.66	7.04
LG 13.90.99.116:443/Throughput					
0	37.8	119.2	37.1	37.4	21.1
LG 13.90.99.116:443/User Load					
0	54.1	90	63	55	24.3
LG 13.90.99.116:443/Thread Count					
38	115.4	154	123	116.4	26.5
LG 13.90.99.116:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.008
LG 13.90.99.116:443/Http client/Task Pool used					
0	0.004	0.183	0	0.001	0.018
LG 13.90.99.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.99.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.99.116:443/Controller Connection/Ping Duration (ms)					
91	150.6	191	152	151.1	17.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.99.116:443/Network/Segments sent/sec.					
7.6	2,012	5,611	1,935	1,991	1,084
LG 13.90.99.116:443/Network/Segments retransmitted/sec.					
0	0.179	13.4	0	0.007	1.16
LG 13.90.99.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0.024	40.8	127.7	40	40.4	22.6
LG 13.90.99.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.8	7.75	2.66	2.77	1.47

## LG 13.92.120.34:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.120.34:443/CPU Load					
0	18.5	64	18	18.3	9.53
LG 13.92.120.34:443/Memory Used					
2	12.2	36	10	11.6	6.97
LG 13.92.120.34:443/Throughput					
0	37.4	121.2	36.3	37	20.8
LG 13.92.120.34:443/User Load					
0	53.5	89	62	54.4	24.4
LG 13.92.120.34:443/Thread Count					
38	120.6	182	124	120.6	31.9
LG 13.92.120.34:443/Http client/Thread Pool used					
0.1	0.131	0.29	0.105	0.125	0.046
LG 13.92.120.34:443/Http client/Task Pool used					
0	0.006	0.2	0	0.002	0.021
LG 13.92.120.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.120.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.120.34:443/Controller Connection/Ping Duration (ms)					
84	111.9	171	112	110.2	20.6
LG 13.92.120.34:443/Network/Segments sent/sec.					
9	1,960	5,682	1,889	1,940	1,055
LG 13.92.120.34:443/Network/Segments retransmitted/sec.					
0	0.186	15.6	0	0.015	1.25
LG 13.92.120.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0.026	40.3	129.5	39.5	39.9	22.3
LG 13.92.120.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.75	7.94	2.63	2.73	1.45

## LG 13.92.120.39:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.120.39:443/CPU Load					
0	17.4	44	17	17.3	9.1
LG 13.92.120.39:443/Memory Used					
2	13.5	34	11	13.1	6.87
LG 13.92.120.39:443/Throughput					
0	37.1	104	36.3	36.7	20.8
LG 13.92.120.39:443/User Load					
0	53.4	89	62	54.3	24.3
LG 13.92.120.39:443/Thread Count					
38	116.1	167	122	116.5	28.2

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.92.120.39:443/Http client/Thread Pool used</b>					
0.1	0.114	0.215	0.1	0.11	0.024
<b>LG 13.92.120.39:443/Http client/Task Pool used</b>					
0	0.006	0.183	0	0.002	0.021
<b>LG 13.92.120.39:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.92.120.39:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.92.120.39:443/Controller Connection/Ping Duration (ms)</b>					
82	152.1	201	153	152.2	17.3
<b>LG 13.92.120.39:443/Network/Segments sent/sec.</b>					
6.57	1,941	4,867	1,883	1,925	1,051
<b>LG 13.92.120.39:443/Network/Segments retransmitted/sec.</b>					
0	0.203	12.8	0	0.019	1.18
<b>LG 13.92.120.39:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40	111.5	39	39.6	22.3
<b>LG 13.92.120.39:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.72	6.52	2.61	2.7	1.44

## LG 13.92.122.242:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.92.122.242:443/CPU Load</b>					
0	18.2	54	17	18	9.74
<b>LG 13.92.122.242:443/Memory Used</b>					
2	12.7	34	11	12.3	7.56
<b>LG 13.92.122.242:443/Throughput</b>					
0	37.1	106.5	36.6	36.5	21
<b>LG 13.92.122.242:443/User Load</b>					
0	53.4	89	62	54.3	24.3
<b>LG 13.92.122.242:443/Thread Count</b>					
38	115.3	156	122	116.2	27.7
<b>LG 13.92.122.242:443/Http client/Thread Pool used</b>					
0.1	0.107	0.16	0.1	0.106	0.012
<b>LG 13.92.122.242:443/Http client/Task Pool used</b>					
0	0.004	0.3	0	0.001	0.022
<b>LG 13.92.122.242:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.92.122.242:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.92.122.242:443/Controller Connection/Ping Duration (ms)</b>					
98	150.7	161	156	152.6	13.4
<b>LG 13.92.122.242:443/Network/Segments sent/sec.</b>					
8.28	1,947	5,022	1,892	1,920	1,064
<b>LG 13.92.122.242:443/Network/Segments retransmitted/sec.</b>					
0	0.165	16	0	0.014	1.06
<b>LG 13.92.122.242:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.01	40	114.1	39.5	39.3	22.5
<b>LG 13.92.122.242:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.019	2.73	7.06	2.65	2.7	1.46

## LG 13.92.123.101:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.123.101:443/CPU Load					
0	17.7	59	17	17.5	9.49
LG 13.92.123.101:443/Memory Used					
2	12.6	33	11	12.1	6.49
LG 13.92.123.101:443/Throughput					
0	37.2	121.9	36.4	36.7	21
LG 13.92.123.101:443/User Load					
0	53.5	89	62	54.4	24.4
LG 13.92.123.101:443/Thread Count					
38	115.6	160	123	116.4	27.5
LG 13.92.123.101:443/Http client/Thread Pool used					
0.1	0.108	0.17	0.1	0.106	0.014
LG 13.92.123.101:443/Http client/Task Pool used					
0	0.005	0.233	0	0.002	0.018
LG 13.92.123.101:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.123.101:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.123.101:443/Controller Connection/Ping Duration (ms)					
95	157	194	152	158.2	35.9
LG 13.92.123.101:443/Network/Segments sent/sec.					
9.4	1,946	5,645	1,894	1,923	1,057
LG 13.92.123.101:443/Network/Segments retransmitted/sec.					
0	0.196	15.4	0	0.01	1.27
LG 13.92.123.101:443/Network/eth0 (eth0)/Megabits received/sec.					
0.025	40.1	130.6	39.3	39.6	22.6
LG 13.92.123.101:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	2.74	7.85	2.67	2.71	1.45

## LG 13.92.126.123:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.126.123:443/CPU Load					
0	19.3	49	18	19	10.08
LG 13.92.126.123:443/Memory Used					
2	13.5	37	12	12.9	7.35
LG 13.92.126.123:443/Throughput					
0	37	107.6	34.7	36.2	22.1
LG 13.92.126.123:443/User Load					
0	53.5	89	62	54.3	24.3
LG 13.92.126.123:443/Thread Count					
38	115.6	158	122	116.4	27.2
LG 13.92.126.123:443/Http client/Thread Pool used					
0.1	0.109	0.155	0.1	0.107	0.012
LG 13.92.126.123:443/Http client/Task Pool used					
0	0.006	0.317	0	0.002	0.026
LG 13.92.126.123:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.126.123:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.126.123:443/Controller Connection/Ping Duration (ms)					
82	120.9	195	112	119.2	27.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.126.123:443/Network/Segments sent/sec.					
6.63	1,937	5,156	1,826	1,903	1,103
LG 13.92.126.123:443/Network/Segments retransmitted/sec.					
0	0.209	17.8	0	0.02	1.3
LG 13.92.126.123:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	39.9	115.3	37.6	39	23.7
LG 13.92.126.123:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.72	7.08	2.57	2.68	1.51

## LG 13.92.126.137:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.126.137:443/CPU Load					
0	19.6	54	18.5	19.3	10.17
LG 13.92.126.137:443/Memory Used					
2	14.7	38	13	14.3	8.65
LG 13.92.126.137:443/Throughput					
0	37.4	113.7	37.2	36.6	21.5
LG 13.92.126.137:443/User Load					
0	53.7	89	63	54.6	24.5
LG 13.92.126.137:443/Thread Count					
38	116.4	162	124	117.1	28.4
LG 13.92.126.137:443/Http client/Thread Pool used					
0.1	0.112	0.17	0.105	0.11	0.016
LG 13.92.126.137:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.02
LG 13.92.126.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.126.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.126.137:443/Controller Connection/Ping Duration (ms)					
82	158.7	198	156	160.5	38.3
LG 13.92.126.137:443/Network/Segments sent/sec.					
9.2	1,960	5,379	1,919	1,923	1,093
LG 13.92.126.137:443/Network/Segments retransmitted/sec.					
0	0.237	13.8	0	0.023	1.27
LG 13.92.126.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.024	40.3	121.6	40.2	39.5	23
LG 13.92.126.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	2.75	7.38	2.65	2.7	1.5

## LG 13.92.97.139:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.97.139:443/CPU Load					
0	18.2	62	17	18	9.41
LG 13.92.97.139:443/Memory Used					
2	14.3	38	12	13.7	7.89
LG 13.92.97.139:443/Throughput					
0	38.1	115.6	37.2	37.5	20.9
LG 13.92.97.139:443/User Load					
0	54.2	89	63	55.1	24.4
LG 13.92.97.139:443/Thread Count					
39	116.7	159	123	117.4	28.2

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.92.97.139:443/Http client/Thread Pool used</b>					
0.1	0.106	0.155	0.1	0.104	0.011
<b>LG 13.92.97.139:443/Http client/Task Pool used</b>					
0	0.006	0.283	0	0.001	0.026
<b>LG 13.92.97.139:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.92.97.139:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.92.97.139:443/Controller Connection/Ping Duration (ms)</b>					
110	154.4	242	152	152.4	18.2
<b>LG 13.92.97.139:443/Network/Segments sent/sec.</b>					
10.6	1,996	7,436	1,942	1,959	1,085
<b>LG 13.92.97.139:443/Network/Segments retransmitted/sec.</b>					
0	0.253	15.3	0	0.021	1.39
<b>LG 13.92.97.139:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.033	41.1	124.7	40.1	40.4	22.4
<b>LG 13.92.97.139:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	2.8	10.73	2.72	2.75	1.48

## LG 13.92.97.37:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 13.92.97.37:443/CPU Load</b>					
0	17.4	54	16	17.1	9.51
<b>LG 13.92.97.37:443/Memory Used</b>					
2	11.3	35	10	10.74	6.82
<b>LG 13.92.97.37:443/Throughput</b>					
0	37.8	118.5	36.6	37.2	21.6
<b>LG 13.92.97.37:443/User Load</b>					
0	53.7	89	63	54.6	24.4
<b>LG 13.92.97.37:443/Thread Count</b>					
39	115.2	157	124	116.1	27.2
<b>LG 13.92.97.37:443/Http client/Thread Pool used</b>					
0.1	0.107	0.16	0.1	0.105	0.013
<b>LG 13.92.97.37:443/Http client/Task Pool used</b>					
0	0.004	0.133	0	0.001	0.016
<b>LG 13.92.97.37:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 13.92.97.37:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 13.92.97.37:443/Controller Connection/Ping Duration (ms)</b>					
86	151.1	212	152	151.4	15.3
<b>LG 13.92.97.37:443/Network/Segments sent/sec.</b>					
6.6	1,973	6,498	1,871	1,945	1,090
<b>LG 13.92.97.37:443/Network/Segments retransmitted/sec.</b>					
0	0.22	15.4	0	0.019	1.29
<b>LG 13.92.97.37:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.7	125.9	39.5	40.1	23.1
<b>LG 13.92.97.37:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.77	9.09	2.63	2.74	1.49



## LG 137.117.81.177:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.117.81.177:443/CPU Load					
0	17.9	44	17	17.6	9.12
LG 137.117.81.177:443/Memory Used					
2	12.3	36	10	11.7	7.32
LG 137.117.81.177:443/Throughput					
0	37.7	102.2	36.7	36.9	21.2
LG 137.117.81.177:443/User Load					
0	53.6	89	63	54.4	24.5
LG 137.117.81.177:443/Thread Count					
38	115.2	156	123	116.1	27.1
LG 137.117.81.177:443/Http client/Thread Pool used					
0.1	0.108	0.18	0.1	0.106	0.014
LG 137.117.81.177:443/Http client/Task Pool used					
0	0.005	0.3	0	0.002	0.023
LG 137.117.81.177:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.117.81.177:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.117.81.177:443/Controller Connection/Ping Duration (ms)					
88	151.7	206	153	151.9	17.3
LG 137.117.81.177:443/Network/Segments sent/sec.					
6.64	1,968	4,987	1,924	1,929	1,074
LG 137.117.81.177:443/Network/Segments retransmitted/sec.					
0	0.215	12.6	0	0.015	1.17
LG 137.117.81.177:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.6	109.5	39.6	39.8	22.7
LG 137.117.81.177:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	2.76	6.74	2.68	2.71	1.47

## LG 137.117.86.160:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.117.86.160:443/CPU Load					
0	19.4	51	18	19.1	9.99
LG 137.117.86.160:443/Memory Used					
1	11.7	36	10	11.1	7.07
LG 137.117.86.160:443/Throughput					
0	37.5	112	35.2	36.6	22.1
LG 137.117.86.160:443/User Load					
0	53.8	89	63	54.7	24.4
LG 137.117.86.160:443/Thread Count					
38	117.4	159	125	118.2	28.4
LG 137.117.86.160:443/Http client/Thread Pool used					
0.1	0.116	0.195	0.11	0.114	0.021
LG 137.117.86.160:443/Http client/Task Pool used					
0	0.004	0.183	0	0.002	0.016
LG 137.117.86.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.117.86.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.117.86.160:443/Controller Connection/Ping Duration (ms)					
87	112.1	193	113	109.8	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.117.86.160:443/Network/Segments sent/sec.					
7.6	1,969	5,262	1,902	1,924	1,106
LG 137.117.86.160:443/Network/Segments retransmitted/sec.					
0	0.195	13.8	0	0.008	1.19
LG 137.117.86.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.4	119.9	38	39.4	23.6
LG 137.117.86.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.76	7.25	2.69	2.7	1.5

## LG 137.117.89.73:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.117.89.73:443/CPU Load					
0	17.5	50	17	17.4	8.99
LG 137.117.89.73:443/Memory Used					
2	11.8	35	10	11.2	6.54
LG 137.117.89.73:443/Throughput					
0	37.4	116.5	37.4	36.9	20.8
LG 137.117.89.73:443/User Load					
0	53.5	89	62	54.3	24.3
LG 137.117.89.73:443/Thread Count					
38	115.3	159	125	116.3	26.6
LG 137.117.89.73:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.106	0.01
LG 137.117.89.73:443/Http client/Task Pool used					
0	0.003	0.2	0	0.001	0.016
LG 137.117.89.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.117.89.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.117.89.73:443/Controller Connection/Ping Duration (ms)					
141	153.1	158	153	153.3	2.73
LG 137.117.89.73:443/Network/Segments sent/sec.					
6.66	1,964	5,512	1,934	1,942	1,052
LG 137.117.89.73:443/Network/Segments retransmitted/sec.					
0	0.235	18.6	0	0.016	1.44
LG 137.117.89.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.3	124.5	40.5	39.8	22.3
LG 137.117.89.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.75	7.5	2.66	2.73	1.44

## LG 137.135.101.229:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.101.229:443/CPU Load					
0	18.1	78	17	17.7	10.04
LG 137.135.101.229:443/Memory Used					
2	13	35	11	12.5	7.28
LG 137.135.101.229:443/Throughput					
0	38.4	132.5	37.6	37.6	22.3
LG 137.135.101.229:443/User Load					
0	54	90	63	54.9	24.4
LG 137.135.101.229:443/Thread Count					
38	116.5	156	125	117.4	27.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.101.229:443/Http client/Thread Pool used					
0.1	0.11	0.17	0.105	0.108	0.015
LG 137.135.101.229:443/Http client/Task Pool used					
0	0.006	0.15	0	0.002	0.02
LG 137.135.101.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.101.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.101.229:443/Controller Connection/Ping Duration (ms)					
85	115.6	196	113	112.7	25.1
LG 137.135.101.229:443/Network/Segments sent/sec.					
7.6	2,027	7,245	1,950	1,984	1,147
LG 137.135.101.229:443/Network/Segments retransmitted/sec.					
0	0.203	18.4	0	0.015	1.26
LG 137.135.101.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	41.4	140.9	40.6	40.5	23.8
LG 137.135.101.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.84	11.5	2.73	2.78	1.6

## LG 137.135.102.160:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.102.160:443/CPU Load					
0	18	53	17	17.7	9.24
LG 137.135.102.160:443/Memory Used					
2	12.3	38	10	11.8	6.95
LG 137.135.102.160:443/Throughput					
0	37.9	112.9	37.4	37.2	21.5
LG 137.135.102.160:443/User Load					
0	54	90	63	54.9	24.2
LG 137.135.102.160:443/Thread Count					
38	116.4	161	125	117.2	27.4
LG 137.135.102.160:443/Http client/Thread Pool used					
0.1	0.108	0.16	0.1	0.106	0.013
LG 137.135.102.160:443/Http client/Task Pool used					
0	0.006	0.183	0	0.001	0.023
LG 137.135.102.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.102.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.102.160:443/Controller Connection/Ping Duration (ms)					
78	146.9	193	152	148.7	21.3
LG 137.135.102.160:443/Network/Segments sent/sec.					
7.49	1,989	5,518	1,928	1,956	1,085
LG 137.135.102.160:443/Network/Segments retransmitted/sec.					
0	0.179	17.6	0	0.009	1.19
LG 137.135.102.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	40.9	121.1	40.5	40.1	23
LG 137.135.102.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.79	7.63	2.72	2.75	1.48

## LG 137.135.103.136:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.103.136:443/CPU Load					
0	19.5	51	19	19.5	9.48
LG 137.135.103.136:443/Memory Used					
2	12.7	36	11	12.1	7.59
LG 137.135.103.136:443/Throughput					
0	37.4	105.8	36.7	37	20.3
LG 137.135.103.136:443/User Load					
0	53.5	89	62	54.3	24.3
LG 137.135.103.136:443/Thread Count					
39	116	158	123	116.7	27.4
LG 137.135.103.136:443/Http client/Thread Pool used					
0.1	0.112	0.17	0.105	0.11	0.016
LG 137.135.103.136:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.014
LG 137.135.103.136:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.103.136:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.103.136:443/Controller Connection/Ping Duration (ms)					
81	145.2	197	153	145.7	40.3
LG 137.135.103.136:443/Network/Segments sent/sec.					
6.63	1,964	4,942	1,907	1,949	1,033
LG 137.135.103.136:443/Network/Segments retransmitted/sec.					
0	0.203	14	0	0.011	1.21
LG 137.135.103.136:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.3	113.3	39.7	39.9	21.7
LG 137.135.103.136:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.75	6.76	2.7	2.74	1.41

## LG 137.135.103.4:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.103.4:443/CPU Load					
0	17.9	50	17	17.6	9.62
LG 137.135.103.4:443/Memory Used					
2	12.9	36	11	12.3	7.8
LG 137.135.103.4:443/Throughput					
0	37.9	113	36.8	37.1	22.1
LG 137.135.103.4:443/User Load					
0	54.3	90	63	55.2	24.4
LG 137.135.103.4:443/Thread Count					
38	116.9	160	123	117.7	27.9
LG 137.135.103.4:443/Http client/Thread Pool used					
0.1	0.11	0.175	0.1	0.108	0.015
LG 137.135.103.4:443/Http client/Task Pool used					
0	0.006	0.15	0	0.002	0.019
LG 137.135.103.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.103.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.103.4:443/Controller Connection/Ping Duration (ms)					
115	153.4	168	155	154.3	7.69

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.103.4:443/Network/Segments sent/sec.					
7.6	1,990	5,369	1,951	1,952	1,120
LG 137.135.103.4:443/Network/Segments retransmitted/sec.					
0	0.196	15.8	0	0.021	1.13
LG 137.135.103.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.8	121	39.9	40	23.7
LG 137.135.103.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.78	7.28	2.7	2.74	1.53

## LG 137.135.104.129:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.104.129:443/CPU Load					
0	17.3	54	17	17	9.08
LG 137.135.104.129:443/Memory Used					
2	13.1	36	11	12.6	7.79
LG 137.135.104.129:443/Throughput					
0	37.2	121.3	36.5	36.5	21.2
LG 137.135.104.129:443/User Load					
0	53.2	89	62	54.1	24.4
LG 137.135.104.129:443/Thread Count					
38	116.3	158	123	117.3	28.7
LG 137.135.104.129:443/Http client/Thread Pool used					
0.1	0.11	0.165	0.105	0.109	0.015
LG 137.135.104.129:443/Http client/Task Pool used					
0	0.007	0.35	0	0.002	0.028
LG 137.135.104.129:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.104.129:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.104.129:443/Controller Connection/Ping Duration (ms)					
140	152.7	167	152	152.5	5.23
LG 137.135.104.129:443/Network/Segments sent/sec.					
6.69	1,958	5,833	1,891	1,918	1,079
LG 137.135.104.129:443/Network/Segments retransmitted/sec.					
0	0.161	20	0	0.007	1.21
LG 137.135.104.129:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.1	129.8	39.4	39.3	22.7
LG 137.135.104.129:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.74	8.01	2.65	2.69	1.47

## LG 137.135.106.107:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.106.107:443/CPU Load					
0	17.7	45	17	17.5	8.9
LG 137.135.106.107:443/Memory Used					
2	11.2	35	9	10.52	6.64
LG 137.135.106.107:443/Throughput					
0	37.4	103	37.1	36.8	20.7
LG 137.135.106.107:443/User Load					
0	53.4	89	62	54.3	24.5
LG 137.135.106.107:443/Thread Count					
38	114.8	156	122	115.7	26.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.106.107:443/Http client/Thread Pool used					
0.1	0.109	0.16	0.1	0.107	0.012
LG 137.135.106.107:443/Http client/Task Pool used					
0	0.004	0.25	0	0.001	0.021
LG 137.135.106.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.106.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.106.107:443/Controller Connection/Ping Duration (ms)					
107	150.6	191	153	151.4	13.7
LG 137.135.106.107:443/Network/Segments sent/sec.					
6.67	1,954	4,797	1,893	1,927	1,046
LG 137.135.106.107:443/Network/Segments retransmitted/sec.					
0	0.196	15.2	0	0.021	1.12
LG 137.135.106.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.3	110.5	39.9	39.7	22.2
LG 137.135.106.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	2.74	6.65	2.65	2.71	1.43

## LG 137.135.110.218:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.110.218:443/CPU Load					
0	17.6	48	17	17.4	9.05
LG 137.135.110.218:443/Memory Used					
2	11.4	37	10	10.7	7
LG 137.135.110.218:443/Throughput					
0	37.5	110.8	36.8	36.9	21.1
LG 137.135.110.218:443/User Load					
0	53.6	89	62	54.5	24.3
LG 137.135.110.218:443/Thread Count					
38	114.8	159	122	115.8	26.5
LG 137.135.110.218:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 137.135.110.218:443/Http client/Task Pool used					
0	0.006	0.35	0	0.001	0.028
LG 137.135.110.218:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.110.218:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.110.218:443/Controller Connection/Ping Duration (ms)					
78	146.1	157	153	149.2	18.5
LG 137.135.110.218:443/Network/Segments sent/sec.					
6.66	1,968	5,292	1,953	1,942	1,066
LG 137.135.110.218:443/Network/Segments retransmitted/sec.					
0	0.19	18	0	0.011	1.25
LG 137.135.110.218:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.4	118.5	39.5	39.8	22.6
LG 137.135.110.218:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.76	7.22	2.69	2.73	1.45

## LG 137.135.110.232:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.110.232:443/CPU Load					
0	17.7	50	17	17.5	9.22
LG 137.135.110.232:443/Memory Used					
3	12.8	38	10.5	12.2	7.14
LG 137.135.110.232:443/Throughput					
0	37.4	118.5	35.9	36.9	21.3
LG 137.135.110.232:443/User Load					
0	53.5	89	62	54.4	24.4
LG 137.135.110.232:443/Thread Count					
38	115.7	165	122	116.3	27.3
LG 137.135.110.232:443/Http client/Thread Pool used					
0.1	0.111	0.165	0.1	0.109	0.016
LG 137.135.110.232:443/Http client/Task Pool used					
0	0.006	0.233	0	0.002	0.022
LG 137.135.110.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.110.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.110.232:443/Controller Connection/Ping Duration (ms)					
80	108.5	161	107	107.2	18.3
LG 137.135.110.232:443/Network/Segments sent/sec.					
6.51	1,960	5,407	1,894	1,936	1,070
LG 137.135.110.232:443/Network/Segments retransmitted/sec.					
0	0.234	20	0	0.021	1.37
LG 137.135.110.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.3	126.7	38.6	39.7	22.8
LG 137.135.110.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.75	7.38	2.66	2.72	1.46

## LG 137.135.110.73:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.110.73:443/CPU Load					
0	20.4	55	19	20.2	10.72
LG 137.135.110.73:443/Memory Used					
2	13.2	36	11	12.6	7.76
LG 137.135.110.73:443/Throughput					
0	37.4	113.1	37	36.9	21
LG 137.135.110.73:443/User Load					
0	53.6	89	62	54.5	24.3
LG 137.135.110.73:443/Thread Count					
38	116.5	158	123	117.5	28.2
LG 137.135.110.73:443/Http client/Thread Pool used					
0.1	0.11	0.165	0.105	0.109	0.014
LG 137.135.110.73:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.021
LG 137.135.110.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.110.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.110.73:443/Controller Connection/Ping Duration (ms)					
83	109.4	173	108	107.6	18

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.110.73:443/Network/Segments sent/sec.					
7.6	1,968	5,564	1,908	1,943	1,072
LG 137.135.110.73:443/Network/Segments retransmitted/sec.					
0	0.21	13.8	0	0.012	1.28
LG 137.135.110.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.3	120.7	39.9	39.8	22.5
LG 137.135.110.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.75	7.61	2.64	2.72	1.46

## LG 138.91.112.32:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.112.32:443/CPU Load					
0	19.4	51	19	19.3	9.6
LG 138.91.112.32:443/Memory Used					
2	13.7	38	11	13.1	8.21
LG 138.91.112.32:443/Throughput					
0	37.6	102.1	37	37.1	21.1
LG 138.91.112.32:443/User Load					
0	53.8	89	63	54.6	24.3
LG 138.91.112.32:443/Thread Count					
38	118.6	178	125	118.5	30.2
LG 138.91.112.32:443/Http client/Thread Pool used					
0.1	0.122	0.26	0.11	0.117	0.034
LG 138.91.112.32:443/Http client/Task Pool used					
0	0.006	0.15	0	0.002	0.021
LG 138.91.112.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.112.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.112.32:443/Controller Connection/Ping Duration (ms)					
137	156	194	153	154.6	11.7
LG 138.91.112.32:443/Network/Segments sent/sec.					
7.6	1,980	5,112	1,909	1,950	1,078
LG 138.91.112.32:443/Network/Segments retransmitted/sec.					
0	0.184	16	0	0.015	1.26
LG 138.91.112.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	40.6	109.6	39.7	39.9	22.6
LG 138.91.112.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.77	7.02	2.69	2.73	1.47

## LG 138.91.114.26:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.114.26:443/CPU Load					
0	17.8	47	17	17.7	8.95
LG 138.91.114.26:443/Memory Used					
1	11.9	36	10	11.3	7.33
LG 138.91.114.26:443/Throughput					
0	37.5	106	37	37	21
LG 138.91.114.26:443/User Load					
0	53.3	89	62	54.2	24.3
LG 138.91.114.26:443/Thread Count					
38	115.3	155	122	116.2	27.5



Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 138.91.114.26:443/Http client/Thread Pool used</b>					
0.1	0.111	0.18	0.1	0.108	0.016
<b>LG 138.91.114.26:443/Http client/Task Pool used</b>					
0	0.003	0.1	0	0.001	0.012
<b>LG 138.91.114.26:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.114.26:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.114.26:443/Controller Connection/Ping Duration (ms)</b>					
77	148.7	195	151	150.3	16.8
<b>LG 138.91.114.26:443/Network/Segments sent/sec.</b>					
8.8	1,987	4,985	1,967	1,961	1,075
<b>LG 138.91.114.26:443/Network/Segments retransmitted/sec.</b>					
0	0.218	11.8	0	0.019	1.13
<b>LG 138.91.114.26:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.023	40.4	113.5	39.9	39.9	22.5
<b>LG 138.91.114.26:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.014	2.77	6.79	2.67	2.73	1.46

## LG 138.91.115.150:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 138.91.115.150:443/CPU Load</b>					
0	17.5	51	17	17.3	9.1
<b>LG 138.91.115.150:443/Memory Used</b>					
2	12.3	35	10	11.9	7.2
<b>LG 138.91.115.150:443/Throughput</b>					
0	37.3	119.1	36.8	36.6	21.3
<b>LG 138.91.115.150:443/User Load</b>					
0	53.5	89	62	54.3	24.4
<b>LG 138.91.115.150:443/Thread Count</b>					
38	114.7	152	123	115.7	26.6
<b>LG 138.91.115.150:443/Http client/Thread Pool used</b>					
0.1	0.106	0.145	0.1	0.105	0.009
<b>LG 138.91.115.150:443/Http client/Task Pool used</b>					
0	0.006	0.183	0	0.002	0.02
<b>LG 138.91.115.150:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.115.150:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.115.150:443/Controller Connection/Ping Duration (ms)</b>					
86	111.3	194	112	108.9	20.4
<b>LG 138.91.115.150:443/Network/Segments sent/sec.</b>					
7.4	1,955	5,598	1,927	1,922	1,078
<b>LG 138.91.115.150:443/Network/Segments retransmitted/sec.</b>					
0	0.216	18.8	0	0.011	1.42
<b>LG 138.91.115.150:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.027	40.2	127.6	39.9	39.5	22.9
<b>LG 138.91.115.150:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.74	7.63	2.65	2.7	1.47

## LG 138.91.117.0:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.117.0:443/CPU Load					
0	17.9	49	18	17.7	9.22
LG 138.91.117.0:443/Memory Used					
2	11.3	38	9	10.67	6.53
LG 138.91.117.0:443/Throughput					
0	38.1	111.5	37.3	37.4	21.7
LG 138.91.117.0:443/User Load					
0	54.3	90	63	55.2	24.4
LG 138.91.117.0:443/Thread Count					
38	115.3	158	123	116.2	26.1
LG 138.91.117.0:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.105	0.106	0.01
LG 138.91.117.0:443/Http client/Task Pool used					
0	0.003	0.167	0	0.001	0.014
LG 138.91.117.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.117.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.117.0:443/Controller Connection/Ping Duration (ms)					
97	148.8	193	151	148.9	16.9
LG 138.91.117.0:443/Network/Segments sent/sec.					
7.4	2,002	5,441	1,935	1,968	1,097
LG 138.91.117.0:443/Network/Segments retransmitted/sec.					
0	0.23	15	0	0.017	1.33
LG 138.91.117.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	41.1	119.4	40.2	40.4	23.3
LG 138.91.117.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.8	7.52	2.67	2.76	1.49

## LG 138.91.117.109:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.117.109:443/CPU Load					
0	18.7	58	18	18.4	9.5
LG 138.91.117.109:443/Memory Used					
2	12.7	36	11	12.2	7.71
LG 138.91.117.109:443/Throughput					
0	37.3	129	36.1	36.5	21.8
LG 138.91.117.109:443/User Load					
0	53.5	89	62	54.4	24.2
LG 138.91.117.109:443/Thread Count					
38	117.3	161	123	118	28.6
LG 138.91.117.109:443/Http client/Thread Pool used					
0.1	0.116	0.195	0.11	0.113	0.021
LG 138.91.117.109:443/Http client/Task Pool used					
0	0.005	0.233	0	0.001	0.021
LG 138.91.117.109:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.117.109:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.117.109:443/Controller Connection/Ping Duration (ms)					
80	115.3	180	112	113.5	27

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.117.109:443/Network/Segments sent/sec.					
7.6	1,970	6,116	1,918	1,932	1,109
LG 138.91.117.109:443/Network/Segments retransmitted/sec.					
0	0.197	16.6	0	0.023	1.18
LG 138.91.117.109:443/Network/eth0 (eth0)/Megabits received/sec.					
0.025	40.1	137.4	38.9	39.3	23.3
LG 138.91.117.109:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.75	8.37	2.64	2.7	1.51

## LG 138.91.121.154:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.121.154:443/CPU Load					
0	17.8	49	17	17.7	9.29
LG 138.91.121.154:443/Memory Used					
2	12.4	36	11	11.8	6.59
LG 138.91.121.154:443/Throughput					
0	37.5	112.8	37.5	37	21.5
LG 138.91.121.154:443/User Load					
0	53.7	89	63	54.6	24.4
LG 138.91.121.154:443/Thread Count					
38	119.6	160	123	120.8	26.4
LG 138.91.121.154:443/Http client/Thread Pool used					
0.1	0.122	0.27	0.105	0.116	0.038
LG 138.91.121.154:443/Http client/Task Pool used					
0	0.004	0.267	0	0.001	0.018
LG 138.91.121.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.121.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.121.154:443/Controller Connection/Ping Duration (ms)					
77	126.2	194	113.5	125.1	29.6
LG 138.91.121.154:443/Network/Segments sent/sec.					
7.52	1,991	6,003	1,938	1,961	1,109
LG 138.91.121.154:443/Network/Segments retransmitted/sec.					
0	0.202	15	0	0.025	1.19
LG 138.91.121.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.5	120.5	40.6	39.9	23
LG 138.91.121.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	2.77	8.11	2.64	2.73	1.5

## LG 138.91.122.1:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.122.1:443/CPU Load					
0	18.4	58	18	18.2	9.55
LG 138.91.122.1:443/Memory Used					
2	12.3	37	10	11.6	7.67
LG 138.91.122.1:443/Throughput					
0	37.5	123.9	37.2	36.9	21.5
LG 138.91.122.1:443/User Load					
0	53.6	89	62	54.5	24.2
LG 138.91.122.1:443/Thread Count					
38	116.3	158	123	117.2	28

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 138.91.122.1:443/Http client/Thread Pool used</b>					
0.1	0.109	0.16	0.105	0.108	0.012
<b>LG 138.91.122.1:443/Http client/Task Pool used</b>					
0	0.005	0.167	0	0.001	0.02
<b>LG 138.91.122.1:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.122.1:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.122.1:443/Controller Connection/Ping Duration (ms)</b>					
88	133.2	196	116	131.9	34.8
<b>LG 138.91.122.1:443/Network/Segments sent/sec.</b>					
9.2	1,983	5,900	1,941	1,960	1,077
<b>LG 138.91.122.1:443/Network/Segments retransmitted/sec.</b>					
0	0.214	19	0	0.027	1.22
<b>LG 138.91.122.1:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.029	40.4	133	40.2	39.9	23
<b>LG 138.91.122.1:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	2.77	8.13	2.71	2.74	1.46

## LG 138.91.123.97:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 138.91.123.97:443/CPU Load</b>					
0	18	49	17	17.8	9.57
<b>LG 138.91.123.97:443/Memory Used</b>					
2	13.3	37	11	12.8	7.48
<b>LG 138.91.123.97:443/Throughput</b>					
0	37.8	106.6	36.2	37.3	21.9
<b>LG 138.91.123.97:443/User Load</b>					
0	54.2	90	63	55	24.2
<b>LG 138.91.123.97:443/Thread Count</b>					
38	115.9	158	124	116.8	26.4
<b>LG 138.91.123.97:443/Http client/Thread Pool used</b>					
0.1	0.108	0.16	0.1	0.107	0.012
<b>LG 138.91.123.97:443/Http client/Task Pool used</b>					
0	0.005	0.267	0	0.001	0.023
<b>LG 138.91.123.97:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.123.97:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.123.97:443/Controller Connection/Ping Duration (ms)</b>					
89	167.5	194	189	170.2	30
<b>LG 138.91.123.97:443/Network/Segments sent/sec.</b>					
12.6	1,984	5,124	1,892	1,961	1,106
<b>LG 138.91.123.97:443/Network/Segments retransmitted/sec.</b>					
0	0.194	14.8	0	0.014	1.15
<b>LG 138.91.123.97:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.016	40.8	114.5	39.2	40.2	23.4
<b>LG 138.91.123.97:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.019	2.78	7.05	2.67	2.75	1.51

## LG 138.91.124.64:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.124.64:443/CPU Load					
0	17.9	51	17	17.6	9.54
LG 138.91.124.64:443/Memory Used					
2	13.4	38	11	12.8	7.69
LG 138.91.124.64:443/Throughput					
0	37.5	114.5	36.8	36.8	21.8
LG 138.91.124.64:443/User Load					
0	54.1	89	63	55	24.3
LG 138.91.124.64:443/Thread Count					
38	118.2	158	125	119.3	28.7
LG 138.91.124.64:443/Http client/Thread Pool used					
0.1	0.117	0.215	0.11	0.114	0.023
LG 138.91.124.64:443/Http client/Task Pool used					
0	0.005	0.3	0	0.001	0.023
LG 138.91.124.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.124.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.124.64:443/Controller Connection/Ping Duration (ms)					
85	117.6	197	112	114.8	27.2
LG 138.91.124.64:443/Network/Segments sent/sec.					
7.6	1,987	5,868	1,929	1,948	1,121
LG 138.91.124.64:443/Network/Segments retransmitted/sec.					
0	0.184	16.4	0	0.018	1.15
LG 138.91.124.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	40.4	122.4	39.8	39.6	23.3
LG 138.91.124.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.77	8.04	2.65	2.71	1.52

## LG 138.91.125.70:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.125.70:443/CPU Load					
0	18.4	55	18	18.1	9.44
LG 138.91.125.70:443/Memory Used					
2	13.4	37	12	12.9	7.15
LG 138.91.125.70:443/Throughput					
0	37.8	114.9	37.2	37	21.7
LG 138.91.125.70:443/User Load					
0	54.1	90	63	55	24.2
LG 138.91.125.70:443/Thread Count					
38	116.2	155	124	117.2	27.1
LG 138.91.125.70:443/Http client/Thread Pool used					
0.1	0.108	0.155	0.1	0.106	0.012
LG 138.91.125.70:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.016
LG 138.91.125.70:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.125.70:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.125.70:443/Controller Connection/Ping Duration (ms)					
78	117.8	185	111	116.8	24.2

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 138.91.125.70:443/Network/Segments sent/sec.</b>					
7.6	2,019	5,615	1,997	1,984	1,094
<b>LG 138.91.125.70:443/Network/Segments retransmitted/sec.</b>					
0	0.21	16.4	0	0.012	1.38
<b>LG 138.91.125.70:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	40.7	123.3	40.2	39.9	23.2
<b>LG 138.91.125.70:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.8	7.64	2.75	2.76	1.47

## LG 138.91.127.178:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 138.91.127.178:443/CPU Load</b>					
0	18.3	59	17	18	9.65
<b>LG 138.91.127.178:443/Memory Used</b>					
1	12.5	37	10	11.9	7.76
<b>LG 138.91.127.178:443/Throughput</b>					
0	37.1	129	36.2	36.5	21.7
<b>LG 138.91.127.178:443/User Load</b>					
0	53.2	89	62	54.1	24.5
<b>LG 138.91.127.178:443/Thread Count</b>					
38	114.1	159	122	115	26.4
<b>LG 138.91.127.178:443/Http client/Thread Pool used</b>					
0.1	0.107	0.145	0.1	0.105	0.01
<b>LG 138.91.127.178:443/Http client/Task Pool used</b>					
0	0.005	0.267	0	0.001	0.023
<b>LG 138.91.127.178:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.127.178:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.127.178:443/Controller Connection/Ping Duration (ms)</b>					
129	154.4	194	154	153.6	11.3
<b>LG 138.91.127.178:443/Network/Segments sent/sec.</b>					
11.3	1,945	6,036	1,899	1,913	1,096
<b>LG 138.91.127.178:443/Network/Segments retransmitted/sec.</b>					
0	0.203	15	0	0.012	1.29
<b>LG 138.91.127.178:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.024	40	138.3	39.2	39.3	23.3
<b>LG 138.91.127.178:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.017	2.73	8.26	2.61	2.69	1.49

## LG 138.91.127.185:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 138.91.127.185:443/CPU Load</b>					
0	18	48	17	17.8	9.28
<b>LG 138.91.127.185:443/Memory Used</b>					
1	12.5	36	11	11.9	7.66
<b>LG 138.91.127.185:443/Throughput</b>					
0	37.9	108.5	37.3	37.3	21.6
<b>LG 138.91.127.185:443/User Load</b>					
0	53.9	89	63	54.8	24.3
<b>LG 138.91.127.185:443/Thread Count</b>					
38	115.6	155	123	116.5	26.9

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 138.91.127.185:443/Http client/Thread Pool used</b>					
0.1	0.107	0.145	0.1	0.106	0.011
<b>LG 138.91.127.185:443/Http client/Task Pool used</b>					
0	0.005	0.167	0	0.002	0.017
<b>LG 138.91.127.185:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.127.185:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 138.91.127.185:443/Controller Connection/Ping Duration (ms)</b>					
80	150	163	153	152	12.9
<b>LG 138.91.127.185:443/Network/Segments sent/sec.</b>					
7.4	1,987	5,063	1,901	1,961	1,097
<b>LG 138.91.127.185:443/Network/Segments retransmitted/sec.</b>					
0	0.207	16.6	0	0.025	1.1
<b>LG 138.91.127.185:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.023	40.9	116.3	40.3	40.3	23.2
<b>LG 138.91.127.185:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.78	6.88	2.64	2.75	1.5

## LG 40.114.80.216:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.114.80.216:443/CPU Load</b>					
0	17.7	47	17	17.5	9.27
<b>LG 40.114.80.216:443/Memory Used</b>					
1	11.5	36	10	10.96	6.4
<b>LG 40.114.80.216:443/Throughput</b>					
0	37.6	99.6	37.2	37.1	21.2
<b>LG 40.114.80.216:443/User Load</b>					
0	53.7	89	63	54.6	24.4
<b>LG 40.114.80.216:443/Thread Count</b>					
38	115.1	159	123	116	26.6
<b>LG 40.114.80.216:443/Http client/Thread Pool used</b>					
0.1	0.107	0.145	0.1	0.105	0.01
<b>LG 40.114.80.216:443/Http client/Task Pool used</b>					
0	0.005	0.167	0	0.001	0.017
<b>LG 40.114.80.216:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.114.80.216:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.114.80.216:443/Controller Connection/Ping Duration (ms)</b>					
85	112.4	195	109	110.1	20.7
<b>LG 40.114.80.216:443/Network/Segments sent/sec.</b>					
7.8	1,987	4,986	1,934	1,962	1,079
<b>LG 40.114.80.216:443/Network/Segments retransmitted/sec.</b>					
0	0.231	17.8	0	0.013	1.43
<b>LG 40.114.80.216:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.016	40.6	106.8	40.1	40	22.8
<b>LG 40.114.80.216:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.77	6.69	2.66	2.74	1.46

## LG 40.114.85.160:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.114.85.160:443/CPU Load					
0	18.1	51	17	18	9.07
LG 40.114.85.160:443/Memory Used					
3	11.3	36	9	10.66	6.82
LG 40.114.85.160:443/Throughput					
0	37.4	115.6	36.2	36.9	21
LG 40.114.85.160:443/User Load					
0	53.5	89	62	54.4	24.3
LG 40.114.85.160:443/Thread Count					
38	115.7	155	124	116.6	27.5
LG 40.114.85.160:443/Http client/Thread Pool used					
0.1	0.109	0.165	0.1	0.107	0.014
LG 40.114.85.160:443/Http client/Task Pool used					
0	0.005	0.217	0	0.001	0.021
LG 40.114.85.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.114.85.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.114.85.160:443/Controller Connection/Ping Duration (ms)					
96	144	189	153	144.8	20.9
LG 40.114.85.160:443/Network/Segments sent/sec.					
7.6	1,981	5,544	1,890	1,958	1,059
LG 40.114.85.160:443/Network/Segments retransmitted/sec.					
0	0.179	19.8	0	0.008	1.27
LG 40.114.85.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.019	40.3	123.8	38.9	39.8	22.5
LG 40.114.85.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.76	7.55	2.68	2.73	1.43

## LG 40.117.91.161:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.91.161:443/CPU Load					
0	17.9	52	18	17.8	9.26
LG 40.117.91.161:443/Memory Used					
2	13	34	11	12.5	7.2
LG 40.117.91.161:443/Throughput					
0	37.2	117.7	36.8	36.8	20.8
LG 40.117.91.161:443/User Load					
0	53.4	89	62	54.3	24.3
LG 40.117.91.161:443/Thread Count					
39	114.3	153	123	115.3	26.8
LG 40.117.91.161:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.007
LG 40.117.91.161:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.015
LG 40.117.91.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.117.91.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.117.91.161:443/Controller Connection/Ping Duration (ms)					
99	150.3	194	154	150.6	37.2



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.91.161:443/Network/Segments sent/sec.					
6.33	1,955	5,568	1,904	1,937	1,051
LG 40.117.91.161:443/Network/Segments retransmitted/sec.					
0	0.183	14	0	0.025	1.1
LG 40.117.91.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	40.2	125.9	39.7	39.7	22.3
LG 40.117.91.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.74	7.6	2.71	2.72	1.43

## LG 40.117.94.245:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.94.245:443/CPU Load					
0	19.1	51	18	18.8	9.85
LG 40.117.94.245:443/Memory Used					
2	14	39	12	13.4	8.46
LG 40.117.94.245:443/Throughput					
0	37.4	113.7	36.3	36.6	21.5
LG 40.117.94.245:443/User Load					
0	53.7	89	62	54.5	24.3
LG 40.117.94.245:443/Thread Count					
38	115.3	158	122	116.1	26.1
LG 40.117.94.245:443/Http client/Thread Pool used					
0.1	0.108	0.145	0.105	0.107	0.01
LG 40.117.94.245:443/Http client/Task Pool used					
0	0.006	0.283	0	0.002	0.023
LG 40.117.94.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.117.94.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.117.94.245:443/Controller Connection/Ping Duration (ms)					
84	131.9	193	153	131.8	27.9
LG 40.117.94.245:443/Network/Segments sent/sec.					
7.6	1,960	5,253	1,863	1,922	1,095
LG 40.117.94.245:443/Network/Segments retransmitted/sec.					
0	0.192	11.8	0	0.019	1.02
LG 40.117.94.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0.01	40.3	121.5	39.1	39.5	23
LG 40.117.94.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.75	7.26	2.64	2.7	1.5

## LG 40.117.95.168:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.95.168:443/CPU Load					
0	18.6	52	18	18.5	9.48
LG 40.117.95.168:443/Memory Used					
2	13.2	35	11	12.6	7.17
LG 40.117.95.168:443/Throughput					
0	37.1	113.3	36	36.6	20.9
LG 40.117.95.168:443/User Load					
0	53.3	89	62	54.3	24.4
LG 40.117.95.168:443/Thread Count					
38	116.9	159	123	117.9	28.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.117.95.168:443/Http client/Thread Pool used</b>					
0.1	0.11	0.155	0.105	0.109	0.014
<b>LG 40.117.95.168:443/Http client/Task Pool used</b>					
0	0.004	0.217	0	0.001	0.02
<b>LG 40.117.95.168:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.117.95.168:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.117.95.168:443/Controller Connection/Ping Duration (ms)</b>					
87	110.5	182	109	108.4	17.9
<b>LG 40.117.95.168:443/Network/Segments sent/sec.</b>					
6.38	1,954	5,428	1,872	1,928	1,066
<b>LG 40.117.95.168:443/Network/Segments retransmitted/sec.</b>					
0	0.211	14.4	0	0.013	1.32
<b>LG 40.117.95.168:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.1	121.3	38.8	39.5	22.4
<b>LG 40.117.95.168:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.73	7.4	2.62	2.7	1.45

## LG 40.121.160.26:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.121.160.26:443/CPU Load</b>					
0	17.5	50	17	17.4	9.23
<b>LG 40.121.160.26:443/Memory Used</b>					
2	12.4	36	10	11.8	7.35
<b>LG 40.121.160.26:443/Throughput</b>					
0	37.2	113.2	37.4	36.6	21.5
<b>LG 40.121.160.26:443/User Load</b>					
0	53.5	89	62	54.4	24.3
<b>LG 40.121.160.26:443/Thread Count</b>					
38	116	159	125	116.9	27.3
<b>LG 40.121.160.26:443/Http client/Thread Pool used</b>					
0.1	0.111	0.165	0.105	0.11	0.015
<b>LG 40.121.160.26:443/Http client/Task Pool used</b>					
0	0.008	0.25	0	0.002	0.028
<b>LG 40.121.160.26:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.160.26:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.160.26:443/Controller Connection/Ping Duration (ms)</b>					
88	114.4	154	110	113.4	19
<b>LG 40.121.160.26:443/Network/Segments sent/sec.</b>					
8.19	1,979	5,435	1,957	1,951	1,098
<b>LG 40.121.160.26:443/Network/Segments retransmitted/sec.</b>					
0	0.153	13	0	0.008	1.04
<b>LG 40.121.160.26:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	40.1	121.3	40.1	39.5	23
<b>LG 40.121.160.26:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.75	7.55	2.65	2.72	1.48

## LG 40.121.160.88:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.160.88:443/CPU Load					
0	18.6	52	18	18.4	9.38
LG 40.121.160.88:443/Memory Used					
2	12.6	36	11	12	8.02
LG 40.121.160.88:443/Throughput					
0	37.5	115.3	37.3	36.8	21.3
LG 40.121.160.88:443/User Load					
0	53.9	89	63	54.8	24.4
LG 40.121.160.88:443/Thread Count					
38	116.4	160	125	117.2	27.7
LG 40.121.160.88:443/Http client/Thread Pool used					
0.1	0.111	0.17	0.105	0.109	0.015
LG 40.121.160.88:443/Http client/Task Pool used					
0	0.005	0.2	0	0.002	0.02
LG 40.121.160.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.160.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.160.88:443/Controller Connection/Ping Duration (ms)					
81	112.7	193	114	110.7	20.9
LG 40.121.160.88:443/Network/Segments sent/sec.					
8.8	1,989	5,481	1,932	1,951	1,085
LG 40.121.160.88:443/Network/Segments retransmitted/sec.					
0	0.231	16.6	0	0.013	1.43
LG 40.121.160.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.015	40.4	123.5	40	39.7	22.9
LG 40.121.160.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	2.77	7.55	2.66	2.73	1.47

## LG 40.121.161.217:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.161.217:443/CPU Load					
0	18.1	81	17	17.5	10.54
LG 40.121.161.217:443/Memory Used					
2	12.2	36	10	11.6	7.25
LG 40.121.161.217:443/Throughput					
0	38.3	174.7	37.5	36.7	24.3
LG 40.121.161.217:443/User Load					
0	54.2	90	63	55	24.4
LG 40.121.161.217:443/Thread Count					
38	119	166	131	119.7	28.9
LG 40.121.161.217:443/Http client/Thread Pool used					
0.1	0.118	0.225	0.1	0.114	0.03
LG 40.121.161.217:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.017
LG 40.121.161.217:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.161.217:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.161.217:443/Controller Connection/Ping Duration (ms)					
118	153.9	195	154	154	9.91

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.161.217:443/Network/Segments sent/sec.					
9	2,044	18,470	1,968	1,939	1,437
LG 40.121.161.217:443/Network/Segments retransmitted/sec.					
0	0.176	13.2	0	0.014	1.07
LG 40.121.161.217:443/Network/eth0 (eth0)/Megabits received/sec.					
0.023	41.3	207.5	40.3	39.6	26.3
LG 40.121.161.217:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	2.83	17.2	2.73	2.7	1.78

## LG 40.121.161.35:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.161.35:443/CPU Load					
0	18.7	55	18	18.4	9.69
LG 40.121.161.35:443/Memory Used					
2	14.9	37	13	14.5	7.71
LG 40.121.161.35:443/Throughput					
0	38.1	115.2	37.4	37.5	21.5
LG 40.121.161.35:443/User Load					
0	54.2	90	63	55.1	24.4
LG 40.121.161.35:443/Thread Count					
38	118.1	169	123	118.5	29.5
LG 40.121.161.35:443/Http client/Thread Pool used					
0.1	0.113	0.205	0.105	0.11	0.021
LG 40.121.161.35:443/Http client/Task Pool used					
0	0.005	0.267	0	0.001	0.02
LG 40.121.161.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.161.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.161.35:443/Controller Connection/Ping Duration (ms)					
116	154.1	193	154	154	10.3
LG 40.121.161.35:443/Network/Segments sent/sec.					
6.8	2,020	5,412	1,997	1,990	1,095
LG 40.121.161.35:443/Network/Segments retransmitted/sec.					
0	0.226	17.2	0	0.01	1.3
LG 40.121.161.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	41.1	123.2	40.3	40.5	23
LG 40.121.161.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.81	7.39	2.73	2.77	1.49

## LG 40.121.163.183:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.163.183:443/CPU Load					
0	17.4	51	17	17.2	9.05
LG 40.121.163.183:443/Memory Used					
1	12.2	35	10	11.7	6.74
LG 40.121.163.183:443/Throughput					
0	37.5	116.4	36.1	37	21.4
LG 40.121.163.183:443/User Load					
0	53.8	89	63	54.7	24.3
LG 40.121.163.183:443/Thread Count					
38	116.9	167	123	117.4	29.1

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.121.163.183:443/Http client/Thread Pool used</b>					
0.1	0.112	0.205	0.1	0.108	0.022
<b>LG 40.121.163.183:443/Http client/Task Pool used</b>					
0	0.004	0.117	0	0.001	0.014
<b>LG 40.121.163.183:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.163.183:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.163.183:443/Controller Connection/Ping Duration (ms)</b>					
98	127.7	196	121	126.4	24.4
<b>LG 40.121.163.183:443/Network/Segments sent/sec.</b>					
7.2	1,993	5,588	1,893	1,967	1,099
<b>LG 40.121.163.183:443/Network/Segments retransmitted/sec.</b>					
0	0.164	13.8	0	0.005	1.13
<b>LG 40.121.163.183:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.01	40.4	124.4	39.1	39.9	22.9
<b>LG 40.121.163.183:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.77	7.63	2.64	2.74	1.49

## LG 40.121.163.238:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.121.163.238:443/CPU Load</b>					
0	18.7	51	18	18.4	9.78
<b>LG 40.121.163.238:443/Memory Used</b>					
2	12.8	36	11	12.3	7.08
<b>LG 40.121.163.238:443/Throughput</b>					
0	37.3	102.3	36.8	36.4	21.5
<b>LG 40.121.163.238:443/User Load</b>					
0	53.3	89	62	54.2	24.4
<b>LG 40.121.163.238:443/Thread Count</b>					
38	115.2	156	124	116.2	26.9
<b>LG 40.121.163.238:443/Http client/Thread Pool used</b>					
0.1	0.108	0.16	0.1	0.106	0.011
<b>LG 40.121.163.238:443/Http client/Task Pool used</b>					
0	0.005	0.15	0	0.001	0.019
<b>LG 40.121.163.238:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.163.238:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.163.238:443/Controller Connection/Ping Duration (ms)</b>					
102	166.4	199	191	167.9	30
<b>LG 40.121.163.238:443/Network/Segments sent/sec.</b>					
6.8	1,974	5,180	1,908	1,934	1,098
<b>LG 40.121.163.238:443/Network/Segments retransmitted/sec.</b>					
0	0.186	17.2	0	0.019	1.1
<b>LG 40.121.163.238:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.017	40.2	109.9	39.7	39.3	23
<b>LG 40.121.163.238:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.75	7.01	2.64	2.7	1.48

## LG 40.121.164.159:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.164.159:443/CPU Load					
0	18.8	76	17	18.4	10.36
LG 40.121.164.159:443/Memory Used					
2	13.5	37	11	12.9	7.68
LG 40.121.164.159:443/Throughput					
0	37.8	122	36	37.1	21.9
LG 40.121.164.159:443/User Load					
0	53.5	89	62	54.4	24.3
LG 40.121.164.159:443/Thread Count					
38	116.4	160	122	117.1	28.8
LG 40.121.164.159:443/Http client/Thread Pool used					
0.1	0.109	0.165	0.1	0.107	0.015
LG 40.121.164.159:443/Http client/Task Pool used					
0	0.007	0.3	0	0.002	0.032
LG 40.121.164.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.164.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.164.159:443/Controller Connection/Ping Duration (ms)					
83	112.6	196	113	110.4	23.5
LG 40.121.164.159:443/Network/Segments sent/sec.					
10.6	2,006	6,802	1,914	1,965	1,126
LG 40.121.164.159:443/Network/Segments retransmitted/sec.					
0	0.222	17.4	0	0.012	1.39
LG 40.121.164.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.04	40.8	128	38.9	40	23.4
LG 40.121.164.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	2.8	10.65	2.66	2.74	1.56

## LG 40.121.165.18:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.165.18:443/CPU Load					
0	19	62	18	18.8	9.64
LG 40.121.165.18:443/Memory Used					
2	12.4	37	10	11.7	7.52
LG 40.121.165.18:443/Throughput					
0	37.3	128.3	36.5	36.6	21.1
LG 40.121.165.18:443/User Load					
0	53.4	89	62	54.3	24.4
LG 40.121.165.18:443/Thread Count					
38	115.8	159	124	116.7	27.5
LG 40.121.165.18:443/Http client/Thread Pool used					
0.1	0.11	0.175	0.1	0.108	0.015
LG 40.121.165.18:443/Http client/Task Pool used					
0	0.006	0.267	0	0.001	0.024
LG 40.121.165.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.165.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.165.18:443/Controller Connection/Ping Duration (ms)					
83	122.9	198	115	121.8	25.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.121.165.18:443/Network/Segments sent/sec.</b>					
6.47	1,968	6,154	1,913	1,937	1,069
<b>LG 40.121.165.18:443/Network/Segments retransmitted/sec.</b>					
0	0.192	17.2	0	0.01	1.25
<b>LG 40.121.165.18:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.2	137.4	39.4	39.5	22.6
<b>LG 40.121.165.18:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.74	8.42	2.68	2.71	1.45

## LG 40.121.165.250:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.121.165.250:443/CPU Load</b>					
0	18.1	46	18	17.8	9.78
<b>LG 40.121.165.250:443/Memory Used</b>					
2	12	36	10	11.4	7.78
<b>LG 40.121.165.250:443/Throughput</b>					
0	37	101.4	36.2	36.4	21.3
<b>LG 40.121.165.250:443/User Load</b>					
0	53.5	89	62	54.4	24.3
<b>LG 40.121.165.250:443/Thread Count</b>					
38	114.5	156	122	115.4	26.5
<b>LG 40.121.165.250:443/Http client/Thread Pool used</b>					
0.1	0.104	0.135	0.1	0.104	0.007
<b>LG 40.121.165.250:443/Http client/Task Pool used</b>					
0	0.006	0.267	0	0.002	0.022
<b>LG 40.121.165.250:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.165.250:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.165.250:443/Controller Connection/Ping Duration (ms)</b>					
98	149.8	193	153	151	15.5
<b>LG 40.121.165.250:443/Network/Segments sent/sec.</b>					
6.64	1,963	4,868	1,909	1,932	1,094
<b>LG 40.121.165.250:443/Network/Segments retransmitted/sec.</b>					
0	0.17	17	0	0.011	1.21
<b>LG 40.121.165.250:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	39.9	108.4	39	39.2	22.8
<b>LG 40.121.165.250:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	2.73	6.93	2.64	2.7	1.49

## LG 40.121.167.164:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.121.167.164:443/CPU Load</b>					
0	18.1	51	18	17.8	9.31
<b>LG 40.121.167.164:443/Memory Used</b>					
2	12.3	35	10	11.7	7.67
<b>LG 40.121.167.164:443/Throughput</b>					
0	37.6	111.2	37.6	36.9	21.2
<b>LG 40.121.167.164:443/User Load</b>					
0	53.8	89	63	54.6	24.4
<b>LG 40.121.167.164:443/Thread Count</b>					
38	116.4	154	125	117.4	26.4

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.121.167.164:443/Http client/Thread Pool used</b>					
0.1	0.11	0.155	0.105	0.109	0.013
<b>LG 40.121.167.164:443/Http client/Task Pool used</b>					
0	0.004	0.183	0	0.001	0.015
<b>LG 40.121.167.164:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.167.164:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.121.167.164:443/Controller Connection/Ping Duration (ms)</b>					
101	154.2	196	154	154.1	14.4
<b>LG 40.121.167.164:443/Network/Segments sent/sec.</b>					
10.56	1,995	5,546	1,932	1,958	1,090
<b>LG 40.121.167.164:443/Network/Segments retransmitted/sec.</b>					
0	0.175	16.4	0	0.007	1.11
<b>LG 40.121.167.164:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.018	40.6	119.2	40.4	39.8	22.7
<b>LG 40.121.167.164:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.019	2.78	7.46	2.67	2.73	1.48

## LG 40.76.87.118:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.76.87.118:443/CPU Load</b>					
0	17.5	48	17	17.3	9.07
<b>LG 40.76.87.118:443/Memory Used</b>					
2	11.1	36	9	10.45	6.87
<b>LG 40.76.87.118:443/Throughput</b>					
0	37.2	112.5	35.7	36.5	21.5
<b>LG 40.76.87.118:443/User Load</b>					
0	53.6	89	62	54.4	24.2
<b>LG 40.76.87.118:443/Thread Count</b>					
38	115.6	157	123	116.6	27.5
<b>LG 40.76.87.118:443/Http client/Thread Pool used</b>					
0.1	0.111	0.17	0.1	0.109	0.017
<b>LG 40.76.87.118:443/Http client/Task Pool used</b>					
0	0.005	0.2	0	0.001	0.022
<b>LG 40.76.87.118:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.76.87.118:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.76.87.118:443/Controller Connection/Ping Duration (ms)</b>					
78	158.9	202	155	160.5	35.9
<b>LG 40.76.87.118:443/Network/Segments sent/sec.</b>					
7.6	1,970	5,329	1,933	1,937	1,095
<b>LG 40.76.87.118:443/Network/Segments retransmitted/sec.</b>					
0	0.179	15.4	0	0.008	1.25
<b>LG 40.76.87.118:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.016	40	120.4	38.5	39.3	23
<b>LG 40.76.87.118:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.74	7.18	2.7	2.7	1.48



## LG 40.76.91.219:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.76.91.219:443/CPU Load					
0	17.8	49	17	17.6	9.28
LG 40.76.91.219:443/Memory Used					
2	11.4	37	9	10.74	7.46
LG 40.76.91.219:443/Throughput					
0	37.1	105.6	36.9	36.6	21.2
LG 40.76.91.219:443/User Load					
0	53.6	89	62	54.4	24.2
LG 40.76.91.219:443/Thread Count					
38	116.7	159	124	117.6	28.1
LG 40.76.91.219:443/Http client/Thread Pool used					
0.1	0.111	0.18	0.105	0.108	0.016
LG 40.76.91.219:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.014
LG 40.76.91.219:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.76.91.219:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.76.91.219:443/Controller Connection/Ping Duration (ms)					
79	127.2	250	116	124	34
LG 40.76.91.219:443/Network/Segments sent/sec.					
7.6	1,989	4,958	1,947	1,960	1,092
LG 40.76.91.219:443/Network/Segments retransmitted/sec.					
0	0.184	17.8	0	0.009	1.25
LG 40.76.91.219:443/Network/eth0 (eth0)/Megabits received/sec.					
0.025	40	112.7	39.6	39.4	22.7
LG 40.76.91.219:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.75	6.91	2.68	2.72	1.47

## LG 40.85.177.216:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.177.216:443/CPU Load					
0	17.8	56	18	17.5	9.62
LG 40.85.177.216:443/Memory Used					
2	14.2	39	12	13.7	7.77
LG 40.85.177.216:443/Throughput					
0	37.2	117.6	36.9	36.2	21.9
LG 40.85.177.216:443/User Load					
0	53.5	89	62	54.3	24.3
LG 40.85.177.216:443/Thread Count					
38	115.2	154	123.5	116.3	26.3
LG 40.85.177.216:443/Http client/Thread Pool used					
0.1	0.108	0.165	0.1	0.106	0.013
LG 40.85.177.216:443/Http client/Task Pool used					
0	0.005	0.267	0	0.001	0.021
LG 40.85.177.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.85.177.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.85.177.216:443/Controller Connection/Ping Duration (ms)					
83	112.2	193	110	109.9	22

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.177.216:443/Network/Segments sent/sec.					
7.91	1,958	5,691	1,945	1,909	1,103
LG 40.85.177.216:443/Network/Segments retransmitted/sec.					
0	0.174	17.8	0	0.011	1.22
LG 40.85.177.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.024	40.1	126.2	39.7	39.1	23.4
LG 40.85.177.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	2.74	7.91	2.71	2.68	1.5

## LG 40.85.180.250:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.180.250:443/CPU Load					
0	18.2	49	17	18.1	9.34
LG 40.85.180.250:443/Memory Used					
1	13.5	36	11	13	8.25
LG 40.85.180.250:443/Throughput					
0	37.5	107.8	36.5	37	21.2
LG 40.85.180.250:443/User Load					
0	53.8	89	63	54.6	24.5
LG 40.85.180.250:443/Thread Count					
38	116.9	169	125	117.7	28.1
LG 40.85.180.250:443/Http client/Thread Pool used					
0.1	0.113	0.18	0.105	0.111	0.019
LG 40.85.180.250:443/Http client/Task Pool used					
0	0.004	0.117	0	0.002	0.014
LG 40.85.180.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.85.180.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.85.180.250:443/Controller Connection/Ping Duration (ms)					
115	154.9	194	154	154.3	10.73
LG 40.85.180.250:443/Network/Segments sent/sec.					
6.8	1,971	5,255	1,873	1,950	1,070
LG 40.85.180.250:443/Network/Segments retransmitted/sec.					
0	0.214	18	0	0.016	1.28
LG 40.85.180.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	40.4	115.7	39.4	39.9	22.7
LG 40.85.180.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	2.76	7.25	2.6	2.73	1.47

## LG 40.85.182.117:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.182.117:443/CPU Load					
0	18	53	17	17.9	9.12
LG 40.85.182.117:443/Memory Used					
1	12.1	35	10	11.5	6.89
LG 40.85.182.117:443/Throughput					
0	37.6	111.8	36.5	37.1	21
LG 40.85.182.117:443/User Load					
0	53.8	89	63	54.7	24.4
LG 40.85.182.117:443/Thread Count					
38	115.5	159	123	116.4	27.1


Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.85.182.117:443/Http client/Thread Pool used</b>					
0.1	0.109	0.15	0.105	0.107	0.012
<b>LG 40.85.182.117:443/Http client/Task Pool used</b>					
0	0.007	0.2	0	0.002	0.023
<b>LG 40.85.182.117:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.85.182.117:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.85.182.117:443/Controller Connection/Ping Duration (ms)</b>					
88	151.4	204	153	151.7	18.8
<b>LG 40.85.182.117:443/Network/Segments sent/sec.</b>					
6.8	1,969	5,151	1,923	1,945	1,065
<b>LG 40.85.182.117:443/Network/Segments retransmitted/sec.</b>					
0	0.199	18.4	0	0.016	1.21
<b>LG 40.85.182.117:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.027	40.6	119.8	39.8	40.1	22.5
<b>LG 40.85.182.117:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.76	7.54	2.66	2.73	1.45

## LG 40.85.183.41:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 40.85.183.41:443/CPU Load</b>					
0	18.5	54	18	18.2	9.76
<b>LG 40.85.183.41:443/Memory Used</b>					
2	16	38	14	15.6	8.54
<b>LG 40.85.183.41:443/Throughput</b>					
0	37.4	112.8	37	36.6	21.7
<b>LG 40.85.183.41:443/User Load</b>					
0	53.3	89	62	54.2	24.5
<b>LG 40.85.183.41:443/Thread Count</b>					
38	117.7	168	123	118.4	29.8
<b>LG 40.85.183.41:443/Http client/Thread Pool used</b>					
0.1	0.112	0.2	0.105	0.109	0.019
<b>LG 40.85.183.41:443/Http client/Task Pool used</b>					
0	0.005	0.25	0	0.002	0.019
<b>LG 40.85.183.41:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 40.85.183.41:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 40.85.183.41:443/Controller Connection/Ping Duration (ms)</b>					
83	113.1	190	114	111.2	20.6
<b>LG 40.85.183.41:443/Network/Segments sent/sec.</b>					
6.63	1,958	5,325	1,895	1,917	1,103
<b>LG 40.85.183.41:443/Network/Segments retransmitted/sec.</b>					
0	0.195	17.6	0	0.019	1.2
<b>LG 40.85.183.41:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.009	40.3	120.7	39.9	39.5	23.2
<b>LG 40.85.183.41:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	2.74	7.5	2.59	2.69	1.51


## Average page response time



Min	Average	Max
0.052	0.312	1.642

**Notes:** Displays the average response time, in seconds, of all pages during the test.


## Average request response time



Min	Average	Max
0.022	0.126	46.751

**Notes:** Displays the average response time, in seconds, of all requests during the test.

## Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
2.149	11.337	53.729	2.457	9.998	14.399

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.

## Requests per second



Min	Average	Max
0	41,537.2	88,674.4

**Notes:** Displays the number of requests per second.

## Errors




Min	Average	Max
0	1,599.6	8,481

**Notes:** Displays the number of errors per sampling interval.




## Throughput



Min	Average	Max
0	5,903.28	12,527.53

**Notes:** Displays the number of megabits of data per second returned by the server.


## Response time against load



Min	Average	Max
0.052	0.358	9.316

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.