AEM BasicPhones New Url-Main LT-TDC



Date	Apr 9, 2020 1:24:21 AM
Project	MVOPEGA
Scenario	BasicPhones_MainLT
Comment	
Notes	AEM BasicPhones New Url-Main LT- TDC

Table of Contents

Table of Contents	2
Summary	3
Results summary	3
Statistics Summary	3
Hot spots	5
Errors	5
Alerts	5
General statistics	5
Transaction statistics	5
Execution context	8
Scenario	6
Servers	10
Populations	11
User Paths	
Transactions	13
Pages	15
Requests	
Media Contents	
Push messages	14
Monitors	
Main graphs	38
Average page response time	38
Average request response time	
Average response time (Transactions)	
Requests per second	
Errors	42
Throughput	43
Response time against load	
Distribution of Transaction Durations	



Results summary

Name	01:23 - 9 Apr 2020_BasicPhones_New_Main	Project	MVOPEGA			
Description		Scenario	BasicPhones_MainLT			
Status	✓ Passed	Load Policy	The population BasicPhones_New is customized			
Start date	Apr 9, 2020 1:24:21 AM					
End date	Apr 9, 2020 1:56:56 AM	Stop Policy	Population BasicPhones_New: immediate.			
Duration Termination	00:32:34	Filters	None			
reason	Manual action	riileis	None			
	35.221.1.81:443					
	35.245.133.49:443					
	35.245.233.12:443					
	35.188.230.36:443					
	35.245.91.85:443					
	35.188.253.136:443					
	35.245.146.202:443					
	35.188.250.117:443					
	35.230.167.99:443					
	35.245.253.233:443					
	35.230.180.22:443					
	35.236.255.189:443					
LG Hosts	35.236.238.140:443	Debug	Disabled			
	35.245.163.23:443					
	35.236.215.133:443					
	35.188.231.219:443					
	35.245.39.78:443					
	35.199.12.243:443					
	35.245.6.100:443					
	35.236.229.26:443					
	35.245.24.239:443					
	35.245.78.49:443					
	35.186.181.82:443					
	35.186.186.22:443					
	35.245.124.42:443					

Statistics Summary

Total pages	2317751	-	Average pages/s	1,185.6	_
Total requests	7727793	-	Average requests/s	3,952.8	_
Total users launched	5000	-	Average Request response time	0.025 s	-
Total iterations completed	253005	-	Average Page response time	0.058 s	_
Total throughput	202,806 MB	-	Average throughput	829.90 Mb/s	_



3 0 % **Total request errors** Error rate **Total action errors** 0 Alerts total duration 0 % = Failed = Passed = Warning = No SLA 3.0 5,000 2.5 4,000 Errors / Alerts 2.0 3,000 1.5 2,000 1.0 1,000 0.5 0 12,500 0.150 Response time (s) 0.125 10,000 Requests/s 0.100 7,500 0.075 5,000 0.050 2,500 0.025 0.000 0 00:05 00:10 00:15 00:20 00:25 00:30 Time − Users — Errors — Alerts — Requests/s — Response time (s)

Hot spots

Top 5 errors

User Path	Parent	Page	Count
BasicPhones_New	Launch_New	/content/vzw-engage/c2c/btn.disntainer-desktop.html	3

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
BasicPhones_New	Launch_New	/basic-phones/	0.216
BasicPhones_New	Launch_New	/one-digital/gnav/header/vcg/winocloudconfigs.html	0.092
BasicPhones_New	Launch_New	/is/image/VerizonWireless/eTalkPrepaid_Phone_051519	0.081
BasicPhones_New	Launch_New	/id_1	0.034
BasicPhones_New	Launch_New	/2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js	0.025

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
BasicPhones_New	Launch_New	/basic-phones/	15.2
BasicPhones_New	Launch_New	/is/image/VerizonWireless/eTalkPrepaid_Phone_051519	15.1
BasicPhones_New	Launch_New	/pagead/1p-user-list/1030624533/	12.9
BasicPhones_New	Launch_New	/content/vzw-engage/c2c/btn.disntainer-desktop.html	12.7
BasicPhones_New	Launch_New	/id_1	12.7

Errors

Request errors

Error Type	Count	Description
404	3	Not Found - The server has not found anything matching the Request-URI.
Total	3	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile	
All User Pa	aths						
2.98	27	89.5	5,000	3	0.1	-	
All pages							
0.002	0.058	15.2	2,317,751	3	0	-	
All requests							
0	0.024	15	7,727,793	3	0	-	

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transa	ctions										
0.287	0.52	15.6	253,006	3	0	0.427	0.705	3.36	0.643	0.42	-



Summary

Name	01:23 - 9 Apr 2020_BasicPhones_New_Main	Project	MVOPEGA				
Description		Scenario	BasicPhones_MainLT				
Status	✓ Passed	Load Policy	The population BasicPhones_New is customized				
Start date	Apr 9, 2020 1:24:21 AM						
End date	Apr 9, 2020 1:56:56 AM	Stop Policy	Population BasicPhones_New: immediate.				
Duration	00:32:34						
Termination reason	Manual action	Filters	None				
	35.221.1.81:443						
	35.245.133.49:443						
	35.245.233.12:443						
	35.188.230.36:443						
	35.245.91.85:443						
	35.188.253.136:443						
	35.245.146.202:443						
	35.188.250.117:443						
	35.230.167.99:443						
	35.245.253.233:443						
	35.230.180.22:443						
	35.236.255.189:443						
LG Hosts	35.236.238.140:443	Debug	Disabled				
	35.245.163.23:443						
	35.236.215.133:443						
	35.188.231.219:443						
	35.245.39.78:443						
	35.199.12.243:443						
	35.245.6.100:443						
	35.236.229.26:443						
	35.245.24.239:443						
	35.245.78.49:443						
	35.186.181.82:443						
	35.186.186.22:443						
	,						



35.245.124.42:443

Populations

BasicPhones_New

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	onnectio	n Handle cache
BasicPhones_New	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
BasicPhones_New		Go to the next iteration	Go to the next iteration	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				



Execution context

Name	01:23 - 9 Apr 2020_BasicPhones_New_Main	Project	MVOPEGA
Description		Scenario	BasicPhones_MainLT
Status	✓ Passed	Load Policy	The population BasicPhones_New is customized
Start date	Apr 9, 2020 1:24:21 AM		
End date	Apr 9, 2020 1:56:56 AM	Stop Policy	Population BasicPhones_New: immediate.
Duration Termination	00:32:34	Filters	None
reason	Manual action	i iiters	None
	35.221.1.81:443		
	35.245.133.49:443		
	, 35.245.233.12:443		
	35.188.230.36:443		
	35.245.91.85:443		
	35.188.253.136:443		
	35.245.146.202:443		
	35.188.250.117:443		
	35.230.167.99:443		
	35.245.253.233:443		
	35.230.180.22:443		
	35.236.255.189:443		
LG Hosts	35.236.238.140:443	Debug	Disabled
	35.245.163.23:443		
	35.236.215.133:443		
	35.188.231.219:443		
	35.245.39.78:443		
	35.199.12.243:443		
	35.245.6.100:443		
	35.236.229.26:443		
	35.245.24.239:443		
	35.245.78.49:443		
	, 35.186.181.82:443		
	, 35.186.186.22:443		
	, 35.245.124.42:443		

NeoLoad version Graphs granularity 6.8.0;build=20190103-16 Standard

Application proxy

Name	Description
Empty list	

Zone application proxies



Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings

BasicPhones_New

Error policy:

Assertion policy:

Thinktime policy:

Pacing:

Go to the next iteration

Go to the next iteration

replaced by 0ms.

No pacing




Servers

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
ss72.vzw.com	443		No
www.verizonwireless.com	443		No
scache1.vzw.com	443		No
ss7.vzw.com	443		No
scache.vzw.com	443		No
scache2.vzw.com	443		No
ss73.vzw.com	443		No
ss71.vzw.com	443		No



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
BasicPhones_New	7727793 (100%)	3,952.8	0.058s (0%)	0% (0%)
Global	7727793 (100%)	3,952.8	0.058s	0%

User Paths

User Paths

Min	Avg	Max	Count	Count Err		SLA Profile
BasicPh	nones_New					
2.98	27	89.5	5,000	3	0.1	-



Transactions

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev Avg-90%	SLA Profile
Empty list										

Mi	n Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile	
🖁 Ва	∄ BasicPhones_New											
2.98	27	89.5	5,000	3	0.1	-	-	-	-	-	-	
	Init											
0	0	0.001	5,000	0	0	-	-	-	-	-	-	
	Actions											
0.287	0.52	15.6	253,005	3	0	-	-	-	-	-	-	
	Launch_Ne	w										
0.287	0.52	15.6	253,006	3	0	0.427	0.705	3.36	0.643	0.42	-	
	© End											
0	0	0.001	5,000	0	0	-	-	-	-	-	-	



Push messages

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						



Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Min	Avg	Max	Count	Err	% of Err	SLA Profile
BasicPl	nones_New					
2.98	27	89.5	5,000	3	0.1	-
Acti	ions					
0.287	0.52	15.6	253,005	3	0	-
	Launch_Nev	v				
0.287	0.52	15.6	253,006	3	0	-
	Jbasic-pl	hones/				
0.118	0.216	15.2	257,720	0	0	-
	Jglobaln	av/fonts/Neu	eHaasGrote	skDisplay.w	off2	
0.002	0.015	3.17	257,700	0	0	-
	one-dig	ital/gnav/hea	ader/vcg/w	.nocloudcoi	nfigs.html	
0.053	0.092	3.12	257,611	0	0	-
	■ /2/Ps5ttV	Njl7%2BzJK`	Y2OIMi1Yw%	%3D%3D/vt-	237.js	
0.014	0.025	2.68	257,596	0	0	-
	₫ /id_1					
0.004	0.034	12.7	257,569	0	0	-
	is/image	e/VerizonWir	eless/eTal	Prepaid_Ph	one_051519	
0.038	0.081	15.1	257,413	0	0	-
	/pagead/	/1p-user-list/	1030624533	/		
0.005	0.011	12.9	257,390	0	0	-
	inqchat	.html				
0.012	0.02	3.03	257,381	0	0	-
	/content	/vzw-engage	/c2c/btn.di	.ntainer-des	ktop.html	
0.014	0.024	12.7	257,371	3	0	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Min	Avg	Max	Count	Err	% of Err	SLA Profile
BasicF	Phones_Nev	v				
2.98	27	89.5	5,000	3	0.1	-
Ac	tions					
0.287	0.52	15.6	253,005	3	0	-
<i>=</i>	Launch_Ne	ew				
0.287	0.52	15.6	253,006	3	0	-
	/basic-	phones/				
0.118	0.216	15.2	257,720	0	0	-
	la /ba	sic-phones/				
0.095	0.162	3.92	257,852	0	0	-
	💄 /ui-	one-digital/g	ın/build/gnav	.css		
0.009	0.03	1.77	257,766	0	0	-
	lt/o	nedigital/sri/	/build/logger	.js		
0.009	0.029	3.01	257,767	0	0	-
	lt/o	nedigital/uf/l	build/gw/bun	dle.gw.js		
0.018	0.047	3.02	257,741	0	0	-
	lt/o	nedigital/uf/l	build/match.	bundle.ma	tchMedia.js	
0.005	0.032	3.01	257,769	0	0	-
	lt/o	nedigital/uf/l	build/assets/	css/gw.min	.css	
0.009	0.035	15	257,772	0	0	-
	🛅 /ui-	one-digital/g	ın/build/gnav	ı.js		
0.003	0.033	1.84	257,770	0	0	-
	l /pre	eorderUI/sho	p/iconicexp	ressconfigir	nventory.json	1
0.001	0.03	1.82	257,795	0	0	-
	/global	nav/fonts/Ne	eueHaasGrot	eskDisplay.	woff2	
0.002	0.015	3.17	257,700	0	0	-
	i /glo	balnav/fonts	s/NeueHaas(GroteskDisp	lay.woff2	
0.002	0.015	3.17	257,720	0	0	-
	/one-di	gital/gnav/he	eader/vcg/w.	nocloudco	onfigs.html	
0.053	0.092	3.12	257,611	0	0	-
	on /on	e-digital/gna	v/header/vc	gnocloud	configs.html	
0.02	0.037	3.05	257,700	0	0	-
	i /ui-	one-digital/g	lobal-foote	.ct.globalfo	oter.json	
0.001	0.002	0.957	257,667	0	0	-
	/etc	:/designs/vz	wcom/gnav2	0.js		
0.018	0.032	3.06	257,641	0	0	-
	/co	ntent/dam/vz	zwcom/gnav	/global/veriz	onLogo.svg	
0.012	0.052	1.05	257,617	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
	₫ /2/Ps5tt\	Wjl7%2BzJK	Y2OIMi1Yw	%3D%3D/vt-	237.js	
0.014	0.025	2.68	257,596	0	0	-
	dan /dan	n/vzwcom/gi	nav/global/ve	erizonLogo.	svg	
0.014	0.025	2.68	257,611	0	0	-
	₫ /id_1					
0.004	0.034	12.7	257,569	0	0	-
	l /t/on	edigital/uf/b	uild/assets/o	css/4.min.cs	SS	
0	0.002	12.7	257,596	0	0	-
	alok [palnav/fonts	/NeueHaasG	iroteskDispl	ayBold.woff	2
0.001	0.004	0.777	257,584	0	0	-
	lone	digital/uf/bu	ild/assets/fo	nts/vzwEon	tleon ttf	
0.002	0.031	3.22	257,572	0	0	-
	die finnen	1			-	
0.038	0.081	15.1	257,413	.Prepaid_Pr	one_051519 0	 -
0.000					-	
0.007			nWireless/e1 257.569		Phone_0515	19
0.007	0.019	15	. ,	0	0	-
					Phone_0515	19
0.001	0.002	0.596	257,529	0	0	-
	is/ir	mage/Verizo	nWireless/o	bic-journey	-v-basic	
0.007	0.018	15	257,524	0	0	-
	is/ir	nage/Verizo	nWireless/o	bic-journey	-v-basic	
0.001	0.002	0.585	257,488	0	0	-
	is/ir	nage/Verizo	nWireless/S	onim-XP5S-	Black-05012	019
0.008	0.017	15	257,477	0	0	-
	is/ir	nage/Verizo	nWireless/S	onim-XP5S-	Black-05012	019
0.001	0.002	0.498	257,454	0	0	-
	/ie/ir	mane/Verizo	nWireless/al	catel-go-flin	-black	
0.007	0.016	15	257,449	0	0	-
0.001	0.002	0.611	nWireless/al 257,415	Catel-go-filp	0 0	-
0.001					U	-
0.005		/1p-user-list 12.9	/1030624533		0	
0.005	0.011		257,390	0	0	-
		verizon/js/as				
0.004	0.009	12.9	257,413	0	0	-
			igns/suppor	t_rd/c2c.js		
0.001	0.002	0.526	257,393	0	0	-
	/inqchat	.html				
0.012	0.02	3.03	257,381	0	0	-
	ingo/	chat.html				
0.012	0.02	3.03	257,390	0	0	-
	/content	/vzw-engag	e/c2c/btn.di.	.ntainer-des	sktop html	
0.014	0.024	12.7	257,371	3	0	-
			gage/c2c/btr			
0.013	0.022	0.611	257,381	0 0	esktop.html	-
0.010	J.022	0.011	201,001	5	J	



Min	Avg	Max	Count	Err	% of Err	SLA Profile		
/content/dam/support_rd/calllcon.png								
0	0.002	12.7	257,371	3	0	-		



Shared Containers

SLA	Value	Severity
Empty list		

SLA	Value	Severity
BasicPhones_New		
Actions		
Launch_New		
<pre>/basic-phones/</pre>		
lbasic-phones/		
lui-one-digital/gn	/build/gnav.css	
lt/onedigital/sri/b	uild/logger.js	
/t/onedigital/uf/b	uild/gw/bundle.gw.js	
/t/onedigital/uf/b	uild/matchbundle.matchMedia.js	
/t/onedigital/uf/b	uild/assets/css/gw.min.css	
lui-one-digital/gn	/build/gnav.js	
/preorderUI/shop	/iconicexpressconfiginventory.json	
/globalnav/fonts/Neu	eHaasGroteskDisplay.woff2	
dglobalnav/fonts/	NeueHaasGroteskDisplay.woff2	
one-digital/gnav/hea	ader/vcg/wnocloudconfigs.html	
one-digital/gnav	/header/vcgnocloudconfigs.html	
/ui-one-digital/glo	obal-footect.globalfooter.json	
/etc/designs/vzw	•	
	vcom/gnav/global/verizonLogo.svg	
₫ /2/Ps5ttWjl7%2BzJK	Y2OIMi1Yw%3D%3D/vt-237.js	
	av/global/verizonLogo.svg	
₫ /id_1		
	uild/assets/css/4.min.css	
	NeueHaasGroteskDisplayBold.woff2	
	ld/assets/fonts/vzwFontlcon.ttf	
	reless/eTalPrepaid_Phone_051519	
	nWireless/eTPrepaid_Phone_051519	
	nWireless/eTPrepaid_Phone_051519	
	nWireless/orbic-journey-v-basic	
LD.	nWireless/orbic-journey-v-basic	
170	nWireless/Sonim-XP5S-Black-05012019	
	nWireless/Sonim-XP5S-Black-05012019	
lis/image/Verizor	nWireless/alcatel-go-flip-black	



SLA	Value	Severity
is/image/VerizonWire	less/alcatel-go-flip-black	
/pagead/1p-user-list/1030	624533/	
askverizon/js/askveri	zon.js	
l/support/etc/designs/s	support_rd/c2c.js	
inqchat.html		
inqchat.html		
/content/vzw-engage/c2c/	btn.dintainer-desktop.html	
content/vzw-engage/	2c/btnntainer-desktop.html	
/content/dam/support	_rd/callicon.png	



Media Contents

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						



Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load	d				
0	1,571	5,000	1,500	1,522	985.3
Controller/Throughp	out				
0	818.8	4,036	786.6	773.3	545.6
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical A	lerts				
0	0	0	0	0	-
Controller/Warning	Alerts				
0	0	0	0	0	-
Controller/CPU Load	t				
17	21.8	29	21	21.7	2.03
Controller/Memory U	Jsed				
3	7.39	12	7	7.36	2.68
Controller/Thread Co	ount				
675	692.1	745	689	690.3	10.08
Controller/Connecte	ed				
25	25	25	25	25	0
Controller/Total Disc	connections				
0	0	0	0	0	0
Controller/Total Rec	onnections				
0	0	0	0	0	0
Controller/Network/S	Segments sent/sec.				
6,470	15,039	25,835	14,522	14,925	3,098
Controller/Network/S	Segments retransm	itted/sec.			
0	19.4	748.2	0	0	98.9
Controller/NeoLoad	Web/Megabits rece	eived/sec.			
0	0	0	0	0	-
Controller/NeoLoad	Web/Megabits sent	t/sec.			
0	0	0	0	0	-
Controller/Default zo	one/User Load				
0	0	0	0	0	-
Controller/USA East	- Virginia (Ashburr	n 3)/User Load			
0	1,562	5,000	1,500	1,519	975.2
Controller/USA East	- Virginia (Ashburr	n 3)/BasicPhones_N	ew/User Load		
0	1,566	5,000	1,500	1,522	973.3
Controller/USA East	- Virginia (Ashburr	n 3)/BasicPhones_N	Phones_New/User	Load	
0	1,566	5,000	1,500	1,522	973.3

LG 35.186.181.82:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.186.181.82:443/CPU Load								
0	16.4	79	15	15.3	11			
LG 35.186.181.82:4	LG 35.186.181.82:443/Memory Used							
0	11	36	9	10.42	7.28			
LG 35.186.181.82:4	43/Throughput							
0	32.7	144	31.1	31	22.2			
LG 35.186.181.82:443/User Load								
0	62.4	200	60	60.7	39			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.186.181.82:443/Thread Count									
0	141.3	396	120.5	134.9	76.7				
LG 35.186.181.82:44	LG 35.186.181.82:443/Http client/Thread Pool used								
0	0.142	0.42	0.105	0.13	0.089				
LG 35.186.181.82:44	43/Http client/Task F	Pool used							
0	0.009	1.03	0	0.002	0.057				
LG 35.186.181.82:44	43/Controller Conne	ction/Disconnection	ıs						
0	0	0	0	0	-				
LG 35.186.181.82:44	43/Controller Conne	ction/Reconnections	s						
0	0	0	0	0	-				
LG 35.186.181.82:44	43/Controller Conne	ction/Ping Duration	(ms)						
5	6.17	34	5	5.26	5.06				
LG 35.186.181.82:44	43/Network/Segmen	ts sent/sec.							
0	2,034	9,848	1,912	1,919	1,399				
LG 35.186.181.82:44	43/Network/Segmen	ts retransmitted/sec							
0	0.169	35.8	0	0	2.01				
LG 35.186.181.82:44	43/Network/eth0 (eth	0)/Megabits receive	d/sec.						
0	34.3	152.9	32.5	32.4	23.2				
LG 35.186.181.82:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0	2.6	11.6	2.46	2.46	1.74				

LG 35.186.186.22:443

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 35.186.186.22:44	43/CPU Load									
0	16	89	14	14.9	11					
LG 35.186.186.22:44	LG 35.186.186.22:443/Memory Used									
0	11.4	39	9	10.8	7.7					
LG 35.186.186.22:44	43/Throughput									
0	32.7	164.6	29.8	31	22.2					
LG 35.186.186.22:44	43/User Load									
0	62.3	200	60	60.6	39					
LG 35.186.186.22:44	43/Thread Count									
0	141.1	391	120	134.8	75.4					
LG 35.186.186.22:44	43/Http client/Thread	d Pool used								
0	0.141	0.4	0.105	0.13	0.082					
LG 35.186.186.22:44	43/Http client/Task F	Pool used								
0	0.008	0.5	0	0.001	0.039					
LG 35.186.186.22:44	43/Controller Conne	ection/Disconnection	าร							
0	0	0	0	0	-					
LG 35.186.186.22:44	43/Controller Conne	ction/Reconnection	s							
0	0	0	0	0	-					
LG 35.186.186.22:44	43/Controller Conne	ection/Ping Duration	(ms)							
3	5.17	35	4	4.23	5.42					
LG 35.186.186.22:44	43/Network/Segmen	ts sent/sec.								
0	2,028	10,662	1,858	1,914	1,394					
LG 35.186.186.22:44	43/Network/Segmen	ts retransmitted/sec	.							
0	0.184	32.4	0	0	2.09					
LG 35.186.186.22:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.							
0	34.2	173	31.1	32.4	23.2					
LG 35.186.186.22:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.							
0	2.6	13.1	2.37	2.46	1.74					



LG 35.188.230.36:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 35.188.230.36:443/CPU Load										
0	16.7	85	15	15.4	11.7					
LG 35.188.230.36:	LG 35.188.230.36:443/Memory Used									
0	11.4	37	10	10.88	6.9					
LG 35.188.230.36:	443/Throughput									
0	32.7	154.3	30.1	30.7	22.7					
LG 35.188.230.36:	443/User Load									
0	62.3	200	60	60.6	39					
LG 35.188.230.36:	443/Thread Count									
0	151.8	467	121	142.7	100					
LG 35.188.230.36:	443/Http client/Threa	d Pool used								
0	0.196	0.785	0.105	0.169	0.214					
LG 35.188.230.36:	443/Http client/Task	Pool used								
0	0.011	1.32	0	0.001	0.077					
LG 35.188.230.36:	443/Controller Conne	ection/Disconnection	าร							
0	0	0	0	0	-					
LG 35.188.230.36:	443/Controller Conne	ection/Reconnection	s							
0	0	0	0	0	-					
LG 35.188.230.36:	443/Controller Conne	ection/Ping Duration	(ms)							
4	5.36	34	4	4.35	5.33					
LG 35.188.230.36:	443/Network/Segmer	nts sent/sec.								
0	1,963	10,436	1,803	1,831	1,395					
LG 35.188.230.36:	443/Network/Segmer	nts retransmitted/sec).							
0	0.163	25.2	0	0	1.79					
LG 35.188.230.36:	443/Network/eth0 (et	h0)/Megabits receive	ed/sec.							
0	34.2	163.7	31.3	32.1	23.7					
LG 35.188.230.36:	443/Network/eth0 (et	h0)/Megabits sent/se	ec.							
0	2.56	12.3	2.37	2.4	1.76					

LG 35.188.231.219:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.188.231.219:443/CPU Load									
0	15.7	89	14	14.5	11.3				
LG 35.188.231.219:4	LG 35.188.231.219:443/Memory Used								
0	10.53	32	9	10.01	6.66				
LG 35.188.231.219:4	443/Throughput								
0	32.8	165.7	30.3	30.8	22.9				
LG 35.188.231.219:4	443/User Load								
0	62.8	200	60	60.8	39.4				
LG 35.188.231.219:4	LG 35.188.231.219:443/Thread Count								
0	144.7	409	123	137.6	81.8				
LG 35.188.231.219:4	443/Http client/Threa	ad Pool used							
0	0.158	0.5	0.105	0.143	0.118				
LG 35.188.231.219:4	443/Http client/Task	Pool used							
0	0.006	0.267	0	0.001	0.024				
LG 35.188.231.219:4	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 35.188.231.219:4	LG 35.188.231.219:443/Controller Connection/Reconnections								
0	0	0	0	0	-				
LG 35.188.231.219:4	443/Controller Conn	ection/Ping Duration	n (ms)						
3	4.74	34	4	3.76	5.38				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.188.231.219:443/Network/Segments sent/sec.								
0	1,970	10,968	1,798	1,837	1,396			
LG 35.188.231.219:443/Network/Segments retransmitted/sec.								
0	0.167	25.4	0	0	1.82			
LG 35.188.231.219:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0	34.3	176.3	31.5	32.2	23.9			
LG 35.188.231.219:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	2.57	13.1	2.38	2.41	1.77			

LG 35.188.250.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.250.117:4	443/CPU Load				
0	16.6	92	15	15.4	11.5
LG 35.188.250.117:4	443/Memory Used				
0	11.4	36	9	10.82	7.17
LG 35.188.250.117:4	443/Throughput				
0	32.8	165	30.2	30.9	22.4
LG 35.188.250.117:4	443/User Load				
0	62.5	200	60	60.8	39.1
LG 35.188.250.117:4	443/Thread Count				
0	145.2	417	121	137.7	84.5
LG 35.188.250.117:4	443/Http client/Threa	ad Pool used			
0	0.162	0.54	0.105	0.146	0.13
LG 35.188.250.117:4	443/Http client/Task	Pool used			
0	0.007	0.333	0	0.002	0.029
LG 35.188.250.117:4	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.188.250.117:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.188.250.117:4	443/Controller Conn	ection/Ping Duratio	n (ms)		
3	4.57	35	4	3.6	5.53
LG 35.188.250.117:4	443/Network/Segme	nts sent/sec.			
0	1,968	10,532	1,790	1,854	1,357
LG 35.188.250.117:4	443/Network/Segme	nts retransmitted/se	ec.		
0	0.212	31	0	0.006	2.18
LG 35.188.250.117:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.		
0	34.3	173.8	31.5	32.3	23.4
LG 35.188.250.117:4	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0	2.57	13	2.34	2.43	1.73

LG 35.188.253.136:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.188.253.136:443/CPU Load								
0	16	86	15	14.8	11.2			
LG 35.188.253.136:4	LG 35.188.253.136:443/Memory Used							
0	10.85	34	9	10.32	6.79			
LG 35.188.253.136:4	443/Throughput							
0	32.8	156.6	30.6	30.9	22.5			
LG 35.188.253.136:4	443/User Load							
0	62.5	200	60	60.8	38.9			
LG 35.188.253.136:443/Thread Count								
0	143.3	408	122	136.3	80.7			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.188.253.136:	LG 35.188.253.136:443/Http client/Thread Pool used								
0	0.149	0.46	0.105	0.135	0.103				
LG 35.188.253.136:	LG 35.188.253.136:443/Http client/Task Pool used								
0	0.006	0.317	0	0.001	0.026				
LG 35.188.253.136:	443/Controller Conn	ection/Disconnection	ns						
0	0	0	0	0	-				
LG 35.188.253.136:	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 35.188.253.136:	443/Controller Conn	ection/Ping Duration	n (ms)						
2	4.86	34	4	3.87	5.46				
LG 35.188.253.136:	443/Network/Segme	nts sent/sec.							
0	1,974	10,407	1,834	1,846	1,381				
LG 35.188.253.136:	443/Network/Segme	nts retransmitted/se	c.						
0	0.153	22.4	0	0	1.54				
LG 35.188.253.136:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0	34.3	166.1	32	32.2	23.5				
LG 35.188.253.136:	LG 35.188.253.136:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	2.57	12.4	2.42	2.42	1.74				

LG 35.199.12.243:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.199.12.243:443/CPU Load								
0	15.8	84	14	14.7	10.93			
LG 35.199.12.243:4	43/Memory Used							
0	10.97	36	9	10.37	7.3			
LG 35.199.12.243:4	43/Throughput							
0	32.8	161.7	30.4	31.1	22.1			
LG 35.199.12.243:4	43/User Load							
0	62.6	200	60	60.8	38.9			
LG 35.199.12.243:4	43/Thread Count							
0	144.9	417	123	137.6	83.2			
LG 35.199.12.243:4	43/Http client/Threa	d Pool used						
0	0.159	0.54	0.105	0.142	0.131			
LG 35.199.12.243:443/Http client/Task Pool used								
0	0.009	1.17	0	0.001	0.064			
LG 35.199.12.243:4	43/Controller Conne	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 35.199.12.243:4	43/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 35.199.12.243:4	43/Controller Conne	ection/Ping Duration	(ms)					
3	4.57	22	4	3.99	3.27			
LG 35.199.12.243:4	43/Network/Segmen	ts sent/sec.						
0	1,970	10,321	1,819	1,858	1,351			
LG 35.199.12.243:4	43/Network/Segmen	ts retransmitted/sec	.					
0	0.182	26	0	0	1.9			
LG 35.199.12.243:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.					
0	34.3	170.2	31.6	32.5	23			
LG 35.199.12.243:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.					
0	2.57	12.8	2.39	2.44	1.71			



LG 35.221.1.81:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.221.1.81:443	3/CPU Load							
0	16.1	91	14	14.9	11.2			
LG 35.221.1.81:443/Memory Used								
0	12.9	36	12	12.4	7.82			
LG 35.221.1.81:443	3/Throughput							
0	32.9	165.6	30.2	31	22.5			
LG 35.221.1.81:443	3/User Load							
0	62.7	200	60	60.9	39			
LG 35.221.1.81:443	3/Thread Count							
0	145.7	417	121	138.3	84.2			
LG 35.221.1.81:443	3/Http client/Thread I	Pool used						
0	0.155	0.505	0.105	0.139	0.119			
LG 35.221.1.81:443	3/Http client/Task Po	ol used						
0	0.01	1.82	0	0.001	0.095			
LG 35.221.1.81:443	3/Controller Connect	ion/Disconnections						
0	0	0	0	0	-			
LG 35.221.1.81:443	3/Controller Connect	ion/Reconnections						
0	0	0	0	0	-			
LG 35.221.1.81:443	3/Controller Connect	ion/Ping Duration (n	ns)					
3	4.23	21	4	3.65	3.14			
LG 35.221.1.81:443	3/Network/Segments	sent/sec.						
0	1,978	10,775	1,829	1,855	1,382			
LG 35.221.1.81:443	3/Network/Segments	retransmitted/sec.						
0	0.147	23	0	0	1.53			
LG 35.221.1.81:443	3/Network/eth0 (eth0))/Megabits received/	sec.					
0	34.4	175.2	31.5	32.4	23.5			
LG 35.221.1.81:443	3/Network/eth0 (eth0))/Megabits sent/sec.						
0	2.58	13.1	2.38	2.43	1.74			

LG 35.230.167.99:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.230.167.99:443/CPU Load								
0	16.2	87	14	15.1	11.2			
LG 35.230.167.99:4	43/Memory Used							
0	12.4	39	11	11.8	8.05			
LG 35.230.167.99:4	43/Throughput							
0	32.7	161.4	30.7	31	22.2			
LG 35.230.167.99:4	43/User Load							
0	62.4	200	60	60.7	39			
LG 35.230.167.99:4	43/Thread Count							
0	145.2	414	121	137.9	84.4			
LG 35.230.167.99:4	43/Http client/Thread	d Pool used						
0	0.155	0.505	0.105	0.139	0.119			
LG 35.230.167.99:4	43/Http client/Task F	Pool used						
0	0.01	1.08	0	0.001	0.066			
LG 35.230.167.99:4	43/Controller Conne	ection/Disconnection	าร					
0	0	0	0	0	-			
LG 35.230.167.99:4	43/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 35.230.167.99:4	43/Controller Conne	ection/Ping Duration	(ms)					
3	5.03	34	4	4.06	5.34			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.230.167.99:4	LG 35.230.167.99:443/Network/Segments sent/sec.								
0	1,971	10,545	1,841	1,855	1,363				
LG 35.230.167.99:4	LG 35.230.167.99:443/Network/Segments retransmitted/sec.								
0	0.154	24.2	0	0	1.7				
LG 35.230.167.99:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0	34.2	170.4	32.1	32.4	23.2				
LG 35.230.167.99:443/Network/eth0 (eth0)/Megabits sent/sec.									
0	2.57	12.9	2.41	2.43	1.72				

LG 35.230.180.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.230.180.22:4	43/CPU Load								
0	16.7	91	15	15.5	11.5				
LG 35.230.180.22:4	LG 35.230.180.22:443/Memory Used								
0	11.6	35	10	11	7.46				
LG 35.230.180.22:4	43/Throughput								
0	32.7	165	30.7	30.8	22.5				
LG 35.230.180.22:4	43/User Load								
0	62.3	200	60	60.6	39.1				
LG 35.230.180.22:4	43/Thread Count								
0	143.5	414	121	136.3	82.6				
LG 35.230.180.22:4	43/Http client/Threa	d Pool used							
0	0.149	0.48	0.105	0.134	0.109				
LG 35.230.180.22:4	43/Http client/Task I	Pool used							
0	0.008	1.08	0	0.001	0.058				
LG 35.230.180.22:4	43/Controller Conne	ection/Disconnection	าร						
0	0	0	0	0	-				
LG 35.230.180.22:4	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 35.230.180.22:4	43/Controller Conne	ection/Ping Duration	(ms)						
3	4.27	34	3	3.3	5.4				
LG 35.230.180.22:4	43/Network/Segmen	ts sent/sec.							
0	1,962	10,715	1,834	1,835	1,390				
LG 35.230.180.22:4	43/Network/Segmen	ts retransmitted/sec).						
0	0.199	25.8	0	0	1.94				
LG 35.230.180.22:4	·	n0)/Megabits receive	ed/sec.						
0	34.2	174.5	32	32.1	23.6				
LG 35.230.180.22:4	43/Network/eth0 (etl	n0)/Megabits sent/se	ec.						
0	2.56	13.1	2.41	2.41	1.75				

LG 35.236.215.133:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.236.215.133:	LG 35.236.215.133:443/CPU Load								
0	16.2	88	14	14.8	12.2				
LG 35.236.215.133:	443/Memory Used								
0	11.9	39	10	11.2	7.99				
LG 35.236.215.133:	443/Throughput								
0	32.7	161.3	30.3	30.4	23.6				
LG 35.236.215.133:	443/User Load								
0	62.4	200	60	60.7	39				
LG 35.236.215.133:	LG 35.236.215.133:443/Thread Count								
0	147.5	435	121	139.4	90				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.236.215.133:443/Http client/Thread Pool used								
0	0.164	0.565	0.105	0.146	0.14			
LG 35.236.215.133:	443/Http client/Task	Pool used						
0	0.009	0.55	0	0.002	0.041			
LG 35.236.215.133:	443/Controller Conn	ection/Disconnectio	ns					
0	0	0	0	0	-			
LG 35.236.215.133:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 35.236.215.133:	443/Controller Conn	ection/Ping Duration	n (ms)					
3	4.63	35	4	3.61	5.55			
LG 35.236.215.133:	443/Network/Segme	nts sent/sec.						
0	1,964	10,934	1,817	1,814	1,452			
LG 35.236.215.133:	443/Network/Segme	nts retransmitted/se	c.					
0	0.162	21.6	0	0	1.56			
LG 35.236.215.133:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0	34.2	171.5	31.8	31.7	24.6			
LG 35.236.215.133:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0	2.56	12.8	2.37	2.38	1.83			

LG 35.236.229.26:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.236.229.26:4	43/CPU Load							
0	16.4	86	15	15.2	11.3			
LG 35.236.229.26:443/Memory Used								
0	13	37	11.5	12.5	8.19			
LG 35.236.229.26:4	43/Throughput							
0	32.9	159.5	30.4	30.9	22.6			
LG 35.236.229.26:4	43/User Load							
0	62.6	200	60	60.9	38.9			
LG 35.236.229.26:4	43/Thread Count							
0	144.2	409	122	137.1	81.3			
LG 35.236.229.26:4	43/Http client/Threa	d Pool used						
0	0.152	0.475	0.105	0.138	0.109			
LG 35.236.229.26:4	43/Http client/Task I	Pool used						
0	0.006	0.5	0	0.001	0.032			
LG 35.236.229.26:4	43/Controller Conne	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 35.236.229.26:4	43/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 35.236.229.26:4	43/Controller Conne	ection/Ping Duration	(ms)					
3	4.74	33	4	3.84	5.14			
LG 35.236.229.26:4	43/Network/Segmen	ts sent/sec.						
0	1,973	10,442	1,837	1,846	1,383			
LG 35.236.229.26:4	43/Network/Segmen	ts retransmitted/sec	:.					
0	0.22	33.4	0	0	2.32			
LG 35.236.229.26:4	43/Network/eth0 (etl	n0)/Megabits receive	ed/sec.					
0	34.4	168.4	31.7	32.3	23.6			
LG 35.236.229.26:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.					
0	2.58	12.7	2.4	2.42	1.75			



LG 35.236.238.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.236.238.140	:443/CPU Load							
0	14.2	82	13	13.1	10.28			
LG 35.236.238.140:443/Memory Used								
0	11	37	9	10.45	7.04			
LG 35.236.238.140	:443/Throughput							
0	32.8	168.7	30	30.8	22.8			
LG 35.236.238.140	:443/User Load							
0	62.3	200	60	60.6	39.1			
LG 35.236.238.140	:443/Thread Count							
0	141.9	401	120	135.2	78.6			
LG 35.236.238.140	:443/Http client/Thre	ad Pool used						
0	0.145	0.44	0.1	0.132	0.096			
LG 35.236.238.140	:443/Http client/Task	Pool used						
0	0.005	0.767	0	0	0.043			
LG 35.236.238.140	:443/Controller Conr	nection/Disconnection	ons					
0	0	0	0	0	-			
LG 35.236.238.140	:443/Controller Conr	nection/Reconnectio	ns					
0	0	0	0	0	-			
LG 35.236.238.140	:443/Controller Conr	nection/Ping Duration	n (ms)					
3	4.35	34	3	3.3	5.45			
LG 35.236.238.140	:443/Network/Segme	ents sent/sec.						
0	1,973	10,740	1,818	1,845	1,389			
LG 35.236.238.140	:443/Network/Segme	ents retransmitted/se	ec.					
0	0.149	24	0	0	1.69			
LG 35.236.238.140	:443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0	34.3	177.5	31.3	32.2	23.8			
LG 35.236.238.140	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0	2.57	13.4	2.36	2.41	1.76			

LG 35.236.255.189:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.236.255.189:443/CPU Load								
0	16.1	84	15	14.9	11.2			
LG 35.236.255.189:4	LG 35.236.255.189:443/Memory Used							
0	10.84	36	9	10.2	7.31			
LG 35.236.255.189:4	443/Throughput							
0	32.9	154.6	31.3	30.9	22.5			
LG 35.236.255.189:4	443/User Load							
0	62.6	200	60	60.9	38.9			
LG 35.236.255.189:4	443/Thread Count							
0	146	429	121	138.3	87			
LG 35.236.255.189:4	443/Http client/Threa	ad Pool used						
0	0.158	0.545	0.105	0.141	0.131			
LG 35.236.255.189:4	443/Http client/Task	Pool used						
0	0.012	1.82	0	0.002	0.099			
LG 35.236.255.189:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 35.236.255.189:4	LG 35.236.255.189:443/Controller Connection/Reconnections							
0	0	0	0	0	-			
LG 35.236.255.189:4	LG 35.236.255.189:443/Controller Connection/Ping Duration (ms)							
3	21.3	24	22	22	4.01			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.236.255.189:	LG 35.236.255.189:443/Network/Segments sent/sec.								
0	1,976	10,423	1,853	1,846	1,394				
LG 35.236.255.189:	443/Network/Segme	nts retransmitted/se	c.						
0	0.179	27.8	0	0	1.89				
LG 35.236.255.189:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.						
0	34.4	164.2	32.7	32.3	23.5				
LG 35.236.255.189:443/Network/eth0 (eth0)/Megabits sent/sec.									
0	2.58	12.4	2.45	2.42	1.75				

LG 35.245.124.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.124.42:44	43/CPU Load						
0	15.8	88	14	14.7	11.2		
LG 35.245.124.42:443/Memory Used							
0	10.9	34	9	10.38	6.91		
LG 35.245.124.42:44	43/Throughput						
0	32.8	159	30.2	31.1	22.2		
LG 35.245.124.42:44	43/User Load						
0	62.6	200	60	60.8	39.2		
LG 35.245.124.42:44	43/Thread Count						
0	144.3	413	121	137	83		
LG 35.245.124.42:44	43/Http client/Thread	d Pool used					
0	0.151	0.475	0.105	0.137	0.108		
LG 35.245.124.42:44	43/Http client/Task F	Pool used					
0	0.008	1.07	0	0.001	0.058		
LG 35.245.124.42:44	43/Controller Conne	ction/Disconnection	ıs				
0	0	0	0	0	-		
LG 35.245.124.42:44	43/Controller Conne	ction/Reconnection	s				
0	0	0	0	0	-		
LG 35.245.124.42:44	43/Controller Conne	ction/Ping Duration	(ms)				
3	4.28	22	4	3.72	3.25		
LG 35.245.124.42:44	43/Network/Segmen	ts sent/sec.					
0	1,971	10,190	1,787	1,861	1,352		
LG 35.245.124.42:44	43/Network/Segmen	ts retransmitted/sec	.				
0	0.161	29.4	0	0	1.82		
LG 35.245.124.42:44	43/Network/eth0 (eth	0)/Megabits receive	ed/sec.				
0	34.3	167.6	31.6	32.5	23.1		
LG 35.245.124.42:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.				
0	2.57	12.6	2.36	2.44	1.72		

LG 35.245.133.49:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.133.49:44	LG 35.245.133.49:443/CPU Load								
0	16.2	89	14.5	15.1	11.1				
LG 35.245.133.49:44	43/Memory Used								
0	10.74	37	9	10.12	7.29				
LG 35.245.133.49:44	43/Throughput								
0	32.9	168.8	30.3	31	22.5				
LG 35.245.133.49:44	43/User Load								
0	62.6	200	60	60.9	38.9				
LG 35.245.133.49:44	LG 35.245.133.49:443/Thread Count								
0	141.3	391	120.5	135	75.1				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.133.49:443/Http client/Thread Pool used								
0	0.155	0.495	0.105	0.14	0.115			
LG 35.245.133.49:44	LG 35.245.133.49:443/Http client/Task Pool used							
0	0.012	2	0	0.002	0.105			
LG 35.245.133.49:44	43/Controller Conne	ection/Disconnection	ıs					
0	0	0	0	0	-			
LG 35.245.133.49:44	43/Controller Conne	ection/Reconnections	S					
0	0	0	0	0	-			
LG 35.245.133.49:44	43/Controller Conne	ection/Ping Duration	(ms)					
2	4.39	33	3	3.49	5.22			
LG 35.245.133.49:44	43/Network/Segmen	ts sent/sec.						
0	1,970	10,725	1,798	1,845	1,371			
LG 35.245.133.49:44	43/Network/Segmen	ts retransmitted/sec						
0	0.169	22.2	0	0.002	1.66			
LG 35.245.133.49:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.					
0.002	34.4	178.2	31.6	32.3	23.5			
LG 35.245.133.49:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.					
0.005	2.57	13.3	2.35	2.42	1.74			

LG 35.245.146.202:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.146.202:	443/CPU Load				
0	15.5	84	14	14.4	10.73
LG 35.245.146.202:	443/Memory Used				
0	11.6	41	9	10.85	7.9
LG 35.245.146.202:	443/Throughput				
0	32.8	162.3	31.4	30.9	22.3
LG 35.245.146.202:	443/User Load				
0	62.5	200	60	60.8	39
LG 35.245.146.202:	443/Thread Count				
0	145.4	420	122	138.1	84.6
LG 35.245.146.202:	443/Http client/Thre	ad Pool used			
0	0.157	0.505	0.105	0.141	0.118
LG 35.245.146.202:	443/Http client/Task	Pool used			
0	0.006	0.35	0	0.001	0.029
LG 35.245.146.202:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.245.146.202:	443/Controller Conr	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.245.146.202:	443/Controller Conn	ection/Ping Duration	n (ms)		
2	4.79	38	3	3.44	6.82
LG 35.245.146.202:	443/Network/Segme	nts sent/sec.			
0	1,973	10,432	1,878	1,849	1,372
LG 35.245.146.202:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.197	29	0	0	2.06
LG 35.245.146.202:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.		
0	34.3	170.8	32.9	32.3	23.3
LG 35.245.146.202:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0	2.57	12.9	2.46	2.42	1.73



LG 35.245.163.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.163.23:	443/CPU Load				
0	16	93	14.5	14.8	11.4
LG 35.245.163.23:	443/Memory Used				
0	11.1	35	10	10.5	7.24
LG 35.245.163.23:	443/Throughput				
0	32.9	160.6	30.4	30.9	22.6
LG 35.245.163.23:	443/User Load				
0	62.5	200	60	60.8	39
LG 35.245.163.23:	443/Thread Count				
0	147.2	430	123	139.4	88.2
LG 35.245.163.23:	443/Http client/Threa	nd Pool used			
0	0.16	0.53	0.105	0.144	0.128
LG 35.245.163.23:	443/Http client/Task	Pool used			
0	0.01	0.367	0	0.003	0.04
LG 35.245.163.23:	443/Controller Conn	ection/Disconnection	ns		
0	0	0	0	0	-
LG 35.245.163.23:	443/Controller Conn	ection/Reconnection	ıs		
0	0	0	0	0	-
LG 35.245.163.23:	443/Controller Conn	ection/Ping Duration	(ms)		
3	4.46	33	4	3.54	5.19
LG 35.245.163.23:	443/Network/Segme	nts sent/sec.			
0	1,968	10,640	1,823	1,840	1,388
LG 35.245.163.23:	443/Network/Segme	nts retransmitted/sed	5 .		
0	0.197	29.6	0	0	2.07
LG 35.245.163.23:	443/Network/eth0 (et	:h0)/Megabits receive	ed/sec.		
0	34.4	170.7	31.8	32.3	23.6
LG 35.245.163.23:	443/Network/eth0 (et	:h0)/Megabits sent/se	ec.		
0	2.57	12.7	2.38	2.42	1.75

LG 35.245.233.12:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.233.12:44	43/CPU Load				
0	16	87	15	14.8	11.1
LG 35.245.233.12:44	43/Memory Used				
0	11.2	39	9	10.51	7.47
LG 35.245.233.12:44	43/Throughput				
0	32.7	161.3	30.8	30.8	22.5
LG 35.245.233.12:44	43/User Load				
0	62.3	200	60	60.6	39
LG 35.245.233.12:44	43/Thread Count				
0	143.9	409	122	136.9	81.3
LG 35.245.233.12:44	43/Http client/Thread	d Pool used			
0	0.151	0.46	0.105	0.137	0.103
LG 35.245.233.12:44	43/Http client/Task F	Pool used			
0	0.008	0.867	0	0.001	0.05
LG 35.245.233.12:44	43/Controller Conne	ction/Disconnection	ıs		
0	0	0	0	0	-
LG 35.245.233.12:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.233.12:44	43/Controller Conne	ction/Ping Duration	(ms)		
3	11.4	23	4	11.2	9.46



Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.233.12:4	LG 35.245.233.12:443/Network/Segments sent/sec.						
0	1,960	10,542	1,837	1,833	1,383		
LG 35.245.233.12:4	43/Network/Segmen	ts retransmitted/sec					
0	0.171	23.6	0	0	1.76		
LG 35.245.233.12:4	LG 35.245.233.12:443/Network/eth0 (eth0)/Megabits received/sec.						
0	34.2	170.4	32.3	32.1	23.5		
LG 35.245.233.12:443/Network/eth0 (eth0)/Megabits sent/sec.							
0	2.56	12.8	2.41	2.41	1.75		

LG 35.245.24.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.24.239:4	43/CPU Load				
0	16.5	86	15	15.2	11.7
LG 35.245.24.239:4	43/Memory Used				
0	11.7	37	9	11.1	7.65
LG 35.245.24.239:4	43/Throughput				
0	32.7	157.8	30	30.5	23.1
LG 35.245.24.239:4	43/User Load				
0	62.2	200	60	60.5	39
LG 35.245.24.239:4	43/Thread Count				
0	142.4	400	121	135.9	78.2
LG 35.245.24.239:4	43/Http client/Thread	d Pool used			
0	0.148	0.445	0.105	0.135	0.097
LG 35.245.24.239:4	43/Http client/Task F	Pool used			
0	0.006	0.283	0	0.002	0.026
LG 35.245.24.239:4	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 35.245.24.239:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.245.24.239:4	43/Controller Conne	ction/Ping Duration	(ms)		
3	9.51	35	4	8.68	9.6
LG 35.245.24.239:4	43/Network/Segmen	ts sent/sec.			
0	1,959	10,559	1,785	1,819	1,419
LG 35.245.24.239:4	43/Network/Segmen	ts retransmitted/sec	.		
0	0.198	32.8	0	0	2.2
LG 35.245.24.239:4	43/Network/eth0 (eth	, -	ed/sec.		
0	34.2	167.3	31.2	31.9	24.1
LG 35.245.24.239:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	2.56	12.5	2.34	2.39	1.79

LG 35.245.253.233:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.253.233:	443/CPU Load						
0	16	91	14	14.7	11.6		
LG 35.245.253.233:	443/Memory Used						
0	11.5	36	9	10.88	7.81		
LG 35.245.253.233:	LG 35.245.253.233:443/Throughput						
0	32.8	162.6	30	30.7	23		
LG 35.245.253.233:	443/User Load						
0	62.5	200	60	60.8	39		
LG 35.245.253.233:	443/Thread Count						
0	144.3	418	120	137	84.1		



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.253.233:4	443/Http client/Threa	ad Pool used			
0	0.158	0.535	0.1	0.142	0.129
LG 35.245.253.233:4	443/Http client/Task	Pool used			
0	0.011	1.28	0	0.002	0.07
LG 35.245.253.233:4	443/Controller Conn	ection/Disconnectio	ons		
0	0	0	0	0	-
LG 35.245.253.233:4	443/Controller Conn	ection/Reconnection	ns		
0	0	0	0	0	-
LG 35.245.253.233:443/Controller Connection/Ping Duration (ms)					
3	4.42	33	4	3.51	5.2
LG 35.245.253.233:4	443/Network/Segme	nts sent/sec.			
0	1,969	10,774	1,801	1,830	1,419
LG 35.245.253.233:4	443/Network/Segme	nts retransmitted/se	c.		
0	0.205	33.4	0	0	2.28
LG 35.245.253.233:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.		
0	34.3	172.9	31.4	32	24.1
LG 35.245.253.233:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.		
0	2.57	12.9	2.37	2.4	1.79

LG 35.245.39.78:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.39.78:44	3/CPU Load				
0	16.5	90	15	15.4	11.4
LG 35.245.39.78:44	3/Memory Used				
0	11.4	36	9	10.71	7.54
LG 35.245.39.78:44	3/Throughput				
0	32.8	165.6	31.3	31	22.3
LG 35.245.39.78:44	3/User Load				
0	62.4	200	60	60.7	39
LG 35.245.39.78:44	3/Thread Count				
0	139.5	379	123.5	133.7	71.8
LG 35.245.39.78:44	3/Http client/Thread	Pool used			
0	0.136	0.36	0.105	0.127	0.07
LG 35.245.39.78:44	3/Http client/Task P	ool used			
0	0.007	1.02	0	0.001	0.057
LG 35.245.39.78:44	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 35.245.39.78:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 35.245.39.78:44	3/Controller Connec	tion/Ping Duration (ms)		
2	3.6	6	4	3.54	0.828
LG 35.245.39.78:44	3/Network/Segment	s sent/sec.			
0	1,963	10,599	1,840	1,849	1,360
LG 35.245.39.78:44	3/Network/Segment	s retransmitted/sec.			
0	0.223	31.8	0	0	2.23
LG 35.245.39.78:44	3/Network/eth0 (eth	0)/Megabits received	l/sec.		
0	34.3	174.9	32.7	32.4	23.3
LG 35.245.39.78:44	3/Network/eth0 (eth	0)/Megabits sent/sec	.		
0	2.56	13	2.43	2.43	1.72



LG 35.245.6.100:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.6.100:44	43/CPU Load				
0	15.1	91	13.5	13.8	10.98
LG 35.245.6.100:44	43/Memory Used				
0	10.81	34	9	10.26	6.94
LG 35.245.6.100:44	43/Throughput				
0	32.9	160.4	30.7	30.8	22.7
LG 35.245.6.100:44	43/User Load				
0	62.6	200	60	60.9	38.9
LG 35.245.6.100:44	43/Thread Count				
0	147.2	431	121	139.1	88.7
LG 35.245.6.100:44	43/Http client/Thread	Pool used			
0	0.163	0.545	0.105	0.146	0.133
LG 35.245.6.100:44	43/Http client/Task P	ool used			
0	0.007	0.267	0	0.002	0.026
LG 35.245.6.100:44	43/Controller Connec	ction/Disconnections	6		
0	0	0	0	0	-
LG 35.245.6.100:44	43/Controller Connec	ction/Reconnections			
0	0	0	0	0	-
LG 35.245.6.100:44	43/Controller Connec	ction/Ping Duration (ms)		
3	4.41	33	3	3.35	5.37
LG 35.245.6.100:44	43/Network/Segment	s sent/sec.			
0	1,979	10,412	1,841	1,847	1,392
LG 35.245.6.100:44	43/Network/Segment	s retransmitted/sec.			
0	0.163	32.3	0	0	1.96
LG 35.245.6.100:44	43/Network/eth0 (eth	0)/Megabits received	d/sec.		
0	34.4	170.1	32.2	32.3	23.7
LG 35.245.6.100:44	43/Network/eth0 (eth	0)/Megabits sent/sec	: .		
0	2.58	12.7	2.41	2.42	1.76

LG 35.245.78.49:443

Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 35.245.78.49:44	3/CPU Load					
0	15.1	90	14	14.1	10.72	
LG 35.245.78.49:44	3/Memory Used					
0	11.7	38	10	11.2	7.68	
LG 35.245.78.49:44	3/Throughput					
0	32.7	173.4	30.8	30.9	22.6	
LG 35.245.78.49:44	3/User Load					
0	62.3	200	60	60.6	39	
LG 35.245.78.49:44	3/Thread Count					
0	142.8	401	122	136.2	78.5	
LG 35.245.78.49:443	3/Http client/Thread	Pool used				
0	0.151	0.475	0.105	0.137	0.108	
LG 35.245.78.49:44	3/Http client/Task Po	ool used				
0	0.008	0.4	0	0.002	0.035	
LG 35.245.78.49:443	3/Controller Connec	tion/Disconnections				
0	0	0	0	0	-	
LG 35.245.78.49:44	LG 35.245.78.49:443/Controller Connection/Reconnections					
0	0	0	0	0	-	
LG 35.245.78.49:443	3/Controller Connec	tion/Ping Duration (ms)			
3	4.42	33	3	3.49	5.2	


Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.78.49:44	LG 35.245.78.49:443/Network/Segments sent/sec.						
0	1,969	11,304	1,831	1,849	1,390		
LG 35.245.78.49:44	3/Network/Segments	s retransmitted/sec.					
0	0.128	22.2	0	0	1.45		
LG 35.245.78.49:44	3/Network/eth0 (eth0)/Megabits received	l/sec.				
0	34.3	183	32.2	32.3	23.6		
LG 35.245.78.49:443/Network/eth0 (eth0)/Megabits sent/sec.							
0	2.57	13.8	2.4	2.42	1.75		

LG 35.245.91.85:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.91.85:44	3/CPU Load				
0	16.7	82	14	15.5	11.5
LG 35.245.91.85:44	3/Memory Used				
0	12.8	39	11	12.2	8.49
LG 35.245.91.85:44	3/Throughput				
0	32.8	155.9	29.2	30.9	22.5
LG 35.245.91.85:44	3/User Load				
0	62.5	200	60	60.8	39
LG 35.245.91.85:44	3/Thread Count				
0	146.7	432	122	139	87.5
LG 35.245.91.85:44	3/Http client/Thread	Pool used			
0	0.171	0.62	0.11	0.151	0.155
LG 35.245.91.85:44	3/Http client/Task Po	ool used			
0	0.012	3.03	0	0.001	0.155
LG 35.245.91.85:44	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 35.245.91.85:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 35.245.91.85:44	3/Controller Connec	tion/Ping Duration (ms)		
3	4.17	23	4	3.58	3.44
LG 35.245.91.85:44	3/Network/Segments	s sent/sec.			
0	1,968	9,967	1,741	1,846	1,372
LG 35.245.91.85:44	3/Network/Segments	s retransmitted/sec.			
0	0.189	34.6	0	0.002	2.11
LG 35.245.91.85:44	3/Network/eth0 (eth))/Megabits received	d/sec.		
0	34.3	164	30.5	32.3	23.4
LG 35.245.91.85:44	3/Network/eth0 (eth))/Megabits sent/sec	. .		
0	2.57	12.4	2.3	2.42	1.74




Average page response time



Min	Average	Max
0.04	0.058	0.309

 $\textbf{Notes:} \ \mathsf{Displays} \ \mathsf{the} \ \mathsf{average} \ \mathsf{response} \ \mathsf{time}, \ \mathsf{in} \ \mathsf{seconds}, \ \mathsf{of} \ \mathsf{all} \ \mathsf{pages} \ \mathsf{during} \ \mathsf{the} \ \mathsf{test}.$


Average request response time



Min	Average	Max
0.017	0.025	0.16

Notes: Displays the average response time, in seconds, of all requests during the test.

Average response time (Transactions)




Min	Average	Max	Median	Avg-90%	Std. Dev.
0.363	0.521	3.319	0.417	0.435	0.447

Notes: Displays the average response time, in seconds, of all Transactions during the test.




Requests per second



Min	Average	Max
69	3,952.8	13,211.9

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	0	3

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	826.01	2,763.81

Notes: Displays the number of megabits of data per second returned by the server.

Response time against load




Min	Average	Max
0.041	0.047	0.157

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.



Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

