1122_Deals(M/D) LR Report



Date	Nov 23, 2019 1:47:03 AM
Project	HP_GRID_PDP
Scenario	DealsMainRun_Nov23
Comment	
Notes	1122_Deals(M/D) LR Report

Table of Contents

Table of Contents	2
Summary	3
Results summary	3
Statistics Summary	7
Hot spots	9
Errors	9
Alerts	9
General statistics	9
Transaction statistics	9
Execution context	17
Scenario	11
Servers	24
Cloud	
Populations	26
User Paths	27
Transactions	28
Pages	34
Media Contents	
Push messages	33
Monitors	
Alerts	155
Main graphs	
Average page response time	
Average request response time	
Average response time (Transactions)	
Requests per second	
Errors	160
Throughput	161
Response time against load	
Distribution of Transaction Durations	
Top 10 First Alerts	164



Results summary

Name	01:45 - 23 Nov		UR ONE PRO
	2019P_deals_LT3	Project	HP_GRID_PDP
Description		Scenario	DealsMainRun_Nov23
Status	✓ Passed	Load Policy	 The population Deals_D is customized The population Deals_M is customized
Start date End date	Nov 23, 2019 1:47:03 AM Nov 23, 2019 2:32:11 AM	Stop Policy	Population Deals_D: immediate.
Duration	00:45:08	Stop Folicy	Population Deals_M: immediate.
Termination reason	Manual action	Filters	None
LG Hosts	52.162.199.150:443 , 52.162.199.180:443 , 52.162.234.210:443 , 52.162.165.228:443 , 23.96.179.160:443 , 52.162.164.58:443 , 23.96.213.70:443 , 52.162.165.201:443 , 52.162.165.201:443 , 52.162.238.235:443 , 52.162.239.156:443 , 52.162.239.156:443 , 52.162.239.156:443 , 52.162.239.156:443 , 52.162.237.166:443 , 52.162.237.166:443 , 52.162.237.166:443 , 52.162.237.166:443 , 52.162.237.166:443 , 52.162.195.219:443 , 52.162.195.219:443 , 52.162.195.219:443 , 52.162.195.219:443 , 52.162.199.197:443 , 52.162.199.197:443 , 52.162.164.200:443 , 52.162.164.200:443 , 52.162.164.14:443 , 52.162.164.14:443 , 52.162.164.14:443 , 52.162.164.14:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443 , 52.162.164.18:443	Debug	Disabled

23.96.178.134:443
, 157.55.212.245:443
, 168.62.107.27:443
, 52.162.234.254:443
, 52.162.239.232:443
, 23.96.177.54:443
, 168.62.107.135:443
52.162.235.115:443
,
52.162.235.129:443
23.100.74.186:443
157.55.136.151:443
52.162.183.200:443
52.162.239.161:443
52.162.234.128:443
52.162.237.8:443
23.101.167.26:443
52.162.237.66:443
52.162.239.219:443
52.162.237.118:443
, 52.162.165.11:443
, 52.162.165.55:443
, 52.162.165.88:443
, 52.162.165.114:443
, 23.101.166.246:443
, 52.162.165.231:443
, 23.101.162.213:443
, 23.101.175.58:443
, 23.101.166.70:443
, 65.52.57.209:443
, 23.101.162.134:443
, 23.96.176.30:443
, 168.62.104.72:443
, 168.62.109.251:443
, 157.55.140.137:443
,
23.96.187.145:443
23.101.160.164:443
23.96.187.77:443
23.96.187.111:443
168.62.104.230:443

157.250.37.23:443		
, 157.250.38.198:443		
, 157.250.34.160:443		
, 157.250.35.177:443		
, 157.250.42.72:443		
, 157.250.38.148:443		
, 157.250.46.202:443		
, 157.250.50.132:443		
, 157.250.48.176:443		
, 157.250.47.105:443		
, 157.250.45.197:443		
, 157.250.40.232:443		
, 157.250.36.223:443		
, 157.250.44.195:443		
, 157.250.40.50:443		
, 157.250.49.154:443		
, 157.250.49.204:443		
, 157.250.36.173:443		
, 157.250.33.249:443		
, 157.250.38.214:443		
, 157.250.46.203:443		
, 157.250.47.174:443		
, 157.250.46.125:443		
, 157.250.38.64:443		
, 157.250.45.61:443		
, 157.250.37.13:443		
, 157.250.48.200:443		
, 157.250.43.44:443		
, 157.250.35.252:443		
, 157.250.38.57:443		
, 157.250.51.3:443		
, 157.250.44.83:443		
, 157.250.48.2:443		
, 157.250.33.197:443		
, 157.250.37.3:443		
, 157.250.39.228:443		
, 157.250.41.251:443		
, 157.250.37.89:443		
, 157.250.42.225:443		
,		


157.250.42.95:443
, 157.250.41.22:443
, 157.250.43.200:443
, 157.250.50.163:443
, 157.250.45.13:443
, 157.250.39.216:443
, 157.250.39.167:443
, 157.250.34.164:443
, 157.250.45.33:443
, 157.250.35.223:443
, 157.250.39.235:443
, 157.250.41.241:443
, 157.250.48.84:443
, 157.250.38.81:443
, 157.250.41.172:443
, 157.250.39.138:443
, 157.250.50.245:443
, 157.250.32.100:443
, 157.250.41.14:443
, 157.250.44.214:443
, 157.250.44.76:443
, 157.250.35.127:443
, 157.250.43.73:443
, 157.250.38.223:443
, 157.250.40.121:443
, 157.250.34.121:443
, 157.250.45.207:443
, 157.250.40.93:443
, 157.250.35.153:443
, 157.250.45.242:443

Statistics Summary

Total pages	3931960	_	Average pages/s	1,451.4	_
Total requests	10924515	-	Average requests/s	4,032.7	_
Total users launched	11766	-	Average Request response time	0.312 s	_
Total iterations completed	1324321	-	Average Page response time	0.695 s	_
Total throughput	471,552 MB	-	Average throughput	1,392.55 Mb/s	-
Total request errors	75	-	Error rate	0 %	_
Total action errors	0	-	Alerts total duration	20.4 %	_









Hot spots

Top 5 errors

User Path	Parent	Page	Count
Deals_M_Deals1	M_deals_1	/deals/	11
Deals_M_CyberMonday1	M_cyber-monday_1	/cyber-monday/	10
Deals_D_HolidayDeals1	D_holidaydeals_1	/holiday/deals/	8
Deals_M_BlackFriday1	M_black-friday_1	/black-friday/	6
Deals_M_lphone1	M_iphone_1	/rest/v1/delivery	4

Top 5 alerts

Sev.	Alert	Duration %	Occurrences
Controller/Total Dis	sconnections >= 1.0	20.4	1

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
Deals_M_lphone1	M_iphone_1	/deals/iphone/	1.75
Deals_M_CyberMonday1	M_cyber-monday_1	/cyber-monday/	1.72
Deals_M_BlackFriday1	M_black-friday_1	/black-friday/	1.72
Deals_M_Deals1	M_deals_1	/deals/	1.7
Deals_M_HolidayDeals1	M_holidaydeals_1	/holiday/deals/	1.62

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
Deals_M_Deals1	M_deals_1	/deals/	345.6
Deals_M_CyberMonday1	M_cyber-monday_1	/cyber-monday/	315.2
Deals_M_lphone1	M_iphone_1	/rest/v1/delivery	314.6
Deals_D_Deals1	D_deals1_1	/v3/polyfill.min.js	313.1
Deals_M_HolidayDeals1	M_holidaydeals_1	/holiday/deals/	310

Errors

Request errors

Error Type	Count	Description
NL-NETWORK-01	75	Miscellaneous I/O error when connecting to the server.
Total	75	Total error count.

Action errors

No errors

Alerts

Element	Critical	Warning	Monitored
✓ Controller	0	1	3

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Pa	aths					
0.13	232.2	903.9	11,748	75	0.6	-
All pages						
0.006	0.695	345.6	3,931,960	66	0	-
All request	ts					
0.001	0.311	317.7	10,924,515	75	0	-

Transaction statistics



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transa	ctions										
0.115	2.06	367.3	1,324,321	66	0	0.33	12	23.5	5.5	1.17	-

Summary

Name	01:45 - 23 Nov 2019P_deals_LT3	Project	HP_GRID_PDP
Description	20101 _00010_E10	Scenario	DealsMainRun_Nov23
Status	✓ Passed	Load Policy	The population Deals_D is customized
Start date	Nov 23, 2019 1:47:03 AM		The population Deals_M is customized
End date	Nov 23, 2019 2:32:11 AM	Stop Policy	Population Deals_D: immediate.Population Deals_M: immediate.
Duration Termination	00:45:08	Filters	None
reason	Manual action	· more	18.18
	52.162.199.150:443		
	52.162.199.180:443		
	52.162.234.210:443		
	52.162.164.224:443		
	52.162.165.228:443		
	23.96.179.160:443		
	52.162.164.58:443		
	23.96.213.70:443		
	52.162.165.14:443 , 23.100.72.160:443		
	52.162.165.201:443		
	, 23.96.213.244:443		
	, 52.162.238.235:443		
	, 52.162.239.156:443		
	, 23.96.184.178:443		
LG Hosts	, 23.100.75.182:443	Debug	Disabled
	, 23.96.211.57:443		
	23.96.182.5:443		
	52.162.237.166:443		
	23.96.182.141:443		
	157.55.141.87:443		
	52.162.164.85:443		
	23.101.166.208:443		
	, 52.162.195.219:443		
	, 52.162.199.197:443		
	52.162.164.200:443		
	52.162.164.14:443		
	23.96.184.40:443		
	23.100.79.254:443		
	, 23.101.169.181:443		
	,		

23.96.190.93:443 23.96.178.134:443 157.55.212.245:443 168.62.107.27:443 52.162.234.254:443 52.162.239.232:443 23.96.177.54:443 168.62.107.135:443 52.162.235.115:443 52.162.235.129:443 23.100.74.186:443 157.55.136.151:443 52.162.183.200:443 52.162.239.161:443 52.162.234.128:443 52.162.237.8:443 23.101.167.26:443 52.162.237.66:443 52.162.239.219:443 52.162.237.118:443 52.162.165.11:443 52.162.165.55:443 52.162.165.88:443 52.162.165.114:443 23.101.166.246:443 52.162.165.231:443 23.101.162.213:443 23.101.175.58:443 23.101.166.70:443 65.52.57.209:443 23.101.162.134:443 23.96.176.30:443 168.62.104.72:443 168.62.109.251:443 157.55.140.137:443 23.96.187.145:443 23.101.160.164:443 23.96.187.77:443 23.96.187.111:443



168.62.104.230:443 168.62.105.183:443 23.101.169.35:443 23.100.77.88:443 23.101.175.190:443 23.96.184.110:443 23.96.188.123:443 65.52.55.207:443 157.55.143.57:443 23.100.72.227:443 23.101.172.198:443 34.73.254.139:443 34.73.251.200:443 35.196.175.6:443 35.185.102.192:443 34.74.26.17:443 35.231.119.246:443 35.231.27.35:443 34.74.213.102:443 35.196.167.208:443 35.196.45.117:443 35.243.236.114:443 35.185.126.234:443 34.73.217.33:443 35.229.25.169:443 35.243.188.30:443 35.237.10.8:443 35.243.194.135:443 34.74.202.247:443 34.74.135.110:443 35.196.135.235:443 157.250.35.142:443 157.250.46.43:443 157.250.49.73:443 157.250.41.51:443 157.250.34.210:443 157.250.45.69:443 157.250.36.138:443 157.250.35.184:443



157.250.37.8:443		
, 157.250.37.23:443		
, 157.250.38.198:443		
, 157.250.34.160:443		
, 157.250.35.177:443		
, 157.250.42.72:443		
, 157.250.38.148:443		
157.250.46.202:443		
, 157.250.50.132:443		
, 157.250.48.176:443		
, 157.250.47.105:443		
, 157.250.45.197:443		
, 157.250.40.232:443		
, 157.250.36.223:443		
, 157.250.44.195:443		
, 157.250.40.50:443		
, 157.250.49.154:443		
, 157.250.49.204:443		
, 157.250.36.173:443		
, 157.250.33.249:443		
, 157.250.38.214:443		
157.250.46.203:443		
, 157.250.47.174:443		
, 157.250.46.125:443		
157.250.38.64:443		
157.250.45.61:443		
, 157.250.37.13:443		
157.250.48.200:443		
157.250.43.44:443		
157.250.35.252:443		
157.250.38.57:443		
157.250.51.3:443		
157.250.44.83:443		
157.250.48.2:443		
, 157.250.33.197:443		
157.250.37.3:443		
157.250.39.228:443		
157.250.41.251:443		
157.250.37.89:443		



Populations

Deals_D

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
Deals_D_HolidayDe	12.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
Deals_D_CyberMon	12.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
Deals_D_Black_Frid	12.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
Deals_D_Deals1	30.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
Deals_D_Deals_Sm	12.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
Deals_D_Deasl_lpho	11.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
Deals_Deals_Amazo	11.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user



Deals_M

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	onnection	Handle cache
Deals_M_HolidayDe	12.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user
Deals_M_CyberMon	12.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user
Deals_M_BlackFrida	12.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user
Deals_M_Deals1	30.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user
Deals_M_Smartphor	12.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user
Deals_M_lphone1	11.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user
Deals_M_Amazon1	11.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
Deals_D_HolidayDeal:		Go to the next iteration	Do nothing	0ms	0%
Deals_D_CyberMonda		Go to the next iteration	Do nothing	0ms	0%
Deals_D_Black_Friday		Go to the next iteration	Do nothing	0ms	0%
Deals_D_Deals1		Go to the next iteration	Do nothing	0ms	0%
Deals_D_Deals_Smar		Go to the next iteration	Do nothing	0ms	0%
Deals_D_Deasl_lphon		Go to the next iteration	Do nothing	0ms	0%
Deals_Deals_Amazon		Go to the next iteration	Do nothing	0ms	0%
Deals_M_HolidayDeal		Go to the next iteration	Do nothing	0ms	0%
Deals_M_CyberMonda		Go to the next iteration	Do nothing	0ms	0%
Deals_M_BlackFriday		Go to the next iteration	Do nothing	0ms	0%
Deals_M_Deals1		Go to the next iteration	Do nothing	0ms	0%
Deals_M_Smartphone		Go to the next iteration	Do nothing	0ms	0%
Deals_M_lphone1		Go to the next iteration	Do nothing	0ms	0%
Deals_M_Amazon1		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				



Execution context

Name	01:45 - 23 Nov		
1401110	2019P_deals_LT3	Project	HP_GRID_PDP
Description		Scenario	DealsMainRun_Nov23
Status	✓ Passed	Load Policy	The population Deals_D is customizedThe population Deals_M is customized
Start date	Nov 23, 2019 1:47:03 AM	Ctan Daliau	
End date Duration	Nov 23, 2019 2:32:11 AM 00:45:08	Stop Policy	Population Deals_D: immediate.Population Deals_M: immediate.
Termination reason	Manual action	Filters	None
	52.162.199.150:443		
	, 52.162.199.180:443		
	, 52.162.234.210:443		
	, 52.162.164.224:443		
	52.162.165.228:443		
	23.96.179.160:443		
	, 52.162.164.58:443		
	23.96.213.70:443		
	, 52.162.165.14:443		
	23.100.72.160:443		
	52.162.165.201:443		
	23.96.213.244:443		
	, 52.162.238.235:443		
	, 52.162.239.156:443		
	, 23.96.184.178:443		
LG Hosts	23.100.75.182:443	Debug	Disabled
20 110313	23.96.211.57:443	Debug	Disabled
	23.96.182.5:443		
	, 52.162.237.166:443		
	, 23.96.182.141:443		
	, 157.55.141.87:443		
	, 52.162.164.85:443		
	, 23.101.166.208:443		
	, 52.162.195.219:443		
	, 52.162.199.197:443		
	, 52.162.164.200:443		
	, 52.162.164.14:443		
	, 23.96.184.40:443		
	, 23.100.79.254:443		
	, 23.101.169.181:443		
	, 23.96.190.93:443		
	, 23.96.178.134:443		



,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
157.55.212.245:443
168.62.107.27:443
52.162.234.254:443
52.162.239.232:443
23.96.177.54:443
168.62.107.135:443
52.162.235.115:443
52.162.235.129:443
, 23.100.74.186:443
, 157.55.136.151:443
, 52.162.183.200:443
, 52.162.239.161:443
, 52.162.234.128:443
, 52.162.237.8:443
, 23.101.167.26:443
, 52.162.237.66:443
, 52.162.239.219:443
, 52.162.237.118:443
, 52.162.165.11:443
, 52.162.165.55:443
, 52.162.165.88:443
, 52.162.165.114:443
23.101.166.246:443
52.162.165.231:443
, 23.101.162.213:443
,
23.101.175.58:443
23.101.166.70:443
65.52.57.209:443 ,
23.101.162.134:443
23.96.176.30:443
168.62.104.72:443
168.62.109.251:443
157.55.140.137:443
23.96.187.145:443
, 23.101.160.164:443
, 23.96.187.77:443
, 23.96.187.111:443
, 168.62.104.230:443
, 168.62.105.183:443

23.101.169.35:443 23.100.77.88:443 23.101.175.190:443 23.96.184.110:443 23.96.188.123:443 65.52.55.207:443 157.55.143.57:443 23.100.72.227:443 23.101.172.198:443 34.73.254.139:443 34.73.251.200:443 35.196.175.6:443 35.185.102.192:443 34.74.26.17:443 35.231.119.246:443 35.231.27.35:443 34.74.213.102:443 35.196.167.208:443 35.196.45.117:443 35.243.236.114:443 35.185.126.234:443 34.73.217.33:443 35.229.25.169:443 35.243.188.30:443 35.237.10.8:443 35.243.194.135:443 34.74.202.247:443 , 34.74.135.110:443 35.196.135.235:443 157.250.35.142:443 157.250.46.43:443 157.250.49.73:443 157.250.41.51:443 157.250.34.210:443 157.250.45.69:443 157.250.36.138:443 157.250.35.184:443 157.250.37.8:443 157.250.37.23:443

,
157.250.38.198:443
157.250.34.160:443
157.250.35.177:443
157.250.42.72:443
157.250.38.148:443
157.250.46.202:443
157.250.50.132:443
157.250.48.176:443
157.250.47.105:443
, 157.250.45.197:443
, 157.250.40.232:443
, 157.250.36.223:443
, 157.250.44.195:443
, 157.250.40.50:443
, 157.250.49.154:443
, 157.250.49.204:443
, 157.250.36.173:443
, 157.250.33.249:443
, 157.250.38.214:443
, 157.250.46.203:443
, 157.250.47.174:443
, 157.250.46.125:443
, 157.250.38.64:443
, 157.250.45.61:443
, 157.250.37.13:443
, 157.250.48.200:443
157.250.43.44:443
,
157.250.35.252:443
157.250.38.57:443
157.250.51.3:443
157.250.44.83:443
157.250.48.2:443
157.250.33.197:443
157.250.37.3:443
157.250.39.228:443
157.250.41.251:443
157.250.37.89:443
157.250.42.225:443
157.250.42.95:443

157.250.41.22:443 157.250.43.200:443 157.250.50.163:443 157.250.45.13:443 157.250.39.216:443 157.250.39.167:443 157.250.34.164:443 157.250.45.33:443 157.250.35.223:443 157.250.39.235:443 157.250.41.241:443 157.250.48.84:443 157.250.38.81:443 157.250.41.172:443 157.250.39.138:443 157.250.50.245:443 157.250.32.100:443 157.250.41.14:443 157.250.44.214:443 157.250.44.76:443 157.250.35.127:443 157.250.43.73:443 157.250.38.223:443 157.250.40.121:443 157.250.34.121:443 157.250.45.207:443 157.250.40.93:443 157.250.35.153:443 157.250.45.242:443

NeoLoad version Graphs granularity 6.8.0;build=20190103-16 Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables



Name Value Description
Empty list

User Paths settings

Deals_D_HolidayDeals1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_D_CyberMonday1

Error policy: Do nothing

Assertion policy: Go to the next iteration Thinktime policy: replaced by 0ms.

Pacing: No pacing

Deals_D_Black_Friday1

Error policy: Do nothing

Assertion policy: Go to the next iteration Thinktime policy: replaced by 0ms.
Pacing: No pacing

Deals_D_Deals1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_D_Deals_Smartphone1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_D_Deasl_lphone1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_Deals_Amazon1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_M_HolidayDeals1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_M_CyberMonday1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_M_BlackFriday1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_M_Deals1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_M_Smartphone1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.
Pacing: No pacing

Deals_M_lphone1

Error policy: Do nothing

Assertion policy: Go to the next iteration replaced by 0ms.

Pacing: No pacing

Deals_M_Amazon1

Error policy: Do nothing

Assertion policy: Go to the next iteration

Thinktime policy: replaced by 0ms.
Pacing: No pacing




Servers

Servers


Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443	N	lo
scache1.vzw.com	443	N	lo
ss7.vzw.com	443	N	lo
scache.vzw.com	443	N	lo
scache2.vzw.com	443	N	lo



Graphs



— USA Central - Illinois (Chicago 2) — USA East - New Jersey — USA East - South Carolina (Berkeley County) — Global




— USA Central - Illinois (Chicago 2) — USA East - New Jersey — USA East - South Carolina (Berkeley County) — Global

Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA Central - Illinois (Chicago 2)	Microsoft Azure	80	5150543 (47.1%)	1,901.3	0.083s (-88.06%)	0% (-100%)
USA East - New Jersey	Outscale	78	4487701 (41.1%)	1,656.6	1.53s (+120.7%)	0% (+143.4%)
USA East - South Carolina (Berkeley County)	Google Compute Engine	20	1286271 (11.8%)	474.8	0.145s (-79.14%)	0% (-100%)
Global		178	10924515 (100%)	4,032.7	0.695s	0%

Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
Deals_D	3352272 (30.7%)	1,237.5	0.558s (-19.71%)	0% (-13.1%)
Deals_M	7572243 (69.3%)	2,795.2	0.829s (+19.3%)	0% (+5.8%)
Global	10924515 (100%)	4,032.7	0.695s	0%

User Paths

N	/lin	Avg	Max	Count	Err	% of Err	SLA Profile
D D	eals_D	_Black_Fric	lay1				
0.607	7	172.2	601.8	708	2	0.3	-
Ü D	eals_D	_CyberMon	day1				
0.45		159.4	599.5	708	2	0.3	-
Ü D	eals_D	_Deals1					
0.715	5	183.3	641.9	1,712	1	0.1	-
D 🗓	eals_D	_Deals_Sm	artphone1				
0.13		126.4	557.4	708	2	0.3	-
Ü D	eals_D	_Deasl_lph	one1				
0.587		158.9	637.9	648	2	0.3	-
D D	eals_D	_HolidayDe	als1				
1.38		317.1	840.5	686	9	1.3	-
D D	eals_D	eals_Amazo	on1				
0.702		188.2	738.5	648	2	0.3	-
n D	eals_N	I_Amazon1					
0.226	6	219.5	758	655	4	0.6	-
Ü D	eals_N	_BlackFrida	ay1				
0.307		283.9	807.5	713	10	1.4	-
D D	eals_N	I_CyberMon	ıday1				
0.295		273.9	796.8	714	10	1.4	-
n D	eals_N	l_Deals1					
0.995		317.5	848.4	1,769	17	1	-
D D	eals_N	I_HolidayDe	als1				
0.314		305.4	903.9	712	5	0.7	-
D D	eals_N	l_lphone1					
0.297		279.1	799.3	655	6	0.9	-
ů D	eals_N	I_Smartpho	ne1				
0.199		201.3	644.1	712	3	0.4	-

Transactions

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev Avg-90%	SLA Profile
Empty list										

Deals_D_Black_Friday1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile	
Deals_I	Deals_D_Black_Friday1											
0.607	172.2	601.8	708	2	0.3	-	-	-	-	-	-	
init 🗀												
0	0	0	708	0	0	-	-	-	-	-	-	
Act												
0.13	1.5	307.4	81,319	2	0	-	-	-	-	-	-	
	D_black-frid	lay_1										
0.13	1.5	307.4	81,319	2	0	0.179	7.39	14.3	3.83	0.949	-	
End	I											
0	0	0	708	0	0	-	-	-	-	-	-	

Deals_D_CyberMonday1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile	
Deals_	Deals_D_CyberMonday1											
0.45	159.4	599.5	708	2	0.3	-	-	-	-	-	-	
init 🗀												
0	0	0.001	708	0	0	-	-	-	-	-	-	
Act	ions											
0.131	1.39	305.4	81,314	2	0	-	-	-	-	-	-	
	D_cyber-m	onday_1										
0.131	1.39	305.4	81,314	2	0	0.175	6.86	14	3.48	0.863	-	
Enc	H											
0	0	0.001	708	0	0	-	-	-	-	-	-	

Deals_D_Deals1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Deals_	D_Deals1										
0.715	183.3	641.9	1,712	1	0.1	-	-	-	-	-	-
init	t										
0	0	0.001	1,715	0	0	-	-	-	-	-	-
Ac	tions										
0.153	1.55	314.8	202,680	1	0	-	-	-	-	-	-
	D_deals1_1	1									
0.153	1.55	314.8	202,680	1	0	0.2	7.83	15.6	3.77	0.972	-



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
En	d										
0	0	0.001	1,712	0	0	-	-	-	-	-	-

$Deals_D_Deals_Smartphone1$

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile	
Deals_l	D_Deals_Sm	artphone1										
0.13	126.4	557.4	708	2	0.3	-	-	-	-	-	-	
init												
0	0	0.001	708	0	0	-	-	-	-	-	-	
Act	ions											
0.115	1.09	129.5	81,648	0	0	-	-	-	-	-	-	
	D_smartpho	nes_1										
0.115	1.09	129.5	81,648	0	0	0.151	5.59	11.1	2.67	0.667	-	
Enc	© End											
0	0	0.001	708	0	0	-	-	-	-	-	-	

$Deals_D_Deasl_Iphone1$

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile	
Deals_D	D_Deasl_lph	one1										
0.587	158.9	637.9	648	2	0.3	-	-	-	-	-	-	
init												
0	0	0.001	650	0	0	-	-	-	-	-	-	
Acti	ons											
0.131	1.38	311.8	74,612	2	0	-	-	-	-	-	-	
	D_iphone_1											
0.131	1.38	311.8	74,612	2	0	0.172	6.8	13.5	3.64	0.848	-	
End	End											
0	0	0.001	648	0	0	-	-	-	-	-	-	

Deals_D_HolidayDeals1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Deals	_D_HolidayD	eals1									
1.38	317.1	840.5	686	9	1.3	-	-	-	-	-	-
in 🗀	it										
0	0	0.001	688	0	0	-	-	-	-	-	-
<u></u> △ Ac	ctions										
0.279	2.83	367.3	77,207	9	0	-	-	-	-	-	-
C	D_holidayo	deals_1									
0.279	2.83	367.3	77,207	9	0	0.357	16.5	28.5	7.22	1.74	-



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
En	d										
0	0	0.001	686	0	0	-	-	-	-	-	-

Deals_Deals_Amazon1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile		
Deals_l	Deals_Amaz	on1											
0.702	188.2	738.5	648	2	0.3	-	-	-	-	-	-		
init													
0	0	0	649	0	0	-	-	-	-	-	-		
Act	ions												
0.156	1.63	130.8	74,534	0	0	-	-	-	-	-	-		
	D_amazon_	1											
0.156	1.63	130.8	74,534	0	0	0.205	8.27	15.1	3.72	1.06	-		
Enc	[□] End												
0	0	0	648	0	0	-	-	-	-	-	-		

Deals_M_Amazon1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile		
Deals_	M_Amazon1												
0.226	219.5	758	655	4	0.6	-	-	-	-	-	-		
init 🗀													
0	0	0.001	655	0	0	-	-	-	-	-	-		
Act	ions												
0.195	1.94	312.7	73,785	2	0	-	-	-	-	-	-		
	M_amazon_	_1											
0.195	1.94	312.7	73,785	2	0	0.273	10.79	20.1	4.77	1.19	-		
Enc	End												
0	0	0.001	655	0	0	-	-	-	-	-	-		

Deals_M_BlackFriday1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Deals_	M_BlackFrie	day1									
0.307	283.9	807.5	713	10	1.4	-	-	-	-	-	-
init	t										
0	0	0.001	714	0	0	-	-	-	-	-	-
Ac	tions										
0.27	2.59	315.8	77,993	9	0	-	-	-	-	-	-
	M_black-fri	day_1									
0.27	2.59	315.8	77,993	9	0	0.347	14.8	27	6.72	1.56	-



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
En	d										
0	0	0.001	713	0	0	-	-	-	-	-	-

Deals_M_CyberMonday1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile		
Deals_	M_CyberMo	nday1											
0.295	273.9	796.8	714	10	1.4	-	-	-	-	-	-		
init													
0	0	0.001	715	0	0	-	-	-	-	-	-		
Act	ions												
0.246	2.49	359.8	78,309	10	0	-	-	-	-	-	-		
	M_cyber-m	onday_1											
0.246	2.49	359.8	78,309	10	0	0.315	14.2	26	6.83	1.48	-		
Enc	[□] End												
0	0	0.001	714	0	0	-	-	-	-	-	-		

Deals_M_Deals1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile		
Deals_	M_Deals1												
0.995	317.5	848.4	1,769	17	1	-	-	-	-	-	-		
init													
0	0	0.001	1,773	0	0	-	-	-	-	-	-		
Act	ions												
0.293	2.95	367.1	191,175	17	0	-	-	-	-	-	-		
	M_deals_1												
0.293	2.95	367.1	191,175	17	0	0.37	17.7	30.4	7.53	1.77	-		
Ene	[□] End												
0	0	0.001	1,769	0	0	-	-	-	-	-	-		

$Deals_M_HolidayDeals1$

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Deals	_M_Holiday[Deals1									
0.314	305.4	903.9	712	5	0.7	-	-	-	-	-	-
in 🗀 In	nit										
0	0	0	714	0	0	-	-	-	-	-	-
<i>□</i> A	ctions										
0.279	2.82	318.4	77,290	4	0	-	-	-	-	-	-
6	M_holiday	deals_1									
0.279	2.82	318.4	77,290	4	0	0.35	16.5	28.7	6.85	1.73	-



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
En	d										
0	0	0	712	0	0	-	-	-	-	-	-

Deals_M_Iphone1

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile	
Deals_	Deals_M_lphone1											
0.297	279.1	799.3	655	6	0.9	-	-	-	-	-	-	
init												
0	0	0	655	0	0	-	-	-	-	-	-	
Ac												
0.253	2.54	318.7	71,823	6	0	-	-	-	-	-	-	
	M_iphone_	1										
0.253	2.54	318.7	71,823	6	0	0.317	14.6	26.8	6.36	1.52	-	
Ene	[©] End											
0	0	0	655	0	0	-	-	-	-	-	-	

$Deals_M_Smartphone1$

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile	
Deals_	Deals_M_Smartphone1											
0.199	201.3	644.1	712	3	0.4	-	-	-	-	-	-	
init												
0	0	0.001	714	0	0	-	-	-	-	-	-	
Act	C Actions											
0.154	1.79	305.3	80,632	2	0	-	-	-	-	-	-	
	M_smartph	ones_1										
0.154	1.79	305.3	80,632	2	0	0.212	10.22	19.1	4.39	1.08	-	
Enc	© End											
0	0	0	712	0	0	-	-	-	-	-	-	



Push messages

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Deals_D_Black_Friday1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Deals_D_CyberMonday1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Deals_D_Deals1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Deals_D_Deals_Smartphone1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Deals_D_Deasl_Iphone1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Deals_D_HolidayDeals1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Deals_Deals_Amazon1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

$Deals_M_Amazon1$

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						



Shared Containers

	Min	Avg	Max	Count	Err	% of Err	SLA Profile
I	Empty list						

Deals_D_Black_Friday1

Min	Avg	Max	Count	Err	% of Err	SLA Profile				
Deals_D	Deals_D_Black_Friday1									
0.607	172.2	601.8	708	2	0.3	-				
Acti	ons									
0.13	1.5	307.4	81,319	2	0	-				
	D_black-friday_1									
0.13	1.5	307.4	81,319	2	0	-				
	Jblack-fr	iday/								
0.09	0.544	67.6	81,324	0	0	-				
	/rest/v1/e	delivery								
0.015	0.427	101.1	81,327	0	0	-				
	/prospec	t/tealeafTar	get_1							
0.016	0.523	305	81,317	2	0	-				

Deals_D_CyberMonday1

Min	Avg	Max	Count	Err	% of Err	SLA Profile				
Deals_E	Deals_D_CyberMonday1									
0.45	159.4	599.5	708	2	0.3	-				
Acti	ions									
0.131	1.39	305.4	81,314	2	0	-				
	D_cyber-mo	nday_1								
0.131	1.39	305.4	81,314	2	0	-				
	d /cyber-m	nonday/								
0.09	0.538	46.5	81,324	0	0	-				
	diapestry	//1								
0.014	0.353	300.3	81,319	1	0	-				
	in /rest/v1/e	delivery								
0.016	0.496	86.9	81,314	1	0	-				

Deals_D_Deals1

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
Deals_	Deals_D_Deals1								
0.715	183.3	641.9	1,712	1	0.1	-			
Act	C Actions								
0.153	1.55	314.8	202,680	1	0	-			

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
<i>(</i>	D_deals1_1								
0.153	1.55	314.8	202,680	1	0	-			
	/deals/								
0.106	0.672	130.8	202,684	0	0	-			
	/v3/poly	/fill.min.js							
0.014	0.39	313.1	202,684	1	0	-			
	<pre>// // // // // // // // // // // // //</pre>								
0.016	0.491	80.8	202,680	0	0	-			

Deals_D_Deals_Smartphone1

Min	Avg	Max	Count	Err	% of Err	SLA Profile				
Deals_	Deals_D_Deals_Smartphone1									
0.13	126.4	557.4	708	2	0.3	-				
Act	ions									
0.115	1.09	129.5	81,648	0	0	-				
	D_smartpho	ones_1								
0.115	1.09	129.5	81,648	0	0	-				
	deals/s	martphones/	,							
0.09	0.581	127.6	81,648	0	0	-				
	₫ /dcm									
0.017	0.506	67.2	81,643	0	0	-				

$Deals_D_Deasl_Iphone1$

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
Deals_D	Deals_D_Deasl_Iphone1								
0.587	158.9	637.9	648	2	0.3	-			
Acti	ons								
0.131	1.38	311.8	74,612	2	0	-			
=	D_iphone_1								
0.131	1.38	311.8	74,612	2	0	-			
	deals/ip	hone/							
0.092	0.596	127.3	74,631	0	0	-			
	/v3/polyfill.min.js								
0.03	0.785	307	74,617	2	0	-			

Deals_D_HolidayDeals1

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
Deals_	Deals_D_HolidayDeals1								
1.38	317.1	840.5	686	9	1.3	-			
C Actions									
0.279	2.83	367.3	77,207	9	0	-			



Min	Avg	Max	Count	Err	% of Err	SLA Profile			
	D_holidaydeals_1								
0.279	2.83	367.3	77,207	9	0	-			
	/holiday/	deals/							
0.201	1.61	305.8	77,215	8	0	-			
	Jui-one-c	ligital/gn/bui	ild/gnav.css						
0.013	0.267	83	77,214	0	0	-			
	in /rest/v1/d	delivery							
0.021	0.358	63.6	77,207	0	0	-			
	//askverizon/js/askverizon.js								
0.019	0.597	68.1	77,207	1	0	-			

Deals_Deals_Amazon1

Min	Avg	Max	Count	Err	% of Err	SLA Profile				
Deals_[Deals_Deals_Amazon1									
0.702	188.2	738.5	648	2	0.3	-				
Acti	ions									
0.156	1.63	130.8	74,534	0	0	-				
	D_amazon_	1								
0.156	1.63	130.8	74,534	0	0	-				
	ighthal / promos	/amazon/								
0.106	0.623	128.6	74,547	0	0	-				
	is/image	e/VerizonWir	eless/cmo	hero-pre-b	f-d-11719					
0.017	0.521	92.3	74,542	0	0	-				
	//askverizon/js/askverizon.js									
0.017	0.489	67.4	74,538	0	0	-				

Deals_M_Amazon1

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
Deals_	Deals_M_Amazon1								
0.226	219.5	758	655	4	0.6	-			
Act	ions								
0.195	1.94	312.7	73,785	2	0	-			
	M_amazon	_1							
0.195	1.94	312.7	73,785	2	0	-			
	/promo	s/amazon/							
0.16	1.48	309	73,806	1	0	-			
	☑ /rest/v1/delivery								
0.007	0.375	306.9	73.809	1	0	_			



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	inqchat	.html				
0.02	0.085	31.1	73,810	0	0	-

Deals_M_BlackFriday1

Min	Avg	Max	Count	Err	% of Err	SLA			
IVIIII	Avg	IVIAX	Count	EII	/0 UI EII	Profile			
Deals_N	Deals_M_BlackFriday1								
0.307	283.9	807.5	713	10	1.4	-			
Acti	ons								
0.27	2.59	315.8	77,993	9	0	-			
<i>□</i> 1	M_black-frid	ay_1							
0.27	2.59	315.8	77,993	9	0	-			
	Jblack-fri	iday/							
0.201	1.72	306.9	78,013	6	0	-			
	/rest/v1/d	delivery							
0.027	0.805	303	77,998	3	0	-			
₫ /inqchat.html									
0.02	0.076	31.1	77,996	0	0	-			

Deals_M_CyberMonday1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Deals_	M_CyberMo	nday1				
0.295	273.9	796.8	714	10	1.4	-
Act	ions					
0.246	2.49	359.8	78,309	10	0	-
	M_cyber-m	onday_1				
0.246	2.49	359.8	78,309	10	0	-
	/cyber-r	nonday/				
0.198	1.72	315.2	78,322	10	0	-
	/rest/v1	delivery				
0.027	0.774	125.7	78,311	0	0	-

Deals_M_Deals1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Deals_I	M_Deals1					
0.995	317.5	848.4	1,769	17	1	-
Act	ions					
0.293	2.95	367.1	191,175	17	0	-
	M_deals_1					
0.293	2.95	367.1	191,175	17	0	-
	deals/					
0.22	1.7	345.6	191,210	11	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile	
	/rest/v1	delivery					
0.02	0.337	84.6	191,208	0	0	-	
	☑ /ui-one-digital/gn/build/gnav.js.map						
0.017	0.468	303.2	191,186	2	0	-	
	//askverizon/js/askverizon.js						
0.006	0.447	309.9	191,177	4	0	-	

$Deals_M_HolidayDeals1$

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
Deals_l	Deals_M_HolidayDeals1								
0.314	305.4	903.9	712	5	0.7	-			
Act	ions								
0.279	2.82	318.4	77,290	4	0	-			
	M_holidayde	eals_1							
0.279	2.82	318.4	77,290	4	0	-			
	il /holiday/	deals/							
0.202	1.62	310	77,316	3	0	-			
	Jui-one-o	ligital/global	-footer/ct.	globalfooter	.json				
0.021	0.362	86.9	77,309	0	0	-			
	/activity_	_pixel							
0.014	0.587	304.7	77,295	1	0	-			
	//is/image/VerizonWireless/seo-holiday-magic-11142019-d								
0.013	0.25	62.4	77,291	0	0	-			

$Deals_M_Iphone1$

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Deals_	_M_lphone1					
0.297	279.1	799.3	655	6	0.9	-
△ Ac	tions					
0.253	2.54	318.7	71,823	6	0	-
<u>~</u>	M_iphone_	1				
0.253	2.54	318.7	71,823	6	0	-
	/deals/i	phone/				
0.203	1.75	305.8	71,835	2	0	-
	<pre>/rest/v1</pre>	/delivery				
0.027	0.788	314.6	71,824	4	0	-

Deals_M_Smartphone1

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Deals	s_M_Smartph	one1				
0.199	201.3	644.1	712	3	0.4	-




Min	Avg	Max	Count	Err	% of Err	SLA Profile		
Act	Actions							
0.154	1.79	305.3	80,632	2	0	-		
	M_smartphones_1							
0.154	1.79	305.3	80,632	2	0	-		
	deals/smartphones/							
0.14	1.4	137.9	80,632	1	0	-		
//rest/v1/delivery								
0.006	0.384	301.7	80,630	1	0	-		

SLA per User Path


Shared Containers

SLA	Value	Severity
Empty list		


Deals_D_Black_Friday1




Deals_D_CyberMonday1



Deals_D_Deals1



Deals_D_Deals_Smartphone1






SLA	Value	Severity
dcm		


Deals_D_Deasl_Iphone1

SLA	Value	Severity
Deals_D_Deasl_Iphone1		
Actions		
D_iphone_1		
deals/iphone/		
/v3/polyfill.min.js		


Deals_D_HolidayDeals1



Deals_Deals_Amazon1



Deals_M_Amazon1






SLA	Value	Severity
/inqchat.html		


Deals_M_BlackFriday1

SLA	Value	Severity
Deals_M_BlackFriday1		
Actions		
M_black-friday_1		
/black-friday/		
//rest/v1/delivery		
/inqchat.html		


Deals_M_CyberMonday1



Deals_M_Deals1




Deals_M_HolidayDeals1






SLA	Value	Severity
/is/image/VerizonWireless	s/seo-holiday-magic-11142019-d	

Deals_M_Iphone1



Deals_M_Smartphone1





Media Contents

Deals_D_Black_Friday1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Deals_D_CyberMonday1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Deals_D_Deals1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

$Deals_D_Deals_Smartphone1$

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Deals_D_Deasl_Iphone1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Deals_D_HolidayDeals1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Deals_Deals_Amazon1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Deals_M_Amazon1

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

$Deals_M_BlackFriday1$

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						



Controller

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Loa	ad				
0	6,054	11,713	5,939	6,071	3,255
Controller/Through	put				
0	1,388	2,494	1,437	1,405	697.3
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical	Alerts				
0	0	0	0	0	-
Controller/Warning	Alerts				
0	0	0	0	0	-
Controller/CPU Loa	ad				
2	25.7	90	26	25.6	6.51
Controller/Memory	Used				
17	33.1	52	33	32.9	9.37
Controller/Thread (Count				
1,305	1,433	1,932	1,420	1,423	63.7
Controller/Connect	ted				
177	178	178	178	178	0.153
Controller/Total Dis	sconnections				
0	0.613	5	0	0.441	1.29
Controller/Total Re	connections				
0	0.589	5	0	0.426	1.25
Controller/Network	/Segments sent/sec				
0	2,230	8,457	2,027	2,113	1,832
Controller/Network	/Segments retransm	nitted/sec.			
0	7.47	1,367	0	0	90.3
Controller/NeoLoad	d Web/Megabits rece	eived/sec.			
0	0	0	0	0	-
Controller/NeoLoad	d Web/Megabits sen	t/sec.			
0	0	0	0	0	-
Controller/Default 2	zone/User Load				
0	0	0	0	0	-
Controller/USA Eas	st - Virginia (Ashbur	n 3)/User Load			
0	0	0	0	0	-
Controller/USA Cer	ntral - Illinois (Chica	go 2)/User Load			
0	2,546	5,260	2,259	2,547	1,434
Controller/USA Cer	ntral - Illinois (Chica	go 2)/Deals_D/User	Load		
0	1,268	2,614	1,122	1,268	715.4
Controller/USA Cer	ntral - Illinois (Chica	go 2)/Deals_D/Deio	dayDeals1/User Loa	d	
0	152	304	133	152.2	86.2
Controller/USA Cer	ntral - Illinois (Chica	go 2)/Deals_D/Deb	erMonday1/User Lo	ad	
0	154.3	321	138	154.4	86.6
Controller/USA Cer	ntral - Illinois (Chica	go 2)/Deals_D/Dec	k_Friday1/User Loa	d	
0	152.1	314	136	152.5	82.4
Controller/USA Cer	ntral - Illinois (Chica	go 2)/Deals_D/Deals	_D_Deals1/User Loa	ad	
0	380.8	774	335	380.7	214.2
Controller/USA Cer	ntral - Illinois (Chica	go 2)/Deals_D/Den	nartphone1/User Lo	ad	
0	151.6	318	136	151.4	86.1
Controller/USA Cer		go 2)/Deals_D/Des			
0	139.7	293	126	139.7	79.3



Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/USA Cent	tral - Illinois (Chicag	o 2)/Deals_D/Dels	_Amazon1/User Loa	ad	
0	137.5	290	118	137.3	80.9
Controller/USA Cent	tral - Illinois (Chicag	o 2)/Deals_M/User	Load		
0	1,278	2,646	1,137	1,279	718.8
Controller/USA Cent	tral - Illinois (Chicag	o 2)/Deals_M/Deio	dayDeals1/User Load	d	
0	154.7	311	136	155.1	85.5
Controller/USA Cent	tral - Illinois (Chicag	o 2)/Deals_M/Deb	erMonday1/User Lo	ad	
0	155.7	316	139	156	86.4
Controller/USA Cent	tral - Illinois (Chicag	o 2)/Deals_M/Dea	ckFriday1/User Loa	d	
0	155.3	318	138	155.6	85.9
Controller/USA Cent	tral - Illinois (Chicag	o 2)/Deals_M/Deals	_M_Deals1/User Loa	ad	
0 :	382	795	342	382	214.8
Controller/USA Cent	tral - Illinois (Chicag	o 2)/Deals_M/Den	nartphone1/User Loa	ad	
		320	132	151.9	87.2
Controller/USA Cent	tral - Illinois (Chicag	io 2)/Deals M/Deals	M lphone1/User Lo	oad	
		291	124	139	79.1
Controller/USA Cent					
		295	126	139.1	80.1
Controller/USA East				. 501.	
		1.316	564	636.1	358.5
Controller/USA East		,			550.0
	•	656	285	317.3	177.7
					177.7
Controller/USA East			-		24.0
		77	36	39.6	21.9
Controller/USA East					04.0
		80	31	36.6	21.8
Controller/USA East			-		00.4
		79	33	37.6	22.4
Controller/USA East					
0	95.7	195	88	95.6	53.8
Controller/USA East	,	serkeley County)/D	.martphone1/User L	oad	
		81	35	38.4	21.3
Controller/USA East	- South Carolina (B	Berkeley County)/D	.sl_lphone1/User Lo	ad	
0 :	34.1	71	28	34.1	18.9
Controller/USA East	- South Carolina (B	Berkeley County)/D	.ls_Amazon1/User L	.oad	
0 ;	35.3	73	34	35.4	18
Controller/USA East	: - South Carolina (B	Serkeley County)/De	als_M/User Load		
0 :	318.8	660	279	318.8	180.9
Controller/USA East	- South Carolina (B	Serkeley County)/D	.idayDeals1/User Lo	ad	
0 ;	38.2	83	34	38.1	22.6
Controller/USA East	- South Carolina (B	Serkeley County)/D	.berMonday1/User L	.oad	
0 ;	39.1	84	34	38.9	22.7
Controller/USA East	- South Carolina (B	Serkeley County)/D	.ackFriday1/User Lo	ad	
		78	34	38.3	22.3
Controller/USA East		Serkeley County)/D	.s_M_Deals1/User L	oad	
		195	86	94.3	53.5
Controller/USA East					
		78	33	38.5	20.8
Controller/USA East					
		72	28	34.7	19.9
Controller/USA East					. 5.0
		70			10.2
		-	30	35.9	19.3
Controller/USA East	•		2.202	2.494	4 202
		5,137	2,203	2,484	1,392
Controller/USA East	-				
0	1,248	2,547	1,106	1,247	698.8



Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/USA E	ast - New Jersey/Dea	ls_D/Deals_D_Holid	ayDeals1/User Load		
0	148.3	303	133	148.1	82.8
Controller/USA E	ast - New Jersey/Dea	ls_D/Deals_D_Cybe	Monday1/User Load	I	
0	148.7	307	132	148.9	82.8
Controller/USA E	ast - New Jersey/Dea	ls_D/Deals_D_Black	_Friday1/User Load		
0	150.3	315	133	149.9	86.5
Controller/USA E	ast - New Jersey/Dea	ls_D/Deals_D_Deals	1/User Load		
0	372.7	742	330	373	209.1
Controller/USA E	ast - New Jersey/Dea	ls_D/Deals_D_Deals	_Smartphone1/User	Load	
0	150	309	130	150	83.6
Controller/USA E	ast - New Jersey/Dea	ls_D/Deals_D_Deasl	_lphone1/User Load		
0	138.3	285	123	138.2	77.3
Controller/USA E	ast - New Jersey/Dea	ls_D/Deals_Deals_A	mazon1/User Load		
0	139.2	286	125	139.2	76.7
Controller/USA E	ast - New Jersey/Dea	ls_M/User Load			
0	1,237	2,590	1,097	1,237	693
Controller/USA E	ast - New Jersey/Dea	ls_M/Deals_M_Holid	ayDeals1/User Load		
0	147.3	314	132	147	83
Controller/USA E	ast - New Jersey/Dea	ls_M/Deals_M_Cybe	rMonday1/User Load	d	
0	145.1	307	130	145.1	82.1
Controller/USA E	ast - New Jersey/Dea	ls_M/Deals_M_Black	Friday1/User Load		
0	146.7	312	129	146.2	83.2
Controller/USA E	ast - New Jersey/Dea	ls_M/Deals_M_Deals	s1/User Load		
0	373.3	776	329	373.6	209.1
Controller/USA E	ast - New Jersey/Dea	ls_M/Deals_M_Smar	tphone1/User Load		
0	149.2	309	136	149.2	83.1
Controller/USA E	ast - New Jersey/Dea	ls_M/Deals_M_lphor	ne1/User Load		
0	138.4	286	125	138.4	76.6
Controller/USA E	ast - New Jersey/Dea	ls_M/Deals_M_Amaz	zon1/User Load		
0	137.2	286	121	137.1	76.2

LG 157.55.136.151:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.136.151:	443/CPU Load				
0	3.12	12	3	3	2.06
LG 157.55.136.151:	443/Memory Used				
1	4.59	15	3	4.27	3.11
LG 157.55.136.151:	443/Throughput				
0	7.31	21.5	7.09	7.13	4.66
LG 157.55.136.151:	443/User Load				
0	30.5	66	28	30.4	17.7
LG 157.55.136.151:	443/Thread Count				
39	89.3	125	87	89.3	18.2
LG 157.55.136.151:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.55.136.151:	443/Http client/Task	Pool used			
0	0	0.017	0	0	0.002
LG 157.55.136.151:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.55.136.151:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.55.136.151:	443/Controller Conn	ection/Ping Duratio	n (ms)		
78	112.5	129	112	112.6	6.01
LG 157.55.136.151:	443/Network/Segme	nts sent/sec.			
5.03	373.9	1,105	359.6	364.4	227.4



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.55.136.151:443/Network/Segments retransmitted/sec.								
0	0.005	1.3	0	0	0.062			
LG 157.55.136.151:	443/Network/eth0 (et	th0)/Megabits receiv	red/sec.					
0.007	7.8	22.9	7.53	7.6	4.94			
LG 157.55.136.151:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.013	0.586	1.74	0.574	0.573	0.344			

LG 157.55.140.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 157.55.140.137:	443/CPU Load									
0	3.03	10	3	2.95	1.91					
LG 157.55.140.137:	LG 157.55.140.137:443/Memory Used									
2	4.23	14	3	3.91	2.84					
LG 157.55.140.137:	443/Throughput									
0	7.47	19.4	7.3	7.38	4.62					
LG 157.55.140.137:	443/User Load									
0	31.4	65	28	31.4	18.1					
LG 157.55.140.137:	443/Thread Count									
39	90.1	125	87	90.3	19					
LG 157.55.140.137:	443/Http client/Threa	ad Pool used								
0.1	0.1	0.1	0.1	0.1	0					
LG 157.55.140.137:	443/Http client/Task	Pool used								
0	0	0	0	0	0					
LG 157.55.140.137:	443/Controller Conn	ection/Disconnection	ons							
0	0	0	0	0	-					
LG 157.55.140.137:	443/Controller Conn	ection/Reconnectio	ns							
0	0	0	0	0	-					
LG 157.55.140.137:	443/Controller Conn	ection/Ping Duration	n (ms)							
68	89.1	151	75	86.7	23.3					
LG 157.55.140.137:	443/Network/Segme	nts sent/sec.								
4.93	380.3	947.8	368.2	376.5	222.7					
LG 157.55.140.137:	443/Network/Segme	nts retransmitted/se	ec.							
0	0.006	0.4	0	0	0.034					
LG 157.55.140.137:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.							
0.007	7.96	20.6	7.76	7.87	4.89					
LG 157.55.140.137:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.							
0.015	0.598	1.39	0.593	0.594	0.336					

LG 157.55.141.87:443

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 157.55.141.87:4	LG 157.55.141.87:443/CPU Load									
0	2.94	10	3	2.86	1.82					
LG 157.55.141.87:4	43/Memory Used									
2	4.56	16	3	4.2	3.17					
LG 157.55.141.87:4	43/Throughput									
0	7.36	25.2	6.63	7.21	4.77					
LG 157.55.141.87:4	43/User Load									
0	30.3	65	28	30.2	18.4					
LG 157.55.141.87:4	43/Thread Count									
39	88.8	125	87	88.8	19.3					
LG 157.55.141.87:4	LG 157.55.141.87:443/Http client/Thread Pool used									
0.1	0.1	0.1	0.1	0.1	0					



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.55.141.87:4	LG 157.55.141.87:443/Http client/Task Pool used								
0	0	0.067	0	0	0.004				
LG 157.55.141.87:4	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 157.55.141.87:4	43/Controller Conne	ection/Reconnections	S						
0	0	0	0	0	-				
LG 157.55.141.87:4	43/Controller Conne	ection/Ping Duration	(ms)						
91	111	149	110	110.6	6.62				
LG 157.55.141.87:4	43/Network/Segmen	ts sent/sec.							
5.02	376.3	1,224	342.6	368.9	228.6				
LG 157.55.141.87:4	43/Network/Segmen	ts retransmitted/sec							
0	0.006	0.935	0	0	0.047				
LG 157.55.141.87:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0.007	7.85	26.8	7.08	7.69	5.05				
LG 157.55.141.87:4	LG 157.55.141.87:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.013	0.586	1.74	0.57	0.577	0.341				

LG 157.55.143.57:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 157.55.143.57:4	43/CPU Load									
0	3.14	10	3	3.07	1.91					
LG 157.55.143.57:4	LG 157.55.143.57:443/Memory Used									
2	4.33	15	3	4	2.86					
LG 157.55.143.57:4	43/Throughput									
0	7.45	24.7	7.2	7.28	4.88					
LG 157.55.143.57:4	43/User Load									
0	31.4	66	28	31.4	18.1					
LG 157.55.143.57:4	43/Thread Count									
39	90.1	125	87	90.2	18.9					
LG 157.55.143.57:4	43/Http client/Thread	d Pool used								
0.1	0.1	0.1	0.1	0.1	0					
LG 157.55.143.57:4	43/Http client/Task F	Pool used								
0	0	0.017	0	0	0.001					
LG 157.55.143.57:4	43/Controller Conne	ction/Disconnection	าร							
0	0	0	0	0	-					
LG 157.55.143.57:4	43/Controller Conne	ction/Reconnection	s							
0	0	0	0	0	-					
LG 157.55.143.57:4	43/Controller Conne	ction/Ping Duration	(ms)							
61	113.2	174	114	113.5	12.9					
LG 157.55.143.57:4	43/Network/Segmen	ts sent/sec.								
4.88	382.5	1,216	364.3	374.9	236.3					
LG 157.55.143.57:4	43/Network/Segmen	ts retransmitted/sec	.							
0	0.009	1.46	0	0	0.092					
LG 157.55.143.57:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.							
0.007	7.94	26.2	7.68	7.75	5.16					
LG 157.55.143.57:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.							
0.013	0.597	1.82	0.588	0.587	0.353					

LG 157.55.212.245:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.212.245:	443/CPU Load				
0	3.13	13	3	3.04	1.94



Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 157.55.212.245:	LG 157.55.212.245:443/Memory Used									
1	4	14	3	3.71	2.56					
LG 157.55.212.245:	LG 157.55.212.245:443/Throughput									
0	7.45	24.1	7.31	7.31	4.66					
LG 157.55.212.245:	443/User Load									
0	31.1	66	28	31	18.5					
LG 157.55.212.245:	443/Thread Count									
39	89.9	126	87	89.9	18.9					
LG 157.55.212.245:	443/Http client/Thre	ad Pool used								
0.1	0.1	0.1	0.1	0.1	0					
LG 157.55.212.245:	443/Http client/Task	Pool used								
0	0.001	0.133	0	0	0.007					
LG 157.55.212.245:	443/Controller Conr	ection/Disconnection	ons							
0	0	0	0	0	-					
LG 157.55.212.245:	443/Controller Conr	ection/Reconnectio	ns							
0	0	0	0	0	-					
LG 157.55.212.245:	443/Controller Conn	ection/Ping Duration	n (ms)							
74	110.4	151	111	110.7	11.7					
LG 157.55.212.245:	443/Network/Segme	nts sent/sec.								
4.94	380.4	1,207	373	373.5	225.4					
LG 157.55.212.245:	443/Network/Segme	nts retransmitted/se	c.							
0	0.001	0.325	0	0	0.02					
LG 157.55.212.245:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.							
0.007	7.94	25.6	7.77	7.8	4.94					
LG 157.55.212.245:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.							
0.013	0.597	1.76	0.593	0.589	0.339					

LG 168.62.104.230:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.104.230:	443/CPU Load				
0	2.98	9	3	2.94	1.82
LG 168.62.104.230:	443/Memory Used				
2	4.26	15	3	3.94	2.88
LG 168.62.104.230:	443/Throughput				
0	7.52	18.1	7.21	7.45	4.62
LG 168.62.104.230:	443/User Load				
0	31.4	66	28	31.5	18.4
LG 168.62.104.230:	443/Thread Count				
39	90.3	126	87	90.4	18.9
LG 168.62.104.230:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 168.62.104.230:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 168.62.104.230:	443/Controller Conn	ection/Disconnectio	ns		
0	0	0	0	0	-
LG 168.62.104.230:	443/Controller Conn	ection/Reconnection	ns		
0	0	0	0	0	-
LG 168.62.104.230:	443/Controller Conn	ection/Ping Duration	n (ms)		
60	100.7	153	111	100.9	20.7
LG 168.62.104.230:	443/Network/Segme				
4.93	383.3	891.7	364.9	380.5	222
LG 168.62.104.230:	443/Network/Segme	nts retransmitted/se	c.		
0	0.013	1.97	0	0	0.122
LG 168.62.104.230:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.007	8.02	19.1	7.68	7.95	4.9



Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 168.62.104.230:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.014	0.601	1.37	0.584	0.598	0.336		

LG 168.62.104.72:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 168.62.104.72:4	43/CPU Load								
0	3.14	13	3	3.07	1.88				
LG 168.62.104.72:443/Memory Used									
1	4.02	14	3	3.71	2.63				
LG 168.62.104.72:4	LG 168.62.104.72:443/Throughput								
0	7.49	19.5	7.11	7.35	4.74				
LG 168.62.104.72:4	43/User Load								
0	30.7	66	28	30.6	18.4				
LG 168.62.104.72:4	43/Thread Count								
39	89.6	126	87	89.6	18.9				
LG 168.62.104.72:4	43/Http client/Thread	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 168.62.104.72:4	43/Http client/Task F	Pool used							
0	0	0.033	0	0	0.002				
LG 168.62.104.72:4	43/Controller Conne	ction/Disconnection	ıs						
0	0	0	0	0	-				
LG 168.62.104.72:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 168.62.104.72:4	43/Controller Conne	ction/Ping Duration	(ms)						
74	113.3	141	113	113.6	9.91				
LG 168.62.104.72:4	43/Network/Segmen								
4.94	381.8	966.6	363.2	375.3	227.5				
LG 168.62.104.72:4	43/Network/Segmen	ts retransmitted/sec							
0	0.004	0.628	0	0	0.035				
LG 168.62.104.72:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0.007	7.98	20.6	7.56	7.84	5.02				
LG 168.62.104.72:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0.018	0.598	1.49	0.591	0.59	0.342				

LG 168.62.105.183:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 168.62.105.183:443/CPU Load								
0	3.1	10	3	3.05	1.71			
LG 168.62.105.183:	443/Memory Used							
1	4.3	14	3	3.99	2.91			
LG 168.62.105.183:	443/Throughput							
0	7.32	17.7	7.22	7.27	4.38			
LG 168.62.105.183:	443/User Load							
0	30.4	66	28	30.3	17.8			
LG 168.62.105.183:	443/Thread Count							
39	89.3	125	87	89.3	18.5			
LG 168.62.105.183:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.105	0.1	0.1	0			
LG 168.62.105.183:	443/Http client/Task	Pool used						
0	0	0.017	0	0	0.002			
LG 168.62.105.183:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 168.62.105.183:443/Controller Connection/Reconnections								
0	0	0	0	0	-			
LG 168.62.105.183:4	443/Controller Conn	ection/Ping Duration	n (ms)					
75	110.8	146	112	111.3	10.37			
LG 168.62.105.183:4	443/Network/Segme	nts sent/sec.						
4.96	374.9	889.6	367	372.3	211.3			
LG 168.62.105.183:4	443/Network/Segme	nts retransmitted/se	c.					
0	0.005	0.637	0	0	0.043			
LG 168.62.105.183:4	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.					
0.007	7.81	18.9	7.67	7.75	4.64			
LG 168.62.105.183:4	443/Network/eth0 (et	th0)/Megabits sent/s	ec.					
0.013	0.589	1.31	0.575	0.587	0.318			

LG 168.62.107.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.107.135:	443/CPU Load				
0	3.07	9	3	3.01	1.91
LG 168.62.107.135:	443/Memory Used				
1	4.19	14	3	3.87	2.86
LG 168.62.107.135:	443/Throughput				
0	7.48	18.1	7.51	7.39	4.79
LG 168.62.107.135:	443/User Load				
0	31.2	66	28	31.2	18.5
LG 168.62.107.135:	443/Thread Count				
39	90	126	87	90	18.9
LG 168.62.107.135:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 168.62.107.135:	443/Http client/Task	Pool used			
0	0.001	0.067	0	0	0.005
LG 168.62.107.135:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 168.62.107.135:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 168.62.107.135:	443/Controller Conn	ection/Ping Duration	n (ms)		
75	112.8	153	112	112.1	10.74
LG 168.62.107.135:	443/Network/Segme	nts sent/sec.			
4.93	382.7	879.4	391.7	379	230.3
LG 168.62.107.135:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.006	0.571	0	0	0.046
LG 168.62.107.135:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.007	7.98	19.2	8.01	7.88	5.07
LG 168.62.107.135:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.013	0.6	1.39	0.608	0.595	0.346

LG 168.62.107.27:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 168.62.107.27:443/CPU Load									
0	3.08	10	3	3.01	1.88				
LG 168.62.107.27:4	43/Memory Used								
1	4.21	15	3	3.89	2.77				
LG 168.62.107.27:4	LG 168.62.107.27:443/Throughput								
0	7.49	19.8	7.22	7.4	4.7				



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.107.27:4	43/User Load				
0	31.2	66	28	31.1	18.2
LG 168.62.107.27:4	43/Thread Count				
39	89.9	125	87	90.1	18.9
LG 168.62.107.27:4	43/Http client/Threa	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 168.62.107.27:4	43/Http client/Task	Pool used			
0	0.001	0.1	0	0	0.006
LG 168.62.107.27:4	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 168.62.107.27:4	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 168.62.107.27:4	43/Controller Conne	ection/Ping Duration	(ms)		
68	108.9	149	111	109.7	12.6
LG 168.62.107.27:4	43/Network/Segmer	nts sent/sec.			
5.01	383.6	978.8	374.8	379.2	226.5
LG 168.62.107.27:4	43/Network/Segmer	nts retransmitted/sed).		
0	0.001	0.201	0	0	0.015
LG 168.62.107.27:4	43/Network/eth0 (et	h0)/Megabits receive	ed/sec.		
0.007	7.99	21	7.69	7.89	4.97
LG 168.62.107.27:4	43/Network/eth0 (et	h0)/Megabits sent/se	ec.		
0.013	0.602	1.51	0.596	0.597	0.343

LG 168.62.109.251:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 168.62.109.251:4	443/CPU Load							
0	2.98	13	3	2.9	1.9			
LG 168.62.109.251:443/Memory Used								
1	4.12	14	3	3.82	2.66			
LG 168.62.109.251:4	443/Throughput							
0	7.58	18.9	7.33	7.48	4.68			
LG 168.62.109.251:4	443/User Load							
0	31.6	66	29	31.6	18.2			
LG 168.62.109.251:4	443/Thread Count							
39	90.5	126	88	90.5	18.7			
LG 168.62.109.251:4	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 168.62.109.251:4	443/Http client/Task	Pool used						
0	0	0.033	0	0	0.002			
LG 168.62.109.251:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 168.62.109.251:4	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 168.62.109.251:4	443/Controller Conn	ection/Ping Duration	n (ms)					
59	108.1	115	111	110.5	11.5			
LG 168.62.109.251:4	443/Network/Segme	nts sent/sec.						
5.02	386.5	937.9	370.8	381.9	225.3			
LG 168.62.109.251:4	443/Network/Segme	nts retransmitted/se	ec.					
0	0.003	0.785	0	0	0.037			
LG 168.62.109.251:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0.007	8.08	20.1	7.82	7.97	4.95			
LG 168.62.109.251:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0.014	0.607	1.46	0.586	0.602	0.339			



LG 23.100.72.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.100.72.160:4	443/CPU Load							
0	3.44	9	3	3.38	1.91			
LG 23.100.72.160:443/Memory Used								
2	4.28	15	3	3.95	2.9			
LG 23.100.72.160:4	443/Throughput							
0	7.71	21.2	7.42	7.6	4.77			
LG 23.100.72.160:4	443/User Load							
0	32.4	66	30	32.4	18.3			
LG 23.100.72.160:4	443/Thread Count							
39	91.4	126	89	91.6	19.1			
LG 23.100.72.160:4	443/Http client/Threa	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 23.100.72.160:4	443/Http client/Task	Pool used						
0	0	0.033	0	0	0.003			
LG 23.100.72.160:4	443/Controller Conne	ection/Disconnection	าร					
0	0	0	0	0	-			
LG 23.100.72.160:4	443/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 23.100.72.160:4	443/Controller Conne	ection/Ping Duration	(ms)					
64	109.4	151	112	110.2	13.8			
LG 23.100.72.160:4	443/Network/Segmer	its sent/sec.						
5.01	395.4	1,100	384.6	389.4	230.8			
LG 23.100.72.160:4	443/Network/Segmer	nts retransmitted/sec).					
0	0.004	0.311	0	0	0.028			
LG 23.100.72.160:4	443/Network/eth0 (et	h0)/Megabits receive	ed/sec.					
0.007	8.22	22.5	7.97	8.1	5.05			
LG 23.100.72.160:4	443/Network/eth0 (et	h0)/Megabits sent/se	ec.					
0.015	0.618	1.72	0.61	0.611	0.344			

LG 23.100.72.227:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.100.72.227:443/CPU Load								
0	3.08	10	3	3	1.86			
LG 23.100.72.227:443/Memory Used								
1	4.14	13	3	3.86	2.62			
LG 23.100.72.227:44	43/Throughput							
0	7.44	20.6	6.97	7.29	4.63			
LG 23.100.72.227:44	43/User Load							
0	30.8	66	28	30.7	17.9			
LG 23.100.72.227:44	43/Thread Count							
39	89.5	126	87	89.3	18.5			
LG 23.100.72.227:4	43/Http client/Thread	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 23.100.72.227:44	43/Http client/Task F	Pool used						
0	0	0.033	0	0	0.003			
LG 23.100.72.227:4	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 23.100.72.227:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 23.100.72.227:44	43/Controller Conne	ction/Ping Duration	(ms)					
58	111.5	121	113	112.7	8.61			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.100.72.227:443/Network/Segments sent/sec.								
4.85	383.1	1,058	361.3	375.7	226.1			
LG 23.100.72.227:4	LG 23.100.72.227:443/Network/Segments retransmitted/sec.							
0	0.003	0.2	0	0	0.024			
LG 23.100.72.227:4	43/Network/eth0 (eth	0)/Megabits receive	d/sec.					
0.007	7.93	21.8	7.45	7.77	4.9			
LG 23.100.72.227:4	LG 23.100.72.227:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.013	0.599	1.52	0.564	0.59	0.338			

LG 23.100.74.186:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.100.74.186:44	43/CPU Load							
0	3.24	13	3	3.16	1.93			
LG 23.100.74.186:443/Memory Used								
1	4.03	14	3	3.72	2.67			
LG 23.100.74.186:44	43/Throughput							
0	7.52	21.4	7.42	7.42	4.63			
LG 23.100.74.186:44	43/User Load							
0	31.2	65	28	31.2	18.1			
LG 23.100.74.186:44	43/Thread Count							
39	89.8	124	87	90	18.8			
LG 23.100.74.186:44	43/Http client/Threa	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 23.100.74.186:44	43/Http client/Task F	Pool used						
0	0	0.033	0	0	0.002			
LG 23.100.74.186:44	43/Controller Conne	ection/Disconnection	าร					
0	0	0	0	0	-			
LG 23.100.74.186:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 23.100.74.186:44	43/Controller Conne	ection/Ping Duration	(ms)					
75	114.2	151	114	114.1	11.8			
LG 23.100.74.186:44	43/Network/Segmen	ts sent/sec.						
4.91	383.2	1,030	371.7	378.8	221.7			
LG 23.100.74.186:44	43/Network/Segmen	ts retransmitted/sec	:.					
0	0.002	0.326	0	0	0.023			
LG 23.100.74.186:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.					
0.007	8.02	22.8	7.92	7.91	4.9			
LG 23.100.74.186:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.					
0.014	0.601	1.53	0.601	0.596	0.336			

LG 23.100.75.182:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 23.100.75.182:4	43/CPU Load						
0	3.11	10	3	3.05	1.85		
LG 23.100.75.182:4	43/Memory Used						
2	4.49	16	3	4.15	3.06		
LG 23.100.75.182:4	43/Throughput						
0	7.59	19.9	7.15	7.53	4.59		
LG 23.100.75.182:4	43/User Load						
0	31.7	66	29	31.7	18.3		
LG 23.100.75.182:443/Thread Count							
39	90.5	125	88	90.6	18.8		



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.100.75.182:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 23.100.75.182:44	43/Http client/Task F	Pool used						
0	0	0.067	0	0	0.004			
LG 23.100.75.182:44	43/Controller Conne	ection/Disconnection	ıs					
0	0	0	0	0	-			
LG 23.100.75.182:44	43/Controller Conne	ection/Reconnections	S					
0	0	0	0	0	-			
LG 23.100.75.182:44	43/Controller Conne	ection/Ping Duration	(ms)					
75	113.9	152	112	113.5	10.04			
LG 23.100.75.182:44	43/Network/Segmen	ts sent/sec.						
4.95	386.7	1,019	364.5	383.3	222			
LG 23.100.75.182:44	43/Network/Segmen	ts retransmitted/sec						
0	0.004	0.256	0	0	0.028			
LG 23.100.75.182:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.					
0.007	8.09	21.2	7.63	8.02	4.86			
LG 23.100.75.182:44	LG 23.100.75.182:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.013	0.608	1.41	0.6	0.605	0.334			

LG 23.100.77.88:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.100.77.88:44	3/CPU Load				
0	3.11	10	3	3.02	1.98
LG 23.100.77.88:44	3/Memory Used				
1	4.12	14	3	3.8	2.77
LG 23.100.77.88:44	3/Throughput				
0	7.59	22.3	7.39	7.44	4.81
LG 23.100.77.88:44	3/User Load				
0	31.6	65	29	31.6	18.3
LG 23.100.77.88:44	3/Thread Count				
39	90.3	125	88	90.5	19.2
LG 23.100.77.88:44	3/Http client/Thread	Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.100.77.88:44	3/Http client/Task Po	ool used			
0	0	0.05	0	0	0.003
LG 23.100.77.88:44	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 23.100.77.88:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 23.100.77.88:44	3/Controller Connec	tion/Ping Duration (ms)		
58	110.5	228	112	110	21.1
LG 23.100.77.88:44	3/Network/Segments	s sent/sec.			
5.59	386.6	1,117	378.6	379.9	231.2
LG 23.100.77.88:44	3/Network/Segments	s retransmitted/sec.			
0	0.004	0.649	0	0	0.036
LG 23.100.77.88:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.		
0.008	8.09	23.8	7.88	7.93	5.1
LG 23.100.77.88:44	3/Network/eth0 (eth)	0)/Megabits sent/sec	.		
0.013	0.605	1.59	0.581	0.596	0.346



LG 23.100.79.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.100.79.254:4	43/CPU Load								
0	3.1	10	3	3.04	1.86				
LG 23.100.79.254:4	LG 23.100.79.254:443/Memory Used								
1	4.15	15	3	3.83	2.85				
LG 23.100.79.254:4	43/Throughput								
0	7.43	20.8	7.39	7.34	4.64				
LG 23.100.79.254:4	43/User Load								
0	31.3	66	28	31.3	18.3				
LG 23.100.79.254:4	43/Thread Count								
39	90	125	87	90.1	19.1				
LG 23.100.79.254:4	43/Http client/Threa	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 23.100.79.254:4	43/Http client/Task F	Pool used							
0	0	0.067	0	0	0.004				
LG 23.100.79.254:4	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 23.100.79.254:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0					
LG 23.100.79.254:4	43/Controller Conne	ection/Ping Duration	(ms)						
68	113.7	162	111	112.9	14.1				
LG 23.100.79.254:4	43/Network/Segmen	ts sent/sec.							
5.02	379.1	1,030	375.1	375.1	223.1				
LG 23.100.79.254:4	43/Network/Segmen	ts retransmitted/sec							
0	0.003	0.403	0	0	0.029				
LG 23.100.79.254:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0.007	7.93	22.2	7.87	7.83	4.91				
LG 23.100.79.254:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0.013	0.596	1.6	0.606	0.592	0.336				

LG 23.101.160.164:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.101.160.164:4	LG 23.101.160.164:443/CPU Load								
0	2.9	10	3	2.83	1.81				
LG 23.101.160.164:4	443/Memory Used								
1	4.17	15	3	3.84	2.82				
LG 23.101.160.164:4	443/Throughput								
0	7.5	19.6	7.32	7.43	4.61				
LG 23.101.160.164:4	443/User Load								
0	31.2	66	28	31.2	18.2				
LG 23.101.160.164:4	443/Thread Count								
39	90.1	126	87	90.2	18.9				
LG 23.101.160.164:4	443/Http client/Threa	ad Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 23.101.160.164:4	443/Http client/Task	Pool used							
0	0	0.033	0	0	0.002				
LG 23.101.160.164:4	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 23.101.160.164:4	443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 23.101.160.164:4	LG 23.101.160.164:443/Controller Connection/Ping Duration (ms)								
73	105	156	113	104.5	18.9				

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.101.160.164:	LG 23.101.160.164:443/Network/Segments sent/sec.								
5.02	383.9	956.6	372.2	381	223.6				
LG 23.101.160.164:	443/Network/Segme	nts retransmitted/se	ec.						
0	0.001	0.198	0	0	0.013				
LG 23.101.160.164:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.007	8	20.9	7.79	7.93	4.89				
LG 23.101.160.164:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.013	0.598	1.45	0.571	0.595	0.336				

LG 23.101.162.134:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.101.162.134:	443/CPU Load				
0	3.12	12	3	3.03	1.95
LG 23.101.162.134:	443/Memory Used				
2	4.18	15	3	3.85	2.84
LG 23.101.162.134:	443/Throughput				
0	7.45	19	6.86	7.35	4.7
LG 23.101.162.134:	443/User Load				
0	31.2	65	28	31.2	18.1
LG 23.101.162.134:	443/Thread Count				
39	89.7	124	87	90	19.2
LG 23.101.162.134:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.101.162.134:	443/Http client/Task	Pool used			
0	0	0.05	0	0	0.004
LG 23.101.162.134:	443/Controller Conr	nection/Disconnection	ons		
0	0	0	0	0	-
LG 23.101.162.134:	443/Controller Conr	nection/Reconnectio	ns		
0	0	0	0	0	-
LG 23.101.162.134:	443/Controller Conr	nection/Ping Duration	n (ms)		
70	108.3	152	113	108.7	15
LG 23.101.162.134:	443/Network/Segme	ents sent/sec.			
5.03	385.1	929.3	354.8	380.5	229.4
LG 23.101.162.134:	443/Network/Segme	ents retransmitted/se	ec.		
0	0.006	0.992	0	0	0.054
LG 23.101.162.134:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.		
0.007	7.95	20.2	7.33	7.84	4.98
LG 23.101.162.134:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.013	0.601	1.39	0.574	0.597	0.341

LG 23.101.162.213:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 23.101.162.213:	443/CPU Load						
0	3.06	21	3	2.97	1.99		
LG 23.101.162.213:	443/Memory Used						
1	4.31	15	3	3.98	2.9		
LG 23.101.162.213:	443/Throughput						
0	7.36	20.2	7.54	7.26	4.63		
LG 23.101.162.213:	443/User Load						
0	30.6	66	28	30.5	18.4		
LG 23.101.162.213:443/Thread Count							
39	89.4	125	87	89.4	19.1		



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.101.162.213:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 23.101.162.213:4	443/Http client/Task	Pool used						
0	0	0.017	0	0	0.001			
LG 23.101.162.213:4	443/Controller Conn	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 23.101.162.213:4	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 23.101.162.213:4	443/Controller Conn	ection/Ping Duration	n (ms)					
59	106.4	139	113	107.5	16.8			
LG 23.101.162.213:4	443/Network/Segme	nts sent/sec.						
5.02	378.2	1,021	384.5	373.5	225.6			
LG 23.101.162.213:4	443/Network/Segme	nts retransmitted/se	c.					
0	0.009	1.48	0	0	0.087			
LG 23.101.162.213:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0.007	7.83	21.5	8.03	7.73	4.9			
LG 23.101.162.213:4	LG 23.101.162.213:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.013	0.591	1.6	0.6	0.585	0.34			

LG 23.101.166.208:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.101.166.208:	443/CPU Load				
0	3.09	12	3	3.03	1.83
LG 23.101.166.208:	443/Memory Used				
1	4.31	15	3	3.97	2.96
LG 23.101.166.208:	443/Throughput				
0	7.54	18.1	7.69	7.47	4.59
LG 23.101.166.208:	443/User Load				
0	31.8	66	29	31.8	18.3
LG 23.101.166.208:	443/Thread Count				
39	90.6	126	88	90.8	18.8
LG 23.101.166.208:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.101.166.208:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 23.101.166.208:	443/Controller Conr	nection/Disconnection	ons		
0	0	0	0	0	-
LG 23.101.166.208:	443/Controller Conr	nection/Reconnectio	ns		
0	0	0	0	0	-
LG 23.101.166.208:	443/Controller Conr	nection/Ping Duratio	n (ms)		
58	109.3	151	111	110.2	13.9
LG 23.101.166.208:	443/Network/Segme	ents sent/sec.			
5.02	382.7	860.2	390.4	379.8	219.6
LG 23.101.166.208:	443/Network/Segme	ents retransmitted/se	ec.		
0	0.005	0.623	0	0	0.042
LG 23.101.166.208:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.		
0.007	8.03	19.2	8.16	7.96	4.86
LG 23.101.166.208:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.013	0.6	1.39	0.622	0.596	0.331



LG 23.101.166.246:443

Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev				
	LG 23.101.166.246:	443/CPU Load								
4.22 14 3 3.91 2.77 G. 23.101.166.246:443/Throughput 7.44 19.3 7.16 7.34 4.54 G. 23.101.166.246:443/User Load 30.9 66 28 30.9 17.8 G. 23.101.166.246:443/Thread Count 9 89.7 126 87 89.8 18.5 G. 23.101.166.246:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 G. 23.101.166.246:443/Http client/Task Pool used 0.0 0 0.033 0 0 0.002 G. 23.101.166.246:443/Controller Connection/Disconnections 0 0 0 0 0 0 0 G. 23.101.166.246:443/Controller Connection/Ping Duration (ms) 16 111.2 116 113 112.8 7.81 G. 23.101.166.246:443/Network/Segments sent/sec. 17 381.2 916.4 370 377.2 217.2 G. 23.101.166.246:443/Network/Segments retransmitted/sec. 18 0.008 0.993 0 0 0 0.075 G. 23.101.166.246:443/Network/Segments retransmitted/sec. 19 0.008 0.993 0 0 0.075 G. 23.101.166.246:443/Network/Segments retransmitted/sec. 10 0.008 0.993 0 0 0.075 G. 23.101.166.246:443/Network/eth0 (eth0)/Megabits received/sec.	0	3.06	11	3	2.99	1.82				
G 23.101.166.246:443/Throughput 1	LG 23.101.166.246:	LG 23.101.166.246:443/Memory Used								
7,44 19.3 7,16 7,34 4,54 G 23.101.166.246:443/User Load 30.9 66 28 30.9 17.8 G 23.101.166.246:443/Thread Count 89 89.7 126 87 89.8 18.5 G 23.101.166.246:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 G 23.101.166.246:443/Http client/Task Pool used 0.0 0 0.033 0 0 0 0.002 G 23.101.166.246:443/Controller Connection/Disconnections 0 0 0 0 0 0 0 0 0 G 23.101.166.246:443/Controller Connection/Reconnections 0 0 1 0 0 0 0 0 0 0 0 G 23.101.166.246:443/Controller Connection/Ping Duration (ms) 15 111.2 116 113 112.8 7.81 G 23.101.166.246:443/Network/Segments sent/sec. 1.87 381.2 916.4 370 377.2 217.2 G 23.101.166.246:443/Network/Segments retransmitted/sec. 1.9 0.008 0.993 0 0 0.075 G 23.101.166.246:443/Network/Seth0 (eth0)/Megabits received/sec. 1.001 7.93 20.5 7.62 7.84 4.81	1	4.22	14	3	3.91	2.77				
G 23.101.166.246:443/User Load 30.9 66 28 30.9 17.8 G 23.101.166.246:443/Thread Count 9 89.7 126 87 89.8 18.5 G 23.101.166.246:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 G 23.101.166.246:443/Http client/Task Pool used 0.0 0 0.033 0 0 0 0.002 G 23.101.166.246:443/Controller Connection/Disconnections 0 0 0 0 0 0 0 0 0 G 23.101.166.246:443/Controller Connection/Reconnections 0 0 0 0 0 0 0 0 0 G 23.101.166.246:443/Controller Connection/Ping Duration (ms) 75 111.2 116 113 112.8 7.81 G 23.101.166.246:443/Network/Segments sent/sec. 7.87 381.2 916.4 370 377.2 217.2 G 23.101.166.246:443/Network/Segments retransmitted/sec. 1.0 0.008 0.993 0 0 0 0.075 G 23.101.166.246:443/Network/Seth0 (eth0)/Megabits received/sec. 1.0 0.01 7.93 20.5 7.62 7.84 4.81	LG 23.101.166.246:	443/Throughput								
30.9 66 28 30.9 17.8 30.9 89.7 126 87 89.8 18.5 30.9 89.7 126 87 89.8 18.5 30.9 89.7 126 87 89.8 18.5 30.9 89.7 126 87 89.8 18.5 30.9 89.7 126 87 89.8 18.5 30.9 89.7 126 87 89.8 18.5 30.9 89.7 126 87 89.8 18.5 30.9 89.7 126 87 89.8 18.5 30.9 89.8 18.5 30.9 89.7 126 87 89.8 18.5 30.0 0.1 0.1 0.1 0.1 0.1 30.0 0.1 0.1 0.1 0.1 0.1 30.0 0.1 0.1 0.1 0.1 0.1 30.0 0.1 0.1 0.1 0.1 0.1 30.0 0.1 0.1 0.1 0.1 0.1 30.0 0.0 0.0 0.0 0.002 30.0 0.0 0.0 0.0 0.0 30.0 0.0 0.0 0.0 30.0 0.0 0.0 0.0 30.0 0.0 0.0 0.0 30.0 0.0 0.0 0.0 30.0 0.0 30.0 0.0 0.0 30.0 0	0	7.44	19.3	7.16	7.34	4.54				
LG 23.101.166.246:443/Thread Count 199 89.7 126 87 89.8 18.5 LG 23.101.166.246:443/Http client/Thread Pool used 1.0.1 0.1 0.1 0.1 0.1 0.1 0.1 LG 23.101.166.246:443/Http client/Task Pool used 1.0.0 0 0.002 LG 23.101.166.246:443/Controller Connection/Disconnections 1.0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	LG 23.101.166.246:	443/User Load								
89 89.7 126 87 89.8 18.5 G 23.101.166.246:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 G 23.101.166.246:443/Http client/Task Pool used 0.0 0 0.033 0 0 0 0.002 G 23.101.166.246:443/Controller Connection/Disconnections 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	30.9	66	28	30.9	17.8				
.G 23.101.166.246:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 .G 23.101.166.246:443/Http client/Task Pool used 0 0 0.033 0 0 0 0.002 .G 23.101.166.246:443/Controller Connection/Disconnections 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	LG 23.101.166.246:									
0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	39	89.7	126	87	89.8	18.5				
.G 23.101.166.246:443/Http client/Task Pool used 0 0 0.033 0 0 0 0.002 .G 23.101.166.246:443/Controller Connection/Disconnections 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	LG 23.101.166.246:	443/Http client/Threa	ad Pool used							
0 0 0.033 0 0 0.002 G 23.101.166.246:443/Controller Connection/Disconnections 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.1	0.1	0.1	0.1	0.1	0				
G 23.101.166.246:443/Controller Connection/Disconnections 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	LG 23.101.166.246:	443/Http client/Task	Pool used							
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0	0.033	0	0	0.002				
G 23.101.166.246:443/Controller Connection/Reconnections 0 0 0 0 0 0 - G 23.101.166.246:443/Controller Connection/Ping Duration (ms) 75 111.2 116 113 112.8 7.81 G 23.101.166.246:443/Network/Segments sent/sec. 7.87 381.2 916.4 370 377.2 217.2 G 23.101.166.246:443/Network/Segments retransmitted/sec. 0 0.008 0.993 0 0 0.075 G 23.101.166.246:443/Network/eth0 (eth0)/Megabits received/sec. 0.01 7.93 20.5 7.62 7.84 4.81 G 23.101.166.246:443/Network/eth0 (eth0)/Megabits sent/sec.	LG 23.101.166.246:	443/Controller Conn	ection/Disconnection	ons						
0 0 0 0	0	0	0	0	0	-				
G 23.101.166.246:443/Controller Connection/Ping Duration (ms) 111.2	LG 23.101.166.246:	443/Controller Conn	ection/Reconnection	ns						
75 111.2 116 113 112.8 7.81 1.6 23.101.166.246:443/Network/Segments sent/sec. 7.87 381.2 916.4 370 377.2 217.2 1.6 23.101.166.246:443/Network/Segments retransmitted/sec. 0.008 0.993 0 0 0.075 0.075 0.008 0.993 0 0 0.075 0.075 0.008 0.993 0 0 0.075 0.008 0.993 0 0 0.075 0.008 0.993 0 0 0.075 0.008 0.993 0 0 0.075 0.008 0.0093 0 0 0.075 0.0093 0.0093 0 0 0.075 0.0093 0 0 0.075 0.0093 0.0093 0 0 0 0.0093 0 0 0.0093 0 0 0.0093 0 0 0 0.0093 0 0 0 0.0093 0 0 0.0093 0 0 0 0.0093 0 0 0 0.0093 0 0 0 0.0093 0 0 0 0.0093 0 0 0 0.0093 0 0 0.0093 0 0 0 0.0093 0 0 0 0 0.0093 0 0 0 0.0093 0 0 0 0.0093 0 0 0 0 0 0 0 0 0	0	0	0	0	0	-				
G 23.101.166.246:443/Network/Segments sent/sec. 7.87 381.2 916.4 370 377.2 217.2 G 23.101.166.246:443/Network/Segments retransmitted/sec. 9 0.008 0.993 0 0 0.075 G 23.101.166.246:443/Network/eth0 (eth0)/Megabits received/sec. 9.01 7.93 20.5 7.62 7.84 4.81 G 23.101.166.246:443/Network/eth0 (eth0)/Megabits sent/sec.	LG 23.101.166.246:	443/Controller Conn	ection/Ping Duration	n (ms)						
7.87 381.2 916.4 370 377.2 217.2 LG 23.101.166.246:443/Network/Segments retransmitted/sec. 0 0.008 0.993 0 0 0.075 LG 23.101.166.246:443/Network/eth0 (eth0)/Megabits received/sec. 0.01 7.93 20.5 7.62 7.84 4.81 LG 23.101.166.246:443/Network/eth0 (eth0)/Megabits sent/sec.	75	111.2	116	113	112.8	7.81				
LG 23.101.166.246:443/Network/Segments retransmitted/sec. 0 0.008 0.993 0 0 0.075 LG 23.101.166.246:443/Network/eth0 (eth0)/Megabits received/sec. 0.01 7.93 20.5 7.62 7.84 4.81 LG 23.101.166.246:443/Network/eth0 (eth0)/Megabits sent/sec.	LG 23.101.166.246:	-	nts sent/sec.							
0.008 0.993 0 0 0.075 LG 23.101.166.246:443/Network/eth0 (eth0)/Megabits received/sec. 0.01 7.93 20.5 7.62 7.84 4.81 LG 23.101.166.246:443/Network/eth0 (eth0)/Megabits sent/sec.	7.87	381.2	916.4	370	377.2	217.2				
G 23.101.166.246:443/Network/eth0 (eth0)/Megabits received/sec. 0.01 7.93 20.5 7.62 7.84 4.81 G 23.101.166.246:443/Network/eth0 (eth0)/Megabits sent/sec.	LG 23.101.166.246:	443/Network/Segme	nts retransmitted/se	ec.						
0.01 7.93 20.5 7.62 7.84 4.81 -G 23.101.166.246:443/Network/eth0 (eth0)/Megabits sent/sec.	0	0.008	0.993	0	0	0.075				
G 23.101.166.246:443/Network/eth0 (eth0)/Megabits sent/sec.	LG 23.101.166.246:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
	0.01	7.93	20.5	7.62	7.84	4.81				
0.599 1.41 0.585 0.594 0.327	LG 23.101.166.246:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.						
	0.016	0.599	1.41	0.585	0.594	0.327				

LG 23.101.166.70:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.101.166.70:44	.G 23.101.166.70:443/CPU Load								
0	3.08	10	3	3	1.91				
LG 23.101.166.70:44	43/Memory Used								
1	4.15	15	3	3.84	2.81				
LG 23.101.166.70:44	43/Throughput								
0	7.46	19.4	7	7.34	4.74				
LG 23.101.166.70:44	43/User Load								
0	31.2	66	28	31.1	18.2				
LG 23.101.166.70:44	43/Thread Count								
39	89.9	126	87	90	18.7				
LG 23.101.166.70:44	43/Http client/Thread	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 23.101.166.70:44	43/Http client/Task F	Pool used							
0	0	0.083	0	0	0.004				
LG 23.101.166.70:44	43/Controller Conne	ction/Disconnection	ıs						
0	0	0	0	0	-				
LG 23.101.166.70:44	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 23.101.166.70:44	LG 23.101.166.70:443/Controller Connection/Ping Duration (ms)								
67	109.6	158	112	110.4	13.8				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.101.166.70:4	LG 23.101.166.70:443/Network/Segments sent/sec.								
5.02	381.5	985.1	359	376	227.9				
LG 23.101.166.70:4	43/Network/Segmen	ts retransmitted/sec							
0	0.007	0.629	0	0	0.048				
LG 23.101.166.70:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0.007	7.95	20.6	7.45	7.83	5.03				
LG 23.101.166.70:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.013	0.601	1.47	0.578	0.595	0.342				

LG 23.101.167.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.101.167.26:4	43/CPU Load								
0	3.14	10	3	3.08	1.84				
LG 23.101.167.26:4	LG 23.101.167.26:443/Memory Used								
1	4.22	15	3	3.9	2.77				
LG 23.101.167.26:4	43/Throughput								
0	7.61	19.3	7.62	7.53	4.61				
LG 23.101.167.26:4	43/User Load								
0	31.3	66	28	31.3	18.2				
LG 23.101.167.26:4	43/Thread Count								
39	90.5	126	88	90.6	18.9				
LG 23.101.167.26:4	43/Http client/Thread	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 23.101.167.26:4	43/Http client/Task F	Pool used							
0	0	0.033	0	0	0.002				
LG 23.101.167.26:4	43/Controller Conne	ction/Disconnection	าร						
0	0	0	0	0	-				
LG 23.101.167.26:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 23.101.167.26:4	43/Controller Conne	ction/Ping Duration	(ms)						
79	111.7	120	112	112.4	5.88				
LG 23.101.167.26:4	43/Network/Segmen	ts sent/sec.							
5.02	389.8	951.2	386.7	386.3	220.9				
LG 23.101.167.26:4	43/Network/Segmen	ts retransmitted/sec	.						
0	0.002	0.224	0	0	0.02				
LG 23.101.167.26:4	43/Network/eth0 (eth	0)/Megabits receive	ed/sec.						
0.007	8.12	20.4	8.08	8.03	4.88				
LG 23.101.167.26:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.						
0.013	0.611	1.49	0.617	0.606	0.334				

LG 23.101.169.181:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.101.169.181:	LG 23.101.169.181:443/CPU Load								
0	3.02	9	3	2.95	1.83				
LG 23.101.169.181:	443/Memory Used								
1	4.24	15	3	3.91	2.85				
LG 23.101.169.181:	443/Throughput								
0	7.38	20.5	7.3	7.25	4.71				
LG 23.101.169.181:	443/User Load								
0	30.5	65	28	30.4	18.3				
LG 23.101.169.181:443/Thread Count									
39	89.3	125	87	89.3	18.9				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.101.169.181:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 23.101.169.181:4	443/Http client/Task	Pool used						
0	0	0.017	0	0	0.002			
LG 23.101.169.181:4	443/Controller Conn	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 23.101.169.181:4	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 23.101.169.181:4	443/Controller Conn	ection/Ping Duration	n (ms)					
64	112.7	163	111	112.2	15.4			
LG 23.101.169.181:4	443/Network/Segme	nts sent/sec.						
4.94	379.4	960.1	373.5	374.1	227.8			
LG 23.101.169.181:4	443/Network/Segme	nts retransmitted/se	c.					
0	0.004	0.469	0	0	0.032			
LG 23.101.169.181:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0.007	7.87	21.7	7.78	7.73	4.99			
LG 23.101.169.181:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0.013	0.593	1.45	0.592	0.586	0.341			

LG 23.101.169.35:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.101.169.35:44	43/CPU Load				
0	3.31	9	3	3.26	1.9
LG 23.101.169.35:44	43/Memory Used				
2	4.09	14	3	3.78	2.68
LG 23.101.169.35:44	43/Throughput				
0	7.49	19.1	7.44	7.38	4.78
LG 23.101.169.35:44	43/User Load				
0	31.2	66	29	31.2	18.4
LG 23.101.169.35:44	43/Thread Count				
39	90.2	125	88	90.2	19.1
LG 23.101.169.35:44	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.101.169.35:44	43/Http client/Task F	Pool used			
0	0	0.05	0	0	0.002
LG 23.101.169.35:44	43/Controller Conne	ction/Disconnection	ıs		
0	0	0	0	0	-
LG 23.101.169.35:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 23.101.169.35:44	43/Controller Conne	ction/Ping Duration	(ms)		
75	113.4	181	113	112.6	14.9
LG 23.101.169.35:44	43/Network/Segmen	ts sent/sec.			
4.95	386.3	962.9	386.6	380.5	233.4
LG 23.101.169.35:44	43/Network/Segmen	ts retransmitted/sec			
0	0.004	0.645	0	0	0.044
LG 23.101.169.35:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.		
0.007	7.99	20.3	7.94	7.87	5.06
LG 23.101.169.35:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0.016	0.601	1.44	0.606	0.594	0.348



LG 23.101.172.198:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.101.172.198:	443/CPU Load								
0	3.26	10	3	3.19	1.98				
LG 23.101.172.198:	LG 23.101.172.198:443/Memory Used								
1	4.38	16	3	4.05	2.95				
LG 23.101.172.198:	443/Throughput								
0	7.62	19.1	6.97	7.48	4.85				
LG 23.101.172.198:	443/User Load								
0	31.4	66	28	31.3	18.1				
LG 23.101.172.198:	443/Thread Count								
39	90.1	126	87	90.2	18.9				
LG 23.101.172.198:	443/Http client/Threa	ad Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 23.101.172.198:	443/Http client/Task	Pool used							
0	0	0.05	0	0	0.003				
LG 23.101.172.198:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 23.101.172.198:	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 23.101.172.198:	443/Controller Conn	ection/Ping Duration	n (ms)						
61	100.3	152	111	100.4	19.6				
LG 23.101.172.198:	443/Network/Segme	nts sent/sec.							
4.99	390.5	950.6	356.7	384.3	234.1				
LG 23.101.172.198:	443/Network/Segme	nts retransmitted/se	c.						
0	0.006	0.469	0	0	0.04				
LG 23.101.172.198:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.007	8.13	20.3	7.46	7.98	5.13				
LG 23.101.172.198:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.						
0.013	0.607	1.47	0.567	0.599	0.35				

LG 23.101.175.190:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 23.101.175.190:443/CPU Load							
0	3.24	23	3	3.12	2.12		
LG 23.101.175.190:	443/Memory Used						
2	4.37	16	3	4.02	2.96		
LG 23.101.175.190:	443/Throughput						
0	7.59	21.8	7.59	7.5	4.66		
LG 23.101.175.190:	443/User Load						
0	31.2	66	29	31.1	18.5		
LG 23.101.175.190:	443/Thread Count						
39	90	125	88	90.1	18.8		
LG 23.101.175.190:	443/Http client/Threa	ad Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 23.101.175.190:	443/Http client/Task	Pool used					
0	0.001	0.1	0	0	0.006		
LG 23.101.175.190:	443/Controller Conn	ection/Disconnection	ons				
0	0	0	0	0	-		
LG 23.101.175.190:	443/Controller Conn	ection/Reconnectio	ns				
0	0	0	0	0	-		
LG 23.101.175.190:	443/Controller Conn	ection/Ping Duratio	n (ms)				
69	111.7	142	111	111.5	10.28		

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.101.175.190:	LG 23.101.175.190:443/Network/Segments sent/sec.								
5.02	391.4	1,057	389.5	386.5	225.9				
LG 23.101.175.190:	LG 23.101.175.190:443/Network/Segments retransmitted/sec.								
0	0.007	1.29	0	0	0.079				
LG 23.101.175.190:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.007	8.09	23.1	8.06	7.99	4.93				
LG 23.101.175.190:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.014	0.608	1.6	0.603	0.601	0.338				

LG 23.101.175.58:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.101.175.58:4	43/CPU Load				
0	3.05	10	3	3	1.79
LG 23.101.175.58:4	43/Memory Used				
1	4.77	16	3	4.43	3.29
LG 23.101.175.58:4	43/Throughput				
0	7.43	19.6	7.01	7.34	4.44
LG 23.101.175.58:4	43/User Load				
0	31.1	66	29	31	17.7
LG 23.101.175.58:4	43/Thread Count				
39	89.9	125	88	89.9	18.1
LG 23.101.175.58:4	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.101.175.58:4	43/Http client/Task F	Pool used			
0	0	0.1	0	0	0.005
LG 23.101.175.58:4	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 23.101.175.58:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 23.101.175.58:4	43/Controller Conne	ction/Ping Duration	(ms)		
111	112.8	151	112	111.8	6.19
LG 23.101.175.58:4	43/Network/Segmen	ts sent/sec.			
4.92	381	951.9	359.6	375.9	216
LG 23.101.175.58:4	43/Network/Segmen	ts retransmitted/sec).		
0	0.005	0.628	0	0	0.037
LG 23.101.175.58:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0.007	7.93	20.8	7.47	7.83	4.7
LG 23.101.175.58:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0.019	0.6	1.54	0.579	0.594	0.325

LG 23.96.176.30:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.96.176.30:44	LG 23.96.176.30:443/CPU Load								
0	3	12	3	2.93	1.91				
LG 23.96.176.30:44	3/Memory Used								
1	4.25	15	3	3.93	2.88				
LG 23.96.176.30:44	3/Throughput								
0	7.42	18.5	7.14	7.32	4.75				
LG 23.96.176.30:44	3/User Load								
0	31.2	66	28	31.2	18.4				
LG 23.96.176.30:44	LG 23.96.176.30:443/Thread Count								
39	89.8	125	87	89.9	19				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.176.30:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 23.96.176.30:44	3/Http client/Task Po	ool used						
0	0	0.017	0	0	0.002			
LG 23.96.176.30:443	3/Controller Connec	tion/Disconnections	•					
0	0	0	0	0	-			
LG 23.96.176.30:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 23.96.176.30:443	3/Controller Connec	tion/Ping Duration (ms)					
58	107.1	117	111	108.8	12.5			
LG 23.96.176.30:44	3/Network/Segments	s sent/sec.						
4.94	380.8	872.9	372.2	376.5	230.9			
LG 23.96.176.30:443	3/Network/Segments	s retransmitted/sec.						
0	0.01	0.997	0	0	0.078			
LG 23.96.176.30:443	3/Network/eth0 (eth0)/Megabits received	/sec.					
0.007	7.91	19.6	7.64	7.81	5.04			
LG 23.96.176.30:443	3/Network/eth0 (eth0)/Megabits sent/sec						
0.013	0.595	1.33	0.598	0.59	0.346			

LG 23.96.177.54:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.177.54:44	3/CPU Load				
0	3.05	13	3	2.98	1.88
LG 23.96.177.54:44	3/Memory Used				
1	4.13	14	3	3.84	2.7
LG 23.96.177.54:44	3/Throughput				
0	7.39	21.7	7.1	7.25	4.74
LG 23.96.177.54:44	3/User Load				
0	31	66	28	30.9	18.4
LG 23.96.177.54:44	3/Thread Count				
39	90	126	87	89.9	19.1
LG 23.96.177.54:44	3/Http client/Thread	Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.96.177.54:44	3/Http client/Task P				
0	0.001	0.133	0	0	0.007
LG 23.96.177.54:44	3/Controller Connec	tion/Disconnections	3		
0	0	0	0	0	-
		tion/Reconnections			
0	0	0	0	0	-
		tion/Ping Duration (
61	109.7	153	113	109.9	15.8
	3/Network/Segment				
5.02	378	1,068	369.4	370.8	229.6
LG 23.96.177.54:44	3/Network/Segment	s retransmitted/sec.			
0	0.006	0.529	0	0	0.045
	•	0)/Megabits received			
0.007	7.88	23	7.6	7.73	5.02
	3/Network/eth0 (eth	0)/Megabits sent/sec			
0.013	0.593	1.61	0.587	0.583	0.346



LG 23.96.178.134:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.178.134:	443/CPU Load				
0	3.24	10	3	3.2	1.87
LG 23.96.178.134:	443/Memory Used				
2	3.96	14	3	3.66	2.52
LG 23.96.178.134:	443/Throughput				
0	7.31	17.9	6.62	7.23	4.81
LG 23.96.178.134:	443/User Load				
0	30.4	66	28	30.3	18.6
LG 23.96.178.134:	443/Thread Count				
39	89.2	126	87	89.3	19.5
LG 23.96.178.134:	443/Http client/Threa	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.96.178.134:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 23.96.178.134:	443/Controller Conn	ection/Disconnectio	ns		
0	0	0	0	0	-
LG 23.96.178.134:	443/Controller Conn	ection/Reconnection	าร		
0	0	0	0	0	-
LG 23.96.178.134:	443/Controller Conn	ection/Ping Duration	n (ms)		
76	112.8	146	113	113	9.35
LG 23.96.178.134:	443/Network/Segmer	nts sent/sec.			
4.95	374.6	917.7	342.2	371	233.4
LG 23.96.178.134:	443/Network/Segmer	nts retransmitted/se	c.		
0	0.004	0.482	0	0	0.036
LG 23.96.178.134:	443/Network/eth0 (et	h0)/Megabits receiv	ed/sec.		
0.007	7.8	19	7.09	7.71	5.1
LG 23.96.178.134:	443/Network/eth0 (et	h0)/Megabits sent/s	ec.		
0.013	0.585	1.29	0.551	0.581	0.348

LG 23.96.179.160:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.179.160:4	43/CPU Load							
0	3.09	10	3	3.03	1.88			
LG 23.96.179.160:4	43/Memory Used							
2	4.21	14	3	3.91	2.76			
LG 23.96.179.160:4	43/Throughput							
0	7.45	20.2	7.29	7.32	4.68			
LG 23.96.179.160:4	43/User Load							
0	31	66	28	31	18.3			
LG 23.96.179.160:4	43/Thread Count							
39	89.8	125	87	89.9	19.3			
LG 23.96.179.160:4	43/Http client/Thread	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 23.96.179.160:4	43/Http client/Task F	Pool used						
0	0	0.033	0	0	0.002			
LG 23.96.179.160:4	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 23.96.179.160:4	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 23.96.179.160:4	LG 23.96.179.160:443/Controller Connection/Ping Duration (ms)							
68	112.1	155	114	112.2	14.2			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.179.160:443/Network/Segments sent/sec.								
4.77	381.2	978.8	378.3	375	226			
LG 23.96.179.160:4	LG 23.96.179.160:443/Network/Segments retransmitted/sec.							
0	0.005	0.457	0	0	0.037			
LG 23.96.179.160:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.					
0.006	7.95	21.4	7.76	7.81	4.96			
LG 23.96.179.160:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.013	0.597	1.48	0.599	0.59	0.34			

LG 23.96.182.141:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.182.141:4	43/CPU Load							
0	3.05	10	3	2.98	1.94			
LG 23.96.182.141:443/Memory Used								
1	4.07	14	3	3.75	2.74			
LG 23.96.182.141:4	43/Throughput							
0	7.45	18.5	6.9	7.36	4.83			
LG 23.96.182.141:4	43/User Load							
0	30.6	66	28	30.5	18.4			
LG 23.96.182.141:4	43/Thread Count							
39	89.6	125	87	89.6	19.3			
LG 23.96.182.141:4	43/Http client/Threa	d Pool used						
0.1	0.1	0.105	0.1	0.1	0			
LG 23.96.182.141:4	43/Http client/Task I	Pool used						
0	0	0.067	0	0	0.004			
LG 23.96.182.141:4	43/Controller Conne	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 23.96.182.141:4	43/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 23.96.182.141:4	43/Controller Conne	ection/Ping Duration	(ms)					
78	112.9	129	114	113.7	7.52			
LG 23.96.182.141:4	43/Network/Segmen	its sent/sec.						
4.77	381.9	923.1	341.6	377.5	235.9			
LG 23.96.182.141:4	43/Network/Segmen	ts retransmitted/sed) .					
0	0.007	0.474	0	0	0.046			
LG 23.96.182.141:4	43/Network/eth0 (etl	h0)/Megabits receive	ed/sec.					
0.006	7.94	19.6	7.35	7.85	5.12			
LG 23.96.182.141:4	43/Network/eth0 (etl	h0)/Megabits sent/se	ec.					
0.013	0.597	1.39	0.564	0.592	0.354			

LG 23.96.182.5:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.96.182.5:443	LG 23.96.182.5:443/CPU Load								
0	3.13	13	3	3.06	1.9				
LG 23.96.182.5:443	/Memory Used								
1	4.12	15	3	3.79	2.77				
LG 23.96.182.5:443	/Throughput								
0	7.51	19.7	7.47	7.45	4.55				
LG 23.96.182.5:443	/User Load								
0	31.3	66	28	31.2	18.3				
LG 23.96.182.5:443/Thread Count									
39	90.1	126	87	90.1	18.9				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.182.5:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 23.96.182.5:443/	LG 23.96.182.5:443/Http client/Task Pool used							
0	0	0.017	0	0	0.003			
LG 23.96.182.5:443/	Controller Connect	ion/Disconnections						
0	0	0	0	0	-			
LG 23.96.182.5:443/	Controller Connect	ion/Reconnections						
0	0	0	0	0	-			
LG 23.96.182.5:443/	Controller Connect	ion/Ping Duration (m	ns)					
73	112.5	145	112	112.5	9.36			
LG 23.96.182.5:443/	/Network/Segments	sent/sec.						
5	386.2	947.6	389.1	384	219.2			
LG 23.96.182.5:443/	/Network/Segments	retransmitted/sec.						
0	0.003	0.462	0	0	0.03			
LG 23.96.182.5:443/	/Network/eth0 (eth0)	/Megabits received/s	sec.					
0.007	8.01	20.9	7.96	7.95	4.82			
LG 23.96.182.5:443/	/Network/eth0 (eth0)	/Megabits sent/sec.						
0.02	0.604	1.42	0.623	0.602	0.329			

LG 23.96.184.110:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.184.110:4	43/CPU Load							
0	3.1	13	3	3.01	1.94			
LG 23.96.184.110:443/Memory Used								
1	4.04	14	3	3.72	2.71			
LG 23.96.184.110:4	43/Throughput							
0	7.55	19.9	7.53	7.44	4.7			
LG 23.96.184.110:4	43/User Load							
0	31.4	66	28	31.3	18.2			
LG 23.96.184.110:4	43/Thread Count							
39	90.2	126	87	90.3	19.2			
LG 23.96.184.110:4	43/Http client/Threa	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 23.96.184.110:4	43/Http client/Task I	Pool used						
0	0	0.05	0	0	0.002			
LG 23.96.184.110:4	43/Controller Conne	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 23.96.184.110:4	43/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 23.96.184.110:4	43/Controller Conne	ection/Ping Duration	(ms)					
72	113.6	150	113	113.2	10.42			
LG 23.96.184.110:4	43/Network/Segmen	ts sent/sec.						
4.93	386.1	997.6	384.5	381	226.8			
LG 23.96.184.110:4	43/Network/Segmen	ts retransmitted/sec						
0	0.002	0.204	0	0	0.019			
LG 23.96.184.110:4	43/Network/eth0 (etl	n0)/Megabits receive	ed/sec.					
0.007	8.04	21.2	8.03	7.93	4.97			
LG 23.96.184.110:4	43/Network/eth0 (etl	n0)/Megabits sent/se	ec.					
0.013	0.605	1.47	0.619	0.6	0.341			



LG 23.96.184.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.184.178:	443/CPU Load				
0	3.06	11	3	2.98	1.89
LG 23.96.184.178:	443/Memory Used				
1	4.26	15	3	3.92	2.92
LG 23.96.184.178:	443/Throughput				
0	7.42	17.7	7.68	7.32	4.68
LG 23.96.184.178:	443/User Load				
0	30.5	65	28	30.4	18.3
LG 23.96.184.178:	443/Thread Count				
39	89.1	124	87	89.2	19.1
LG 23.96.184.178:	443/Http client/Threa	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.96.184.178:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 23.96.184.178:	443/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 23.96.184.178:	443/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 23.96.184.178:	443/Controller Conne	ection/Ping Duration	(ms)		
62	114.6	155	112	114.9	26.7
LG 23.96.184.178:	443/Network/Segmer	nts sent/sec.			
4.77	379.2	887.8	387.7	374.7	226.2
LG 23.96.184.178:	443/Network/Segmer	nts retransmitted/sed) .		
0	0.013	0.202	0	0.004	0.05
LG 23.96.184.178:	443/Network/eth0 (et	h0)/Megabits receive	ed/sec.		
0.006	7.91	18.9	8.16	7.81	4.96
LG 23.96.184.178:	443/Network/eth0 (et	h0)/Megabits sent/se	ec.		
0.013	0.595	1.38	0.616	0.59	0.34

LG 23.96.184.40:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.184.40:443/CPU Load								
0	3.22	13	3	3.14	1.98			
LG 23.96.184.40:44	3/Memory Used							
1	4.18	15	3	3.85	2.83			
LG 23.96.184.40:44	3/Throughput							
0	7.53	19.8	7.02	7.39	4.89			
LG 23.96.184.40:44	3/User Load							
0	30.9	66	28	30.8	18.3			
LG 23.96.184.40:44	3/Thread Count							
39	89.7	125	87	89.7	18.9			
LG 23.96.184.40:44	3/Http client/Thread	Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 23.96.184.40:44	3/Http client/Task Po	ool used						
0	0	0.033	0	0	0.002			
LG 23.96.184.40:44	3/Controller Connec	tion/Disconnections						
0	0	0	0	0	-			
LG 23.96.184.40:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 23.96.184.40:44	3/Controller Connec	tion/Ping Duration (ms)					
60	111.9	213	112	110.3	21.9			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.96.184.40:44	LG 23.96.184.40:443/Network/Segments sent/sec.								
4.94	383.4	972.9	352.1	377.1	235.1				
LG 23.96.184.40:44	LG 23.96.184.40:443/Network/Segments retransmitted/sec.								
0	0.005	0.481	0	0	0.036				
LG 23.96.184.40:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.						
0.007	8.03	20.9	7.47	7.88	5.17				
LG 23.96.184.40:44	LG 23.96.184.40:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.017	0.6	1.53	0.567	0.592	0.353				

LG 23.96.187.111:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.187.111:4	43/CPU Load							
0	2.98	11	3	2.87	1.97			
LG 23.96.187.111:443/Memory Used								
1	4.34	14	3	4.03	2.9			
LG 23.96.187.111:4	43/Throughput							
0	7.26	19.3	6.63	7.13	4.64			
LG 23.96.187.111:4	43/User Load							
0	30.3	66	28	30.2	17.7			
LG 23.96.187.111:4	43/Thread Count							
39	89	125	87	89	18.7			
LG 23.96.187.111:4	43/Http client/Thread	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 23.96.187.111:4	43/Http client/Task F	Pool used						
0	0	0.017	0	0	0.002			
LG 23.96.187.111:4	43/Controller Conne	ction/Disconnection	าร					
0	0	0	0	0	-			
LG 23.96.187.111:4	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 23.96.187.111:4	43/Controller Conne	ection/Ping Duration	(ms)					
67	113.4	259	111	110.9	23.7			
LG 23.96.187.111:4	43/Network/Segmen	ts sent/sec.						
5.21	371	924.6	335.1	364.7	223.8			
LG 23.96.187.111:4	43/Network/Segmen	ts retransmitted/sed	:.					
0	0.006	0.497	0	0	0.04			
	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.					
0.007	7.74	20.4	7.09	7.6	4.91			
LG 23.96.187.111:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.					
0.013	0.581	1.4	0.527	0.573	0.337			

LG 23.96.187.145:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.96.187.145:4	LG 23.96.187.145:443/CPU Load								
0	3.21	11	3	3.16	1.9				
LG 23.96.187.145:4	43/Memory Used								
1	4.17	15	3	3.85	2.86				
LG 23.96.187.145:4	43/Throughput								
0	7.44	19.7	7.69	7.36	4.52				
LG 23.96.187.145:4	43/User Load								
0	31.1	65	28	31.1	18.4				
LG 23.96.187.145:443/Thread Count									
39	89.7	124	87	89.8	19.1				



Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 23.96.187.145:44	LG 23.96.187.145:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0	
LG 23.96.187.145:443/Http client/Task Pool used						
0	0	0.033	0	0	0.002	
LG 23.96.187.145:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 23.96.187.145:44	LG 23.96.187.145:443/Controller Connection/Reconnections					
0	0	0	0	0	-	
LG 23.96.187.145:443/Controller Connection/Ping Duration (ms)						
69	112.1	167	113	111.9	14.7	
LG 23.96.187.145:443/Network/Segments sent/sec.						
4.96	379.7	942.5	390.2	376.2	216.6	
LG 23.96.187.145:443/Network/Segments retransmitted/sec.						
0	0.003	0.376	0	0	0.025	
LG 23.96.187.145:443/Network/eth0 (eth0)/Megabits received/sec.						
0.007	7.94	20.9	8.22	7.85	4.78	
LG 23.96.187.145:443/Network/eth0 (eth0)/Megabits sent/sec.						
0.013	0.596	1.42	0.61	0.591	0.331	

LG 23.96.187.77:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 23.96.187.77:44	3/CPU Load						
0	3.02	11	3	2.95	1.86		
LG 23.96.187.77:44	LG 23.96.187.77:443/Memory Used						
2	4.23	15	3	3.91	2.8		
LG 23.96.187.77:443/Throughput							
0	7.4	19	7.25	7.31	4.65		
LG 23.96.187.77:44	3/User Load						
0	30.6	66	28	30.5	18.4		
LG 23.96.187.77:44	3/Thread Count						
39	89.3	125	87	89.4	19.2		
LG 23.96.187.77:443/Http client/Thread Pool used							
0.1	0.1	0.1	0.1	0.1	0		
LG 23.96.187.77:443/Http client/Task Pool used							
0	0	0.05	0	0	0.003		
LG 23.96.187.77:44	3/Controller Connec	tion/Disconnections	3				
0	0	0	0	0	-		
LG 23.96.187.77:44	LG 23.96.187.77:443/Controller Connection/Reconnections						
0	0	0	0	0	-		
LG 23.96.187.77:443/Controller Connection/Ping Duration (ms)							
69	103.9	148	111	103.5	19.4		
LG 23.96.187.77:443/Network/Segments sent/sec.							
4.93	375.9	948.4	375.6	371.8	224.1		
LG 23.96.187.77:443/Network/Segments retransmitted/sec.							
0	0.007	0.647	0	0	0.051		
LG 23.96.187.77:443/Network/eth0 (eth0)/Megabits received/sec.							
0.007	7.89	20.2	7.7	7.79	4.92		
LG 23.96.187.77:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.013	0.59	1.38	0.592	0.585	0.337		



LG 23.96.188.123:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 23.96.188.123:443/CPU Load							
0	3.17	10	3	3.11	1.89		
LG 23.96.188.123:443/Memory Used							
1	4.29	15	3	3.96	2.87		
LG 23.96.188.123:443/Throughput							
0	7.7	19.8	7.6	7.59	4.81		
LG 23.96.188.123:	LG 23.96.188.123:443/User Load						
0	32	66	29	32	18.4		
LG 23.96.188.123:443/Thread Count							
39	90.8	126	88	90.9	18.8		
LG 23.96.188.123:443/Http client/Thread Pool used							
0.1	0.1	0.1	0.1	0.1	0		
LG 23.96.188.123:	443/Http client/Task	Pool used					
0	0	0.05	0	0	0.003		
LG 23.96.188.123:	443/Controller Conne	ection/Disconnection	าร				
0	0	0	0	0	-		
LG 23.96.188.123:	443/Controller Conne	ection/Reconnection	s				
0	0	0	0	0	-		
LG 23.96.188.123:443/Controller Connection/Ping Duration (ms)							
63	110.1	118	111	111.3	7.74		
LG 23.96.188.123:443/Network/Segments sent/sec.							
4.88	392.8	972.6	387.8	387.6	231.7		
LG 23.96.188.123:443/Network/Segments retransmitted/sec.							
0	0.006	0.958	0	0	0.058		
LG 23.96.188.123:443/Network/eth0 (eth0)/Megabits received/sec.							
0.007	8.21	20.9	8.1	8.09	5.1		
LG 23.96.188.123:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.016	0.615	1.55	0.623	0.607	0.351		

LG 23.96.190.93:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 23.96.190.93:443/CPU Load							
0	3.89	13	4	3.84	2.21		
LG 23.96.190.93:44	LG 23.96.190.93:443/Memory Used						
1	4.14	14	3	3.83	2.74		
LG 23.96.190.93:44	LG 23.96.190.93:443/Throughput						
0	7.48	19.1	7.18	7.4	4.62		
LG 23.96.190.93:44	LG 23.96.190.93:443/User Load						
0	31.3	66	29	31.3	18.1		
LG 23.96.190.93:44	LG 23.96.190.93:443/Thread Count						
39	90	126	88	90.1	19		
LG 23.96.190.93:443/Http client/Thread Pool used							
0.1	0.1	0.1	0.1	0.1	0		
LG 23.96.190.93:443/Http client/Task Pool used							
0	0	0.067	0	0	0.003		
LG 23.96.190.93:443/Controller Connection/Disconnections							
0	0	0	0	0	-		
LG 23.96.190.93:443/Controller Connection/Reconnections							
0	0	0	0	0	-		
LG 23.96.190.93:443/Controller Connection/Ping Duration (ms)							
69	106	149	111	105.6	19.8		

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.190.93:44	LG 23.96.190.93:443/Network/Segments sent/sec.							
4.97	380	917.8	366.6	376.3	223.2			
LG 23.96.190.93:44	LG 23.96.190.93:443/Network/Segments retransmitted/sec.							
0	0.012	0.657	0	0	0.059			
LG 23.96.190.93:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.					
0.007	7.98	20.3	7.66	7.89	4.9			
LG 23.96.190.93:44	LG 23.96.190.93:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.013	0.597	1.46	0.582	0.592	0.337			

LG 23.96.211.57:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 23.96.211.57:44	3/CPU Load							
0	3.08	9	3	3.01	1.86			
LG 23.96.211.57:443/Memory Used								
2	4.4	16	3	4.06	3.06			
LG 23.96.211.57:44	3/Throughput							
0	7.56	19.9	7.51	7.45	4.63			
LG 23.96.211.57:443	3/User Load							
0	31.2	65	28	31.1	18.1			
LG 23.96.211.57:443	3/Thread Count							
39	90	124	87	90.2	19			
LG 23.96.211.57:44	3/Http client/Thread	Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 23.96.211.57:44	3/Http client/Task Po	ool used						
0	0.001	0.1	0	0	0.006			
LG 23.96.211.57:44	3/Controller Connec	tion/Disconnections	3					
0	0	0	0	0	-			
LG 23.96.211.57:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 23.96.211.57:44	3/Controller Connec		ms)					
76	113.2	152	112	112.7	10.27			
LG 23.96.211.57:44	3/Network/Segments							
5.02	385.4	988.9	375.4	380.6	222.8			
LG 23.96.211.57:44	3/Network/Segments	s retransmitted/sec.						
0	0.004	0.341	0	0	0.029			
LG 23.96.211.57:44	3/Network/eth0 (eth)							
0.007	8.06	21.2	7.98	7.95	4.91			
	3/Network/eth0 (eth))/Megabits sent/sec						
0.013	0.604	1.38	0.603	0.598	0.337			

LG 23.96.213.244:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.96.213.244:4	LG 23.96.213.244:443/CPU Load								
0	3.09	14	3	2.97	2.05				
LG 23.96.213.244:4	43/Memory Used								
2	4.58	16	3	4.22	3.16				
LG 23.96.213.244:4	43/Throughput								
0	7.48	19.6	7.13	7.42	4.61				
LG 23.96.213.244:4	43/User Load								
0	31.4	66	28	31.3	18.1				
LG 23.96.213.244:443/Thread Count									
39	90.1	126	87	90.1	18.7				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 23.96.213.244:44	LG 23.96.213.244:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0				
LG 23.96.213.244:4	43/Http client/Task F	Pool used							
0	0	0.067	0	0	0.003				
LG 23.96.213.244:44	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 23.96.213.244:4	43/Controller Conne	ection/Reconnections	S						
0	0	0	0	0	-				
LG 23.96.213.244:44	43/Controller Conne	ection/Ping Duration	(ms)						
77	110.3	151	111	110	13.3				
LG 23.96.213.244:4	43/Network/Segmen	ts sent/sec.							
4.95	381.7	983	360.9	378.5	221.8				
LG 23.96.213.244:44	43/Network/Segmen	ts retransmitted/sec							
0	0.004	0.469	0	0	0.036				
LG 23.96.213.244:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0.007	7.98	20.8	7.61	7.91	4.89				
LG 23.96.213.244:4	LG 23.96.213.244:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.013	0.597	1.51	0.583	0.593	0.332				

LG 23.96.213.70:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.213.70:44	3/CPU Load				
0	3.25	9	3	3.19	1.83
LG 23.96.213.70:44	3/Memory Used				
1	4.47	15	3	4.15	3.02
LG 23.96.213.70:44	3/Throughput				
0	7.4	21.2	6.59	7.27	4.68
LG 23.96.213.70:44	3/User Load				
0	30.5	66	28	30.4	17.7
LG 23.96.213.70:44	3/Thread Count				
39	89.4	125	87	89.4	18.2
LG 23.96.213.70:44	3/Http client/Thread	Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 23.96.213.70:44	3/Http client/Task P	ool used			
0	0	0.05	0	0	0.003
LG 23.96.213.70:44	3/Controller Connec	ction/Disconnections	5		
0	0	0	0	0	-
LG 23.96.213.70:44	3/Controller Connec	ction/Reconnections			
0	0	0	0	0	-
LG 23.96.213.70:44	3/Controller Connec	ction/Ping Duration (ms)		
58	110.8	154	113	111.5	17
LG 23.96.213.70:44	3/Network/Segment	s sent/sec.			
4.77	378	1,032	337.1	371.2	227.1
LG 23.96.213.70:44	3/Network/Segment	s retransmitted/sec.			
0	0.004	0.678	0	0	0.037
LG 23.96.213.70:44	3/Network/eth0 (eth	0)/Megabits received	d/sec.		
0.006	7.88	22.5	7.01	7.74	4.96
LG 23.96.213.70:44	3/Network/eth0 (eth	0)/Megabits sent/sec).		
0.015	0.593	1.54	0.534	0.584	0.337



LG 52.162.164.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.164.14:4	43/CPU Load								
0	3.1	13	3	3.02	1.92				
LG 52.162.164.14:4	LG 52.162.164.14:443/Memory Used								
2	4.36	15	3	4.03	2.91				
LG 52.162.164.14:4	43/Throughput								
0	7.4	20.9	7.66	7.3	4.61				
LG 52.162.164.14:4	43/User Load								
0	30.7	66	28	30.6	18.3				
LG 52.162.164.14:4	43/Thread Count								
39	89.3	125	87	89.4	19				
LG 52.162.164.14:4	43/Http client/Threa	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 52.162.164.14:4	43/Http client/Task F	Pool used							
0	0	0.05	0	0	0.004				
LG 52.162.164.14:4	43/Controller Conne	ction/Disconnection	าร						
0	0	0	0	0	-				
LG 52.162.164.14:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 52.162.164.14:4	43/Controller Conne	ection/Ping Duration	(ms)						
76	114.3	153	115	114.6	10.08				
LG 52.162.164.14:4	43/Network/Segmen	ts sent/sec.							
4.94	376.1	1,056	391.6	371.4	220.9				
LG 52.162.164.14:4	43/Network/Segmen		.						
0	0.006	0.938	0	0	0.052				
LG 52.162.164.14:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0.007	7.89	22.3	8.16	7.78	4.88				
LG 52.162.164.14:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.						
0.013	0.596	1.55	0.617	0.589	0.335				

LG 52.162.164.200:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.164.200:443/CPU Load								
0	3.13	10	3	3.03	1.93			
LG 52.162.164.200:4	443/Memory Used							
1	4.13	14	3	3.82	2.71			
LG 52.162.164.200:4	443/Throughput							
0	7.65	19.1	7.46	7.53	4.7			
LG 52.162.164.200:4	443/User Load							
0	31.8	65	29	31.8	18.1			
LG 52.162.164.200:4	443/Thread Count							
39	90.7	124	88	90.9	18.9			
LG 52.162.164.200:4	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.164.200:4	443/Http client/Task	Pool used						
0	0	0.033	0	0	0.002			
LG 52.162.164.200:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.162.164.200:4	LG 52.162.164.200:443/Controller Connection/Reconnections							
0	0	0	0	0	-			
LG 52.162.164.200:4	LG 52.162.164.200:443/Controller Connection/Ping Duration (ms)							
71	111.2	158	110	110.9	14			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.164.200:	LG 52.162.164.200:443/Network/Segments sent/sec.								
4.76	389.8	954	381.9	383.9	224.5				
LG 52.162.164.200:	443/Network/Segme	nts retransmitted/se	ec.						
0	0.004	0.465	0	0	0.03				
LG 52.162.164.200:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.007	8.16	20.2	7.95	8.03	4.97				
LG 52.162.164.200:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.013	0.614	1.48	0.611	0.606	0.342				

LG 52.162.164.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.164.224:	443/CPU Load				
0	3.11	10	3	3.06	1.87
LG 52.162.164.224:	443/Memory Used				
1	4.06	14	3	3.75	2.65
LG 52.162.164.224:	443/Throughput				
0	7.57	21.6	8.19	7.46	4.74
LG 52.162.164.224:	443/User Load				
0	31.2	66	29	31.1	18.5
LG 52.162.164.224:	443/Thread Count				
39	90.1	125	88	90.1	19.2
LG 52.162.164.224:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.164.224:	443/Http client/Task	Pool used			
0	0.001	0.083	0	0	0.005
LG 52.162.164.224:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.162.164.224:	443/Controller Conn	ection/Reconnection	ns		
0	0	0	0	0	-
LG 52.162.164.224:	443/Controller Conn	ection/Ping Duration	n (ms)		
73	114.5	162	113	113.9	13.5
LG 52.162.164.224:	443/Network/Segme	nts sent/sec.			
4.95	385.7	1,025	418.8	381.4	227.1
LG 52.162.164.224:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.002	0.223	0	0	0.018
LG 52.162.164.224:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.007	8.07	22.9	8.73	7.96	5.02
LG 52.162.164.224:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.		
0.014	0.607	1.51	0.66	0.603	0.344

LG 52.162.164.58:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.164.58:44	LG 52.162.164.58:443/CPU Load								
0	2.99	11	3	2.91	1.78				
LG 52.162.164.58:44	43/Memory Used								
1	5	17	4	4.65	3.51				
LG 52.162.164.58:44	43/Throughput								
0	7.15	21.2	6.84	6.99	4.47				
LG 52.162.164.58:44	43/User Load								
0	30.2	66	28	30.1	17.6				
LG 52.162.164.58:443/Thread Count									
39	89	125	87	89.2	18.3				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.164.58:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.164.58:44	43/Http client/Task F	Pool used						
0	0	0.033	0	0	0.002			
LG 52.162.164.58:44	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 52.162.164.58:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 52.162.164.58:44	43/Controller Conne	ction/Ping Duration	(ms)					
58	110.7	195	113	110.1	21.6			
LG 52.162.164.58:44	43/Network/Segmen	ts sent/sec.						
4.77	369.7	1,089	355.2	362.5	215.7			
LG 52.162.164.58:44	43/Network/Segmen	ts retransmitted/sec						
0	0.003	0.2	0	0	0.023			
LG 52.162.164.58:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.					
0.006	7.63	22.6	7.28	7.46	4.74			
LG 52.162.164.58:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.					
0.014	0.579	1.53	0.566	0.571	0.319			

LG 52.162.164.85:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.164.85:4	43/CPU Load				
0	3.22	11	3	3.14	1.9
LG 52.162.164.85:4	43/Memory Used				
2	4.1	14	3	3.79	2.74
LG 52.162.164.85:4	43/Throughput				
0	7.76	22.9	7.99	7.66	4.59
LG 52.162.164.85:4	43/User Load				
0	31.8	66	29	31.8	17.8
LG 52.162.164.85:4	43/Thread Count				
39	90.5	125	88	90.6	18.3
LG 52.162.164.85:4	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.164.85:4	43/Http client/Task F	Pool used			
0	0	0.033	0	0	0.003
LG 52.162.164.85:4	43/Controller Conne	ction/Disconnection	ıs		
0	0	0	0	0	-
LG 52.162.164.85:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 52.162.164.85:4	43/Controller Conne	ction/Ping Duration	(ms)		
59	103.6	116	112	105	16.8
LG 52.162.164.85:4	43/Network/Segmen	ts sent/sec.			
4.77	395.4	1,187	407.2	390.2	221.2
LG 52.162.164.85:4	43/Network/Segmen	ts retransmitted/sec			
0	0.004	0.469	0	0	0.032
LG 52.162.164.85:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.		
0.006	8.27	24.4	8.5	8.16	4.86
LG 52.162.164.85:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0.013	0.619	1.85	0.642	0.613	0.334



LG 52.162.165.114:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.165.114	:443/CPU Load							
0	2.99	10	3	2.92	1.82			
LG 52.162.165.114:443/Memory Used								
1	4.13	15	3	3.81	2.77			
LG 52.162.165.114	:443/Throughput							
0	7.6	19.9	7.26	7.49	4.72			
LG 52.162.165.114	:443/User Load							
0	31.2	66	28	31.2	18.1			
LG 52.162.165.114	:443/Thread Count							
39	90	125	87	90.1	18.9			
LG 52.162.165.114	:443/Http client/Thre	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.165.114	:443/Http client/Task	Pool used						
0	0	0.033	0	0	0.002			
LG 52.162.165.114	:443/Controller Conr	nection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.162.165.114	:443/Controller Conr	nection/Reconnectio	ns					
0	0	0	0	0	-			
LG 52.162.165.114	:443/Controller Conr	nection/Ping Duration	n (ms)					
68	110.4	152	112	110.4	16.9			
LG 52.162.165.114	:443/Network/Segme	ents sent/sec.						
4.94	385.8	996.9	367.4	380.8	225.4			
LG 52.162.165.114	:443/Network/Segme	ents retransmitted/se	ec.					
0	0.01	0.646	0	0	0.059			
LG 52.162.165.114	:443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.					
0.007	8.1	21.1	7.74	7.99	4.99			
LG 52.162.165.114	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0.014	0.605	1.48	0.594	0.598	0.341			

LG 52.162.165.11:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 52.162.165.11:44	43/CPU Load						
0	3.22	11	3	3.14	1.95		
LG 52.162.165.11:44	43/Memory Used						
1	4.27	15	3	3.95	2.84		
LG 52.162.165.11:44	43/Throughput						
0	7.43	21.6	6.99	7.28	4.75		
LG 52.162.165.11:44	43/User Load						
0	30.9	66	28	30.8	18.3		
LG 52.162.165.11:443/Thread Count							
39	89.5	125	87	89.6	18.9		
LG 52.162.165.11:44	43/Http client/Thread	d Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 52.162.165.11:44	43/Http client/Task F	Pool used					
0	0.001	0.083	0	0	0.005		
LG 52.162.165.11:44	43/Controller Conne	ction/Disconnection	ns				
0	0	0	0	0	-		
LG 52.162.165.11:44	43/Controller Conne	ction/Reconnection	s				
0	0	0	0	0	-		
LG 52.162.165.11:44	43/Controller Conne	ction/Ping Duration	(ms)				
59	104.8	118	112	106.5	15.7		



Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 52.162.165.11:443/Network/Segments sent/sec.							
5.02	376.3	1,035	357.4	369.7	228.5		
LG 52.162.165.11:443/Network/Segments retransmitted/sec.							
0	0.006	0.488	0	0	0.036		
LG 52.162.165.11:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.				
0.007	7.92	22.9	7.45	7.77	5.03		
LG 52.162.165.11:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.013	0.594	1.58	0.575	0.586	0.347		

LG 52.162.165.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.165.14:4	43/CPU Load								
0	3.11	11	3	3.06	1.85				
LG 52.162.165.14:4	LG 52.162.165.14:443/Memory Used								
2	4.48	16	3	4.12	3.16				
LG 52.162.165.14:4	43/Throughput								
0	7.73	19.2	8.24	7.65	4.69				
LG 52.162.165.14:4	43/User Load								
0	32	66	29	32	18.4				
LG 52.162.165.14:4	43/Thread Count								
39	90.9	125	88	91	19				
LG 52.162.165.14:4	43/Http client/Thread	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 52.162.165.14:4	43/Http client/Task F	Pool used							
0	0	0.05	0	0	0.003				
LG 52.162.165.14:4	43/Controller Conne	ction/Disconnection	าร						
0	0	0	0	0	-				
LG 52.162.165.14:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 52.162.165.14:4	43/Controller Conne	ction/Ping Duration	(ms)						
73	109.1	115	111	110.6	9.07				
LG 52.162.165.14:4	43/Network/Segmen	ts sent/sec.							
5.01	393.7	959.7	411.8	390.4	224.8				
LG 52.162.165.14:4	43/Network/Segmen	ts retransmitted/sec).						
0	0.01	1.03	0	0	0.079				
LG 52.162.165.14:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0.007	8.24	20.4	8.77	8.15	4.96				
LG 52.162.165.14:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.						
0.014	0.62	1.47	0.642	0.616	0.341				

LG 52.162.165.201:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.165.201:443/CPU Load								
0	3.1	14	3	3.01	1.98			
LG 52.162.165.201:	443/Memory Used							
1	4.29	15	3	3.98	2.81			
LG 52.162.165.201:	443/Throughput							
0	7.46	20.4	7.16	7.36	4.71			
LG 52.162.165.201:	443/User Load							
0	31.3	66	28	31.3	18.4			
LG 52.162.165.201:443/Thread Count								
39	90	125	87	90.1	19.2			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.165.201:443/Http client/Thread Pool used									
0.1	0.1	0.1	0.1	0.1	0				
LG 52.162.165.201:4	LG 52.162.165.201:443/Http client/Task Pool used								
0	0	0.033	0	0	0.002				
LG 52.162.165.201:4	443/Controller Conn	ection/Disconnection	ns						
0	0	0	0	0	-				
LG 52.162.165.201:4	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 52.162.165.201:443/Controller Connection/Ping Duration (ms)									
67	111.3	116	113	113	8.88				
LG 52.162.165.201:4	443/Network/Segme	nts sent/sec.							
4.95	383.6	1,042	365.9	379.1	229.1				
LG 52.162.165.201:4	443/Network/Segme	nts retransmitted/se	c.						
0	0.003	0.224	0	0	0.024				
LG 52.162.165.201:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.007	7.96	21.7	7.66	7.85	4.99				
LG 52.162.165.201:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.013	0.595	1.5	0.566	0.589	0.34				

LG 52.162.165.228:443

LG 52.162.165.228:443/CPU Load 0 3.13 11 3 3.06 1.88 LG 52.162.165.228:443/Memory Used 1 4.27 15 3 3.94 2.91 LG 52.162.165.228:443/Throughput	
LG 52.162.165.228:443/Memory Used 1 4.27 15 3 3.94 2.91	
1 4.27 15 3 3.94 2.91	
LG 52.162.165.228:443/Throughput	
· .	
0 7.73 18.9 7.67 7.68 4.65	
LG 52.162.165.228:443/User Load	
0 31.6 66 29 31.6 18.4	
LG 52.162.165.228:443/Thread Count	
39 90.5 125 88 90.7 19	
LG 52.162.165.228:443/Http client/Thread Pool used	
0.1 0.1 0.1 0.1 0.1	
LG 52.162.165.228:443/Http client/Task Pool used	
0 0.067 0 0.004	
LG 52.162.165.228:443/Controller Connection/Disconnections	
0 0 0 -	
LG 52.162.165.228:443/Controller Connection/Reconnections	
0 0 0 -	
LG 52.162.165.228:443/Controller Connection/Ping Duration (ms)	
73 113.8 163 112 112.7 13.2	
LG 52.162.165.228:443/Network/Segments sent/sec.	
4.95 393.4 918.2 395.4 391.5 222.1	
LG 52.162.165.228:443/Network/Segments retransmitted/sec.	
0 0.004 0.452 0 0 0.031	
LG 52.162.165.228:443/Network/eth0 (eth0)/Megabits received/sec.	
0.007 8.24 20 8.18 8.19 4.92	
LG 52.162.165.228:443/Network/eth0 (eth0)/Megabits sent/sec.	
0.013 0.617 1.34 0.63 0.616 0.336	



LG 52.162.165.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.165.231:	443/CPU Load							
0	2.98	10	3	2.9	1.86			
LG 52.162.165.231:443/Memory Used								
2	4.34	15	3	4.03	2.83			
LG 52.162.165.231:	443/Throughput							
0	7.27	23.4	6.88	7.1	4.75			
LG 52.162.165.231:	443/User Load							
0	30.6	66	28	30.5	18.6			
LG 52.162.165.231:	443/Thread Count							
39	89.5	126	87	89.5	19.4			
LG 52.162.165.231:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.165.231:443/Http client/Task Pool used								
0	0	0.033	0	0	0.003			
LG 52.162.165.231:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.162.165.231:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 52.162.165.231:	443/Controller Conn	ection/Ping Duration	n (ms)					
74	110.1	165	112	109.3	16.9			
LG 52.162.165.231:	443/Network/Segme	nts sent/sec.						
5.02	368.9	1,121	350.3	360.9	227.9			
LG 52.162.165.231:	443/Network/Segme	nts retransmitted/se	c.					
0	0.006	0.505	0	0	0.043			
LG 52.162.165.231:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0.007	7.74	24.8	7.32	7.57	5.03			
LG 52.162.165.231:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0.013	0.582	1.74	0.548	0.571	0.346			

LG 52.162.165.55:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.165.55:44	43/CPU Load							
0	2.97	10	3	2.9	1.87			
LG 52.162.165.55:44	43/Memory Used							
1	4.42	15	3	4.07	3.09			
LG 52.162.165.55:44	43/Throughput							
0	7.27	18.2	7.31	7.16	4.69			
LG 52.162.165.55:44	43/User Load							
0	30.6	65	28	30.5	18.3			
LG 52.162.165.55:44	LG 52.162.165.55:443/Thread Count							
39	89.5	125	87	89.6	19.1			
LG 52.162.165.55:44	43/Http client/Thread	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.165.55:44	43/Http client/Task F	Pool used						
0	0	0.017	0	0	0.002			
LG 52.162.165.55:44	43/Controller Conne	ction/Disconnection	ns					
0	0	0	0	0	-			
LG 52.162.165.55:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 52.162.165.55:44	43/Controller Conne	ction/Ping Duration	(ms)					
71	112	145	112	112	10.3			



Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 52.162.165.55:443/Network/Segments sent/sec.							
4.94	367.1	904.1	370.2	362	224.3		
LG 52.162.165.55:443/Network/Segments retransmitted/sec.							
0	0.003	0.47	0	0	0.028		
LG 52.162.165.55:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.				
0.007	7.75	19.3	7.79	7.63	4.97		
LG 52.162.165.55:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.018	0.583	1.49	0.601	0.576	0.341		

LG 52.162.165.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.165.88:44	43/CPU Load				
0	2.97	10	3	2.9	1.92
LG 52.162.165.88:44	43/Memory Used				
1	4.17	15	3	3.84	2.81
LG 52.162.165.88:44	43/Throughput				
0	7.26	21.7	7.02	7.14	4.7
LG 52.162.165.88:44	43/User Load				
0	30.6	65	28	30.5	18.4
LG 52.162.165.88:44	43/Thread Count				
39	89.6	124	87	89.7	19.2
LG 52.162.165.88:44	43/Http client/Threa	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.165.88:44	43/Http client/Task F	Pool used			
0	0	0.033	0	0	0.003
LG 52.162.165.88:44	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 52.162.165.88:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 52.162.165.88:44	43/Controller Conne	ection/Ping Duration	(ms)		
76	112.9	165	114	112.4	15.6
LG 52.162.165.88:44	43/Network/Segmen	ts sent/sec.			
5.02	373.7	1,080	359	368.5	228.2
LG 52.162.165.88:44	43/Network/Segmen	ts retransmitted/sed	.		
0	0.006	0.942	0	0	0.049
LG 52.162.165.88:44	43/Network/eth0 (eth		ed/sec.		
0.007	7.74	23.1	7.5	7.62	4.98
LG 52.162.165.88:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0.013	0.587	1.64	0.57	0.581	0.344

LG 52.162.183.200:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.183.200:443/CPU Load								
0	3.29	11	3	3.21	2.06			
LG 52.162.183.200:	LG 52.162.183.200:443/Memory Used							
1	4.17	14	3	3.86	2.73			
LG 52.162.183.200:	443/Throughput							
0	7.25	20.2	6.9	7.11	4.77			
LG 52.162.183.200:	443/User Load							
0	30.6	65	28	30.5	18.3			
LG 52.162.183.200:443/Thread Count								
39	89.3	125	87	89.4	19.3			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.183.200:4	LG 52.162.183.200:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0				
LG 52.162.183.200:4	LG 52.162.183.200:443/Http client/Task Pool used								
0	0	0.133	0	0	0.006				
LG 52.162.183.200:4	443/Controller Conn	ection/Disconnection	ns						
0	0	0	0	0	-				
LG 52.162.183.200:4	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 52.162.183.200:4	443/Controller Conn	ection/Ping Duration	n (ms)						
71	103.9	154	111	103.2	20.1				
LG 52.162.183.200:4	443/Network/Segme	nts sent/sec.							
4.94	368.4	963.2	342.1	361.8	229.3				
LG 52.162.183.200:4	443/Network/Segme	nts retransmitted/se	c.						
0	0.01	0.4	0	0	0.045				
LG 52.162.183.200:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.007	7.73	21.3	7.36	7.58	5.05				
LG 52.162.183.200:4	LG 52.162.183.200:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.013	0.58	1.55	0.552	0.572	0.345				

LG 52.162.195.219:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.195.219:	443/CPU Load				
0	2.96	13	3	2.91	1.71
LG 52.162.195.219:	443/Memory Used				
2	5.29	11	5	5.25	2.1
LG 52.162.195.219:	443/Throughput				
0	7.58	19.5	7.65	7.53	4.54
LG 52.162.195.219:	443/User Load				
0	31.5	66	29	31.4	18.1
LG 52.162.195.219:	443/Thread Count				
39	90.4	126	88	90.5	18.7
LG 52.162.195.219:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.195.219:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 52.162.195.219:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.162.195.219:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.162.195.219:	443/Controller Conr	ection/Ping Duration	n (ms)		
71	110.7	154	112	110.7	13.8
LG 52.162.195.219:	443/Network/Segme	nts sent/sec.			
5.02	389.5	980.7	393.2	387.7	219.1
LG 52.162.195.219:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.009	1.32	0	0	0.077
LG 52.162.195.219:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.007	8.08	20.6	8.17	8.04	4.81
LG 52.162.195.219:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.013	0.609	1.46	0.628	0.607	0.329



LG 52.162.199.150:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.199.150:	:443/CPU Load								
0	3	10	3	2.94	1.87				
LG 52.162.199.150	LG 52.162.199.150:443/Memory Used								
1	4.12	14	3	3.81	2.67				
LG 52.162.199.150:	:443/Throughput								
0	7.43	21.6	7.36	7.29	4.78				
LG 52.162.199.150:	:443/User Load								
0	31.1	66	28	31	18.5				
LG 52.162.199.150:	443/Thread Count								
39	89.9	125	87	89.9	19.2				
LG 52.162.199.150:	:443/Http client/Threa	ad Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 52.162.199.150:	:443/Http client/Task	Pool used							
0	0	0.05	0	0	0.003				
LG 52.162.199.150:	:443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 52.162.199.150:	:443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 52.162.199.150:	:443/Controller Conn	ection/Ping Duration	n (ms)						
61	110.5	150	111	111.2	12.9				
LG 52.162.199.150:	:443/Network/Segme	nts sent/sec.							
7.6	382.7	990	381.4	377	230.6				
LG 52.162.199.150:	:443/Network/Segme	nts retransmitted/se	ec.						
0	0.002	0.467	0	0	0.024				
LG 52.162.199.150:	:443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.01	7.92	22.9	7.87	7.78	5.06				
LG 52.162.199.150:	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0.014	0.598	1.46	0.621	0.591	0.343				

LG 52.162.199.180:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.199.180:	LG 52.162.199.180:443/CPU Load							
0	3.09	9	3	3.05	1.79			
LG 52.162.199.180:	443/Memory Used							
1	4.15	15	3	3.83	2.81			
LG 52.162.199.180:	443/Throughput							
0	7.68	20.2	7.74	7.63	4.55			
LG 52.162.199.180:	443/User Load							
0	31.3	65	28.5	31.3	18.1			
LG 52.162.199.180:	443/Thread Count							
39	90	124	87.5	90.1	18.8			
LG 52.162.199.180:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.199.180:	443/Http client/Task	Pool used						
0	0	0.017	0	0	0.002			
LG 52.162.199.180:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.162.199.180:	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 52.162.199.180:	443/Controller Conn	ection/Ping Duratio	n (ms)					
63	105.8	178	111	104.7	21.4			

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.199.180:443/Network/Segments sent/sec.								
7.4	396.5	1,032	398.8	394	221			
LG 52.162.199.180:	LG 52.162.199.180:443/Network/Segments retransmitted/sec.							
0	0.007	0.447	0	0	0.044			
LG 52.162.199.180:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.					
0.01	8.19	21.4	8.24	8.14	4.82			
LG 52.162.199.180:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.014	0.616	1.59	0.621	0.614	0.329			

LG 52.162.199.197:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.199.197:	443/CPU Load				
0	3.38	10	3	3.3	2.05
LG 52.162.199.197:	443/Memory Used				
1	4.23	15	3	3.91	2.81
LG 52.162.199.197:	443/Throughput				
0	7.53	18.2	7.79	7.46	4.61
LG 52.162.199.197:	443/User Load				
0	31.1	65	28.5	31.1	18.1
LG 52.162.199.197:	443/Thread Count				
39	89.8	125	87.5	90	18.9
LG 52.162.199.197:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.199.197:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 52.162.199.197:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.162.199.197:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.162.199.197:	443/Controller Conn	ection/Ping Duratio	n (ms)		
70	107.2	154	115	107.4	19.3
LG 52.162.199.197:	443/Network/Segme	nts sent/sec.			
4.95	384.1	899.4	395.1	381.1	219.8
LG 52.162.199.197:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.008	0.313	0	0	0.039
LG 52.162.199.197:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.		
0.007	8.03	19.3	8.32	7.95	4.88
LG 52.162.199.197:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.013	0.602	1.4	0.623	0.599	0.332

LG 52.162.234.128:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.234.128:	LG 52.162.234.128:443/CPU Load								
0	3.26	13	3	3.19	1.92				
LG 52.162.234.128:	443/Memory Used								
1	4.24	15	3	3.92	2.82				
LG 52.162.234.128:	443/Throughput								
0	7.62	19.7	7.24	7.53	4.71				
LG 52.162.234.128:	443/User Load								
0	31.8	66	29	31.8	18.3				
LG 52.162.234.128:443/Thread Count									
39	90.7	126	88	90.8	19				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.234.128:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.234.128:4	443/Http client/Task	Pool used						
0	0	0.017	0	0	0.001			
LG 52.162.234.128:4	443/Controller Conn	ection/Disconnectio	ons					
0	0	0	0	0	-			
LG 52.162.234.128:4	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 52.162.234.128:4	443/Controller Conn	ection/Ping Duration	n (ms)					
72	109.8	150	111	109.9	13.8			
LG 52.162.234.128:4	443/Network/Segme	nts sent/sec.						
5.02	389.8	979.7	378.1	385.1	227.6			
LG 52.162.234.128:4	443/Network/Segme	nts retransmitted/se	c.					
0	0.005	0.964	0	0	0.047			
LG 52.162.234.128:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0.007	8.13	20.9	7.72	8.03	4.99			
LG 52.162.234.128:4	LG 52.162.234.128:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.013	0.61	1.54	0.587	0.604	0.343			

LG 52.162.234.210:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.234.210:	443/CPU Load				
0	3.12	15	3	3.01	2.07
LG 52.162.234.210:	443/Memory Used				
1	4.19	15	3	3.87	2.79
LG 52.162.234.210:	443/Throughput				
0	7.29	19.7	6.93	7.19	4.7
LG 52.162.234.210:	443/User Load				
0	30.9	66	28	30.8	18.3
LG 52.162.234.210:	443/Thread Count				
39	89.8	126	87	89.8	19
LG 52.162.234.210:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.234.210:	443/Http client/Task	Pool used			
0	0	0.067	0	0	0.003
LG 52.162.234.210:	443/Controller Conr	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.162.234.210:	443/Controller Conr	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.162.234.210:	443/Controller Conr	ection/Ping Duration	n (ms)		
63	111.6	150	112	111.5	9.51
LG 52.162.234.210:	443/Network/Segme	nts sent/sec.			
5.02	372	972.7	358	367.1	227
LG 52.162.234.210:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.004	0.6	0	0	0.04
LG 52.162.234.210:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.007	7.77	20.9	7.39	7.66	4.98
LG 52.162.234.210:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.014	0.585	1.47	0.572	0.579	0.339



LG 52.162.234.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.234.254	:443/CPU Load							
0	3.03	11	3	2.97	1.85			
LG 52.162.234.254:443/Memory Used								
2	4.67	15	3	4.34	3.16			
LG 52.162.234.254	:443/Throughput							
0	7.25	18.2	7.08	7.15	4.56			
LG 52.162.234.254	:443/User Load							
0	30.2	66	28	30.1	17.7			
LG 52.162.234.254	:443/Thread Count							
39	89.1	125	87	89.2	18.5			
LG 52.162.234.254	:443/Http client/Thre	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.234.254	:443/Http client/Task	Pool used						
0	0	0.017	0	0	0.002			
LG 52.162.234.254	:443/Controller Conr	nection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.162.234.254	:443/Controller Conr	nection/Reconnectio	ns					
0	0	0	0	0	-			
LG 52.162.234.254	:443/Controller Conr	nection/Ping Duratio	n (ms)					
60	100.2	149	110	100.1	20			
LG 52.162.234.254	:443/Network/Segme	ents sent/sec.						
5.02	371.2	909.8	368.4	366.1	219			
LG 52.162.234.254	:443/Network/Segme	ents retransmitted/se	ec.					
0	0.004	0.6	0	0	0.034			
LG 52.162.234.254	:443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.					
0.007	7.73	19.4	7.54	7.62	4.83			
LG 52.162.234.254	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0.013	0.584	1.37	0.579	0.578	0.329			

LG 52.162.235.115:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.235.115:443/CPU Load								
0	3.1	16	3	3.01	1.93			
LG 52.162.235.115:4	443/Memory Used							
1	4.33	14	3	4.02	2.95			
LG 52.162.235.115:4	443/Throughput							
0	7.24	19.5	6.88	7.14	4.47			
LG 52.162.235.115:4	443/User Load							
0	30.5	66	28	30.4	17.7			
LG 52.162.235.115:4	443/Thread Count							
39	89.3	126	87	89.2	18.6			
LG 52.162.235.115:4	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.235.115:4	443/Http client/Task	Pool used						
0	0	0.017	0	0	0.002			
LG 52.162.235.115:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.162.235.115:4	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 52.162.235.115:4	443/Controller Conn	ection/Ping Duration	n (ms)					
73	111.5	157	113	111.4	13.9			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.235.115:443/Network/Segments sent/sec.								
5.02	371.3	1,002	351	366.4	216.4			
LG 52.162.235.115:	LG 52.162.235.115:443/Network/Segments retransmitted/sec.							
0	0.006	0.469	0	0	0.038			
LG 52.162.235.115:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0.007	7.72	20.8	7.31	7.62	4.73			
LG 52.162.235.115:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.013	0.583	1.54	0.567	0.577	0.327			

LG 52.162.235.129:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.235.129:	443/CPU Load				
0	2.8	13	3	2.72	1.76
LG 52.162.235.129:	443/Memory Used				
1	4.8	15	3.5	4.51	3.14
LG 52.162.235.129:	443/Throughput				
0	7.1	18.5	6.99	6.99	4.21
LG 52.162.235.129:	443/User Load				
0	29.8	65	28	29.6	16.5
LG 52.162.235.129:	443/Thread Count				
39	88.5	125	87	88.5	17.1
LG 52.162.235.129:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.235.129:	443/Http client/Task	Pool used			
0	0	0.1	0	0	0.004
LG 52.162.235.129:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.162.235.129:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.162.235.129:	443/Controller Conn	ection/Ping Duratio	n (ms)		
71	113.5	149	113	112.9	9.03
LG 52.162.235.129:	443/Network/Segme	nts sent/sec.			
5.02	362.9	896.3	359.2	357.7	203.3
LG 52.162.235.129:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.002	0.2	0	0	0.018
LG 52.162.235.129:	443/Network/eth0 (e		/ed/sec.		
0.007	7.57	19.5	7.49	7.46	4.46
LG 52.162.235.129:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.014	0.573	1.37	0.575	0.567	0.306

LG 52.162.237.118:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 52.162.237.118:	443/CPU Load						
0	2.99	10	3	2.92	1.87		
LG 52.162.237.118:	443/Memory Used						
2	4.59	15	3	4.26	3.13		
LG 52.162.237.118:	443/Throughput						
0	7.29	18.9	6.83	7.21	4.43		
LG 52.162.237.118:	443/User Load						
0	30.5	66	28	30.4	17.7		
LG 52.162.237.118:443/Thread Count							
39	89.3	125	87	89.3	18.3		



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.237.118:	LG 52.162.237.118:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0				
LG 52.162.237.118:	443/Http client/Task	Pool used							
0	0	0.033	0	0	0.002				
LG 52.162.237.118:	443/Controller Conn	ection/Disconnection	ns						
0	0	0	0	0	-				
LG 52.162.237.118:	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 52.162.237.118:	443/Controller Conn	ection/Ping Duration	n (ms)						
73	110.5	149	111	110.9	9.48				
LG 52.162.237.118:	443/Network/Segme	nts sent/sec.							
5.02	372	956.2	346.7	367.7	214				
LG 52.162.237.118:	443/Network/Segme	nts retransmitted/se	c.						
0	0.001	0.2	0	0	0.015				
LG 52.162.237.118:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.007	7.77	20.1	7.34	7.69	4.69				
LG 52.162.237.118:	LG 52.162.237.118:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.013	0.583	1.47	0.554	0.577	0.325				

LG 52.162.237.166:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.237.166:4	443/CPU Load				
0	3.09	13	3	3	2.01
LG 52.162.237.166:4	443/Memory Used				
1	4.22	15	3	3.9	2.83
LG 52.162.237.166:4	443/Throughput				
0	7.68	21.1	7.53	7.55	4.93
LG 52.162.237.166:4	443/User Load				
0	32	66	29	32	18.5
LG 52.162.237.166:4	443/Thread Count				
39	91.3	126	88	91.4	19.3
LG 52.162.237.166:4	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.237.166:4	443/Http client/Task	Pool used			
0	0	0.05	0	0	0.003
LG 52.162.237.166:4	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.162.237.166:4	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.162.237.166:4	443/Controller Conn	ection/Ping Duration	n (ms)		
73	111.8	170	114	112.1	14.1
LG 52.162.237.166:4	443/Network/Segme	nts sent/sec.			
4.95	395	1,053	386.3	389	239.8
LG 52.162.237.166:4	443/Network/Segme	nts retransmitted/se	ec.		
0	0.009	0.935	0	0	0.057
LG 52.162.237.166:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.007	8.18	22.4	8	8.04	5.22
LG 52.162.237.166:4	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.013	0.617	1.64	0.613	0.61	0.356



LG 52.162.237.66:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.237.66:4	LG 52.162.237.66:443/CPU Load							
0	3.2	10	3	3.15	1.87			
LG 52.162.237.66:4	143/Memory Used							
1	4.19	15	3	3.86	2.88			
LG 52.162.237.66:4	143/Throughput							
0	7.65	22.1	7.83	7.51	4.72			
LG 52.162.237.66:4	143/User Load							
0	31.8	65	29	31.8	18.1			
LG 52.162.237.66:4	143/Thread Count							
39	90.6	125	88	90.8	18.8			
LG 52.162.237.66:4	143/Http client/Threa	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.237.66:4	143/Http client/Task I	Pool used						
0	0	0.05	0	0	0.003			
LG 52.162.237.66:4	143/Controller Conne	ection/Disconnection	าร					
0	0	0	0	0	-			
LG 52.162.237.66:4	143/Controller Conne	ection/Reconnection	s					
0	0	0	0	0				
LG 52.162.237.66:4	143/Controller Conne	ection/Ping Duration	(ms)					
63	106.2	155	110	105.6	32.5			
LG 52.162.237.66:4	143/Network/Segmen	ts sent/sec.						
4.88	389.2	1,096	396.3	383.2	227.7			
LG 52.162.237.66:4	143/Network/Segmen	ts retransmitted/sec).					
0	0.01	0.564	0	0	0.055			
LG 52.162.237.66:4	143/Network/eth0 (etl	n0)/Megabits receive	ed/sec.					
0.007	8.15	23.5	8.31	8.01	5			
LG 52.162.237.66:4	143/Network/eth0 (etl	n0)/Megabits sent/se	ec.					
0.013	0.609	1.63	0.617	0.602	0.343			

LG 52.162.237.8:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
.G 52.162.237.8:443/CPU Load								
0	3.14	13	3	3.03	2.01			
LG 52.162.237.8:44	3/Memory Used							
2	4.7	16	3	4.35	3.26			
LG 52.162.237.8:44	3/Throughput							
0	7.44	20.4	7.27	7.31	4.71			
LG 52.162.237.8:44	3/User Load							
0	31.2	65	28	31.1	18.1			
LG 52.162.237.8:44	3/Thread Count							
39	89.9	124	87	90.1	18.9			
LG 52.162.237.8:44	3/Http client/Thread	Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.237.8:44	3/Http client/Task Po	ool used						
0	0	0.017	0	0	0.002			
LG 52.162.237.8:44	3/Controller Connec	tion/Disconnections	3					
0	0	0	0	0	-			
LG 52.162.237.8:44	LG 52.162.237.8:443/Controller Connection/Reconnections							
0	0	0	0	0	-			
LG 52.162.237.8:44	LG 52.162.237.8:443/Controller Connection/Ping Duration (ms)							
69	107.6	150	111	107.3	17.6			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.237.8:44	LG 52.162.237.8:443/Network/Segments sent/sec.								
4.93	381.6	1,011	370.9	375.9	227.1				
LG 52.162.237.8:44	3/Network/Segments	s retransmitted/sec.							
0	0.018	0.506	0	0.007	0.062				
LG 52.162.237.8:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.						
0.007	7.93	21.6	7.75	7.79	4.98				
LG 52.162.237.8:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.013	0.598	1.59	0.573	0.592	0.341				

LG 52.162.238.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.238.235:4	443/CPU Load				
0	3.18	11	3	3.13	1.83
LG 52.162.238.235:4	443/Memory Used				
1	4.35	16	3	4.02	3.02
LG 52.162.238.235:4	443/Throughput				
0	7.23	19.8	7.1	7.12	4.6
LG 52.162.238.235:4	443/User Load				
0	30.5	65	28	30.4	18.3
LG 52.162.238.235:4	443/Thread Count				
39	89.2	125	87	89.3	19
LG 52.162.238.235:4	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.238.235:4	443/Http client/Task	Pool used			
0	0	0.1	0	0	0.004
LG 52.162.238.235:4	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.162.238.235:4	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.162.238.235:4	443/Controller Conn	ection/Ping Duration	n (ms)		
60	109.3	150	114	110.4	14.9
LG 52.162.238.235:4	443/Network/Segme	nts sent/sec.			
5.01	372.6	982	360.4	366.9	223.5
LG 52.162.238.235:4	443/Network/Segme	nts retransmitted/se	ec.		
0	0.004	0.259	0	0	0.029
LG 52.162.238.235:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.007	7.71	21.1	7.56	7.59	4.87
LG 52.162.238.235:4	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.013	0.583	1.48	0.585	0.576	0.335

LG 52.162.239.156:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.239.156:	_G 52.162.239.156:443/CPU Load								
0	3.09	10	3	3.01	1.88				
LG 52.162.239.156:	443/Memory Used								
1	4.16	15	3	3.83	2.77				
LG 52.162.239.156:	443/Throughput								
0	7.61	23.8	7.42	7.5	4.67				
LG 52.162.239.156:	443/User Load								
0	31.7	66	29	31.7	18.3				
LG 52.162.239.156:443/Thread Count									
39	90.6	126	88	90.7	19				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.239.156:4	LG 52.162.239.156:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0				
LG 52.162.239.156:4	443/Http client/Task	Pool used							
0	0	0.017	0	0	0.002				
LG 52.162.239.156:4	443/Controller Conn	ection/Disconnection	ns						
0	0	0	0	0	-				
LG 52.162.239.156:4	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 52.162.239.156:4	443/Controller Conn	ection/Ping Duration	n (ms)						
67	112.1	151	112	112.3	13.6				
LG 52.162.239.156:4	443/Network/Segme	nts sent/sec.							
4.77	392.4	1,154	381.8	387.8	225.3				
LG 52.162.239.156:4	443/Network/Segme	nts retransmitted/se	c.						
0	0.004	0.453	0	0	0.032				
LG 52.162.239.156:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.006	8.11	25.3	7.9	7.99	4.94				
LG 52.162.239.156:4	LG 52.162.239.156:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.013	0.611	1.57	0.601	0.606	0.335				

LG 52.162.239.161:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.239.161:	443/CPU Load				
0	3.24	13	3	3.17	1.91
LG 52.162.239.161:	443/Memory Used				
1	4.52	16	3	4.17	3.13
LG 52.162.239.161:	443/Throughput				
0	7.6	19.5	7.37	7.5	4.65
LG 52.162.239.161:	443/User Load				
0	31.9	66	29	32	18.2
LG 52.162.239.161:	443/Thread Count				
39	90.7	126	88	90.8	18.7
LG 52.162.239.161:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.239.161:	443/Http client/Task	Pool used			
0	0	0.017	0	0	0.002
LG 52.162.239.161:	443/Controller Conr	ection/Disconnection	ons		
0	0	0	0	0	-
LG 52.162.239.161:	443/Controller Conr	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 52.162.239.161:	443/Controller Conr	ection/Ping Duration	n (ms)		
78	115	152	114	114.3	10.47
LG 52.162.239.161:	443/Network/Segme	nts sent/sec.			
4.94	389.7	1,013	377.7	385.4	224.7
LG 52.162.239.161:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.003	0.49	0	0	0.027
LG 52.162.239.161:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.007	8.1	20.7	7.86	8	4.93
LG 52.162.239.161:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.014	0.609	1.55	0.605	0.604	0.337



LG 52.162.239.219:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.239.219:	LG 52.162.239.219:443/CPU Load							
0	3.2	11	3	3.13	1.91			
LG 52.162.239.219:	443/Memory Used							
1	4.25	15	3	3.92	2.9			
LG 52.162.239.219:	443/Throughput							
0	7.65	17.3	8.2	7.6	4.62			
LG 52.162.239.219:	443/User Load							
0	31.9	66	29	31.9	18.1			
LG 52.162.239.219:	443/Thread Count							
39	90.7	125	88	90.9	19			
LG 52.162.239.219:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.239.219:	443/Http client/Task	Pool used						
0	0	0.033	0	0	0.002			
LG 52.162.239.219:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.162.239.219:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 52.162.239.219:	443/Controller Conn	ection/Ping Duration	n (ms)					
70	104.2	150	111	103.4	21			
LG 52.162.239.219:	443/Network/Segme	nts sent/sec.						
4.98	391.4	861.7	419.4	389	222.5			
LG 52.162.239.219:	443/Network/Segme	nts retransmitted/se	ec.					
0	0.017	0.489	0	0.004	0.068			
LG 52.162.239.219:	443/Network/eth0 (et	th0)/Megabits receiv	red/sec.					
0.007	8.16	18.4	8.75	8.1	4.89			
LG 52.162.239.219:	443/Network/eth0 (et	th0)/Megabits sent/s	ec.					
0.013	0.612	1.35	0.641	0.609	0.336			

LG 52.162.239.232:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 52.162.239.232:443/CPU Load								
0	3.18	10	3	3.14	1.85			
LG 52.162.239.232:4	443/Memory Used							
2	4.25	15	3	3.92	2.84			
LG 52.162.239.232:4	443/Throughput							
0	7.41	19.6	7.15	7.31	4.7			
LG 52.162.239.232:4	443/User Load							
0	31.4	66	28	31.4	18.4			
LG 52.162.239.232:	443/Thread Count							
39	90	125	87	90.1	19			
LG 52.162.239.232:4	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 52.162.239.232:4	443/Http client/Task	Pool used						
0	0.001	0.05	0	0	0.004			
LG 52.162.239.232:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 52.162.239.232:4	LG 52.162.239.232:443/Controller Connection/Reconnections							
0	0	0	0	0	-			
LG 52.162.239.232:4	443/Controller Conn	ection/Ping Duration	n (ms)					
59	112.3	151	114	113.4	12.6			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 52.162.239.232:	LG 52.162.239.232:443/Network/Segments sent/sec.								
5.21	376.4	1,040	360.3	371.2	226.9				
LG 52.162.239.232:	LG 52.162.239.232:443/Network/Segments retransmitted/sec.								
0	0.005	0.65	0	0	0.039				
LG 52.162.239.232:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.007	7.9	20.9	7.62	7.8	4.98				
LG 52.162.239.232:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.014	0.592	1.64	0.572	0.585	0.341				

LG 65.52.55.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 65.52.55.207:44	3/CPU Load								
0	2.97	13	3	2.89	1.94				
LG 65.52.55.207:44	LG 65.52.55.207:443/Memory Used								
1	4.12	14	3	3.81	2.72				
LG 65.52.55.207:44	3/Throughput								
0	7.25	19.6	6.75	7.12	4.84				
LG 65.52.55.207:44	3/User Load								
0	30.3	65	28	30.2	18.6				
LG 65.52.55.207:44	3/Thread Count								
39	88.9	125	87	89	19.4				
LG 65.52.55.207:44	3/Http client/Thread	Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 65.52.55.207:44	3/Http client/Task Po	ool used							
0	0	0.033	0	0	0.002				
LG 65.52.55.207:44	3/Controller Connec	tion/Disconnections	S						
0	0	0	0	0	-				
LG 65.52.55.207:44	3/Controller Connec	tion/Reconnections							
0	0	0	0	0	-				
LG 65.52.55.207:44	3/Controller Connec	tion/Ping Duration (ms)						
67	109	116	112	110.6	11.1				
LG 65.52.55.207:44	3/Network/Segments	s sent/sec.							
4.92	370.8	977	338.6	364.4	233				
LG 65.52.55.207:44	3/Network/Segments	s retransmitted/sec.							
0	0.004	0.468	0	0	0.036				
LG 65.52.55.207:44	3/Network/eth0 (eth0)/Megabits received	l/sec.						
0.007	7.73	20.8	7.2	7.59	5.12				
LG 65.52.55.207:44	3/Network/eth0 (eth0)/Megabits sent/sec	.						
0.013	0.582	1.52	0.564	0.575	0.348				

LG 65.52.57.209:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 65.52.57.209:44	LG 65.52.57.209:443/CPU Load								
0	3.24	19	3	3.16	2.01				
LG 65.52.57.209:44	3/Memory Used								
1	4.4	15	3	4.06	3				
LG 65.52.57.209:44	3/Throughput								
0	7.75	18.6	7.71	7.68	4.55				
LG 65.52.57.209:44	3/User Load								
0	32	66	29	32.1	18.2				
LG 65.52.57.209:443/Thread Count									
39	91.1	126	88	91.2	18.7				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 65.52.57.209:443	LG 65.52.57.209:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0				
LG 65.52.57.209:44	3/Http client/Task Po	ool used							
0	0	0.05	0	0	0.004				
LG 65.52.57.209:443	3/Controller Connec	tion/Disconnections	•						
0	0	0	0	0	-				
LG 65.52.57.209:44	3/Controller Connec	tion/Reconnections							
0	0	0	0	0	-				
LG 65.52.57.209:44	3/Controller Connec	tion/Ping Duration (ms)						
69	107.6	151	112	108.6	14.5				
LG 65.52.57.209:44	3/Network/Segments	s sent/sec.							
4.93	396.6	917.9	391	393.3	219.7				
LG 65.52.57.209:443	3/Network/Segments	s retransmitted/sec.							
0	0.003	0.402	0	0	0.031				
LG 65.52.57.209:44	3/Network/eth0 (eth)	0)/Megabits received	/sec.						
0.007	8.27	19.7	8.22	8.19	4.82				
LG 65.52.57.209:44	LG 65.52.57.209:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.018	0.616	1.42	0.61	0.612	0.329				

LG 157.250.32.100:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.32.100:4	443/CPU Load				
0	3.87	10	4	3.87	1.94
LG 157.250.32.100:4	443/Memory Used				
1	4.71	13	4	4.51	2.24
LG 157.250.32.100:4	443/Throughput				
0	6.65	13.6	7.17	6.68	3.52
LG 157.250.32.100:4	443/User Load				
0	31.7	66	29	31.6	18.2
LG 157.250.32.100:4	443/Thread Count				
39	91.9	131	88	91.9	20.5
LG 157.250.32.100:4	443/Http client/Threa	ad Pool used			
0.1	0.1	0.125	0.1	0.1	0.002
LG 157.250.32.100:4	443/Http client/Task	Pool used			
0	0	0.05	0	0	0.003
LG 157.250.32.100:4	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.32.100:4	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.32.100:4	443/Controller Conn	ection/Ping Duration	n (ms)		
94	227.6	1,245	177	202.3	168.4
LG 157.250.32.100:4	443/Network/Segme	nts sent/sec.			
1.61	478.5	1,267	424.7	463.9	333.4
LG 157.250.32.100:4	443/Network/Segme	nts retransmitted/se	ec.		
0	1.8	9.73	0	1.49	3.07
LG 157.250.32.100:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	6.99	14.2	7.52	7.01	3.69
LG 157.250.32.100:4	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.608	1.39	0.61	0.603	0.341



LG 157.250.33.197:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.197:	443/CPU Load				
0	4.03	11	4	4	2.13
LG 157.250.33.197:	443/Memory Used				
2	4.82	18	3	4.45	3.41
LG 157.250.33.197:	443/Throughput				
0	6.47	13.6	7.1	6.52	3.34
LG 157.250.33.197:	443/User Load				
0	31.2	66	28	31.2	18.1
LG 157.250.33.197:	443/Thread Count				
39	91.8	133	88	91.7	20.4
LG 157.250.33.197:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.33.197:	443/Http client/Task	Pool used			
0	0	0.017	0	0	0.001
LG 157.250.33.197:	443/Controller Conn	ection/Disconnection	ons		
1	1	1	1	1	0
LG 157.250.33.197:	443/Controller Conn	ection/Reconnectio	ns		
1	1	1	1	1	0
LG 157.250.33.197:	443/Controller Conn	ection/Ping Duration	n (ms)		
93	849.2	42,015	219	253.1	4,913
LG 157.250.33.197:	443/Network/Segme	nts sent/sec.			
1.6	459.2	1,365	411.8	445.8	313.8
LG 157.250.33.197:	443/Network/Segme	nts retransmitted/se	ec.		
0	2.21	17.3	0	1.76	4.01
LG 157.250.33.197:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	6.81	14.3	7.46	6.85	3.51
LG 157.250.33.197:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.		
0.006	0.598	1.34	0.617	0.595	0.332

LG 157.250.33.249:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.33.249:	LG 157.250.33.249:443/CPU Load							
0	4.31	12	4	4.29	2.35			
LG 157.250.33.249:	443/Memory Used							
1	4.46	16	3	4.13	3			
LG 157.250.33.249:	443/Throughput							
0	7.09	15.2	7.61	7.12	3.88			
LG 157.250.33.249:	443/User Load							
0	31.3	66	29	31.3	18.4			
LG 157.250.33.249:	443/Thread Count							
40	91.6	130	88	91.4	20.1			
LG 157.250.33.249:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.11	0.1	0.1	0.001			
LG 157.250.33.249:	443/Http client/Task	Pool used						
0	0.001	0.183	0	0	0.008			
LG 157.250.33.249:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.33.249:	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 157.250.33.249:	443/Controller Conn	ection/Ping Duration	n (ms)					
98	254.9	1,259	153	213.9	239.3			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.33.249:	LG 157.250.33.249:443/Network/Segments sent/sec.								
1.6	511.2	1,588	412.8	492.9	387.2				
LG 157.250.33.249:	443/Network/Segme	nts retransmitted/se	ec.						
0	1.8	14	0	1.39	3.34				
LG 157.250.33.249:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.002	7.45	16	7.99	7.48	4.08				
LG 157.250.33.249:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.006	0.651	1.68	0.61	0.643	0.395				

LG 157.250.34.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.34.121:	443/CPU Load								
0	3.93	12	4	3.89	2.18				
LG 157.250.34.121:	LG 157.250.34.121:443/Memory Used								
1	4.94	17	3	4.58	3.36				
LG 157.250.34.121:	443/Throughput								
0	6.4	13.4	6.69	6.4	3.55				
LG 157.250.34.121:	443/User Load								
0	31.2	66	28	31	18.1				
LG 157.250.34.121:	443/Thread Count								
40	91.8	133	87	91.5	20.5				
LG 157.250.34.121:	443/Http client/Threa	ad Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.34.121:	443/Http client/Task	Pool used							
0	0	0.067	0	0	0.004				
LG 157.250.34.121:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 157.250.34.121:	443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 157.250.34.121:	443/Controller Conn	ection/Ping Duration	n (ms)						
97	272.9	1,245	217	241.9	202.8				
LG 157.250.34.121:	443/Network/Segme	nts sent/sec.							
2.4	452.8	1,304	382.5	438	321.5				
LG 157.250.34.121:	443/Network/Segme	nts retransmitted/se	ec.						
0	2.23	19.4	0	1.7	4.2				
LG 157.250.34.121:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.003	6.73	14	7	6.73	3.73				
LG 157.250.34.121:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0.007	0.59	1.36	0.569	0.586	0.342				

LG 157.250.34.160:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.34.160:	LG 157.250.34.160:443/CPU Load								
0	4.11	11	4	4.07	2.43				
LG 157.250.34.160:	443/Memory Used								
1	4.76	17	3	4.4	3.26				
LG 157.250.34.160:	443/Throughput								
0	6.98	15	7.76	6.98	4.13				
LG 157.250.34.160:	443/User Load								
0	30.8	66	28	30.7	18.3				
LG 157.250.34.160:443/Thread Count									
39	90.9	131	87	90.8	20.2				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.34.160:4	LG 157.250.34.160:443/Http client/Thread Pool used								
0.1	0.1	0.105	0.1	0.1	0				
LG 157.250.34.160:4	443/Http client/Task	Pool used							
0	0	0.033	0	0	0.002				
LG 157.250.34.160:4	443/Controller Conn	ection/Disconnection	ns						
0	0	0	0	0	-				
LG 157.250.34.160:4	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 157.250.34.160:4	443/Controller Conn	ection/Ping Duration	n (ms)						
117	222	891	147	194.2	170.3				
LG 157.250.34.160:4	443/Network/Segme	nts sent/sec.							
1.6	511.4	1,594	427	488.5	416				
LG 157.250.34.160:4	443/Network/Segme	nts retransmitted/se	c.						
0	1.24	9.43	0	0.972	2.3				
LG 157.250.34.160:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.002	7.36	16.1	8.19	7.35	4.35				
LG 157.250.34.160:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.						
0.006	0.644	1.79	0.635	0.632	0.419				

LG 157.250.34.164:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.34.164:	443/CPU Load								
0	3.85	11	4	3.83	2.07				
LG 157.250.34.164:	LG 157.250.34.164:443/Memory Used								
1	5.37	11	5	5.31	2.36				
LG 157.250.34.164:	443/Throughput								
0	7.04	15.9	7.01	7.03	3.95				
LG 157.250.34.164:	443/User Load								
0	30.6	66	28	30.5	17.7				
LG 157.250.34.164:	443/Thread Count								
40	90.8	131	87	90.4	19.4				
LG 157.250.34.164:	443/Http client/Thre	ad Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.34.164:	443/Http client/Task	Pool used							
0	0	0.017	0	0	0.002				
LG 157.250.34.164:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 157.250.34.164:	443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 157.250.34.164:	443/Controller Conn	ection/Ping Duration	n (ms)						
126	231.5	1,385	141	191.5	231.6				
LG 157.250.34.164:	443/Network/Segme	nts sent/sec.							
3.04	507.8	1,625	381.3	483.2	404				
LG 157.250.34.164:	443/Network/Segme	nts retransmitted/se	ec.						
0	1.13	9.34	0	0.857	2.21				
		th0)/Megabits receiv							
0.005	7.43	16.8	7.4	7.41	4.17				
	•	th0)/Megabits sent/s	ec.						
0.008	0.642	1.64	0.568	0.63	0.402				



LG 157.250.34.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.34.210:	443/CPU Load							
0	3.97	14	4	3.96	2.15			
LG 157.250.34.210:443/Memory Used								
1	5.09	12	5	4.95	2.26			
LG 157.250.34.210:	443/Throughput							
0	7.01	16.9	7.35	7.01	3.96			
LG 157.250.34.210:	443/User Load							
0	31.5	65	28	31.6	18.2			
LG 157.250.34.210:	443/Thread Count							
39	91.5	129	88	91.6	20.2			
LG 157.250.34.210:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.34.210:	443/Http client/Task	Pool used						
0	0	0.067	0	0	0.004			
LG 157.250.34.210:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.34.210:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 157.250.34.210:	443/Controller Conn	ection/Ping Duration	n (ms)					
128	239.9	1,244	152	201.1	224.3			
LG 157.250.34.210:	443/Network/Segme	nts sent/sec.						
1.6	522.2	1,638	402.7	502.1	408.9			
LG 157.250.34.210:	443/Network/Segme	nts retransmitted/se	ec.					
0	1.28	9.09	0	1.05	2.24			
LG 157.250.34.210:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0.002	7.38	17.7	7.72	7.39	4.17			
LG 157.250.34.210:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0.006	0.652	1.63	0.596	0.643	0.407			

LG 157.250.35.127:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 157.250.35.127:443/CPU Load							
0	4.25	15	4	4.19	2.52		
LG 157.250.35.127:	443/Memory Used						
1	4.52	16	3	4.19	2.98		
LG 157.250.35.127:	443/Throughput						
0	6.92	17.9	7.17	6.91	4.05		
LG 157.250.35.127:	443/User Load						
0	30.7	66	28	30.6	18.3		
LG 157.250.35.127:	443/Thread Count						
39	90.8	131	87	90.6	20.3		
LG 157.250.35.127:	443/Http client/Threa	ad Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 157.250.35.127:	443/Http client/Task	Pool used					
0	0	0.017	0	0	0.001		
LG 157.250.35.127:	443/Controller Conn	ection/Disconnection	ons				
0	0	0	0	0	-		
LG 157.250.35.127:	443/Controller Conn	ection/Reconnectio	ns				
0	0	0	0	0	-		
LG 157.250.35.127:	443/Controller Conn	ection/Ping Duration	n (ms)				
127	300.1	2,979	148	205.9	485.3		

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.35.127:443/Network/Segments sent/sec.								
2.4	505.4	1,827	390.2	483.8	407.1			
LG 157.250.35.127:	LG 157.250.35.127:443/Network/Segments retransmitted/sec.							
0	1.3	9.51	0	1.01	2.39			
LG 157.250.35.127:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.					
0.003	7.27	18.6	7.53	7.26	4.26			
LG 157.250.35.127:	LG 157.250.35.127:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.007	0.641	1.77	0.595	0.631	0.411			

LG 157.250.35.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.35.142:	443/CPU Load							
0	4.25	14	4	4.23	2.36			
LG 157.250.35.142:443/Memory Used								
1	5.34	13	5	5.2	2.42			
LG 157.250.35.142:	443/Throughput							
0	7.33	16.3	7.46	7.32	4.24			
LG 157.250.35.142:	443/User Load							
0	31.9	66	29	31.9	18.2			
LG 157.250.35.142:	443/Thread Count							
40	92.5	132	89	92.3	20.1			
LG 157.250.35.142:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.35.142:	443/Http client/Task	Pool used						
0	0.001	0.083	0	0	0.005			
LG 157.250.35.142:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.35.142:	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 157.250.35.142:	443/Controller Conn	ection/Ping Duration	n (ms)					
119	221	825	204	201.4	126.9			
LG 157.250.35.142:	443/Network/Segme	nts sent/sec.						
1.62	536.4	1,679	401.3	514.3	428.1			
LG 157.250.35.142:	443/Network/Segme	nts retransmitted/se	ec.					
0	1.23	9.12	0	0.967	2.28			
LG 157.250.35.142:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.					
0.002	7.73	17.3	7.91	7.71	4.47			
LG 157.250.35.142:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0.006	0.674	1.61	0.601	0.664	0.425			

LG 157.250.35.153:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.35.153:443/CPU Load									
0	4.2	14	4	4.15	2.49				
LG 157.250.35.153:	443/Memory Used								
2	5.42	18	4	5.05	3.57				
LG 157.250.35.153:	443/Throughput								
0	6.55	14.6	6.81	6.53	3.73				
LG 157.250.35.153:	443/User Load								
0	30.7	66	28	30.7	18.2				
LG 157.250.35.153:443/Thread Count									
40	91	132	87	90.8	20.4				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.35.153:443/Http client/Thread Pool used									
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.35.153:4	LG 157.250.35.153:443/Http client/Task Pool used								
0	0.001	0.083	0	0	0.007				
LG 157.250.35.153:4	443/Controller Conn	ection/Disconnectio	ns						
0	0	0	0	0	-				
LG 157.250.35.153:4	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 157.250.35.153:4	443/Controller Conn	ection/Ping Duration	n (ms)						
147	288.8	1,439	186	249	252.1				
LG 157.250.35.153:4	443/Network/Segme	nts sent/sec.							
1.58	468.1	1,403	395.8	449	348.2				
LG 157.250.35.153:4	443/Network/Segme	nts retransmitted/se	c.						
0	1.63	12.6	0	1.3	2.96				
LG 157.250.35.153:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.002	6.88	15.4	7.12	6.86	3.92				
LG 157.250.35.153:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.						
0.006	0.604	1.52	0.594	0.597	0.363				

LG 157.250.35.177:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.35.177:	443/CPU Load								
0	3.98	12	4	3.92	2.28				
LG 157.250.35.177:	LG 157.250.35.177:443/Memory Used								
1	5.47	18	4	5.11	3.74				
LG 157.250.35.177:	443/Throughput								
0	6.8	14.8	6.99	6.81	3.82				
LG 157.250.35.177:	443/User Load								
0	30.2	65	28	30.1	17.7				
LG 157.250.35.177:	443/Thread Count								
39	90.3	129	87	90.2	19.7				
LG 157.250.35.177:	443/Http client/Thre	ad Pool used							
0.1	0.1	0.115	0.1	0.1	0.001				
LG 157.250.35.177:	443/Http client/Task	Pool used							
0	0	0.1	0	0	0.005				
LG 157.250.35.177:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 157.250.35.177:	443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 157.250.35.177:	443/Controller Conn	ection/Ping Duration	n (ms)						
102	222.2	794	177	196.8	154.1				
LG 157.250.35.177:	443/Network/Segme	nts sent/sec.							
1.6	493.8	1,493	375.4	472.4	393.4				
LG 157.250.35.177:		nts retransmitted/se	ec.						
0	1.13	9.17	0	0.866	2.16				
LG 157.250.35.177:		th0)/Megabits receiv	ved/sec.						
0.002	7.17	15.5	7.33	7.18	4.04				
LG 157.250.35.177:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.						
0.006	0.628	1.5	0.559	0.618	0.392				



LG 157.250.35.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.35.184:	443/CPU Load							
0	4.14	12	4	4.1	2.37			
LG 157.250.35.184:443/Memory Used								
2	4.72	17	3	4.38	3.15			
LG 157.250.35.184:	443/Throughput							
0	7	15.9	7.3	7.01	4.07			
LG 157.250.35.184:	443/User Load							
0	30.7	66	28	30.6	18.3			
LG 157.250.35.184:	443/Thread Count							
39	91.1	131	89	90.9	20.3			
LG 157.250.35.184:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.35.184:	443/Http client/Task	Pool used						
0	0	0.083	0	0	0.005			
LG 157.250.35.184:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.35.184:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 157.250.35.184:	443/Controller Conn	ection/Ping Duration	n (ms)					
141	257.2	778	216	236.6	126.2			
LG 157.250.35.184:	443/Network/Segme	nts sent/sec.						
1.6	511.6	1,564	399.3	490	411.3			
LG 157.250.35.184:	443/Network/Segme	nts retransmitted/se	ec.					
0	1.16	7.73	0	0.906	2.19			
LG 157.250.35.184:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0.002	7.38	16.8	7.69	7.39	4.3			
LG 157.250.35.184:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0.006	0.644	1.58	0.598	0.635	0.408			

LG 157.250.35.223:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.35.223:	LG 157.250.35.223:443/CPU Load							
0	3.88	13	4	3.83	2.25			
LG 157.250.35.223:	443/Memory Used							
1	5.28	12	5	5.14	2.48			
LG 157.250.35.223:	443/Throughput							
0	6.99	14.1	7.33	7.03	3.9			
LG 157.250.35.223:	443/User Load							
0	31.6	66	29.5	31.6	18			
LG 157.250.35.223:	443/Thread Count							
40	91.8	130	88.5	91.7	19.6			
LG 157.250.35.223:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.35.223:	443/Http client/Task	Pool used						
0	0.001	0.117	0	0	0.006			
LG 157.250.35.223:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.35.223:	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 157.250.35.223:	443/Controller Conn	ection/Ping Duration	n (ms)					
128	253	1,395	166	215	224.2			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.35.223:443/Network/Segments sent/sec.								
3.85	516.1	1,478	398.3	496.2	408.3			
LG 157.250.35.223:	443/Network/Segme	nts retransmitted/se	c.					
0	1.2	9.99	0	0.951	2.21			
LG 157.250.35.223:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.					
0.005	7.38	15	7.71	7.42	4.12			
LG 157.250.35.223:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.009	0.648	1.52	0.595	0.639	0.404			

LG 157.250.35.252:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.35.252:	443/CPU Load							
0	4.27	12	4	4.21	2.39			
LG 157.250.35.252:443/Memory Used								
1	4.86	17	3	4.5	3.32			
LG 157.250.35.252:	443/Throughput							
0	6.75	14.7	7.64	6.78	3.55			
LG 157.250.35.252:	443/User Load							
0	31.8	66	29	31.8	18.3			
LG 157.250.35.252:	443/Thread Count							
39	92.5	132	88	92.4	20.3			
LG 157.250.35.252:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.35.252:	443/Http client/Task	Pool used						
0	0	0.067	0	0	0.004			
LG 157.250.35.252:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.35.252:	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 157.250.35.252:	443/Controller Conn	ection/Ping Duration	n (ms)					
132	285.9	900	220	263.8	176.3			
LG 157.250.35.252:	443/Network/Segme	nts sent/sec.						
1.58	488.5	1,287	433.8	476.8	338.4			
LG 157.250.35.252:	443/Network/Segme	nts retransmitted/se	ec.					
0	2.57	27.6	0	2.01	4.6			
LG 157.250.35.252:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.					
0.002	7.1	15.4	8.03	7.13	3.73			
LG 157.250.35.252:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0.006	0.627	1.5	0.641	0.624	0.351			

LG 157.250.36.138:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.36.138:	LG 157.250.36.138:443/CPU Load								
0	4.1	13	4	4.08	2.37				
LG 157.250.36.138:	443/Memory Used								
1	5.03	18	4	4.65	3.5				
LG 157.250.36.138:	443/Throughput								
0	7.09	16.2	7.97	7.1	4.09				
LG 157.250.36.138:	443/User Load								
0	30.7	66	28	30.6	18.3				
LG 157.250.36.138:	_G 157.250.36.138:443/Thread Count								
39	91	131	88	90.9	20.1				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.36.138:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.36.138:4	443/Http client/Task	Pool used						
0	0	0.033	0	0	0.003			
LG 157.250.36.138:4	443/Controller Conn	ection/Disconnectio	ns					
0	0	0	0	0	-			
LG 157.250.36.138:4	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 157.250.36.138:4	443/Controller Conn	ection/Ping Duration	n (ms)					
119	206.3	639	182	195.3	88.5			
LG 157.250.36.138:4	443/Network/Segme	nts sent/sec.						
1.6	518.5	1,655	438.8	496.2	414.7			
LG 157.250.36.138:4	443/Network/Segme	nts retransmitted/se	c.					
0	1.15	9.69	0	0.902	2.17			
LG 157.250.36.138:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0.002	7.46	17.1	8.37	7.48	4.31			
LG 157.250.36.138:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0.006	0.655	1.62	0.652	0.645	0.417			

LG 157.250.36.173:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.36.173:	443/CPU Load				
0	4.12	13	4	4.08	2.42
LG 157.250.36.173:	443/Memory Used				
1	4.93	16	3	4.61	3.29
LG 157.250.36.173:	443/Throughput				
0	6.86	14.2	6.85	6.87	3.93
LG 157.250.36.173:	443/User Load				
0	30.3	65	28	30.2	17.6
LG 157.250.36.173:	443/Thread Count				
39	90.3	130	87	90.1	19.8
LG 157.250.36.173:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.36.173:	443/Http client/Task	Pool used			
0	0	0.067	0	0	0.003
LG 157.250.36.173:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.36.173:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.36.173:	443/Controller Conn	ection/Ping Duration	n (ms)		
125	590.6	13,620	180	221.6	2,040
LG 157.250.36.173:	443/Network/Segme	nts sent/sec.			
1.6	494.7	1,464	371.8	473.6	394.1
LG 157.250.36.173:	443/Network/Segme	nts retransmitted/se	ec.		
0	1.15	8.55	0	0.87	2.25
LG 157.250.36.173:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	7.21	15.2	7.17	7.22	4.14
LG 157.250.36.173:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.63	1.58	0.562	0.62	0.397



LG 157.250.36.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 157.250.36.223:	443/CPU Load									
0	4.23	12	4	4.19	2.4					
LG 157.250.36.223:	LG 157.250.36.223:443/Memory Used									
1	5.18	17	4	4.82	3.43					
LG 157.250.36.223:	443/Throughput									
0	7.07	14	7.41	7.12	3.84					
LG 157.250.36.223:	443/User Load									
0	31.6	66	29	31.5	17.9					
LG 157.250.36.223:	443/Thread Count									
39	91.7	131	88	91.6	19.7					
LG 157.250.36.223:	443/Http client/Threa	ad Pool used								
0.1	0.1	0.1	0.1	0.1	0					
LG 157.250.36.223:	443/Http client/Task	Pool used								
0	0.001	0.067	0	0	0.005					
LG 157.250.36.223:	443/Controller Conn	ection/Disconnection	ons							
0	0	0	0	0	-					
LG 157.250.36.223:	443/Controller Conn	ection/Reconnectio	ns							
0	0	0	0	0						
LG 157.250.36.223:	443/Controller Conn	ection/Ping Duration	n (ms)							
129	217.8	820	149	193.8	140.5					
LG 157.250.36.223:	443/Network/Segme	nts sent/sec.								
1.6	517.2	1,418	413.5	498.9	397					
LG 157.250.36.223:	443/Network/Segme	nts retransmitted/se	ec.							
0	1.21	8.89	0	0.952	2.24					
LG 157.250.36.223:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.							
0.002	7.44	14.6	7.8	7.5	4.05					
LG 157.250.36.223:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.							
0.006	0.655	1.71	0.611	0.647	0.396					

LG 157.250.37.13:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.13:4	43/CPU Load				
0	4.41	13	4	4.36	2.49
LG 157.250.37.13:4	43/Memory Used				
2	4.79	16	3	4.44	3.22
LG 157.250.37.13:4	43/Throughput				
0	6.67	14.7	6.91	6.67	3.65
LG 157.250.37.13:4	43/User Load				
0	31.4	66	29	31.4	18
LG 157.250.37.13:4	43/Thread Count				
39	91.9	131	88	91.9	20.6
LG 157.250.37.13:4	43/Http client/Thread	d Pool used			
0.1	0.1	0.11	0.1	0.1	0.001
LG 157.250.37.13:4	43/Http client/Task F	Pool used			
0	0	0.017	0	0	0.002
LG 157.250.37.13:4	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 157.250.37.13:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 157.250.37.13:4	43/Controller Conne	ction/Ping Duration	(ms)		
119	247.8	843	198	222.5	182.2



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.37.13:44	LG 157.250.37.13:443/Network/Segments sent/sec.								
1.57	473.4	1,384	384.5	457.7	339.8				
LG 157.250.37.13:44	43/Network/Segmen	ts retransmitted/sec							
0	1.77	12.8	0	1.43	3.17				
LG 157.250.37.13:44	43/Network/eth0 (eth	0)/Megabits receive	ed/sec.						
0.002	7.02	15.5	7.25	7.02	3.85				
LG 157.250.37.13:44	LG 157.250.37.13:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.006	0.611	1.47	0.573	0.606	0.355				

LG 157.250.37.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.23:4	43/CPU Load				
0	3.91	11	4	3.86	2.28
LG 157.250.37.23:4	43/Memory Used				
2	5.53	14	5	5.37	2.56
LG 157.250.37.23:4	43/Throughput				
0	6.95	15.8	7.11	6.89	4.27
LG 157.250.37.23:4	43/User Load				
0	30.7	66	28	30.6	18.3
LG 157.250.37.23:4	43/Thread Count				
39	90.6	131	87	90.4	20.3
LG 157.250.37.23:4	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.37.23:4	43/Http client/Task F	Pool used			
0	0	0.05	0	0	0.003
LG 157.250.37.23:4	43/Controller Conne	ction/Disconnection	ns		
0	0	0	0	0	-
LG 157.250.37.23:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 157.250.37.23:4	43/Controller Conne	ction/Ping Duration	(ms)		
102	231.5	1,273	147	193.6	212.9
LG 157.250.37.23:4	43/Network/Segmen	ts sent/sec.			
1.62	509.9	1,611	388.7	484.2	424.4
LG 157.250.37.23:4	43/Network/Segmen	ts retransmitted/sec	.		
0	1.22	7.85	0	0.96	2.29
LG 157.250.37.23:4	43/Network/eth0 (eth	0)/Megabits receive	ed/sec.		
0.002	7.34	16.7	7.5	7.27	4.51
LG 157.250.37.23:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0.006	0.643	1.75	0.583	0.631	0.428

LG 157.250.37.3:443

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 157.250.37.3:44	LG 157.250.37.3:443/CPU Load									
0	3.9	12	4	3.88	1.95					
LG 157.250.37.3:44	3/Memory Used									
1	5.37	12	5	5.26	2.45					
LG 157.250.37.3:44	3/Throughput									
0	6.6	14.8	7.04	6.62	3.37					
LG 157.250.37.3:44	3/User Load									
0	31.9	66	29	31.9	18.1					
LG 157.250.37.3:44	_G 157.250.37.3:443/Thread Count									
39	92.3	132	88	92.3	20.4					



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.37.3:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.37.3:44	3/Http client/Task Po	ool used						
0	0	0.05	0	0	0.003			
LG 157.250.37.3:44	3/Controller Connec	tion/Disconnections	3					
0	0	0	0	0	-			
LG 157.250.37.3:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 157.250.37.3:44	3/Controller Connec	tion/Ping Duration (ms)					
106	348.7	4,995	221	228.8	741			
LG 157.250.37.3:44	3/Network/Segments	s sent/sec.						
1.59	472.8	1,399	409.1	458.5	316.9			
LG 157.250.37.3:443	3/Network/Segments	s retransmitted/sec.						
0	2.32	15.3	0	1.89	4			
LG 157.250.37.3:44	3/Network/eth0 (eth))/Megabits received	l/sec.					
0.002	6.93	15.7	7.33	6.95	3.53			
LG 157.250.37.3:44	3/Network/eth0 (eth))/Megabits sent/sec						
0.006	0.612	1.5	0.609	0.608	0.331			

LG 157.250.37.89:443

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 157.250.37.89:44	43/CPU Load									
0	4.06	11	4	4.02	2.33					
LG 157.250.37.89:44	LG 157.250.37.89:443/Memory Used									
1	5.93	14	6	5.8	2.63					
LG 157.250.37.89:44	43/Throughput									
0	7.14	16.5	7.17	7.12	4.16					
LG 157.250.37.89:44	43/User Load									
0	31.8	66	29	31.8	18.3					
LG 157.250.37.89:44	43/Thread Count									
39	91.9	130	88	91.8	20.2					
LG 157.250.37.89:44	43/Http client/Thread	d Pool used								
0.1	0.1	0.1	0.1	0.1	0					
LG 157.250.37.89:44	43/Http client/Task F	Pool used								
0	0	0.033	0	0	0.004					
LG 157.250.37.89:44	43/Controller Conne	ction/Disconnection	ıs							
0	0	0	0	0	-					
LG 157.250.37.89:44	43/Controller Conne	ction/Reconnection	s							
0	0	0	0	0	-					
LG 157.250.37.89:44	43/Controller Conne	ction/Ping Duration	(ms)							
120	245.2	854	217	224.6	150.1					
LG 157.250.37.89:44	43/Network/Segmen	ts sent/sec.								
2.81	530.8	1,688	402.3	513.3	413.8					
LG 157.250.37.89:44	43/Network/Segmen	ts retransmitted/sec								
0	1.27	10.6	0	1.02	2.25					
LG 157.250.37.89:44	43/Network/eth0 (eth	0)/Megabits receive	d/sec.							
0.003	7.53	17.4	7.61	7.51	4.38					
LG 157.250.37.89:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.							
0.008	0.661	1.73	0.584	0.654	0.413					



LG 157.250.37.8:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 157.250.37.8:44	3/CPU Load									
0	4.36	11	4	4.32	2.46					
LG 157.250.37.8:44	LG 157.250.37.8:443/Memory Used									
1	4.96	16	4	4.65	3.09					
LG 157.250.37.8:44	3/Throughput									
0	7.22	16.8	7.33	7.25	4.04					
LG 157.250.37.8:44	3/User Load									
0	31.8	65	29	31.8	18.1					
LG 157.250.37.8:44	3/Thread Count									
39	92.1	129	88	92.1	20.4					
LG 157.250.37.8:44	3/Http client/Thread	Pool used								
0.1	0.1	0.1	0.1	0.1	0					
LG 157.250.37.8:44	3/Http client/Task Po	ool used								
0	0	0.017	0	0	0.002					
LG 157.250.37.8:44	3/Controller Connec	tion/Disconnections	3							
0	0	0	0	0	-					
LG 157.250.37.8:44	3/Controller Connec	tion/Reconnections								
0	0	0	0	0	-					
LG 157.250.37.8:44	3/Controller Connec	tion/Ping Duration (ms)							
121	271.7	1,474	143	219.3	303.7					
LG 157.250.37.8:44	3/Network/Segments	s sent/sec.								
1.57	540.6	1,744	409	521.1	423					
LG 157.250.37.8:44	3/Network/Segments	s retransmitted/sec.								
0	1.31	9.2	0	1.06	2.29					
LG 157.250.37.8:44	3/Network/eth0 (eth0)/Megabits received	l/sec.							
0.002	7.62	17.7	7.71	7.65	4.27					
LG 157.250.37.8:44	3/Network/eth0 (eth0)/Megabits sent/sec								
0.006	0.674	1.63	0.599	0.666	0.418					

LG 157.250.38.148:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
.G 157.250.38.148:443/CPU Load								
0	4.2	14	4	4.15	2.4			
LG 157.250.38.148:	443/Memory Used							
1	5.12	17	4	4.81	3.16			
LG 157.250.38.148:	443/Throughput							
0	7.12	15.7	7.46	7.15	4.01			
LG 157.250.38.148:	443/User Load							
0	31.8	66	29	31.8	18.1			
LG 157.250.38.148:	443/Thread Count							
39	92	130	88	91.9	19.8			
LG 157.250.38.148:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.11	0.1	0.1	0.001			
LG 157.250.38.148:	443/Http client/Task	Pool used						
0	0	0.067	0	0	0.004			
LG 157.250.38.148:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.38.148:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 157.250.38.148:	443/Controller Conn	ection/Ping Duration	n (ms)					
90	258.3	1,246	154	213.9	250			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.38.148:	LG 157.250.38.148:443/Network/Segments sent/sec.								
1.6	529	1,574	408.8	511.4	410				
LG 157.250.38.148:	LG 157.250.38.148:443/Network/Segments retransmitted/sec.								
0	1.25	8.23	0	1	2.22				
LG 157.250.38.148:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.002	7.51	16.4	7.83	7.54	4.22				
LG 157.250.38.148:	LG 157.250.38.148:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.006	0.666	1.59	0.616	0.658	0.412				

LG 157.250.38.198:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.38.198:	443/CPU Load								
0	4.23	10	4	4.2	2.33				
LG 157.250.38.198:	LG 157.250.38.198:443/Memory Used								
1	4.75	17	4	4.4	3.2				
LG 157.250.38.198:	443/Throughput								
0	7.11	14	7.67	7.16	3.87				
LG 157.250.38.198:	443/User Load								
0	31.2	65	29	31.2	18.1				
LG 157.250.38.198:	443/Thread Count								
39	91.5	129	88	91.5	20.4				
LG 157.250.38.198:	443/Http client/Thre	ad Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.38.198:	443/Http client/Task	Pool used							
0	0	0.033	0	0	0.002				
LG 157.250.38.198:	443/Controller Conr	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 157.250.38.198:	443/Controller Conr	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 157.250.38.198:	443/Controller Conr	ection/Ping Duration	n (ms)						
96	211.6	783	153.5	190.6	129.9				
LG 157.250.38.198:	443/Network/Segme	nts sent/sec.							
1.59	521.9	1,448	419.9	503.8	400.4				
LG 157.250.38.198:	443/Network/Segme	nts retransmitted/se	ec.						
0	1.2	10.89	0	0.949	2.17				
LG 157.250.38.198:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.002	7.5	15	8.07	7.55	4.08				
LG 157.250.38.198:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0.006	0.656	1.53	0.618	0.65	0.4				

LG 157.250.38.214:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.38.214:4	LG 157.250.38.214:443/CPU Load								
0	4.37	34	4	4.27	2.7				
LG 157.250.38.214:4	443/Memory Used								
2	5.67	14	5	5.54	2.62				
LG 157.250.38.214:4	443/Throughput								
0	6.99	62.8	7.15	6.81	4.58				
LG 157.250.38.214:4	443/User Load								
0	31.5	66	29	31.5	18.1				
LG 157.250.38.214:443/Thread Count									
39	92.9	132	88	92.8	21				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.38.214:443/Http client/Thread Pool used								
0.1	0.101	0.14	0.1	0.1	0.006			
LG 157.250.38.214:4	443/Http client/Task	Pool used						
0	0.001	0.083	0	0	0.005			
LG 157.250.38.214:4	443/Controller Conn	ection/Disconnectio	ons					
0	0	0	0	0	-			
LG 157.250.38.214:4	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 157.250.38.214:4	443/Controller Conn	ection/Ping Duration	n (ms)					
93	227.4	665	217	210.6	111.8			
LG 157.250.38.214:4	443/Network/Segme	nts sent/sec.						
1.57	501.5	3,147	384.8	478.9	396.2			
LG 157.250.38.214:4	443/Network/Segme	nts retransmitted/se	c.					
0	2.01	17.5	0	1.56	3.77			
LG 157.250.38.214:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0.002	7.35	65.2	7.48	7.16	4.79			
LG 157.250.38.214:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0.006	0.641	4.66	0.589	0.626	0.422			

LG 157.250.38.223:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.223:	443/CPU Load				
0	3.74	10	4	3.68	2.15
LG 157.250.38.223:	443/Memory Used				
1	5.27	17	4	4.93	3.54
LG 157.250.38.223:	443/Throughput				
0	6.09	14	6.2	6.05	3.35
LG 157.250.38.223:	443/User Load				
0	30.4	66	28	30.2	17.6
LG 157.250.38.223:	443/Thread Count				
39	90.8	132	87	90.6	19.9
LG 157.250.38.223:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.115	0.1	0.1	0.001
LG 157.250.38.223:	443/Http client/Task	Pool used			
0	0.001	0.083	0	0	0.006
LG 157.250.38.223:	443/Controller Conr	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.38.223:	443/Controller Conr	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.38.223:	443/Controller Conr	ection/Ping Duration	n (ms)		
137	255.3	1,397	217	230.6	147.6
LG 157.250.38.223:	443/Network/Segme	nts sent/sec.			
1.6	416.3	1,374	368.2	397.3	289.5
LG 157.250.38.223:	443/Network/Segme	nts retransmitted/se	ec.		
0	1.41	12.3	0	1.06	2.7
LG 157.250.38.223:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.		
0.002	6.4	14.6	6.51	6.36	3.52
LG 157.250.38.223:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.548	1.43	0.534	0.539	0.309



LG 157.250.38.57:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.38.57:4	443/CPU Load							
0	4.31	12	4	4.26	2.46			
LG 157.250.38.57:443/Memory Used								
2	4.71	16	3	4.36	3.23			
LG 157.250.38.57:4	443/Throughput							
0	6.81	15.5	7.66	6.82	3.7			
LG 157.250.38.57:4	443/User Load							
0	31.6	65	28.5	31.6	18.1			
LG 157.250.38.57:4	443/Thread Count							
39	92.2	132	87.5	92.3	20.9			
LG 157.250.38.57:4	443/Http client/Threa	d Pool used						
0.1	0.1	0.125	0.1	0.1	0.002			
LG 157.250.38.57:4	443/Http client/Task I	Pool used						
0	0.001	0.083	0	0	0.006			
LG 157.250.38.57:4	443/Controller Conne	ection/Disconnection	าร					
0	0	0	0	0	-			
LG 157.250.38.57:4	443/Controller Conne	ection/Reconnection	s					
0	0	0	0	0				
LG 157.250.38.57:4	443/Controller Conne	ection/Ping Duration	(ms)					
109	251.7	830	220	232.6	123			
LG 157.250.38.57:4	443/Network/Segmen	its sent/sec.						
1.62	493.4	1,458	425.7	479.4	349.6			
LG 157.250.38.57:4	443/Network/Segmen	ts retransmitted/sec	·					
0	1.96	15.7	0	1.58	3.39			
LG 157.250.38.57:4	443/Network/eth0 (etl	h0)/Megabits receive	ed/sec.					
0.002	7.15	16.3	8	7.16	3.88			
LG 157.250.38.57:4	443/Network/eth0 (etl	h0)/Megabits sent/se	ec.					
0.006	0.627	1.49	0.62	0.624	0.357			

LG 157.250.38.64:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 157.250.38.64:443/CPU Load							
0	3.94	11	4	3.9	2.22		
LG 157.250.38.64:4	43/Memory Used						
1	4.84	17	3	4.48	3.31		
LG 157.250.38.64:4	43/Throughput						
0	6.53	14.9	7.1	6.5	3.67		
LG 157.250.38.64:4	43/User Load						
0	31.4	66	28	31.3	18.2		
LG 157.250.38.64:4	43/Thread Count						
39	92.2	132	88	92.1	20.8		
LG 157.250.38.64:4	43/Http client/Thread	d Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 157.250.38.64:4	43/Http client/Task F	Pool used					
0	0	0.05	0	0	0.003		
LG 157.250.38.64:4	43/Controller Conne	ction/Disconnection	ns				
0	0	0	0	0	-		
LG 157.250.38.64:4	43/Controller Conne	ction/Reconnection	s				
0	0	0	0	0	-		
LG 157.250.38.64:4	43/Controller Conne	ction/Ping Duration	(ms)				
97	239.2	1,212	219	218	145.2		

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.38.64:4	LG 157.250.38.64:443/Network/Segments sent/sec.								
1.59	470.2	1,379	405.9	457.1	331.2				
LG 157.250.38.64:4	LG 157.250.38.64:443/Network/Segments retransmitted/sec.								
0	2.32	15.6	0	1.91	3.99				
LG 157.250.38.64:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0.002	6.87	15.7	7.49	6.84	3.86				
LG 157.250.38.64:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.006	0.607	1.45	0.592	0.602	0.354				

LG 157.250.38.81:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.81:44	43/CPU Load				
0	4.36	14	4	4.3	2.47
LG 157.250.38.81:44	43/Memory Used				
2	4.77	17	3	4.43	3.18
LG 157.250.38.81:44	43/Throughput				
0	6.83	14.5	7.36	6.86	3.57
LG 157.250.38.81:44	43/User Load				
0	32.5	66	30	32.6	18.3
LG 157.250.38.81:44	43/Thread Count				
40	93.3	132	89	93.1	20.3
LG 157.250.38.81:44	43/Http client/Thread	d Pool used			
0.1	0.1	0.105	0.1	0.1	0
LG 157.250.38.81:44	43/Http client/Task F	Pool used			
0	0.001	0.1	0	0	0.006
LG 157.250.38.81:44	43/Controller Conne	ction/Disconnection	ıs		
0	0	0	0	0	-
LG 157.250.38.81:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 157.250.38.81:44	43/Controller Conne	ction/Ping Duration	(ms)		
92	267.5	1,486	218	233.7	204.5
LG 157.250.38.81:44	43/Network/Segmen	ts sent/sec.			
2.4	494.8	1,347	410.7	480.8	342.9
LG 157.250.38.81:44	43/Network/Segmen	ts retransmitted/sec	; .		
0	1.87	14.5	0	1.51	3.22
LG 157.250.38.81:44	43/Network/eth0 (eth		ed/sec.		
0.003	7.19	15.2	7.77	7.22	3.76
	43/Network/eth0 (eth		c.		
0.007	0.634	1.47	0.62	0.63	0.35

LG 157.250.39.138:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.39.138:	LG 157.250.39.138:443/CPU Load								
0	4.02	11	4	3.99	2.19				
LG 157.250.39.138:	443/Memory Used								
1	4.66	11	4	4.55	2.03				
LG 157.250.39.138:	443/Throughput								
0	6.72	15.9	7.15	6.69	3.78				
LG 157.250.39.138:	443/User Load								
0	31	66	28	30.8	18.1				
LG 157.250.39.138:443/Thread Count									
40	91.2	132	87	91	20				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.39.138:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.39.138:	443/Http client/Task	Pool used						
0	0.001	0.05	0	0	0.004			
LG 157.250.39.138:	443/Controller Conn	ection/Disconnectio	ons					
0	0	0	0	0	-			
LG 157.250.39.138:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 157.250.39.138:	443/Controller Conn	ection/Ping Duration	n (ms)					
95	224.4	957	162	193.4	188.8			
LG 157.250.39.138:	443/Network/Segme	nts sent/sec.						
1.6	483.3	1,598	398.9	463.5	361.7			
LG 157.250.39.138:	443/Network/Segme	nts retransmitted/se	c.					
0	1.74	14.7	0	1.35	3.27			
LG 157.250.39.138:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.					
0.002	7.07	16.8	7.51	7.04	3.98			
LG 157.250.39.138:	443/Network/eth0 (et	th0)/Megabits sent/s	ec.					
0.006	0.617	1.65	0.589	0.609	0.37			

LG 157.250.39.167:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.167:4	443/CPU Load				
0	4.13	11	4	4.1	2.4
LG 157.250.39.167:4	443/Memory Used				
1	4.95	17	4	4.6	3.3
LG 157.250.39.167:4	443/Throughput				
0	7.02	15	7.3	7.03	4.04
LG 157.250.39.167:4	443/User Load				
0	31.5	66	29	31.5	18.1
LG 157.250.39.167:4	443/Thread Count				
40	91.8	131	88	91.6	19.7
LG 157.250.39.167:4	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.39.167:	443/Http client/Task	Pool used			
0	0.001	0.083	0	0	0.004
LG 157.250.39.167:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.39.167:4		ection/Reconnectio	ns		
0	0	0	0	0	-
		ection/Ping Duration	` '		
110	233.9	2,545	142	177.1	328.2
LG 157.250.39.167:4	443/Network/Segme	nts sent/sec.			
1.59	515.7	1,480	397	496.1	409.3
LG 157.250.39.167:4	443/Network/Segme	nts retransmitted/se	ec.		
0	1.23	9.33	0	0.963	2.29
LG 157.250.39.167:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	7.39	15.7	7.67	7.41	4.26
LG 157.250.39.167:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.		
0.006	0.649	1.53	0.594	0.641	0.409



LG 157.250.39.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.39.216:	443/CPU Load								
0	4.23	20	4	4.17	2.54				
LG 157.250.39.216:	LG 157.250.39.216:443/Memory Used								
1	5.13	18	4	4.78	3.45				
LG 157.250.39.216:	443/Throughput								
0	7.09	16.8	7.48	7.09	4.04				
LG 157.250.39.216:	443/User Load								
0	31.6	66	29	31.6	18.3				
LG 157.250.39.216:	443/Thread Count								
39	92	132	88	92	20.5				
LG 157.250.39.216:	443/Http client/Threa	ad Pool used							
0.1	0.1	0.115	0.1	0.1	0.001				
LG 157.250.39.216:	443/Http client/Task	Pool used							
0	0	0.067	0	0	0.004				
LG 157.250.39.216:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 157.250.39.216:	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0					
LG 157.250.39.216:	443/Controller Conn	ection/Ping Duration	n (ms)						
112	229.1	868	152	201.8	177.5				
LG 157.250.39.216:	443/Network/Segme	nts sent/sec.							
1.59	528	1,666	410.8	508.4	411.7				
LG 157.250.39.216:	443/Network/Segme	nts retransmitted/se	ec.						
0	1.24	8.62	0	0.999	2.2				
LG 157.250.39.216:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.002	7.46	17.7	7.86	7.47	4.25				
LG 157.250.39.216:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0.006	0.663	1.68	0.608	0.656	0.413				

LG 157.250.39.228:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.228:	443/CPU Load				
0	4.21	12	4	4.18	2.26
LG 157.250.39.228:	443/Memory Used				
1	5.05	12	5	4.91	2.25
LG 157.250.39.228:	443/Throughput				
0	7.21	16.5	7.55	7.2	4.12
LG 157.250.39.228:	443/User Load				
0	31.7	66	29	31.7	18.3
LG 157.250.39.228:	443/Thread Count				
39	91.8	131	89	91.7	19.8
LG 157.250.39.228:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.39.228:	443/Http client/Task	Pool used			
0	0	0.067	0	0	0.004
LG 157.250.39.228:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.39.228:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.39.228:	443/Controller Conn	ection/Ping Duration	n (ms)		
106	253.6	1,231	215	223.1	187.5



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.39.228:	LG 157.250.39.228:443/Network/Segments sent/sec.								
2.01	529	1,654	410.7	503.3	431.2				
LG 157.250.39.228:	LG 157.250.39.228:443/Network/Segments retransmitted/sec.								
0	1.24	9.13	0	0.953	2.37				
LG 157.250.39.228:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.003	7.61	17.6	8	7.59	4.35				
LG 157.250.39.228:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.007	0.666	1.68	0.609	0.653	0.423				

LG 157.250.39.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.235:4	443/CPU Load				
0	3.89	17	4	3.86	2.22
LG 157.250.39.235:4	443/Memory Used				
2	5.67	14	5	5.51	2.53
LG 157.250.39.235:4	443/Throughput				
0	7.03	15.1	7.09	7.04	4.02
LG 157.250.39.235:4	443/User Load				
0	30.3	66	28	30.2	17.8
LG 157.250.39.235:4	443/Thread Count				
39	90.3	131	87	90.1	19.6
LG 157.250.39.235:4	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.39.235:4	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 157.250.39.235:4	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.39.235:4	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.39.235:4	443/Controller Conn	ection/Ping Duratio	n (ms)		
98	197.7	870	142	181	114.7
LG 157.250.39.235:4	443/Network/Segme	nts sent/sec.			
1.57	508.3	1,520	390.5	486.4	406.5
LG 157.250.39.235:4	443/Network/Segme	nts retransmitted/se	ec.		
0	1.15	8.78	0	0.893	2.2
LG 157.250.39.235:4	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.		
0.002	7.41	16.1	7.5	7.41	4.24
LG 157.250.39.235:4	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.643	1.64	0.579	0.633	0.405

LG 157.250.40.121:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.40.121:4	LG 157.250.40.121:443/CPU Load								
0	4.43	15	4	4.36	2.73				
LG 157.250.40.121:4	443/Memory Used								
2	5.39	18	4	5.02	3.67				
LG 157.250.40.121:4	443/Throughput								
0	6.98	16	7.31	6.97	4.08				
LG 157.250.40.121:4	443/User Load								
0	31.5	66	28	31.5	18.3				
LG 157.250.40.121:443/Thread Count									
39	91.7	131	88	91.7	20.4				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.40.121:443/Http client/Thread Pool used								
0.1	0.1	0.115	0.1	0.1	0.001			
LG 157.250.40.121:	443/Http client/Task	Pool used						
0	0.001	0.05	0	0	0.005			
LG 157.250.40.121:	443/Controller Conn	ection/Disconnectio	ons					
0	0	0	0	0	-			
LG 157.250.40.121:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 157.250.40.121:	443/Controller Conn	ection/Ping Duration	n (ms)					
100	261.3	1,492	182	223.5	237.5			
LG 157.250.40.121:	443/Network/Segme	nts sent/sec.						
2	523.6	1,625	399.9	501.5	426.8			
LG 157.250.40.121:	443/Network/Segme	nts retransmitted/se	c.					
0	1.38	11.6	0	1.12	2.41			
LG 157.250.40.121:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.					
0.003	7.33	16.9	7.64	7.32	4.29			
LG 157.250.40.121:	LG 157.250.40.121:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.007	0.655	1.93	0.607	0.643	0.424			

LG 157.250.40.232:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.232:	443/CPU Load				
0	3.97	11	4	3.94	2.15
LG 157.250.40.232:	443/Memory Used				
1	5.14	13	5	4.98	2.32
LG 157.250.40.232:	443/Throughput				
0	7.07	18.9	7.34	7.07	3.92
LG 157.250.40.232:	443/User Load				
0	31.1	66	28	31	17.6
LG 157.250.40.232:	443/Thread Count				
39	91.3	132	88	91.2	19.4
LG 157.250.40.232:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.105	0.1	0.1	0
LG 157.250.40.232:	443/Http client/Task	Pool used			
0	0	0.017	0	0	0.002
LG 157.250.40.232:	443/Controller Conr	nection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.40.232:	443/Controller Conr	nection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.40.232:	443/Controller Conr	nection/Ping Duratio	n (ms)		
131	284.2	3,647	152	207.3	485.5
LG 157.250.40.232:	443/Network/Segme	ents sent/sec.			
1.6	513.9	1,881	401.2	490.5	409.9
LG 157.250.40.232:	443/Network/Segme	ents retransmitted/se	ec.		
0	1.18	9.56	0	0.915	2.24
LG 157.250.40.232:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.		
0.002	7.44	20	7.72	7.44	4.13
LG 157.250.40.232:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.65	1.8	0.59	0.638	0.408



LG 157.250.40.50:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.50:44	3/CPU Load				
0	4.25	13	4	4.18	2.52
LG 157.250.40.50:44	13/Memory Used				
1	5.06	17	4	4.74	3.34
LG 157.250.40.50:44	13/Throughput				
0	6.46	15.4	7.02	6.46	3.53
LG 157.250.40.50:44	13/User Load				
0	30.4	66	28	30.3	17.7
LG 157.250.40.50:44	3/Thread Count				
39	90.7	132	87	90.4	19.4
LG 157.250.40.50:44	13/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.40.50:44	13/Http client/Task P	Pool used			
0	0.001	0.117	0	0	0.007
LG 157.250.40.50:44	3/Controller Conne	ction/Disconnection	ıs		
1	1	1	1	1	0
LG 157.250.40.50:44	3/Controller Conne	ction/Reconnection	s		
1	1	1	1	1	0
LG 157.250.40.50:44	3/Controller Conne	ction/Ping Duration	(ms)		
94	261.2	3,443	217	216.9	355.2
LG 157.250.40.50:44	13/Network/Segmen	ts sent/sec.			
2.4	448.3	1,360	384.5	431.7	324.3
LG 157.250.40.50:44	13/Network/Segmen				
0	1.61	11.8	0	1.25	3.07
LG 157.250.40.50:44	13/Network/eth0 (eth	0)/Megabits receive	ed/sec.		
0.003	6.84	16.2	7.46	6.84	3.73
LG 157.250.40.50:44	13/Network/eth0 (eth	, ,	c.		
0.007	0.587	1.43	0.567	0.579	0.34

LG 157.250.40.93:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.40.93:4	LG 157.250.40.93:443/CPU Load							
0	4.15	15	4	4.08	2.45			
LG 157.250.40.93:4	43/Memory Used							
2	4.91	17	3	4.56	3.31			
LG 157.250.40.93:4	43/Throughput							
0	6.48	13.7	6.83	6.49	3.56			
LG 157.250.40.93:4	43/User Load							
0	30.8	66	28	30.7	18.3			
LG 157.250.40.93:4	43/Thread Count							
40	91.3	131	88	91.1	20.4			
LG 157.250.40.93:4	43/Http client/Thread	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.40.93:4	43/Http client/Task F	Pool used						
0	0	0.05	0	0	0.003			
LG 157.250.40.93:4	43/Controller Conne	ection/Disconnection	าร					
0	0	0	0	0	-			
LG 157.250.40.93:4	43/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 157.250.40.93:4	43/Controller Conne	ection/Ping Duration	(ms)					
99	356.4	9,995	222	240	994.3			

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.40.93:4	_G 157.250.40.93:443/Network/Segments sent/sec.								
1.6	456	1,332	395.2	442.9	321.2				
LG 157.250.40.93:4	LG 157.250.40.93:443/Network/Segments retransmitted/sec.								
0	2.15	20.6	0	1.68	4				
LG 157.250.40.93:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0.002	6.81	14.3	7.29	6.83	3.74				
LG 157.250.40.93:4	LG 157.250.40.93:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.006	0.597	1.83	0.601	0.591	0.349				

LG 157.250.41.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.41.14:4	43/CPU Load								
0	3.96	13	4	3.92	2.19				
LG 157.250.41.14:443/Memory Used									
1	4.72	17	3	4.36	3.32				
LG 157.250.41.14:4	43/Throughput								
0	6.43	13.6	6.92	6.45	3.42				
LG 157.250.41.14:4	43/User Load								
0	31.3	66	28	31.2	18.2				
LG 157.250.41.14:4	43/Thread Count								
39	92	132	87	91.9	20.9				
LG 157.250.41.14:4	43/Http client/Thread	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.41.14:4	43/Http client/Task F	Pool used							
0	0.001	0.067	0	0	0.004				
LG 157.250.41.14:4	43/Controller Conne	ction/Disconnection	าร						
0	0	0	0	0	-				
LG 157.250.41.14:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 157.250.41.14:4	43/Controller Conne	ction/Ping Duration	(ms)						
117	316.5	5,864	155.5	206	705.1				
LG 157.250.41.14:4	43/Network/Segmen	ts sent/sec.							
1.59	459.8	1,244	405.5	446.4	313.9				
LG 157.250.41.14:4	43/Network/Segmen	ts retransmitted/sec	.						
0	2.3	20.6	0	1.75	4.17				
LG 157.250.41.14:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0.002	6.75	14.4	7.25	6.78	3.59				
LG 157.250.41.14:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.						
0.006	0.595	1.32	0.603	0.592	0.332				

LG 157.250.41.172:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.41.172:	LG 157.250.41.172:443/CPU Load								
0	3.57	10	4	3.57	1.84				
LG 157.250.41.172:	443/Memory Used								
2	4.97	13	4	4.79	2.27				
LG 157.250.41.172:	443/Throughput								
0	6.16	14	6.52	6.15	3.51				
LG 157.250.41.172:	443/User Load								
0	31	66	28	30.8	18.2				
LG 157.250.41.172:443/Thread Count									
40	91.3	133	87	91.1	20.5				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.41.172:443/Http client/Thread Pool used									
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.41.172:	LG 157.250.41.172:443/Http client/Task Pool used								
0	0	0.033	0	0	0.002				
LG 157.250.41.172:	443/Controller Conn	ection/Disconnectio	ns						
0	0	0	0	0	-				
LG 157.250.41.172:	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 157.250.41.172:	443/Controller Conn	ection/Ping Duration	n (ms)						
94	217.6	839	174	196.5	139				
LG 157.250.41.172:	443/Network/Segme	nts sent/sec.							
1.6	430.7	1,200	377.8	415	306.3				
LG 157.250.41.172:	443/Network/Segme	nts retransmitted/se	c.						
0	1.97	15.2	0	1.53	3.67				
LG 157.250.41.172:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.002	6.46	14.5	6.87	6.46	3.68				
LG 157.250.41.172:	LG 157.250.41.172:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.006	0.567	1.39	0.558	0.561	0.33				

LG 157.250.41.22:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 157.250.41.22:4	43/CPU Load						
0	4.09	12	4	4.02	2.43		
LG 157.250.41.22:4	43/Memory Used						
1	5.02	16	4	4.69	3.33		
LG 157.250.41.22:4	43/Throughput						
0	6.9	15.8	6.45	6.88	4		
LG 157.250.41.22:4	43/User Load						
0	30.6	66	28	30.5	17.7		
LG 157.250.41.22:4	43/Thread Count						
39	90.9	130	87	90.7	19.6		
LG 157.250.41.22:4	43/Http client/Thread	d Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 157.250.41.22:443/Http client/Task Pool used							
0	0	0.033	0	0	0.002		
LG 157.250.41.22:4	43/Controller Conne	ction/Disconnection	าร				
0	0	0	0	0	-		
LG 157.250.41.22:4	43/Controller Conne	ction/Reconnection	s				
0	0	0	0	0	-		
LG 157.250.41.22:4	43/Controller Conne	ction/Ping Duration	(ms)				
117	236.1	2,451	137	170.7	350.3		
LG 157.250.41.22:4	43/Network/Segmen	ts sent/sec.					
3.04	501.8	1,521	359.6	479.4	408.1		
LG 157.250.41.22:4	43/Network/Segmen	ts retransmitted/sec	.				
0	1.16	8.24	0	0.912	2.23		
LG 157.250.41.22:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.				
0.004	7.27	16.5	6.84	7.25	4.22		
LG 157.250.41.22:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.				
0.008	0.636	1.65	0.541	0.624	0.408		



LG 157.250.41.241:443

Performance Counters

LG 157.250.41.241:443/CPU Load 0
LG 157.250.41.241:443/Memory Used 1
1 5.52 14 5 5 2.58 LG 157.250.41.241:443/Throughput 0 6.99 15.9 6.97 7 3.97 LG 157.250.41.241:443/User Load 0 31 66 28 30.9 17.7 LG 157.250.41.241:443/Thread Count 39 91 129 87 91 19.8 LG 157.250.41.241:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 LG 157.250.41.241:443/Http client/Task Pool used 0 0 0.033 0 0 0 0.002 LG 157.250.41.241:443/Controller Connection/Disconnections
LG 157.250.41.241:443/Throughput 0 6.99 15.9 6.97 7 3.97 LG 157.250.41.241:443/User Load 0 31 66 28 30.9 17.7 LG 157.250.41.241:443/Thread Count 39 91 129 87 91 19.8 LG 157.250.41.241:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 LG 157.250.41.241:443/Http client/Task Pool used 0 0 0.033 0 0 0 0.002 LG 157.250.41.241:443/Controller Connection/Disconnections
0 6.99 15.9 6.97 7 3.97 LG 157.250.41.241:443/User Load 0 31 66 28 30.9 17.7 LG 157.250.41.241:443/Thread Count 39 91 129 87 91 19.8 LG 157.250.41.241:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 LG 157.250.41.241:443/Http client/Task Pool used 0 0 0.033 0 0 0 0.002 LG 157.250.41.241:443/Controller Connection/Disconnections
LG 157.250.41.241:443/User Load 0
0 31 66 28 30.9 17.7 LG 157.250.41.241:443/Thread Count 39 91 129 87 91 19.8 LG 157.250.41.241:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 LG 157.250.41.241:443/Http client/Task Pool used 0 0 0.033 0 0 0 0.002 LG 157.250.41.241:443/Controller Connection/Disconnections
LG 157.250.41.241:443/Thread Count 39 91 129 87 91 19.8 LG 157.250.41.241:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0 LG 157.250.41.241:443/Http client/Task Pool used 0 0 0.033 0 0 0.002 LG 157.250.41.241:443/Controller Connection/Disconnections
39 91 129 87 91 19.8 LG 157.250.41.241:443/Http client/Thread Pool used 0.1 0.1 0.1 0.1 0.1 0.1 0.1 LG 157.250.41.241:443/Http client/Task Pool used 0 0 0.033 0 0 0.002 LG 157.250.41.241:443/Controller Connection/Disconnections
LG 157.250.41.241:443/Http client/Thread Pool used 0.1
0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
LG 157.250.41.241:443/Http client/Task Pool used 0 0 0.033 0 0 0.002 LG 157.250.41.241:443/Controller Connection/Disconnections
0 0 0.033 0 0 0.002 LG 157.250.41.241:443/Controller Connection/Disconnections
LG 157.250.41.241:443/Controller Connection/Disconnections
0 0 0 -
LG 157.250.41.241:443/Controller Connection/Reconnections
0 0 -
LG 157.250.41.241:443/Controller Connection/Ping Duration (ms)
90 212.9 388 215 209.9 62.9
LG 157.250.41.241:443/Network/Segments sent/sec.
1.6 510 1,486 391 489.7 403.7
LG 157.250.41.241:443/Network/Segments retransmitted/sec.
0 1.13 8.92 0 0.878 2.11
LG 157.250.41.241:443/Network/eth0 (eth0)/Megabits received/sec.
0.002 7.36 16.7 7.33 7.37 4.18
LG 157.250.41.241:443/Network/eth0 (eth0)/Megabits sent/sec.
0.006 0.645 1.53 0.584 0.636 0.402

LG 157.250.41.251:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 157.250.41.251:443/CPU Load							
0	4.09	11	4	4.04	2.35		
LG 157.250.41.251:	443/Memory Used						
1	5.59	17	4	5.25	3.66		
LG 157.250.41.251:	443/Throughput						
0	6.97	15.1	6.75	6.98	3.89		
LG 157.250.41.251:	443/User Load						
0	30.4	66	28	30.3	17.7		
LG 157.250.41.251:	443/Thread Count						
39	90.6	132	87	90.2	19.8		
LG 157.250.41.251:	443/Http client/Threa	ad Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 157.250.41.251:	443/Http client/Task	Pool used					
0	0	0.05	0	0	0.003		
LG 157.250.41.251:	443/Controller Conn	ection/Disconnection	ons				
0	0	0	0	0	-		
LG 157.250.41.251:	443/Controller Conn	ection/Reconnectio	ns				
0	0	0	0	0	-		
LG 157.250.41.251:	LG 157.250.41.251:443/Controller Connection/Ping Duration (ms)						
113	269	789	216	251	148.2		



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.41.251:	LG 157.250.41.251:443/Network/Segments sent/sec.							
1.6	506.5	1,510	365.3	484.5	404.4			
LG 157.250.41.251:	LG 157.250.41.251:443/Network/Segments retransmitted/sec.							
0	1.17	8.13	0	0.893	2.28			
LG 157.250.41.251:	LG 157.250.41.251:443/Network/eth0 (eth0)/Megabits received/sec.							
0.002	7.34	15.8	7.08	7.35	4.1			
LG 157.250.41.251:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.006	0.641	1.6	0.557	0.629	0.403			

LG 157.250.41.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.51:4	43/CPU Load				
0	4.15	11	4	4.1	2.35
LG 157.250.41.51:4	43/Memory Used				
2	5.02	17	4	4.66	3.26
LG 157.250.41.51:4	43/Throughput				
0	7.03	15.4	7.69	7.06	4
LG 157.250.41.51:4	43/User Load				
0	31.1	66	28	31	18.4
LG 157.250.41.51:4	43/Thread Count				
39	91.7	132	88	91.4	20.5
LG 157.250.41.51:4	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.41.51:4	43/Http client/Task F	Pool used			
0	0	0.05	0	0	0.003
LG 157.250.41.51:4	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 157.250.41.51:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 157.250.41.51:4	43/Controller Conne	ction/Ping Duration	(ms)		
99	263.6	1,627	155	212.5	282
LG 157.250.41.51:4	43/Network/Segmen	ts sent/sec.			
1.6	513.5	1,494	425.1	491.7	408.4
LG 157.250.41.51:4	43/Network/Segmen	ts retransmitted/sec	:.		
0	1.21	8.59	0	0.945	2.29
LG 157.250.41.51:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0.002	7.4	16.1	8.09	7.43	4.21
LG 157.250.41.51:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0.006	0.647	1.57	0.628	0.637	0.407

LG 157.250.42.225:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.42.225:	LG 157.250.42.225:443/CPU Load							
0	3.93	12	4	3.92	2.22			
LG 157.250.42.225:	443/Memory Used							
2	4.87	14	4	4.62	2.54			
LG 157.250.42.225:	443/Throughput							
0	7.09	16	7.41	7.1	4.04			
LG 157.250.42.225:	443/User Load							
0	31.1	65	28	31.1	18.1			
LG 157.250.42.225:443/Thread Count								
39	91.3	130	87	91.3	20			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.42.225:4	LG 157.250.42.225:443/Http client/Thread Pool used							
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.42.225:4	443/Http client/Task	Pool used						
0	0	0.033	0	0	0.002			
LG 157.250.42.225:4	443/Controller Conn	ection/Disconnectio	ons					
0	0	0	0	0	-			
LG 157.250.42.225:4	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 157.250.42.225:4	443/Controller Conn	ection/Ping Duration	n (ms)					
102	224.7	1,169	148	189.5	201.6			
LG 157.250.42.225:4	443/Network/Segme	nts sent/sec.						
1.58	518	1,544	412.7	498.8	401.5			
LG 157.250.42.225:4	443/Network/Segme	nts retransmitted/se	c.					
0	1.21	8.25	0	0.957	2.2			
LG 157.250.42.225:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0.002	7.47	16.7	7.79	7.48	4.26			
LG 157.250.42.225:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0.006	0.653	1.52	0.602	0.645	0.405			

LG 157.250.42.72:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.42.72:44	43/CPU Load							
0	4.27	11	4	4.21	2.48			
LG 157.250.42.72:44	43/Memory Used							
1	4.88	16	4	4.56	3			
LG 157.250.42.72:44	43/Throughput							
0	7.06	15.8	7.53	7.07	4.02			
LG 157.250.42.72:44	43/User Load							
0	31.1	66	28	31	18.2			
LG 157.250.42.72:44	43/Thread Count							
39	91.4	130	88	91.4	20.2			
LG 157.250.42.72:44	43/Http client/Thread	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.42.72:443/Http client/Task Pool used								
0	0	0.1	0	0	0.005			
LG 157.250.42.72:44	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 157.250.42.72:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 157.250.42.72:44	43/Controller Conne	ction/Ping Duration	(ms)					
92	270.4	820	215	248.6	203			
LG 157.250.42.72:44	43/Network/Segmen	ts sent/sec.						
1.6	522.1	1,514	410.4	502.3	411.6			
LG 157.250.42.72:44	43/Network/Segmen	ts retransmitted/sec						
0	1.23	9.31	0	0.971	2.24			
LG 157.250.42.72:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.					
0.002	7.44	16.5	7.93	7.44	4.24			
LG 157.250.42.72:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.					
0.006	0.656	1.69	0.61	0.647	0.409			



LG 157.250.42.95:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.42.95:4	LG 157.250.42.95:443/CPU Load								
0	3.98	13	4	3.92	2.41				
LG 157.250.42.95:4	LG 157.250.42.95:443/Memory Used								
2	5.47	12	5	5.33	2.55				
LG 157.250.42.95:4	43/Throughput								
0	6.93	28.7	7.07	6.88	4.22				
LG 157.250.42.95:4	43/User Load								
0	30.6	66	28	30.5	18.3				
LG 157.250.42.95:4	43/Thread Count								
39	90.6	130	87	90.6	20.3				
LG 157.250.42.95:4	43/Http client/Threa	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.42.95:4	43/Http client/Task I	Pool used							
0	0.001	0.083	0	0	0.006				
LG 157.250.42.95:4	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 157.250.42.95:4	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 157.250.42.95:4	43/Controller Conne	ection/Ping Duration	(ms)						
115	342.4	2,788	145	222.3	602.2				
LG 157.250.42.95:4	43/Network/Segmen	ts sent/sec.							
1.61	507.5	1,968	390.3	484.4	415.7				
LG 157.250.42.95:4	43/Network/Segmen	ts retransmitted/sec							
0	1.14	8.64	0	0.884	2.18				
LG 157.250.42.95:4	43/Network/eth0 (etl	n0)/Megabits receive	d/sec.						
0.002	7.3	29.2	7.46	7.26	4.44				
LG 157.250.42.95:4	43/Network/eth0 (etl	n0)/Megabits sent/se	c.						
0.006	0.638	1.77	0.568	0.628	0.417				

LG 157.250.43.200:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.200:	443/CPU Load				
0	4.09	10	4	4.07	2.38
LG 157.250.43.200:	443/Memory Used				
2	4.95	16	4	4.62	3.09
LG 157.250.43.200:	443/Throughput				
0	6.96	15.1	7.14	6.96	4.09
LG 157.250.43.200:	443/User Load				
0	30.9	66	28	30.8	18.3
LG 157.250.43.200:	443/Thread Count				
40	91.2	130	87	91	20.4
LG 157.250.43.200:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.11	0.1	0.1	0.001
LG 157.250.43.200:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 157.250.43.200:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.43.200:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.43.200:	443/Controller Conn	ection/Ping Duration	n (ms)		
130	274.6	1,386	178	225.8	287.1

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.43.200:	LG 157.250.43.200:443/Network/Segments sent/sec.							
2.4	508	1,573	389.6	484.9	414.3			
LG 157.250.43.200:443/Network/Segments retransmitted/sec.								
0	1.18	8.91	0	0.912	2.24			
LG 157.250.43.200:	LG 157.250.43.200:443/Network/eth0 (eth0)/Megabits received/sec.							
0.003	7.33	16	7.52	7.33	4.31			
LG 157.250.43.200:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.007	0.64	1.53	0.576	0.629	0.416			

LG 157.250.43.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.43.44:4	43/CPU Load								
0	4.07	11	4	4.03	2.26				
LG 157.250.43.44:4	LG 157.250.43.44:443/Memory Used								
1	5.44	15	5	5.28	2.46				
LG 157.250.43.44:4	43/Throughput								
0	6.72	15.8	7.24	6.71	3.7				
LG 157.250.43.44:4	43/User Load								
0	31.8	66	29	31.7	18.2				
LG 157.250.43.44:4	43/Thread Count								
39	92	132	88	91.9	20.4				
LG 157.250.43.44:4	43/Http client/Thread	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.43.44:4	43/Http client/Task F	Pool used							
0	0	0.05	0	0	0.003				
LG 157.250.43.44:4	43/Controller Conne	ction/Disconnection	าร						
0	0	0	0	0	-				
LG 157.250.43.44:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 157.250.43.44:4	43/Controller Conne	ction/Ping Duration	(ms)						
122	288	5,615	153	196.3	631.4				
LG 157.250.43.44:4	43/Network/Segmen	ts sent/sec.							
2.81	491.5	1,405	400.6	476.1	365.1				
LG 157.250.43.44:4	43/Network/Segmen	ts retransmitted/sed	:.						
0	1.95	16	0	1.58	3.36				
LG 157.250.43.44:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0.003	7.06	16.5	7.56	7.05	3.89				
LG 157.250.43.44:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.						
0.008	0.625	1.59	0.604	0.621	0.373				

LG 157.250.43.73:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.43.73:4	LG 157.250.43.73:443/CPU Load							
0	3.94	12	4	3.89	2.29			
LG 157.250.43.73:4	43/Memory Used							
1	4.58	16	3	4.23	3.16			
LG 157.250.43.73:4	43/Throughput							
0	6.48	16.6	6.98	6.44	3.72			
LG 157.250.43.73:4	43/User Load							
0	30.4	66	28	30.3	18.4			
LG 157.250.43.73:4	LG 157.250.43.73:443/Thread Count							
39	90.9	133	87	90.7	21			



Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.43.73:443/Http client/Thread Pool used							
0.1	0.1	0.1	0.1	0			
43/Http client/Task F	Pool used						
0	0.05	0	0	0.003			
43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	-			
43/Controller Conne	ction/Reconnection	s					
0	0	0	0	-			
43/Controller Conne	ction/Ping Duration	(ms)					
237.5	1,431	180	198.6	210.8			
43/Network/Segmen	ts sent/sec.						
468.8	1,480	372.6	451.8	352.8			
43/Network/Segmen	ts retransmitted/sec						
2.42	18.1	0	1.93	4.36			
43/Network/eth0 (eth	0)/Megabits receive	d/sec.					
6.81	17.3	7.3	6.77	3.91			
43/Network/eth0 (eth	n0)/Megabits sent/se	c.					
0.601	1.44	0.565	0.594	0.371			
	43/Http client/Thread 0.1 43/Http client/Task F 0 43/Controller Conne 0 43/Controller Conne 0 43/Controller Conne 237.5 43/Network/Segmen 468.8 43/Network/Segmen 2.42 43/Network/eth0 (eth 6.81 43/Network/eth0 (eth	43/Http client/Thread Pool used 0.1 0.1 43/Http client/Task Pool used 0 0.05 43/Controller Connection/Disconnection 0 0 43/Controller Connection/Reconnection 0 0 43/Controller Connection/Ping Duration 237.5 1,431 43/Network/Segments sent/sec. 468.8 1,480 43/Network/Segments retransmitted/sec 2.42 18.1 43/Network/eth0 (eth0)/Megabits receive 6.81 17.3 43/Network/eth0 (eth0)/Megabits sent/sec	43/Http client/Thread Pool used 0.1	43/Http client/Thread Pool used 0.1			

LG 157.250.44.195:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.44.195:	443/CPU Load				
0	3.82	14	4	3.77	2.01
LG 157.250.44.195:	443/Memory Used				
1	5.11	12	5	4.97	2.21
LG 157.250.44.195:	443/Throughput				
0	6.68	14.9	6.84	6.67	3.55
LG 157.250.44.195:	443/User Load				
0	31.2	66	29	31.1	17.7
LG 157.250.44.195:	443/Thread Count				
40	92.1	132	89	91.8	20.1
LG 157.250.44.195:	443/Http client/Threa	ad Pool used			
0.1	0.101	0.14	0.1	0.1	0.004
LG 157.250.44.195:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 157.250.44.195:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.44.195:	443/Controller Conn	ection/Reconnection	ns		
0	0	0	0	0	-
LG 157.250.44.195:	443/Controller Conn	ection/Ping Duration	n (ms)		
137	205	785	179	196.9	85.4
LG 157.250.44.195:	443/Network/Segme	nts sent/sec.			
1.62	469.2	1,516	384.3	451	336.7
LG 157.250.44.195:	443/Network/Segme	nts retransmitted/se	c.		
0	2.15	18.5	0	1.67	4.13
LG 157.250.44.195:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.		
0.002	7.02	15.8	7.2	7.02	3.73
LG 157.250.44.195:	443/Network/eth0 (et	th0)/Megabits sent/s	ec.		
0.006	0.612	1.72	0.566	0.603	0.353



LG 157.250.44.214:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.44.214:	443/CPU Load				
0	4.03	12	4	3.98	2.26
LG 157.250.44.214:	443/Memory Used				
2	4.86	17	3	4.5	3.37
LG 157.250.44.214:	443/Throughput				
0	6.39	13.6	6.9	6.42	3.34
LG 157.250.44.214:	443/User Load				
0	32	66	29	32	18
LG 157.250.44.214:	443/Thread Count				
39	92.8	134	88	92.6	20.9
LG 157.250.44.214:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.44.214:	443/Http client/Task	Pool used			
0	0.001	0.1	0	0	0.005
LG 157.250.44.214:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.44.214:	443/Controller Conn	ection/Reconnection	ns		
0	0	0	0	0	-
LG 157.250.44.214:	443/Controller Conn	ection/Ping Duration	n (ms)		
121	221.6	841	154	196.6	164.9
LG 157.250.44.214:	443/Network/Segme	nts sent/sec.			
1.62	454.1	1,407	409.2	440.7	303.4
LG 157.250.44.214:	443/Network/Segme	nts retransmitted/se	c.		
0	2.31	15.4	0	1.88	3.99
LG 157.250.44.214:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.		
0.002	6.72	14.6	7.22	6.75	3.51
LG 157.250.44.214:	443/Network/eth0 (et	th0)/Megabits sent/s	ec.		
0.006	0.593	1.48	0.606	0.589	0.321

LG 157.250.44.76:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 157.250.44.76:443/CPU Load							
0	4.08	13	4	4.04	2.24		
LG 157.250.44.76:44	43/Memory Used						
1	4.68	17	3	4.32	3.21		
LG 157.250.44.76:44	43/Throughput						
0	6.71	14.2	7.17	6.74	3.57		
LG 157.250.44.76:44	43/User Load						
0	31.6	66	28	31.5	18.1		
LG 157.250.44.76:44	43/Thread Count						
40	92.2	133	87.5	92	20.2		
LG 157.250.44.76:44	43/Http client/Thread	d Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 157.250.44.76:44	43/Http client/Task F	Pool used					
0	0	0.017	0	0	0.002		
LG 157.250.44.76:44	43/Controller Conne	ction/Disconnection	ıs				
0	0	0	0	0	-		
LG 157.250.44.76:44	43/Controller Conne	ction/Reconnection	s				
0	0	0	0	0	-		
LG 157.250.44.76:44	43/Controller Conne	ction/Ping Duration	(ms)				
116	234	785	217	217.5	105.7		



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.44.76:4	LG 157.250.44.76:443/Network/Segments sent/sec.								
1.59	485.1	1,358	395.1	467.5	349.5				
LG 157.250.44.76:4	43/Network/Segmen	ts retransmitted/sec							
0	1.88	13.2	0	1.52	3.28				
LG 157.250.44.76:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0.002	7.06	14.8	7.55	7.08	3.76				
LG 157.250.44.76:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.006	0.625	1.76	0.604	0.616	0.363				

LG 157.250.44.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.44.83:44	43/CPU Load				
0	4.21	13	4	4.19	2.39
LG 157.250.44.83:44	43/Memory Used				
1	5.05	14	5	4.88	2.22
LG 157.250.44.83:44	43/Throughput				
0	7.01	14.2	7.39	7.06	3.84
LG 157.250.44.83:44	43/User Load				
0	31.3	66	28.5	31.3	18
LG 157.250.44.83:44	43/Thread Count				
39	91.2	130	88	91.2	19.8
LG 157.250.44.83:44	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.44.83:44	43/Http client/Task F	Pool used			
0	0.001	0.1	0	0	0.006
LG 157.250.44.83:44	43/Controller Conne	ction/Disconnection	าร		
0	0	0	0	0	-
LG 157.250.44.83:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 157.250.44.83:44	43/Controller Conne	ction/Ping Duration	(ms)		
117	258.4	1,939	149	206.6	299.9
LG 157.250.44.83:44	43/Network/Segmen	ts sent/sec.			
1.6	509.6	1,436	410.9	491.9	388.6
LG 157.250.44.83:44	43/Network/Segmen	ts retransmitted/sec	.		
0	1.27	8.17	0	1	2.31
LG 157.250.44.83:44	43/Network/eth0 (eth	, -	ed/sec.		
0.002	7.37	14.7	7.81	7.42	4.03
LG 157.250.44.83:44	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0.006	0.645	1.55	0.616	0.638	0.387

LG 157.250.45.13:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.45.13:44	LG 157.250.45.13:443/CPU Load								
0	4.05	12	4	3.99	2.38				
LG 157.250.45.13:44	43/Memory Used								
2	5.08	17	4	4.75	3.39				
LG 157.250.45.13:44	43/Throughput								
0	6.9	16.1	6.7	6.89	4.02				
LG 157.250.45.13:44	43/User Load								
0	30.4	66	28	30.3	17.7				
LG 157.250.45.13:443/Thread Count									
39	90.5	129	87	90.3	19.8				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.45.13:44	LG 157.250.45.13:443/Http client/Thread Pool used							
0.1	0.1	0.11	0.1	0.1	0.001			
LG 157.250.45.13:44	43/Http client/Task F	Pool used						
0	0	0.067	0	0	0.004			
LG 157.250.45.13:44	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 157.250.45.13:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 157.250.45.13:44	43/Controller Conne	ction/Ping Duration	(ms)					
116	323.3	2,532	217	241.1	428.7			
LG 157.250.45.13:44	43/Network/Segmen	ts sent/sec.						
2.4	501.3	1,580	361.4	477.9	413.2			
LG 157.250.45.13:44	43/Network/Segmen	ts retransmitted/sec						
0	1.16	9.07	0	0.89	2.25			
LG 157.250.45.13:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.					
0.003	7.27	16.8	7.03	7.26	4.24			
LG 157.250.45.13:44	_G 157.250.45.13:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.007	0.636	1.67	0.539	0.623	0.411			

LG 157.250.45.197:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.197:	443/CPU Load				
0	4.06	14	4	4.02	2.38
LG 157.250.45.197:	443/Memory Used				
1	4.44	14	4	4.19	2.45
LG 157.250.45.197:	443/Throughput				
0	6.92	16.9	7.02	6.89	4.05
LG 157.250.45.197:	443/User Load				
0	30.6	65	28	30.5	18.3
LG 157.250.45.197:	443/Thread Count				
39	90.6	131	87	90.4	20.3
LG 157.250.45.197:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.45.197:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 157.250.45.197:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.45.197:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.45.197:	443/Controller Conn	ection/Ping Duration	n (ms)		
106	339.9	3,442	166	214.7	624.3
LG 157.250.45.197:	443/Network/Segme	nts sent/sec.			
1.58	507.3	1,594	378.3	483.9	410.5
LG 157.250.45.197:	443/Network/Segme	nts retransmitted/se	ec.		
0	1.16	8.32	0	0.898	2.17
LG 157.250.45.197:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	7.29	17.4	7.39	7.26	4.26
LG 157.250.45.197:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.641	2	0.577	0.629	0.414



LG 157.250.45.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.207	:443/CPU Load				
0	4.24	11	4	4.21	2.47
LG 157.250.45.207	:443/Memory Used				
1	4.71	17	3	4.37	3.2
LG 157.250.45.207	:443/Throughput				
0	7.09	14.9	7.09	7.1	4.06
LG 157.250.45.207	:443/User Load				
0	32	66	29	32	18.4
LG 157.250.45.207	:443/Thread Count				
40	92.8	134	88	92.6	21.1
LG 157.250.45.207	:443/Http client/Threa	ad Pool used			
0.1	0.103	0.19	0.1	0.1	0.013
LG 157.250.45.207	:443/Http client/Task	Pool used			
0	0	0.05	0	0	0.003
LG 157.250.45.207	:443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.45.207	:443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	
LG 157.250.45.207	:443/Controller Conn	ection/Ping Duration	n (ms)		
113	262.5	1,245	219	227.2	188.2
LG 157.250.45.207	:443/Network/Segme	nts sent/sec.			
2.2	529.4	1,505	387.8	509.8	419.4
LG 157.250.45.207	:443/Network/Segme	nts retransmitted/se	ec.		
0	2.07	16.2	0	1.68	3.65
LG 157.250.45.207	:443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.003	7.45	15.7	7.43	7.47	4.28
LG 157.250.45.207	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.007	0.667	1.57	0.596	0.659	0.421

LG 157.250.45.242:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.45.242:	LG 157.250.45.242:443/CPU Load							
0	4.16	11	4	4.13	2.34			
LG 157.250.45.242:	443/Memory Used							
1	4.41	15	3	4.09	2.86			
LG 157.250.45.242:	443/Throughput							
0	6.87	15	7.56	6.88	3.85			
LG 157.250.45.242:	443/User Load							
0	31	66	28	30.8	18.2			
LG 157.250.45.242:	443/Thread Count							
40	90.9	130	87	90.6	19.9			
LG 157.250.45.242:	443/Http client/Threa	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.45.242:	443/Http client/Task	Pool used						
0	0.001	0.033	0	0	0.003			
LG 157.250.45.242:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.45.242:	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 157.250.45.242:	443/Controller Conn	ection/Ping Duration	n (ms)					
92	217	970	149	185.1	190			

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.45.242:	LG 157.250.45.242:443/Network/Segments sent/sec.								
1.61	496.1	1,500	404.5	475.3	385.6				
LG 157.250.45.242:	LG 157.250.45.242:443/Network/Segments retransmitted/sec.								
0	1.83	14.9	0	1.4	3.44				
LG 157.250.45.242:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.						
0.002	7.22	15.8	7.92	7.23	4.05				
LG 157.250.45.242:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.006	0.633	1.53	0.595	0.623	0.393				

LG 157.250.45.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.33:44	43/CPU Load				
0	4.03	14	4	4.03	2.24
LG 157.250.45.33:44	43/Memory Used				
1	5.4	13	5	5.27	2.46
LG 157.250.45.33:44	43/Throughput				
0	7.17	15.7	7.73	7.2	4.08
LG 157.250.45.33:44	43/User Load				
0	31.6	66	28.5	31.6	18.3
LG 157.250.45.33:44	43/Thread Count				
39	91.7	130	87.5	91.7	20.1
LG 157.250.45.33:44	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.45.33:44	43/Http client/Task F	Pool used			
0	0	0.033	0	0	0.002
LG 157.250.45.33:44	43/Controller Conne	ction/Disconnection	ıs		
-	0	0	0	0	-
LG 157.250.45.33:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 157.250.45.33:44	43/Controller Conne	ction/Ping Duration	(ms)		
101	319.6	7,068	146	177.1	843.2
LG 157.250.45.33:44	43/Network/Segmen	ts sent/sec.			
1.58	538.1	1,663	414.1	518.3	428.7
LG 157.250.45.33:44	43/Network/Segmen	ts retransmitted/sec	; .		
0	1.3	9.22	0	1.04	2.3
LG 157.250.45.33:44	43/Network/eth0 (eth				
0.002	7.56	16.5	8.12	7.59	4.31
	43/Network/eth0 (eth		c.		
0.006	0.669	1.74	0.622	0.659	0.427

LG 157.250.45.61:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.45.61:44	LG 157.250.45.61:443/CPU Load								
0	4.33	16	4	4.27	2.47				
LG 157.250.45.61:44	LG 157.250.45.61:443/Memory Used								
1	4.92	17	3	4.57	3.36				
LG 157.250.45.61:44	43/Throughput								
0	6.43	12.7	7.15	6.45	3.5				
LG 157.250.45.61:44	43/User Load								
0	31	65	28	30.9	18.2				
LG 157.250.45.61:44	LG 157.250.45.61:443/Thread Count								
39	91.4	133	87	91.2	20.5				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.45.61:443/Http client/Thread Pool used								
0.1	0.1	0.105	0.1	0.1	0			
LG 157.250.45.61:44	43/Http client/Task F	Pool used						
0	0.001	0.067	0	0	0.006			
LG 157.250.45.61:44	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 157.250.45.61:44	43/Controller Conne	ction/Reconnections	s					
0	0	0	0	0	-			
LG 157.250.45.61:44	43/Controller Conne	ction/Ping Duration	(ms)					
114	247.1	1,402	149	206.5	240.2			
LG 157.250.45.61:44	43/Network/Segmen	ts sent/sec.						
1.6	461.2	1,270	406.5	447.4	329			
LG 157.250.45.61:44	43/Network/Segmen	ts retransmitted/sec						
0	2.38	20	0	1.94	4.17			
LG 157.250.45.61:44	43/Network/eth0 (eth	0)/Megabits receive	d/sec.					
0.002	6.76	13.3	7.55	6.79	3.68			
LG 157.250.45.61:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.006	0.6	1.4	0.603	0.595	0.348			

LG 157.250.45.69:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.69:4	43/CPU Load				
0	3.96	11	4	3.94	2.18
LG 157.250.45.69:4	43/Memory Used				
1	5.03	12	5	4.9	2.29
LG 157.250.45.69:4	43/Throughput				
0	6.94	16.2	7.28	6.93	4.06
LG 157.250.45.69:4	43/User Load				
0	30.9	66	28	30.8	18.3
LG 157.250.45.69:4	43/Thread Count				
39	91	129	88	90.9	20.1
LG 157.250.45.69:4	43/Http client/Threa	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.45.69:4	43/Http client/Task I	Pool used			
0	0	0.033	0	0	0.003
LG 157.250.45.69:4	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 157.250.45.69:4	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 157.250.45.69:4	43/Controller Conne	ection/Ping Duration	(ms)		
127	246.6	1,454	183	211.8	214.4
LG 157.250.45.69:4	43/Network/Segmen	ts sent/sec.			
2.41	506.5	1,529	392.2	484	408.4
LG 157.250.45.69:4	43/Network/Segmen	ts retransmitted/sec	.		
0	1.16	8.46	0	0.911	2.16
LG 157.250.45.69:4	43/Network/eth0 (etl	n0)/Megabits receive	ed/sec.		
0.003	7.32	16.9	7.65	7.3	4.29
LG 157.250.45.69:4	43/Network/eth0 (etl	n0)/Megabits sent/se	ec.		
0.007	0.639	1.53	0.583	0.629	0.405



LG 157.250.46.125:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.125:	443/CPU Load				
0	4.78	13	5	4.72	2.82
LG 157.250.46.125:	443/Memory Used				
2	5.09	17	4	4.74	3.34
LG 157.250.46.125:	443/Throughput				
0	7.28	19.6	8.1	7.3	4.08
LG 157.250.46.125:	443/User Load				
0	32.4	66	29	32.4	18.4
LG 157.250.46.125:	443/Thread Count				
40	92.9	130	90	92.8	20.3
LG 157.250.46.125:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.46.125:	443/Http client/Task	Pool used			
0	0.001	0.083	0	0	0.006
LG 157.250.46.125:	443/Controller Conn	ection/Disconnection	ons		
1	1	1	1	1	0
LG 157.250.46.125:	443/Controller Conn	ection/Reconnectio	ns		
1	1	1	1	1	0
LG 157.250.46.125:	443/Controller Conn	ection/Ping Duration	n (ms)		
138	348.6	8,074	223	250	825.7
LG 157.250.46.125:	443/Network/Segme	nts sent/sec.			
1.62	539.6	2,141	437.6	517.6	422.5
LG 157.250.46.125:	443/Network/Segme	nts retransmitted/se	ec.		
0	2.12	16.8	0	1.7	3.73
LG 157.250.46.125:	443/Network/eth0 (et	th0)/Megabits receiv	red/sec.		
0.002	7.65	18.6	8.46	7.68	4.27
LG 157.250.46.125:	443/Network/eth0 (et	th0)/Megabits sent/s	sec.		
0.006	0.68	1.97	0.661	0.67	0.421

LG 157.250.46.202:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 157.250.46.202:443/CPU Load							
0	4.3	12	4	4.25	2.52		
LG 157.250.46.202:	443/Memory Used						
1	4.56	16	3	4.22	3.01		
LG 157.250.46.202:	443/Throughput						
0	7.11	18.1	7.6	7.12	4.09		
LG 157.250.46.202:	443/User Load						
0	31.5	66	29	31.5	18.1		
LG 157.250.46.202:	443/Thread Count						
39	92.1	131	88	91.9	20.4		
LG 157.250.46.202:	443/Http client/Threa	ad Pool used					
0.1	0.101	0.16	0.1	0.1	0.007		
LG 157.250.46.202:	443/Http client/Task	Pool used					
0	0	0.05	0	0	0.003		
LG 157.250.46.202:	443/Controller Conn	ection/Disconnection	ons				
0	0	0	0	0	-		
LG 157.250.46.202:	443/Controller Conn	ection/Reconnectio	ns				
0	0	0	0	0	-		
LG 157.250.46.202:	443/Controller Conn	ection/Ping Duration	n (ms)				
124	254.8	2,216	215	208.1	290.7		

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.46.202:	LG 157.250.46.202:443/Network/Segments sent/sec.								
3.01	523	1,579	417.4	501.8	418.1				
LG 157.250.46.202:	LG 157.250.46.202:443/Network/Segments retransmitted/sec.								
0	1.27	9.52	0	1.01	2.32				
LG 157.250.46.202:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.						
0.004	7.49	17.2	7.97	7.5	4.3				
LG 157.250.46.202:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.008	0.657	1.67	0.611	0.647	0.416				

LG 157.250.46.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.203:4	443/CPU Load				
0	4.45	13	4	4.4	2.53
LG 157.250.46.203:4	443/Memory Used				
1	5.31	18	4	4.93	3.68
LG 157.250.46.203:4	443/Throughput				
0	6.53	13.4	7.22	6.57	3.49
LG 157.250.46.203:4	443/User Load				
0	31.4	65	29	31.4	18
LG 157.250.46.203:4	443/Thread Count				
39	92	131	90	92	20.3
LG 157.250.46.203:4	443/Http client/Threa	ad Pool used			
0.1	0.1	0.105	0.1	0.1	0
LG 157.250.46.203:4	443/Http client/Task	Pool used			
0	0.001	0.083	0	0	0.006
LG 157.250.46.203:4	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 157.250.46.203:4	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 157.250.46.203:4	443/Controller Conn	ection/Ping Duration	n (ms)		
110	281.3	2,173	220	224.5	298
LG 157.250.46.203:4	443/Network/Segme	nts sent/sec.			
1.59	458.9	1,374	422.7	442	320
LG 157.250.46.203:4	443/Network/Segme	nts retransmitted/se	ec.		
0	1.75	12.9	0	1.39	3.15
LG 157.250.46.203:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	6.92	14.2	7.62	6.95	3.69
LG 157.250.46.203:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.		
0.006	0.602	1.47	0.626	0.595	0.341

LG 157.250.46.43:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.46.43:44	LG 157.250.46.43:443/CPU Load								
0	4.25	11	4	4.2	2.39				
LG 157.250.46.43:44	43/Memory Used								
1	5.05	17	4	4.69	3.38				
LG 157.250.46.43:44	43/Throughput								
0	7.11	16.7	7.52	7.12	3.94				
LG 157.250.46.43:44	43/User Load								
0	31.5	66	28	31.4	18.2				
LG 157.250.46.43:443/Thread Count									
39	91.6	130	87	91.5	20				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.46.43:44	LG 157.250.46.43:443/Http client/Thread Pool used								
0.1	0.101	0.14	0.1	0.1	0.004				
LG 157.250.46.43:44	43/Http client/Task F	Pool used							
0	0	0.033	0	0	0.002				
LG 157.250.46.43:44	43/Controller Conne	ction/Disconnection	ıs						
0	0	0	0	0	-				
LG 157.250.46.43:44	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 157.250.46.43:44	43/Controller Conne	ction/Ping Duration	(ms)						
108	336.9	3,308	189	234.9	543.4				
LG 157.250.46.43:44	43/Network/Segmen	ts sent/sec.							
2.2	526.5	1,608	414.7	504.2	415.1				
LG 157.250.46.43:44	43/Network/Segmen	ts retransmitted/sec							
0	1.26	8.23	0	1	2.26				
LG 157.250.46.43:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0.003	7.5	17.4	7.88	7.51	4.16				
LG 157.250.46.43:44	LG 157.250.46.43:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.007	0.661	1.66	0.617	0.651	0.409				

LG 157.250.47.105:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.47.105:	443/CPU Load							
0	4.39	13	4	4.36	2.47			
LG 157.250.47.105:443/Memory Used								
1	4.69	16	4	4.36	3.03			
LG 157.250.47.105:	443/Throughput							
0	7.28	16.8	7.58	7.32	4.03			
LG 157.250.47.105:	443/User Load							
0	32.1	66	29	32.1	18.1			
LG 157.250.47.105:	443/Thread Count							
40	92.4	130	88	92.4	19.6			
LG 157.250.47.105:	443/Http client/Thre	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.47.105:	443/Http client/Task	Pool used						
0	0	0.017	0	0	0.002			
LG 157.250.47.105:	443/Controller Conr	nection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.47.105:	443/Controller Conr	nection/Reconnectio	ns					
0	0	0	0	0	-			
LG 157.250.47.105:	443/Controller Conr	nection/Ping Duratio	n (ms)					
131	235.8	790	160	211.7	170.7			
LG 157.250.47.105:	443/Network/Segme	ents sent/sec.						
1.64	531.9	1,649	407.5	512.3	412.6			
LG 157.250.47.105:	443/Network/Segme	ents retransmitted/se	ec.					
0	1.24	8.13	0	0.982	2.27			
LG 157.250.47.105:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.					
0.002	7.67	17.6	7.95	7.71	4.25			
LG 157.250.47.105:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0.007	0.67	1.61	0.605	0.663	0.411			



LG 157.250.47.174:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.47.174	:443/CPU Load							
0	4.52	12	4	4.47	2.6			
LG 157.250.47.174:443/Memory Used								
1	4.91	17	4	4.58	3.28			
LG 157.250.47.174	:443/Throughput							
0	6.98	15.6	7.57	7	3.83			
LG 157.250.47.174	:443/User Load							
0	31.6	66	28	31.6	18.4			
LG 157.250.47.174	:443/Thread Count							
39	92	131	87	91.9	20.3			
LG 157.250.47.174	:443/Http client/Thre	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.47.174	:443/Http client/Task	Pool used						
0	0.001	0.083	0	0	0.005			
LG 157.250.47.174	:443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.47.174	:443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 157.250.47.174	:443/Controller Conn	ection/Ping Duration	n (ms)					
109	289.8	3,444	151	196.4	525.2			
LG 157.250.47.174	:443/Network/Segme	nts sent/sec.						
3	513.1	1,529	413.7	493.1	400.3			
LG 157.250.47.174	:443/Network/Segme	nts retransmitted/se	ec.					
0	1.94	12.2	0	1.56	3.47			
LG 157.250.47.174	:443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.					
0.004	7.33	16.3	7.97	7.36	4.03			
LG 157.250.47.174	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0.008	0.653	1.66	0.627	0.643	0.402			

LG 157.250.48.176:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 157.250.48.176:443/CPU Load							
0	4.3	12	4	4.23	2.49		
LG 157.250.48.176:4	443/Memory Used						
2	5.02	16	4	4.69	3.17		
LG 157.250.48.176:4	443/Throughput						
0	7.09	17.2	7.02	7.05	4.09		
LG 157.250.48.176:4	443/User Load						
0	31.1	66	28	31.1	17.8		
LG 157.250.48.176:4	443/Thread Count						
39	91.4	131	87	91.3	19.9		
LG 157.250.48.176:4	443/Http client/Threa	ad Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 157.250.48.176:4	443/Http client/Task	Pool used					
0	0	0.05	0	0	0.003		
LG 157.250.48.176:4	443/Controller Conn	ection/Disconnection	ons				
0	0	0	0	0	-		
LG 157.250.48.176:4	443/Controller Conn	ection/Reconnectio	ns				
0	0	0	0	0	-		
LG 157.250.48.176:4	443/Controller Conn	ection/Ping Duration	n (ms)				
129	209.2	1,338	142	182.2	182.2		

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.48.176:443/Network/Segments sent/sec.								
1.6	518.4	1,660	383.3	496.4	412.2			
LG 157.250.48.176:	443/Network/Segme	nts retransmitted/se	c.					
0	1.2	8.8	0	0.94	2.23			
LG 157.250.48.176:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.					
0.002	7.48	18.2	7.39	7.43	4.31			
LG 157.250.48.176:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.006	0.656	1.69	0.574	0.645	0.413			

LG 157.250.48.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.48.200:	443/CPU Load								
0	4.32	12	4	4.24	2.7				
LG 157.250.48.200:	LG 157.250.48.200:443/Memory Used								
1	4.98	17	4	4.62	3.37				
LG 157.250.48.200:	443/Throughput								
0	6.72	15.5	6.66	6.7	4.02				
LG 157.250.48.200:	443/User Load								
0	30.7	66	28	30.5	18.2				
LG 157.250.48.200:	443/Thread Count								
39	90.8	132	87	90.6	20.4				
LG 157.250.48.200:	443/Http client/Threa	ad Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.48.200:	443/Http client/Task	Pool used							
0	0.001	0.05	0	0	0.004				
LG 157.250.48.200:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 157.250.48.200:	443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 157.250.48.200:	443/Controller Conn	ection/Ping Duration	n (ms)						
93	243.7	825	179	218.8	177.5				
LG 157.250.48.200:	443/Network/Segme	nts sent/sec.							
1.6	489.6	1,547	367.2	468.3	393.8				
LG 157.250.48.200:	443/Network/Segme	nts retransmitted/se	ec.						
0	1.23	10	0	0.96	2.3				
LG 157.250.48.200:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.002	7.06	16.1	7.04	7.04	4.22				
LG 157.250.48.200:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0.006	0.621	1.79	0.556	0.611	0.398				

LG 157.250.48.2:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.48.2:44	LG 157.250.48.2:443/CPU Load								
0	4.35	11	4	4.29	2.68				
LG 157.250.48.2:44	3/Memory Used								
2	4.86	16	4	4.51	3.21				
LG 157.250.48.2:44	3/Throughput								
0	6.99	15.2	7.31	6.99	4.03				
LG 157.250.48.2:44	3/User Load								
0	30.9	66	28	30.8	18.3				
LG 157.250.48.2:443/Thread Count									
39	91.1	129	87	90.9	19.9				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.48.2:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.48.2:44	3/Http client/Task Po	ool used						
0	0.001	0.117	0	0	0.006			
LG 157.250.48.2:44	3/Controller Connec	tion/Disconnections	3					
0	0	0	0	0	-			
LG 157.250.48.2:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 157.250.48.2:44	3/Controller Connec	tion/Ping Duration (ms)					
107	308.2	3,441	182	221.6	512.2			
LG 157.250.48.2:44	3/Network/Segments	s sent/sec.						
2.4	507.8	1,531	398.2	486.2	401.5			
LG 157.250.48.2:44	3/Network/Segments	s retransmitted/sec.						
0	1.25	10.15	0	0.975	2.34			
LG 157.250.48.2:44	3/Network/eth0 (eth))/Megabits received	l/sec.					
0.003	7.34	16.2	7.66	7.34	4.23			
LG 157.250.48.2:44	3/Network/eth0 (eth))/Megabits sent/sec						
0.007	0.642	1.59	0.604	0.632	0.402			

LG 157.250.48.84:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.48.84:4	43/CPU Load							
0	4.07	11	4	4.04	2.28			
LG 157.250.48.84:443/Memory Used								
2	5.08	19	4	4.71	3.5			
LG 157.250.48.84:4	43/Throughput							
0	7.01	15	7.58	7.03	4			
LG 157.250.48.84:4	43/User Load							
0	31	66	28	30.9	18.3			
LG 157.250.48.84:4	43/Thread Count							
40	91.1	131	87	90.9	20.1			
LG 157.250.48.84:4	43/Http client/Threa	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.48.84:4	43/Http client/Task I							
0	0	0.033	0	0	0.002			
LG 157.250.48.84:4	43/Controller Conne	ection/Disconnection	ns					
0	0	0	0	0	-			
		ection/Reconnection						
0	0	0	0	0	-			
		ection/Ping Duration						
97	258.5	1,427	145	206.9	287.7			
	43/Network/Segmen							
1.6	513	1,535	413.2	491.1	410.4			
LG 157.250.48.84:4	43/Network/Segmen	ts retransmitted/sec	: .					
0	1.22	9.18	0	0.941	2.28			
	•	n0)/Megabits receive						
0.002	7.38	15.8	7.97	7.4	4.21			
LG 157.250.48.84:4	43/Network/eth0 (etl	n0)/Megabits sent/se	ec.					
0.006	0.648	1.58	0.634	0.639	0.411			



LG 157.250.49.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.49.154	:443/CPU Load							
0	3.78	11	4	3.73	2.06			
LG 157.250.49.154:443/Memory Used								
2	5.4	18	4	5.02	3.74			
LG 157.250.49.154	:443/Throughput							
0	6.26	14.5	6.65	6.23	3.5			
LG 157.250.49.154	:443/User Load							
0	30.7	66	28	30.6	18.4			
LG 157.250.49.154	:443/Thread Count							
39	91.3	133	87	91.1	20.8			
LG 157.250.49.154	:443/Http client/Thre	ad Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.49.154	:443/Http client/Task	Pool used						
0	0.001	0.067	0	0	0.005			
LG 157.250.49.154	:443/Controller Conr	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 157.250.49.154	:443/Controller Conr	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 157.250.49.154	:443/Controller Conr	ection/Ping Duratio	n (ms)					
120	278.1	1,776	144	227.4	309.5			
LG 157.250.49.154	:443/Network/Segme	nts sent/sec.						
1.6	442.3	1,279	372.3	429.7	303.8			
LG 157.250.49.154	:443/Network/Segme		ec.					
0	2.14	13.7	0	1.73	3.8			
LG 157.250.49.154	:443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0.002	6.58	15.1	6.98	6.55	3.67			
LG 157.250.49.154	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0.006	0.577	1.4	0.559	0.573	0.326			

LG 157.250.49.204:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 157.250.49.204:443/CPU Load							
0	4.6	14	4	4.55	2.73		
LG 157.250.49.204:	443/Memory Used						
1	5.26	17	4	4.91	3.38		
LG 157.250.49.204:	443/Throughput						
0	7.04	16.6	7.66	7.05	4.01		
LG 157.250.49.204:	443/User Load						
0	31.3	65	28	31.3	18.2		
LG 157.250.49.204:	443/Thread Count						
39	91.3	130	87	91.3	20.2		
LG 157.250.49.204:	443/Http client/Threa	ad Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 157.250.49.204:	443/Http client/Task	Pool used					
0	0.001	0.067	0	0	0.006		
LG 157.250.49.204:	443/Controller Conn	ection/Disconnection	ons				
1	1	1	1	1	0		
LG 157.250.49.204:	443/Controller Conn	ection/Reconnectio	ns				
1	1	1	1	1	0		
LG 157.250.49.204:	443/Controller Conn	ection/Ping Duration	n (ms)				
123	414.9	10,715	218	224.1	1,350		

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.49.204:	LG 157.250.49.204:443/Network/Segments sent/sec.								
1.57	516.5	1,691	410.8	496.9	409.9				
LG 157.250.49.204:	443/Network/Segme	nts retransmitted/se	c.						
0	1.4	10.68	0	1.11	2.55				
LG 157.250.49.204:	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.						
0.002	7.39	17.4	8.05	7.41	4.22				
LG 157.250.49.204:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.006	0.65	1.63	0.625	0.642	0.412				

LG 157.250.49.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.49.73:44	43/CPU Load							
0	4.27	13	4	4.24	2.44			
LG 157.250.49.73:443/Memory Used								
2	4.97	17	4	4.65	3.12			
LG 157.250.49.73:44	43/Throughput							
0	7.09	15.5	7.09	7.1	4.08			
LG 157.250.49.73:44	43/User Load							
0	30.8	66	28	30.8	18.3			
LG 157.250.49.73:44	43/Thread Count							
39	91.6	139	88	91.1	21.5			
LG 157.250.49.73:44	43/Http client/Thread	d Pool used						
0.1	0.103	0.21	0.1	0.1	0.016			
LG 157.250.49.73:44	43/Http client/Task F	Pool used						
0	0	0.05	0	0	0.003			
LG 157.250.49.73:44	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 157.250.49.73:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 157.250.49.73:44	43/Controller Conne	ction/Ping Duration	(ms)					
93	224.7	804	148	199.3	172.1			
LG 157.250.49.73:44	43/Network/Segmen	ts sent/sec.						
1.6	514.9	1,550	389	494.5	412.1			
LG 157.250.49.73:44	43/Network/Segmen	ts retransmitted/sec	.					
0	1.21	9.21	0	0.95	2.27			
LG 157.250.49.73:44	43/Network/eth0 (eth	0)/Megabits receive	ed/sec.					
0.002	7.46	16.3	7.46	7.48	4.3			
LG 157.250.49.73:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.					
0.006	0.648	1.61	0.59	0.638	0.414			

LG 157.250.50.132:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.50.132:	LG 157.250.50.132:443/CPU Load								
0	4.07	16	4	4.03	2.32				
LG 157.250.50.132:	443/Memory Used								
1	4.66	15	4	4.37	2.74				
LG 157.250.50.132:	443/Throughput								
0	7.01	15.1	7.47	7.03	4.02				
LG 157.250.50.132:	443/User Load								
0	31.3	66	29	31.2	18.4				
LG 157.250.50.132:	LG 157.250.50.132:443/Thread Count								
40	91.7	132	89	91.5	20.3				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.50.132:4	LG 157.250.50.132:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.50.132:443/Http client/Task Pool used									
0	0	0.033	0	0	0.002				
LG 157.250.50.132:4	443/Controller Conn	ection/Disconnectio	ons						
0	0	0	0	0	-				
LG 157.250.50.132:4	443/Controller Conn	ection/Reconnection	ns						
0	0	0	0	0	-				
LG 157.250.50.132:4	443/Controller Conn	ection/Ping Duration	n (ms)						
101	224.4	1,381	148	188.8	194.7				
LG 157.250.50.132:4	443/Network/Segme	nts sent/sec.							
1.6	509.6	1,538	408.8	487.9	405.8				
LG 157.250.50.132:4	443/Network/Segme	nts retransmitted/se	c.						
0	1.21	10.29	0	0.94	2.25				
LG 157.250.50.132:4	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.						
0.002	7.39	15.9	7.87	7.4	4.24				
LG 157.250.50.132:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.						
0.006	0.648	1.65	0.608	0.637	0.41				

LG 157.250.50.163:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.50.163:	443/CPU Load								
0	4.13	13	4	4.08	2.42				
LG 157.250.50.163:	LG 157.250.50.163:443/Memory Used								
2	4.73	16	3	4.38	3.22				
LG 157.250.50.163:	443/Throughput								
0	7.04	16.2	7.68	7.07	4.02				
LG 157.250.50.163:	443/User Load								
0	30.9	66	28	30.8	18.3				
LG 157.250.50.163:	443/Thread Count								
39	91.4	132	87	91.3	20.9				
LG 157.250.50.163:	443/Http client/Thre	ad Pool used							
0.1	0.1	0.12	0.1	0.1	0.002				
LG 157.250.50.163:	443/Http client/Task	Pool used							
0	0	0	0	0	0				
LG 157.250.50.163:	443/Controller Conr	nection/Disconnection	ons						
0	0	0	0	0	-				
LG 157.250.50.163:	443/Controller Conr	nection/Reconnectio	ns						
0	0	0	0	0	-				
LG 157.250.50.163:	443/Controller Conr	nection/Ping Duratio	n (ms)						
134	220	778	205	201.8	113.3				
LG 157.250.50.163:	443/Network/Segme	ents sent/sec.							
1.6	519.2	1,656	415	499.4	410.5				
LG 157.250.50.163:	443/Network/Segme	ents retransmitted/se	ec.						
0	1.18	9.71	0	0.926	2.17				
LG 157.250.50.163:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.						
0.002	7.41	17.1	8.08	7.45	4.24				
LG 157.250.50.163:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0.006	0.648	1.58	0.622	0.64	0.41				



LG 157.250.50.245:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 157.250.50.245:4	443/CPU Load								
0	4.26	11	4	4.24	2.33				
LG 157.250.50.245:4	LG 157.250.50.245:443/Memory Used								
1	5.63	14	5	5.49	2.55				
LG 157.250.50.245:4	443/Throughput								
0	6.98	15.9	7.35	7	3.73				
LG 157.250.50.245:4	443/User Load								
0	32.1	66	29	32.1	18				
LG 157.250.50.245:4	443/Thread Count								
39	92.4	131	88	92.4	19.9				
LG 157.250.50.245:4	443/Http client/Threa	ad Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 157.250.50.245:4	443/Http client/Task	Pool used							
0	0.001	0.05	0	0	0.004				
LG 157.250.50.245:4	443/Controller Conn	ection/Disconnectio	ons						
1	1	1	1	1	0				
LG 157.250.50.245:4	443/Controller Conn	ection/Reconnection	ns						
1	1	1	1	1	0				
LG 157.250.50.245:4	443/Controller Conn	ection/Ping Duration	n (ms)						
110	393.3	7,891	152	231.7	1,026				
LG 157.250.50.245:4	443/Network/Segme	nts sent/sec.							
1.58	511.3	1,577	393.9	497	367.6				
LG 157.250.50.245:4	443/Network/Segme	nts retransmitted/se	c.						
0	1.99	16.3	0	1.63	3.45				
LG 157.250.50.245:4	443/Network/eth0 (et	th0)/Megabits receiv	ed/sec.						
0.002	7.35	16.6	7.68	7.37	3.92				
LG 157.250.50.245:4	443/Network/eth0 (et	th0)/Megabits sent/s	ec.						
0.006	0.648	2.01	0.586	0.642	0.379				

LG 157.250.51.3:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.51.3:443/CPU Load								
0	4.19	11	4	4.17	2.41			
LG 157.250.51.3:44	3/Memory Used							
2	4.79	16	3	4.46	3.11			
LG 157.250.51.3:44	3/Throughput							
0	6.67	14.3	7.42	6.69	3.79			
LG 157.250.51.3:44	3/User Load							
0	30.7	66	28	30.5	18.2			
LG 157.250.51.3:44	3/Thread Count							
39	91.2	134	88	91.1	20.4			
LG 157.250.51.3:44	3/Http client/Thread	Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 157.250.51.3:44	3/Http client/Task Po	ool used						
0	0.001	0.067	0	0	0.006			
LG 157.250.51.3:44	3/Controller Connec	tion/Disconnections						
0	0	0	0	0	-			
LG 157.250.51.3:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 157.250.51.3:44	3/Controller Connec	tion/Ping Duration (ms)					
118	300	1,386	218	264.3	248.5			

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 157.250.51.3:443/Network/Segments sent/sec.								
1.58	476.6	1,479	399.6	459.5	358.4			
LG 157.250.51.3:44	LG 157.250.51.3:443/Network/Segments retransmitted/sec.							
0	1.85	14.1	0	1.46	3.39			
LG 157.250.51.3:44	3/Network/eth0 (eth0)/Megabits received	l/sec.					
0.002	7.01	14.9	7.81	7.04	3.99			
LG 157.250.51.3:44	LG 157.250.51.3:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.006	0.611	1.58	0.602	0.604	0.371			

LG 34.73.217.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev					
LG 34.73.217.33:44	3/CPU Load									
0	3.55	10	3	3.51	1.91					
LG 34.73.217.33:44	LG 34.73.217.33:443/Memory Used									
1	10.42	33	8	9.87	7.21					
LG 34.73.217.33:44	3/Throughput									
0	7.42	17.9	7.14	7.35	4.67					
LG 34.73.217.33:44	3/User Load									
0	30.9	65	28	30.8	18.3					
LG 34.73.217.33:44	3/Thread Count									
39	90	125	87	90.2	19.3					
LG 34.73.217.33:44	3/Http client/Thread	Pool used								
0.1	0.1	0.1	0.1	0.1	0					
LG 34.73.217.33:44	3/Http client/Task Po	ool used								
0	0	0.033	0	0	0.002					
LG 34.73.217.33:44	3/Controller Connec	tion/Disconnections	5							
0	0	0	0	0	-					
LG 34.73.217.33:44	3/Controller Connec	tion/Reconnections								
0	0	0	0	0	-					
LG 34.73.217.33:44	3/Controller Connec	tion/Ping Duration (ms)							
90	130.1	189	124	128.8	17.7					
LG 34.73.217.33:44	3/Network/Segment	s sent/sec.								
1.6	398.4	921.4	380.9	395.1	241.8					
LG 34.73.217.33:44	3/Network/Segment	s retransmitted/sec.								
0	0.013	2.03	0	0	0.097					
LG 34.73.217.33:44	3/Network/eth0 (eth))/Megabits received	d/sec.							
0.002	7.59	18.3	7.29	7.52	4.77					
LG 34.73.217.33:44	3/Network/eth0 (eth))/Megabits sent/sec).							
0.006	0.598	1.38	0.586	0.595	0.348					

LG 34.73.251.200:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 34.73.251.200:44	LG 34.73.251.200:443/CPU Load								
0	4.02	12	4	3.94	2.13				
LG 34.73.251.200:44	LG 34.73.251.200:443/Memory Used								
2	11.8	37	10	11.2	8.12				
LG 34.73.251.200:44	43/Throughput								
0	7.55	21.6	7.71	7.45	4.59				
LG 34.73.251.200:44	43/User Load								
0	31.7	66	28.5	31.7	18.3				
LG 34.73.251.200:44	LG 34.73.251.200:443/Thread Count								
39	90.8	126	88.5	91	19.3				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 34.73.251.200:44	LG 34.73.251.200:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0				
LG 34.73.251.200:44	LG 34.73.251.200:443/Http client/Task Pool used								
0	0	0.033	0	0	0.003				
LG 34.73.251.200:44	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 34.73.251.200:44	43/Controller Conne	ection/Reconnections	S						
0	0	0	0	0	-				
LG 34.73.251.200:44	43/Controller Conne	ection/Ping Duration	(ms)						
120	176.5	274	168	176.2	34.7				
LG 34.73.251.200:44	43/Network/Segmen	ts sent/sec.							
1.6	399.5	1,097	409.5	394.7	234.2				
LG 34.73.251.200:44	43/Network/Segmen	ts retransmitted/sec							
0	0.005	0.655	0	0	0.041				
LG 34.73.251.200:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0.002	7.72	22	7.9	7.61	4.68				
LG 34.73.251.200:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0.003	0.61	1.63	0.618	0.606	0.344				

LG 34.73.254.139:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 34.73.254.139:4	43/CPU Load								
0	3.63	17	4	3.58	2				
LG 34.73.254.139:4	LG 34.73.254.139:443/Memory Used								
2	11.3	36	9	10.7	7.77				
LG 34.73.254.139:4	43/Throughput								
0	7.41	19.5	7.57	7.31	4.64				
LG 34.73.254.139:4	43/User Load								
0	31.3	65	28	31.2	18.2				
LG 34.73.254.139:4	43/Thread Count								
39	90.6	125	88	90.8	19.4				
LG 34.73.254.139:4	43/Http client/Threa	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 34.73.254.139:4	43/Http client/Task	Pool used							
0	0	0.033	0	0	0.003				
LG 34.73.254.139:4	43/Controller Conne	ection/Disconnection	าร						
0	0	0	0	0	-				
LG 34.73.254.139:4	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 34.73.254.139:4	43/Controller Conne	ection/Ping Duration	(ms)						
122	167	207	168	167.6	10.13				
LG 34.73.254.139:4	43/Network/Segmer	its sent/sec.							
2.4	394.9	1,010	399	389.5	240.5				
LG 34.73.254.139:4	43/Network/Segmer	nts retransmitted/sec).						
0	0.003	0.2	0	0	0.024				
LG 34.73.254.139:4	43/Network/eth0 (et	h0)/Megabits receive	ed/sec.						
0.003	7.58	19.9	7.76	7.47	4.74				
LG 34.73.254.139:4	43/Network/eth0 (et	h0)/Megabits sent/se	ec.						
0.002	0.598	1.5	0.618	0.593	0.346				



LG 34.74.135.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 34.74.135.110:4	443/CPU Load							
0	3.31	11	3	3.24	1.87			
LG 34.74.135.110:443/Memory Used								
2	11.6	36	9	11	7.85			
LG 34.74.135.110:4	443/Throughput							
0	7.16	19.5	6.96	7	4.65			
LG 34.74.135.110:4	443/User Load							
0	30.3	66	28	30.1	17.7			
LG 34.74.135.110:4	443/Thread Count							
39	89.4	126	88	89.4	18.7			
LG 34.74.135.110:4	443/Http client/Threa	d Pool used						
0.1	0.1	0.1	0.1	0.1	0			
LG 34.74.135.110:4	443/Http client/Task I	Pool used						
0	0	0.033	0	0	0.002			
LG 34.74.135.110:4	443/Controller Conne	ection/Disconnection	าร					
0	0	0	0	0	-			
LG 34.74.135.110:4	443/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 34.74.135.110:4	443/Controller Conne	ection/Ping Duration	(ms)					
93	136.7	170	126	136.5	19.8			
LG 34.74.135.110:4	443/Network/Segmen	its sent/sec.						
1.6	385.2	1,022	378	377.2	242			
LG 34.74.135.110:4	443/Network/Segmen	ts retransmitted/sec	.					
0	0.008	0.482	0	0	0.045			
LG 34.74.135.110:4	443/Network/eth0 (etl	h0)/Megabits receive	ed/sec.					
0.002	7.33	19.9	7.15	7.16	4.76			
LG 34.74.135.110:4	443/Network/eth0 (etl	h0)/Megabits sent/se	ec.					
0.006	0.578	1.46	0.567	0.568	0.343			

LG 34.74.202.247:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 34.74.202.247:443/CPU Load									
0	3.62	14	3	3.53	2.03				
LG 34.74.202.247:4	LG 34.74.202.247:443/Memory Used								
2	12.4	36	10	11.9	8				
LG 34.74.202.247:4	43/Throughput								
0	7.3	24	6.93	7.14	4.61				
LG 34.74.202.247:4	43/User Load								
0	30.5	66	28	30.4	17.7				
LG 34.74.202.247:4	43/Thread Count								
39	89.8	126	88	89.8	18.4				
LG 34.74.202.247:4	43/Http client/Threa	d Pool used							
0.1	0.1	0.1	0.1	0.1	0				
LG 34.74.202.247:4	43/Http client/Task F	Pool used							
0	0	0.05	0	0	0.003				
LG 34.74.202.247:4	43/Controller Conne	ection/Disconnection	าร						
0	0	0	0	0	-				
LG 34.74.202.247:4	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 34.74.202.247:4	43/Controller Conne	ection/Ping Duration	(ms)						
92	138.9	206	129	138.3	21.9				

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 34.74.202.247:4	_G 34.74.202.247:443/Network/Segments sent/sec.							
1.6	389	1,270	373.9	380.7	236.9			
LG 34.74.202.247:4	43/Network/Segmen	ts retransmitted/sec	.					
0	0.012	0.604	0	0	0.057			
LG 34.74.202.247:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.					
0.002	7.46	24.5	7.1	7.3	4.71			
LG 34.74.202.247:443/Network/eth0 (eth0)/Megabits sent/sec.								
0.006	0.59	1.86	0.571	0.58	0.341			

LG 34.74.213.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.213.102:44	43/CPU Load				
0	3.58	15	4	3.5	2.02
LG 34.74.213.102:44	43/Memory Used				
2	11.7	36	10	11.1	8.01
LG 34.74.213.102:44	43/Throughput				
0	7.36	22.1	7.16	7.21	4.69
LG 34.74.213.102:44	43/User Load				
0	30.6	66	28	30.5	18.4
LG 34.74.213.102:44	43/Thread Count				
39	90.2	127	89	90.2	19.5
LG 34.74.213.102:44	43/Http client/Threa	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.213.102:44	43/Http client/Task I	Pool used			
0	0	0.033	0	0	0.003
LG 34.74.213.102:44	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 34.74.213.102:44	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 34.74.213.102:44	43/Controller Conne	ection/Ping Duration	(ms)		
114	165.2	262	164	163.9	23.5
LG 34.74.213.102:44	43/Network/Segmen	ts sent/sec.			
1.6	391.9	1,185	378.4	382.4	244.6
LG 34.74.213.102:44	43/Network/Segmen	ts retransmitted/sec	.		
0	0.012	0.657	0	0	0.061
LG 34.74.213.102:44	43/Network/eth0 (etl	n0)/Megabits receive	ed/sec.		
0.002	7.54	22.6	7.36	7.38	4.79
LG 34.74.213.102:44	43/Network/eth0 (etl	n0)/Megabits sent/se	ec.		
0.006	0.594	1.66	0.573	0.582	0.351

LG 34.74.26.17:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 34.74.26.17:443	LG 34.74.26.17:443/CPU Load								
0	3.63	12	3	3.57	2.04				
LG 34.74.26.17:443	Memory Used								
2	11.4	36	9	10.8	7.87				
LG 34.74.26.17:443	Throughput								
0	7.59	19.9	7.18	7.53	4.76				
LG 34.74.26.17:443	/User Load								
0	31.1	66	28	31.1	18.2				
LG 34.74.26.17:443	LG 34.74.26.17:443/Thread Count								
39	90.4	126	87	90.6	19.4				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 34.74.26.17:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 34.74.26.17:443	Http client/Task Pod	ol used						
0	0	0.033	0	0	0.002			
LG 34.74.26.17:443	Controller Connecti	ion/Disconnections						
0	0	0	0	0	-			
LG 34.74.26.17:443	Controller Connecti	ion/Reconnections						
0	0	0	0	0	-			
LG 34.74.26.17:443	Controller Connecti	ion/Ping Duration (m	ns)					
93	163.9	205	166	165	15.3			
LG 34.74.26.17:443	/Network/Segments	sent/sec.						
1.6	408.4	1,065	381.9	405.3	247.5			
LG 34.74.26.17:443	/Network/Segments	retransmitted/sec.						
0	0.003	0.201	0	0	0.024			
LG 34.74.26.17:443	/Network/eth0 (eth0)	/Megabits received/s	sec.					
0.002	7.76	20.4	7.33	7.7	4.85			
LG 34.74.26.17:443	/Network/eth0 (eth0)	/Megabits sent/sec.						
0.006	0.608	1.47	0.588	0.606	0.354			

LG 35.185.102.192:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.102.192:	443/CPU Load				
0	3.82	15	4	3.76	2.06
LG 35.185.102.192:	443/Memory Used				
2	13.1	36	11	12.6	8.56
LG 35.185.102.192:	443/Throughput				
0	7.43	19.4	7.4	7.33	4.66
LG 35.185.102.192:	443/User Load				
0	30.9	66	28	30.8	18.3
LG 35.185.102.192:	443/Thread Count				
39	90.4	126	88	90.4	19
LG 35.185.102.192:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.102.192:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 35.185.102.192:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.185.102.192:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.185.102.192:	443/Controller Conr	ection/Ping Duration	n (ms)		
106	185.7	207	205	188	26.8
LG 35.185.102.192:	443/Network/Segme	nts sent/sec.			
1.6	395.3	1,027	391.7	390.2	240.3
LG 35.185.102.192:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.013	1.01	0	0	0.08
LG 35.185.102.192:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	7.6	19.8	7.55	7.5	4.76
LG 35.185.102.192:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.002	0.597	1.46	0.599	0.592	0.348



LG 35.185.126.234:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.126.234:	443/CPU Load				
0	3.62	12	4	3.56	2
LG 35.185.126.234:	443/Memory Used				
1	10.57	34	9	10.03	7.17
LG 35.185.126.234:	443/Throughput				
0	7.6	21.3	7.84	7.48	4.75
LG 35.185.126.234:	443/User Load				
0	31.5	66	29	31.5	18.1
LG 35.185.126.234:	443/Thread Count				
39	90.6	126	88	90.7	18.8
LG 35.185.126.234:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.126.234:	443/Http client/Task	Pool used			
0	0.001	0.117	0	0	0.006
LG 35.185.126.234:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.185.126.234:	443/Controller Conn	ection/Reconnection	ns		
0	0	0	0	0	-
LG 35.185.126.234:	443/Controller Conn	ection/Ping Duration	n (ms)		
93	126.7	189	125	125.2	15.3
LG 35.185.126.234:	443/Network/Segme	nts sent/sec.			
1.6	406.3	1,164	410.5	399.9	246.2
LG 35.185.126.234:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.007	0.4	0	0	0.037
LG 35.185.126.234:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	7.77	21.8	8.02	7.65	4.85
LG 35.185.126.234:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.613	1.58	0.631	0.606	0.352

LG 35.196.135.235:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.196.135.235:443/CPU Load							
0	3.59	11	4	3.56	1.85		
LG 35.196.135.235:	443/Memory Used						
2	13.2	37	11	12.6	8.72		
LG 35.196.135.235:	443/Throughput						
0	7.59	23	7.38	7.5	4.71		
LG 35.196.135.235:	443/User Load						
0	31.4	66	28	31.4	18.5		
LG 35.196.135.235:	443/Thread Count						
39	90.7	127	88	90.7	19.2		
LG 35.196.135.235:	443/Http client/Thre	ad Pool used					
0.1	0.1	0.1	0.1	0.1	0		
LG 35.196.135.235:	443/Http client/Task	Pool used					
0	0	0.033	0	0	0.003		
LG 35.196.135.235:	443/Controller Conn	ection/Disconnection	ons				
0	0	0	0	0	-		
LG 35.196.135.235:	443/Controller Conn	ection/Reconnectio	ns				
0	0	0	0	0	-		
LG 35.196.135.235:	443/Controller Conn	ection/Ping Duration	n (ms)				
121	166.4	207	165	166.4	32.6		

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.196.135.235:	_G 35.196.135.235:443/Network/Segments sent/sec.								
1.62	407.1	1,214	403.8	401.7	246				
LG 35.196.135.235:	443/Network/Segme	nts retransmitted/se	ec.						
0	0.004	0.591	0	0	0.034				
LG 35.196.135.235:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0.002	7.78	23.5	7.6	7.69	4.82				
LG 35.196.135.235:443/Network/eth0 (eth0)/Megabits sent/sec.									
0.006	0.615	1.69	0.609	0.609	0.352				

LG 35.196.167.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.167.208:	443/CPU Load				
0	3.48	14	3	3.42	1.98
LG 35.196.167.208:	443/Memory Used				
2	11.5	37	9	10.89	7.86
LG 35.196.167.208:	443/Throughput				
0	7.33	23.3	6.96	7.22	4.79
LG 35.196.167.208:	443/User Load				
0	30.7	66	28	30.7	18.4
LG 35.196.167.208:	443/Thread Count				
39	90.1	126	87	90.2	19.6
LG 35.196.167.208:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.167.208:	443/Http client/Task	Pool used			
0	0	0.017	0	0	0.002
LG 35.196.167.208:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.196.167.208:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.196.167.208:	443/Controller Conn	ection/Ping Duration	n (ms)		
123	167.1	207	165	167.2	34.7
LG 35.196.167.208:	443/Network/Segme	nts sent/sec.			
1.6	391.5	1,257	364.4	385.5	250.8
LG 35.196.167.208:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.007	0.657	0	0	0.044
LG 35.196.167.208:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	7.5	23.9	7.09	7.38	4.9
LG 35.196.167.208:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.587	1.86	0.548	0.58	0.359

LG 35.196.175.6:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.196.175.6:44	LG 35.196.175.6:443/CPU Load								
0	3.6	14	3	3.51	2.14				
LG 35.196.175.6:44	3/Memory Used								
2	11.4	37	9	10.81	7.96				
LG 35.196.175.6:44	3/Throughput								
0	7.34	23.3	6.27	7.14	5.1				
LG 35.196.175.6:44	3/User Load								
0	30.8	66	28	30.7	18.4				
LG 35.196.175.6:443/Thread Count									
39	90.3	126	88	90.3	19.3				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.196.175.6:443/Http client/Thread Pool used								
0.1	0.1	0.1	0.1	0.1	0			
LG 35.196.175.6:44	3/Http client/Task Po	ool used						
0	0.001	0.033	0	0	0.004			
LG 35.196.175.6:44	3/Controller Connec	tion/Disconnections	3					
0	0	0	0	0	-			
LG 35.196.175.6:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 35.196.175.6:44	3/Controller Connec	tion/Ping Duration (ms)					
87	166.1	207	167	168	37.2			
LG 35.196.175.6:44	3/Network/Segments	s sent/sec.						
2.2	392.7	1,252	335.7	381.4	267.2			
LG 35.196.175.6:44	3/Network/Segments	s retransmitted/sec.						
0	0.006	0.4	0	0	0.037			
LG 35.196.175.6:44	3/Network/eth0 (eth))/Megabits received	l/sec.					
0.003	7.51	23.8	6.36	7.3	5.21			
LG 35.196.175.6:44	3/Network/eth0 (eth0)/Megabits sent/sec						
0.001	0.588	1.74	0.515	0.575	0.38			

LG 35.196.45.117:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.45.117:4	43/CPU Load				
0	3.16	12	3	3.13	1.81
LG 35.196.45.117:4	43/Memory Used				
2	11.7	36	9	11.1	8.1
LG 35.196.45.117:4	43/Throughput				
0	7.32	20.5	7.37	7.24	4.66
LG 35.196.45.117:4	43/User Load				
0	30.8	66	28	30.7	18.4
LG 35.196.45.117:4	43/Thread Count				
39	90.2	127	88	90.2	19.2
LG 35.196.45.117:4	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.45.117:4	43/Http client/Task F	Pool used			
0	0	0.067	0	0	0.003
LG 35.196.45.117:4	43/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 35.196.45.117:4	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.196.45.117:4	43/Controller Conne	ection/Ping Duration	(ms)		
107	165.2	272	164	164.8	20.2
LG 35.196.45.117:4	43/Network/Segmen	ts sent/sec.			
1.6	395.3	1,038	402.2	390.7	245
LG 35.196.45.117:4	43/Network/Segmen	ts retransmitted/sec	.		
0	0.008	0.766	0	0	0.056
LG 35.196.45.117:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0.002	7.51	20.9	7.57	7.42	4.77
LG 35.196.45.117:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0.006	0.593	1.52	0.603	0.587	0.354



LG 35.229.25.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.25.169:4	443/CPU Load				
0	3.71	12	4	3.64	2.07
LG 35.229.25.169:4	443/Memory Used				
2	11.8	36	10	11.3	7.9
LG 35.229.25.169:4	443/Throughput				
0	7.44	20.5	7.13	7.34	4.64
LG 35.229.25.169:4	443/User Load				
0	30.9	66	29	30.8	18
LG 35.229.25.169:4	443/Thread Count				
39	90.1	126	88	90.1	18.7
LG 35.229.25.169:4	443/Http client/Threa	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.25.169:4	443/Http client/Task l	Pool used			
0	0	0.033	0	0	0.003
LG 35.229.25.169:4	443/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 35.229.25.169:4	443/Controller Conne	ection/Reconnection	ıs		
0	0	0	0	0	-
LG 35.229.25.169:4	443/Controller Conne	ection/Ping Duration	(ms)		
90	165.2	188	168	167.8	15.8
LG 35.229.25.169:4	443/Network/Segmer				
1.6	391.8	958.1	379.1	386.9	237.2
LG 35.229.25.169:4	443/Network/Segmer		o.		
0	0.002	0.46	0	0	0.027
LG 35.229.25.169:4	443/Network/eth0 (et	h0)/Megabits receive	ed/sec.		
0.002	7.63	20.9	7.34	7.53	4.75
LG 35.229.25.169:4	443/Network/eth0 (et	h0)/Megabits sent/se	ec.		
0.006	0.596	1.45	0.578	0.591	0.344

LG 35.231.119.246:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.119.246:	443/CPU Load				
0	3.46	11	3	3.41	1.94
LG 35.231.119.246:	443/Memory Used				
2	11	36	9	10.43	7.69
LG 35.231.119.246:	443/Throughput				
0	7.35	20.7	7.29	7.18	4.91
LG 35.231.119.246:	443/User Load				
0	30.5	65	28	30.4	18.4
LG 35.231.119.246:443/Thread Count					
39	89.7	125	87	89.8	19.4
LG 35.231.119.246:	443/Http client/Thre	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.119.246:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.003
LG 35.231.119.246:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.231.119.246:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.231.119.246:	443/Controller Conn	ection/Ping Duratio	n (ms)		
89	132.8	217	128	130.6	27.4

Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 35.231.119.246:443/Network/Segments sent/sec.						
1.6	393.9	1,080	396.2	385.1	258.4	
LG 35.231.119.246:443/Network/Segments retransmitted/sec.						
0	0.011	0.927	0	0	0.068	
LG 35.231.119.246:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.			
0.002	7.52	21.2	7.46	7.35	5.01	
LG 35.231.119.246:443/Network/eth0 (eth0)/Megabits sent/sec.						
0.004	0.589	1.61	0.598	0.579	0.367	

LG 35.231.27.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.27.35:44	3/CPU Load				
0	3.74	10	4	3.72	1.91
LG 35.231.27.35:44	3/Memory Used				
2	12	37	10	11.5	7.95
LG 35.231.27.35:44	3/Throughput				
0	7.5	18.2	7.49	7.44	4.67
LG 35.231.27.35:44	3/User Load				
0	31.3	66	29	31.2	18.5
LG 35.231.27.35:44	3/Thread Count				
40	90.7	126	89	90.7	19.1
LG 35.231.27.35:44	3/Http client/Thread	Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.27.35:44	3/Http client/Task Po	ool used			
0	0	0.05	0	0	0.003
LG 35.231.27.35:44	3/Controller Connec	tion/Disconnections	3		
0	0	0	0	0	-
LG 35.231.27.35:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 35.231.27.35:44	3/Controller Connec	tion/Ping Duration (ms)		
93	129.5	206	126	127	24
LG 35.231.27.35:44	3/Network/Segments	s sent/sec.			
1.8	399.5	991.6	404.5	395.9	242.5
LG 35.231.27.35:44	3/Network/Segments	s retransmitted/sec.			
0	0.008	1.03	0	0	0.063
LG 35.231.27.35:44	3/Network/eth0 (eth0)/Megabits received	l/sec.		
0.003	7.67	18.5	7.68	7.61	4.77
LG 35.231.27.35:44	3/Network/eth0 (eth0)/Megabits sent/sec	.		
0.006	0.603	1.45	0.605	0.599	0.351

LG 35.237.10.8:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.237.10.8:443/CPU Load							
0	3.47	10	3	3.45	1.76		
LG 35.237.10.8:443/	Memory Used						
2	11.2	35	9	10.64	7.45		
LG 35.237.10.8:443/	LG 35.237.10.8:443/Throughput						
0	7.31	18.7	7.1	7.26	4.36		
LG 35.237.10.8:443/	/User Load						
0	31	65	28	31	17.8		
LG 35.237.10.8:443/Thread Count							
39	90.2	125	87	90.4	18.7		



Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 35.237.10.8:443/	/Http client/Thread F	Pool used				
0.1	0.1	0.1	0.1	0.1	0	
LG 35.237.10.8:443/	Http client/Task Po	ol used				
0	0	0.033	0	0	0.003	
LG 35.237.10.8:443/	Controller Connect	ion/Disconnections				
0	0	0	0	0	-	
LG 35.237.10.8:443/	Controller Connect	ion/Reconnections				
0	0	0	0	0	-	
LG 35.237.10.8:443/Controller Connection/Ping Duration (ms)						
86	126.6	167	127	126.4	14.1	
LG 35.237.10.8:443/	/Network/Segments	sent/sec.				
1.6	391.5	921.9	379.6	388.9	226.8	
LG 35.237.10.8:443/	/Network/Segments	retransmitted/sec.				
0	0.011	0.765	0	0	0.064	
LG 35.237.10.8:443/	/Network/eth0 (eth0)	/Megabits received/s	sec.			
0.002	7.48	19.1	7.24	7.42	4.46	
LG 35.237.10.8:443/	LG 35.237.10.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.592	1.3	0.585	0.59	0.326	

LG 35.243.188.30:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.188.30:4	43/CPU Load				
0	3.43	12	3	3.38	1.88
LG 35.243.188.30:4	43/Memory Used				
2	12.4	36	10	11.8	8.21
LG 35.243.188.30:4	43/Throughput				
0	7.63	19.7	7.66	7.55	4.68
LG 35.243.188.30:4	43/User Load				
0	31.8	66	29	31.8	18.2
LG 35.243.188.30:4	43/Thread Count				
39	91.1	127	88	91.3	19.1
LG 35.243.188.30:4	43/Http client/Thread	d Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.188.30:4	43/Http client/Task F	Pool used			
0	0	0.017	0	0	0.002
LG 35.243.188.30:4	43/Controller Conne	ction/Disconnection	ıs		
0	0	0	0	0	-
LG 35.243.188.30:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.243.188.30:4	43/Controller Conne	ction/Ping Duration	(ms)		
93	126.1	194	124	124.8	17
LG 35.243.188.30:4	43/Network/Segmen	ts sent/sec.			
1.6	413.5	1,030	409	409.7	245.9
LG 35.243.188.30:4	43/Network/Segmen	ts retransmitted/sec	: .		
0	0.004	0.386	0	0	0.034
LG 35.243.188.30:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.		
0.002	7.82	20.1	7.85	7.75	4.79
LG 35.243.188.30:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0.002	0.616	1.44	0.603	0.612	0.349



LG 35.243.194.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.194.135:	443/CPU Load				
0	3.71	15	4	3.65	2.02
LG 35.243.194.135:	443/Memory Used				
2	12.6	37	11	12	8.22
LG 35.243.194.135:	443/Throughput				
0	7.44	21.9	7.41	7.33	4.7
LG 35.243.194.135:	443/User Load				
0	30.7	66	28	30.6	18.6
LG 35.243.194.135:	443/Thread Count				
39	90.1	126	88	90.2	19.4
LG 35.243.194.135:	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.194.135:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.002
LG 35.243.194.135:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.243.194.135:	443/Controller Conn	ection/Reconnection	ns		
0	0	0	0	0	-
LG 35.243.194.135:	443/Controller Conn	ection/Ping Duration	n (ms)		
107	152	189	164	152.2	19.6
LG 35.243.194.135:	443/Network/Segme	nts sent/sec.			
1.6	395.2	1,129	395	389.7	242.8
LG 35.243.194.135:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.006	0.4	0	0	0.036
LG 35.243.194.135:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.		
0.002	7.61	22.4	7.57	7.5	4.8
LG 35.243.194.135:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0.006	0.594	1.65	0.605	0.588	0.349

LG 35.243.236.114:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.236.114:4	443/CPU Load				
0	3.35	11	3	3.28	1.81
LG 35.243.236.114:4	443/Memory Used				
2	12.6	37	11	12.1	8.23
LG 35.243.236.114:4	443/Throughput				
0	7.06	19	6.47	6.93	4.27
LG 35.243.236.114:4	443/User Load				
0	29.9	66	28	29.8	16.5
LG 35.243.236.114:4	443/Thread Count				
39	89.2	126	87	89.1	17.3
LG 35.243.236.114:4	443/Http client/Threa	ad Pool used			
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.236.114:4	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.003
LG 35.243.236.114:4	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.243.236.114:4	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.243.236.114:4	443/Controller Conn	ection/Ping Duration	n (ms)		
133	167.2	207	165	166.5	13.2

Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 35.243.236.114:443/Network/Segments sent/sec.						
1.6	379.2	1,030	343.9	372.1	225.2	
LG 35.243.236.114:443/Network/Segments retransmitted/sec.						
0	0.003	0.765	0	0	0.039	
LG 35.243.236.114:	443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.			
0.002	7.22	19.4	6.59	7.09	4.36	
LG 35.243.236.114:443/Network/eth0 (eth0)/Megabits sent/sec.						
0.006	0.572	1.47	0.524	0.563	0.325	



Alerts


Controller

Alerts

Sev.	Alert	Occurrences	First Occurrence	Duration %
	Controller/Total Disconnections >= 1.0	1	00:35:52.391	20.4
Load	Generator Diconnected >=1			




Average page response time



Min	Average	Max
0.088	0.695	5.448

 $\textbf{Notes:} \ \mathsf{Displays} \ \mathsf{the} \ \mathsf{average} \ \mathsf{response} \ \mathsf{time}, \ \mathsf{in} \ \mathsf{seconds}, \ \mathsf{of} \ \mathsf{all} \ \mathsf{pages} \ \mathsf{during} \ \mathsf{the} \ \mathsf{test}.$

Average request response time




Min	Average	Max
0.04	0.312	302.419

Notes: Displays the average response time, in seconds, of all requests during the test.




Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.261	2.062	20.257	0.522	1.992	1.945

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



Min	Average	Max
0.1	3,929.7	6,980.9

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	0.5	7

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	1,347.29	2,426.89

Notes: Displays the number of megabits of data per second returned by the server.

Response time against load




Min	Average	Max
0.086	0.537	15.133

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.




Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.



Top 10 First Alerts



Notes: Displays the list of alerts on the monitored counters during the test.