

10-29-Retail Holiday Readiness GWCustom LT



Date	Oct 30, 2019 2:16:46 AM
Project	HP_GRID_PDP
Scenario	GW_2_N
Comment	
Notes	10-29-Retail Holiday Readiness GWCustom LT

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	8
Hot spots.....	9
Errors.....	9
Alerts.....	9
General statistics.....	9
Transaction statistics.....	9
Execution context.....	17
Scenario	11
Servers.....	23
Populations.....	24
User Paths.....	25
Transactions.....	26
Pages.....	28
Requests.....	31
Media Contents.....	44
Push messages.....	27
Monitors.....	45
Main graphs.....	166
Average page response time.....	166
Average request response time.....	167
Average response time (Transactions).....	168
Requests per second.....	169
Errors.....	170
Throughput.....	171
Response time against load.....	172
Distribution of Transaction Durations.....	173
Overall.....	174
HomePage - Average duration.....	174
HomePage - Elements/s.....	175
HomePage - Error rate.....	176
HomePage_OverallStats.....	177

Summary

Results summary

Name	02:15 - 30 Oct 2019_GWcustom_CacheEnable	Project	HP_GRID_PDP
Description		Scenario	GW_2_N
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population GridWall_2Custom_N is customized
Start date	Oct 30, 2019 2:16:46 AM		
End date	Oct 30, 2019 2:48:37 AM	Stop Policy	<ul style="list-style-type: none"> Population GridWall_2Custom_N: immediate.
Duration	00:31:51		
Termination reason	Manual action	Filters	None
LG Hosts	35.236.210.26:443	Debug	Disabled
	,		
	35.245.227.8:443		
	,		
	35.245.233.108:443		
	,		
	35.194.75.146:443		
	,		
	35.245.216.76:443		
	,		
	35.245.26.165:443		
	,		
	35.245.54.0:443		
	,		
	35.199.61.29:443		
	,		
	35.221.24.161:443		
	,		
	35.236.213.255:443		
	,		
	35.245.203.69:443		
	,		
	35.186.178.99:443		
	,		
	35.245.141.133:443		
	,		
	35.186.178.201:443		
	,		
	35.199.46.96:443		
	,		
	35.230.163.18:443		
	,		
	35.245.236.21:443		
	,		
	35.245.144.149:443		
	,		
	35.221.49.227:443		
	,		
	35.186.179.38:443		
	,		
	35.199.56.38:443		
	,		
	35.245.247.84:443		
	,		
	35.245.183.42:443		
	,		
	35.245.126.64:443		
	,		
	35.245.78.52:443		
	,		
	35.186.168.38:443		
	,		
	35.221.28.181:443		
	,		
	35.199.63.175:443		
	,		
	35.186.162.184:443		
	,		
	35.245.82.0:443		
	,		
	35.186.161.169:443		
	,		

35.245.255.226:443		
,		
35.199.29.75:443		
,		
35.221.42.223:443		
,		
35.236.197.68:443		
,		
35.188.244.46:443		
,		
35.236.210.48:443		
,		
35.186.178.221:443		
,		
35.194.93.220:443		
,		
35.245.184.9:443		
,		
35.230.166.42:443		
,		
35.236.252.232:443		
,		
35.245.17.42:443		
,		
35.245.176.166:443		
,		
35.236.205.249:443		
,		
35.245.90.3:443		
,		
35.230.181.78:443		
,		
35.245.29.125:443		
,		
35.245.152.215:443		
,		
35.236.234.100:443		
,		
35.194.87.156:443		
,		
35.199.44.0:443		
,		
35.245.214.48:443		
,		
35.245.55.228:443		
,		
35.199.2.21:443		
,		
35.245.92.143:443		
,		
35.236.229.13:443		
,		
35.236.220.177:443		
,		
35.236.215.162:443		
,		
35.188.236.242:443		
,		
35.188.232.211:443		
,		
35.236.227.147:443		
,		
35.245.79.19:443		
,		
35.245.176.32:443		
,		
35.245.173.139:443		
,		
35.245.128.178:443		
,		
35.188.224.6:443		
,		
35.188.245.114:443		
,		
35.245.215.107:443		
,		
35.245.100.133:443		
,		

35.245.188.150:443		
,		
35.236.194.179:443		
,		
35.236.225.201:443		
,		
35.186.174.0:443		
,		
35.245.7.106:443		
,		
35.245.63.50:443		
,		
35.245.17.118:443		
,		
35.236.222.187:443		
,		
35.245.227.148:443		
,		
35.221.61.112:443		
,		
35.245.0.237:443		
,		
35.245.44.22:443		
,		
35.221.51.136:443		
,		
35.245.151.213:443		
,		
35.194.66.38:443		
,		
35.245.211.57:443		
,		
35.230.178.121:443		
,		
35.199.4.28:443		
,		
35.188.238.119:443		
,		
35.245.121.224:443		
,		
35.245.74.95:443		
,		
35.245.18.168:443		
,		
35.245.80.84:443		
,		
35.245.140.249:443		
,		
35.230.162.45:443		
,		
35.221.22.190:443		
,		
35.188.236.89:443		
,		
35.245.194.146:443		
,		
35.245.91.93:443		
,		
35.245.105.142:443		
,		
35.238.98.5:443		
,		
35.223.5.210:443		
,		
35.223.226.249:443		
,		
35.194.37.119:443		
,		
34.69.143.222:443		
,		
35.224.85.242:443		
,		
35.224.231.215:443		
,		
35.202.154.215:443		
,		
35.222.103.24:443		
,		

34.69.97.224:443		
,		
35.202.244.38:443		
,		
35.193.174.211:443		
,		
35.222.197.154:443		
,		
35.225.198.188:443		
,		
35.223.124.202:443		
,		
35.223.138.40:443		
,		
35.223.176.196:443		
,		
35.222.14.105:443		
,		
34.66.179.247:443		
,		
35.224.243.23:443		
,		
35.225.150.141:443		
,		
104.154.130.10:443		
,		
34.66.63.156:443		
,		
35.225.19.236:443		
,		
130.211.194.223:443		
,		
34.69.184.44:443		
,		
35.226.109.51:443		
,		
34.70.22.241:443		
,		
34.67.17.118:443		
,		
34.67.220.173:443		
,		
104.197.28.242:443		
,		
35.188.122.132:443		
,		
34.67.43.72:443		
,		
35.224.86.144:443		
,		
35.223.133.203:443		
,		
34.67.74.146:443		
,		
35.223.119.32:443		
,		
35.222.82.161:443		
,		
35.223.33.202:443		
,		
35.193.228.46:443		
,		
34.67.83.64:443		
,		
104.198.231.108:443		
,		
34.70.89.70:443		
,		
35.222.230.195:443		
,		
34.68.180.99:443		
,		
34.69.161.134:443		
,		
35.184.48.189:443		
,		
35.224.246.237:443		
,		


35.223.247.206:443		
,		
104.154.255.144:443		
,		
104.198.248.77:443		
,		
35.223.196.186:443		
,		
35.223.7.220:443		
,		
34.69.198.157:443		
,		
35.223.129.210:443		
,		
35.232.140.142:443		
,		
35.222.141.126:443		
,		
35.202.202.7:443		
,		
34.70.147.33:443		
,		
34.69.140.154:443		
,		
34.68.187.135:443		
,		
35.222.122.86:443		
,		
35.223.244.109:443		
,		
34.66.229.186:443		
,		
35.222.155.98:443		
,		
35.202.143.210:443		
,		
104.154.194.78:443		
,		
34.70.206.137:443		
,		
35.232.145.157:443		
,		
104.197.212.44:443		
,		
104.154.240.238:443		
,		
34.67.127.16:443		
,		
34.69.193.168:443		
,		
104.197.109.241:443		
,		
104.154.143.176:443		
,		
34.67.79.224:443		
,		
34.69.103.208:443		
,		
34.69.247.127:443		
,		
104.198.138.139:443		
,		
35.225.76.83:443		
,		
35.222.168.83:443		
,		
104.197.228.255:443		
,		
35.239.9.212:443		
,		
35.223.24.113:443		
,		
35.226.11.189:443		
,		
34.70.137.17:443		
,		
104.197.237.248:443		
,		

35.224.223.194:443		
,		
35.222.195.56:443		
,		
35.222.128.79:443		
,		
35.226.39.113:443		
,		
35.223.172.188:443		
,		
104.197.225.204:443		
,		
35.225.184.194:443		
,		
35.232.99.244:443		
,		
104.198.179.205:443		
,		
35.202.13.3:443		
,		
35.192.109.160:443		
,		
35.193.129.51:443		
,		
35.222.19.13:443		

Statistics Summary

Total pages	32109128	—	Average pages/s	16,793.5	—
Total requests	68814246	—	Average requests/s	35,990.7	—
Total users launched	13211	—	Average Request response time	0.04 s	—
Total iterations completed	1300071	—	Average Page response time	0.074 s	—
Total throughput	1,380,986 MB	—	Average throughput	5,778.18 Mb/s	—
Total request errors	152	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ☁ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
GW_2_D	GW_2_D	/content/vzw-engage/c2c/btn.dis...ntainer-desktop.html	51
GW_2_D	GW_2_D	/glassbox/VZW/SHOP/reporting/cls_report	18
GW_2_M	GW_2_M	/2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js	15
GW_2_D	GW_2_D	/c/263109848-1/ascend.js	13
GW_2_M	GW_2_M	/shop/tablets-and-jetpacks/	7

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
GW_2_D	GW_2_D	/shop/tablets-and-jetpacks/	0.368
GW_2_M	GW_2_M	/shop/tablets-and-jetpacks/	0.329
GW_2_D	GW_2_D	/json	0.275
GW_2_M	GW_2_M	/chatskins/launch/inqChatLaunch10004593.js	0.267
GW_2_M	GW_2_M	/tagserver/incrementality/onEvent	0.18

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
GW_2_D	GW_2_D	/shop/tablets-and-jetpacks/	300.1
GW_2_D	GW_2_D	/content/vzw-engage/c2c/btn.dis...ntainer-desktop.html	300
GW_2_M	GW_2_M	/2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js	106.8
GW_2_M	GW_2_M	/shop/tablets-and-jetpacks/	60.9
GW_2_D	GW_2_D	/glassbox/VZW/SHOP/reporting/cls_report	60.1

Errors

Request errors

Error Type	Count	Description
NL-NETWORK-01	132	Miscellaneous I/O error when connecting to the server.
504	13	Gateway Timeout
500	4	Internal Server Error
502	3	Bad Gateway
Total	152	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
0.809	180.9	483.1	13,210	116	0.9	-
All pages						
0	0.074	300.1	32,109,128	130	0	-
All requests						
0	0.04	300.1	68,814,246	152	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
1.16	1.82	302.1	1,300,072	116	0	1.92	2.29	3.29	1.6	1.74	-

Scenario

Summary

Name	02:15 - 30 Oct 2019_GWcustom_CacheEnable	Project	HP_GRID_PDP
Description		Scenario	GW_2_N
Status	✓ Passed	Load Policy	• The population GridWall_2Custom_N is customized
Start date	Oct 30, 2019 2:16:46 AM		
End date	Oct 30, 2019 2:48:37 AM	Stop Policy	• Population GridWall_2Custom_N: immediate.
Duration	00:31:51		
Termination reason	Manual action	Filters	None
LG Hosts	35.236.210.26:443 , 35.245.227.8:443 , 35.245.233.108:443 , 35.194.75.146:443 , 35.245.216.76:443 , 35.245.26.165:443 , 35.245.54.0:443 , 35.199.61.29:443 , 35.221.24.161:443 , 35.236.213.255:443 , 35.245.203.69:443 , 35.186.178.99:443 , 35.245.141.133:443 , 35.186.178.201:443 , 35.199.46.96:443 , 35.230.163.18:443 , 35.245.236.21:443 , 35.245.144.149:443 , 35.221.49.227:443 , 35.186.179.38:443 , 35.199.56.38:443 , 35.245.247.84:443 , 35.245.183.42:443 , 35.245.126.64:443 , 35.245.78.52:443 , 35.186.168.38:443 , 35.221.28.181:443 , 35.199.63.175:443 , 35.186.162.184:443 , 35.245.82.0:443 , 	Debug	Disabled

35.186.161.169:443		
,		
35.245.255.226:443		
,		
35.199.29.75:443		
,		
35.221.42.223:443		
,		
35.236.197.68:443		
,		
35.188.244.46:443		
,		
35.236.210.48:443		
,		
35.186.178.221:443		
,		
35.194.93.220:443		
,		
35.245.184.9:443		
,		
35.230.166.42:443		
,		
35.236.252.232:443		
,		
35.245.17.42:443		
,		
35.245.176.166:443		
,		
35.236.205.249:443		
,		
35.245.90.3:443		
,		
35.230.181.78:443		
,		
35.245.29.125:443		
,		
35.245.152.215:443		
,		
35.236.234.100:443		
,		
35.194.87.156:443		
,		
35.199.44.0:443		
,		
35.245.214.48:443		
,		
35.245.55.228:443		
,		
35.199.2.21:443		
,		
35.245.92.143:443		
,		
35.236.229.13:443		
,		
35.236.220.177:443		
,		
35.236.215.162:443		
,		
35.188.236.242:443		
,		
35.188.232.211:443		
,		
35.236.227.147:443		
,		
35.245.79.19:443		
,		
35.245.176.32:443		
,		
35.245.173.139:443		
,		
35.245.128.178:443		
,		
35.188.224.6:443		
,		
35.188.245.114:443		
,		
35.245.215.107:443		
,		

35.245.100.133:443		
,		
35.245.188.150:443		
,		
35.236.194.179:443		
,		
35.236.225.201:443		
,		
35.186.174.0:443		
,		
35.245.7.106:443		
,		
35.245.63.50:443		
,		
35.245.17.118:443		
,		
35.236.222.187:443		
,		
35.245.227.148:443		
,		
35.221.61.112:443		
,		
35.245.0.237:443		
,		
35.245.44.22:443		
,		
35.221.51.136:443		
,		
35.245.151.213:443		
,		
35.194.66.38:443		
,		
35.245.211.57:443		
,		
35.230.178.121:443		
,		
35.199.4.28:443		
,		
35.188.238.119:443		
,		
35.245.121.224:443		
,		
35.245.74.95:443		
,		
35.245.18.168:443		
,		
35.245.80.84:443		
,		
35.245.140.249:443		
,		
35.230.162.45:443		
,		
35.221.22.190:443		
,		
35.188.236.89:443		
,		
35.245.194.146:443		
,		
35.245.91.93:443		
,		
35.245.105.142:443		
,		
35.238.98.5:443		
,		
35.223.5.210:443		
,		
35.223.226.249:443		
,		
35.194.37.119:443		
,		
34.69.143.222:443		
,		
35.224.85.242:443		
,		
35.224.231.215:443		
,		
35.202.154.215:443		
,		

35.222.103.24:443		
,		
34.69.97.224:443		
,		
35.202.244.38:443		
,		
35.193.174.211:443		
,		
35.222.197.154:443		
,		
35.225.198.188:443		
,		
35.223.124.202:443		
,		
35.223.138.40:443		
,		
35.223.176.196:443		
,		
35.222.14.105:443		
,		
34.66.179.247:443		
,		
35.224.243.23:443		
,		
35.225.150.141:443		
,		
104.154.130.10:443		
,		
34.66.63.156:443		
,		
35.225.19.236:443		
,		
130.211.194.223:443		
,		
34.69.184.44:443		
,		
35.226.109.51:443		
,		
34.70.22.241:443		
,		
34.67.17.118:443		
,		
34.67.220.173:443		
,		
104.197.28.242:443		
,		
35.188.122.132:443		
,		
34.67.43.72:443		
,		
35.224.86.144:443		
,		
35.223.133.203:443		
,		
34.67.74.146:443		
,		
35.223.119.32:443		
,		
35.222.82.161:443		
,		
35.223.33.202:443		
,		
35.193.228.46:443		
,		
34.67.83.64:443		
,		
104.198.231.108:443		
,		
34.70.89.70:443		
,		
35.222.230.195:443		
,		
34.68.180.99:443		
,		
34.69.161.134:443		
,		
35.184.48.189:443		
,		

35.224.246.237:443
,
35.223.247.206:443
,
104.154.255.144:443
,
104.198.248.77:443
,
35.223.196.186:443
,
35.223.7.220:443
,
34.69.198.157:443
,
35.223.129.210:443
,
35.232.140.142:443
,
35.222.141.126:443
,
35.202.202.7:443
,
34.70.147.33:443
,
34.69.140.154:443
,
34.68.187.135:443
,
35.222.122.86:443
,
35.223.244.109:443
,
34.66.229.186:443
,
35.222.155.98:443
,
35.202.143.210:443
,
104.154.194.78:443
,
34.70.206.137:443
,
35.232.145.157:443
,
104.197.212.44:443
,
104.154.240.238:443
,
34.67.127.16:443
,
34.69.193.168:443
,
104.197.109.241:443
,
104.154.143.176:443
,
34.67.79.224:443
,
34.69.103.208:443
,
34.69.247.127:443
,
104.198.138.139:443
,
35.225.76.83:443
,
35.222.168.83:443
,
104.197.228.255:443
,
35.239.9.212:443
,
35.223.24.113:443
,
35.226.11.189:443
,
34.70.137.17:443
,

104.197.237.248:443		
,		
35.224.223.194:443		
,		
35.222.195.56:443		
,		
35.222.128.79:443		
,		
35.226.39.113:443		
,		
35.223.172.188:443		
,		
104.197.225.204:443		
,		
35.225.184.194:443		
,		
35.232.99.244:443		
,		
104.198.179.205:443		
,		
35.202.13.3:443		
,		
35.192.109.160:443		
,		
35.193.129.51:443		
,		
35.222.19.13:443		

Populations

GridWall_2Custom_N

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
GW_2_D	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
GW_2_M	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
GW_2_D		Go to the next iteration	Do nothing	0ms	0%
GW_2_M		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	02:15 - 30 Oct 2019_GWcustom_CacheEnable	Project	HP_GRID_PDP
Description		Scenario	GW_2_N
Status	✓ Passed	Load Policy	• The population GridWall_2Custom_N is customized
Start date	Oct 30, 2019 2:16:46 AM		
End date	Oct 30, 2019 2:48:37 AM	Stop Policy	• Population GridWall_2Custom_N: immediate.
Duration	00:31:51		
Termination reason	Manual action	Filters	None
LG Hosts	35.236.210.26:443	Debug	Disabled
	,		
	35.245.227.8:443		
	,		
	35.245.233.108:443		
	,		
	35.194.75.146:443		
	,		
	35.245.216.76:443		
	,		
	35.245.26.165:443		
	,		
	35.245.54.0:443		
	,		
	35.199.61.29:443		
	,		
	35.221.24.161:443		
	,		
	35.236.213.255:443		
	,		
	35.245.203.69:443		
	,		
	35.186.178.99:443		
	,		
	35.245.141.133:443		
	,		
	35.186.178.201:443		
	,		
	35.199.46.96:443		
	,		
	35.230.163.18:443		
	,		
	35.245.236.21:443		
	,		
	35.245.144.149:443		
	,		
	35.221.49.227:443		
	,		
	35.186.179.38:443		
	,		
	35.199.56.38:443		
	,		
	35.245.247.84:443		
	,		
	35.245.183.42:443		
	,		
	35.245.126.64:443		
	,		
	35.245.78.52:443		
	,		
	35.186.168.38:443		
	,		
	35.221.28.181:443		
	,		
	35.199.63.175:443		
	,		
	35.186.162.184:443		
	,		
	35.245.82.0:443		
	,		
	35.186.161.169:443		
	,		
	35.245.255.226:443		

	35.199.29.75:443	
,		
	35.221.42.223:443	
,		
	35.236.197.68:443	
,		
	35.188.244.46:443	
,		
	35.236.210.48:443	
,		
	35.186.178.221:443	
,		
	35.194.93.220:443	
,		
	35.245.184.9:443	
,		
	35.230.166.42:443	
,		
	35.236.252.232:443	
,		
	35.245.17.42:443	
,		
	35.245.176.166:443	
,		
	35.236.205.249:443	
,		
	35.245.90.3:443	
,		
	35.230.181.78:443	
,		
	35.245.29.125:443	
,		
	35.245.152.215:443	
,		
	35.236.234.100:443	
,		
	35.194.87.156:443	
,		
	35.199.44.0:443	
,		
	35.245.214.48:443	
,		
	35.245.55.228:443	
,		
	35.199.2.21:443	
,		
	35.245.92.143:443	
,		
	35.236.229.13:443	
,		
	35.236.220.177:443	
,		
	35.236.215.162:443	
,		
	35.188.236.242:443	
,		
	35.188.232.211:443	
,		
	35.236.227.147:443	
,		
	35.245.79.19:443	
,		
	35.245.176.32:443	
,		
	35.245.173.139:443	
,		
	35.245.128.178:443	
,		
	35.188.224.6:443	
,		
	35.188.245.114:443	
,		
	35.245.215.107:443	
,		
	35.245.100.133:443	
,		
	35.245.188.150:443	

,	35.236.194.179:443		
,	35.236.225.201:443		
,	35.186.174.0:443		
,	35.245.7.106:443		
,	35.245.63.50:443		
,	35.245.17.118:443		
,	35.236.222.187:443		
,	35.245.227.148:443		
,	35.221.61.112:443		
,	35.245.0.237:443		
,	35.245.44.22:443		
,	35.221.51.136:443		
,	35.245.151.213:443		
,	35.194.66.38:443		
,	35.245.211.57:443		
,	35.230.178.121:443		
,	35.199.4.28:443		
,	35.188.238.119:443		
,	35.245.121.224:443		
,	35.245.74.95:443		
,	35.245.18.168:443		
,	35.245.80.84:443		
,	35.245.140.249:443		
,	35.230.162.45:443		
,	35.221.22.190:443		
,	35.188.236.89:443		
,	35.245.194.146:443		
,	35.245.91.93:443		
,	35.245.105.142:443		
,	35.238.98.5:443		
,	35.223.5.210:443		
,	35.223.226.249:443		
,	35.194.37.119:443		
,	34.69.143.222:443		
,	35.224.85.242:443		
,	35.224.231.215:443		
,	35.202.154.215:443		
,	35.222.103.24:443		
,	34.69.97.224:443		

,
35.202.244.38:443
,
35.193.174.211:443
,
35.222.197.154:443
,
35.225.198.188:443
,
35.223.124.202:443
,
35.223.138.40:443
,
35.223.176.196:443
,
35.222.14.105:443
,
34.66.179.247:443
,
35.224.243.23:443
,
35.225.150.141:443
,
104.154.130.10:443
,
34.66.63.156:443
,
35.225.19.236:443
,
130.211.194.223:443
,
34.69.184.44:443
,
35.226.109.51:443
,
34.70.22.241:443
,
34.67.17.118:443
,
34.67.220.173:443
,
104.197.28.242:443
,
35.188.122.132:443
,
34.67.43.72:443
,
35.224.86.144:443
,
35.223.133.203:443
,
34.67.74.146:443
,
35.223.119.32:443
,
35.222.82.161:443
,
35.223.33.202:443
,
35.193.228.46:443
,
34.67.83.64:443
,
104.198.231.108:443
,
34.70.89.70:443
,
35.222.230.195:443
,
34.68.180.99:443
,
34.69.161.134:443
,
35.184.48.189:443
,
35.224.246.237:443
,
35.223.247.206:443

,	104.154.255.144:443		
,	104.198.248.77:443		
,	35.223.196.186:443		
,	35.223.7.220:443		
,	34.69.198.157:443		
,	35.223.129.210:443		
,	35.232.140.142:443		
,	35.222.141.126:443		
,	35.202.202.7:443		
,	34.70.147.33:443		
,	34.69.140.154:443		
,	34.68.187.135:443		
,	35.222.122.86:443		
,	35.223.244.109:443		
,	34.66.229.186:443		
,	35.222.155.98:443		
,	35.202.143.210:443		
,	104.154.194.78:443		
,	34.70.206.137:443		
,	35.232.145.157:443		
,	104.197.212.44:443		
,	104.154.240.238:443		
,	34.67.127.16:443		
,	34.69.193.168:443		
,	104.197.109.241:443		
,	104.154.143.176:443		
,	34.67.79.224:443		
,	34.69.103.208:443		
,	34.69.247.127:443		
,	104.198.138.139:443		
,	35.225.76.83:443		
,	35.222.168.83:443		
,	104.197.228.255:443		
,	35.239.9.212:443		
,	35.223.24.113:443		
,	35.226.11.189:443		
,	34.70.137.17:443		
,	104.197.237.248:443		
,	35.224.223.194:443		

,	35.222.195.56:443		
,	35.222.128.79:443		
,	35.226.39.113:443		
,	35.223.172.188:443		
,	104.197.225.204:443		
,	35.225.184.194:443		
,	35.232.99.244:443		
,	104.198.179.205:443		
,	35.202.13.3:443		
,	35.192.109.160:443		
,	35.193.129.51:443		
,	35.222.19.13:443		

NeoLoad version 6.6.0;build=20180904-56
Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

GW_2_D	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
GW_2_M	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
ss72.vzw.com	443	Yes	Yes
media.ascend.ai	443	Yes	Yes
gateway.verizonwireless.com	443	No	No
www.google-analytics.com	443	Yes	Yes
sp.analytics.yahoo.com	443	Yes	Yes
vt.myvisualiq.net	443	No	No
scache2.vzw.com	443	Yes	Yes
2761768.flis.doubleclick.net	443	Yes	No
ss71.vzw.com	443	Yes	Yes
685973.flis.doubleclick.net	443	Yes	Yes
www.verizonwireless.com	443	No	No
pt.ispot.tv	443	Yes	Yes
scache1.vzw.com	443	Yes	No
t.myvisualiq.net	443	No	No
ss7.vzw.com	443	Yes	Yes
verizon.inq.com	443	Yes	Yes
scache.vzw.com	443	Yes	No
ss73.vzw.com	443	Yes	No



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
GridWall_2Custom_N	68814246 (100%)	35,990.7	0.074s (0%)	0% (0%)
Global	68814246 (100%)	35,990.7	0.074s	0%






User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_2_D						
0.809	188.5	483.1	6,604	94	1.4	-
 GW_2_M						
1.27	173.4	375	6,606	22	0.3	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

GW_2_D

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 GW_2_D											
0.809	188.5	483.1	6,604	94	1.4	-	-	-	-	-	-
 Init											
0	0	0.002	6,605	0	0	-	-	-	-	-	-
 Actions											
1.21	1.9	302.1	648,936	91	0	-	-	-	-	-	-
 GW_2_D											
1.21	1.9	302.1	648,937	91	0	2.07	2.33	3.43	1.78	1.8	-
 End											
0	0	0.001	6,604	0	0	-	-	-	-	-	-

GW_2_M

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 GW_2_M											
1.27	173.4	375	6,606	22	0.3	-	-	-	-	-	-
 Init											
0	0	0.001	6,606	0	0	-	-	-	-	-	-
 Actions											
1.16	1.75	108.1	651,135	25	0	-	-	-	-	-	-
 GW_2_M											
1.16	1.75	108.1	651,135	25	0	1.9	2.15	3.17	1.39	1.68	-
 End											
0	0	0.001	6,606	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

GW_2_D

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

















GW_2_M













Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers










Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						
















GW_2_D

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_2_D						
0.809	188.5	483.1	6,604	94	1.4	-
 Actions						
1.21	1.9	302.1	648,936	91	0	-
 GW_2_D						
1.21	1.9	302.1	648,937	91	0	-
 /shop/tablets-and-jetpacks/						
0.031	0.368	300.1	654,785	6	0	-
 /onedigital/uf/build/assets/css/gw.min.css						
0.003	0.032	1.94	654,785	2	0	-
 /onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.001	0.013	1.66	654,785	1	0	-
 /id						
0.003	0.107	2.08	654,784	3	0	-
 /rest/v1/delivery						
0.008	0.032	1.86	654,784	0	0	-
 /tbproxy/af/query						
0.004	0.03	1.65	654,784	1	0	-
 /activityi;src=685973;type=vzw...c9898656fc113ac1a7b;						
0.01	0.023	1.65	654,784	0	0	-
 /activityi;dc_pre=CJTAK6ytteUC...zwvp0;u9=desktop;u12						
0.003	0.01	1.61	654,783	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fshop						
0.01	0.024	1.56	654,782	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fshop%						
0.003	0.011	1.63	654,782	0	0	-
 /activityi;dc_pre=CPPp8qytteUC...bwi0;u18=https%3A%2F						
0.003	0.01	1.81	654,781	0	0	-
 /activityi;dc_pre=Clvc86ytteUC...bwi00;u18=https%3A%2						
0.003	0.011	1.6	654,780	0	0	-
 /json						
0.236	0.275	2.59	654,731	0	0	-
 /inqchat.html						
0.012	0.026	3.05	654,725	0	0	-
 /wi/yt.js						
0.067	0.101	2.39	654,699	1	0	-
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html						
0.076	0.093	300	654,677	51	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /pagead/viewthroughconversion/1030624533/						
0.01	0.088	2	654,633	0	0	-
 /c/263109848-1/ascend.js						
0.012	0.057	52.5	654,616	13	0	-
 /analytics.js						
0.007	0.015	1.67	654,615	0	0	-
 /media/launch/tcFramework.min.js						
0.017	0.027	4.98	654,606	1	0	-
 /sync						
0.066	0.112	2.25	654,563	0	0	-
 /impression_pixel						
0.001	0.017	1.82	654,553	0	0	-
 /sync_1						
0.001	0.016	1.58	654,549	0	0	-
 /sync_2						
0.001	0.016	1.82	654,536	0	0	-
 /tagserver/postToServer.min.htm						
0.046	0.059	1.7	654,524	0	0	-
 /tagserver/init/initFramework						
0.047	0.06	2.35	654,507	0	0	-
 /tagserver/incrementality/onEvent						
0.097	0.174	2.47	654,455	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.002	0.078	60.1	654,424	18	0	-

GW_2_M




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_2_M						
1.27	173.4	375	6,606	22	0.3	-
 Actions						
1.16	1.75	108.1	651,135	25	0	-
 GW_2_M						
1.16	1.75	108.1	651,135	25	0	-
 /shop/tablets-and-jetpacks/						
0.132	0.329	60.9	656,113	7	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.001	0.013	1.67	656,113	2	0	-
 /is/image/VerizonWireless/sams...xy-tab-a-10pt5-black						
0.008	0.037	1.89	656,113	3	0	-
 /is/image/VerizonWireless/samsung-galaxy-tab-s5e						
0.003	0.075	2	656,113	3	0	-
 /is/image/VerizonWireless/novatel-mifi-8800l-grey						
0.016	0.085	2.07	656,113	1	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.224	0.267	2.54	656,111	0	0	-














Min	Avg	Max	Count	Err	% of Err	SLA Profile
	 /preorderUI/shop/iconicexpressconfiginventory.json					
0.002	0.008	1.66	656,111	0	0	-
	 /utag/tiqapp/utag.v.js					
0.011	0.053	52.6	656,111	0	0	-
	 /activityi;src=2761768;type=b2...nwireless.com%2Fshop					
0.01	0.023	1.64	656,111	0	0	-
	 /activityi;src=2761768;type=b2...wireless.com%2Fshop%					
0.003	0.01	1.59	656,111	0	0	-
	 /activityi;dc_pre=CLi9j-auteUC...bwi0;u18=https%3A%2F					
0.003	0.011	1.54	656,111	0	0	-
	 /activityi;dc_pre=CKPGj-auteUC...bwi00;u18=https%3A%2					
0.003	0.011	1.57	656,111	0	0	-
	 /activity_pixel					
0.01	0.088	2.04	656,110	0	0	-
	 /v2/TC-3477-1.gif					
0.094	0.159	1.96	656,109	2	0	-
	 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js					
0	0.038	106.8	656,109	15	0	-
	 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html					
0.076	0.108	3.19	656,109	0	0	-
	 /inqchat.html					
0.013	0.043	3.09	656,109	0	0	-
	 /tapestry/1					
0.001	0.016	1.91	656,109	0	0	-
	 /tagserver/postToServer.min.htm					
0.093	0.12	3.15	656,108	0	0	-
	 /tagserver/init/initFramework					
0.047	0.06	1.72	656,107	0	0	-
	 /tagserver/incrementality/onEvent					
0.096	0.18	2.57	656,104	0	0	-
























Shared Containers





















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						


GW_2_D

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_2_D						
0.809	188.5	483.1	6,604	94	1.4	-
 Actions						
1.21	1.9	302.1	648,936	91	0	-
 GW_2_D						
1.21	1.9	302.1	648,937	91	0	-
 /shop/tablets-and-jetpacks/						
0.031	0.368	300.1	654,785	6	0	-
 /shop/tablets-and-jetpacks/						
0.031	0.274	300.1	654,795	4	0	-
 /ui-one-digital/gn/build/gnav.css						
0.008	0.034	1.66	654,785	4	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.004	0.034	1.67	654,785	5	0	-
 /t/onedigital/uf/build/gw/bundle.gw.js						
0.015	0.094	2.06	654,782	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.007	0.04	1.96	654,781	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.003	0.032	1.94	654,785	2	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.003	0.032	1.94	654,785	2	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.001	0.013	1.66	654,785	1	0	-
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js						
0.001	0.006	1.65	654,785	1	0	-
 /t/onedigital/uf/build/chunk...88a465643ba468b1b.js						
0	0.006	1.58	654,784	0	0	-
 /id						
0.003	0.107	2.08	654,784	3	0	-
 /is/image/VerizonWireless/Sa...Galaxy_Tab_A8_Device						
0.003	0.038	1.72	654,785	1	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.002	0.013	1.65	654,784	1	0	-
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf						
0.001	0.007	1.81	654,783	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.001	0.006	1.63	654,783	0	0	-





















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.002	0.009	1.88	654,783	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.009	1.91	654,783	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.007	1.56	654,783	0	0	-
 /is/image/VerizonWireless/sa...xy-tab-a-10pt5-black						
0.008	0.039	1.97	654,783	1	0	-
 /is/image/VerizonWireless/samsung-galaxy-tab-s5e						
0.008	0.039	1.96	654,782	0	0	-
 /rest/v1/delivery						
0.008	0.032	1.86	654,784	0	0	-
 /is/image/VerizonWireless/novatel-mifi-8800l-grey						
0.008	0.032	1.86	654,784	0	0	-
 /tbproxy/af/query						
0.004	0.03	1.65	654,784	1	0	-
 /is/image/VerizonWireless/Ellipsis_Jetpack_MHS900L						
0.001	0.007	1.55	654,784	0	0	-
 /is/image/VerizonWireless/No... Global_Modem_USB730						
0.001	0.007	1.61	654,784	0	0	-
 /is/image/VerizonWireless/inseego-5g-mifi-m1000						
0.001	0.007	1.56	654,784	0	0	-
 /is/image/VerizonWireless/gizmo-tablet-bump-blue						
0.001	0.007	1.56	654,784	1	0	-
 /activityi;src=685973;type=vzw...c9898656fc113ac1a7b;						
0.01	0.023	1.65	654,784	0	0	-
 /activityi;src=685973;type=v...num=9742945698831.55						
0.01	0.023	1.65	654,784	0	0	-
 /activityi;dc_pre=CJTak6ytteUC...zwvp0;u9=desktop;u12						
0.003	0.01	1.61	654,783	0	0	-
 /activityi;dc_pre=CJTak6ytte...num=9742945698831.55						
0.003	0.01	1.61	654,784	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fshop						
0.01	0.024	1.56	654,782	0	0	-
 /activityi;src=2761768;type=...um=4389352315649.311						
0.01	0.024	1.56	654,783	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fshop%						
0.003	0.011	1.63	654,782	0	0	-
 /activityi;src=2761768;type=...rd=679358213678.4293						
0.003	0.011	1.63	654,782	0	0	-
 /activityi;dc_pre=CPPp8qytteUC...bwi0;u18=https%3A%2F						
0.003	0.01	1.81	654,781	0	0	-
 /activityi;dc_pre=CPPp8qytte...rd=679358213678.4293						
0.003	0.01	1.81	654,782	0	0	-
 /activityi;dc_pre=C1vc86ytteUC...bwi00;u18=https%3A%2						
0.003	0.011	1.6	654,780	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;dc_pre=Clvc86ytte...um=4389352315649.311						
0.003	0.011	1.6	654,781	0	0	-
 /json						
0.236	0.275	2.59	654,731	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.029	1.75	654,780	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.192	0.245	2.58	654,731	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.006	1.6	654,764	0	0	-
 /inqchat.html						
0.012	0.026	3.05	654,725	0	0	-
 /inqchat.html						
0.012	0.026	3.05	654,731	0	0	-
 /wi/ytc.js						
0.067	0.101	2.39	654,699	1	0	-
 /spp.pl						
0.067	0.101	2.39	654,725	1	0	-
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html						
0.076	0.093	300	654,677	51	0	-
 /content/vzw-engage/c2c/btn....ntainer-desktop.html						
0.013	0.028	300	654,699	1	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.046	0.059	1.7	654,678	0	0	-
 /v2/TC-3477-1.gif						
0.007	0.032	1.75	654,678	0	0	-
 /2/PS5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0	0.039	105.8	654,678	50	0	-
 /pagead/viewthroughconversion/1030624533/						
0.01	0.088	2	654,633	0	0	-
 /activity_pixel						
0.009	0.071	1.96	654,677	0	0	-
 /ul_cb/activity_pixel						
0.001	0.017	1.6	654,635	0	0	-
 /c/263109848-1/ascend.js						
0.012	0.057	52.5	654,616	13	0	-
 /c/263109848-1/ascend.js						
0.012	0.057	52.5	654,633	13	0	-
 /analytics.js						
0.007	0.015	1.67	654,615	0	0	-
 /analytics.js						
0.007	0.015	1.67	654,616	0	0	-
 /media/launch/tcFramework.min.js						
0.017	0.027	4.98	654,606	1	0	-
 /sp.pl						
0.017	0.027	4.98	654,615	1	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /sync						
0.066	0.112	2.25	654,563	0	0	-
 /sync						
0.001	0.017	1.65	654,606	0	0	-
 /collect						
0	0	1.55	654,601	0	0	-
 /sync						
0.001	0.016	1.67	654,600	0	0	-
 /sync						
0.001	0.016	1.82	654,588	0	0	-
 /tagserver/postToServer.min.js						
0.047	0.06	2.24	654,576	0	0	-
 /impression_pixel						
0.001	0.017	1.82	654,553	0	0	-
 /impression_pixel						
0.001	0.017	1.82	654,563	0	0	-
 /sync_1						
0.001	0.016	1.58	654,549	0	0	-
 /sync						
0.001	0.016	1.58	654,553	0	0	-
 /sync_2						
0.001	0.016	1.82	654,536	0	0	-
 /sync						
0.001	0.016	1.82	654,549	0	0	-
 /tagserver/postToServer.min.htm						
0.046	0.059	1.7	654,524	0	0	-
 /tagserver/postToServer.min.htm						
0.046	0.059	1.7	654,536	0	0	-
 /tagserver/init/initFramework						
0.047	0.06	2.35	654,507	0	0	-
 /tagserver/init/initFramework						
0.047	0.06	2.35	654,524	0	0	-
 /tagserver/incrementality/onEvent						
0.097	0.174	2.47	654,455	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.061	1.92	654,507	0	0	-
 /tagserver/cbc-min.js						
0.049	0.113	2.41	654,456	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.002	0.078	60.1	654,424	18	0	-









Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /glassbox/VZW/SHOP/reporting/cls_report						
0.002	0.078	60.1	654,455	18	0	-

GW_2_M

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_2_M						
1.27	173.4	375	6,606	22	0.3	-
 Actions						
1.16	1.75	108.1	651,135	25	0	-
 GW_2_M						
1.16	1.75	108.1	651,135	25	0	-
 /shop/tablets-and-jetpacks/						
0.132	0.329	60.9	656,113	7	0	-
 /shop/tablets-and-jetpacks/						
0.111	0.26	60.9	656,113	0	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.004	0.037	1.95	656,113	6	0	-
 /ui-one-digital/gn/build/gnav.css						
0.004	0.036	1.95	656,113	4	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.004	0.036	1.95	656,113	3	0	-
 /t/onedigital/uf/build/gw/bundle.gw.js						
0.004	0.068	2.02	656,113	3	0	-
 /ui-one-digital/gn/build/gnav.js						
0.004	0.043	1.96	656,113	6	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.001	0.013	1.67	656,113	2	0	-
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js						
0	0.006	1.66	656,113	2	0	-
 /t/onedigital/uf/build/chunk...88a465643ba468b1b.js						
0	0.006	1.66	656,111	0	0	-
 /is/image/VerizonWireless/sams...xy-tab-a-10pt5-black						
0.008	0.037	1.89	656,113	3	0	-
 /is/image/VerizonWireless/sa...xy-tab-a-10pt5-black						
0.008	0.037	1.89	656,113	3	0	-
 /is/image/VerizonWireless/samsung-galaxy-tab-s5e						
0.003	0.075	2	656,113	3	0	-
 /is/image/VerizonWireless/samsung-galaxy-tab-s5e						
0.003	0.037	1.9	656,113	2	0	-
 /is/image/VerizonWireless/Sa...Galaxy_Tab_A8_Device						
0.008	0.037	1.87	656,111	1	0	-
 /is/image/VerizonWireless/novatel-mifi-8800l-grey						
0.016	0.085	2.07	656,113	1	0	-
 /is/image/VerizonWireless/novatel-mifi-8800l-grey						
0.008	0.032	1.74	656,113	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.001	0.008	1.92	656,113	0	0	-
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf						
0.001	0.007	1.62	656,113	0	0	-
 /ui-one-digital/global-head...ct.globalheader.json						
0.001	0.006	1.8	656,113	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.009	1.6	656,113	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0	0.007	1.55	656,113	0	0	-
 /is/image/VerizonWireless/No..._Global_Modem_USB730						
0.001	0.008	1.56	656,113	1	0	-
 /is/image/VerizonWireless/gizmo-tablet-bump-blue						
0.001	0.008	1.6	656,113	0	0	-
 /is/image/VerizonWireless/Ellipsis_Jetpack_MHS900L						
0.001	0.008	1.61	656,113	0	0	-
 /is/image/VerizonWireless/inseego-5g-mifi-m1000						
0.002	0.03	1.85	656,113	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.224	0.267	2.54	656,111	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.192	0.245	2.53	656,113	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.021	1.68	656,111	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.006	1.66	656,111	0	0	-
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.002	0.008	1.66	656,111	0	0	-
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.002	0.008	1.66	656,111	0	0	-
 /utag/tiqapp/utag.v.js						
0.011	0.053	52.6	656,111	0	0	-
 /c/263109848-1/ascend.js						
0.011	0.053	52.6	656,111	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fshop						
0.01	0.023	1.64	656,111	0	0	-
 /activityi;src=2761768;type=...um=8460912252891.108						
0.01	0.023	1.64	656,111	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fshop%						
0.003	0.01	1.59	656,111	0	0	-
 /activityi;src=2761768;type=...rd=7870119562248.663						
0.003	0.01	1.59	656,111	0	0	-
 /activityi;dc_pre=Cli9j-auteUC...bwi0;u18=https%3A%2F						
0.003	0.011	1.54	656,111	0	0	-
 /activityi;dc_pre=Cli9j-aute...rd=7870119562248.663						
0.003	0.011	1.54	656,111	0	0	-


Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;dc_pre=CKPGj-auteUC...bwi00;u18=https%3A%2						
0.003	0.011	1.57	656,111	0	0	-
 /activityi;dc_pre=CKPGj-aute...um=8460912252891.108						
0.003	0.011	1.57	656,111	0	0	-
 /activity_pixel						
0.01	0.088	2.04	656,110	0	0	-
 /activity_pixel						
0.009	0.071	1.78	656,111	0	0	-
 /ul_cb/activity_pixel						
0.001	0.017	1.92	656,110	0	0	-
 /v2/TC-3477-1.gif						
0.094	0.159	1.96	656,109	2	0	-
 /v2/TC-3477-1.gif						
0.007	0.031	1.64	656,110	0	0	-
 /spp.pl						
0.067	0.101	1.88	656,110	1	0	-
 /sp.pl						
0.017	0.026	1.85	656,108	1	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0	0.038	106.8	656,109	15	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0	0.038	106.8	656,109	15	0	-
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html						
0.076	0.108	3.19	656,109	0	0	-
 /content/vzw-engage/c2c/btn....ntainer-desktop.html						
0.013	0.027	3.05	656,109	0	0	-
 /sync						
0.001	0.017	1.77	656,109	0	0	-
 /impression_pixel						
0.001	0.047	1.84	656,109	0	0	-
 /sync						
0.002	0.047	1.8	656,109	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.046	0.059	1.99	656,109	0	0	-
 /inqchat.html						
0.013	0.043	3.09	656,109	0	0	-
 /inqchat.html						
0.012	0.026	3.05	656,109	0	0	-
 /sync						
0.001	0.017	1.68	656,109	0	0	-
 /sync						
0.001	0.016	1.69	656,109	0	0	-
 /tapestry/1						
0.001	0.016	1.91	656,109	0	0	-
 /sync						
0.001	0.016	1.91	656,109	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tagserver/postToServer.min.htm						
0.093	0.12	3.15	656,108	0	0	-
 /tagserver/postToServer.min.htm						
0.046	0.06	1.7	656,109	0	0	-
 /tagserver/postToServer.min.js						
0.047	0.06	3.09	656,108	0	0	-
 /tagserver/init/initFramework						
0.047	0.06	1.72	656,107	0	0	-
 /tagserver/init/initFramework						
0.047	0.06	1.72	656,108	0	0	-
 /tagserver/incrementality/onEvent						
0.096	0.18	2.57	656,104	0	0	-
 /tagserver/incrementality/onEvent						
0.047	0.061	2.35	656,107	0	0	-
 /tagserver/cbc-min.js						
0.048	0.119	2.5	656,104	0	0	-






Shared Containers

SLA	Value	Severity
Empty list		

























GW_2_D

SLA	Value	Severity
 GW_2_D		
 Actions		
 GW_2_D		
 /shop/tablets-and-jetpacks/		
 /shop/tablets-and-jetpacks/		
 /ui-one-digital/gn/build/gnav.css		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/gw/bundle.gw.js		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...88a465643ba468b1b.js		
 /id		
 /is/image/VerizonWireless/Sa...Galaxy_Tab_A8_Device		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /is/image/VerizonWireless/sa...xy-tab-a-10pt5-black		
 /is/image/VerizonWireless/samsung-galaxy-tab-s5e		
 /rest/v1/delivery		
 /is/image/VerizonWireless/novatel-mifi-8800l-grey		
 /tbproxy/af/query		
 /is/image/VerizonWireless/Ellipsis_Jetpack_MHS900L		
 /is/image/VerizonWireless/No..._Global_Modem_USB730		
 /is/image/VerizonWireless/inseego-5g-mifi-m1000		
 /is/image/VerizonWireless/gizmo-tablet-bump-blue		
 /activityi;src=685973;type=vzw...c9898656fc113ac1a7b;		
 /activityi;src=685973;type=v...num=9742945698831.55		











SLA	Value	Severity
 /activityi;dc_pre=CJTAk6ytteUC...zwvp0;u9=desktop;u12		
 /activityi;dc_pre=CJTAk6ytte...num=9742945698831.55		
 /activityi;src=2761768;type=b2...nwireless.com%2Fshop		
 /activityi;src=2761768;type=...um=4389352315649.311		
 /activityi;src=2761768;type=b2...wireless.com%2Fshop%		
 /activityi;src=2761768;type=...rd=679358213678.4293		
 /activityi;dc_pre=CPPp8qytteUC...bwi0;u18=https%3A%2F		
 /activityi;dc_pre=CPPp8qytte...rd=679358213678.4293		
 /activityi;dc_pre=Clvc86ytteUC...bwi00;u18=https%3A%2		
 /activityi;dc_pre=Clvc86ytte...um=4389352315649.311		
 /json		
 /askverizon/js/askverizon.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /support/etc/designs/support_rd/c2c.js		
 /inqchat.html		
 /inqchat.html		
 /wi/yt.js		
 /spp.pl		
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html		
 /content/vzw-engage/c2c/btn....ntainer-desktop.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /v2/TC-3477-1.gif		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /pagead/viewthroughconversion/1030624533/		
 /activity_pixel		
 /ul_cb/activity_pixel		
 /c/263109848-1/ascend.js		
 /c/263109848-1/ascend.js		
 /analytics.js		
 /analytics.js		
 /media/launch/tcFramework.min.js		
 /sp.pl		
 /sync		
 /sync		
 /collect		
 /sync		
 /sync		
 /tagserver/postToServer.min.js		
 /impression_pixel		
 /impression_pixel		

SLA	Value	Severity
 /sync_1		
 /sync		
 /sync_2		
 /sync		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.htm		
 /tagserver/init/initFramework		
 /tagserver/init/initFramework		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent		
 /tagserver/cbc-min.js		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		

GW_2_M

SLA	Value	Severity
 GW_2_M		
 Actions		
 GW_2_M		
 /shop/tablets-and-jetpacks/		
 /shop/tablets-and-jetpacks/		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /ui-one-digital/gn/build/gnav.css		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/gw/bundle.gw.js		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...88a465643ba468b1b.js		
 /is/image/VerizonWireless/sams...xy-tab-a-10pt5-black		
 /is/image/VerizonWireless/sa...xy-tab-a-10pt5-black		
 /is/image/VerizonWireless/samsung-galaxy-tab-s5e		
 /is/image/VerizonWireless/samsung-galaxy-tab-s5e		
 /is/image/VerizonWireless/Sa...Galaxy_Tab_A8_Device		
 /is/image/VerizonWireless/novatel-mifi-8800l-grey		
 /is/image/VerizonWireless/novatel-mifi-8800l-grey		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf		
 /ui-one-digital/global-head...ct.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		

SLA	Value	Severity
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /is/image/VerizonWireless/No..._Global_Modem_USB730		
 /is/image/VerizonWireless/gizmo-tablet-bump-blue		
 /is/image/VerizonWireless/Ellipsis_Jetpack_MHS900L		
 /is/image/VerizonWireless/inseego-5g-mifi-m1000		
 /chatskins/launch/inqChatLaunch10004593.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /utag/tiqapp/utag.v.js		
 /c/263109848-1/ascend.js		
 /activityi;src=2761768;type=b2...nwireless.com%2Fshop		
 /activityi;src=2761768;type=...um=8460912252891.108		
 /activityi;src=2761768;type=b2...wireless.com%2Fshop%		
 /activityi;src=2761768;type=...rd=7870119562248.663		
 /activityi;dc_pre=Cli9j-auteUC...bwi0;u18=https%3A%2F		
 /activityi;dc_pre=Cli9j-aute...rd=7870119562248.663		
 /activityi;dc_pre=CKPGj-auteUC...bwi00;u18=https%3A%2		
 /activityi;dc_pre=CKPGj-aute...um=8460912252891.108		
 /activity_pixel		
 /activity_pixel		
 /ul_cb/activity_pixel		
 /v2/TC-3477-1.gif		
 /v2/TC-3477-1.gif		
 /spp.pl		
 /sp.pl		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html		
 /content/vzw-engage/c2c/btn....ntainer-desktop.html		
 /sync		
 /impression_pixel		
 /sync		
 /chatskins/launch/inqChatLaunch10004593.js		
 /inqchat.html		
 /inqchat.html		
 /sync		
 /sync		

SLA	Value	Severity
 /tapestry/1		
 /sync		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.js		
 /tagserver/init/initFramework		
 /tagserver/init/initFramework		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent		
 /tagserver/cbc-min.js		

GW_2_D

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

GW_2_M

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	8,228	13,164	10,000	8,394	3,787
Controller/Throughput					
0	5,751	11,084	6,888	5,816	2,668
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
1	10.83	69	11	10.63	4.32
Controller/Memory Used					
10	25.6	44	25	25.4	9.18
Controller/Thread Count					
1,294	1,468	3,873	1,443	1,443	238.3
Controller/Connected					
200	200	200	200	200	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,287	9,099	1,142	1,157	1,293
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - Virginia (Ashburn 3)/User Load					
0	4,130	6,581	5,000	4,213	1,882
Controller/USA East - Virginia (Ashburn 3)/GridWall_2Custom_N/User Load					
0	4,130	6,581	5,000	4,213	1,882
Controller/USA East - Virginia (Ashburn 3)/GridWall_2Custom_N/GW_2_D/User Load					
0	2,065	3,292	2,500	2,106	939.9
Controller/USA East - Virginia (Ashburn 3)/GridWall_2Custom_N/GW_2_M/User Load					
0	2,066	3,289	2,500	2,107	942.1
Controller/USA Central - Iowa (Council Bluffs)/User Load					
0	4,138	6,583	5,000	4,221	1,883
Controller/USA Central - Iowa (Council Bluffs)/GridWall_2Custom_N/User Load					
0	4,138	6,583	5,000	4,221	1,883
Controller/USA Central - Iowa (Council Bluffs)/GridWall_...m_N/GW_2_D/User Load					
0	2,070	3,290	2,500	2,111	942.4
Controller/USA Central - Iowa (Council Bluffs)/GridWall_...m_N/GW_2_M/User Load					
0	2,068	3,293	2,500	2,110	940.6

LG 104.154.130.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.130.10:443/CPU Load					
0	21.3	56	21	21.1	10.72
LG 104.154.130.10:443/Memory Used					
2	35.5	63	37	35.8	14.6
LG 104.154.130.10:443/Throughput					
0	29	71.3	29.7	28.9	15.1
LG 104.154.130.10:443/User Load					
0	41.5	66	50	42.3	18.9
LG 104.154.130.10:443/Thread Count					
39	101.4	128	109	102.3	20.2
LG 104.154.130.10:443/Http client/Thread Pool used					
0.1	0.102	0.135	0.1	0.101	0.006
LG 104.154.130.10:443/Http client/Task Pool used					
0	0.005	0.3	0	0.002	0.021
LG 104.154.130.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.130.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.130.10:443/Controller Connection/Ping Duration (ms)					
66	97.7	176	106	95.7	24.8
LG 104.154.130.10:443/Network/Segments sent/sec.					
1.6	1,995	4,728	2,050	1,995	1,025
LG 104.154.130.10:443/Network/Segments retransmitted/sec.					
0	0.045	1.2	0	0.02	0.137
LG 104.154.130.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	75.1	31.2	30.3	15.8
LG 104.154.130.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	5.01	2.22	2.17	1.08

LG 104.154.143.176:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.143.176:443/CPU Load					
0	19.4	52	20.5	19.2	10.18
LG 104.154.143.176:443/Memory Used					
2	33.8	59	36	34.2	13
LG 104.154.143.176:443/Throughput					
0	28.8	62.9	31	29	14.9
LG 104.154.143.176:443/User Load					
0	41	66	50	41.9	18.8
LG 104.154.143.176:443/Thread Count					
39	100.5	129	109	101.4	20.2
LG 104.154.143.176:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.101	0.005
LG 104.154.143.176:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.017
LG 104.154.143.176:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.143.176:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.143.176:443/Controller Connection/Ping Duration (ms)					
62	96.7	144	105	96	22.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.143.176:443/Network/Segments sent/sec.					
1.6	1,997	4,352	2,138	2,011	1,017
LG 104.154.143.176:443/Network/Segments retransmitted/sec.					
0	0.051	1.01	0	0.026	0.141
LG 104.154.143.176:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	65.8	32.5	30.4	15.6
LG 104.154.143.176:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.74	2.32	2.18	1.07

LG 104.154.194.78:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.194.78:443/CPU Load					
0	19.3	56	19	19	10.36
LG 104.154.194.78:443/Memory Used					
2	33.6	61	36	34	13.2
LG 104.154.194.78:443/Throughput					
0	28.7	65.5	29.4	28.8	15.1
LG 104.154.194.78:443/User Load					
0	41	65	50	41.9	18.8
LG 104.154.194.78:443/Thread Count					
39	101.3	135	109	102	20.8
LG 104.154.194.78:443/Http client/Thread Pool used					
0.1	0.105	0.155	0.1	0.103	0.009
LG 104.154.194.78:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.012
LG 104.154.194.78:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.194.78:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.194.78:443/Controller Connection/Ping Duration (ms)					
56	94.4	147	106	94.8	19.3
LG 104.154.194.78:443/Network/Segments sent/sec.					
1.99	1,991	4,420	2,035	1,996	1,034
LG 104.154.194.78:443/Network/Segments retransmitted/sec.					
0	0.038	1.22	0	0.014	0.129
LG 104.154.194.78:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	68.6	30.8	30.2	15.8
LG 104.154.194.78:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.7	2.21	2.16	1.08

LG 104.154.240.238:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.240.238:443/CPU Load					
0	22.6	60	24	22.5	11.7
LG 104.154.240.238:443/Memory Used					
1	35.4	63	38	35.7	14.4
LG 104.154.240.238:443/Throughput					
0	28.8	60.5	31.7	29.1	14.7
LG 104.154.240.238:443/User Load					
0	41.1	66	50	41.9	18.8
LG 104.154.240.238:443/Thread Count					
39	100.9	129	109	101.8	20.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.240.238:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 104.154.240.238:443/Http client/Task Pool used					
0	0.006	0.25	0	0.002	0.023
LG 104.154.240.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.240.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.240.238:443/Controller Connection/Ping Duration (ms)					
71	109.3	151	108	108.3	10.2
LG 104.154.240.238:443/Network/Segments sent/sec.					
1.6	1,986	4,098	2,211	2,003	1,006
LG 104.154.240.238:443/Network/Segments retransmitted/sec.					
0	0.037	1.16	0	0.013	0.126
LG 104.154.240.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	63.2	33.3	30.4	15.4
LG 104.154.240.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.49	2.38	2.18	1.06

LG 104.154.255.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.255.144:443/CPU Load					
0	21.2	62	22	21	10.64
LG 104.154.255.144:443/Memory Used					
2	34.6	70	36	34.9	14.1
LG 104.154.255.144:443/Throughput					
0	28.8	61.4	31.6	29	14.6
LG 104.154.255.144:443/User Load					
0	41.2	66	50	42	18.8
LG 104.154.255.144:443/Thread Count					
39	100.7	129	109	101.5	20
LG 104.154.255.144:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.102	0.005
LG 104.154.255.144:443/Http client/Task Pool used					
0	0.005	0.483	0	0.002	0.028
LG 104.154.255.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.255.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.255.144:443/Controller Connection/Ping Duration (ms)					
64	92.3	201	105	89.1	28
LG 104.154.255.144:443/Network/Segments sent/sec.					
1.6	1,985	4,115	2,147	1,995	997.4
LG 104.154.255.144:443/Network/Segments retransmitted/sec.					
0	0.054	1.22	0	0.031	0.143
LG 104.154.255.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	64.1	33.2	30.4	15.3
LG 104.154.255.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.16	4.31	2.32	2.17	1.05

LG 104.197.109.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.109.241:443/CPU Load					
0	20.6	62	20	20.3	11.1
LG 104.197.109.241:443/Memory Used					
2	35	62	37	35.4	14
LG 104.197.109.241:443/Throughput					
0	28.8	60.2	30.4	28.8	15.1
LG 104.197.109.241:443/User Load					
0	41.1	66	50	42	18.8
LG 104.197.109.241:443/Thread Count					
39	100.6	130	109	101.5	19.9
LG 104.197.109.241:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.101	0.005
LG 104.197.109.241:443/Http client/Task Pool used					
0	0.004	0.183	0	0.001	0.015
LG 104.197.109.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.109.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.109.241:443/Controller Connection/Ping Duration (ms)					
67	103.8	181	109	102	24.9
LG 104.197.109.241:443/Network/Segments sent/sec.					
1.6	1,989	4,156	2,080	1,992	1,029
LG 104.197.109.241:443/Network/Segments retransmitted/sec.					
0	0.056	0.603	0	0.034	0.135
LG 104.197.109.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	62.4	31.9	30.2	15.8
LG 104.197.109.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.64	2.28	2.17	1.08

LG 104.197.212.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.212.44:443/CPU Load					
0	21.8	68	21	21.5	12.1
LG 104.197.212.44:443/Memory Used					
2	35.1	64	37	35.5	14
LG 104.197.212.44:443/Throughput					
0	28.8	64.4	28.7	28.7	16.3
LG 104.197.212.44:443/User Load					
0	41.1	65	50	41.9	18.8
LG 104.197.212.44:443/Thread Count					
39	100.7	131	109	101.6	20.2
LG 104.197.212.44:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.005
LG 104.197.212.44:443/Http client/Task Pool used					
0	0.005	0.117	0	0.002	0.014
LG 104.197.212.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.212.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.212.44:443/Controller Connection/Ping Duration (ms)					
62	77.5	147	69	74.2	21.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.212.44:443/Network/Segments sent/sec.					
2.84	1,982	4,373	1,974	1,972	1,106
LG 104.197.212.44:443/Network/Segments retransmitted/sec.					
0	0.067	1.82	0	0.04	0.17
LG 104.197.212.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.3	67.1	30.1	30.1	17.1
LG 104.197.212.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.16	4.85	2.14	2.15	1.16

LG 104.197.225.204:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.225.204:443/CPU Load					
0	22	60	21.5	21.7	12.5
LG 104.197.225.204:443/Memory Used					
1	36.1	71	36	36.2	15.3
LG 104.197.225.204:443/Throughput					
0	29.2	72.5	28.2	28.9	16.7
LG 104.197.225.204:443/User Load					
0	41.7	67	50	42.5	18.9
LG 104.197.225.204:443/Thread Count					
39	102.2	131	109	102.9	20.8
LG 104.197.225.204:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.105	0.009
LG 104.197.225.204:443/Http client/Task Pool used					
0	0.007	0.267	0	0.002	0.024
LG 104.197.225.204:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.225.204:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.225.204:443/Controller Connection/Ping Duration (ms)					
69	106.5	147	107	107.2	7.86
LG 104.197.225.204:443/Network/Segments sent/sec.					
1.6	2,018	4,674	1,937	2,001	1,137
LG 104.197.225.204:443/Network/Segments retransmitted/sec.					
0	0.044	0.81	0	0.022	0.124
LG 104.197.225.204:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	75.6	29.7	30.3	17.5
LG 104.197.225.204:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	5.12	2.12	2.17	1.19

LG 104.197.228.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.228.255:443/CPU Load					
0	20.5	71	21	20.2	11.6
LG 104.197.228.255:443/Memory Used					
2	34.7	62	37	35	13.9
LG 104.197.228.255:443/Throughput					
0	29.2	59.7	32.4	29.5	15.2
LG 104.197.228.255:443/User Load					
0	41.6	66	50	42.4	18.9
LG 104.197.228.255:443/Thread Count					
39	101.7	131	109	102.6	20.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.228.255:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.103	0.009
LG 104.197.228.255:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.016
LG 104.197.228.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.228.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.228.255:443/Controller Connection/Ping Duration (ms)					
67	107.3	153	113	107.5	16.2
LG 104.197.228.255:443/Network/Segments sent/sec.					
2.4	2,019	4,036	2,242	2,041	1,036
LG 104.197.228.255:443/Network/Segments retransmitted/sec.					
0	0.035	1.41	0	0.012	0.128
LG 104.197.228.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.6	62.5	34	30.9	15.9
LG 104.197.228.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.19	4.44	2.4	2.21	1.09

LG 104.197.237.248:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.237.248:443/CPU Load					
0	21.4	64	22	21	11.7
LG 104.197.237.248:443/Memory Used					
2	34.9	64	37	35.2	13.9
LG 104.197.237.248:443/Throughput					
0	29.2	79	31.4	29.3	15.4
LG 104.197.237.248:443/User Load					
0	41.6	66	50	42.4	18.9
LG 104.197.237.248:443/Thread Count					
39	101.5	132	109	102.3	20.2
LG 104.197.237.248:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.005
LG 104.197.237.248:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.017
LG 104.197.237.248:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.237.248:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.237.248:443/Controller Connection/Ping Duration (ms)					
55	127.3	178	146	128.6	32.8
LG 104.197.237.248:443/Network/Segments sent/sec.					
1.59	2,014	5,270	2,144	2,025	1,051
LG 104.197.237.248:443/Network/Segments retransmitted/sec.					
0	0.053	0.808	0	0.029	0.138
LG 104.197.237.248:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	82.8	33	30.7	16.2
LG 104.197.237.248:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	5.71	2.32	2.2	1.1

LG 104.197.28.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.28.242:443/CPU Load					
0	21.2	60	22	20.9	11.4
LG 104.197.28.242:443/Memory Used					
1	34	64	36	34.3	13.6
LG 104.197.28.242:443/Throughput					
0	28.9	63.5	31.1	29.1	14.8
LG 104.197.28.242:443/User Load					
0	41.2	66	50	42	18.8
LG 104.197.28.242:443/Thread Count					
39	100.8	128	110	101.8	20.2
LG 104.197.28.242:443/Http client/Thread Pool used					
0.1	0.102	0.12	0.1	0.101	0.005
LG 104.197.28.242:443/Http client/Task Pool used					
0	0.004	0.267	0	0.001	0.02
LG 104.197.28.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.28.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.28.242:443/Controller Connection/Ping Duration (ms)					
67	97.4	110	108	98.3	16.9
LG 104.197.28.242:443/Network/Segments sent/sec.					
1.6	1,990	4,291	2,128	2,001	1,005
LG 104.197.28.242:443/Network/Segments retransmitted/sec.					
0	0.022	0.801	0	0.004	0.088
LG 104.197.28.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	66.3	32.7	30.4	15.5
LG 104.197.28.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.16	4.61	2.32	2.18	1.06

LG 104.198.138.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.138.139:443/CPU Load					
0	21.6	58	21	21.4	11.7
LG 104.198.138.139:443/Memory Used					
2	34.7	65	37	35	14.4
LG 104.198.138.139:443/Throughput					
0	28.8	60.7	27.3	28.7	16.4
LG 104.198.138.139:443/User Load					
0	41.1	66	50	41.9	18.8
LG 104.198.138.139:443/Thread Count					
39	101.1	128	109	102.1	20.4
LG 104.198.138.139:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 104.198.138.139:443/Http client/Task Pool used					
0	0.006	0.2	0	0.002	0.022
LG 104.198.138.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.138.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.138.139:443/Controller Connection/Ping Duration (ms)					
64	83.9	144	67	81.7	24.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.138.139:443/Network/Segments sent/sec.					
1.6	1,982	4,122	1,895	1,979	1,108
LG 104.198.138.139:443/Network/Segments retransmitted/sec.					
0	0.036	0.788	0	0.016	0.109
LG 104.198.138.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	63.6	28.5	30.1	17.1
LG 104.198.138.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.15	4.42	2.05	2.15	1.17

LG 104.198.179.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.179.205:443/CPU Load					
0	20	61	20	19.7	10.55
LG 104.198.179.205:443/Memory Used					
2	35.1	65	37.5	35.5	14.1
LG 104.198.179.205:443/Throughput					
0	28.9	65.5	30	28.9	15.2
LG 104.198.179.205:443/User Load					
0	41.1	66	50	41.9	18.8
LG 104.198.179.205:443/Thread Count					
39	101	128	111	102.1	20.5
LG 104.198.179.205:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.102	0.008
LG 104.198.179.205:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.021
LG 104.198.179.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.179.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.179.205:443/Controller Connection/Ping Duration (ms)					
65	82.1	113	72	81.3	18.4
LG 104.198.179.205:443/Network/Segments sent/sec.					
1.65	1,998	4,471	2,076	2,000	1,038
LG 104.198.179.205:443/Network/Segments retransmitted/sec.					
0	0.031	0.807	0	0.01	0.109
LG 104.198.179.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	68.6	31.4	30.3	15.9
LG 104.198.179.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.72	2.27	2.17	1.09

LG 104.198.231.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.231.108:443/CPU Load					
0	21.2	60	21.5	20.8	11.6
LG 104.198.231.108:443/Memory Used					
1	34.4	62	36	34.7	14
LG 104.198.231.108:443/Throughput					
0	28.9	58.1	30.9	29	15.2
LG 104.198.231.108:443/User Load					
0	41.1	66	50	41.9	18.8
LG 104.198.231.108:443/Thread Count					
39	101.1	131	110	101.9	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.231.108:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.009
LG 104.198.231.108:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.02
LG 104.198.231.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.231.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.231.108:443/Controller Connection/Ping Duration (ms)					
65	109.3	157	111	109.4	13.8
LG 104.198.231.108:443/Network/Segments sent/sec.					
2.4	1,985	3,921	2,098	1,994	1,034
LG 104.198.231.108:443/Network/Segments retransmitted/sec.					
0	0.041	1.63	0	0.015	0.142
LG 104.198.231.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.3	60.7	32.7	30.4	16
LG 104.198.231.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.15	4.14	2.24	2.17	1.09

LG 104.198.248.77:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.248.77:443/CPU Load					
0	21.5	56	23	21.3	11.3
LG 104.198.248.77:443/Memory Used					
2	35	70	37	35.2	14.5
LG 104.198.248.77:443/Throughput					
0	29.1	62.7	30.6	29.2	15.4
LG 104.198.248.77:443/User Load					
0	41.4	66	50	42.3	18.9
LG 104.198.248.77:443/Thread Count					
39	101.4	130	111	102.4	20.4
LG 104.198.248.77:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 104.198.248.77:443/Http client/Task Pool used					
0	0.005	0.25	0	0.002	0.02
LG 104.198.248.77:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.248.77:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.248.77:443/Controller Connection/Ping Duration (ms)					
60	103.6	140	106	104.3	13.7
LG 104.198.248.77:443/Network/Segments sent/sec.					
1.61	2,013	4,077	2,094	2,021	1,044
LG 104.198.248.77:443/Network/Segments retransmitted/sec.					
0	0.073	1.19	0	0.043	0.172
LG 104.198.248.77:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	65.3	32	30.5	16.1
LG 104.198.248.77:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.38	2.28	2.19	1.1

LG 130.211.194.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.194.223:443/CPU Load					
0	21.3	63	19	20.8	12.7
LG 130.211.194.223:443/Memory Used					
2	34.9	64	37	35.1	13.8
LG 130.211.194.223:443/Throughput					
0	29.3	77.1	26.5	28.7	17.9
LG 130.211.194.223:443/User Load					
0	41.5	66	50	42.3	18.9
LG 130.211.194.223:443/Thread Count					
39	102.3	135	111	103.2	20.9
LG 130.211.194.223:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.104	0.009
LG 130.211.194.223:443/Http client/Task Pool used					
0	0.009	0.3	0	0.003	0.03
LG 130.211.194.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.194.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.194.223:443/Controller Connection/Ping Duration (ms)					
71	101.1	150	113	100.7	20.3
LG 130.211.194.223:443/Network/Segments sent/sec.					
1.61	2,020	5,100	1,859	1,989	1,202
LG 130.211.194.223:443/Network/Segments retransmitted/sec.					
0	0.051	0.813	0	0.027	0.136
LG 130.211.194.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.7	81	27.8	30.1	18.7
LG 130.211.194.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	5.33	2.01	2.16	1.26

LG 34.66.179.247:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.179.247:443/CPU Load					
0	22.7	60	24	22.5	11.9
LG 34.66.179.247:443/Memory Used					
2	35.1	65	36	35.3	14.2
LG 34.66.179.247:443/Throughput					
0	29	66.1	31.1	29.3	15.4
LG 34.66.179.247:443/User Load					
0	41.5	66	50	42.3	18.9
LG 34.66.179.247:443/Thread Count					
39	101.7	134	110	102.4	20.4
LG 34.66.179.247:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 34.66.179.247:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.02
LG 34.66.179.247:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.179.247:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.179.247:443/Controller Connection/Ping Duration (ms)					
56	109.9	200	108	108.3	19.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.179.247:443/Network/Segments sent/sec.					
2.19	1,991	4,477	2,122	2,010	1,040
LG 34.66.179.247:443/Network/Segments retransmitted/sec.					
0	0.042	1.99	0	0.015	0.154
LG 34.66.179.247:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	69.5	32.7	30.8	16.2
LG 34.66.179.247:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.84	2.29	2.19	1.1

LG 34.66.229.186:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.229.186:443/CPU Load					
0	21.7	61	23	21.6	11.6
LG 34.66.229.186:443/Memory Used					
2	34.9	60	37	35.3	13.9
LG 34.66.229.186:443/Throughput					
0	29.2	61.9	31.2	29.3	15.7
LG 34.66.229.186:443/User Load					
0	41.6	66	50	42.5	18.9
LG 34.66.229.186:443/Thread Count					
39	101.5	131	109	102.3	20.5
LG 34.66.229.186:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.103	0.006
LG 34.66.229.186:443/Http client/Task Pool used					
0	0.004	0.183	0	0.002	0.014
LG 34.66.229.186:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.229.186:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.229.186:443/Controller Connection/Ping Duration (ms)					
92	111.7	147	113	110.7	9.69
LG 34.66.229.186:443/Network/Segments sent/sec.					
1.61	2,015	4,179	2,176	2,023	1,071
LG 34.66.229.186:443/Network/Segments retransmitted/sec.					
0	0.04	1.39	0	0.014	0.138
LG 34.66.229.186:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	65.1	32.9	30.7	16.4
LG 34.66.229.186:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.18	4.45	2.36	2.19	1.13

LG 34.66.63.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.63.156:443/CPU Load					
0	20.1	56	20	19.9	10.59
LG 34.66.63.156:443/Memory Used					
2	34.6	64	37	34.9	14.1
LG 34.66.63.156:443/Throughput					
0	29	64.8	29.2	29	15.3
LG 34.66.63.156:443/User Load					
0	41.5	66	50	42.3	18.9
LG 34.66.63.156:443/Thread Count					
39	101	130	109	101.9	20.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.63.156:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.102	0.007
LG 34.66.63.156:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.012
LG 34.66.63.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.63.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.63.156:443/Controller Connection/Ping Duration (ms)					
66	95	147	106	94.5	20.3
LG 34.66.63.156:443/Network/Segments sent/sec.					
1.6	2,007	4,447	1,997	2,010	1,044
LG 34.66.63.156:443/Network/Segments retransmitted/sec.					
0	0.022	3.58	0	0	0.191
LG 34.66.63.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	68.1	30.6	30.4	16
LG 34.66.63.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.71	2.19	2.18	1.1

LG 34.67.127.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.127.16:443/CPU Load					
0	22.1	59	24	21.9	11.1
LG 34.67.127.16:443/Memory Used					
2	34.7	62	36	35	14
LG 34.67.127.16:443/Throughput					
0	28.9	57.6	32.1	29.2	14.5
LG 34.67.127.16:443/User Load					
0	41.2	66	50	42	18.8
LG 34.67.127.16:443/Thread Count					
39	100.9	129	110	101.8	20.3
LG 34.67.127.16:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.102	0.005
LG 34.67.127.16:443/Http client/Task Pool used					
0	0.004	0.217	0	0.002	0.015
LG 34.67.127.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.127.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.127.16:443/Controller Connection/Ping Duration (ms)					
59	126	158	151	127.7	36.8
LG 34.67.127.16:443/Network/Segments sent/sec.					
1.59	1,984	3,875	2,209	2,003	988.3
LG 34.67.127.16:443/Network/Segments retransmitted/sec.					
0	0.049	3.97	0	0.018	0.23
LG 34.67.127.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	60	33.8	30.7	15.3
LG 34.67.127.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.14	2.39	2.18	1.04

LG 34.67.17.118:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.17.118:443/CPU Load					
0	22.3	66	23	22	11.7
LG 34.67.17.118:443/Memory Used					
2	35	65	37	35.3	14.4
LG 34.67.17.118:443/Throughput					
0	29	60.5	30.6	29.1	15.1
LG 34.67.17.118:443/User Load					
0	41.5	66	50	42.3	18.9
LG 34.67.17.118:443/Thread Count					
39	101.3	129	110	102.1	20.3
LG 34.67.17.118:443/Http client/Thread Pool used					
0.1	0.105	0.155	0.1	0.103	0.009
LG 34.67.17.118:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.017
LG 34.67.17.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.17.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.17.118:443/Controller Connection/Ping Duration (ms)					
71	114.2	217	113	111.6	23.1
LG 34.67.17.118:443/Network/Segments sent/sec.					
1.6	2,001	4,068	2,109	2,012	1,027
LG 34.67.17.118:443/Network/Segments retransmitted/sec.					
0	0.053	1.79	0	0.027	0.166
LG 34.67.17.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	62.8	32.1	30.5	15.8
LG 34.67.17.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.41	2.28	2.19	1.08

LG 34.67.220.173:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.220.173:443/CPU Load					
0	20.2	55	21	20	10.98
LG 34.67.220.173:443/Memory Used					
2	34.5	65	36.5	34.8	14.3
LG 34.67.220.173:443/Throughput					
0	28.7	58.7	29.7	28.8	15.8
LG 34.67.220.173:443/User Load					
0	41	66	50	41.9	18.8
LG 34.67.220.173:443/Thread Count					
38	100.4	128	109	101.4	20.2
LG 34.67.220.173:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.101	0.005
LG 34.67.220.173:443/Http client/Task Pool used					
0	0.003	0.2	0	0.001	0.013
LG 34.67.220.173:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.220.173:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.220.173:443/Controller Connection/Ping Duration (ms)					
64	115.5	152	145	116.2	36.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.220.173:443/Network/Segments sent/sec.					
2.01	1,987	4,018	2,044	1,996	1,078
LG 34.67.220.173:443/Network/Segments retransmitted/sec.					
0	0.077	9.74	0	0.031	0.508
LG 34.67.220.173:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	61.8	31.1	30.2	16.5
LG 34.67.220.173:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.15	4.28	2.17	2.17	1.13

LG 34.67.43.72:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.43.72:443/CPU Load					
0	21.7	58	23.5	21.6	11.1
LG 34.67.43.72:443/Memory Used					
2	35	65	36	35.3	14.2
LG 34.67.43.72:443/Throughput					
0	29	63.3	31.5	29.1	15.3
LG 34.67.43.72:443/User Load					
0	41.5	66	50	42.3	18.9
LG 34.67.43.72:443/Thread Count					
39	101.6	136	109	102.2	20.8
LG 34.67.43.72:443/Http client/Thread Pool used					
0.1	0.105	0.165	0.1	0.103	0.011
LG 34.67.43.72:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.013
LG 34.67.43.72:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.43.72:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.43.72:443/Controller Connection/Ping Duration (ms)					
59	97.3	214	73	93.8	41.5
LG 34.67.43.72:443/Network/Segments sent/sec.					
2.76	2,003	4,237	2,167	2,016	1,043
LG 34.67.43.72:443/Network/Segments retransmitted/sec.					
0	0.057	2.99	0	0.028	0.201
LG 34.67.43.72:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	66.2	32.9	30.5	16.1
LG 34.67.43.72:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.52	2.33	2.19	1.1

LG 34.67.74.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.74.146:443/CPU Load					
0	22.7	63	25	22.6	11.7
LG 34.67.74.146:443/Memory Used					
1	35	64	37	35.3	13.9
LG 34.67.74.146:443/Throughput					
0	28.8	61.9	31.9	29.1	15
LG 34.67.74.146:443/User Load					
0	41.2	66	50	42.1	18.7
LG 34.67.74.146:443/Thread Count					
39	101.5	131	109	102.3	20.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.74.146:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 34.67.74.146:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.017
LG 34.67.74.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.74.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.74.146:443/Controller Connection/Ping Duration (ms)					
66	103.1	139	107	103.3	15.6
LG 34.67.74.146:443/Network/Segments sent/sec.					
2.75	1,983	4,171	2,160	2,002	1,020
LG 34.67.74.146:443/Network/Segments retransmitted/sec.					
0	0.051	1.19	0	0.025	0.144
LG 34.67.74.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	64.3	33.4	30.5	15.7
LG 34.67.74.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.16	4.5	2.33	2.18	1.08

LG 34.67.79.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.79.224:443/CPU Load					
0	21.4	59	22	21.3	10.96
LG 34.67.79.224:443/Memory Used					
2	34.1	65	36	34.4	13.7
LG 34.67.79.224:443/Throughput					
0	28.8	59.5	30.3	29	15.2
LG 34.67.79.224:443/User Load					
0	41.1	65	50	41.9	18.8
LG 34.67.79.224:443/Thread Count					
39	100.5	129	109	101.3	20.6
LG 34.67.79.224:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.008
LG 34.67.79.224:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.014
LG 34.67.79.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.79.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.79.224:443/Controller Connection/Ping Duration (ms)					
60	104.4	192	112	102.3	27.3
LG 34.67.79.224:443/Network/Segments sent/sec.					
1.6	1,984	4,070	2,122	1,996	1,030
LG 34.67.79.224:443/Network/Segments retransmitted/sec.					
0	0.05	5.57	0	0.014	0.302
LG 34.67.79.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	61.8	31.8	30.3	15.9
LG 34.67.79.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.16	4.51	2.32	2.17	1.08

LG 34.67.83.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.83.64:443/CPU Load					
0	21.8	65	23	21.5	12.1
LG 34.67.83.64:443/Memory Used					
2	35.1	67	37	35.3	14
LG 34.67.83.64:443/Throughput					
0	29.1	73.4	30.8	29.1	16.1
LG 34.67.83.64:443/User Load					
0	41.5	66	50	42.3	18.9
LG 34.67.83.64:443/Thread Count					
39	101.7	129	110	102.5	20.3
LG 34.67.83.64:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.007
LG 34.67.83.64:443/Http client/Task Pool used					
0	0.005	0.233	0	0.002	0.02
LG 34.67.83.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.83.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.83.64:443/Controller Connection/Ping Duration (ms)					
61	105.6	114	108	107	9.67
LG 34.67.83.64:443/Network/Segments sent/sec.					
1.61	2,017	4,869	2,145	2,018	1,101
LG 34.67.83.64:443/Network/Segments retransmitted/sec.					
0	0.15	2.22	0	0.112	0.271
LG 34.67.83.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	76.7	32	30.5	16.9
LG 34.67.83.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	5.13	2.35	2.19	1.16

LG 34.68.180.99:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.180.99:443/CPU Load					
0	20.1	55	21	19.8	10.86
LG 34.68.180.99:443/Memory Used					
2	33.5	59	36	33.9	13
LG 34.68.180.99:443/Throughput					
0	28.4	58.9	31.2	28.5	15.3
LG 34.68.180.99:443/User Load					
0	41	65	50	41.9	18.8
LG 34.68.180.99:443/Thread Count					
38	100.5	126	110	101.5	20.4
LG 34.68.180.99:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.005
LG 34.68.180.99:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.017
LG 34.68.180.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.180.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.180.99:443/Controller Connection/Ping Duration (ms)					
55	73.7	146	67	71.2	18.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.180.99:443/Network/Segments sent/sec.					
1.61	1,965	3,977	2,167	1,975	1,043
LG 34.68.180.99:443/Network/Segments retransmitted/sec.					
0	0.063	5.18	0	0.019	0.328
LG 34.68.180.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.8	61.5	32.8	29.9	16
LG 34.68.180.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.13	4.24	2.36	2.14	1.1

LG 34.68.187.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.187.135:443/CPU Load					
0	21.3	68	21	20.9	11.6
LG 34.68.187.135:443/Memory Used					
3	35.1	64	36.5	35.4	13.2
LG 34.68.187.135:443/Throughput					
0	29.1	70.5	29.9	29	16.1
LG 34.68.187.135:443/User Load					
0	41.5	66	50	42.4	18.9
LG 34.68.187.135:443/Thread Count					
39	101.5	130	111	102.3	20.6
LG 34.68.187.135:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 34.68.187.135:443/Http client/Task Pool used					
0	0.004	0.2	0	0.001	0.018
LG 34.68.187.135:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.187.135:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.187.135:443/Controller Connection/Ping Duration (ms)					
64	94.9	146	105	93.7	23.7
LG 34.68.187.135:443/Network/Segments sent/sec.					
1.6	2,001	4,677	2,069	1,998	1,087
LG 34.68.187.135:443/Network/Segments retransmitted/sec.					
0	0.05	1.22	0	0.023	0.153
LG 34.68.187.135:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	73.4	31.4	30.3	16.8
LG 34.68.187.135:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	5.22	2.27	2.17	1.14

LG 34.69.103.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.103.208:443/CPU Load					
0	20.9	71	20	20.5	11.7
LG 34.69.103.208:443/Memory Used					
2	35.1	66	37	35.3	14
LG 34.69.103.208:443/Throughput					
0	29.2	79.5	29.4	29.2	15.8
LG 34.69.103.208:443/User Load					
0	41.7	66	50	42.5	18.9
LG 34.69.103.208:443/Thread Count					
39	102.2	133	110	102.9	20.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.103.208:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 34.69.103.208:443/Http client/Task Pool used					
0	0.005	0.15	0	0.002	0.016
LG 34.69.103.208:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.103.208:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.103.208:443/Controller Connection/Ping Duration (ms)					
72	111.4	174	111	110.6	16.8
LG 34.69.103.208:443/Network/Segments sent/sec.					
1.6	2,013	5,390	2,005	2,014	1,072
LG 34.69.103.208:443/Network/Segments retransmitted/sec.					
0	0.041	4.58	0	0.008	0.253
LG 34.69.103.208:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.7	83.7	30.9	30.7	16.6
LG 34.69.103.208:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	5.67	2.18	2.19	1.13

LG 34.69.140.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.140.154:443/CPU Load					
0	19.6	59	20	19.4	10.96
LG 34.69.140.154:443/Memory Used					
2	34.5	62	36	34.8	13.9
LG 34.69.140.154:443/Throughput					
0	28.8	64.6	30.2	28.8	15.4
LG 34.69.140.154:443/User Load					
0	40.9	65	50	41.8	18.8
LG 34.69.140.154:443/Thread Count					
39	100.8	130	109	101.8	20.6
LG 34.69.140.154:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 34.69.140.154:443/Http client/Task Pool used					
0	0.005	0.317	0	0.001	0.024
LG 34.69.140.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.140.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.140.154:443/Controller Connection/Ping Duration (ms)					
66	141.8	1,542	88	88.5	275.1
LG 34.69.140.154:443/Network/Segments sent/sec.					
1.6	1,993	4,312	2,090	1,996	1,050
LG 34.69.140.154:443/Network/Segments retransmitted/sec.					
0	0.039	5.56	0	0.005	0.3
LG 34.69.140.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	68.1	31.7	30.2	16.2
LG 34.69.140.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.52	2.29	2.17	1.1

LG 34.69.143.222:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.143.222:443/CPU Load					
0	21.3	58	22	21.1	11.2
LG 34.69.143.222:443/Memory Used					
2	34.9	62	37	35.3	14.1
LG 34.69.143.222:443/Throughput					
0	28.8	79.7	30.1	28.7	15.7
LG 34.69.143.222:443/User Load					
0	41.1	66	50	41.9	18.8
LG 34.69.143.222:443/Thread Count					
39	101.3	132	110	102.1	20.9
LG 34.69.143.222:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.103	0.009
LG 34.69.143.222:443/Http client/Task Pool used					
0	0.005	0.217	0	0.001	0.02
LG 34.69.143.222:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.143.222:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.143.222:443/Controller Connection/Ping Duration (ms)					
93	106.9	121	106	106.7	3.92
LG 34.69.143.222:443/Network/Segments sent/sec.					
1.6	1,994	5,259	2,089	1,992	1,065
LG 34.69.143.222:443/Network/Segments retransmitted/sec.					
0	0.042	4.98	0	0.01	0.27
LG 34.69.143.222:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	83.3	31.4	30.1	16.4
LG 34.69.143.222:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	5.67	2.21	2.16	1.12

LG 34.69.161.134:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.161.134:443/CPU Load					
0	20.5	61	20	20.2	10.95
LG 34.69.161.134:443/Memory Used					
2	34.4	61	36	34.7	13.7
LG 34.69.161.134:443/Throughput					
0	29.1	62.1	29.2	29.2	15.4
LG 34.69.161.134:443/User Load					
0	41.6	66	50	42.4	18.9
LG 34.69.161.134:443/Thread Count					
39	101.3	131	108	102.1	20.5
LG 34.69.161.134:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 34.69.161.134:443/Http client/Task Pool used					
0	0.005	0.183	0	0.002	0.017
LG 34.69.161.134:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.161.134:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.161.134:443/Controller Connection/Ping Duration (ms)					
64	77.4	117	68	76	17

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.161.134:443/Network/Segments sent/sec.					
1.62	2,009	4,293	2,027	2,019	1,050
LG 34.69.161.134:443/Network/Segments retransmitted/sec.					
0	0.041	2.79	0	0.014	0.176
LG 34.69.161.134:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	65.1	30.6	30.6	16.1
LG 34.69.161.134:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.6	2.2	2.19	1.1

LG 34.69.184.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.184.44:443/CPU Load					
0	21.1	55	21	20.8	10.79
LG 34.69.184.44:443/Memory Used					
2	34.9	71	36	35.1	14.1
LG 34.69.184.44:443/Throughput					
0	29.1	77.2	30.5	29.1	15.1
LG 34.69.184.44:443/User Load					
0	41.5	66	50	42.3	18.9
LG 34.69.184.44:443/Thread Count					
39	101.3	138	110	102.1	20.3
LG 34.69.184.44:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.102	0.008
LG 34.69.184.44:443/Http client/Task Pool used					
0	0.004	0.117	0	0.002	0.013
LG 34.69.184.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.184.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.184.44:443/Controller Connection/Ping Duration (ms)					
63	98.6	208	106	96.5	26.7
LG 34.69.184.44:443/Network/Segments sent/sec.					
2.2	2,007	5,217	2,120	2,004	1,032
LG 34.69.184.44:443/Network/Segments retransmitted/sec.					
0	0.061	4.98	0	0.025	0.285
LG 34.69.184.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	80.9	32	30.5	15.8
LG 34.69.184.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	5.57	2.29	2.18	1.09

LG 34.69.193.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.193.168:443/CPU Load					
0	22.3	65	23	22	12.7
LG 34.69.193.168:443/Memory Used					
2	35.3	63	37	35.6	14.5
LG 34.69.193.168:443/Throughput					
0	28.9	60.1	32	28.9	16.1
LG 34.69.193.168:443/User Load					
0	41.1	66	50	42	18.8
LG 34.69.193.168:443/Thread Count					
39	102.3	130	110	103.2	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.193.168:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.105	0.01
LG 34.69.193.168:443/Http client/Task Pool used					
0	0.006	0.117	0	0.003	0.017
LG 34.69.193.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.193.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.193.168:443/Controller Connection/Ping Duration (ms)					
57	146	1,347	107	108.8	216.6
LG 34.69.193.168:443/Network/Segments sent/sec.					
1.59	1,979	4,116	2,152	1,983	1,094
LG 34.69.193.168:443/Network/Segments retransmitted/sec.					
0	0.066	5.57	0	0.031	0.309
LG 34.69.193.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	62.9	33.5	30.4	16.9
LG 34.69.193.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.15	4.44	2.38	2.16	1.15

LG 34.69.198.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.198.157:443/CPU Load					
0	21.2	57	22	21	11.2
LG 34.69.198.157:443/Memory Used					
3	34.1	59	36	34.5	12.9
LG 34.69.198.157:443/Throughput					
0	29.2	62.4	29.1	29.3	15.5
LG 34.69.198.157:443/User Load					
0	41.7	66	50	42.5	18.9
LG 34.69.198.157:443/Thread Count					
39	101.3	130	111	102.2	19.8
LG 34.69.198.157:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.102	0.005
LG 34.69.198.157:443/Http client/Task Pool used					
0	0.003	0.167	0	0.001	0.014
LG 34.69.198.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.198.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.198.157:443/Controller Connection/Ping Duration (ms)					
63	93.4	146	107	92.6	20.4
LG 34.69.198.157:443/Network/Segments sent/sec.					
1.61	2,016	4,163	2,053	2,026	1,056
LG 34.69.198.157:443/Network/Segments retransmitted/sec.					
0	0.041	5.77	0	0.006	0.307
LG 34.69.198.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	65.2	30.4	30.7	16.3
LG 34.69.198.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.19	4.47	2.19	2.2	1.11

LG 34.69.247.127:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.247.127:443/CPU Load					
0	22.6	76	24	22.5	12.3
LG 34.69.247.127:443/Memory Used					
2	35.2	67	37	35.4	14.1
LG 34.69.247.127:443/Throughput					
0	29.2	58.5	31.2	29.3	16
LG 34.69.247.127:443/User Load					
0	41.6	66	50	42.4	18.9
LG 34.69.247.127:443/Thread Count					
39	101.6	136	109	102.4	19.9
LG 34.69.247.127:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.103	0.008
LG 34.69.247.127:443/Http client/Task Pool used					
0	0.007	0.25	0	0.002	0.027
LG 34.69.247.127:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.247.127:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.247.127:443/Controller Connection/Ping Duration (ms)					
73	110.3	169	107	108.6	17.3
LG 34.69.247.127:443/Network/Segments sent/sec.					
2	2,006	3,992	2,150	2,019	1,083
LG 34.69.247.127:443/Network/Segments retransmitted/sec.					
0	0.038	3.18	0	0.01	0.192
LG 34.69.247.127:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.7	61.5	32.8	30.8	16.8
LG 34.69.247.127:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.36	2.33	2.2	1.14

LG 34.69.97.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.97.224:443/CPU Load					
0	21.7	61	22	21.5	11.5
LG 34.69.97.224:443/Memory Used					
1	34.1	62	36	34.5	13.6
LG 34.69.97.224:443/Throughput					
0	28.9	70.5	30.9	29	15.3
LG 34.69.97.224:443/User Load					
0	41.2	66	50	42	18.8
LG 34.69.97.224:443/Thread Count					
39	101	131	109	101.8	20.7
LG 34.69.97.224:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 34.69.97.224:443/Http client/Task Pool used					
0	0.005	0.233	0	0.002	0.02
LG 34.69.97.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.97.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.97.224:443/Controller Connection/Ping Duration (ms)					
66	105.2	148	106	104.9	15

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.97.224:443/Network/Segments sent/sec.					
1.62	1,992	4,670	2,096	1,997	1,039
LG 34.69.97.224:443/Network/Segments retransmitted/sec.					
0	0.065	1.99	0	0.036	0.175
LG 34.69.97.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	73.9	32.3	30.3	16
LG 34.69.97.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	5.04	2.32	2.17	1.09

LG 34.70.137.17:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.137.17:443/CPU Load					
0	20.6	63	21	20.4	11.4
LG 34.70.137.17:443/Memory Used					
2	34.2	65	37	34.5	13.5
LG 34.70.137.17:443/Throughput					
0	28.8	89	28.9	28.5	16.7
LG 34.70.137.17:443/User Load					
0	41	65	50	41.9	18.8
LG 34.70.137.17:443/Thread Count					
39	101	128	109	102	20.8
LG 34.70.137.17:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 34.70.137.17:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.016
LG 34.70.137.17:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.137.17:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.137.17:443/Controller Connection/Ping Duration (ms)					
68	112.9	155	114	113	17.1
LG 34.70.137.17:443/Network/Segments sent/sec.					
1.6	1,989	5,933	1,987	1,975	1,135
LG 34.70.137.17:443/Network/Segments retransmitted/sec.					
0	0.089	9.95	0	0.038	0.525
LG 34.70.137.17:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	93.2	30.2	29.9	17.5
LG 34.70.137.17:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	6.34	2.19	2.14	1.19

LG 34.70.147.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.147.33:443/CPU Load					
0	20.9	58	21	20.7	11.5
LG 34.70.147.33:443/Memory Used					
2	33.8	64	35	34.1	13.4
LG 34.70.147.33:443/Throughput					
0	29.2	68.1	28.8	29.2	16.2
LG 34.70.147.33:443/User Load					
0	41.6	66	50	42.4	18.9
LG 34.70.147.33:443/Thread Count					
39	102.1	129	110	102.9	20.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.147.33:443/Http client/Thread Pool used					
0.1	0.105	0.125	0.1	0.104	0.006
LG 34.70.147.33:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.015
LG 34.70.147.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.147.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.147.33:443/Controller Connection/Ping Duration (ms)					
71	112.8	155	111	112.7	36.2
LG 34.70.147.33:443/Network/Segments sent/sec.					
1.61	2,013	4,487	1,999	2,013	1,099
LG 34.70.147.33:443/Network/Segments retransmitted/sec.					
0	0.048	2.18	0	0.017	0.178
LG 34.70.147.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	70.4	30.1	30.6	17
LG 34.70.147.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.89	2.18	2.18	1.15

LG 34.70.206.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.206.137:443/CPU Load					
0	18.5	60	19	18.1	10.46
LG 34.70.206.137:443/Memory Used					
1	34	63	36.5	34.3	13.4
LG 34.70.206.137:443/Throughput					
0	28.7	62.7	29.5	28.6	15.7
LG 34.70.206.137:443/User Load					
0	41	65	50	41.8	18.8
LG 34.70.206.137:443/Thread Count					
39	101.1	131	109	101.9	20.6
LG 34.70.206.137:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 34.70.206.137:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.016
LG 34.70.206.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.206.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.206.137:443/Controller Connection/Ping Duration (ms)					
67	94.2	145	105	93.6	19.6
LG 34.70.206.137:443/Network/Segments sent/sec.					
1.6	1,998	4,339	2,055	1,987	1,078
LG 34.70.206.137:443/Network/Segments retransmitted/sec.					
0	0.063	4.76	0	0.031	0.269
LG 34.70.206.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	66.5	31.2	30	16.5
LG 34.70.206.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.16	4.65	2.23	2.15	1.13

LG 34.70.22.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.22.241:443/CPU Load					
0	21.3	60	23	21.1	11.2
LG 34.70.22.241:443/Memory Used					
2	35.1	61	36	35.4	14.1
LG 34.70.22.241:443/Throughput					
0	29.2	75.5	31.3	29.3	15.1
LG 34.70.22.241:443/User Load					
0	41.6	66	50	42.4	18.9
LG 34.70.22.241:443/Thread Count					
39	101.7	129	109	102.6	20.4
LG 34.70.22.241:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.104	0.009
LG 34.70.22.241:443/Http client/Task Pool used					
0	0.004	0.217	0	0.002	0.016
LG 34.70.22.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.22.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.22.241:443/Controller Connection/Ping Duration (ms)					
63	80.3	147	67	78.7	20.4
LG 34.70.22.241:443/Network/Segments sent/sec.					
1.6	2,012	5,102	2,138	2,019	1,025
LG 34.70.22.241:443/Network/Segments retransmitted/sec.					
0	0.029	1.59	0	0.006	0.128
LG 34.70.22.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.7	79	32.9	30.8	15.8
LG 34.70.22.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.18	5.45	2.31	2.19	1.09

LG 34.70.89.70:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.89.70:443/CPU Load					
0	20.6	66	20	20.2	12
LG 34.70.89.70:443/Memory Used					
2	34.2	64	36	34.6	13.3
LG 34.70.89.70:443/Throughput					
0	29.2	67.6	28.4	29	16.5
LG 34.70.89.70:443/User Load					
0	41.6	66	50	42.4	18.9
LG 34.70.89.70:443/Thread Count					
39	102	130	109	102.8	20.5
LG 34.70.89.70:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.007
LG 34.70.89.70:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.018
LG 34.70.89.70:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.89.70:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.89.70:443/Controller Connection/Ping Duration (ms)					
60	106	159	112	105.5	22.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.89.70:443/Network/Segments sent/sec.					
1.6	2,021	4,597	1,989	2,010	1,125
LG 34.70.89.70:443/Network/Segments retransmitted/sec.					
0	0.038	4.18	0	0.01	0.232
LG 34.70.89.70:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	70.7	29.8	30.4	17.3
LG 34.70.89.70:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	4.89	2.2	2.18	1.18

LG 35.184.48.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.48.189:443/CPU Load					
0	20.3	59	21	20	10.64
LG 35.184.48.189:443/Memory Used					
2	34.2	60	36	34.5	13.6
LG 35.184.48.189:443/Throughput					
0	29.1	58	30.4	29.2	15.2
LG 35.184.48.189:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.184.48.189:443/Thread Count					
39	101.3	129	109	102.2	20.3
LG 35.184.48.189:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.005
LG 35.184.48.189:443/Http client/Task Pool used					
0	0.005	0.217	0	0.001	0.019
LG 35.184.48.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.48.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.48.189:443/Controller Connection/Ping Duration (ms)					
57	107	152	108	107.3	12.7
LG 35.184.48.189:443/Network/Segments sent/sec.					
1.6	2,011	4,075	2,123	2,020	1,036
LG 35.184.48.189:443/Network/Segments retransmitted/sec.					
0	0.046	1.36	0	0.02	0.143
LG 35.184.48.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	60.9	31.8	30.6	15.9
LG 35.184.48.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.29	2.29	2.19	1.08

LG 35.188.122.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.122.132:443/CPU Load					
0	21.8	60	23	21.6	11.8
LG 35.188.122.132:443/Memory Used					
2	34.2	63	36	34.6	13.9
LG 35.188.122.132:443/Throughput					
0	28.9	60.4	31.7	29.1	15.1
LG 35.188.122.132:443/User Load					
0	41.1	65	50	41.9	18.8
LG 35.188.122.132:443/Thread Count					
39	101	127	109	102	20.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.122.132:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 35.188.122.132:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.014
LG 35.188.122.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.122.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.122.132:443/Controller Connection/Ping Duration (ms)					
68	125.2	815	108	104	124.8
LG 35.188.122.132:443/Network/Segments sent/sec.					
1.6	1,996	4,078	2,177	2,012	1,034
LG 35.188.122.132:443/Network/Segments retransmitted/sec.					
0	0.045	0.779	0	0.024	0.121
LG 35.188.122.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	63	33.2	30.4	15.9
LG 35.188.122.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.53	2.38	2.18	1.09

LG 35.192.109.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.109.160:443/CPU Load					
0	18.8	57	20	18.6	9.44
LG 35.192.109.160:443/Memory Used					
2	34.2	62	36	34.6	13.6
LG 35.192.109.160:443/Throughput					
0	28.8	59.5	32.1	29	14.8
LG 35.192.109.160:443/User Load					
0	41.1	66	50	42	18.8
LG 35.192.109.160:443/Thread Count					
39	100.1	125	109	101.1	19.4
LG 35.192.109.160:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.101	0.003
LG 35.192.109.160:443/Http client/Task Pool used					
0	0.004	0.217	0	0.001	0.019
LG 35.192.109.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.109.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.109.160:443/Controller Connection/Ping Duration (ms)					
64	85.1	186	68	81.3	28.3
LG 35.192.109.160:443/Network/Segments sent/sec.					
2	2,002	3,967	2,223	2,017	1,011
LG 35.192.109.160:443/Network/Segments retransmitted/sec.					
0	0.028	0.608	0	0.008	0.099
LG 35.192.109.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	62.4	33.6	30.4	15.5
LG 35.192.109.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.23	2.37	2.18	1.06

LG 35.193.129.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.129.51:443/CPU Load					
0	20	66	19	19.6	11.6
LG 35.193.129.51:443/Memory Used					
2	35.1	68	37	35.4	14.4
LG 35.193.129.51:443/Throughput					
0	28.8	64	29.4	28.6	16.2
LG 35.193.129.51:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.193.129.51:443/Thread Count					
39	100.8	129	109	101.6	20.4
LG 35.193.129.51:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.007
LG 35.193.129.51:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.021
LG 35.193.129.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.129.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.129.51:443/Controller Connection/Ping Duration (ms)					
65	85.8	111	70	85.5	20.2
LG 35.193.129.51:443/Network/Segments sent/sec.					
1.6	1,986	4,240	2,051	1,981	1,101
LG 35.193.129.51:443/Network/Segments retransmitted/sec.					
0	0.072	1.4	0	0.038	0.188
LG 35.193.129.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	66.8	30.9	30	17
LG 35.193.129.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.46	2.25	2.15	1.16

LG 35.193.174.211:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.174.211:443/CPU Load					
0	21.3	62	22	21	11.7
LG 35.193.174.211:443/Memory Used					
2	34.2	59	36	34.6	13.2
LG 35.193.174.211:443/Throughput					
0	28.8	63.3	30.7	28.9	15.5
LG 35.193.174.211:443/User Load					
0	41	65	50	41.9	18.8
LG 35.193.174.211:443/Thread Count					
38	101.1	131	109	102.1	20.4
LG 35.193.174.211:443/Http client/Thread Pool used					
0.1	0.105	0.13	0.1	0.104	0.007
LG 35.193.174.211:443/Http client/Task Pool used					
0	0.008	0.233	0	0.002	0.03
LG 35.193.174.211:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.174.211:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.174.211:443/Controller Connection/Ping Duration (ms)					
92	106.9	118	106	106.8	3.98

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.174.211:443/Network/Segments sent/sec.					
1.6	1,995	4,393	2,128	1,999	1,062
LG 35.193.174.211:443/Network/Segments retransmitted/sec.					
0	0.083	1.63	0	0.057	0.177
LG 35.193.174.211:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	66.1	32	30.2	16.3
LG 35.193.174.211:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.79	2.31	2.17	1.12

LG 35.193.228.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.228.46:443/CPU Load					
0	21.5	74	22	21	12.2
LG 35.193.228.46:443/Memory Used					
1	35.2	68	37.5	35.4	14.2
LG 35.193.228.46:443/Throughput					
0	28.6	64.5	30.3	28.5	15.9
LG 35.193.228.46:443/User Load					
0	41	65	50	41.8	18.8
LG 35.193.228.46:443/Thread Count					
38	101	132	109	101.7	21
LG 35.193.228.46:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.103	0.009
LG 35.193.228.46:443/Http client/Task Pool used					
0	0.005	0.217	0	0.002	0.019
LG 35.193.228.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.228.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.228.46:443/Controller Connection/Ping Duration (ms)					
63	91.5	115	78	91.7	19.4
LG 35.193.228.46:443/Network/Segments sent/sec.					
1.63	1,968	4,382	2,084	1,961	1,080
LG 35.193.228.46:443/Network/Segments retransmitted/sec.					
0	0.047	1.22	0	0.021	0.144
LG 35.193.228.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	67.3	31.9	30	16.7
LG 35.193.228.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.14	4.69	2.24	2.14	1.14

LG 35.194.37.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.37.119:443/CPU Load					
0	23	69	23	22.7	12.1
LG 35.194.37.119:443/Memory Used					
2	36.1	72	37	36.3	14.7
LG 35.194.37.119:443/Throughput					
0	29.1	65.9	29.5	29	15.5
LG 35.194.37.119:443/User Load					
0	41.5	66	50	42.4	18.9
LG 35.194.37.119:443/Thread Count					
39	102.4	132	109	103.2	20.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.37.119:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.104	0.006
LG 35.194.37.119:443/Http client/Task Pool used					
0	0.005	0.117	0	0.002	0.016
LG 35.194.37.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.37.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.37.119:443/Controller Connection/Ping Duration (ms)					
77	108	149	108	107.7	9.72
LG 35.194.37.119:443/Network/Segments sent/sec.					
1.6	2,014	4,500	2,071	2,009	1,057
LG 35.194.37.119:443/Network/Segments retransmitted/sec.					
0	0.124	1.22	0	0.091	0.222
LG 35.194.37.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	69	30.9	30.4	16.3
LG 35.194.37.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.92	2.24	2.18	1.11

LG 35.202.13.3:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.13.3:443/CPU Load					
0	21.4	65	21	21	12.2
LG 35.202.13.3:443/Memory Used					
2	35.7	66	38	36.1	14.2
LG 35.202.13.3:443/Throughput					
0	29.1	68.9	30.3	28.8	15.9
LG 35.202.13.3:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.202.13.3:443/Thread Count					
39	101.8	129	110	102.7	21.1
LG 35.202.13.3:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.007
LG 35.202.13.3:443/Http client/Task Pool used					
0	0.005	0.383	0	0.002	0.025
LG 35.202.13.3:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.13.3:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.13.3:443/Controller Connection/Ping Duration (ms)					
66	108	136	108	108.1	10.04
LG 35.202.13.3:443/Network/Segments sent/sec.					
1.61	1,997	4,607	2,083	1,984	1,075
LG 35.202.13.3:443/Network/Segments retransmitted/sec.					
0	0.037	1.41	0	0.013	0.131
LG 35.202.13.3:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	71.9	31.7	30.3	16.7
LG 35.202.13.3:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	5.06	2.28	2.16	1.13

LG 35.202.143.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.143.210:443/CPU Load					
0	21.4	58	21	21.1	11.7
LG 35.202.143.210:443/Memory Used					
2	35	64	37.5	35.4	14
LG 35.202.143.210:443/Throughput					
0	29.1	66.5	28.9	29.1	15.9
LG 35.202.143.210:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.202.143.210:443/Thread Count					
39	101.5	129	109	102.4	20.3
LG 35.202.143.210:443/Http client/Thread Pool used					
0.1	0.104	0.125	0.1	0.103	0.006
LG 35.202.143.210:443/Http client/Task Pool used					
0	0.005	0.3	0	0.001	0.024
LG 35.202.143.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.143.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.143.210:443/Controller Connection/Ping Duration (ms)					
66	96	239	105	92.5	31.4
LG 35.202.143.210:443/Network/Segments sent/sec.					
2.21	2,010	4,408	1,991	2,012	1,086
LG 35.202.143.210:443/Network/Segments retransmitted/sec.					
0	0.04	0.968	0	0.017	0.125
LG 35.202.143.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	69.6	30.2	30.5	16.7
LG 35.202.143.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.84	2.14	2.18	1.14

LG 35.202.154.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.154.215:443/CPU Load					
0	21.4	68	23	21.1	11.6
LG 35.202.154.215:443/Memory Used					
2	35	63	37	35.3	14.5
LG 35.202.154.215:443/Throughput					
0	29	67.8	32.9	29.1	15.5
LG 35.202.154.215:443/User Load					
0	41.4	66	50	42.2	19
LG 35.202.154.215:443/Thread Count					
39	101.3	130	110	102.2	20.1
LG 35.202.154.215:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 35.202.154.215:443/Http client/Task Pool used					
0	0.006	0.15	0	0.002	0.02
LG 35.202.154.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.154.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.154.215:443/Controller Connection/Ping Duration (ms)					
72	106	112	108	107.1	6.72

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.154.215:443/Network/Segments sent/sec.					
1.6	2,005	4,633	2,257	2,015	1,051
LG 35.202.154.215:443/Network/Segments retransmitted/sec.					
0	0.039	1.17	0	0.014	0.137
LG 35.202.154.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	71.1	34.4	30.5	16.2
LG 35.202.154.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	5.04	2.45	2.19	1.11

LG 35.202.202.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.202.7:443/CPU Load					
0	22.7	60	23	22.4	12.2
LG 35.202.202.7:443/Memory Used					
2	35.3	65	37	35.6	14.6
LG 35.202.202.7:443/Throughput					
0	28.9	69.8	30.5	28.8	16
LG 35.202.202.7:443/User Load					
0	41.1	65	50	41.9	18.8
LG 35.202.202.7:443/Thread Count					
39	101	128	109	102	20.1
LG 35.202.202.7:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 35.202.202.7:443/Http client/Task Pool used					
0	0.005	0.15	0	0.002	0.015
LG 35.202.202.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.202.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.202.7:443/Controller Connection/Ping Duration (ms)					
64	86.8	109	73	86.7	19.4
LG 35.202.202.7:443/Network/Segments sent/sec.					
1.6	1,986	4,660	2,102	1,979	1,083
LG 35.202.202.7:443/Network/Segments retransmitted/sec.					
0	0.07	0.979	0	0.045	0.158
LG 35.202.202.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	72.8	31.9	30.1	16.7
LG 35.202.202.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	5.03	2.29	2.15	1.14

LG 35.202.244.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.244.38:443/CPU Load					
0	22.7	70	23.5	22.4	12.1
LG 35.202.244.38:443/Memory Used					
2	35.1	64	37	35.4	14.2
LG 35.202.244.38:443/Throughput					
0	29.1	69.9	31.3	29	16.1
LG 35.202.244.38:443/User Load					
0	41.5	66	50	42.4	18.9
LG 35.202.244.38:443/Thread Count					
39	101.9	137	110	102.5	21.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.244.38:443/Http client/Thread Pool used					
0.1	0.107	0.175	0.1	0.104	0.013
LG 35.202.244.38:443/Http client/Task Pool used					
0	0.006	0.25	0	0.002	0.023
LG 35.202.244.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.244.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.244.38:443/Controller Connection/Ping Duration (ms)					
66	88.3	110	105	88.3	19
LG 35.202.244.38:443/Network/Segments sent/sec.					
1.6	1,999	4,498	2,144	1,992	1,086
LG 35.202.244.38:443/Network/Segments retransmitted/sec.					
0	0.052	0.822	0	0.027	0.137
LG 35.202.244.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	72.4	32.8	30.4	16.8
LG 35.202.244.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	5.01	2.33	2.17	1.15

LG 35.222.103.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.103.24:443/CPU Load					
0	28.5	90	28	28	15.7
LG 35.222.103.24:443/Memory Used					
2	35.5	70	37	35.7	14.4
LG 35.222.103.24:443/Throughput					
0	28.8	83.1	30	28.4	16.4
LG 35.222.103.24:443/User Load					
0	41.1	65	50	41.9	18.8
LG 35.222.103.24:443/Thread Count					
39	103.9	141	110	104.5	22.6
LG 35.222.103.24:443/Http client/Thread Pool used					
0.1	0.115	0.18	0.105	0.112	0.02
LG 35.222.103.24:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.026
LG 35.222.103.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.103.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.103.24:443/Controller Connection/Ping Duration (ms)					
58	114.3	255	113	111.3	30.1
LG 35.222.103.24:443/Network/Segments sent/sec.					
1.6	1,974	5,549	2,055	1,953	1,094
LG 35.222.103.24:443/Network/Segments retransmitted/sec.					
0	0.063	1.01	0	0.04	0.146
LG 35.222.103.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	85.9	31.3	29.8	17.1
LG 35.222.103.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.15	5.93	2.23	2.13	1.16

LG 35.222.122.86:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.122.86:443/CPU Load					
0	19.7	68	19	19.4	10.95
LG 35.222.122.86:443/Memory Used					
2	35.1	66	37	35.4	14.4
LG 35.222.122.86:443/Throughput					
0	29.1	67.7	28.1	29	16.2
LG 35.222.122.86:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.222.122.86:443/Thread Count					
39	102	134	110	102.8	21
LG 35.222.122.86:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.222.122.86:443/Http client/Task Pool used					
0	0.003	0.2	0	0.001	0.014
LG 35.222.122.86:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.122.86:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.122.86:443/Controller Connection/Ping Duration (ms)					
68	85.2	143	71	83.6	20.6
LG 35.222.122.86:443/Network/Segments sent/sec.					
1.6	2,018	4,542	1,957	2,011	1,103
LG 35.222.122.86:443/Network/Segments retransmitted/sec.					
0	0.067	1.64	0	0.037	0.172
LG 35.222.122.86:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	70.9	29.5	30.4	16.9
LG 35.222.122.86:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.78	2.1	2.18	1.16

LG 35.222.128.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.128.79:443/CPU Load					
0	21.6	66	21	21.4	11.5
LG 35.222.128.79:443/Memory Used					
2	34.6	64	36.5	34.9	14
LG 35.222.128.79:443/Throughput					
0	29	70.6	29	29	15.8
LG 35.222.128.79:443/User Load					
0	41.2	66	50	42	18.8
LG 35.222.128.79:443/Thread Count					
39	101	133	110	101.9	20.1
LG 35.222.128.79:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 35.222.128.79:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.016
LG 35.222.128.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.128.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.128.79:443/Controller Connection/Ping Duration (ms)					
67	132.4	152	147	134.7	24.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.128.79:443/Network/Segments sent/sec.					
2.79	1,995	4,670	1,989	1,997	1,074
LG 35.222.128.79:443/Network/Segments retransmitted/sec.					
0	0.031	0.985	0	0.007	0.116
LG 35.222.128.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	74.1	30.4	30.3	16.6
LG 35.222.128.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.17	4.99	2.14	2.17	1.13

LG 35.222.14.105:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.14.105:443/CPU Load					
0	20.9	62	21	20.6	10.95
LG 35.222.14.105:443/Memory Used					
4	34.2	61	36	34.5	12.8
LG 35.222.14.105:443/Throughput					
0	28.8	79.6	29.8	28.7	15.7
LG 35.222.14.105:443/User Load					
0	41	66	50	41.8	18.8
LG 35.222.14.105:443/Thread Count					
39	100.9	132	109	101.7	20.9
LG 35.222.14.105:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.01
LG 35.222.14.105:443/Http client/Task Pool used					
0	0.006	0.233	0	0.002	0.025
LG 35.222.14.105:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.14.105:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.14.105:443/Controller Connection/Ping Duration (ms)					
59	90.7	117	105	91	19.4
LG 35.222.14.105:443/Network/Segments sent/sec.					
1.63	1,985	5,192	2,078	1,982	1,062
LG 35.222.14.105:443/Network/Segments retransmitted/sec.					
0	0.048	1.04	0	0.023	0.141
LG 35.222.14.105:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	82.9	31.3	30.1	16.4
LG 35.222.14.105:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.15	5.7	2.21	2.15	1.12

LG 35.222.141.126:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.141.126:443/CPU Load					
0	21.1	55	22	20.9	10.51
LG 35.222.141.126:443/Memory Used					
2	34.9	62	37	35.2	13.8
LG 35.222.141.126:443/Throughput					
0	28.8	60.5	31.2	28.9	14.9
LG 35.222.141.126:443/User Load					
0	41.2	66	50	42	18.8
LG 35.222.141.126:443/Thread Count					
39	100.8	129	109	101.8	20

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.141.126:443/Http client/Thread Pool used					
0.1	0.103	0.145	0.1	0.102	0.007
LG 35.222.141.126:443/Http client/Task Pool used					
0	0.006	0.2	0	0.002	0.022
LG 35.222.141.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.141.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.141.126:443/Controller Connection/Ping Duration (ms)					
55	100.3	121	108	101.6	15.9
LG 35.222.141.126:443/Network/Segments sent/sec.					
2.19	1,983	4,134	2,161	1,994	1,015
LG 35.222.141.126:443/Network/Segments retransmitted/sec.					
0	0.03	1	0	0.01	0.109
LG 35.222.141.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	63.2	32.7	30.3	15.6
LG 35.222.141.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.15	4.44	2.36	2.17	1.07

LG 35.222.155.98:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.155.98:443/CPU Load					
0	20.9	62	21	20.6	11
LG 35.222.155.98:443/Memory Used					
2	34.3	63	36	34.6	14
LG 35.222.155.98:443/Throughput					
0	28.8	63	29.8	28.8	14.9
LG 35.222.155.98:443/User Load					
0	41.1	66	50	42	18.8
LG 35.222.155.98:443/Thread Count					
39	101.2	128	110	102.2	20
LG 35.222.155.98:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.222.155.98:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.02
LG 35.222.155.98:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.155.98:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.155.98:443/Controller Connection/Ping Duration (ms)					
65	104.3	108	106	105.7	7.75
LG 35.222.155.98:443/Network/Segments sent/sec.					
2.6	1,982	4,212	2,071	1,987	1,018
LG 35.222.155.98:443/Network/Segments retransmitted/sec.					
0	0.052	0.836	0	0.024	0.147
LG 35.222.155.98:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	66.5	31.3	30.3	15.6
LG 35.222.155.98:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.15	4.49	2.27	2.16	1.07

LG 35.222.168.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.168.83:443/CPU Load					
0	22.3	67	23	22.1	12
LG 35.222.168.83:443/Memory Used					
3	34.6	66	36.5	34.8	14
LG 35.222.168.83:443/Throughput					
0	29.3	69.2	29.5	29.4	15.8
LG 35.222.168.83:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.222.168.83:443/Thread Count					
39	102.1	135	109	102.8	20.5
LG 35.222.168.83:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 35.222.168.83:443/Http client/Task Pool used					
0	0.006	0.333	0	0.002	0.024
LG 35.222.168.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.168.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.168.83:443/Controller Connection/Ping Duration (ms)					
63	95.9	147	106	94.7	22.5
LG 35.222.168.83:443/Network/Segments sent/sec.					
2.4	2,011	4,529	2,005	2,021	1,062
LG 35.222.168.83:443/Network/Segments retransmitted/sec.					
0	0.063	1.01	0	0.035	0.16
LG 35.222.168.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.8	72.3	31	30.9	16.5
LG 35.222.168.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.19	4.8	2.19	2.2	1.12

LG 35.222.19.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.19.13:443/CPU Load					
0	23	68	24	22.6	12.4
LG 35.222.19.13:443/Memory Used					
2	35.5	66	37	35.8	15
LG 35.222.19.13:443/Throughput					
0	28.8	61.3	30.8	28.9	15
LG 35.222.19.13:443/User Load					
0	41	65	50	41.9	18.8
LG 35.222.19.13:443/Thread Count					
39	101.1	129	110	102	20.9
LG 35.222.19.13:443/Http client/Thread Pool used					
0.1	0.104	0.125	0.1	0.103	0.006
LG 35.222.19.13:443/Http client/Task Pool used					
0	0.008	0.333	0	0.003	0.029
LG 35.222.19.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.19.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.19.13:443/Controller Connection/Ping Duration (ms)					
70	113.2	153	114	113.4	11.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.19.13:443/Network/Segments sent/sec.					
1.6	1,966	4,200	2,077	1,976	1,014
LG 35.222.19.13:443/Network/Segments retransmitted/sec.					
0	0.051	0.999	0	0.026	0.142
LG 35.222.19.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	64.1	32.3	30.3	15.8
LG 35.222.19.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.14	4.6	2.23	2.16	1.07

LG 35.222.195.56:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.195.56:443/CPU Load					
0	21.4	62	22	21.1	11.4
LG 35.222.195.56:443/Memory Used					
2	34.8	61	37	35.2	13.6
LG 35.222.195.56:443/Throughput					
0	28.9	64.6	29.6	29	15.1
LG 35.222.195.56:443/User Load					
0	41.2	66	50	42	18.8
LG 35.222.195.56:443/Thread Count					
39	101.7	136	109	102.4	20.9
LG 35.222.195.56:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 35.222.195.56:443/Http client/Task Pool used					
0	0.005	0.217	0	0.002	0.019
LG 35.222.195.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.195.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.195.56:443/Controller Connection/Ping Duration (ms)					
57	106.7	153	106	106.8	12.5
LG 35.222.195.56:443/Network/Segments sent/sec.					
1.6	1,992	4,427	2,044	2,006	1,026
LG 35.222.195.56:443/Network/Segments retransmitted/sec.					
0	0.032	0.757	0	0.013	0.103
LG 35.222.195.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	67.9	31.3	30.4	15.8
LG 35.222.195.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.65	2.2	2.18	1.08

LG 35.222.197.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.197.154:443/CPU Load					
0	21	57	21	20.7	11.6
LG 35.222.197.154:443/Memory Used					
2	34.6	63	37	34.8	14.1
LG 35.222.197.154:443/Throughput					
0	29.1	69	30.3	29	15.9
LG 35.222.197.154:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.222.197.154:443/Thread Count					
39	101.6	132	110	102.4	20.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.197.154:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 35.222.197.154:443/Http client/Task Pool used					
0	0.006	0.167	0	0.002	0.019
LG 35.222.197.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.197.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.197.154:443/Controller Connection/Ping Duration (ms)					
99	114.9	164	114	113.1	11.9
LG 35.222.197.154:443/Network/Segments sent/sec.					
1.6	2,004	4,617	2,111	2,001	1,076
LG 35.222.197.154:443/Network/Segments retransmitted/sec.					
0	0.046	1.65	0	0.019	0.158
LG 35.222.197.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	72.6	31.8	30.5	16.7
LG 35.222.197.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.82	2.27	2.17	1.13

LG 35.222.230.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.230.195:443/CPU Load					
0	21.7	60	23	21.4	11.7
LG 35.222.230.195:443/Memory Used					
2	35.4	70	37	35.6	14.2
LG 35.222.230.195:443/Throughput					
0	29.2	71.6	32.2	29.3	15.4
LG 35.222.230.195:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.222.230.195:443/Thread Count					
39	101.5	135	110	102.3	20.2
LG 35.222.230.195:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.222.230.195:443/Http client/Task Pool used					
0	0.004	0.117	0	0.002	0.012
LG 35.222.230.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.230.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.230.195:443/Controller Connection/Ping Duration (ms)					
64	103.6	110	109	105.4	12.6
LG 35.222.230.195:443/Network/Segments sent/sec.					
1.6	2,006	4,798	2,211	2,012	1,042
LG 35.222.230.195:443/Network/Segments retransmitted/sec.					
0	0.025	0.582	0	0.005	0.092
LG 35.222.230.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.7	74.8	33.8	30.8	16.1
LG 35.222.230.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	2.18	5.2	2.41	2.19	1.1

LG 35.222.82.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.82.161:443/CPU Load					
0	24.5	67	25	24.1	13.4
LG 35.222.82.161:443/Memory Used					
2	34.4	63	37	34.7	13.8
LG 35.222.82.161:443/Throughput					
0	28.7	64.9	30.1	28.8	15.5
LG 35.222.82.161:443/User Load					
0	41.2	66	50	42	18.8
LG 35.222.82.161:443/Thread Count					
39	102.9	130	114.5	104.1	21
LG 35.222.82.161:443/Http client/Thread Pool used					
0.1	0.112	0.175	0.105	0.111	0.017
LG 35.222.82.161:443/Http client/Task Pool used					
0	0.007	0.233	0	0.003	0.023
LG 35.222.82.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.82.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.82.161:443/Controller Connection/Ping Duration (ms)					
72	129.9	782	114	109.5	118.7
LG 35.222.82.161:443/Network/Segments sent/sec.					
3.23	1,975	4,224	2,042	1,983	1,050
LG 35.222.82.161:443/Network/Segments retransmitted/sec.					
0	0.043	1.01	0	0.02	0.12
LG 35.222.82.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	68.1	31.4	30.1	16.2
LG 35.222.82.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.15	4.49	2.26	2.16	1.11

LG 35.223.119.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.119.32:443/CPU Load					
0	20.8	60	22	20.5	10.56
LG 35.223.119.32:443/Memory Used					
1	34.5	64	37	34.9	13.3
LG 35.223.119.32:443/Throughput					
0	28.9	63.6	31.8	29.1	14.8
LG 35.223.119.32:443/User Load					
0	41.2	66	50	42	18.8
LG 35.223.119.32:443/Thread Count					
39	100.8	133	109	101.6	20.3
LG 35.223.119.32:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.102	0.006
LG 35.223.119.32:443/Http client/Task Pool used					
0	0.004	0.183	0	0.001	0.017
LG 35.223.119.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.119.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.119.32:443/Controller Connection/Ping Duration (ms)					
65	100.7	139	105	100.6	17.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.119.32:443/Network/Segments sent/sec.					
1.6	1,989	4,122	2,181	2,005	1,009
LG 35.223.119.32:443/Network/Segments retransmitted/sec.					
0	0.031	0.979	0	0.007	0.118
LG 35.223.119.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	66.5	33.3	30.4	15.5
LG 35.223.119.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.35	2.38	2.18	1.06

LG 35.223.124.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.124.202:443/CPU Load					
0	19.2	59	19	18.9	10.37
LG 35.223.124.202:443/Memory Used					
1	33.8	60	36	34.2	13.9
LG 35.223.124.202:443/Throughput					
0	28.8	64.7	29.8	28.6	15.3
LG 35.223.124.202:443/User Load					
0	41	65	50	41.8	18.8
LG 35.223.124.202:443/Thread Count					
38	100.6	132	109	101.5	20.8
LG 35.223.124.202:443/Http client/Thread Pool used					
0.1	0.103	0.15	0.1	0.102	0.008
LG 35.223.124.202:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.018
LG 35.223.124.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.124.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.124.202:443/Controller Connection/Ping Duration (ms)					
54	106.3	151	108	106.3	36.6
LG 35.223.124.202:443/Network/Segments sent/sec.					
1.62	1,991	4,378	2,062	1,982	1,042
LG 35.223.124.202:443/Network/Segments retransmitted/sec.					
0	0.055	1.6	0	0.027	0.16
LG 35.223.124.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	67.9	31.3	30	16.1
LG 35.223.124.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.16	4.63	2.27	2.15	1.09

LG 35.223.129.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.129.210:443/CPU Load					
0	22	60	23	21.9	10.86
LG 35.223.129.210:443/Memory Used					
2	34.5	64	36	34.8	13.7
LG 35.223.129.210:443/Throughput					
0	29.1	55.8	31.3	29.4	14.6
LG 35.223.129.210:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.223.129.210:443/Thread Count					
39	101	129	109	101.8	20

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.129.210:443/Http client/Thread Pool used					
0.1	0.102	0.12	0.1	0.101	0.004
LG 35.223.129.210:443/Http client/Task Pool used					
0	0.004	0.133	0	0.002	0.015
LG 35.223.129.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.129.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.129.210:443/Controller Connection/Ping Duration (ms)					
66	93	110	106	93.5	18.3
LG 35.223.129.210:443/Network/Segments sent/sec.					
1.99	2,008	3,730	2,164	2,030	996.6
LG 35.223.129.210:443/Network/Segments retransmitted/sec.					
0	0.053	0.999	0	0.027	0.146
LG 35.223.129.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	58.6	32.8	30.8	15.3
LG 35.223.129.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	3.97	2.31	2.2	1.05

LG 35.223.133.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.133.203:443/CPU Load					
0	21.1	58	22	20.9	11.4
LG 35.223.133.203:443/Memory Used					
2	35.4	61	37.5	35.8	13.8
LG 35.223.133.203:443/Throughput					
0	29.3	67.2	31.9	29.3	15.6
LG 35.223.133.203:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.223.133.203:443/Thread Count					
39	101.8	134	109	102.5	20.4
LG 35.223.133.203:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 35.223.133.203:443/Http client/Task Pool used					
0	0.005	0.167	0	0.001	0.017
LG 35.223.133.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.133.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.133.203:443/Controller Connection/Ping Duration (ms)					
94	105.7	122	106	105.7	4.65
LG 35.223.133.203:443/Network/Segments sent/sec.					
1.6	2,016	4,491	2,155	2,018	1,055
LG 35.223.133.203:443/Network/Segments retransmitted/sec.					
0	0.06	1.02	0	0.033	0.152
LG 35.223.133.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.8	70.7	33.5	30.8	16.4
LG 35.223.133.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.19	4.79	2.32	2.19	1.11

LG 35.223.138.40:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.138.40:443/CPU Load					
0	23.2	75	24	22.8	12.7
LG 35.223.138.40:443/Memory Used					
2	35.4	65	37.5	35.6	14.4
LG 35.223.138.40:443/Throughput					
0	29.1	63.5	31.5	29	15.8
LG 35.223.138.40:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.223.138.40:443/Thread Count					
39	102.2	131	110	103.1	20.4
LG 35.223.138.40:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.1	0.105	0.01
LG 35.223.138.40:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.022
LG 35.223.138.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.138.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.138.40:443/Controller Connection/Ping Duration (ms)					
71	150.6	1,715	108	96.9	293.4
LG 35.223.138.40:443/Network/Segments sent/sec.					
2	1,994	4,281	2,156	1,990	1,064
LG 35.223.138.40:443/Network/Segments retransmitted/sec.					
0	0.038	1.04	0	0.015	0.126
LG 35.223.138.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	66.7	33.1	30.5	16.6
LG 35.223.138.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.59	2.36	2.17	1.12

LG 35.223.172.188:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.172.188:443/CPU Load					
0	19.8	55	21.5	19.7	10.4
LG 35.223.172.188:443/Memory Used					
2	34.1	62	36	34.4	13.5
LG 35.223.172.188:443/Throughput					
0	28.8	61.2	30	28.9	15.3
LG 35.223.172.188:443/User Load					
0	41.1	66	50	42	18.8
LG 35.223.172.188:443/Thread Count					
39	100.8	132	109	101.6	20.2
LG 35.223.172.188:443/Http client/Thread Pool used					
0.1	0.102	0.12	0.1	0.102	0.004
LG 35.223.172.188:443/Http client/Task Pool used					
0	0.005	0.15	0	0.001	0.017
LG 35.223.172.188:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.172.188:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.172.188:443/Controller Connection/Ping Duration (ms)					
64	131.5	150	146	134.1	26.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.172.188:443/Network/Segments sent/sec.					
1.79	1,992	4,039	2,065	2,001	1,047
LG 35.223.172.188:443/Network/Segments retransmitted/sec.					
0	0.05	0.782	0	0.028	0.13
LG 35.223.172.188:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	63.7	31.5	30.3	16
LG 35.223.172.188:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.43	2.22	2.17	1.1

LG 35.223.176.196:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.176.196:443/CPU Load					
0	21.2	57	21.5	20.9	11.7
LG 35.223.176.196:443/Memory Used					
2	34.8	64	37	35.1	13.9
LG 35.223.176.196:443/Throughput					
0	29.2	57.8	30.6	29.4	15.8
LG 35.223.176.196:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.223.176.196:443/Thread Count					
39	101.4	128	110	102.3	20.3
LG 35.223.176.196:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.004
LG 35.223.176.196:443/Http client/Task Pool used					
0	0.005	0.083	0	0.002	0.015
LG 35.223.176.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.176.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.176.196:443/Controller Connection/Ping Duration (ms)					
56	105.5	134	107	107	13.1
LG 35.223.176.196:443/Network/Segments sent/sec.					
1.6	2,027	3,879	2,106	2,042	1,077
LG 35.223.176.196:443/Network/Segments retransmitted/sec.					
0	0.064	2.99	0	0.033	0.21
LG 35.223.176.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	60.6	32	30.8	16.6
LG 35.223.176.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.19	4.1	2.3	2.21	1.13

LG 35.223.196.186:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.196.186:443/CPU Load					
0	20.6	59	21	20.3	10.75
LG 35.223.196.186:443/Memory Used					
3	34.7	59	37	35	13.1
LG 35.223.196.186:443/Throughput					
0	29.2	59.1	30	29.3	15
LG 35.223.196.186:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.223.196.186:443/Thread Count					
39	101.3	130	109	102.1	20.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.196.186:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.006
LG 35.223.196.186:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.016
LG 35.223.196.186:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.196.186:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.196.186:443/Controller Connection/Ping Duration (ms)					
63	87.1	126	83	86.5	20.6
LG 35.223.196.186:443/Network/Segments sent/sec.					
1.61	2,017	3,980	2,088	2,023	1,027
LG 35.223.196.186:443/Network/Segments retransmitted/sec.					
0	0.048	1	0	0.023	0.138
LG 35.223.196.186:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	61.7	31.4	30.7	15.7
LG 35.223.196.186:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	4.43	2.26	2.2	1.08

LG 35.223.226.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.226.249:443/CPU Load					
0	20.5	65	21	20.2	10.77
LG 35.223.226.249:443/Memory Used					
2	34.8	62	37	35.2	14.4
LG 35.223.226.249:443/Throughput					
0	28.8	59	30.2	28.9	14.8
LG 35.223.226.249:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.223.226.249:443/Thread Count					
39	100.8	132	109	101.5	20.7
LG 35.223.226.249:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 35.223.226.249:443/Http client/Task Pool used					
0	0.005	0.2	0	0.002	0.02
LG 35.223.226.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.226.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.226.249:443/Controller Connection/Ping Duration (ms)					
55	86.6	135	70	85.9	20.8
LG 35.223.226.249:443/Network/Segments sent/sec.					
1.6	1,991	3,935	2,098	1,998	1,008
LG 35.223.226.249:443/Network/Segments retransmitted/sec.					
0	0.044	0.619	0	0.023	0.122
LG 35.223.226.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	61.8	31.6	30.3	15.5
LG 35.223.226.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.33	2.3	2.17	1.06

LG 35.223.24.113:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.24.113:443/CPU Load					
0	19.5	57	21	19.2	9.98
LG 35.223.24.113:443/Memory Used					
2	34.2	65	35	34.4	13.5
LG 35.223.24.113:443/Throughput					
0	29.2	69	32.1	29.4	14.9
LG 35.223.24.113:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.223.24.113:443/Thread Count					
39	101.1	129	109	102	20.3
LG 35.223.24.113:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.007
LG 35.223.24.113:443/Http client/Task Pool used					
0	0.004	0.183	0	0.001	0.017
LG 35.223.24.113:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.24.113:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.24.113:443/Controller Connection/Ping Duration (ms)					
55	152.9	1,197	109	116	205.1
LG 35.223.24.113:443/Network/Segments sent/sec.					
1.61	2,025	4,712	2,219	2,035	1,015
LG 35.223.24.113:443/Network/Segments retransmitted/sec.					
0	0.032	1.02	0	0.012	0.11
LG 35.223.24.113:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.7	71.5	33.6	30.8	15.6
LG 35.223.24.113:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	5.23	2.38	2.2	1.07

LG 35.223.244.109:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.244.109:443/CPU Load					
0	21.2	65	21	20.8	11.7
LG 35.223.244.109:443/Memory Used					
2	35	64	37	35.2	14.1
LG 35.223.244.109:443/Throughput					
0	29.1	66.1	29.1	29.1	15.5
LG 35.223.244.109:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.223.244.109:443/Thread Count					
39	101.7	133	109	102.3	20.7
LG 35.223.244.109:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.104	0.009
LG 35.223.244.109:443/Http client/Task Pool used					
0	0.005	0.15	0	0.002	0.016
LG 35.223.244.109:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.244.109:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.244.109:443/Controller Connection/Ping Duration (ms)					
91	113.8	152	113	112.6	11

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.244.109:443/Network/Segments sent/sec.					
2.21	2,003	4,535	1,994	2,007	1,056
LG 35.223.244.109:443/Network/Segments retransmitted/sec.					
0	0.039	0.804	0	0.016	0.127
LG 35.223.244.109:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.6	69.6	30.8	30.6	16.3
LG 35.223.244.109:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.84	2.18	2.18	1.11

LG 35.223.247.206:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.247.206:443/CPU Load					
0	21.9	68	23	21.4	11.7
LG 35.223.247.206:443/Memory Used					
2	35	65	37	35.4	14.1
LG 35.223.247.206:443/Throughput					
0	29.2	62.3	31.5	29.2	14.8
LG 35.223.247.206:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.223.247.206:443/Thread Count					
39	101.8	133	110	102.6	20.2
LG 35.223.247.206:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.007
LG 35.223.247.206:443/Http client/Task Pool used					
0	0.005	0.217	0	0.002	0.018
LG 35.223.247.206:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.247.206:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.247.206:443/Controller Connection/Ping Duration (ms)					
61	134.3	215	153	134.8	32.9
LG 35.223.247.206:443/Network/Segments sent/sec.					
2.2	2,007	4,317	2,201	2,011	1,008
LG 35.223.247.206:443/Network/Segments retransmitted/sec.					
0	0.038	0.801	0	0.016	0.112
LG 35.223.247.206:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.6	65.6	33.2	30.7	15.6
LG 35.223.247.206:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.61	2.4	2.19	1.06

LG 35.223.33.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.33.202:443/CPU Load					
0	21	56	22.5	20.9	10.6
LG 35.223.33.202:443/Memory Used					
2	34.6	64	36	34.9	13.7
LG 35.223.33.202:443/Throughput					
0	29.2	59.4	31	29.5	15
LG 35.223.33.202:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.223.33.202:443/Thread Count					
39	101.3	132	110	102.1	20.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.33.202:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.102	0.005
LG 35.223.33.202:443/Http client/Task Pool used					
0	0.005	0.183	0	0.002	0.015
LG 35.223.33.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.33.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.33.202:443/Controller Connection/Ping Duration (ms)					
80	110	154	112	109.6	12
LG 35.223.33.202:443/Network/Segments sent/sec.					
3	2,013	4,000	2,164	2,035	1,019
LG 35.223.33.202:443/Network/Segments retransmitted/sec.					
0	0.06	1	0	0.036	0.152
LG 35.223.33.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.6	61.9	32.8	30.9	15.7
LG 35.223.33.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.36	2.34	2.21	1.07

LG 35.223.5.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.5.210:443/CPU Load					
0	20.5	55	20	20.2	11
LG 35.223.5.210:443/Memory Used					
2	34.7	62	37	35.1	13.9
LG 35.223.5.210:443/Throughput					
0	29.1	75.4	28.3	29	15.9
LG 35.223.5.210:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.223.5.210:443/Thread Count					
39	101.3	128	109	102.1	20.6
LG 35.223.5.210:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.102	0.004
LG 35.223.5.210:443/Http client/Task Pool used					
0	0.006	0.25	0	0.002	0.022
LG 35.223.5.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.5.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.5.210:443/Controller Connection/Ping Duration (ms)					
56	97.6	148	74	96.9	34.3
LG 35.223.5.210:443/Network/Segments sent/sec.					
1.6	2,011	4,976	1,951	2,004	1,080
LG 35.223.5.210:443/Network/Segments retransmitted/sec.					
0	0.037	1.23	0	0.013	0.129
LG 35.223.5.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	78.8	29.7	30.4	16.7
LG 35.223.5.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	5.29	2.17	2.18	1.13

LG 35.223.7.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.7.220:443/CPU Load					
0	22.2	58	22	22	11.4
LG 35.223.7.220:443/Memory Used					
2	34.8	63	36.5	35.1	13.5
LG 35.223.7.220:443/Throughput					
0	29.2	63	30	29.4	14.8
LG 35.223.7.220:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.223.7.220:443/Thread Count					
39	102	131	109	102.8	20
LG 35.223.7.220:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.223.7.220:443/Http client/Task Pool used					
0	0.005	0.2	0	0.002	0.018
LG 35.223.7.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.7.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.7.220:443/Controller Connection/Ping Duration (ms)					
66	102.8	107	105	104.4	9.14
LG 35.223.7.220:443/Network/Segments sent/sec.					
3.4	2,005	4,141	2,068	2,017	1,004
LG 35.223.7.220:443/Network/Segments retransmitted/sec.					
0	0.042	1.67	0	0.014	0.159
LG 35.223.7.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.7	65.3	31.4	30.9	15.6
LG 35.223.7.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.18	4.5	2.25	2.2	1.06

LG 35.224.223.194:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.223.194:443/CPU Load					
0	21.3	60	22	21.1	11.1
LG 35.224.223.194:443/Memory Used					
2	35.7	68	37	35.9	14.8
LG 35.224.223.194:443/Throughput					
0	29.1	64.6	30.9	29.1	15
LG 35.224.223.194:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.224.223.194:443/Thread Count					
39	101.7	134	109	102.4	20.3
LG 35.224.223.194:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.102	0.008
LG 35.224.223.194:443/Http client/Task Pool used					
0	0.005	0.2	0	0.002	0.017
LG 35.224.223.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.223.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.223.194:443/Controller Connection/Ping Duration (ms)					
57	80	109	67	79.5	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.223.194:443/Network/Segments sent/sec.					
1.6	2,002	4,332	2,111	2,008	1,013
LG 35.224.223.194:443/Network/Segments retransmitted/sec.					
0	0.044	2.79	0	0.016	0.186
LG 35.224.223.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	68	32.5	30.6	15.8
LG 35.224.223.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.65	2.31	2.18	1.07

LG 35.224.231.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.231.215:443/CPU Load					
0	21.6	67	22	21.4	11.5
LG 35.224.231.215:443/Memory Used					
2	35.1	59	37	35.5	13.9
LG 35.224.231.215:443/Throughput					
0	29.2	62.7	29.6	29.3	15.5
LG 35.224.231.215:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.224.231.215:443/Thread Count					
39	101.8	128	109	102.7	20.4
LG 35.224.231.215:443/Http client/Thread Pool used					
0.1	0.103	0.145	0.1	0.102	0.007
LG 35.224.231.215:443/Http client/Task Pool used					
0	0.005	0.117	0	0.002	0.016
LG 35.224.231.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.231.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.231.215:443/Controller Connection/Ping Duration (ms)					
65	102.1	152	86	101.3	38.3
LG 35.224.231.215:443/Network/Segments sent/sec.					
1.6	2,015	4,244	2,059	2,020	1,057
LG 35.224.231.215:443/Network/Segments retransmitted/sec.					
0	0.061	1.99	0	0.029	0.192
LG 35.224.231.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	65.7	31	30.6	16.2
LG 35.224.231.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	4.54	2.24	2.2	1.11

LG 35.224.243.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.243.23:443/CPU Load					
0	22	69	22	21.6	12
LG 35.224.243.23:443/Memory Used					
2	35.1	66	37	35.4	14.2
LG 35.224.243.23:443/Throughput					
0	29	73.4	30	28.9	15.6
LG 35.224.243.23:443/User Load					
0	41.4	66	50	42.2	18.9
LG 35.224.243.23:443/Thread Count					
39	101.2	132	109	101.9	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.243.23:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.005
LG 35.224.243.23:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.02
LG 35.224.243.23:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.243.23:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.243.23:443/Controller Connection/Ping Duration (ms)					
66	91.2	112	105	91.4	18.8
LG 35.224.243.23:443/Network/Segments sent/sec.					
1.6	1,995	4,998	2,107	1,990	1,064
LG 35.224.243.23:443/Network/Segments retransmitted/sec.					
0	0.034	0.801	0	0.014	0.106
LG 35.224.243.23:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	77.4	31.5	30.4	16.4
LG 35.224.243.23:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	5.24	2.29	2.17	1.13

LG 35.224.246.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.246.237:443/CPU Load					
0	21.1	68	22	20.7	11.2
LG 35.224.246.237:443/Memory Used					
2	35.8	63	38	36.1	14.2
LG 35.224.246.237:443/Throughput					
0	28.9	61.4	32.2	29	15
LG 35.224.246.237:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.224.246.237:443/Thread Count					
39	101.2	128	109	102.1	20.7
LG 35.224.246.237:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 35.224.246.237:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.016
LG 35.224.246.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.246.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.246.237:443/Controller Connection/Ping Duration (ms)					
67	107	144	107	107.1	9.87
LG 35.224.246.237:443/Network/Segments sent/sec.					
1.97	1,999	4,132	2,196	2,008	1,019
LG 35.224.246.237:443/Network/Segments retransmitted/sec.					
0	0.023	0.977	0	0.003	0.099
LG 35.224.246.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	64.4	33.8	30.5	15.7
LG 35.224.246.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.5	2.35	2.18	1.07

LG 35.224.85.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.85.242:443/CPU Load					
0	21.1	67	21	20.8	11.4
LG 35.224.85.242:443/Memory Used					
2	34.8	63	37	35.1	14.4
LG 35.224.85.242:443/Throughput					
0	28.8	83.3	30.3	28.7	15.7
LG 35.224.85.242:443/User Load					
0	41.1	66	50	42	18.8
LG 35.224.85.242:443/Thread Count					
39	101.4	131	109	102.3	20.3
LG 35.224.85.242:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.102	0.005
LG 35.224.85.242:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.021
LG 35.224.85.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.85.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.85.242:443/Controller Connection/Ping Duration (ms)					
62	78.9	145	68	75.9	23.2
LG 35.224.85.242:443/Network/Segments sent/sec.					
1.6	1,996	5,627	2,098	1,985	1,075
LG 35.224.85.242:443/Network/Segments retransmitted/sec.					
0	0.037	1.03	0	0.014	0.119
LG 35.224.85.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	87	31.7	30	16.5
LG 35.224.85.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	5.98	2.29	2.16	1.13

LG 35.224.86.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.86.144:443/CPU Load					
0	21.1	59	21	20.9	11.5
LG 35.224.86.144:443/Memory Used					
3	33.8	60	36	34.1	12.8
LG 35.224.86.144:443/Throughput					
0	29	63.5	30.8	29	15.7
LG 35.224.86.144:443/User Load					
0	41.4	66	50	42.2	18.9
LG 35.224.86.144:443/Thread Count					
39	101.8	133	110	102.6	20.6
LG 35.224.86.144:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.224.86.144:443/Http client/Task Pool used					
0	0.004	0.267	0	0.001	0.021
LG 35.224.86.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.86.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.86.144:443/Controller Connection/Ping Duration (ms)					
67	73.7	110	69	72	11.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.86.144:443/Network/Segments sent/sec.					
1.61	2,007	4,490	2,139	2,004	1,073
LG 35.224.86.144:443/Network/Segments retransmitted/sec.					
0	0.023	0.831	0	0.004	0.093
LG 35.224.86.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	65.9	32.3	30.4	16.4
LG 35.224.86.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	5.02	2.31	2.18	1.13

LG 35.225.150.141:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.150.141:443/CPU Load					
0	21.5	73	20	21	12.3
LG 35.225.150.141:443/Memory Used					
2	33.9	65	36	34.2	13.3
LG 35.225.150.141:443/Throughput					
0	29.1	65.1	29.6	29	15.8
LG 35.225.150.141:443/User Load					
0	41.4	66	50	42.2	18.9
LG 35.225.150.141:443/Thread Count					
39	101.8	133	110	102.5	21.1
LG 35.225.150.141:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.104	0.009
LG 35.225.150.141:443/Http client/Task Pool used					
0	0.005	0.283	0	0.001	0.023
LG 35.225.150.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.150.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.150.141:443/Controller Connection/Ping Duration (ms)					
64	91.9	109	107	92.4	18.9
LG 35.225.150.141:443/Network/Segments sent/sec.					
1.61	2,019	4,367	2,050	2,011	1,082
LG 35.225.150.141:443/Network/Segments retransmitted/sec.					
0	0.038	0.801	0	0.017	0.112
LG 35.225.150.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	68.4	30.9	30.4	16.6
LG 35.225.150.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.19	4.58	2.23	2.18	1.13

LG 35.225.184.194:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.184.194:443/CPU Load					
0	22.2	62	23	22.1	11.4
LG 35.225.184.194:443/Memory Used					
2	34.8	63	36	35.1	14
LG 35.225.184.194:443/Throughput					
0	29.1	66.7	30.8	29.2	14.7
LG 35.225.184.194:443/User Load					
0	41.6	66	50	42.5	18.9
LG 35.225.184.194:443/Thread Count					
39	101.9	129	109	102.8	19.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.184.194:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.007
LG 35.225.184.194:443/Http client/Task Pool used					
0	0.005	0.15	0	0.002	0.015
LG 35.225.184.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.184.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.184.194:443/Controller Connection/Ping Duration (ms)					
67	108.3	145	111	109.9	10.54
LG 35.225.184.194:443/Network/Segments sent/sec.					
1.6	2,011	4,428	2,121	2,016	1,008
LG 35.225.184.194:443/Network/Segments retransmitted/sec.					
0	0.035	0.797	0	0.015	0.113
LG 35.225.184.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	69.8	32.1	30.5	15.5
LG 35.225.184.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.73	2.29	2.19	1.06

LG 35.225.19.236:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.19.236:443/CPU Load					
0	21.2	62	22	20.8	11.4
LG 35.225.19.236:443/Memory Used					
2	35.1	63	37	35.4	14.1
LG 35.225.19.236:443/Throughput					
0	29	61.2	30.3	29.1	15.3
LG 35.225.19.236:443/User Load					
0	41.4	66	50	42.2	19
LG 35.225.19.236:443/Thread Count					
39	101.3	130	111	102.2	20.8
LG 35.225.19.236:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.225.19.236:443/Http client/Task Pool used					
0	0.005	0.2	0	0.002	0.021
LG 35.225.19.236:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.19.236:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.19.236:443/Controller Connection/Ping Duration (ms)					
61	119.6	147	145	121.2	34.5
LG 35.225.19.236:443/Network/Segments sent/sec.					
1.61	1,997	4,076	2,062	2,002	1,033
LG 35.225.19.236:443/Network/Segments retransmitted/sec.					
0	0.052	0.835	0	0.026	0.139
LG 35.225.19.236:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	64.3	31.9	30.5	16
LG 35.225.19.236:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.38	2.24	2.18	1.09

LG 35.225.198.188:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.198.188:443/CPU Load					
0	19.8	65	20	19.4	10.84
LG 35.225.198.188:443/Memory Used					
2	35.4	65	37	35.6	14.4
LG 35.225.198.188:443/Throughput					
0	29.1	73.9	31.7	29	15.9
LG 35.225.198.188:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.225.198.188:443/Thread Count					
39	101	130	109	101.8	20.4
LG 35.225.198.188:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.101	0.004
LG 35.225.198.188:443/Http client/Task Pool used					
0	0.006	0.217	0	0.002	0.023
LG 35.225.198.188:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.198.188:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.198.188:443/Controller Connection/Ping Duration (ms)					
66	91.7	155	78	89.7	25.1
LG 35.225.198.188:443/Network/Segments sent/sec.					
1.6	2,017	4,969	2,180	2,009	1,085
LG 35.225.198.188:443/Network/Segments retransmitted/sec.					
0	0.038	0.838	0	0.019	0.109
LG 35.225.198.188:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	77.5	33.1	30.4	16.7
LG 35.225.198.188:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	5.29	2.38	2.18	1.14

LG 35.225.76.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.76.83:443/CPU Load					
0	22.4	62	23	22.3	11.7
LG 35.225.76.83:443/Memory Used					
2	34.8	66	36.5	35.1	14
LG 35.225.76.83:443/Throughput					
0	29.1	62.8	30.6	29.2	15.6
LG 35.225.76.83:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.225.76.83:443/Thread Count					
39	101.9	135	110	102.6	20.7
LG 35.225.76.83:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 35.225.76.83:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.016
LG 35.225.76.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.76.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.76.83:443/Controller Connection/Ping Duration (ms)					
61	108.4	209	106	105.4	25

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.76.83:443/Network/Segments sent/sec.					
1.59	2,003	4,289	2,071	2,011	1,057
LG 35.225.76.83:443/Network/Segments retransmitted/sec.					
0	0.048	1.79	0	0.02	0.159
LG 35.225.76.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	65.8	32	30.7	16.3
LG 35.225.76.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	4.72	2.29	2.19	1.12

LG 35.226.109.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.109.51:443/CPU Load					
0	21.1	63	22	20.8	11.1
LG 35.226.109.51:443/Memory Used					
2	35.2	67	37	35.4	14.7
LG 35.226.109.51:443/Throughput					
0	29	68.8	29.9	29.1	15.1
LG 35.226.109.51:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.226.109.51:443/Thread Count					
39	101	134	109	101.8	20.7
LG 35.226.109.51:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.103	0.008
LG 35.226.109.51:443/Http client/Task Pool used					
0	0.004	0.283	0	0.001	0.019
LG 35.226.109.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.109.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.109.51:443/Controller Connection/Ping Duration (ms)					
66	111.1	152	112	111.2	38
LG 35.226.109.51:443/Network/Segments sent/sec.					
1.59	2,004	4,693	2,053	2,011	1,028
LG 35.226.109.51:443/Network/Segments retransmitted/sec.					
0	0.036	0.795	0	0.014	0.113
LG 35.226.109.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	72.2	31.4	30.5	15.8
LG 35.226.109.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.17	4.87	2.29	2.19	1.08

LG 35.226.11.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.11.189:443/CPU Load					
0	18.9	57	20	18.6	11
LG 35.226.11.189:443/Memory Used					
2	34.1	59	36.5	34.6	12.6
LG 35.226.11.189:443/Throughput					
0	28.8	62.1	30.6	28.8	16.2
LG 35.226.11.189:443/User Load					
0	41.2	66	50	42	18.8
LG 35.226.11.189:443/Thread Count					
39	101.8	129	111	102.7	20.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.11.189:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 35.226.11.189:443/Http client/Task Pool used					
0	0.003	0.183	0	0.001	0.014
LG 35.226.11.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.11.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.11.189:443/Controller Connection/Ping Duration (ms)					
69	136.1	156	153	138.6	28.6
LG 35.226.11.189:443/Network/Segments sent/sec.					
2.79	1,998	4,213	2,109	2,001	1,104
LG 35.226.11.189:443/Network/Segments retransmitted/sec.					
0	0.079	1.02	0	0.051	0.179
LG 35.226.11.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	65.3	32.2	30.2	17
LG 35.226.11.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.16	4.51	2.26	2.17	1.15

LG 35.226.39.113:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.39.113:443/CPU Load					
0	21.4	61	22	21.1	11.7
LG 35.226.39.113:443/Memory Used					
2	35	60	38	35.3	13.7
LG 35.226.39.113:443/Throughput					
0	29	58.1	31.1	29.1	15.9
LG 35.226.39.113:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.226.39.113:443/Thread Count					
39	101.6	131	110	102.4	19.9
LG 35.226.39.113:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.005
LG 35.226.39.113:443/Http client/Task Pool used					
0	0.005	0.15	0	0.002	0.016
LG 35.226.39.113:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.39.113:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.39.113:443/Controller Connection/Ping Duration (ms)					
66	98.5	164	106	97	22.7
LG 35.226.39.113:443/Network/Segments sent/sec.					
2	2,000	3,925	2,106	2,009	1,081
LG 35.226.39.113:443/Network/Segments retransmitted/sec.					
0	0.045	0.996	0	0.021	0.131
LG 35.226.39.113:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	60.7	32.6	30.6	16.7
LG 35.226.39.113:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	4.25	2.25	2.18	1.14

LG 35.232.140.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.140.142:443/CPU Load					
0	19.5	54	20	19.3	10.32
LG 35.232.140.142:443/Memory Used					
2	34.2	60	36.5	34.5	13.7
LG 35.232.140.142:443/Throughput					
0	29.2	65.3	33	29.3	15
LG 35.232.140.142:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.232.140.142:443/Thread Count					
39	102	129	110	102.8	20.8
LG 35.232.140.142:443/Http client/Thread Pool used					
0.1	0.103	0.145	0.1	0.102	0.007
LG 35.232.140.142:443/Http client/Task Pool used					
0	0.005	0.183	0	0.002	0.018
LG 35.232.140.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.140.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.140.142:443/Controller Connection/Ping Duration (ms)					
55	92.3	153	105	91.5	23.5
LG 35.232.140.142:443/Network/Segments sent/sec.					
2.99	2,023	4,238	2,248	2,034	1,028
LG 35.232.140.142:443/Network/Segments retransmitted/sec.					
0	0.03	1	0	0.007	0.113
LG 35.232.140.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	30.6	68	34.6	30.8	15.8
LG 35.232.140.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.19	4.61	2.45	2.2	1.08

LG 35.232.145.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.145.157:443/CPU Load					
0	22.7	65	22.5	22.3	11.7
LG 35.232.145.157:443/Memory Used					
2	35.2	65	37	35.5	14.3
LG 35.232.145.157:443/Throughput					
0	29.2	75.1	30.1	28.9	15.7
LG 35.232.145.157:443/User Load					
0	41.7	66	50	42.5	18.9
LG 35.232.145.157:443/Thread Count					
39	102.2	134	110	102.8	20.7
LG 35.232.145.157:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.103	0.009
LG 35.232.145.157:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.016
LG 35.232.145.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.145.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.145.157:443/Controller Connection/Ping Duration (ms)					
63	74.3	149	66	70.7	21.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.145.157:443/Network/Segments sent/sec.					
1.61	2,006	4,884	2,085	1,986	1,062
LG 35.232.145.157:443/Network/Segments retransmitted/sec.					
0	0.068	0.802	0	0.043	0.157
LG 35.232.145.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	78.3	31.6	30.3	16.4
LG 35.232.145.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.18	5.41	2.28	2.16	1.12

LG 35.232.99.244:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.99.244:443/CPU Load					
0	22.4	62	21	22	12.6
LG 35.232.99.244:443/Memory Used					
2	35.1	64	37	35.5	14.4
LG 35.232.99.244:443/Throughput					
0	29	78.1	27.5	28.6	16.6
LG 35.232.99.244:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.232.99.244:443/Thread Count					
39	102.1	132	110	102.8	20.7
LG 35.232.99.244:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.105	0.009
LG 35.232.99.244:443/Http client/Task Pool used					
0	0.007	0.233	0	0.002	0.024
LG 35.232.99.244:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.99.244:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.99.244:443/Controller Connection/Ping Duration (ms)					
55	88	153	75	86.2	23.9
LG 35.232.99.244:443/Network/Segments sent/sec.					
2	1,999	5,175	1,913	1,975	1,126
LG 35.232.99.244:443/Network/Segments retransmitted/sec.					
0	0.042	0.822	0	0.021	0.121
LG 35.232.99.244:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	80.6	28.6	30	17.4
LG 35.232.99.244:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.17	5.64	2.12	2.15	1.18

LG 35.238.98.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.98.5:443/CPU Load					
0	20.9	79	21	20.4	13.3
LG 35.238.98.5:443/Memory Used					
2	34.6	60	37	35	13.7
LG 35.238.98.5:443/Throughput					
0	28.8	72.4	29.7	28.6	17.2
LG 35.238.98.5:443/User Load					
0	41.1	65	50	41.9	18.8
LG 35.238.98.5:443/Thread Count					
39	101.8	131	110	102.7	20.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.98.5:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.104	0.009
LG 35.238.98.5:443/Http client/Task Pool used					
0	0.007	0.617	0	0.002	0.036
LG 35.238.98.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.98.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.98.5:443/Controller Connection/Ping Duration (ms)					
66	106	145	106	105.9	10.18
LG 35.238.98.5:443/Network/Segments sent/sec.					
1.6	1,988	4,778	2,026	1,977	1,178
LG 35.238.98.5:443/Network/Segments retransmitted/sec.					
0	0.043	1.64	0	0.015	0.147
LG 35.238.98.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	75.7	31.1	30	18.1
LG 35.238.98.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.15	4.97	2.16	2.15	1.23

LG 35.239.9.212:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.9.212:443/CPU Load					
0	20.6	56	20	20.2	10.89
LG 35.239.9.212:443/Memory Used					
2	34.5	60	37	34.9	13.7
LG 35.239.9.212:443/Throughput					
0	29.2	68.9	29.6	29.4	15
LG 35.239.9.212:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.239.9.212:443/Thread Count					
39	101	128	110	101.9	20.1
LG 35.239.9.212:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.102	0.004
LG 35.239.9.212:443/Http client/Task Pool used					
0	0.004	0.083	0	0.001	0.012
LG 35.239.9.212:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.9.212:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.9.212:443/Controller Connection/Ping Duration (ms)					
65	95.5	171	105	94.1	25.3
LG 35.239.9.212:443/Network/Segments sent/sec.					
1.6	2,016	4,617	2,062	2,029	1,026
LG 35.239.9.212:443/Network/Segments retransmitted/sec.					
0	0.038	1.01	0	0.013	0.125
LG 35.239.9.212:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.6	72.2	31.1	30.8	15.7
LG 35.239.9.212:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.19	4.9	2.23	2.2	1.08

LG 35.186.161.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.161.169:443/CPU Load					
0	19	58	19	18.7	10.6
LG 35.186.161.169:443/Memory Used					
2	34.5	60	37	34.8	13.4
LG 35.186.161.169:443/Throughput					
0	28.7	61.7	28.8	28.7	15.5
LG 35.186.161.169:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.186.161.169:443/Thread Count					
38	100.5	125	109	101.5	20.4
LG 35.186.161.169:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 35.186.161.169:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.019
LG 35.186.161.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.161.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.161.169:443/Controller Connection/Ping Duration (ms)					
84	117.1	162	121	116.2	15.1
LG 35.186.161.169:443/Network/Segments sent/sec.					
1.6	1,816	3,756	1,840	1,818	968
LG 35.186.161.169:443/Network/Segments retransmitted/sec.					
0	0.067	1.2	0	0.04	0.159
LG 35.186.161.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	64.4	30.2	30	16.2
LG 35.186.161.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.07	4.31	2.08	2.08	1.07

LG 35.186.162.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.162.184:443/CPU Load					
0	18.7	60	19	18.5	10.58
LG 35.186.162.184:443/Memory Used					
2	34.2	60	36	34.5	13.1
LG 35.186.162.184:443/Throughput					
0	29	59.7	29.7	29	15.9
LG 35.186.162.184:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.186.162.184:443/Thread Count					
38	100.5	128	109	101.3	20.1
LG 35.186.162.184:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 35.186.162.184:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.015
LG 35.186.162.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.162.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.162.184:443/Controller Connection/Ping Duration (ms)					
96	150.1	223	154	149.5	40.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.162.184:443/Network/Segments sent/sec.					
1.6	1,836	3,731	1,913	1,839	989.4
LG 35.186.162.184:443/Network/Segments retransmitted/sec.					
0	0.047	1.21	0	0.026	0.131
LG 35.186.162.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	62.6	31	30.4	16.6
LG 35.186.162.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.38	2.17	2.1	1.1

LG 35.186.168.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.168.38:443/CPU Load					
0	17.3	51	18	17	9.38
LG 35.186.168.38:443/Memory Used					
2	34.5	60	37	34.9	13.3
LG 35.186.168.38:443/Throughput					
0	28.8	59.8	30.7	29.2	14.7
LG 35.186.168.38:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.186.168.38:443/Thread Count					
38	100.6	131	109	101.3	20.1
LG 35.186.168.38:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.102	0.008
LG 35.186.168.38:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.01
LG 35.186.168.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.168.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.168.38:443/Controller Connection/Ping Duration (ms)					
85	114.2	217	107	110.3	27.6
LG 35.186.168.38:443/Network/Segments sent/sec.					
1.6	1,834	3,724	1,955	1,853	922.5
LG 35.186.168.38:443/Network/Segments retransmitted/sec.					
0	0.043	1.81	0	0.019	0.141
LG 35.186.168.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	62.4	32.2	30.5	15.4
LG 35.186.168.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.31	2.24	2.11	1.02

LG 35.186.174.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.174.0:443/CPU Load					
0	19.8	60	19	19.3	11.5
LG 35.186.174.0:443/Memory Used					
2	34.1	59	36	34.5	13.5
LG 35.186.174.0:443/Throughput					
0	28.9	65.7	27.1	28.8	16.2
LG 35.186.174.0:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.186.174.0:443/Thread Count					
38	101.3	128	109	102.3	20.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.174.0:443/Http client/Thread Pool used					
0.1	0.109	0.165	0.1	0.107	0.014
LG 35.186.174.0:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.011
LG 35.186.174.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.174.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.174.0:443/Controller Connection/Ping Duration (ms)					
96	126.4	203	116	123.8	30
LG 35.186.174.0:443/Network/Segments sent/sec.					
1.6	1,822	3,978	1,716	1,821	1,012
LG 35.186.174.0:443/Network/Segments retransmitted/sec.					
0	0.057	1.6	0	0.031	0.153
LG 35.186.174.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	68.5	28.3	30.1	16.9
LG 35.186.174.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.44	2.01	2.08	1.12

LG 35.186.178.201:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.178.201:443/CPU Load					
0	18.9	59	19	18.7	9.55
LG 35.186.178.201:443/Memory Used					
2	34.7	63	36	35.1	13.5
LG 35.186.178.201:443/Throughput					
0	29	60.1	31.8	29.3	14.3
LG 35.186.178.201:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.186.178.201:443/Thread Count					
38	100.7	131	108	101.4	20.4
LG 35.186.178.201:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.008
LG 35.186.178.201:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.014
LG 35.186.178.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.178.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.178.201:443/Controller Connection/Ping Duration (ms)					
97	123.8	196	116	121.3	29.8
LG 35.186.178.201:443/Network/Segments sent/sec.					
1.8	1,836	3,691	2,029	1,855	887
LG 35.186.178.201:443/Network/Segments retransmitted/sec.					
0	0.039	0.6	0	0.021	0.104
LG 35.186.178.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	62.8	33.3	30.7	14.9
LG 35.186.178.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.21	2.28	2.12	0.986

LG 35.186.178.221:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.178.221:443/CPU Load					
0	18.8	62	19	18.5	10.55
LG 35.186.178.221:443/Memory Used					
2	34.6	61	36	35	13.6
LG 35.186.178.221:443/Throughput					
0	29.1	68.7	29.9	29.1	15.5
LG 35.186.178.221:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.186.178.221:443/Thread Count					
38	100.7	132	108	101.4	20.3
LG 35.186.178.221:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.007
LG 35.186.178.221:443/Http client/Task Pool used					
0	0.003	0.1	0	0.001	0.011
LG 35.186.178.221:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.178.221:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.178.221:443/Controller Connection/Ping Duration (ms)					
87	109.6	162	115	108.7	14
LG 35.186.178.221:443/Network/Segments sent/sec.					
2	1,841	4,185	1,894	1,847	967.2
LG 35.186.178.221:443/Network/Segments retransmitted/sec.					
0	0.064	1.41	0	0.039	0.158
LG 35.186.178.221:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	72	31.2	30.4	16.2
LG 35.186.178.221:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.67	2.15	2.11	1.07

LG 35.186.178.99:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.178.99:443/CPU Load					
0	18.9	56	19	18.6	10.48
LG 35.186.178.99:443/Memory Used					
2	33.7	66	35	34	13.2
LG 35.186.178.99:443/Throughput					
0	28.8	63.8	30.2	28.8	15.3
LG 35.186.178.99:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.186.178.99:443/Thread Count					
38	100.5	130	108	101.3	20.5
LG 35.186.178.99:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.009
LG 35.186.178.99:443/Http client/Task Pool used					
0	0.005	0.2	0	0.002	0.018
LG 35.186.178.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.178.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.178.99:443/Controller Connection/Ping Duration (ms)					
97	150.2	203	159	150.2	37

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.178.99:443/Network/Segments sent/sec.					
2	1,817	3,983	1,894	1,816	960
LG 35.186.178.99:443/Network/Segments retransmitted/sec.					
0	0.048	1.6	0	0.02	0.161
LG 35.186.178.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	67	31.5	30.1	16
LG 35.186.178.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.27	2.17	2.08	1.06

LG 35.186.179.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.179.38:443/CPU Load					
0	20.2	66	21	19.8	11.5
LG 35.186.179.38:443/Memory Used					
2	34.8	62	37	35.1	14.2
LG 35.186.179.38:443/Throughput					
0	29	65.3	29.3	28.9	15.7
LG 35.186.179.38:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.186.179.38:443/Thread Count					
38	100.6	132	109	101.4	20.1
LG 35.186.179.38:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.007
LG 35.186.179.38:443/Http client/Task Pool used					
0	0.005	0.217	0	0.002	0.018
LG 35.186.179.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.179.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.179.38:443/Controller Connection/Ping Duration (ms)					
91	119.2	162	122	118.3	13.7
LG 35.186.179.38:443/Network/Segments sent/sec.					
1.6	1,829	4,011	1,856	1,822	977
LG 35.186.179.38:443/Network/Segments retransmitted/sec.					
0	0.116	3.42	0	0.08	0.26
LG 35.186.179.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	68.3	30.6	30.2	16.4
LG 35.186.179.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.55	2.12	2.08	1.08

LG 35.188.224.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.224.6:443/CPU Load					
0	19.8	61	21	19.5	10.83
LG 35.188.224.6:443/Memory Used					
2	34.3	61	37	34.6	13.6
LG 35.188.224.6:443/Throughput					
0	28.6	67.8	31.8	28.8	15.4
LG 35.188.224.6:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.188.224.6:443/Thread Count					
38	100	126	108	100.9	19.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.224.6:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 35.188.224.6:443/Http client/Task Pool used					
0	0.006	0.133	0	0.002	0.018
LG 35.188.224.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.224.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.224.6:443/Controller Connection/Ping Duration (ms)					
94	155.4	196	157	156.6	15.5
LG 35.188.224.6:443/Network/Segments sent/sec.					
2.4	1,808	4,036	2,029	1,821	956.4
LG 35.188.224.6:443/Network/Segments retransmitted/sec.					
0	0.067	2.22	0	0.037	0.187
LG 35.188.224.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	70.5	33.3	30.1	16.1
LG 35.188.224.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.06	4.59	2.31	2.08	1.06

LG 35.188.232.211:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.232.211:443/CPU Load					
0	19.5	60	20	19.2	11
LG 35.188.232.211:443/Memory Used					
2	34.8	69	37	35	14.4
LG 35.188.232.211:443/Throughput					
0	28.6	76.8	30.4	28.5	15.5
LG 35.188.232.211:443/User Load					
0	41.2	66	50	42	18.8
LG 35.188.232.211:443/Thread Count					
38	100.3	129	108	101.1	20.3
LG 35.188.232.211:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.009
LG 35.188.232.211:443/Http client/Task Pool used					
0	0.003	0.267	0	0.001	0.019
LG 35.188.232.211:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.232.211:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.232.211:443/Controller Connection/Ping Duration (ms)					
91	115	162	113	114	12.5
LG 35.188.232.211:443/Network/Segments sent/sec.					
2	1,802	4,529	1,920	1,798	963.6
LG 35.188.232.211:443/Network/Segments retransmitted/sec.					
0	0.106	2.4	0	0.057	0.273
LG 35.188.232.211:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	79.7	31.8	29.8	16.2
LG 35.188.232.211:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	2.06	5.35	2.18	2.06	1.07

LG 35.188.236.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.236.242:443/CPU Load					
0	20.2	63	19	19.7	11.7
LG 35.188.236.242:443/Memory Used					
2	34.3	64	37	34.7	13.6
LG 35.188.236.242:443/Throughput					
0	29.1	76.1	29.5	28.9	16
LG 35.188.236.242:443/User Load					
0	41.4	66	50	42.2	18.9
LG 35.188.236.242:443/Thread Count					
38	101.7	135	109	102.4	21.4
LG 35.188.236.242:443/Http client/Thread Pool used					
0.1	0.109	0.155	0.1	0.107	0.013
LG 35.188.236.242:443/Http client/Task Pool used					
0	0.005	0.117	0	0.001	0.017
LG 35.188.236.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.236.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.236.242:443/Controller Connection/Ping Duration (ms)					
97	148.9	195	154	149.1	39.8
LG 35.188.236.242:443/Network/Segments sent/sec.					
1.6	1,836	4,653	1,865	1,826	989.5
LG 35.188.236.242:443/Network/Segments retransmitted/sec.					
0	0.059	2.77	0	0.028	0.199
LG 35.188.236.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	79.7	30.9	30.2	16.7
LG 35.188.236.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	2.1	5.25	2.14	2.09	1.1

LG 35.188.236.89:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.236.89:443/CPU Load					
0	19.5	56	20	19.2	10.63
LG 35.188.236.89:443/Memory Used					
2	33.9	59	36	34.3	13.3
LG 35.188.236.89:443/Throughput					
0	28.7	61.9	30.9	28.6	15.3
LG 35.188.236.89:443/User Load					
0	41	65	50	41.8	18.8
LG 35.188.236.89:443/Thread Count					
38	100.6	131	109	101.4	20.8
LG 35.188.236.89:443/Http client/Thread Pool used					
0.1	0.106	0.165	0.1	0.104	0.011
LG 35.188.236.89:443/Http client/Task Pool used					
0	0.005	0.283	0	0.001	0.024
LG 35.188.236.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.236.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.236.89:443/Controller Connection/Ping Duration (ms)					
88	116	184	114	114.1	21.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.236.89:443/Network/Segments sent/sec.					
1.6	1,810	3,727	1,962	1,809	948.6
LG 35.188.236.89:443/Network/Segments retransmitted/sec.					
0	0.05	1.02	0	0.026	0.136
LG 35.188.236.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	64.2	32.2	30	15.9
LG 35.188.236.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.3	2.23	2.07	1.05

LG 35.188.238.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.238.119:443/CPU Load					
0	19.4	54	19	19	11.3
LG 35.188.238.119:443/Memory Used					
2	34.1	63	36	34.4	13.3
LG 35.188.238.119:443/Throughput					
0	29	67.9	29.1	28.8	16.2
LG 35.188.238.119:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.188.238.119:443/Thread Count					
39	100.7	130	108.5	101.5	20.3
LG 35.188.238.119:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.188.238.119:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.014
LG 35.188.238.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.238.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.238.119:443/Controller Connection/Ping Duration (ms)					
88	123.6	179	115	122.7	23.4
LG 35.188.238.119:443/Network/Segments sent/sec.					
1.6	1,839	4,189	1,829	1,828	1,013
LG 35.188.238.119:443/Network/Segments retransmitted/sec.					
0	0.049	0.819	0	0.027	0.125
LG 35.188.238.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	71	30.3	30.2	16.9
LG 35.188.238.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.77	2.14	2.09	1.12

LG 35.188.244.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.244.46:443/CPU Load					
0	19.1	62	19	18.7	11.1
LG 35.188.244.46:443/Memory Used					
2	34.3	60	37	34.7	13.1
LG 35.188.244.46:443/Throughput					
0	28.2	59.2	29	28.2	15.5
LG 35.188.244.46:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.188.244.46:443/Thread Count					
38	100.7	131	108	101.6	20.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.244.46:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.105	0.011
LG 35.188.244.46:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.02
LG 35.188.244.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.244.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.244.46:443/Controller Connection/Ping Duration (ms)					
120	157	202	159	156.4	34.7
LG 35.188.244.46:443/Network/Segments sent/sec.					
2	1,781	3,676	1,811	1,785	965.1
LG 35.188.244.46:443/Network/Segments retransmitted/sec.					
0	0.134	2.6	0	0.063	0.367
LG 35.188.244.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.5	61.7	30.2	29.5	16.2
LG 35.188.244.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.03	4.2	2.11	2.04	1.07

LG 35.188.245.114:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.245.114:443/CPU Load					
0	18.8	58	19	18.5	11.1
LG 35.188.245.114:443/Memory Used					
2	34	62	36	34.3	13.4
LG 35.188.245.114:443/Throughput					
0	28.9	72	29.9	28.9	16.1
LG 35.188.245.114:443/User Load					
0	41.2	66	50	42	18.8
LG 35.188.245.114:443/Thread Count					
38	101.1	132	108	101.9	20.8
LG 35.188.245.114:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.011
LG 35.188.245.114:443/Http client/Task Pool used					
0	0.004	0.117	0	0.002	0.014
LG 35.188.245.114:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.245.114:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.245.114:443/Controller Connection/Ping Duration (ms)					
103	153.1	156	155	154.8	9.55
LG 35.188.245.114:443/Network/Segments sent/sec.					
1.6	1,833	4,427	1,908	1,831	1,008
LG 35.188.245.114:443/Network/Segments retransmitted/sec.					
0	0.027	0.789	0	0.008	0.097
LG 35.188.245.114:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	75.4	31.4	30.2	16.9
LG 35.188.245.114:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	5.01	2.19	2.09	1.11

LG 35.194.66.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.66.38:443/CPU Load					
0	18.9	63	18.5	18.7	10.64
LG 35.194.66.38:443/Memory Used					
1	34.5	63	36.5	34.8	14
LG 35.194.66.38:443/Throughput					
0	28.8	63.5	28	28.9	15.7
LG 35.194.66.38:443/User Load					
0	41.5	66	50	42.4	18.9
LG 35.194.66.38:443/Thread Count					
39	100.9	129	108	101.8	20.4
LG 35.194.66.38:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.104	0.007
LG 35.194.66.38:443/Http client/Task Pool used					
0	0.004	0.267	0	0.001	0.018
LG 35.194.66.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.66.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.66.38:443/Controller Connection/Ping Duration (ms)					
88	130.2	189	118	129.7	25.5
LG 35.194.66.38:443/Network/Segments sent/sec.					
1.6	1,822	3,935	1,776	1,831	972.1
LG 35.194.66.38:443/Network/Segments retransmitted/sec.					
0	0.066	1.41	0	0.045	0.15
LG 35.194.66.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	66	29.4	30.2	16.4
LG 35.194.66.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.48	2.03	2.09	1.08

LG 35.194.75.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.75.146:443/CPU Load					
0	18.7	63	19	18.2	11.1
LG 35.194.75.146:443/Memory Used					
2	34	58	36	34.4	12.8
LG 35.194.75.146:443/Throughput					
0	28.9	71.6	30.1	28.8	15.9
LG 35.194.75.146:443/User Load					
0	41.4	66	50	42.2	18.9
LG 35.194.75.146:443/Thread Count					
38	101.1	131	109	101.9	20.6
LG 35.194.75.146:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 35.194.75.146:443/Http client/Task Pool used					
0	0.005	0.233	0	0.002	0.021
LG 35.194.75.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.75.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.75.146:443/Controller Connection/Ping Duration (ms)					
89	112.7	173	113	111	17.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.75.146:443/Network/Segments sent/sec.					
1.6	1,833	4,436	1,923	1,825	994.8
LG 35.194.75.146:443/Network/Segments retransmitted/sec.					
0	0.076	2.8	0	0.044	0.214
LG 35.194.75.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	75	31.4	30.1	16.6
LG 35.194.75.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.9	2.22	2.08	1.1

LG 35.194.87.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.87.156:443/CPU Load					
0	19.8	54	21	19.6	10.39
LG 35.194.87.156:443/Memory Used					
2	34.4	60	37	34.8	13.5
LG 35.194.87.156:443/Throughput					
0	28.8	54.1	31.9	29.1	14.8
LG 35.194.87.156:443/User Load					
0	41.2	66	50	42	18.8
LG 35.194.87.156:443/Thread Count					
38	100	130	108	100.8	20.3
LG 35.194.87.156:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.008
LG 35.194.87.156:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.014
LG 35.194.87.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.87.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.87.156:443/Controller Connection/Ping Duration (ms)					
112	176	202	195	177.7	29.6
LG 35.194.87.156:443/Network/Segments sent/sec.					
1.6	1,812	3,401	2,024	1,832	919.9
LG 35.194.87.156:443/Network/Segments retransmitted/sec.					
0	0.056	1.2	0	0.032	0.144
LG 35.194.87.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	56.6	33.3	30.4	15.5
LG 35.194.87.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	3.82	2.32	2.1	1.02

LG 35.194.93.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.93.220:443/CPU Load					
0	19.4	59	18	18.9	11.8
LG 35.194.93.220:443/Memory Used					
2	34.2	61	36	34.5	13.2
LG 35.194.93.220:443/Throughput					
0	28.9	75.5	27.5	28.6	16.6
LG 35.194.93.220:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.194.93.220:443/Thread Count					
38	101.5	135	110	102.2	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.93.220:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.105	0.01
LG 35.194.93.220:443/Http client/Task Pool used					
0	0.006	0.267	0	0.002	0.026
LG 35.194.93.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.93.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.93.220:443/Controller Connection/Ping Duration (ms)					
103	142.5	189	153	142.7	20.4
LG 35.194.93.220:443/Network/Segments sent/sec.					
2	1,825	4,617	1,735	1,809	1,032
LG 35.194.93.220:443/Network/Segments retransmitted/sec.					
0	0.05	1.8	0	0.021	0.161
LG 35.194.93.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	78.6	28.6	30	17.4
LG 35.194.93.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	5.34	1.98	2.07	1.15

LG 35.199.2.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.2.21:443/CPU Load					
0	18.6	60	20	18.3	10.66
LG 35.199.2.21:443/Memory Used					
2	34.3	62	36	34.6	13.2
LG 35.199.2.21:443/Throughput					
0	29.1	61.5	33.1	29.3	15.6
LG 35.199.2.21:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.199.2.21:443/Thread Count					
38	100.2	126	108	101.1	19.7
LG 35.199.2.21:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 35.199.2.21:443/Http client/Task Pool used					
0	0.002	0.133	0	0.001	0.01
LG 35.199.2.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.2.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.2.21:443/Controller Connection/Ping Duration (ms)					
96	146	197	156	145.8	37.4
LG 35.199.2.21:443/Network/Segments sent/sec.					
1.6	1,839	3,781	2,063	1,851	974
LG 35.199.2.21:443/Network/Segments retransmitted/sec.					
0	0.047	0.999	0	0.026	0.121
LG 35.199.2.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	64.3	34.6	30.6	16.3
LG 35.199.2.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.2	2.34	2.11	1.08

LG 35.199.29.75:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.29.75:443/CPU Load					
0	19.1	61	19	18.8	10.91
LG 35.199.29.75:443/Memory Used					
2	33.9	62	36	34.2	13.5
LG 35.199.29.75:443/Throughput					
0	28.7	62.5	27.8	28.7	15.8
LG 35.199.29.75:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.199.29.75:443/Thread Count					
38	100.2	128	109	101.2	20.2
LG 35.199.29.75:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.102	0.007
LG 35.199.29.75:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.013
LG 35.199.29.75:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.29.75:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.29.75:443/Controller Connection/Ping Duration (ms)					
80	146.3	303	118	142.8	48.8
LG 35.199.29.75:443/Network/Segments sent/sec.					
1.6	1,815	3,826	1,749	1,814	989.6
LG 35.199.29.75:443/Network/Segments retransmitted/sec.					
0	0.058	1.2	0	0.035	0.144
LG 35.199.29.75:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	65.3	29	30	16.6
LG 35.199.29.75:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.31	1.99	2.07	1.1

LG 35.199.4.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.4.28:443/CPU Load					
0	18.6	56	17	18.2	10.95
LG 35.199.4.28:443/Memory Used					
2	34.1	60	36	34.4	13.1
LG 35.199.4.28:443/Throughput					
0	28.6	66	27.4	28.3	16
LG 35.199.4.28:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.199.4.28:443/Thread Count					
39	100.9	130	109	101.7	20.7
LG 35.199.4.28:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.103	0.008
LG 35.199.4.28:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.013
LG 35.199.4.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.4.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.4.28:443/Controller Connection/Ping Duration (ms)					
121	157.9	202	161	157.4	33.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.4.28:443/Network/Segments sent/sec.					
2	1,806	4,104	1,734	1,792	992.8
LG 35.199.4.28:443/Network/Segments retransmitted/sec.					
0	0.118	2.2	0	0.072	0.281
LG 35.199.4.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	68.9	28.8	29.7	16.8
LG 35.199.4.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.06	4.59	1.97	2.05	1.1

LG 35.199.44.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.44.0:443/CPU Load					
0	19.2	57	19	18.8	10.9
LG 35.199.44.0:443/Memory Used					
2	34	62	35.5	34.4	13.4
LG 35.199.44.0:443/Throughput					
0	28.6	68.6	29.5	28.7	15.4
LG 35.199.44.0:443/User Load					
0	41	65	50	41.9	18.8
LG 35.199.44.0:443/Thread Count					
38	100	128	108	101	20.4
LG 35.199.44.0:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 35.199.44.0:443/Http client/Task Pool used					
0	0.004	0.317	0	0.001	0.019
LG 35.199.44.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.44.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.44.0:443/Controller Connection/Ping Duration (ms)					
87	178.9	203	199	182.1	33
LG 35.199.44.0:443/Network/Segments sent/sec.					
2	1,811	4,153	1,899	1,817	956.1
LG 35.199.44.0:443/Network/Segments retransmitted/sec.					
0	0.061	1.63	0	0.033	0.167
LG 35.199.44.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	71.7	31.1	30	16
LG 35.199.44.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.63	2.18	2.08	1.06

LG 35.199.46.96:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.46.96:443/CPU Load					
0	19.2	56	20	19	10.75
LG 35.199.46.96:443/Memory Used					
2	34.4	69	36	34.7	13.5
LG 35.199.46.96:443/Throughput					
0	29.1	72.1	31	29	16.2
LG 35.199.46.96:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.199.46.96:443/Thread Count					
38	101.3	136	110	101.9	20.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.46.96:443/Http client/Thread Pool used					
0.1	0.106	0.17	0.1	0.104	0.012
LG 35.199.46.96:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.013
LG 35.199.46.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.46.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.46.96:443/Controller Connection/Ping Duration (ms)					
82	111.8	155	114	110.9	16.3
LG 35.199.46.96:443/Network/Segments sent/sec.					
1.6	1,840	4,204	1,986	1,834	1,007
LG 35.199.46.96:443/Network/Segments retransmitted/sec.					
0	0.046	1.01	0	0.022	0.134
LG 35.199.46.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	75.1	32.6	30.3	16.9
LG 35.199.46.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.77	2.25	2.09	1.12

LG 35.199.56.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.56.38:443/CPU Load					
0	19.4	62	21	19.1	10.77
LG 35.199.56.38:443/Memory Used					
2	34.1	59	36	34.5	13
LG 35.199.56.38:443/Throughput					
0	29	66.6	31.3	29.1	15.8
LG 35.199.56.38:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.199.56.38:443/Thread Count					
38	100.6	129	109	101.4	20.4
LG 35.199.56.38:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.199.56.38:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.015
LG 35.199.56.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.56.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.56.38:443/Controller Connection/Ping Duration (ms)					
91	115.8	196	116	112.6	23.8
LG 35.199.56.38:443/Network/Segments sent/sec.					
2.2	1,838	4,077	1,993	1,841	984.8
LG 35.199.56.38:443/Network/Segments retransmitted/sec.					
0	0.038	0.8	0	0.022	0.104
LG 35.199.56.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	69.6	32.9	30.4	16.5
LG 35.199.56.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.58	2.29	2.1	1.09

LG 35.199.61.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.61.29:443/CPU Load					
0	19.4	60	20	19.1	11.2
LG 35.199.61.29:443/Memory Used					
2	33.7	60	35	34.1	13.1
LG 35.199.61.29:443/Throughput					
0	28.6	65.1	28.8	28.6	16.2
LG 35.199.61.29:443/User Load					
0	41	65	50	41.8	18.8
LG 35.199.61.29:443/Thread Count					
38	100.1	128	108	101	20.4
LG 35.199.61.29:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 35.199.61.29:443/Http client/Task Pool used					
0	0.006	0.267	0	0.002	0.023
LG 35.199.61.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.61.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.61.29:443/Controller Connection/Ping Duration (ms)					
89	122	200	121	120	18.9
LG 35.199.61.29:443/Network/Segments sent/sec.					
1.6	1,809	3,828	1,836	1,809	1,003
LG 35.199.61.29:443/Network/Segments retransmitted/sec.					
0	0.036	1.6	0	0.012	0.13
LG 35.199.61.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	67.9	30.2	29.9	16.9
LG 35.199.61.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.06	4.34	2.11	2.07	1.11

LG 35.199.63.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.63.175:443/CPU Load					
0	18.6	56	19	18.3	10.09
LG 35.199.63.175:443/Memory Used					
2	34.3	62	37	34.7	13.6
LG 35.199.63.175:443/Throughput					
0	28.7	72.8	30.2	28.7	15.1
LG 35.199.63.175:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.199.63.175:443/Thread Count					
38	101	130	109	101.9	20.2
LG 35.199.63.175:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.103	0.009
LG 35.199.63.175:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.012
LG 35.199.63.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.63.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.63.175:443/Controller Connection/Ping Duration (ms)					
82	113.9	161	112	112.9	16.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.63.175:443/Network/Segments sent/sec.					
1.6	1,818	4,558	1,899	1,821	944.2
LG 35.199.63.175:443/Network/Segments retransmitted/sec.					
0	0.029	1.01	0	0.013	0.095
LG 35.199.63.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	76.2	31.5	30	15.8
LG 35.199.63.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	5.1	2.17	2.08	1.04

LG 35.221.22.190:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.22.190:443/CPU Load					
0	19.9	61	20	19.5	10.74
LG 35.221.22.190:443/Memory Used					
2	35.1	62	37	35.6	13.6
LG 35.221.22.190:443/Throughput					
0	29.1	64.8	31.3	29.2	15.1
LG 35.221.22.190:443/User Load					
0	41.7	66	50	42.5	18.9
LG 35.221.22.190:443/Thread Count					
39	100.8	130	109	101.6	19.7
LG 35.221.22.190:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.221.22.190:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.011
LG 35.221.22.190:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.22.190:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.22.190:443/Controller Connection/Ping Duration (ms)					
84	141.6	214	160	141.5	29.3
LG 35.221.22.190:443/Network/Segments sent/sec.					
1.6	1,841	3,773	1,987	1,848	939.4
LG 35.221.22.190:443/Network/Segments retransmitted/sec.					
0	0.066	1.01	0	0.042	0.152
LG 35.221.22.190:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.5	67.4	32.7	30.5	15.7
LG 35.221.22.190:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.31	2.24	2.11	1.04

LG 35.221.24.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.24.161:443/CPU Load					
0	19.1	61	17.5	18.7	11
LG 35.221.24.161:443/Memory Used					
3	34.4	63	37	34.7	12.6
LG 35.221.24.161:443/Throughput					
0	28.9	70.9	27.6	28.6	15.8
LG 35.221.24.161:443/User Load					
0	41.5	66	50	42.4	18.9
LG 35.221.24.161:443/Thread Count					
38	100.7	132	108	101.5	20.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.24.161:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.104	0.009
LG 35.221.24.161:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.015
LG 35.221.24.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.24.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.24.161:443/Controller Connection/Ping Duration (ms)					
112	161.1	253	157	159.6	23.4
LG 35.221.24.161:443/Network/Segments sent/sec.					
2.4	1,825	4,412	1,747	1,809	983.7
LG 35.221.24.161:443/Network/Segments retransmitted/sec.					
0	0.067	1.2	0	0.039	0.166
LG 35.221.24.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	74.1	28.7	29.9	16.5
LG 35.221.24.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	5.01	2.02	2.07	1.09

LG 35.221.28.181:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.28.181:443/CPU Load					
0	20.1	53	21	20	9.8
LG 35.221.28.181:443/Memory Used					
2	34.2	63	36	34.5	13.6
LG 35.221.28.181:443/Throughput					
0	28.8	61.8	30.9	29	14.3
LG 35.221.28.181:443/User Load					
0	41.2	66	50	42	18.8
LG 35.221.28.181:443/Thread Count					
38	100.2	130	108	101	20.2
LG 35.221.28.181:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.101	0.005
LG 35.221.28.181:443/Http client/Task Pool used					
0	0.003	0.183	0	0.001	0.015
LG 35.221.28.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.28.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.28.181:443/Controller Connection/Ping Duration (ms)					
88	163.4	1,547	113	114.6	262.4
LG 35.221.28.181:443/Network/Segments sent/sec.					
2.4	1,822	3,892	1,984	1,833	889.6
LG 35.221.28.181:443/Network/Segments retransmitted/sec.					
0	0.072	3.2	0	0.034	0.24
LG 35.221.28.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	64.5	32.4	30.3	14.9
LG 35.221.28.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.51	2.26	2.09	0.988

LG 35.221.42.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.42.223:443/CPU Load					
0	19.3	59	20	19	10.42
LG 35.221.42.223:443/Memory Used					
2	34.6	62	37	34.9	13.7
LG 35.221.42.223:443/Throughput					
0	29	60.6	31.7	29.2	15.1
LG 35.221.42.223:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.221.42.223:443/Thread Count					
38	100.5	128	108	101.3	20.2
LG 35.221.42.223:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.221.42.223:443/Http client/Task Pool used					
0	0.005	0.117	0	0.002	0.015
LG 35.221.42.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.42.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.42.223:443/Controller Connection/Ping Duration (ms)					
86	108.4	156	109	107.5	13.1
LG 35.221.42.223:443/Network/Segments sent/sec.					
2.4	1,839	3,643	2,027	1,852	936.7
LG 35.221.42.223:443/Network/Segments retransmitted/sec.					
0	0.055	1.4	0	0.03	0.148
LG 35.221.42.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.3	63.2	33.2	30.5	15.7
LG 35.221.42.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.26	2.31	2.11	1.04

LG 35.221.49.227:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.49.227:443/CPU Load					
0	18	55	19	17.6	10.39
LG 35.221.49.227:443/Memory Used					
2	33.9	63	35	34.2	13.4
LG 35.221.49.227:443/Throughput					
0	28.6	65.1	30.8	28.6	15.4
LG 35.221.49.227:443/User Load					
0	41	65	50	41.8	18.8
LG 35.221.49.227:443/Thread Count					
38	100.2	130	109	101	20.6
LG 35.221.49.227:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 35.221.49.227:443/Http client/Task Pool used					
0	0.004	0.1	0	0.001	0.013
LG 35.221.49.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.49.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.49.227:443/Controller Connection/Ping Duration (ms)					
98	145	200	154	144.5	39.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.49.227:443/Network/Segments sent/sec.					
1.6	1,814	4,002	1,943	1,813	960.3
LG 35.221.49.227:443/Network/Segments retransmitted/sec.					
0	0.03	0.8	0	0.013	0.095
LG 35.221.49.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	67.9	32.2	29.9	16.1
LG 35.221.49.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.69	2.21	2.07	1.06

LG 35.221.51.136:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.51.136:443/CPU Load					
0	20.1	58	21	19.8	11.1
LG 35.221.51.136:443/Memory Used					
2	33.9	62	36	34.2	13.7
LG 35.221.51.136:443/Throughput					
0	28.8	64.5	31.2	28.9	15.1
LG 35.221.51.136:443/User Load					
0	41.2	66	50	42	18.8
LG 35.221.51.136:443/Thread Count					
39	101.1	133	109	101.9	21
LG 35.221.51.136:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.105	0.011
LG 35.221.51.136:443/Http client/Task Pool used					
0	0.005	0.167	0	0.001	0.017
LG 35.221.51.136:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.51.136:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.51.136:443/Controller Connection/Ping Duration (ms)					
98	145.7	197	137	145.3	38.2
LG 35.221.51.136:443/Network/Segments sent/sec.					
1.6	1,814	3,846	1,975	1,828	938.8
LG 35.221.51.136:443/Network/Segments retransmitted/sec.					
0	0.086	2.04	0	0.043	0.249
LG 35.221.51.136:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	67	32.5	30.3	15.8
LG 35.221.51.136:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.4	2.26	2.09	1.04

LG 35.221.61.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.61.112:443/CPU Load					
0	19.4	59	20	19	10.89
LG 35.221.61.112:443/Memory Used					
2	35.2	65	37	35.4	14.3
LG 35.221.61.112:443/Throughput					
0	29.1	58.2	30	29.3	15.3
LG 35.221.61.112:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.221.61.112:443/Thread Count					
39	100.6	132	108	101.3	19.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.61.112:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.007
LG 35.221.61.112:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.014
LG 35.221.61.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.61.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.61.112:443/Controller Connection/Ping Duration (ms)					
98	142	196	140	141.4	35.7
LG 35.221.61.112:443/Network/Segments sent/sec.					
1.6	1,843	3,670	1,871	1,855	959.5
LG 35.221.61.112:443/Network/Segments retransmitted/sec.					
0	0.056	1.2	0	0.03	0.152
LG 35.221.61.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	60.8	31.3	30.6	16
LG 35.221.61.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.04	2.17	2.12	1.06

LG 35.230.162.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.162.45:443/CPU Load					
0	20.2	59	21	20	11.1
LG 35.230.162.45:443/Memory Used					
2	34	63	36	34.3	13.1
LG 35.230.162.45:443/Throughput					
0	28.9	59	30.3	29.2	15.3
LG 35.230.162.45:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.230.162.45:443/Thread Count					
39	101.4	129	110	102.2	20.4
LG 35.230.162.45:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.104	0.009
LG 35.230.162.45:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.018
LG 35.230.162.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.162.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.162.45:443/Controller Connection/Ping Duration (ms)					
90	131.4	199	118	130.2	28.8
LG 35.230.162.45:443/Network/Segments sent/sec.					
1.6	1,831	3,600	1,888	1,848	959.2
LG 35.230.162.45:443/Network/Segments retransmitted/sec.					
0	0.056	1.2	0	0.031	0.147
LG 35.230.162.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	61.5	31.7	30.5	16
LG 35.230.162.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.17	2.17	2.11	1.06

LG 35.230.163.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.163.18:443/CPU Load					
0	17.6	49	19	17.3	9.36
LG 35.230.163.18:443/Memory Used					
2	33.1	59	35	33.6	12.8
LG 35.230.163.18:443/Throughput					
0	28.4	57.5	31.9	28.6	14.2
LG 35.230.163.18:443/User Load					
0	41	66	50	41.9	18.8
LG 35.230.163.18:443/Thread Count					
38	99.7	128	108	100.6	20.4
LG 35.230.163.18:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.007
LG 35.230.163.18:443/Http client/Task Pool used					
0	0.004	0.233	0	0.001	0.017
LG 35.230.163.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.163.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.163.18:443/Controller Connection/Ping Duration (ms)					
98	148.1	197	154	148.1	40.9
LG 35.230.163.18:443/Network/Segments sent/sec.					
1.6	1,803	3,579	1,998	1,819	895.9
LG 35.230.163.18:443/Network/Segments retransmitted/sec.					
0	0.075	1.2	0	0.051	0.157
LG 35.230.163.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.7	59.9	33.2	29.9	14.9
LG 35.230.163.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.06	4.05	2.29	2.08	0.989

LG 35.230.166.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.166.42:443/CPU Load					
0	19.7	59	18	19.3	11.2
LG 35.230.166.42:443/Memory Used					
2	33.6	58	36	34.1	13.1
LG 35.230.166.42:443/Throughput					
0	28.5	68.6	28.7	28.5	15.4
LG 35.230.166.42:443/User Load					
0	41	65	50	41.8	18.8
LG 35.230.166.42:443/Thread Count					
38	100.3	126	109	101.4	20.5
LG 35.230.166.42:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 35.230.166.42:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.02
LG 35.230.166.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.166.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.166.42:443/Controller Connection/Ping Duration (ms)					
88	111.3	154	107	110	15.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.166.42:443/Network/Segments sent/sec.					
2	1,803	4,195	1,823	1,801	958.7
LG 35.230.166.42:443/Network/Segments retransmitted/sec.					
0	0.055	2.2	0	0.028	0.166
LG 35.230.166.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.8	71.7	30.2	29.8	16.1
LG 35.230.166.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.06	4.76	2.09	2.06	1.06

LG 35.230.178.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.178.121:443/CPU Load					
0	17.9	62	18	17.6	10.11
LG 35.230.178.121:443/Memory Used					
2	34.3	62	36	34.6	13.3
LG 35.230.178.121:443/Throughput					
0	28.7	67.1	29.6	28.6	15.4
LG 35.230.178.121:443/User Load					
0	41.2	66	50	42	18.8
LG 35.230.178.121:443/Thread Count					
39	100.2	130	109	101.1	20
LG 35.230.178.121:443/Http client/Thread Pool used					
0.1	0.104	0.155	0.1	0.103	0.01
LG 35.230.178.121:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.016
LG 35.230.178.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.178.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.178.121:443/Controller Connection/Ping Duration (ms)					
89	132.2	199	116	130.7	30.7
LG 35.230.178.121:443/Network/Segments sent/sec.					
1.8	1,818	4,153	1,906	1,815	956.8
LG 35.230.178.121:443/Network/Segments retransmitted/sec.					
0	0.052	0.757	0	0.031	0.127
LG 35.230.178.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	70	30.9	29.9	16.1
LG 35.230.178.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.74	2.19	2.07	1.06

LG 35.230.181.78:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.181.78:443/CPU Load					
0	19.6	61	19	19.1	11.5
LG 35.230.181.78:443/Memory Used					
2	33.7	62	36	34	13.5
LG 35.230.181.78:443/Throughput					
0	29.1	79.9	30.6	28.8	16.6
LG 35.230.181.78:443/User Load					
0	41.4	66	50	42.2	19
LG 35.230.181.78:443/Thread Count					
38	100.9	132	109	101.6	20.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.181.78:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.01
LG 35.230.181.78:443/Http client/Task Pool used					
0	0.005	0.15	0	0.001	0.016
LG 35.230.181.78:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.181.78:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.181.78:443/Controller Connection/Ping Duration (ms)					
88	111.9	161	110	110.5	15
LG 35.230.181.78:443/Network/Segments sent/sec.					
2	1,852	4,875	1,938	1,834	1,044
LG 35.230.181.78:443/Network/Segments retransmitted/sec.					
0	0.056	1.2	0	0.029	0.154
LG 35.230.181.78:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	83.1	31.9	30.1	17.3
LG 35.230.181.78:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.11	5.46	2.2	2.09	1.15

LG 35.236.194.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.194.179:443/CPU Load					
0	18.5	56	18	18.1	10.38
LG 35.236.194.179:443/Memory Used					
2	33.3	59	35.5	33.7	12.6
LG 35.236.194.179:443/Throughput					
0	29	70.8	30.1	29	15.3
LG 35.236.194.179:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.236.194.179:443/Thread Count					
38	100.5	128	108	101.3	20.1
LG 35.236.194.179:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.007
LG 35.236.194.179:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.012
LG 35.236.194.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.194.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.194.179:443/Controller Connection/Ping Duration (ms)					
139	185.2	196	195	186.8	18.6
LG 35.236.194.179:443/Network/Segments sent/sec.					
1.6	1,838	4,260	1,902	1,834	959.6
LG 35.236.194.179:443/Network/Segments retransmitted/sec.					
0	0.062	2.6	0	0.035	0.181
LG 35.236.194.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	73.7	31.5	30.3	16
LG 35.236.194.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.95	2.18	2.09	1.06

LG 35.236.197.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.197.68:443/CPU Load					
0	19.2	57	19.5	19	10.57
LG 35.236.197.68:443/Memory Used					
2	34.4	61	36	34.8	13.5
LG 35.236.197.68:443/Throughput					
0	28.9	64	29.4	28.8	15.4
LG 35.236.197.68:443/User Load					
0	41.2	66	50	42	18.8
LG 35.236.197.68:443/Thread Count					
38	100.7	134	109	101.4	20.6
LG 35.236.197.68:443/Http client/Thread Pool used					
0.1	0.106	0.165	0.1	0.104	0.011
LG 35.236.197.68:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.015
LG 35.236.197.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.197.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.197.68:443/Controller Connection/Ping Duration (ms)					
92	128.1	200	120	125.9	29.2
LG 35.236.197.68:443/Network/Segments sent/sec.					
2	1,825	3,974	1,881	1,826	960.2
LG 35.236.197.68:443/Network/Segments retransmitted/sec.					
0	0.036	1.4	0	0.016	0.124
LG 35.236.197.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	66.8	30.6	30.2	16.1
LG 35.236.197.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.41	2.16	2.08	1.06

LG 35.236.205.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.205.249:443/CPU Load					
0	18.4	55	18	18.1	10.71
LG 35.236.205.249:443/Memory Used					
1	33.8	62	36	34.1	13.1
LG 35.236.205.249:443/Throughput					
0	28.9	71	29.1	28.6	16.3
LG 35.236.205.249:443/User Load					
0	41.4	66	50	42.2	18.9
LG 35.236.205.249:443/Thread Count					
38	100.2	129	108	100.9	20.2
LG 35.236.205.249:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.102	0.008
LG 35.236.205.249:443/Http client/Task Pool used					
0	0.003	0.2	0	0.001	0.014
LG 35.236.205.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.205.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.205.249:443/Controller Connection/Ping Duration (ms)					
80	131.8	167	133	132.5	27.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.205.249:443/Network/Segments sent/sec.					
2	1,830	4,279	1,846	1,814	1,016
LG 35.236.205.249:443/Network/Segments retransmitted/sec.					
0	0.078	2.3	0	0.036	0.24
LG 35.236.205.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	74	30.4	29.9	17
LG 35.236.205.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.79	2.1	2.07	1.13

LG 35.236.210.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.210.26:443/CPU Load					
0	18.9	63	18	18.6	10.85
LG 35.236.210.26:443/Memory Used					
2	33	58	35	33.4	13.2
LG 35.236.210.26:443/Throughput					
0	28.4	81.5	27.7	28.1	15.9
LG 35.236.210.26:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.236.210.26:443/Thread Count					
38	100.2	128	108	101.1	20.2
LG 35.236.210.26:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 35.236.210.26:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.014
LG 35.236.210.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.210.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.210.26:443/Controller Connection/Ping Duration (ms)					
87	114.8	157	114	114.5	12.5
LG 35.236.210.26:443/Network/Segments sent/sec.					
2.4	1,793	4,908	1,746	1,779	983.5
LG 35.236.210.26:443/Network/Segments retransmitted/sec.					
0	0.082	5.63	0	0.037	0.343
LG 35.236.210.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.6	85	28.9	29.4	16.6
LG 35.236.210.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.05	5.56	1.98	2.04	1.09

LG 35.236.210.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.210.48:443/CPU Load					
0	19.1	63	18	18.4	12.3
LG 35.236.210.48:443/Memory Used					
2	34.1	62	36	34.4	13.2
LG 35.236.210.48:443/Throughput					
0	28.6	71.7	27.7	28	17.3
LG 35.236.210.48:443/User Load					
0	41.1	65	50	41.9	18.8
LG 35.236.210.48:443/Thread Count					
38	100.7	132	108	101.6	20.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.210.48:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.105	0.01
LG 35.236.210.48:443/Http client/Task Pool used					
0	0.005	0.65	0	0.001	0.036
LG 35.236.210.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.210.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.210.48:443/Controller Connection/Ping Duration (ms)					
102	131.4	202	118	129	27.4
LG 35.236.210.48:443/Network/Segments sent/sec.					
1.6	1,807	4,426	1,765	1,772	1,074
LG 35.236.210.48:443/Network/Segments retransmitted/sec.					
0	0.044	0.812	0	0.022	0.12
LG 35.236.210.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	74.8	28.9	29.3	18
LG 35.236.210.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.06	4.97	2.04	2.02	1.19

LG 35.236.213.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.213.255:443/CPU Load					
0	18.4	55	18	18.2	10.28
LG 35.236.213.255:443/Memory Used					
2	34.3	61	36	34.6	14
LG 35.236.213.255:443/Throughput					
0	28.6	56.8	29.3	28.7	15.4
LG 35.236.213.255:443/User Load					
0	41	66	50	41.9	18.8
LG 35.236.213.255:443/Thread Count					
38	100	127	108	100.9	20
LG 35.236.213.255:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 35.236.213.255:443/Http client/Task Pool used					
0	0.004	0.317	0	0.001	0.023
LG 35.236.213.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.213.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.213.255:443/Controller Connection/Ping Duration (ms)					
91	145.4	193	155	145.7	24
LG 35.236.213.255:443/Network/Segments sent/sec.					
1.8	1,812	3,559	1,863	1,823	959.1
LG 35.236.213.255:443/Network/Segments retransmitted/sec.					
0	0.063	1.8	0	0.033	0.175
LG 35.236.213.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	59.5	30.7	30.1	16.1
LG 35.236.213.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	3.96	2.1	2.08	1.06

LG 35.236.215.162:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.215.162:443/CPU Load					
0	19.7	56	21	19.5	10.33
LG 35.236.215.162:443/Memory Used					
2	34.5	61	37	34.9	13.7
LG 35.236.215.162:443/Throughput					
0	28.7	61.6	31.9	28.8	15
LG 35.236.215.162:443/User Load					
0	41.2	66	50	42	18.7
LG 35.236.215.162:443/Thread Count					
38	100.1	129	108	100.9	20.2
LG 35.236.215.162:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.236.215.162:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.011
LG 35.236.215.162:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.215.162:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.215.162:443/Controller Connection/Ping Duration (ms)					
78	143.1	196	141	143.4	39.9
LG 35.236.215.162:443/Network/Segments sent/sec.					
1.6	1,807	3,888	1,997	1,815	930
LG 35.236.215.162:443/Network/Segments retransmitted/sec.					
0	0.058	1.2	0	0.035	0.141
LG 35.236.215.162:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	64.3	33.4	30.1	15.6
LG 35.236.215.162:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.5	2.29	2.08	1.05

LG 35.236.220.177:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.220.177:443/CPU Load					
0	19.4	51	20	19.1	10.47
LG 35.236.220.177:443/Memory Used					
2	34.1	62	36.5	34.5	13.2
LG 35.236.220.177:443/Throughput					
0	29.1	60.8	32	29.1	15.2
LG 35.236.220.177:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.236.220.177:443/Thread Count					
38	100.6	131	109	101.3	20.2
LG 35.236.220.177:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.236.220.177:443/Http client/Task Pool used					
0	0.004	0.2	0	0.001	0.018
LG 35.236.220.177:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.220.177:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.220.177:443/Controller Connection/Ping Duration (ms)					
86	109.8	161	114	108.6	15.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.220.177:443/Network/Segments sent/sec.					
1.6	1,835	3,740	2,000	1,839	947
LG 35.236.220.177:443/Network/Segments retransmitted/sec.					
0	0.057	1.22	0	0.033	0.149
LG 35.236.220.177:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	63.4	33.4	30.4	15.9
LG 35.236.220.177:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.09	4.26	2.29	2.1	1.05

LG 35.236.222.187:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.222.187:443/CPU Load					
0	19.8	62	20	19.5	11.1
LG 35.236.222.187:443/Memory Used					
2	34.6	64	37	34.9	13.7
LG 35.236.222.187:443/Throughput					
0	28.6	62.5	30.7	28.7	15
LG 35.236.222.187:443/User Load					
0	41	65	50	41.8	18.8
LG 35.236.222.187:443/Thread Count					
38	100.2	130	108.5	101.1	20.1
LG 35.236.222.187:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.103	0.008
LG 35.236.222.187:443/Http client/Task Pool used					
0	0.007	0.283	0	0.002	0.027
LG 35.236.222.187:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.222.187:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.222.187:443/Controller Connection/Ping Duration (ms)					
87	127.4	206	121	125.3	27.5
LG 35.236.222.187:443/Network/Segments sent/sec.					
2	1,810	3,908	1,942	1,816	937.7
LG 35.236.222.187:443/Network/Segments retransmitted/sec.					
0	0.047	0.785	0	0.027	0.117
LG 35.236.222.187:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	65.1	32.2	30	15.7
LG 35.236.222.187:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.45	2.22	2.07	1.04

LG 35.236.225.201:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.225.201:443/CPU Load					
0	19.6	59	19	19.2	11.5
LG 35.236.225.201:443/Memory Used					
2	34.3	61	37	34.7	13.4
LG 35.236.225.201:443/Throughput					
0	28.6	67.4	29	28.6	15.6
LG 35.236.225.201:443/User Load					
0	41	65	50	41.8	18.8
LG 35.236.225.201:443/Thread Count					
38	100.4	135	108	101.2	20.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.225.201:443/Http client/Thread Pool used					
0.1	0.105	0.16	0.1	0.104	0.011
LG 35.236.225.201:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.015
LG 35.236.225.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.225.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.225.201:443/Controller Connection/Ping Duration (ms)					
97	148.9	158	157	151.1	17.2
LG 35.236.225.201:443/Network/Segments sent/sec.					
2.4	1,811	4,101	1,824	1,812	976.6
LG 35.236.225.201:443/Network/Segments retransmitted/sec.					
0	0.064	1.21	0	0.036	0.165
LG 35.236.225.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	70.4	30.3	29.9	16.3
LG 35.236.225.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.06	4.63	2.09	2.07	1.08

LG 35.236.227.147:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.227.147:443/CPU Load					
0	19.3	58	20	19	10.78
LG 35.236.227.147:443/Memory Used					
2	33.5	60	36	33.9	13.1
LG 35.236.227.147:443/Throughput					
0	28.8	66.8	31.3	28.8	15.4
LG 35.236.227.147:443/User Load					
0	41.2	66	50	42.1	18.8
LG 35.236.227.147:443/Thread Count					
38	100.3	130	108	101.2	20.3
LG 35.236.227.147:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.103	0.008
LG 35.236.227.147:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.013
LG 35.236.227.147:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.227.147:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.227.147:443/Controller Connection/Ping Duration (ms)					
86	112.4	180	116	110.5	18
LG 35.236.227.147:443/Network/Segments sent/sec.					
1.6	1,820	4,030	1,955	1,821	959.1
LG 35.236.227.147:443/Network/Segments retransmitted/sec.					
0	0.037	0.8	0	0.018	0.108
LG 35.236.227.147:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	70	32.5	30.1	16.1
LG 35.236.227.147:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.51	2.23	2.08	1.06

LG 35.236.229.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.229.13:443/CPU Load					
0	19.6	53	20	19.4	10.15
LG 35.236.229.13:443/Memory Used					
2	33.8	61	36	34.1	13.5
LG 35.236.229.13:443/Throughput					
0	28.8	61.9	30.3	28.9	15
LG 35.236.229.13:443/User Load					
0	41.2	66	50	42	18.8
LG 35.236.229.13:443/Thread Count					
38	100.2	131	108	101	20.3
LG 35.236.229.13:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.103	0.008
LG 35.236.229.13:443/Http client/Task Pool used					
0	0.005	0.167	0	0.001	0.019
LG 35.236.229.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.229.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.229.13:443/Controller Connection/Ping Duration (ms)					
82	108.7	156	111	107.7	15.2
LG 35.236.229.13:443/Network/Segments sent/sec.					
1.6	1,821	3,773	1,911	1,829	936
LG 35.236.229.13:443/Network/Segments retransmitted/sec.					
0	0.047	1.01	0	0.021	0.142
LG 35.236.229.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	64.6	31.8	30.2	15.6
LG 35.236.229.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	2.08	4.28	2.19	2.09	1.03

LG 35.236.234.100:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.234.100:443/CPU Load					
0	20.6	66	20	20.1	11.7
LG 35.236.234.100:443/Memory Used					
2	34.4	60	37	34.9	13.2
LG 35.236.234.100:443/Throughput					
0	28.8	76.6	30.1	28.5	15.8
LG 35.236.234.100:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.236.234.100:443/Thread Count					
38	100.7	133	108	101.5	20.9
LG 35.236.234.100:443/Http client/Thread Pool used					
0.1	0.107	0.16	0.1	0.105	0.012
LG 35.236.234.100:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.015
LG 35.236.234.100:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.234.100:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.234.100:443/Controller Connection/Ping Duration (ms)					
80	153.1	162	157	156.5	18

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.234.100:443/Network/Segments sent/sec.					
1.97	1,814	4,713	1,900	1,802	977.9
LG 35.236.234.100:443/Network/Segments retransmitted/sec.					
0	0.062	1.2	0	0.035	0.157
LG 35.236.234.100:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	80.1	31.4	29.8	16.5
LG 35.236.234.100:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	5.3	2.17	2.06	1.08

LG 35.236.252.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.252.232:443/CPU Load					
0	20.5	57	21	20.2	11.1
LG 35.236.252.232:443/Memory Used					
2	34.3	61	36	34.6	13.7
LG 35.236.252.232:443/Throughput					
0	29.1	64.6	30.3	29	15.9
LG 35.236.252.232:443/User Load					
0	41.4	66	50	42.2	18.9
LG 35.236.252.232:443/Thread Count					
38	101.1	128	109	102.1	20.5
LG 35.236.252.232:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.105	0.011
LG 35.236.252.232:443/Http client/Task Pool used					
0	0.005	0.217	0	0.001	0.018
LG 35.236.252.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.252.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.252.232:443/Controller Connection/Ping Duration (ms)					
89	114.9	203	114	112.9	17.8
LG 35.236.252.232:443/Network/Segments sent/sec.					
2.4	1,830	3,909	1,917	1,828	984.2
LG 35.236.252.232:443/Network/Segments retransmitted/sec.					
0	0.045	0.8	0	0.023	0.123
LG 35.236.252.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	67.2	31.5	30.3	16.5
LG 35.236.252.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.09	4.46	2.16	2.09	1.1

LG 35.245.0.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.0.237:443/CPU Load					
0	20.9	66	21	20.6	12
LG 35.245.0.237:443/Memory Used					
1	34.3	64	36	34.6	13.8
LG 35.245.0.237:443/Throughput					
0	28.9	60	32.4	29.1	15
LG 35.245.0.237:443/User Load					
0	41.2	66	50	42	18.8
LG 35.245.0.237:443/Thread Count					
39	99.9	131	108	100.7	20

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.0.237:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.008
LG 35.245.0.237:443/Http client/Task Pool used					
0	0.005	0.117	0	0.002	0.015
LG 35.245.0.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.0.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.0.237:443/Controller Connection/Ping Duration (ms)					
88	110.5	142	114	110.1	12.8
LG 35.245.0.237:443/Network/Segments sent/sec.					
1.6	1,817	3,564	2,037	1,832	932.7
LG 35.245.0.237:443/Network/Segments retransmitted/sec.					
0	0.054	1.6	0	0.027	0.154
LG 35.245.0.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	62.2	33.9	30.4	15.7
LG 35.245.0.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.12	2.34	2.1	1.04

LG 35.245.100.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.100.133:443/CPU Load					
0	19.9	52	21	19.7	10.56
LG 35.245.100.133:443/Memory Used					
2	33.9	59	36	34.3	13.2
LG 35.245.100.133:443/Throughput					
0	28.6	61.1	29.9	28.7	15.2
LG 35.245.100.133:443/User Load					
0	41.1	66	50	42	18.8
LG 35.245.100.133:443/Thread Count					
38	100.5	128	108	101.4	20.4
LG 35.245.100.133:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.01
LG 35.245.100.133:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.009
LG 35.245.100.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.100.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.100.133:443/Controller Connection/Ping Duration (ms)					
86	134.8	195	133	133.9	28.6
LG 35.245.100.133:443/Network/Segments sent/sec.					
1.97	1,814	3,766	1,896	1,821	944
LG 35.245.100.133:443/Network/Segments retransmitted/sec.					
0	0.056	1.63	0	0.028	0.17
LG 35.245.100.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	63.8	31.4	30	15.9
LG 35.245.100.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.25	2.15	2.08	1.04

LG 35.245.105.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.105.142:443/CPU Load					
0	19.3	57	20	19	11.2
LG 35.245.105.142:443/Memory Used					
2	34.3	61	36.5	34.7	12.7
LG 35.245.105.142:443/Throughput					
0	29	62	29.9	29.3	15.6
LG 35.245.105.142:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.245.105.142:443/Thread Count					
39	101	130	109	101.8	20.5
LG 35.245.105.142:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.104	0.01
LG 35.245.105.142:443/Http client/Task Pool used					
0	0.003	0.183	0	0.001	0.014
LG 35.245.105.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.105.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.105.142:443/Controller Connection/Ping Duration (ms)					
103	152.6	202	154	152.4	30.4
LG 35.245.105.142:443/Network/Segments sent/sec.					
1.6	1,841	3,814	1,928	1,856	979.3
LG 35.245.105.142:443/Network/Segments retransmitted/sec.					
0	0.082	4	0	0.047	0.263
LG 35.245.105.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	64.9	31.4	30.6	16.3
LG 35.245.105.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.43	2.14	2.12	1.08

LG 35.245.121.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.121.224:443/CPU Load					
0	18.7	51	19	18.4	10.63
LG 35.245.121.224:443/Memory Used					
2	34	61	37	34.4	13.1
LG 35.245.121.224:443/Throughput					
0	28.9	64	31.2	28.9	15.7
LG 35.245.121.224:443/User Load					
0	41.2	66	50	42.1	18.8
LG 35.245.121.224:443/Thread Count					
39	100.3	126	108	101.2	19.6
LG 35.245.121.224:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.245.121.224:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.015
LG 35.245.121.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.121.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.121.224:443/Controller Connection/Ping Duration (ms)					
93	138.8	202	159	138.5	29.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.121.224:443/Network/Segments sent/sec.					
1.59	1,831	3,919	1,977	1,837	982.9
LG 35.245.121.224:443/Network/Segments retransmitted/sec.					
0	0.067	1.21	0	0.04	0.162
LG 35.245.121.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	66.9	32.6	30.3	16.5
LG 35.245.121.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.36	2.25	2.1	1.08

LG 35.245.126.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.126.64:443/CPU Load					
0	19	62	19	18.6	11.5
LG 35.245.126.64:443/Memory Used					
2	34.7	61	37	35	13.6
LG 35.245.126.64:443/Throughput					
0	29	65.1	30.5	28.9	16.8
LG 35.245.126.64:443/User Load					
0	41.4	66	50	42.2	19
LG 35.245.126.64:443/Thread Count					
38	100.9	130	109	101.8	20.4
LG 35.245.126.64:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.104	0.009
LG 35.245.126.64:443/Http client/Task Pool used					
0	0.003	0.183	0	0.001	0.016
LG 35.245.126.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.126.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.126.64:443/Controller Connection/Ping Duration (ms)					
89	121.1	200	116	119.1	24.5
LG 35.245.126.64:443/Network/Segments sent/sec.					
2	1,836	3,932	1,938	1,831	1,041
LG 35.245.126.64:443/Network/Segments retransmitted/sec.					
0	0.056	1.2	0	0.027	0.16
LG 35.245.126.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	67.8	31.9	30.2	17.5
LG 35.245.126.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.43	2.22	2.09	1.16

LG 35.245.128.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.128.178:443/CPU Load					
0	18.6	56	20	18.3	10
LG 35.245.128.178:443/Memory Used					
2	33.8	66	36	34	13.7
LG 35.245.128.178:443/Throughput					
0	28.7	56	31	29	14.5
LG 35.245.128.178:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.128.178:443/Thread Count					
38	100.2	130	108	101	20.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.128.178:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.245.128.178:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.009
LG 35.245.128.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.128.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.128.178:443/Controller Connection/Ping Duration (ms)					
117	156.5	236	156	155.1	16.8
LG 35.245.128.178:443/Network/Segments sent/sec.					
2.4	1,816	3,501	2,014	1,834	908.6
LG 35.245.128.178:443/Network/Segments retransmitted/sec.					
0	0.032	0.783	0	0.018	0.091
LG 35.245.128.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30	58.4	32.6	30.3	15.1
LG 35.245.128.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.02	2.29	2.09	1.01

LG 35.245.140.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.140.249:443/CPU Load					
0	19.9	58	22	19.7	10.52
LG 35.245.140.249:443/Memory Used					
2	34.6	63	37	35	13.6
LG 35.245.140.249:443/Throughput					
0	28.7	66.5	31.7	28.9	15.1
LG 35.245.140.249:443/User Load					
0	41.3	66	50	42.1	18.7
LG 35.245.140.249:443/Thread Count					
39	100.5	131	109	101.4	20.4
LG 35.245.140.249:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.103	0.009
LG 35.245.140.249:443/Http client/Task Pool used					
0	0.004	0.133	0	0.001	0.014
LG 35.245.140.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.140.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.140.249:443/Controller Connection/Ping Duration (ms)					
120	150.9	195	154	150.4	16.8
LG 35.245.140.249:443/Network/Segments sent/sec.					
2	1,812	4,018	1,988	1,828	934.4
LG 35.245.140.249:443/Network/Segments retransmitted/sec.					
0	0.046	1.23	0	0.025	0.123
LG 35.245.140.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	69.2	33.1	30.3	15.7
LG 35.245.140.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.56	2.26	2.09	1.04

LG 35.245.141.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.141.133:443/CPU Load					
0	18.8	56	19	18.5	10.29
LG 35.245.141.133:443/Memory Used					
2	33.9	64	36	34.2	13.2
LG 35.245.141.133:443/Throughput					
0	28.6	61.3	30.1	28.7	14.9
LG 35.245.141.133:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.141.133:443/Thread Count					
38	100.3	127	109	101.2	20.4
LG 35.245.141.133:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.245.141.133:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.014
LG 35.245.141.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.141.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.141.133:443/Controller Connection/Ping Duration (ms)					
86	159.6	204	158	161	41.5
LG 35.245.141.133:443/Network/Segments sent/sec.					
1.6	1,809	3,773	1,892	1,819	930
LG 35.245.141.133:443/Network/Segments retransmitted/sec.					
0	0.063	3.8	0	0.027	0.243
LG 35.245.141.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	64.3	31.5	30	15.6
LG 35.245.141.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.35	2.12	2.08	1.04

LG 35.245.144.149:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.144.149:443/CPU Load					
0	19.4	59	21	19.1	10.45
LG 35.245.144.149:443/Memory Used					
2	34.4	62	36	34.7	14
LG 35.245.144.149:443/Throughput					
0	28.7	54	31.7	29	14.6
LG 35.245.144.149:443/User Load					
0	41.2	66	50	42	18.8
LG 35.245.144.149:443/Thread Count					
38	100.3	129	108	101.1	20.3
LG 35.245.144.149:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.009
LG 35.245.144.149:443/Http client/Task Pool used					
0	0.005	0.1	0	0.002	0.014
LG 35.245.144.149:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.144.149:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.144.149:443/Controller Connection/Ping Duration (ms)					
80	123	171	114	122.8	26.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.144.149:443/Network/Segments sent/sec.					
1.6	1,811	3,409	2,002	1,831	911.1
LG 35.245.144.149:443/Network/Segments retransmitted/sec.					
0	0.048	2	0	0.017	0.182
LG 35.245.144.149:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	56.3	33.2	30.4	15.2
LG 35.245.144.149:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	3.85	2.27	2.1	1.01

LG 35.245.151.213:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.151.213:443/CPU Load					
0	19.2	58	18.5	19	10.15
LG 35.245.151.213:443/Memory Used					
2	34.4	65	37	34.7	13.9
LG 35.245.151.213:443/Throughput					
0	29	58.7	29.2	29.1	15
LG 35.245.151.213:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.245.151.213:443/Thread Count					
39	100.9	133	108	101.5	20.5
LG 35.245.151.213:443/Http client/Thread Pool used					
0.1	0.106	0.165	0.1	0.104	0.011
LG 35.245.151.213:443/Http client/Task Pool used					
0	0.006	0.35	0	0.002	0.024
LG 35.245.151.213:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.151.213:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.151.213:443/Controller Connection/Ping Duration (ms)					
98	151.9	196	157	153	17.8
LG 35.245.151.213:443/Network/Segments sent/sec.					
1.6	1,840	3,682	1,856	1,847	937.7
LG 35.245.151.213:443/Network/Segments retransmitted/sec.					
0	0.059	1.22	0	0.034	0.144
LG 35.245.151.213:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	61.5	30.7	30.4	15.6
LG 35.245.151.213:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.14	2.13	2.11	1.04

LG 35.245.152.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.152.215:443/CPU Load					
0	19.6	53	20	19.4	10.86
LG 35.245.152.215:443/Memory Used					
2	33.9	59	36	34.3	13.1
LG 35.245.152.215:443/Throughput					
0	28.6	61.3	30.7	28.6	15.2
LG 35.245.152.215:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.245.152.215:443/Thread Count					
38	100.5	128	108	101.3	20.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.152.215:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.007
LG 35.245.152.215:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.017
LG 35.245.152.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.152.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.152.215:443/Controller Connection/Ping Duration (ms)					
88	113.9	153	118	113.6	13.9
LG 35.245.152.215:443/Network/Segments sent/sec.					
2.21	1,807	3,748	1,917	1,810	947.7
LG 35.245.152.215:443/Network/Segments retransmitted/sec.					
0	0.06	7.49	0	0.023	0.395
LG 35.245.152.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	64.1	32.1	29.9	15.9
LG 35.245.152.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.3	2.21	2.08	1.06

LG 35.245.17.118:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.17.118:443/CPU Load					
0	18	56	19	17.8	9.94
LG 35.245.17.118:443/Memory Used					
2	34	58	37	34.4	13.2
LG 35.245.17.118:443/Throughput					
0	28.9	65.9	31.3	29	15.3
LG 35.245.17.118:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.245.17.118:443/Thread Count					
39	100.4	126	109	101.3	20
LG 35.245.17.118:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 35.245.17.118:443/Http client/Task Pool used					
0	0.004	0.167	0	0.001	0.016
LG 35.245.17.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.17.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.17.118:443/Controller Connection/Ping Duration (ms)					
98	128.8	195	115	127.5	25.4
LG 35.245.17.118:443/Network/Segments sent/sec.					
2.38	1,832	4,045	1,985	1,843	957.3
LG 35.245.17.118:443/Network/Segments retransmitted/sec.					
0	0.047	1.39	0	0.027	0.125
LG 35.245.17.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	68.4	32.8	30.4	16
LG 35.245.17.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	2.09	4.68	2.24	2.1	1.06

LG 35.245.17.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.17.42:443/CPU Load					
0	18.6	61	19	18.3	10.54
LG 35.245.17.42:443/Memory Used					
2	34.6	62	36	35	13.7
LG 35.245.17.42:443/Throughput					
0	28.8	57.2	30.9	28.9	15.5
LG 35.245.17.42:443/User Load					
0	41.2	66	50	42.1	18.8
LG 35.245.17.42:443/Thread Count					
38	101	131	110	101.9	20.9
LG 35.245.17.42:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.105	0.012
LG 35.245.17.42:443/Http client/Task Pool used					
0	0.006	0.233	0	0.001	0.023
LG 35.245.17.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.17.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.17.42:443/Controller Connection/Ping Duration (ms)					
91	130.9	164	123	131.2	22.2
LG 35.245.17.42:443/Network/Segments sent/sec.					
2	1,827	3,516	1,962	1,837	967.4
LG 35.245.17.42:443/Network/Segments retransmitted/sec.					
0	0.037	0.799	0	0.018	0.111
LG 35.245.17.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	59.9	32.4	30.3	16.2
LG 35.245.17.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.09	2.23	2.1	1.07

LG 35.245.173.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.173.139:443/CPU Load					
0	17.4	54	18	17	10.09
LG 35.245.173.139:443/Memory Used					
2	34.1	65	36	34.3	13.8
LG 35.245.173.139:443/Throughput					
0	29	57.8	31.3	29.2	15.6
LG 35.245.173.139:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.245.173.139:443/Thread Count					
38	101.5	130	110	102.4	20.3
LG 35.245.173.139:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.103	0.009
LG 35.245.173.139:443/Http client/Task Pool used					
0	0.004	0.117	0	0.002	0.014
LG 35.245.173.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.173.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.173.139:443/Controller Connection/Ping Duration (ms)					
95	137.2	251	154	134.2	33.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.173.139:443/Network/Segments sent/sec.					
1.6	1,845	3,551	1,983	1,861	979.9
LG 35.245.173.139:443/Network/Segments retransmitted/sec.					
0	0.081	0.986	0	0.057	0.162
LG 35.245.173.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	60	32.7	30.6	16.3
LG 35.245.173.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.1	3.98	2.26	2.12	1.08

LG 35.245.176.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.176.166:443/CPU Load					
0	21	69	21	20.6	11.6
LG 35.245.176.166:443/Memory Used					
2	34.7	64	37	35.1	13.6
LG 35.245.176.166:443/Throughput					
0	29	79.1	29.8	28.8	16.1
LG 35.245.176.166:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.245.176.166:443/Thread Count					
38	101.7	132	108	102.4	20.8
LG 35.245.176.166:443/Http client/Thread Pool used					
0.1	0.109	0.155	0.102	0.107	0.013
LG 35.245.176.166:443/Http client/Task Pool used					
0	0.004	0.133	0	0.002	0.013
LG 35.245.176.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.176.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.176.166:443/Controller Connection/Ping Duration (ms)					
79	135.3	189	154	135.5	27.9
LG 35.245.176.166:443/Network/Segments sent/sec.					
2.2	1,833	4,984	1,854	1,818	1,001
LG 35.245.176.166:443/Network/Segments retransmitted/sec.					
0	0.048	2	0	0.02	0.158
LG 35.245.176.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	82.7	31	30.1	16.8
LG 35.245.176.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	5.5	2.07	2.08	1.11

LG 35.245.176.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.176.32:443/CPU Load					
0	19.9	54	20	19.6	10.71
LG 35.245.176.32:443/Memory Used					
2	34	66	35	34.2	13.6
LG 35.245.176.32:443/Throughput					
0	29	67.7	30	29	15.2
LG 35.245.176.32:443/User Load					
0	41.5	66	50	42.4	18.9
LG 35.245.176.32:443/Thread Count					
38	101.4	137	110	101.9	20.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.176.32:443/Http client/Thread Pool used					
0.1	0.107	0.17	0.1	0.105	0.013
LG 35.245.176.32:443/Http client/Task Pool used					
0	0.004	0.1	0	0.001	0.012
LG 35.245.176.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.176.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.176.32:443/Controller Connection/Ping Duration (ms)					
81	136.3	204	155	136.2	30
LG 35.245.176.32:443/Network/Segments sent/sec.					
1.6	1,830	4,270	1,943	1,834	945.2
LG 35.245.176.32:443/Network/Segments retransmitted/sec.					
0	0.068	1.6	0	0.041	0.164
LG 35.245.176.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	70.9	31.5	30.4	15.9
LG 35.245.176.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.09	4.8	2.23	2.1	1.05

LG 35.245.18.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.18.168:443/CPU Load					
0	19.4	61	20	19.1	10.53
LG 35.245.18.168:443/Memory Used					
2	34	58	36	34.4	13.3
LG 35.245.18.168:443/Throughput					
0	28.6	64.5	29.6	28.8	14.9
LG 35.245.18.168:443/User Load					
0	41.2	66	50	42	18.8
LG 35.245.18.168:443/Thread Count					
39	100.8	130	109	101.6	20.3
LG 35.245.18.168:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.104	0.01
LG 35.245.18.168:443/Http client/Task Pool used					
0	0.003	0.15	0	0.001	0.012
LG 35.245.18.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.18.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.18.168:443/Controller Connection/Ping Duration (ms)					
88	114.6	158	114	113.4	17.2
LG 35.245.18.168:443/Network/Segments sent/sec.					
2	1,811	3,928	1,861	1,822	932.8
LG 35.245.18.168:443/Network/Segments retransmitted/sec.					
0	0.051	0.8	0	0.028	0.131
LG 35.245.18.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	67.1	30.8	30.1	15.6
LG 35.245.18.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.5	2.16	2.08	1.03

LG 35.245.183.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.183.42:443/CPU Load					
0	19.9	64	20	19.5	11.6
LG 35.245.183.42:443/Memory Used					
2	34.8	62	37	35.1	14.3
LG 35.245.183.42:443/Throughput					
0	29.1	71.7	30.2	29	16
LG 35.245.183.42:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.245.183.42:443/Thread Count					
38	101.8	134	110	102.5	21.2
LG 35.245.183.42:443/Http client/Thread Pool used					
0.1	0.109	0.16	0.1	0.107	0.013
LG 35.245.183.42:443/Http client/Task Pool used					
0	0.006	0.333	0	0.001	0.027
LG 35.245.183.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.183.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.183.42:443/Controller Connection/Ping Duration (ms)					
97	153.2	197	155	153.7	38.6
LG 35.245.183.42:443/Network/Segments sent/sec.					
1.6	1,838	4,365	1,888	1,834	997
LG 35.245.183.42:443/Network/Segments retransmitted/sec.					
0	0.053	1	0	0.031	0.135
LG 35.245.183.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	74.8	31.6	30.3	16.7
LG 35.245.183.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.1	5.09	2.14	2.09	1.11

LG 35.245.184.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.184.9:443/CPU Load					
0	19.6	60	21	19.2	11.1
LG 35.245.184.9:443/Memory Used					
2	34.1	64	36	34.4	13.8
LG 35.245.184.9:443/Throughput					
0	28.6	57.1	31.7	28.8	15.2
LG 35.245.184.9:443/User Load					
0	41.2	66	50	42	18.8
LG 35.245.184.9:443/Thread Count					
38	100.8	126	109	101.8	20.5
LG 35.245.184.9:443/Http client/Thread Pool used					
0.1	0.106	0.16	0.1	0.104	0.012
LG 35.245.184.9:443/Http client/Task Pool used					
0	0.004	0.233	0	0.001	0.016
LG 35.245.184.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.184.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.184.9:443/Controller Connection/Ping Duration (ms)					
89	112.6	167	116	111.1	15.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.184.9:443/Network/Segments sent/sec.					
1.58	1,810	3,594	2,002	1,822	949.1
LG 35.245.184.9:443/Network/Segments retransmitted/sec.					
0	0.082	2	0	0.046	0.214
LG 35.245.184.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	59.7	33.3	30.1	15.9
LG 35.245.184.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.15	2.29	2.08	1.05

LG 35.245.188.150:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.188.150:443/CPU Load					
0	19.3	57	19	19	10.64
LG 35.245.188.150:443/Memory Used					
2	33.8	63	36	34.1	13.3
LG 35.245.188.150:443/Throughput					
0	29	75	30	28.9	15.3
LG 35.245.188.150:443/User Load					
0	41.4	66	50	42.2	18.9
LG 35.245.188.150:443/Thread Count					
38	100.3	130	108	101	20.5
LG 35.245.188.150:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.008
LG 35.245.188.150:443/Http client/Task Pool used					
0	0.004	0.15	0	0.002	0.015
LG 35.245.188.150:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.188.150:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.188.150:443/Controller Connection/Ping Duration (ms)					
88	130.5	157	121	131.2	23.2
LG 35.245.188.150:443/Network/Segments sent/sec.					
1.6	1,837	4,570	1,914	1,836	955.8
LG 35.245.188.150:443/Network/Segments retransmitted/sec.					
0	0.058	3	0	0.025	0.211
LG 35.245.188.150:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	78.2	31.3	30.2	16
LG 35.245.188.150:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.09	5.18	2.19	2.09	1.06

LG 35.245.194.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.194.146:443/CPU Load					
0	20	59	21	19.7	10.86
LG 35.245.194.146:443/Memory Used					
2	34.8	63	37	35.1	14.3
LG 35.245.194.146:443/Throughput					
0	28.8	66.4	32.1	28.9	15.2
LG 35.245.194.146:443/User Load					
0	41.1	66	50	42	18.8
LG 35.245.194.146:443/Thread Count					
39	100.7	130	109	101.5	20.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.194.146:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 35.245.194.146:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.02
LG 35.245.194.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.194.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.194.146:443/Controller Connection/Ping Duration (ms)					
113	150.2	196	154	150.5	14.9
LG 35.245.194.146:443/Network/Segments sent/sec.					
1.6	1,820	4,142	1,997	1,832	946
LG 35.245.194.146:443/Network/Segments retransmitted/sec.					
0	0.076	3.62	0	0.042	0.242
LG 35.245.194.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	69.2	33.5	30.3	15.8
LG 35.245.194.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.68	2.29	2.09	1.05

LG 35.245.203.69:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.203.69:443/CPU Load					
0	18.9	54	18	18.6	11.1
LG 35.245.203.69:443/Memory Used					
2	33.6	60	36	34.1	13.2
LG 35.245.203.69:443/Throughput					
0	28.6	56.7	29.7	28.8	15.9
LG 35.245.203.69:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.203.69:443/Thread Count					
38	100.2	128	108	101.1	19.8
LG 35.245.203.69:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.245.203.69:443/Http client/Task Pool used					
0	0.004	0.15	0	0.001	0.015
LG 35.245.203.69:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.203.69:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.203.69:443/Controller Connection/Ping Duration (ms)					
100	142.8	195	155	142.8	22.8
LG 35.245.203.69:443/Network/Segments sent/sec.					
1.6	1,815	3,505	1,868	1,825	998.4
LG 35.245.203.69:443/Network/Segments retransmitted/sec.					
0	0.069	1.2	0	0.043	0.159
LG 35.245.203.69:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.9	59.4	31	30.1	16.7
LG 35.245.203.69:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.02	2.15	2.08	1.1

LG 35.245.211.57:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.211.57:443/CPU Load					
0	21.3	60	23	20.9	11.8
LG 35.245.211.57:443/Memory Used					
2	34.4	64	36	34.8	13.8
LG 35.245.211.57:443/Throughput					
0	28.7	61.9	30.3	28.7	15.1
LG 35.245.211.57:443/User Load					
0	41	66	50	41.9	18.8
LG 35.245.211.57:443/Thread Count					
38	100.6	126	110	101.7	20.2
LG 35.245.211.57:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 35.245.211.57:443/Http client/Task Pool used					
0	0.006	0.133	0	0.002	0.018
LG 35.245.211.57:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.211.57:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.211.57:443/Controller Connection/Ping Duration (ms)					
88	115.4	177	115	113.5	22
LG 35.245.211.57:443/Network/Segments sent/sec.					
2.4	1,802	3,785	1,918	1,809	942.2
LG 35.245.211.57:443/Network/Segments retransmitted/sec.					
0	0.057	0.995	0	0.036	0.136
LG 35.245.211.57:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30	64.8	31.8	30.1	15.8
LG 35.245.211.57:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	2.06	4.15	2.2	2.08	1.04

LG 35.245.214.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.214.48:443/CPU Load					
0	20.4	61	21	20	11.1
LG 35.245.214.48:443/Memory Used					
2	34.4	64	36	34.7	13.5
LG 35.245.214.48:443/Throughput					
0	29	70.6	29.2	29	15.4
LG 35.245.214.48:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.245.214.48:443/Thread Count					
38	101.6	136	108	102.1	20.9
LG 35.245.214.48:443/Http client/Thread Pool used					
0.1	0.107	0.17	0.1	0.105	0.013
LG 35.245.214.48:443/Http client/Task Pool used					
0	0.005	0.183	0	0.001	0.018
LG 35.245.214.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.214.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.214.48:443/Controller Connection/Ping Duration (ms)					
98	141.8	206	156	140.7	30.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.214.48:443/Network/Segments sent/sec.					
1.6	1,823	4,343	1,882	1,827	953.3
LG 35.245.214.48:443/Network/Segments retransmitted/sec.					
0	0.044	1.6	0	0.023	0.131
LG 35.245.214.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	73.9	30.5	30.4	16.1
LG 35.245.214.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.82	2.16	2.1	1.06

LG 35.245.215.107:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.215.107:443/CPU Load					
0	18.3	71	18	17.8	11
LG 35.245.215.107:443/Memory Used					
2	33.7	61	35	34	13.4
LG 35.245.215.107:443/Throughput					
0	28.8	71.9	29.5	28.4	16.3
LG 35.245.215.107:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.215.107:443/Thread Count					
38	100.3	137	109	101.2	20.2
LG 35.245.215.107:443/Http client/Thread Pool used					
0.1	0.105	0.165	0.1	0.103	0.01
LG 35.245.215.107:443/Http client/Task Pool used					
0	0.008	0.433	0	0.002	0.036
LG 35.245.215.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.215.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.215.107:443/Controller Connection/Ping Duration (ms)					
92	123.8	213	122	120.8	24.4
LG 35.245.215.107:443/Network/Segments sent/sec.					
1.6	1,821	4,374	1,867	1,800	1,013
LG 35.245.215.107:443/Network/Segments retransmitted/sec.					
0	0.055	1.01	0	0.032	0.139
LG 35.245.215.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	74.9	30.9	29.7	17
LG 35.245.215.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	5.07	2.16	2.06	1.12

LG 35.245.216.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.216.76:443/CPU Load					
0	19.3	61	20	19	11.1
LG 35.245.216.76:443/Memory Used					
2	34.5	62	37	34.8	14
LG 35.245.216.76:443/Throughput					
0	29	68	30.7	29	15.8
LG 35.245.216.76:443/User Load					
0	41.4	66	50	42.2	19
LG 35.245.216.76:443/Thread Count					
38	100.5	130	109	101.4	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.216.76:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 35.245.216.76:443/Http client/Task Pool used					
0	0.005	0.133	0	0.002	0.015
LG 35.245.216.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.216.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.216.76:443/Controller Connection/Ping Duration (ms)					
87	111.6	153	110	110.8	11.9
LG 35.245.216.76:443/Network/Segments sent/sec.					
2	1,836	4,116	1,947	1,837	986.7
LG 35.245.216.76:443/Network/Segments retransmitted/sec.					
0	0.074	3	0	0.038	0.225
LG 35.245.216.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.3	71	32.1	30.3	16.5
LG 35.245.216.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.52	2.23	2.1	1.09

LG 35.245.227.148:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.227.148:443/CPU Load					
0	19	65	18	18.6	11.3
LG 35.245.227.148:443/Memory Used					
2	34.5	67	36.5	34.6	14.1
LG 35.245.227.148:443/Throughput					
0	28.9	66.1	27.6	28.7	16.4
LG 35.245.227.148:443/User Load					
0	41.2	66	50	42	18.8
LG 35.245.227.148:443/Thread Count					
39	100.6	129	108	101.5	20.5
LG 35.245.227.148:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.245.227.148:443/Http client/Task Pool used					
0	0.002	0.067	0	0.001	0.008
LG 35.245.227.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.227.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.227.148:443/Controller Connection/Ping Duration (ms)					
96	170.3	206	196	171.9	33.7
LG 35.245.227.148:443/Network/Segments sent/sec.					
1.6	1,829	4,077	1,718	1,816	1,020
LG 35.245.227.148:443/Network/Segments retransmitted/sec.					
0	0.049	1.01	0	0.026	0.133
LG 35.245.227.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.2	69.1	29	30	17.2
LG 35.245.227.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.66	1.96	2.07	1.13

LG 35.245.227.8:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.227.8:443/CPU Load					
0	15.3	48	16	15	8.33
LG 35.245.227.8:443/Memory Used					
2	33.3	60	35	33.7	13
LG 35.245.227.8:443/Throughput					
0	28.1	63	29	28.2	14.4
LG 35.245.227.8:443/User Load					
0	41.2	66	50	42	18.7
LG 35.245.227.8:443/Thread Count					
38	99.7	126	108	100.6	19.8
LG 35.245.227.8:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.101	0.005
LG 35.245.227.8:443/Http client/Task Pool used					
0	0.003	0.25	0	0.001	0.017
LG 35.245.227.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.227.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.227.8:443/Controller Connection/Ping Duration (ms)					
81	126.7	195	117	125.2	31.3
LG 35.245.227.8:443/Network/Segments sent/sec.					
1.6	1,787	3,843	1,850	1,793	902
LG 35.245.227.8:443/Network/Segments retransmitted/sec.					
0	0.121	7	0	0.056	0.438
LG 35.245.227.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.4	65.9	30.3	29.5	15.1
LG 35.245.227.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.05	6.27	2.09	2.05	1.02

LG 35.245.233.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.233.108:443/CPU Load					
0	19.8	57	19	19.5	10.93
LG 35.245.233.108:443/Memory Used					
2	34.2	62	37	34.6	13.3
LG 35.245.233.108:443/Throughput					
0	28.8	59.1	30.2	28.9	15
LG 35.245.233.108:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.233.108:443/Thread Count					
38	99.9	133	108	100.8	20.3
LG 35.245.233.108:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 35.245.233.108:443/Http client/Task Pool used					
0	0.004	0.133	0	0.002	0.015
LG 35.245.233.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.233.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.233.108:443/Controller Connection/Ping Duration (ms)					
85	117.9	160	120	117.4	18.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.233.108:443/Network/Segments sent/sec.					
1.6	1,821	3,693	1,946	1,824	932.7
LG 35.245.233.108:443/Network/Segments retransmitted/sec.					
0	0.055	1.2	0	0.032	0.14
LG 35.245.233.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	62.1	31.6	30.2	15.7
LG 35.245.233.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.19	2.23	2.09	1.03

LG 35.245.236.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.236.21:443/CPU Load					
0	20	63	18	19.4	12.5
LG 35.245.236.21:443/Memory Used					
0	34.8	62	37	35.2	14
LG 35.245.236.21:443/Throughput					
0	28.7	76.6	26.8	28.1	17.1
LG 35.245.236.21:443/User Load					
0	41	66	50	41.9	18.8
LG 35.245.236.21:443/Thread Count					
38	101.6	141	110	102.1	22
LG 35.245.236.21:443/Http client/Thread Pool used					
0.1	0.11	0.195	0.1	0.107	0.018
LG 35.245.236.21:443/Http client/Task Pool used					
0	0.005	0.15	0	0.001	0.018
LG 35.245.236.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.236.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.236.21:443/Controller Connection/Ping Duration (ms)					
118	158.3	202	162	157.9	34.7
LG 35.245.236.21:443/Network/Segments sent/sec.					
1.6	1,811	4,715	1,694	1,776	1,069
LG 35.245.236.21:443/Network/Segments retransmitted/sec.					
0	0.062	1.2	0	0.035	0.158
LG 35.245.236.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	80.1	28.1	29.4	17.9
LG 35.245.236.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	5.39	1.94	2.03	1.18

LG 35.245.247.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.247.84:443/CPU Load					
0	18.8	50	19	18.5	10.33
LG 35.245.247.84:443/Memory Used					
2	34.3	60	36	34.6	13.4
LG 35.245.247.84:443/Throughput					
0	28.7	68.2	30	28.6	15.5
LG 35.245.247.84:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.247.84:443/Thread Count					
38	100	128	110	101	20

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.247.84:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 35.245.247.84:443/Http client/Task Pool used					
0	0.003	0.133	0	0.001	0.013
LG 35.245.247.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.247.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.247.84:443/Controller Connection/Ping Duration (ms)					
85	196.2	1,343	157	161	208.2
LG 35.245.247.84:443/Network/Segments sent/sec.					
2	1,813	4,224	1,950	1,815	961.5
LG 35.245.247.84:443/Network/Segments retransmitted/sec.					
0	0.051	0.8	0	0.029	0.128
LG 35.245.247.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30	71	31.3	29.9	16.2
LG 35.245.247.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.87	2.2	2.07	1.07

LG 35.245.255.226:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.255.226:443/CPU Load					
0	19.8	59	20	19.5	10.78
LG 35.245.255.226:443/Memory Used					
1	33.8	63	36	34.1	13.2
LG 35.245.255.226:443/Throughput					
0	29.1	70.8	30.1	29.1	15.5
LG 35.245.255.226:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.245.255.226:443/Thread Count					
38	100.6	138	109	101.5	19.9
LG 35.245.255.226:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.102	0.008
LG 35.245.255.226:443/Http client/Task Pool used					
0	0.004	0.25	0	0.001	0.018
LG 35.245.255.226:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.255.226:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.255.226:443/Controller Connection/Ping Duration (ms)					
87	113.3	192	113	110.6	21.3
LG 35.245.255.226:443/Network/Segments sent/sec.					
1.6	1,839	4,408	1,889	1,841	967.6
LG 35.245.255.226:443/Network/Segments retransmitted/sec.					
0	0.092	4.6	0	0.053	0.29
LG 35.245.255.226:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.4	74.2	31.4	30.4	16.2
LG 35.245.255.226:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	5.04	2.17	2.1	1.07

LG 35.245.26.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.26.165:443/CPU Load					
0	19.7	55	20	19.5	10.58
LG 35.245.26.165:443/Memory Used					
2	34.5	61	37	34.9	13.3
LG 35.245.26.165:443/Throughput					
0	29	56.8	29.3	29.2	15.2
LG 35.245.26.165:443/User Load					
0	41.5	66	50	42.3	18.9
LG 35.245.26.165:443/Thread Count					
38	100.3	129	108	101	19.9
LG 35.245.26.165:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 35.245.26.165:443/Http client/Task Pool used					
0	0.004	0.183	0	0.001	0.016
LG 35.245.26.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.26.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.26.165:443/Controller Connection/Ping Duration (ms)					
100	119.3	161	120	118	16
LG 35.245.26.165:443/Network/Segments sent/sec.					
2	1,835	3,502	1,846	1,848	948
LG 35.245.26.165:443/Network/Segments retransmitted/sec.					
0	0.036	1.4	0	0.018	0.118
LG 35.245.26.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.3	59.4	30.7	30.5	15.9
LG 35.245.26.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.08	2.11	2.11	1.06

LG 35.245.29.125:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.29.125:443/CPU Load					
0	19.8	59	20	19.6	11
LG 35.245.29.125:443/Memory Used					
2	33.6	61	36	34	13
LG 35.245.29.125:443/Throughput					
0	28.5	66	30.2	28.6	15.3
LG 35.245.29.125:443/User Load					
0	41	65	50	41.9	18.8
LG 35.245.29.125:443/Thread Count					
38	100	127	108	100.9	20
LG 35.245.29.125:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.245.29.125:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.013
LG 35.245.29.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.29.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.29.125:443/Controller Connection/Ping Duration (ms)					
88	110	155	109	109.3	12

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.29.125:443/Network/Segments sent/sec.					
1.6	1,804	4,015	1,878	1,811	950.2
LG 35.245.29.125:443/Network/Segments retransmitted/sec.					
0	0.069	2.03	0	0.034	0.207
LG 35.245.29.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.8	68.8	31.6	29.9	15.9
LG 35.245.29.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.06	4.58	2.15	2.07	1.05

LG 35.245.44.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.44.22:443/CPU Load					
0	18.5	59	19	18.1	10.76
LG 35.245.44.22:443/Memory Used					
2	34.1	60	36.5	34.5	13.6
LG 35.245.44.22:443/Throughput					
0	28.6	61.4	30.4	28.6	15.4
LG 35.245.44.22:443/User Load					
0	41.1	65	50	41.9	18.8
LG 35.245.44.22:443/Thread Count					
39	100.2	130	108	101	20.5
LG 35.245.44.22:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.008
LG 35.245.44.22:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.02
LG 35.245.44.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.44.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.44.22:443/Controller Connection/Ping Duration (ms)					
84	178	197	194	181.5	28.2
LG 35.245.44.22:443/Network/Segments sent/sec.					
2.6	1,812	3,672	1,943	1,814	963.5
LG 35.245.44.22:443/Network/Segments retransmitted/sec.					
0	0.059	0.8	0	0.036	0.136
LG 35.245.44.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	29.9	63.8	31.9	29.9	16.1
LG 35.245.44.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.25	2.26	2.07	1.06

LG 35.245.54.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.54.0:443/CPU Load					
0	19.4	68	19	18.9	11
LG 35.245.54.0:443/Memory Used					
2	34.4	63	36	34.7	14
LG 35.245.54.0:443/Throughput					
0	28.7	72.7	30	28.5	15.6
LG 35.245.54.0:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.54.0:443/Thread Count					
38	100.1	135	108	100.8	20.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.54.0:443/Http client/Thread Pool used					
0.1	0.106	0.175	0.1	0.104	0.014
LG 35.245.54.0:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.019
LG 35.245.54.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.54.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.54.0:443/Controller Connection/Ping Duration (ms)					
96	124.4	196	118	122	27.5
LG 35.245.54.0:443/Network/Segments sent/sec.					
1.6	1,815	4,402	1,905	1,804	969.7
LG 35.245.54.0:443/Network/Segments retransmitted/sec.					
0	0.083	2	0	0.047	0.228
LG 35.245.54.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	76.1	31.5	29.9	16.3
LG 35.245.54.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.81	2.16	2.06	1.07

LG 35.245.55.228:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.55.228:443/CPU Load					
0	21	57	21.5	20.8	11.1
LG 35.245.55.228:443/Memory Used					
2	34.4	62	37	34.8	13.7
LG 35.245.55.228:443/Throughput					
0	28.8	67.2	30	29	15.2
LG 35.245.55.228:443/User Load					
0	41.2	66	50	42	18.8
LG 35.245.55.228:443/Thread Count					
38	100.6	128	109	101.6	20.5
LG 35.245.55.228:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.104	0.01
LG 35.245.55.228:443/Http client/Task Pool used					
0	0.006	0.2	0	0.002	0.022
LG 35.245.55.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.55.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.55.228:443/Controller Connection/Ping Duration (ms)					
99	157.4	204	163	157.6	35.3
LG 35.245.55.228:443/Network/Segments sent/sec.					
2	1,818	4,064	1,877	1,828	941.7
LG 35.245.55.228:443/Network/Segments retransmitted/sec.					
0	0.062	1.2	0	0.037	0.155
LG 35.245.55.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.2	69.8	31.4	30.3	15.9
LG 35.245.55.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	2.08	4.69	2.14	2.09	1.05

LG 35.245.63.50:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.63.50:443/CPU Load					
0	19	56	20.5	18.8	10.5
LG 35.245.63.50:443/Memory Used					
2	34.1	64	36	34.5	13.3
LG 35.245.63.50:443/Throughput					
0	28.7	58.1	31.3	28.8	15.2
LG 35.245.63.50:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.63.50:443/Thread Count					
38	100.1	133	108	100.9	19.8
LG 35.245.63.50:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.102	0.009
LG 35.245.63.50:443/Http client/Task Pool used					
0	0.004	0.217	0	0.001	0.017
LG 35.245.63.50:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.63.50:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.63.50:443/Controller Connection/Ping Duration (ms)					
86	137.4	199	116	136.7	42.5
LG 35.245.63.50:443/Network/Segments sent/sec.					
1.6	1,811	3,554	1,972	1,824	949.6
LG 35.245.63.50:443/Network/Segments retransmitted/sec.					
0	0.037	1.37	0	0.017	0.122
LG 35.245.63.50:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30	60.9	32.9	30.1	15.9
LG 35.245.63.50:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.07	3.92	2.24	2.08	1.05

LG 35.245.7.106:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.7.106:443/CPU Load					
0	19.3	58	20	19	10.32
LG 35.245.7.106:443/Memory Used					
2	33.8	64	36	34.1	13.2
LG 35.245.7.106:443/Throughput					
0	28.9	63.5	31.9	29	15
LG 35.245.7.106:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.245.7.106:443/Thread Count					
38	100	127	108	100.9	20.1
LG 35.245.7.106:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.005
LG 35.245.7.106:443/Http client/Task Pool used					
0	0.005	0.217	0	0.002	0.019
LG 35.245.7.106:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.7.106:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.7.106:443/Controller Connection/Ping Duration (ms)					
82	119.4	161	116	119	22

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.7.106:443/Network/Segments sent/sec.					
1.6	1,831	4,024	2,031	1,832	942
LG 35.245.7.106:443/Network/Segments retransmitted/sec.					
0	0.046	0.999	0	0.019	0.14
LG 35.245.7.106:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	66.4	33.3	30.3	15.7
LG 35.245.7.106:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	4.42	2.27	2.09	1.04

LG 35.245.74.95:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.74.95:443/CPU Load					
0	20.2	67	20	19.9	11.6
LG 35.245.74.95:443/Memory Used					
2	33.9	60	37	34.2	13.3
LG 35.245.74.95:443/Throughput					
0	28.7	64	29.5	28.7	15.6
LG 35.245.74.95:443/User Load					
0	41.2	66	50	42	18.8
LG 35.245.74.95:443/Thread Count					
39	100.9	134	109	101.6	21
LG 35.245.74.95:443/Http client/Thread Pool used					
0.1	0.107	0.165	0.1	0.105	0.013
LG 35.245.74.95:443/Http client/Task Pool used					
0	0.004	0.233	0	0.001	0.015
LG 35.245.74.95:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.74.95:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.74.95:443/Controller Connection/Ping Duration (ms)					
84	154.7	216	160	154.9	39.5
LG 35.245.74.95:443/Network/Segments sent/sec.					
2	1,810	3,892	1,854	1,813	972.3
LG 35.245.74.95:443/Network/Segments retransmitted/sec.					
0	0.067	1.77	0	0.039	0.177
LG 35.245.74.95:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30	67.1	30.9	30	16.3
LG 35.245.74.95:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.46	2.12	2.07	1.08

LG 35.245.78.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.78.52:443/CPU Load					
0	19.9	55	21	19.7	10.98
LG 35.245.78.52:443/Memory Used					
2	34.8	64	37	35.1	14.1
LG 35.245.78.52:443/Throughput					
0	28.6	58.2	31.3	28.8	15.3
LG 35.245.78.52:443/User Load					
0	41.1	66	50	41.9	18.8
LG 35.245.78.52:443/Thread Count					
38	100.6	127	109	101.6	20.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.78.52:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.245.78.52:443/Http client/Task Pool used					
0	0.005	0.3	0	0.001	0.021
LG 35.245.78.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.78.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.78.52:443/Controller Connection/Ping Duration (ms)					
87	110.7	160	113	109.3	16
LG 35.245.78.52:443/Network/Segments sent/sec.					
2	1,814	3,621	2,003	1,823	953.2
LG 35.245.78.52:443/Network/Segments retransmitted/sec.					
0	0.046	1	0	0.022	0.136
LG 35.245.78.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30	60.4	32.7	30.1	16
LG 35.245.78.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.07	4.25	2.26	2.08	1.06

LG 35.245.79.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.79.19:443/CPU Load					
0	17.3	58	18	17	9.24
LG 35.245.79.19:443/Memory Used					
4	34.4	60	37	34.7	13.2
LG 35.245.79.19:443/Throughput					
0	28.7	65.3	28.9	28.8	15.4
LG 35.245.79.19:443/User Load					
0	41	66	50	41.8	18.8
LG 35.245.79.19:443/Thread Count					
38	99.9	127	109	100.8	20.1
LG 35.245.79.19:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 35.245.79.19:443/Http client/Task Pool used					
0	0.006	0.367	0	0.001	0.028
LG 35.245.79.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.79.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.79.19:443/Controller Connection/Ping Duration (ms)					
91	117.9	195	115	115	23.6
LG 35.245.79.19:443/Network/Segments sent/sec.					
1.6	1,824	3,911	1,843	1,832	960.7
LG 35.245.79.19:443/Network/Segments retransmitted/sec.					
0	0.076	1.73	0	0.041	0.203
LG 35.245.79.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.1	68.3	30.3	30.1	16.1
LG 35.245.79.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	2.08	4.5	2.1	2.09	1.06

LG 35.245.80.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.80.84:443/CPU Load					
0	19.4	63	19	18.9	10.78
LG 35.245.80.84:443/Memory Used					
2	34.1	62	36	34.4	13.2
LG 35.245.80.84:443/Throughput					
0	29	65.3	29.8	29.2	15.1
LG 35.245.80.84:443/User Load					
0	41.4	66	50	42.3	18.9
LG 35.245.80.84:443/Thread Count					
39	100.6	129	108	101.5	20.5
LG 35.245.80.84:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 35.245.80.84:443/Http client/Task Pool used					
0	0.004	0.117	0	0.001	0.013
LG 35.245.80.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.80.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.80.84:443/Controller Connection/Ping Duration (ms)					
87	110.8	156	108	109.5	17
LG 35.245.80.84:443/Network/Segments sent/sec.					
1.6	1,840	4,025	1,893	1,850	947.9
LG 35.245.80.84:443/Network/Segments retransmitted/sec.					
0	0.089	1.43	0	0.056	0.197
LG 35.245.80.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	30.3	68.3	31.2	30.5	15.7
LG 35.245.80.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.59	2.18	2.11	1.05

LG 35.245.82.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.82.0:443/CPU Load					
0	18.7	54	18	18.3	10.79
LG 35.245.82.0:443/Memory Used					
2	33.9	63	36	34.3	13.2
LG 35.245.82.0:443/Throughput					
0	28.5	71	27.9	28.3	16.2
LG 35.245.82.0:443/User Load					
0	41.1	65	50	41.9	18.8
LG 35.245.82.0:443/Thread Count					
38	100.7	127	110	101.8	20.7
LG 35.245.82.0:443/Http client/Thread Pool used					
0.1	0.107	0.155	0.1	0.105	0.011
LG 35.245.82.0:443/Http client/Task Pool used					
0	0.006	0.333	0	0.001	0.028
LG 35.245.82.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.82.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.82.0:443/Controller Connection/Ping Duration (ms)					
83	147.6	201	157	147.9	41.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.82.0:443/Network/Segments sent/sec.					
1.58	1,809	4,302	1,805	1,796	1,009
LG 35.245.82.0:443/Network/Segments retransmitted/sec.					
0	0.071	1.4	0	0.042	0.173
LG 35.245.82.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	29.8	74.1	29.2	29.6	17
LG 35.245.82.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.06	4.87	2.08	2.05	1.12

LG 35.245.90.3:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.90.3:443/CPU Load					
0	19.3	65	20	18.9	11
LG 35.245.90.3:443/Memory Used					
2	34.2	65	36	34.4	13.4
LG 35.245.90.3:443/Throughput					
0	29.1	57.7	31.5	29.3	15.3
LG 35.245.90.3:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.245.90.3:443/Thread Count					
38	100.4	135	108	101.1	19.6
LG 35.245.90.3:443/Http client/Thread Pool used					
0.1	0.103	0.145	0.1	0.102	0.007
LG 35.245.90.3:443/Http client/Task Pool used					
0	0.004	0.183	0	0.001	0.017
LG 35.245.90.3:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.90.3:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.90.3:443/Controller Connection/Ping Duration (ms)					
88	118.3	175	122	117.4	16.4
LG 35.245.90.3:443/Network/Segments sent/sec.					
2	1,833	3,552	1,984	1,849	951.9
LG 35.245.90.3:443/Network/Segments retransmitted/sec.					
0	0.063	1.2	0	0.038	0.155
LG 35.245.90.3:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.4	60.3	32.9	30.6	16
LG 35.245.90.3:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.09	3.97	2.28	2.11	1.06

LG 35.245.91.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.91.93:443/CPU Load					
0	18.5	62	19	18.1	10.51
LG 35.245.91.93:443/Memory Used					
2	35.1	63	37	35.4	14.7
LG 35.245.91.93:443/Throughput					
0	28.8	61.7	29.6	28.7	15.8
LG 35.245.91.93:443/User Load					
0	41.2	66	50	42	18.8
LG 35.245.91.93:443/Thread Count					
39	100.8	131	109	101.6	20.1


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.91.93:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.103	0.01
LG 35.245.91.93:443/Http client/Task Pool used					
0	0.005	0.2	0	0.001	0.017
LG 35.245.91.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.91.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.91.93:443/Controller Connection/Ping Duration (ms)					
87	122.2	194	115	120.8	24.9
LG 35.245.91.93:443/Network/Segments sent/sec.					
2.39	1,817	3,757	1,934	1,816	977
LG 35.245.91.93:443/Network/Segments retransmitted/sec.					
0	0.06	1.2	0	0.033	0.152
LG 35.245.91.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.1	64.3	31	30	16.5
LG 35.245.91.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.08	4.48	2.18	2.08	1.08

LG 35.245.92.143:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.92.143:443/CPU Load					
0	18.6	56	19	18.2	10.63
LG 35.245.92.143:443/Memory Used					
2	34.5	67	36	34.7	13.9
LG 35.245.92.143:443/Throughput					
0	29.1	69.7	30.6	29.1	15.7
LG 35.245.92.143:443/User Load					
0	41.6	66	50	42.4	18.9
LG 35.245.92.143:443/Thread Count					
38	102.1	131	111	103	21.2
LG 35.245.92.143:443/Http client/Thread Pool used					
0.1	0.109	0.18	0.1	0.106	0.016
LG 35.245.92.143:443/Http client/Task Pool used					
0	0.004	0.1	0	0.001	0.013
LG 35.245.92.143:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.92.143:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.92.143:443/Controller Connection/Ping Duration (ms)					
97	122.4	194	114	120.4	24.1
LG 35.245.92.143:443/Network/Segments sent/sec.					
2	1,841	4,098	1,936	1,841	971.7
LG 35.245.92.143:443/Network/Segments retransmitted/sec.					
0	0.044	2.36	0	0.02	0.158
LG 35.245.92.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	30.5	72.5	32	30.5	16.4
LG 35.245.92.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	2.1	4.69	2.23	2.1	1.08


Average page response time



Min	Average	Max
0.058	0.074	0.189

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.031	0.04	0.094

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
1.355	1.824	4.824	1.759	1.763	0.341

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
71.9	36,028.4	57,253.8

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	0.8	45

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	5,753.81	9,173.08

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.059	0.076	0.212

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.


Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

Notes:

HomePage - Average duration




Scale 1 Test 00:43 - 30 Oct 2019_HP_CacheEnabled_LT2

Unit s **Statistic** Average duration

Color	Name	Avg
■	HomePage_Desktop - Average duration	2.227
■	HomePage_Mobile - Average duration	1.385

Name	Min	Average	Max
HomePage_Desktop - Average duration	1.67	2.23	64.6
HomePage_Mobile - Average duration	1.21	1.38	1.74

HomePage - Elements/s




Scale 0.01 **Test** 00:43 - 30 Oct 2019_HP_CacheEnabled_LT2

Unit /s **Statistic** Elements/s

Color	Name	Avg
	HomePage_Desktop - Elements/s	537.584
	HomePage_Mobile - Elements/s	545.665

Name	Min	Average	Max
HomePage_Desktop - Elements/s	0	537.58	861.4
HomePage_Mobile - Elements/s	1.2	545.66	851.9

HomePage - Error rate




Scale 1 **Test** 00:43 - 30 Oct 2019_HP_CacheEnabled_LT2

Unit % **Statistic** Error rate

Color	Name	Avg
■	HomePage_Desktop - Error rate	0.586
■	HomePage_Mobile - Error rate	0.001

Name	Min	Average	Max
HomePage_Desktop - Error rate	0	0.59	100
HomePage_Mobile - Error rate	0	0	0.05

HomePage_OverallStats



Test 00:43 - 30 Oct 2019_HP_CacheEnabled_LT2

Color	Scale	Name	Unit	Statistic	Avg
■	0.1	HomePage_Desktop - Average duration	s	Average duration	2.227
■	0.01	HomePage_Desktop - Elements/s	/s	Elements/s	537.584
■	0.1	HomePage_Desktop - Error rate	%	Error rate	0.586
■	0.1	HomePage_Mobile - Average duration	s	Average duration	1.385
■	0.01	HomePage_Mobile - Elements/s	/s	Elements/s	545.665
■	0.1	HomePage_Mobile - Error rate	%	Error rate	0.001
■	0.0001	Controller/User Load	-	-	28,134.621

Name	Min	Average	Max
HomePage_Desktop - Average duration	1.67	2.23	64.6
HomePage_Desktop - Elements/s	0	537.58	861.4
HomePage_Desktop - Error rate	0	0.59	100
HomePage_Mobile - Average duration	1.21	1.38	1.74
HomePage_Mobile - Elements/s	1.2	545.66	851.9
HomePage_Mobile - Error rate	0	0	0.05
Controller/User Load	0	28,134.62	50,000