

# MVA3.0 LT 02262020 TDC LT1



Date	Feb 26, 2020 10:52:22 PM
Project	MF_02112020_MVM3dot0_BAU
Scenario	MVM_LT_Spike
Comment	MVA 3.0- Main LT
Notes	MVA3.0 LT 02262020 TDC LT2

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	5
Hot spots.....	7
Errors.....	7
Alerts.....	7
General statistics.....	7
Transaction statistics.....	7
Execution context.....	11
Scenario .....	8
Servers.....	15
Cloud.....	16
Populations.....	17
User Paths.....	18
Transactions.....	19
Pages.....	28
Media Contents.....	43
Push messages.....	27
Monitors.....	44
Main graphs.....	100
Average page response time.....	100
Average request response time.....	101
Average response time (Transactions).....	102
Requests per second.....	103
Errors.....	104
Throughput.....	105
Response time against load.....	106
Distribution of Transaction Durations.....	107

## Summary

### Results summary

<b>Name</b>	22:51 - 26 Feb 2020_SpikeLT	<b>Project</b>	MF_02112020_MVM3dot0_BAU
<b>Description</b>	MVA 3.0- Main LT	<b>Scenario</b>	MVM_LT_Spike
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population MF_MVM3.0_ScenarioBAU is customized
<b>Start date</b>	Feb 26, 2020 10:52:22 PM		
<b>End date</b>	Feb 26, 2020 11:10:12 PM	<b>Stop Policy</b>	• Population MF_MVM3.0_ScenarioBAU: immediate.
<b>Duration</b>	00:17:49		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
<b>LG Hosts</b>	35.196.250.44:443	<b>Debug</b>	Disabled
	,		
	35.229.103.56:443		
	,		
	35.231.94.79:443		
	,		
	34.73.78.32:443		
	,		
	35.196.97.32:443		
	,		
	34.73.182.7:443		
	,		
	35.237.179.185:443		
	,		
	35.185.6.83:443		
	,		
	35.237.180.229:443		
	,		
	35.229.117.7:443		
	,		
	34.73.207.61:443		
	,		
	34.73.86.253:443		
	,		
	35.196.50.93:443		
	,		
	34.74.77.56:443		
	,		
	35.231.1.140:443		
	,		
	35.243.128.37:443		
	,		
	35.196.20.17:443		
	,		
	35.243.214.32:443		
	,		
	35.237.168.185:443		
	,		
	35.243.227.200:443		
	,		
	35.227.70.4:443		
	,		
	35.185.98.57:443		
	,		
	34.74.15.178:443		
	,		
	35.196.89.193:443		
	,		
	104.196.29.160:443		
	,		
	34.73.84.246:443		
	,		
	35.227.81.144:443		
	,		
	34.73.159.169:443		
	,		
	104.196.51.121:443		
	,		
	34.73.137.143:443		
	,		
	35.237.147.42:443		
	,		
	34.74.54.194:443		

,	34.74.189.25:443		
,	104.196.140.200:443		
,	35.243.134.192:443		
,	35.196.221.22:443		
,	35.227.99.113:443		
,	34.74.126.242:443		
,	34.73.144.9:443		
,	35.231.128.49:443		
,	35.237.35.132:443		
,	35.231.247.66:443		
,	35.237.109.35:443		
,	35.243.203.126:443		
,	35.231.253.228:443		
,	34.68.84.209:443		
,	35.226.209.89:443		
,	104.197.27.7:443		
,	35.222.55.18:443		
,	34.66.194.158:443		
,	35.222.247.112:443		
,	173.255.116.62:443		
,	104.154.131.95:443		
,	104.197.132.255:443		
,	35.202.66.219:443		
,	35.225.136.198:443		
,	104.197.162.116:443		
,	104.155.154.28:443		
,	35.224.12.69:443		
,	34.66.127.14:443		
,	34.68.235.75:443		
,	34.67.55.171:443		
,	34.68.181.234:443		
,	35.225.74.235:443		
,	34.68.86.233:443		
,	104.197.13.210:443		
,	104.197.60.7:443		
,	34.70.190.224:443		
,	35.239.241.100:443		
,	34.69.63.166:443		
,	130.211.209.89:443		

,	35.223.128.103:443		
,	130.211.207.198:443		
,	35.223.141.77:443		
,	35.192.22.199:443		
,	34.70.100.35:443		
,	35.226.90.89:443		
,	35.223.210.184:443		
,	35.225.91.29:443		
,	34.67.150.159:443		
,	34.67.86.243:443		
,	35.239.236.175:443		
,	35.238.99.130:443		
,	35.232.144.180:443		
,	35.223.156.169:443		
,	35.232.141.95:443		
,	35.222.89.231:443		
,	104.154.191.155:443		
,	104.154.110.137:443		
,	34.66.5.14:443		

## Statistics Summary


<b>Total pages</b>	769462	—	<b>Average pages/s</b>	719.1	—
<b>Total requests</b>	902234	—	<b>Average requests/s</b>	843.2	—
<b>Total users launched</b>	6000	—	<b>Average Request response time</b>	1.46 s	—
<b>Total iterations completed</b>	63550	—	<b>Average Page response time</b>	1.7 s	—
<b>Total throughput</b>	31,766 MB	—	<b>Average throughput</b>	237.50 Mb/s	—
<b>Total request errors</b>	1074	—	<b>Error rate</b>	0.1 %	—
<b>Total action errors</b>	0	—	<b>Alerts total duration</b>	0 %	—

— = No SLA

☀ = Passed

☁ = Warning

⚡ = Failed



## Hot spots

### Top 5 errors

User Path	Parent	Page	Count
MF_MVM_SelfServices_02	MF_MVM_07_ManagePlan	/mobileFirstSS/planLanding	654
MF_MVM_SelfServices_02	MF_MVM_06_PlanDevices	/mobileFirstSS/plansAndDeviceLanding	216
MF_MVM_SelfServices_02	MF_MVM_04_EnterPasswc	/mobileFirstSS/authenticatePassword	42
MF_DP_BuyOut_0126	MF_Buyout_06_Smartphon	/mobileFirstSS/gridwall	19
MF_XUP_0126	MF_XUP_03_EnterMDN	/mobileFirstSS/securePinCheckMDN	19

### Top 5 alerts

No alerts
-----------

### First critical alerts

No alerts
-----------

### Top 5 average response time (Pages)

User Path	Parent	Page	Duration
MF_DP_BuyOut_0126	MF_Buyout_06_Smartphon	/mobileFirstSS/gridwall	7.3
MF_TradeIn_0126	MF_TradeIn_06_Smartphor	/mobileFirstSS/gridwall	7.04
MF_XUP_0126	MF_XUP_06_Smartphones	/mobileFirstSS/gridwall	6.66
MF_AAL_0126	MF_AAL_08_Smartphones	/mobileFirstSS/feedShopLandingGridwall	6.58
MF_MVM_SelfServices_02	MF_MVM_08_LineDetails	/mobileFirstSS/lineDetails	6.26

### Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
MF_MVM_SelfServices_02	Then	/mobileFirstSS/adobeTagging	30.2
MF_MVM_SelfServices_02	MF_MVM_07_ManagePlan	/mobileFirstSS/planLanding	29.5
MF_MVM_SelfServices_02	MF_MVM_04_EnterPasswc	/mobileFirstSS/authenticatePassword	25.3
MF_MVM_SelfServices_02	MF_MVM_06_PlanDevices	/mobileFirstSS/plansAndDeviceLanding	24.2
MF_MVM_SelfServices_02	MF_MVM_08_LineDetails	/mobileFirstSS/lineDetails	23.8

## Errors

### Request errors

Error Type	Count	Description
Assertions	1,074	Validation of the response failed.
Total	1,074	Total error count.

### Action errors

No errors
-----------

## Alerts

No alerts
-----------

## General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
42.8	219.9	439.5	6,000	805	13.4	-
All pages						
0.042	1.7	30.2	769,462	1,069	0.1	-
All requests						
0.034	1.46	30.1	902,234	1,074	0.1	-

## Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.042	2.05	41.2	630,977	1,025	0.2	0.732	7.91	13.1	2.95	1.66	-

## Scenario

### Summary

<b>Name</b>	22:51 - 26 Feb 2020_SpikeLT	<b>Project</b>	MF_02112020_MVM3dot0_BAU
<b>Description</b>	MVA 3.0- Main LT	<b>Scenario</b>	MVM_LT_Spike
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population MF_MVM3.0_ScenarioBAU is customized
<b>Start date</b>	Feb 26, 2020 10:52:22 PM	<b>Stop Policy</b>	• Population MF_MVM3.0_ScenarioBAU: immediate.
<b>End date</b>	Feb 26, 2020 11:10:12 PM		
<b>Duration</b>	00:17:49		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
	35.196.250.44:443 , 35.229.103.56:443 , 35.231.94.79:443 , 34.73.78.32:443 , 35.196.97.32:443 , 34.73.182.7:443 , 35.237.179.185:443 , 35.185.6.83:443 , 35.237.180.229:443 , 35.229.117.7:443 , 34.73.207.61:443 , 34.73.86.253:443 , 35.196.50.93:443 , 34.74.77.56:443 , 35.231.1.140:443 , 35.243.128.37:443 , 35.196.20.17:443 , 35.243.214.32:443 , 35.237.168.185:443 , 35.243.227.200:443 , 35.227.70.4:443 , 35.185.98.57:443 , 34.74.15.178:443 , 35.196.89.193:443 , 104.196.29.160:443 , 34.73.84.246:443 , 35.227.81.144:443 , 34.73.159.169:443 , 104.196.51.121:443 , 34.73.137.143:443 , 35.237.147.42:443		
<b>LG Hosts</b>		<b>Debug</b>	Disabled



,		
34.74.54.194:443		
,		
34.74.189.25:443		
,		
104.196.140.200:443		
,		
35.243.134.192:443		
,		
35.196.221.22:443		
,		
35.227.99.113:443		
,		
34.74.126.242:443		
,		
34.73.144.9:443		
,		
35.231.128.49:443		
,		
35.237.35.132:443		
,		
35.231.247.66:443		
,		
35.237.109.35:443		
,		
35.243.203.126:443		
,		
35.231.253.228:443		
,		
34.68.84.209:443		
,		
35.226.209.89:443		
,		
104.197.27.7:443		
,		
35.222.55.18:443		
,		
34.66.194.158:443		
,		
35.222.247.112:443		
,		
173.255.116.62:443		
,		
104.154.131.95:443		
,		
104.197.132.255:443		
,		
35.202.66.219:443		
,		
35.225.136.198:443		
,		
104.197.162.116:443		
,		
104.155.154.28:443		
,		
35.224.12.69:443		
,		
34.66.127.14:443		
,		
34.68.235.75:443		
,		
34.67.55.171:443		
,		
34.68.181.234:443		
,		
35.225.74.235:443		
,		
34.68.86.233:443		
,		
104.197.13.210:443		
,		
104.197.60.7:443		
,		
34.70.190.224:443		
,		
35.239.241.100:443		
,		
34.69.63.166:443		

	130.211.209.89:443		
	35.223.128.103:443		
	130.211.207.198:443		
	35.223.141.77:443		
	35.192.22.199:443		
	34.70.100.35:443		
	35.226.90.89:443		
	35.223.210.184:443		
	35.225.91.29:443		
	34.67.150.159:443		
	34.67.86.243:443		
	35.239.236.175:443		
	35.238.99.130:443		
	35.232.144.180:443		
	35.223.156.169:443		
	35.232.141.95:443		
	35.222.89.231:443		
	104.154.191.155:443		
	104.154.110.137:443		
	34.66.5.14:443		

## Populations

### MF\_MVM3.0\_ScenarioBAU

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
MF_MVM_SelfService	80.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
MF_DP_BuyOut_0126	5.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
MF_TradeIn_0126	5.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
MF_XUP_0126	5.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
MF_AAL_0126	5.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

## User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
MF_MVM_SelfService Final Version		Do nothing	Do nothing	0ms	0%
MF_DP_BuyOut_0126 Final Version Jan ER		Go to the next iteration	Do nothing	0ms	0%
MF_TradeIn_0126 Final Version		Go to the next iteration	Do nothing	0ms	0%
MF_XUP_0126 Final Version		Go to the next iteration	Do nothing	0ms	0%
MF_AAL_0126 Final Version Jan ER		Go to the next iteration	Do nothing	0ms	0%

## Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

## Execution context

<b>Name</b>	22:51 - 26 Feb 2020_SpikeLT	<b>Project</b>	MF_02112020_MVM3dot0_BAU
<b>Description</b>	MVA 3.0- Main LT	<b>Scenario</b>	MVM_LT_Spike
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population MF_MVM3.0_ScenarioBAU is customized
<b>Start date</b>	Feb 26, 2020 10:52:22 PM		
<b>End date</b>	Feb 26, 2020 11:10:12 PM	<b>Stop Policy</b>	• Population MF_MVM3.0_ScenarioBAU: immediate.
<b>Duration</b>	00:17:49		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
	35.196.250.44:443 , 35.229.103.56:443 , 35.231.94.79:443 , 34.73.78.32:443 , 35.196.97.32:443 , 34.73.182.7:443 , 35.237.179.185:443 , 35.185.6.83:443 , 35.237.180.229:443 , 35.229.117.7:443 , 34.73.207.61:443 , 34.73.86.253:443 , 35.196.50.93:443 , 34.74.77.56:443 , 35.231.1.140:443 , 35.243.128.37:443 , 35.196.20.17:443 , 35.243.214.32:443 , 35.237.168.185:443 , 35.243.227.200:443 , 35.227.70.4:443 , 35.185.98.57:443 , 34.74.15.178:443 , 35.196.89.193:443 , 104.196.29.160:443 , 34.73.84.246:443 , 35.227.81.144:443 , 34.73.159.169:443 , 104.196.51.121:443 , 34.73.137.143:443 , 35.237.147.42:443 , 34.74.54.194:443 ,		
<b>LG Hosts</b>		<b>Debug</b>	Disabled

34.74.189.25:443		
,		
104.196.140.200:443		
,		
35.243.134.192:443		
,		
35.196.221.22:443		
,		
35.227.99.113:443		
,		
34.74.126.242:443		
,		
34.73.144.9:443		
,		
35.231.128.49:443		
,		
35.237.35.132:443		
,		
35.231.247.66:443		
,		
35.237.109.35:443		
,		
35.243.203.126:443		
,		
35.231.253.228:443		
,		
34.68.84.209:443		
,		
35.226.209.89:443		
,		
104.197.27.7:443		
,		
35.222.55.18:443		
,		
34.66.194.158:443		
,		
35.222.247.112:443		
,		
173.255.116.62:443		
,		
104.154.131.95:443		
,		
104.197.132.255:443		
,		
35.202.66.219:443		
,		
35.225.136.198:443		
,		
104.197.162.116:443		
,		
104.155.154.28:443		
,		
35.224.12.69:443		
,		
34.66.127.14:443		
,		
34.68.235.75:443		
,		
34.67.55.171:443		
,		
34.68.181.234:443		
,		
35.225.74.235:443		
,		
34.68.86.233:443		
,		
104.197.13.210:443		
,		
104.197.60.7:443		
,		
34.70.190.224:443		
,		
35.239.241.100:443		
,		
34.69.63.166:443		
,		
130.211.209.89:443		
,		

35.223.128.103:443		
,		
130.211.207.198:443		
,		
35.223.141.77:443		
,		
35.192.22.199:443		
,		
34.70.100.35:443		
,		
35.226.90.89:443		
,		
35.223.210.184:443		
,		
35.225.91.29:443		
,		
34.67.150.159:443		
,		
34.67.86.243:443		
,		
35.239.236.175:443		
,		
35.238.99.130:443		
,		
35.232.144.180:443		
,		
35.223.156.169:443		
,		
35.232.141.95:443		
,		
35.222.89.231:443		
,		
104.154.191.155:443		
,		
104.154.110.137:443		
,		
34.66.5.14:443		

NeoLoad version 6.8.0;build=20190103-16  
 Graphs granularity Standard

## Application proxy

Name	Description
Empty list	

## Zone application proxies

Zone	Name	Description
Empty list		

## Constant variables

Name	Value	Description
Empty list		

## User Paths settings

<b>MF_MVM_SelfServices_0211</b>		
Error policy:		Do nothing
Assertion policy:		Do nothing
Thinktime policy:		replaced by 0ms.
Pacing:		No pacing
<b>MF_DP_BuyOut_0126</b>		
Error policy:		Do nothing
Assertion policy:		Go to the next iteration
Thinktime policy:		replaced by 0ms.
Pacing:		No pacing
<b>MF_TradeIn_0126</b>		
Error policy:		Do nothing
Assertion policy:		Go to the next iteration
Thinktime policy:		replaced by 0ms.
Pacing:		No pacing


<b>MF_XUP_0126</b>	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
<b>MF_AAL_0126</b>	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

## Servers

### Servers

Host	Port	HTTP/2 ready	HTTP/2 used
mobile.vzw.com	443	No	No

## Graphs





## Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA Central - Iowa (Council Bluffs)	Google Compute Engine	45	450780 (50%)	421.3	1.71s (+0.471%)	0.1% (+4.92%)
USA East - South Carolina (Berkeley County)	Google Compute Engine	45	451454 (50%)	421.9	1.69s (-0.471%)	0.1% (-4.91%)
Global		90	902234 (100%)	843.2	1.7s	0.1%








## Graphs



## Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
MF_MVM3.0_ScenarioBAU	902234 (100%)	843.2	1.7s (0%)	0.1% (0%)
Global	902234 (100%)	843.2	1.7s	0.1%




















## User Paths

















	Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_AAL_0126							
	42.8	133.4	247.7	300	28	9.3	-
 MF_DP_BuyOut_0126							
	52.4	161.9	325.7	300	29	9.7	-
 MF_MVM_SelfServices_0211							
	69.4	237.3	439.5	4,800	696	14.5	-
 MF_TradeIn_0126							
	45.1	160.5	297.7	300	27	9	-
 MF_XUP_0126							
	49.4	146.8	258.4	300	25	8.3	-

## Shared Containers






Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											
























## MF\_AAL\_0126



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_AAL_0126											
42.8	133.4	247.7	300	28	9.3	-	-	-	-	-	-
 Init											
0	0	0	300	0	0	-	-	-	-	-	-
 Actions											
2.63	28.5	82.8	1,193	30	2.5	-	-	-	-	-	-
 MF_AAL_01_LaunchApp											
0.251	0.401	3.88	1,475	0	0	0.357	0.573	1.25	0.262	0.366	-
 MF_AAL_02_ImCustomer											
0.046	0.151	3.44	1,460	0	0	0.078	0.528	1.49	0.286	0.1	-
 MF_AAL_03_EnterMDN											
0.077	0.325	5.26	1,446	1	0.1	0.141	1.28	2.86	0.541	0.23	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	1,445	0	0	-	-	-	-	-	-
 MF_AAL_04_EnterPassword											
0.59	2.38	20.2	1,425	0	0	1.13	9.07	15.8	3.04	1.87	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0.6	3.26	20.4	1,416	0	0	-	-	-	-	-	-
 MF_AAL_05_Devices											
0.169	1.4	16.9	1,402	0	0	0.95	4.04	7.35	1.4	1.21	-
 MF_AAL_06_AddaLine											
0.112	0.504	7.26	1,394	0	0	0.216	1.96	3.84	0.742	0.38	-
 MF_AAL_07_PurchaseNewDevice											
0.384	1.37	12.2	1,379	2	0.1	0.922	3.76	7	1.25	1.17	-
 MF_AAL_08_Smartphones											
0.658	6.8	15.2	1,367	8	0.6	6.58	8.98	10.96	1.23	6.7	-
 MF_AAL_09_ViewNewPhone											
0.326	0.514	4.33	1,346	0	0	0.454	0.825	1.64	0.27	0.474	-
 MF_AAL_10_CustomizeDevice											
0.402	1.53	11.6	1,335	12	0.9	1.28	2.57	6.67	1.05	1.36	-
 Then											
0.095	1.62	18.8	1,267	2	0.2	-	-	-	-	-	-
 MF_AAL_11_PickaPlan											
0.045	0.19	3.75	1,309	2	0.2	0.085	0.702	2.18	0.373	0.121	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_AAL_12_SelectPlan											
0.083	0.423	7.55	1,287	0	0	0.177	1.69	3.02	0.663	0.312	-
 MF_AAL_13_PlanContinue											
0.12	1.01	16	1,265	0	0	0.316	4.49	7.18	1.59	0.757	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_AAL_14_AssignNewNumber											
0.143	0.617	4.89	1,248	0	0	0.288	2.29	3.85	0.758	0.499	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	1,248	0	0	-	-	-	-	-	-
 MF_AAL_15_ChooseNewNumber											
0.461	1.22	11.7	1,223	2	0.2	0.844	3.39	5.43	1.06	1.06	-
 MF_AAL_16_ChooseDeviceProtection											
1.72	3.03	19.8	1,209	3	0.2	2.57	6.19	10.64	1.66	2.76	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	1,206	0	0	-	-	-	-	-	-
 Then											
1.07	3.13	12	1,176	0	0	-	-	-	-	-	-
 MF_AAL_17_AccessoriesNext											
0.045	0.157	7.05	1,187	0	0	0.073	0.521	1.79	0.371	0.094	-
 MF_AAL_18_ReviewPlanChanges											
1	2.97	11.2	1,176	0	0	2.9	4.37	6.13	0.877	2.89	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_AAL_19_CheckOut											
0.937	1.67	10.91	1,163	0	0	1.35	3.51	5.98	0.96	1.52	-
 End											
0	0	0	300	0	0	-	-	-	-	-	-

















## MF\_DP\_BuyOut\_0126

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_DP_BuyOut_0126											
52.4	161.9	325.7	300	29	9.7	-	-	-	-	-	-
 Init											
0	0	0	300	0	0	-	-	-	-	-	-
 Actions											
1.64	25.4	77.6	1,710	30	1.8	-	-	-	-	-	-
 MF_Buyout_01_LaunchApp											
0.261	0.406	4.93	2,000	0	0	0.357	0.614	1.16	0.272	0.369	-
 MF_Buyout_02_ImCustomer											
0.046	0.153	3.19	1,979	0	0	0.078	0.549	1.59	0.286	0.102	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_Buyout_03_EnterMDN											
0.073	0.3	7	1,958	0	0	0.143	1.06	2.65	0.502	0.211	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	1,958	0	0	-	-	-	-	-	-
 MF_Buyout_04_EnterPassword											
0.644	5.16	36.8	1,917	2	0.1	2.75	17.1	23.5	5.14	4.45	-
 Then											
0.59	2.62	19.7	1,923	0	0	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_Buyout_05_Shop											
0.137	0.798	5.54	1,895	0	0	0.55	2.37	3.18	0.698	0.711	-
 MF_Buyout_06_Smartphones											
0.358	7.31	14.8	1,875	19	1	6.91	10.62	13	1.61	7.16	-
 MF_Buyout_07_ViewDevice											
0.352	0.695	6.32	1,837	0	0	0.517	1.74	3.38	0.543	0.606	-
 MF_Buyout_08_CustomizeDevice											
0.399	0.835	10.83	1,811	1	0.1	0.664	1.75	4.21	0.785	0.716	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_Buyout_14_SignOut											
0.287	0.451	0.615	2	0	0	0.287	0.615	0.615	0.232	0.287	-
 Else											
0	0	0.001	1,808	0	0	-	-	-	-	-	-
 Then											
1.8	3.8	18.1	1,740	3	0.2	-	-	-	-	-	-
 MF_Buyout_09_SelectLine2Upgrade											
0.481	1.33	11	1,776	0	0	1.25	2.1	4.3	0.667	1.26	-
 MF_Buyout_10_UpgradeNow											
1.2	2.47	15.7	1,740	3	0.2	1.94	5.38	11.5	1.7	2.19	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_Buyout_09_SelectLine2Upgrade											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_Buyout_11_DeviceProtection											
0.457	1.83	13.6	1,718	1	0.1	1.23	5.14	8.97	1.6	1.58	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_Buyout_14_SignOut											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	1,717	0	0	-	-	-	-	-	-
 MF_Buyout_12_AccessoriesNext											
0.994	3.34	13.2	1,700	2	0.1	2.99	5.59	8.35	1.2	3.2	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_Buyout_13_CheckOut											
0.735	1.59	10.54	1,682	2	0.1	1.12	3.91	6.91	1.19	1.41	-
 End											
0	0	0	300	0	0	-	-	-	-	-	-























## MF\_MVM\_SelfServices\_0211

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_MVM_SelfServices_0211											
69.4	237.3	439.5	4,800	696	14.5	-	-	-	-	-	-
 Init											
0	0	0.001	4,800	0	0	-	-	-	-	-	-
 Actions											
5.89	19.1	67.8	57,435	695	1.2	-	-	-	-	-	-
 MF_MVM_01_LaunchApp											
0.25	0.4	5.76	61,765	0	0	0.358	0.587	1.35	0.228	0.368	-
 MF_MVM_02_ImCustomer											
0.042	0.157	7.22	61,189	2	0	0.079	0.569	1.59	0.322	0.103	-
 MF_MVM_03_EnterMDN											
0.071	0.313	10.08	60,567	10	0	0.143	1.2	2.76	0.522	0.223	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	60,567	0	0	-	-	-	-	-	-
 MF_MVM_04_EnterPassword											
1.15	4.95	41.2	59,445	0	0	2.71	16.1	23	4.8	4.28	-
 Then											
0.561	2.61	30.5	59,677	0	0	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_MVM_05_Settings											
0.25	1.05	17.1	59,063	3	0	0.65	3.11	5.08	1.05	0.905	-
 MF_MVM_06_PlanDevices											
0.134	1.72	24.2	58,648	215	0.4	1.13	4.89	7.88	1.56	1.51	-
 MF_MVM_07_ManagePlan											
0.31	3.8	29.5	58,231	653	1.1	2.95	9.27	13.5	2.54	3.49	-
 MF_MVM_08_LineDetails											
1.51	6.27	23.8	57,777	9	0	6.92	10.02	12.9	2.64	6.2	-
 MF_MVM_09_SignOut											
0.125	0.49	13.2	57,435	0	0	0.245	1.81	4.79	0.871	0.334	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 End											
0	0	0.001	4,800	0	0	-	-	-	-	-	-

## MF\_TradeIn\_0126

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
👤 MF_TradeIn_0126											
45.1	160.5	297.7	300	27	9	-	-	-	-	-	-
📁 Init											
0	0	0.001	300	0	0	-	-	-	-	-	-
📁 Actions											
12.4	26.3	74	1,613	29	1.8	-	-	-	-	-	-
📁 MF_TradeIn_01_LaunchApp											
0.257	0.394	4.34	1,907	0	0	0.356	0.587	1.27	0.205	0.366	-
📁 MF_TradeIn_02_ImCustomer											
0.048	0.162	5.81	1,885	0	0	0.079	0.583	1.77	0.329	0.103	-
📁 MF_TradeIn_03_EnterMDN											
0.075	0.323	10.48	1,862	0	0	0.144	1.24	3.04	0.572	0.225	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 Else											
0	0	0	1,862	0	0	-	-	-	-	-	-
📁 MF_TradeIn_04_EnterPassword											
1.23	5.33	33.4	1,835	0	0	2.85	17.8	24.6	5.24	4.62	-
📁 Then											
0.529	2.88	16.9	1,836	0	0	-	-	-	-	-	-
📁 Else											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_TradeIn_05_Shop											
0.142	0.8	8.53	1,819	0	0	0.547	2.12	3.59	0.746	0.705	-
📁 MF_TradeIn_06_Smartphones											
4.86	7.39	18.5	1,808	13	0.7	6.92	10.88	13.1	1.72	7.22	-
📁 MF_TradeIn_07_ViewDevice											
0.333	0.719	7.15	1,776	0	0	0.516	1.99	3.19	0.583	0.625	-
📁 MF_TradeIn_08_CustomizeDevice											
0.22	0.938	12.5	1,751	4	0.2	0.671	2.36	6	0.932	0.783	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_TradeIn_16_SignOut											
1.23	1.23	1.23	1	0	0	1.23	1.23	1.23	0	0	-
📁 Else											
0	0	0.001	1,746	0	0	-	-	-	-	-	-
📁 Then											
2.72	3.51	6.4	31	0	0	-	-	-	-	-	-
📁 MF_TradeIn_09a_SelectLine2Upgrade											
1.1	1.46	3.05	32	0	0	1.37	2.36	3.05	0.381	1.39	-










Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_TradeIn_09b_UpgradeNow											
1.5	2.04	4.01	31	0	0	1.8	3.36	4.01	0.642	1.94	-
 Else											
1.05	1.86	15.1	1,690	0	0	-	-	-	-	-	-
 MF_TradeIn_09_SelectLine2Upgrade											
1.05	1.86	15.1	1,690	0	0	1.63	3.03	7.11	1.07	1.7	-
 MF_TradeIn_10_DeviceProtection											
0.402	1.2	12.9	1,690	3	0.2	1.08	2.32	4.73	0.892	1.08	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_TradeIn_16_SignOut											
0.219	1.22	2.2	3	0	0	1.23	2.2	2.2	0.99	0.723	-
 Else											
0	0	0.001	1,684	0	0	-	-	-	-	-	-
 MF_TradeIn_11_AccessoriesNext											
0.254	0.521	10.95	1,669	2	0.1	0.365	1.29	2.58	0.628	0.428	-
 Then											
0.261	5.23	16.5	1,614	4	0.2	-	-	-	-	-	-
 MF_TradeIn_12_TradeInYes											
0.072	0.311	7.49	1,643	2	0.1	0.129	1.24	2.82	0.524	0.22	-
 MF_TradeIn_13_TradeInAppraiseDevice											
2.09	3.76	11.8	1,623	2	0.1	3.66	5.85	8.28	1.19	3.65	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_TradeIn_14_TradeInAccept											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_TradeIn_14_TradeInAccept											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	1.16	10.24	1,610	0	0	-	-	-	-	-	-
 Then											
0.692	1.83	10.24	1,022	0	0	-	-	-	-	-	-
 MF_TradeIn_14_TradeInInstantCreditAccept											
0.692	1.83	10.24	1,022	0	0	1.5	4.26	5.99	1.14	1.68	-
 Else											
0	0	0.001	588	0	0	-	-	-	-	-	-
 Else											
0	0	0	1	0	0	-	-	-	-	-	-
 MF_TradeIn_15_CheckOut											
1.02	2.34	14.7	1,587	3	0.2	1.66	6.18	9.56	1.72	2.08	-



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 End											
0	0	0.001	300	0	0	-	-	-	-	-	-

## MF\_XUP\_0126

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
🔑 MF_XUP_0126											
49.4	146.8	258.4	300	25	8.3	-	-	-	-	-	-
📁 Init											
0	0	0.001	300	0	0	-	-	-	-	-	-
📁 Actions											
0.434	24.5	78.1	1,599	44	2.8	-	-	-	-	-	-
📁 MF_XUP_01_LaunchApp											
0.257	0.404	3.11	1,880	0	0	0.359	0.611	1.4	0.225	0.37	-
📁 MF_XUP_02_ImCustomer											
0.047	0.165	3.83	1,847	0	0	0.081	0.596	1.5	0.298	0.114	-
📁 MF_XUP_03_EnterMDN											
0.076	0.387	6.79	1,829	19	1	0.155	1.67	3.24	0.61	0.281	-
📁 MF_XUP_04_EnterPassword											
0.538	2.87	23.4	1,794	2	0.1	1.2	11.6	16.4	3.67	2.32	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 Else											
0.464	2.76	19	1,782	0	0	-	-	-	-	-	-
📁 MF_XUP_05_Shop											
0.131	0.726	8	1,757	0	0	0.472	2.15	3.38	0.678	0.632	-
📁 MF_XUP_06_Smartphones											
0.358	6.99	20.5	1,738	11	0.6	6.63	9.77	11.9	1.42	6.85	-
📁 MF_XUP_07_ViewPhone											
0.318	0.548	5.29	1,705	0	0	0.467	0.993	2.04	0.346	0.494	-
📁 MF_XUP_08_CustomizeDevice											
0.366	0.72	10.68	1,676	4	0.2	0.593	1.35	2.69	0.667	0.633	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_XUP_14_SignOut											
-	-	-	-	0	-	-	-	-	-	-	-
📁 Else											
0	0	0.001	1,672	0	0	-	-	-	-	-	-
📁 Then											
2.7	2.7	2.7	1	0	0	-	-	-	-	-	-
📁 MF_XUP_09a_SelectLine2Upgrade											
0.153	0.153	0.153	1	0	0	0.153	0.153	0.153	0	0	-
📁 MF_XUP_09b_UpgradeNow											
2.54	2.54	2.54	1	0	0	2.54	2.54	2.54	0	0	-
📁 Else											
0.995	1.85	13.6	1,649	1	0.1	-	-	-	-	-	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 MF_XUP_09_SelectLine2Upgrade											
0.995	1.85	13.6	1,649	1	0.1	1.54	3.3	10.12	1.26	1.65	-
 MF_XUP_10_ChooseVzProtect											
0.42	1.49	15	1,626	3	0.2	1.05	4.11	7.94	1.39	1.27	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 MF_XUP_14_SignOut											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	1,623	0	0	-	-	-	-	-	-
 MF_XUP_11_SelectAccessory											
0.231	0.726	9.79	1,600	0	0	0.403	2.41	4.18	0.832	0.594	-
 MF_XUP_12_AccNext											
1.53	3.46	12.3	1,577	2	0.1	3.08	6.19	8.17	1.26	3.31	-
 MF_XUP_13_CheckOut											
0.489	2.51	13.1	1,557	2	0.1	1.89	6	9.07	1.58	2.27	-
 End											
0	0	0.001	300	0	0	-	-	-	-	-	-

### Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### MF\_AAL\_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### MF\_DP\_BuyOut\_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### MF\_MVM\_SelfServices\_0211

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### MF\_TradeIn\_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						





### MF\_XUP\_0126
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						





## Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

## MF\_AAL\_0126



Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_AAL_0126						
42.8	133.4	247.7	300	28	9.3	-
 Actions						
2.63	28.5	82.8	1,193	30	2.5	-
 MF_AAL_01_LaunchApp						
0.251	0.401	3.88	1,475	0	0	-
 /mobileFirstSS/launchApp						
0.251	0.401	3.88	1,485	0	0	-
 MF_AAL_02_ImCustomer						
0.046	0.151	3.44	1,460	0	0	-
 /mobileFirstSS/userSignIn						
0.046	0.15	3.44	1,475	0	0	-
 MF_AAL_03_EnterMDN						
0.077	0.325	5.26	1,446	1	0.1	-
 /mobileFirstSS/securePinCheckMDN						
0.077	0.326	5.26	1,460	1	0.1	-
 MF_AAL_04_EnterPassword						
0.59	2.38	20.2	1,425	0	0	-
 /mobileFirstSS/authenticatePassword						
0.59	2.38	20.2	1,433	0	0	-
 Else						
0.6	3.26	20.4	1,416	0	0	-
 /mobileFirstSS/adobeTagging						
0.376	2.48	15.5	1,418	0	0	-
 /mobileFirstSS/loadCart						
0.216	0.785	9.86	1,416	0	0	-
 MF_AAL_05_Devices						
0.169	1.4	16.9	1,402	0	0	-
 /mobileFirstSS/deviceLanding						
0.169	1.4	16.9	1,412	0	0	-
 MF_AAL_06_AddaLine						
0.112	0.504	7.26	1,394	0	0	-
 /mobileFirstSS/addLine						
0.112	0.504	7.26	1,401	0	0	-
 MF_AAL_07_PurchaseNewDevice						
0.384	1.37	12.2	1,379	2	0.1	-
 /mobileFirstSS/feedCheckEligibleLines						
0.384	1.36	12.2	1,391	2	0.1	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_AAL_08_Smartphones						
0.658	6.8	15.2	1,367	8	0.6	-
 /mobileFirstSS/feedShopLandingGridwall						
0.658	6.58	14.9	1,367	8	0.6	-
 /mobileFirstSS/shopLanding						
0.124	0.224	3.98	1,359	0	0	-
 MF_AAL_09_ViewNewPhone						
0.326	0.514	4.33	1,346	0	0	-
 /mobileFirstSS/shopExpressConfigPDP						
0.326	0.514	4.33	1,359	0	0	-
 MF_AAL_10_CustomizeDevice						
0.402	1.53	11.6	1,335	12	0.9	-
 /mobileFirstSS/productColorDetails						
0.402	1.53	11.6	1,345	12	0.9	-
 Then						
0.095	1.62	18.8	1,267	2	0.2	-
 MF_AAL_11_PickaPlan						
0.045	0.19	3.75	1,309	2	0.2	-
 /mobileFirstSS/shopSelectPlanCarousel						
0.045	0.19	3.75	1,322	2	0.2	-
 MF_AAL_12_SelectPlan						
0.083	0.423	7.55	1,287	0	0	-
 /mobileFirstSS/shopLineOverview						
0.083	0.429	7.55	1,306	0	0	-
 MF_AAL_13_PlanContinue						
0.12	1.01	16	1,265	0	0	-
 /mobileFirstSS/productColorDetails						
0.12	1.01	16	1,279	0	0	-
 MF_AAL_14_AssignNewNumber						
0.143	0.617	4.89	1,248	0	0	-
 /mobileFirstSS/choosePhoneNumber						
0.143	0.619	4.89	1,263	0	0	-
 MF_AAL_15_ChooseNewNumber						
0.461	1.22	11.7	1,223	2	0.2	-
 /mobileFirstSS/shopNewDeviceProtection						
0.461	1.22	11.7	1,244	2	0.2	-
 MF_AAL_16_ChooseDeviceProtection						
1.72	3.03	19.8	1,209	3	0.2	-
 /mobileFirstSS/cart						
1.72	3.03	19.8	1,213	3	0.2	-
 Then						
1.07	3.13	12	1,176	0	0	-
 MF_AAL_17_AccessoriesNext						
0.045	0.157	7.05	1,187	0	0	-
 /mobileFirstSS/shopPlanReviewChanges						
0.045	0.157	7.05	1,206	0	0	-





Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_AAL_18_ReviewPlanChanges						
1	2.97	11.2	1,176	0	0	-
 /mobileFirstSS/genericCart						
1	2.97	11.2	1,185	0	0	-
 MF_AAL_19_CheckOut						
0.937	1.67	10.91	1,163	0	0	-
 /mobileFirstSS/reviewOrder						
0.937	1.67	10.91	1,174	0	0	-

## MF\_DP\_BuyOut\_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_DP_BuyOut_0126						
52.4	161.9	325.7	300	29	9.7	-
 Actions						
1.64	25.4	77.6	1,710	30	1.8	-
 MF_Buyout_01_LaunchApp						
0.261	0.406	4.93	2,000	0	0	-
 /mobileFirstSS/launchApp						
0.261	0.406	4.93	2,011	0	0	-
 MF_Buyout_02_ImCustomer						
0.046	0.153	3.19	1,979	0	0	-
 /mobileFirstSS/userSignIn						
0.046	0.154	3.19	1,999	0	0	-
 MF_Buyout_03_EnterMDN						
0.073	0.3	7	1,958	0	0	-
 /mobileFirstSS/securePinCheckMDN						
0.073	0.299	7	1,977	0	0	-
 MF_Buyout_04_EnterPassword						
0.644	5.16	36.8	1,917	2	0.1	-
 /mobileFirstSS/authenticatePassword						
0.536	2.56	23.2	1,936	2	0.1	-
 Then						
0.59	2.62	19.7	1,923	0	0	-
 /mobileFirstSS/adobeTagging						
0.59	2.62	19.7	1,923	0	0	-
 MF_Buyout_05_Shop						
0.137	0.798	5.54	1,895	0	0	-
 /mobileFirstSS/shopHomePage						
0.137	0.801	5.54	1,912	0	0	-
 MF_Buyout_06_Smartphones						
0.358	7.31	14.8	1,875	19	1	-
 /mobileFirstSS/gridwall						
0.358	7.3	14.8	1,878	19	1	-
 MF_Buyout_07_ViewDevice						
0.352	0.695	6.32	1,837	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /mobileFirstSS/shopExpressConfigPDP						
0.352	0.698	6.32	1,854	0	0	-
 MF_Buyout_08_CustomizeDevice						
0.399	0.835	10.83	1,811	1	0.1	-
 /mobileFirstSS/checkEligibleLines						
0.399	0.838	10.83	1,836	1	0.1	-
 Then						
-	-	-	-	0	-	-
 MF_Buyout_14_SignOut						
0.287	0.451	0.615	2	0	0	-
 /mobileFirstSS/invalidateSession						
0.287	0.451	0.615	2	0	0	-
 Then						
1.8	3.8	18.1	1,740	3	0.2	-
 MF_Buyout_09_SelectLine2Upgrade						
0.481	1.33	11	1,776	0	0	-
 /mobileFirstSS/upgradeDetails						
0.481	1.33	11	1,802	0	0	-
 MF_Buyout_10_UpgradeNow						
1.2	2.47	15.7	1,740	3	0.2	-
 /mobileFirstSS/productColorDetails						
1.2	2.47	15.7	1,769	3	0.2	-
 MF_Buyout_11_DeviceProtection						
0.457	1.83	13.6	1,718	1	0.1	-
 /mobileFirstSS/cart						
0.457	1.83	13.6	1,733	1	0.1	-
 MF_Buyout_12_AccessoriesNext						
0.994	3.34	13.2	1,700	2	0.1	-
 /mobileFirstSS/genericCart						
0.994	3.34	13.2	1,705	2	0.1	-
 MF_Buyout_13_CheckOut						
0.735	1.59	10.54	1,682	2	0.1	-
 /mobileFirstSS/reviewOrder						
0.735	1.59	10.54	1,695	2	0.1	-

## MF\_MVM\_SelfServices\_0211

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_MVM_SelfServices_0211						
69.4	237.3	439.5	4,800	696	14.5	-
 Actions						
5.89	19.1	67.8	57,435	695	1.2	-
 MF_MVM_01_LaunchApp						
0.25	0.4	5.76	61,765	0	0	-
 /mobileFirstSS/launchApp						
0.25	0.4	5.76	62,140	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_MVM_02_ImCustomer						
0.042	0.157	7.22	61,189	2	0	-
 /mobileFirstSS/userSignIn						
0.042	0.157	7.22	61,732	2	0	-
 MF_MVM_03_EnterMDN						
0.071	0.313	10.08	60,567	10	0	-
 /mobileFirstSS/securePinCheckMDN						
0.071	0.313	10.08	61,147	10	0	-
 MF_MVM_04_EnterPassword						
1.15	4.95	41.2	59,445	0	0	-
 /mobileFirstSS/authenticatePassword						
0.4	2.36	25.3	60,094	42	0.1	-
 Then						
0.561	2.61	30.5	59,677	0	0	-
 /mobileFirstSS/adobeTagging						
0.338	1.9	30.2	59,805	0	0	-
 /mobileFirstSS/loadCart						
0.208	0.713	10.82	59,677	0	0	-
 MF_MVM_05_Settings						
0.25	1.05	17.1	59,063	3	0	-
 /mobileFirstSS/settingsLanding						
0.25	1.05	17.1	59,323	3	0	-
 MF_MVM_06_PlanDevices						
0.134	1.72	24.2	58,648	215	0.4	-
 /mobileFirstSS/plansAndDeviceLanding						
0.134	1.72	24.2	58,835	216	0.4	-
 MF_MVM_07_ManagePlan						
0.31	3.8	29.5	58,231	653	1.1	-
 /mobileFirstSS/planLanding						
0.31	3.8	29.5	58,312	654	1.1	-
 MF_MVM_08_LineDetails						
1.51	6.27	23.8	57,777	9	0	-
 /mobileFirstSS/lineDetails						
1.51	6.26	23.8	57,832	9	0	-
 MF_MVM_09_SignOut						
0.125	0.49	13.2	57,435	0	0	-
 /mobileFirstSS/signOut						
0.125	0.49	13.2	57,741	0	0	-



## MF\_TradeIn\_0126

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_TradeIn_0126						
45.1	160.5	297.7	300	27	9	-
 Actions						
12.4	26.3	74	1,613	29	1.8	-






















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_TradeIn_01_LaunchApp						
0.257	0.394	4.34	1,907	0	0	-
 /mobileFirstSS/launchApp						
0.257	0.394	4.34	1,914	0	0	-
 MF_TradeIn_02_ImCustomer						
0.048	0.162	5.81	1,885	0	0	-
 /mobileFirstSS/userSignIn						
0.048	0.162	5.81	1,907	0	0	-
 MF_TradeIn_03_EnterMDN						
0.075	0.323	10.48	1,862	0	0	-
 /mobileFirstSS/securePinCheckMDN						
0.075	0.322	10.48	1,883	0	0	-
 MF_TradeIn_04_EnterPassword						
1.23	5.33	33.4	1,835	0	0	-
 /mobileFirstSS/authenticatePassword						
0.581	2.46	23.5	1,850	0	0	-
 Then						
0.529	2.88	16.9	1,836	0	0	-
 /mobileFirstSS/adobeTagging						
0.529	2.88	16.9	1,836	0	0	-
 MF_TradeIn_05_Shop						
0.142	0.8	8.53	1,819	0	0	-
 /mobileFirstSS/shopHomePage						
0.142	0.8	8.53	1,833	0	0	-
 MF_TradeIn_06_Smartphones						
4.86	7.39	18.5	1,808	13	0.7	-
 /mobileFirstSS/gridwall						
4.73	7.04	14.3	1,810	13	0.7	-
 /mobileFirstSS/shopLanding						
0.106	0.348	5.83	1,796	0	0	-
 MF_TradeIn_07_ViewDevice						
0.333	0.719	7.15	1,776	0	0	-
 /mobileFirstSS/shopExpressConfigPDP						
0.333	0.719	7.15	1,793	0	0	-
 MF_TradeIn_08_CustomizeDevice						
0.22	0.938	12.5	1,751	4	0.2	-
 /mobileFirstSS/checkEligibleLines						
0.22	0.937	12.5	1,774	4	0.2	-
 Then						
-	-	-	-	0	-	-
 MF_TradeIn_16_SignOut						
1.23	1.23	1.23	1	0	0	-
 /mobileFirstSS/invalidateSession						
1.23	1.23	1.23	1	0	0	-
 Then						
2.72	3.51	6.4	31	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_TradeIn_09a_SelectLine2Upgrade						
1.1	1.46	3.05	32	0	0	-
 /mobileFirstSS/upgradeDetails						
1.1	1.47	3.05	33	0	0	-
 MF_TradeIn_09b_UpgradeNow						
1.5	2.04	4.01	31	0	0	-
 /mobileFirstSS/productColorDetails						
1.5	2.04	4.01	31	0	0	-
 Else						
1.05	1.86	15.1	1,690	0	0	-
 MF_TradeIn_09_SelectLine2Upgrade						
1.05	1.86	15.1	1,690	0	0	-
 /mobileFirstSS/productColorDetails						
1.05	1.86	15.1	1,710	0	0	-
 MF_TradeIn_10_DeviceProtection						
0.402	1.2	12.9	1,690	3	0.2	-
 /mobileFirstSS/cart						
0.402	1.2	12.9	1,716	3	0.2	-
 Then						
-	-	-	-	0	-	-
 MF_TradeIn_16_SignOut						
0.219	1.22	2.2	3	0	0	-
 /mobileFirstSS/invalidateSession						
0.219	1.22	2.2	3	0	0	-
 MF_TradeIn_11_AccessoriesNext						
0.254	0.521	10.95	1,669	2	0.1	-
 /mobileFirstSS/tradeInPrompt						
0.254	0.52	10.95	1,682	2	0.1	-
 Then						
0.261	5.23	16.5	1,614	4	0.2	-
 MF_TradeIn_12_TradeInYes						
0.072	0.311	7.49	1,643	2	0.1	-
 /mobileFirstSS/tradeInAppraisal						
0.072	0.313	7.49	1,666	2	0.1	-
 MF_TradeIn_13_TradeInAppraiseDevice						
2.09	3.76	11.8	1,623	2	0.1	-
 /mobileFirstSS/tradeInCredit						
2.09	3.76	11.8	1,627	2	0.1	-
 Else						
0	1.16	10.24	1,610	0	0	-
 Then						
0.692	1.83	10.24	1,022	0	0	-
 MF_TradeIn_14_TradeInInstantCreditAccept						
0.692	1.83	10.24	1,022	0	0	-
 /mobileFirstSS/applyInstantCredit_1						
0.692	1.82	10.24	1,027	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_TradeIn_15_CheckOut						
1.02	2.34	14.7	1,587	3	0.2	-
 /mobileFirstSS/reviewOrder						
1.02	2.33	14.7	1,604	3	0.2	-

## MF\_XUP\_0126


































Min	Avg	Max	Count	Err	% of Err	SLA Profile
 MF_XUP_0126						
49.4	146.8	258.4	300	25	8.3	-
 Actions						
0.434	24.5	78.1	1,599	44	2.8	-
 MF_XUP_01_LaunchApp						
0.257	0.404	3.11	1,880	0	0	-
 /mobileFirstSS/launchApp						
0.257	0.403	3.11	1,894	0	0	-
 MF_XUP_02_ImCustomer						
0.047	0.165	3.83	1,847	0	0	-
 /mobileFirstSS/userSignIn						
0.047	0.166	3.83	1,879	0	0	-
 MF_XUP_03_EnterMDN						
0.076	0.387	6.79	1,829	19	1	-
 /mobileFirstSS/securePinCheckMDN						
0.076	0.39	6.79	1,844	19	1	-
 MF_XUP_04_EnterPassword						
0.538	2.87	23.4	1,794	2	0.1	-
 /mobileFirstSS/authenticatePassword						
0.538	2.87	23.4	1,800	2	0.1	-
 Else						
0.464	2.76	19	1,782	0	0	-
 /mobileFirstSS/adobeTagging						
0.249	1.99	13.2	1,786	0	0	-
 /mobileFirstSS/loadCart						
0.215	0.776	8.48	1,782	0	0	-
 MF_XUP_05_Shop						
0.131	0.726	8	1,757	0	0	-
 /mobileFirstSS/shopHomePage						
0.131	0.726	8	1,781	0	0	-
 MF_XUP_06_Smartphones						
0.358	6.99	20.5	1,738	11	0.6	-
 /mobileFirstSS/shopLanding						
0.106	0.333	5.23	1,756	0	0	-
 /mobileFirstSS/gridwall						
0.169	6.66	15.6	1,738	11	0.6	-
 MF_XUP_07_ViewPhone						
0.318	0.548	5.29	1,705	0	0	-














Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /mobileFirstSS/shopExpressConfigPDP						
0.318	0.55	5.29	1,724	0	0	-
 MF_XUP_08_CustomizeDevice						
0.366	0.72	10.68	1,676	4	0.2	-
 /mobileFirstSS/checkEligibleLines						
0.366	0.719	10.68	1,704	4	0.2	-
 Then						
2.7	2.7	2.7	1	0	0	-
 MF_XUP_09a_SelectLine2Upgrade						
0.153	0.153	0.153	1	0	0	-
 /mobileFirstSS/upgradeDetails						
0.153	0.163	0.173	2	0	0	-
 MF_XUP_09b_UpgradeNow						
2.54	2.54	2.54	1	0	0	-
 /mobileFirstSS/productColorDetails						
2.54	2.54	2.54	1	0	0	-
 Else						
0.995	1.85	13.6	1,649	1	0.1	-
 MF_XUP_09_SelectLine2Upgrade						
0.995	1.85	13.6	1,649	1	0.1	-
 /mobileFirstSS/productColorDetails						
0.995	1.85	13.6	1,665	1	0.1	-
 MF_XUP_10_ChooseVzProtect						
0.42	1.49	15	1,626	3	0.2	-
 /mobileFirstSS/cart						
0.42	1.5	15	1,646	3	0.2	-
 MF_XUP_11_SelectAccessory						
0.231	0.726	9.79	1,600	0	0	-
 /mobileFirstSS/addRemoveAccessory						
0.231	0.729	9.79	1,622	0	0	-
 MF_XUP_12_AccNext						
1.53	3.46	12.3	1,577	2	0.1	-
 /mobileFirstSS/genericCart						
1.53	3.45	12.3	1,590	2	0.1	-
 MF_XUP_13_CheckOut						
0.489	2.51	13.1	1,557	2	0.1	-
 /mobileFirstSS/reviewOrder						
0.489	2.51	13.1	1,569	2	0.1	-

## Shared Containers

























SLA	Value	Severity
Empty list		











## MF\_AAL\_0126

SLA	Value	Severity
 MF_AAL_0126		
 Actions		
 MF_AAL_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_AAL_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_AAL_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_AAL_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Else		
 /mobileFirstSS/adobeTagging		
 /mobileFirstSS/loadCart		
 MF_AAL_05_Devices		
 /mobileFirstSS/deviceLanding		
 MF_AAL_06_AddaLine		
 /mobileFirstSS/addLine		
 MF_AAL_07_PurchaseNewDevice		
 /mobileFirstSS/feedCheckEligibleLines		
 MF_AAL_08_Smartphones		
 /mobileFirstSS/feedShopLandingGridwall		
 /mobileFirstSS/shopLanding		
 MF_AAL_09_ViewNewPhone		
 /mobileFirstSS/shopExpressConfigPDP		
 MF_AAL_10_CustomizeDevice		
 /mobileFirstSS/productColorDetails		
 Then		
 MF_AAL_11_PickaPlan		
 /mobileFirstSS/shopSelectPlanCarousel		
 MF_AAL_12_SelectPlan		
 /mobileFirstSS/shopLineOverview		
 MF_AAL_13_PlanContinue		
 /mobileFirstSS/productColorDetails		























SLA	Value	Severity
 MF_AAL_14_AssignNewNumber		
 /mobileFirstSS/choosePhoneNumber		
 MF_AAL_15_ChooseNewNumber		
 /mobileFirstSS/shopNewDeviceProtection		
 MF_AAL_16_ChooseDeviceProtection		
 /mobileFirstSS/cart		
 Then		
 MF_AAL_17_AccessoriesNext		
 /mobileFirstSS/shopPlanReviewChanges		
 MF_AAL_18_ReviewPlanChanges		
 /mobileFirstSS/genericCart		
 MF_AAL_19_CheckOut		
 /mobileFirstSS/reviewOrder		


## MF\_DP\_BuyOut\_0126

SLA	Value	Severity
 MF_DP_BuyOut_0126		
 Actions		
 MF_Buyout_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_Buyout_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_Buyout_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_Buyout_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Then		
 /mobileFirstSS/adobeTagging		
 MF_Buyout_05_Shop		
 /mobileFirstSS/shopHomePage		
 MF_Buyout_06_Smartphones		
 /mobileFirstSS/gridwall		
 MF_Buyout_07_ViewDevice		
 /mobileFirstSS/shopExpressConfigPDP		
 MF_Buyout_08_CustomizeDevice		
 /mobileFirstSS/checkEligibleLines		
 Then		
 MF_Buyout_14_SignOut		
 /mobileFirstSS/invalidateSession		
 Then		

SLA	Value	Severity
 MF_Buyout_09_SelectLine2Upgrade		
 /mobileFirstSS/upgradeDetails		
 MF_Buyout_10_UpgradeNow		
 /mobileFirstSS/productColorDetails		
 MF_Buyout_11_DeviceProtection		
 /mobileFirstSS/cart		
 MF_Buyout_12_AccessoriesNext		
 /mobileFirstSS/genericCart		
 MF_Buyout_13_CheckOut		
 /mobileFirstSS/reviewOrder		

## MF\_MVM\_SelfServices\_0211















SLA	Value	Severity
 MF_MVM_SelfServices_0211		
 Actions		
 MF_MVM_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_MVM_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_MVM_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_MVM_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Then		
 /mobileFirstSS/adobeTagging		
 /mobileFirstSS/loadCart		
 MF_MVM_05_Settings		
 /mobileFirstSS/settingsLanding		
 MF_MVM_06_PlanDevices		
 /mobileFirstSS/plansAndDeviceLanding		
 MF_MVM_07_ManagePlan		
 /mobileFirstSS/planLanding		
 MF_MVM_08_LineDetails		
 /mobileFirstSS/lineDetails		
 MF_MVM_09_SignOut		

SLA	Value	Severity
 /mobileFirstSS/signOut		
























## MF\_TradeIn\_0126
















SLA	Value	Severity
 MF_TradeIn_0126		
 Actions		
 MF_TradeIn_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_TradeIn_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_TradeIn_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_TradeIn_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Then		
 /mobileFirstSS/adobeTagging		
 MF_TradeIn_05_Shop		
 /mobileFirstSS/shopHomePage		
 MF_TradeIn_06_Smartphones		
 /mobileFirstSS/gridwall		
 /mobileFirstSS/shopLanding		
 MF_TradeIn_07_ViewDevice		
 /mobileFirstSS/shopExpressConfigPDP		
 MF_TradeIn_08_CustomizeDevice		
 /mobileFirstSS/checkEligibleLines		
 Then		
 MF_TradeIn_16_SignOut		
 /mobileFirstSS/invalidateSession		
 Then		
 MF_TradeIn_09a_SelectLine2Upgrade		
 /mobileFirstSS/upgradeDetails		
 MF_TradeIn_09b_UpgradeNow		
 /mobileFirstSS/productColorDetails		
 Else		
 MF_TradeIn_09_SelectLine2Upgrade		
 /mobileFirstSS/productColorDetails		
 MF_TradeIn_10_DeviceProtection		
 /mobileFirstSS/cart		
 Then		
 MF_TradeIn_16_SignOut		



SLA	Value	Severity
 /mobileFirstSS/invalidateSession		
 MF_TradeIn_11_AccessoriesNext		
 /mobileFirstSS/tradeInPrompt		
 Then		
 MF_TradeIn_12_TradeInYes		
 /mobileFirstSS/tradeInAppraisal		
 MF_TradeIn_13_TradeInAppraiseDevice		
 /mobileFirstSS/tradeInCredit		
 Else		
 Then		
 MF_TradeIn_14_TradeInInstantCreditAccept		
 /mobileFirstSS/applyInstantCredit_1		
 MF_TradeIn_15_CheckOut		
 /mobileFirstSS/reviewOrder		

## MF\_XUP\_0126

SLA	Value	Severity
 MF_XUP_0126		
 Actions		
 MF_XUP_01_LaunchApp		
 /mobileFirstSS/launchApp		
 MF_XUP_02_ImCustomer		
 /mobileFirstSS/userSignIn		
 MF_XUP_03_EnterMDN		
 /mobileFirstSS/securePinCheckMDN		
 MF_XUP_04_EnterPassword		
 /mobileFirstSS/authenticatePassword		
 Else		
 /mobileFirstSS/adobeTagging		
 /mobileFirstSS/loadCart		
 MF_XUP_05_Shop		
 /mobileFirstSS/shopHomePage		
 MF_XUP_06_Smartphones		
 /mobileFirstSS/shopLanding		
 /mobileFirstSS/gridwall		
 MF_XUP_07_ViewPhone		
 /mobileFirstSS/shopExpressConfigPDP		
 MF_XUP_08_CustomizeDevice		
 /mobileFirstSS/checkEligibleLines		
 Then		

SLA	Value	Severity
 MF_XUP_09a_SelectLine2Upgrade		
 /mobileFirstSS/upgradeDetails		
 MF_XUP_09b_UpgradeNow		
 /mobileFirstSS/productColorDetails		
 Else		
 MF_XUP_09_SelectLine2Upgrade		
 /mobileFirstSS/productColorDetails		
 MF_XUP_10_ChooseVzProtect		
 /mobileFirstSS/cart		
 MF_XUP_11_SelectAccessory		
 /mobileFirstSS/addRemoveAccessory		
 MF_XUP_12_AccNext		
 /mobileFirstSS/genericCart		
 MF_XUP_13_CheckOut		
 /mobileFirstSS/reviewOrder		

**MF\_AAL\_0126**

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

**MF\_DP\_BuyOut\_0126**

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

**MF\_MVM\_SelfServices\_0211**

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

**MF\_TradeIn\_0126**

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

**MF\_XUP\_0126**

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

## Controller

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>Controller/User Load</b>					
0	3,586	6,000	4,000	3,619	1,754
<b>Controller/Throughput</b>					
0	236.1	418.2	259.7	237.6	106.7
<b>Controller/Alerts</b>					
0	0	0	0	0	-
<b>Controller/Critical Alerts</b>					
0	0	0	0	0	-
<b>Controller/Warning Alerts</b>					
0	0	0	0	0	-
<b>Controller/CPU Load</b>					
4	12.8	60	13	12.5	4.03
<b>Controller/Memory Used</b>					
4	19.5	35	20	19.4	8.77
<b>Controller/Thread Count</b>					
854	964.1	2,114	954	957.5	80.9
<b>Controller/Connected</b>					
90	90	90	90	90	0
<b>Controller/Total Disconnections</b>					
0	0	0	0	0	0
<b>Controller/Total Reconnections</b>					
0	0	0	0	0	0
<b>Controller/Network/Segments sent/sec.</b>					
0	1,801	6,462	1,790	1,737	1,340
<b>Controller/Network/Segments retransmitted/sec.</b>					
0	0	0	0	0	0
<b>Controller/NeoLoad Web/Megabits received/sec.</b>					
0	0	0	0	0	-
<b>Controller/NeoLoad Web/Megabits sent/sec.</b>					
0	0	0	0	0	-
<b>Controller/Default zone/User Load</b>					
0	0	0	0	0	-
<b>Controller/USA East - South Carolina (Berkeley County)/User Load</b>					
0	1,789	3,001	2,002	1,805	875.1
<b>Controller/USA East - South Carolina (Berkeley County)/M...cenarioBAU/User Load</b>					
0	1,789	3,001	2,002	1,805	875.1
<b>Controller/USA East - South Carolina (Berkeley County)/M...vices_0211/User Load</b>					
0	1,430	2,401	1,599	1,442	699.9
<b>Controller/USA East - South Carolina (Berkeley County)/M...uyOut_0126/User Load</b>					
0	89.3	151	97	90.1	43.6
<b>Controller/USA East - South Carolina (Berkeley County)/M...adeln_0126/User Load</b>					
0	88.7	145	100	89.7	41.8
<b>Controller/USA East - South Carolina (Berkeley County)/M...F_XUP_0126/User Load</b>					
0	89.8	151	102	90.6	44.7
<b>Controller/USA East - South Carolina (Berkeley County)/M...F_AAL_0126/User Load</b>					
0	91.1	153	104	91.9	45.2
<b>Controller/USA Central - Iowa (Council Bluffs)/User Load</b>					
0	1,787	2,999	1,998	1,803	874.5
<b>Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0_ScenarioBAU/User Load</b>					
0	1,787	2,999	1,998	1,803	874.5

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...vices_0211/User Load					
0	1,431	2,399	1,601	1,444	699.3
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...uyOut_0126/User Load					
0	89.5	149	103	90.3	44
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...adeln_0126/User Load					
0	90.1	155	100	90.8	45.9
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...F_XUP_0126/User Load					
0	88.9	149	98	89.8	42.9
Controller/USA Central - Iowa (Council Bluffs)/MF_MVM3.0...F_AAL_0126/User Load					
0	87.7	147	96	88.6	42.5

## LG 104.154.110.137:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.110.137:443/CPU Load					
0	1.37	11	1	1.24	1.14
LG 104.154.110.137:443/Memory Used					
1	9.06	23	8	8.76	5.17
LG 104.154.110.137:443/Throughput					
0	2.62	5.92	2.59	2.59	1.32
LG 104.154.110.137:443/User Load					
0	40.3	67	45	40.7	19.4
LG 104.154.110.137:443/Thread Count					
21	102.6	132	107	103.4	22.3
LG 104.154.110.137:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.154.110.137:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.154.110.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.110.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.110.137:443/Controller Connection/Ping Duration (ms)					
46	61.8	104	60	60.2	11.1
LG 104.154.110.137:443/Network/Segments sent/sec.					
0	144.7	295.6	142.3	144.1	65.3
LG 104.154.110.137:443/Network/Segments retransmitted/sec.					
0	0.01	2.02	0	0	0.138
LG 104.154.110.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	6.09	2.71	2.7	1.37
LG 104.154.110.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.422	0.217	0.21	0.084

## LG 104.154.131.95:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.131.95:443/CPU Load					
0	1.5	7	1	1.39	0.945
LG 104.154.131.95:443/Memory Used					
1	8.62	24	8	8.3	5.04
LG 104.154.131.95:443/Throughput					
0	2.67	6.25	2.68	2.62	1.37
LG 104.154.131.95:443/User Load					
0	40.3	67	45	40.7	19.4

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.154.131.95:443/Thread Count</b>					
20	102.3	133	107	103	21.9
<b>LG 104.154.131.95:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 104.154.131.95:443/Http client/Task Pool used</b>					
0	0	0	0	0	0
<b>LG 104.154.131.95:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.154.131.95:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.154.131.95:443/Controller Connection/Ping Duration (ms)</b>					
38	62	98	59	61.2	12.7
<b>LG 104.154.131.95:443/Network/Segments sent/sec.</b>					
0	148.9	307.2	152.8	147.5	68.9
<b>LG 104.154.131.95:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.2	0	0	0.019
<b>LG 104.154.131.95:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	2.77	6.44	2.77	2.72	1.41
<b>LG 104.154.131.95:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.212	0.448	0.218	0.212	0.085

## LG 104.154.191.155:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.154.191.155:443/CPU Load</b>					
0	1.94	14	2	1.69	1.58
<b>LG 104.154.191.155:443/Memory Used</b>					
1	8.7	21	8	8.43	4.86
<b>LG 104.154.191.155:443/Throughput</b>					
0	2.62	6.09	2.52	2.58	1.37
<b>LG 104.154.191.155:443/User Load</b>					
0	39.6	67	44	39.9	19.6
<b>LG 104.154.191.155:443/Thread Count</b>					
21	101.6	133	106	102.2	22.8
<b>LG 104.154.191.155:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 104.154.191.155:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.001
<b>LG 104.154.191.155:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.154.191.155:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.154.191.155:443/Controller Connection/Ping Duration (ms)</b>					
40	59.7	89	60	59	9.38
<b>LG 104.154.191.155:443/Network/Segments sent/sec.</b>					
0	147.1	302.7	147.6	146.4	68
<b>LG 104.154.191.155:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.808	0	0	0.055
<b>LG 104.154.191.155:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	2.71	6.29	2.6	2.68	1.41
<b>LG 104.154.191.155:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.209	0.412	0.212	0.209	0.086

## LG 104.155.154.28:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.155.154.28:443/CPU Load					
0	1.55	14	1	1.34	1.53
LG 104.155.154.28:443/Memory Used					
1	8.79	22	8	8.5	5.04
LG 104.155.154.28:443/Throughput					
0	2.65	5.72	2.53	2.63	1.4
LG 104.155.154.28:443/User Load					
0	40	67	45	40.4	19.6
LG 104.155.154.28:443/Thread Count					
20	101.5	133	107	102.1	22.7
LG 104.155.154.28:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.155.154.28:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.155.154.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.155.154.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.155.154.28:443/Controller Connection/Ping Duration (ms)					
39	58.4	83	59	58	8.18
LG 104.155.154.28:443/Network/Segments sent/sec.					
0	147.9	285.4	143.8	147.6	68.2
LG 104.155.154.28:443/Network/Segments retransmitted/sec.					
0	0.002	0.402	0	0	0.027
LG 104.155.154.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.76	5.91	2.63	2.73	1.44
LG 104.155.154.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.384	0.213	0.209	0.084

## LG 104.197.13.210:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.13.210:443/CPU Load					
0	1.86	21	2	1.67	1.64
LG 104.197.13.210:443/Memory Used					
1	8.92	24	8	8.59	5.23
LG 104.197.13.210:443/Throughput					
0	2.67	5.93	2.75	2.64	1.37
LG 104.197.13.210:443/User Load					
0	39.9	67	45	40.3	19.6
LG 104.197.13.210:443/Thread Count					
20	101.7	132	108	102.4	22.6
LG 104.197.13.210:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.13.210:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.197.13.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.13.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.13.210:443/Controller Connection/Ping Duration (ms)					
38	62.1	89	60	61.8	11.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.13.210:443/Network/Segments sent/sec.					
0	146.8	311.2	154.3	145.9	67.7
LG 104.197.13.210:443/Network/Segments retransmitted/sec.					
0	0.014	1.61	0	0	0.119
LG 104.197.13.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.76	6.11	2.84	2.74	1.4
LG 104.197.13.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.413	0.216	0.21	0.087

## LG 104.197.132.255:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.132.255:443/CPU Load					
0	1.48	16	1	1.32	1.38
LG 104.197.132.255:443/Memory Used					
1	8.41	22	7.5	8.12	4.81
LG 104.197.132.255:443/Throughput					
0	2.62	6.28	2.54	2.58	1.39
LG 104.197.132.255:443/User Load					
0	39.5	66	44	39.8	19.3
LG 104.197.132.255:443/Thread Count					
20	100.6	131	106	101.3	21.9
LG 104.197.132.255:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.132.255:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.197.132.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.132.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.132.255:443/Controller Connection/Ping Duration (ms)					
42	62.8	118	59	60.6	18.3
LG 104.197.132.255:443/Network/Segments sent/sec.					
0	146.7	308.2	147.6	145.8	68.5
LG 104.197.132.255:443/Network/Segments retransmitted/sec.					
0	0.004	0.403	0	0	0.033
LG 104.197.132.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	6.51	2.65	2.69	1.44
LG 104.197.132.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.399	0.211	0.208	0.085

## LG 104.197.162.116:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.162.116:443/CPU Load					
0	1.4	6	1	1.33	0.861
LG 104.197.162.116:443/Memory Used					
1	9.28	24	8	8.94	5.33
LG 104.197.162.116:443/Throughput					
0	2.61	6.78	2.6	2.55	1.38
LG 104.197.162.116:443/User Load					
0	39.6	67	44	39.9	19.6
LG 104.197.162.116:443/Thread Count					
20	101.4	133	106	102	22.4



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.162.116:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.162.116:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.197.162.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.162.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.162.116:443/Controller Connection/Ping Duration (ms)					
44	60.4	90	60	59.6	8.7
LG 104.197.162.116:443/Network/Segments sent/sec.					
0	147.2	331.5	148.8	145.6	69.4
LG 104.197.162.116:443/Network/Segments retransmitted/sec.					
0	0.003	0.201	0	0	0.023
LG 104.197.162.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	6.98	2.71	2.65	1.43
LG 104.197.162.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.401	0.212	0.208	0.084

## LG 104.197.27.7:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.27.7:443/CPU Load					
0	1.71	14	1	1.54	1.39
LG 104.197.27.7:443/Memory Used					
1	8.53	22	8	8.24	4.96
LG 104.197.27.7:443/Throughput					
0	2.58	5.78	2.57	2.55	1.34
LG 104.197.27.7:443/User Load					
0	39.3	66	44	39.7	19.4
LG 104.197.27.7:443/Thread Count					
20	102	133	107	102.7	22.7
LG 104.197.27.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.27.7:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.197.27.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.27.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.27.7:443/Controller Connection/Ping Duration (ms)					
42	62	99	59	60.8	12.3
LG 104.197.27.7:443/Network/Segments sent/sec.					
0	143.2	279.6	141	142.8	66
LG 104.197.27.7:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.014
LG 104.197.27.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.67	5.92	2.68	2.64	1.38
LG 104.197.27.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.204	0.396	0.209	0.204	0.084

## LG 104.197.60.7:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.60.7:443/CPU Load					
0	1.52	22	1	1.3	1.78
LG 104.197.60.7:443/Memory Used					
1	8.71	23	8	8.4	5.04
LG 104.197.60.7:443/Throughput					
0	2.61	5.86	2.45	2.58	1.35
LG 104.197.60.7:443/User Load					
0	39.4	66	44	39.7	19.3
LG 104.197.60.7:443/Thread Count					
20	101.4	133	106	102.1	22.6
LG 104.197.60.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.60.7:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.197.60.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.60.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.60.7:443/Controller Connection/Ping Duration (ms)					
45	60.8	98	59	59.4	10.24
LG 104.197.60.7:443/Network/Segments sent/sec.					
0	145	297.6	145.2	144.1	67.1
LG 104.197.60.7:443/Network/Segments retransmitted/sec.					
0	0.004	0.201	0	0	0.027
LG 104.197.60.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	6.06	2.56	2.68	1.4
LG 104.197.60.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.401	0.212	0.206	0.083

## LG 130.211.207.198:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.207.198:443/CPU Load					
0	1.53	7	1	1.42	0.964
LG 130.211.207.198:443/Memory Used					
1	8.48	23	7.5	8.17	4.9
LG 130.211.207.198:443/Throughput					
0	2.58	6.01	2.51	2.54	1.34
LG 130.211.207.198:443/User Load					
0	39.4	66	44	39.8	19.3
LG 130.211.207.198:443/Thread Count					
21	101.9	133	107	102.7	22.6
LG 130.211.207.198:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 130.211.207.198:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 130.211.207.198:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.207.198:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.207.198:443/Controller Connection/Ping Duration (ms)					
42	58.9	88	59	58.1	8.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.207.198:443/Network/Segments sent/sec.					
0	145.4	310.3	151.1	144.5	67.5
LG 130.211.207.198:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 130.211.207.198:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.67	6.2	2.61	2.64	1.38
LG 130.211.207.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.358	0.219	0.207	0.082

## LG 130.211.209.89:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.209.89:443/CPU Load					
0	1.95	23	2	1.7	1.88
LG 130.211.209.89:443/Memory Used					
1	9.58	26	8	9.18	5.9
LG 130.211.209.89:443/Throughput					
0	2.63	6.34	2.59	2.59	1.32
LG 130.211.209.89:443/User Load					
0	40.3	67	45	40.7	19.4
LG 130.211.209.89:443/Thread Count					
20	102.1	134	107	102.7	22.8
LG 130.211.209.89:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 130.211.209.89:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 130.211.209.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.209.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.209.89:443/Controller Connection/Ping Duration (ms)					
37	60.4	99	59	59.4	13.2
LG 130.211.209.89:443/Network/Segments sent/sec.					
0	146.8	316	149.9	145.7	66.5
LG 130.211.209.89:443/Network/Segments retransmitted/sec.					
0	0.005	0.607	0	0	0.049
LG 130.211.209.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	6.52	2.69	2.69	1.36
LG 130.211.209.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.41	0.214	0.211	0.083

## LG 173.255.116.62:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 173.255.116.62:443/CPU Load					
0	1.81	14	2	1.61	1.4
LG 173.255.116.62:443/Memory Used					
1	8.8	22	8	8.53	4.98
LG 173.255.116.62:443/Throughput					
0	2.62	7.23	2.65	2.59	1.33
LG 173.255.116.62:443/User Load					
0	40.2	67	45	40.6	19.4
LG 173.255.116.62:443/Thread Count					
20	103.3	137	109	103.8	22.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 173.255.116.62:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 173.255.116.62:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 173.255.116.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 173.255.116.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 173.255.116.62:443/Controller Connection/Ping Duration (ms)					
41	63	99	60	62	12.7
LG 173.255.116.62:443/Network/Segments sent/sec.					
0	147.2	322.2	150.6	146.4	67
LG 173.255.116.62:443/Network/Segments retransmitted/sec.					
0	0.003	0.402	0	0	0.03
LG 173.255.116.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	7.4	2.75	2.68	1.37
LG 173.255.116.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.413	0.217	0.21	0.085

## LG 34.66.127.14:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.127.14:443/CPU Load					
0	1.83	8	2	1.72	1.07
LG 34.66.127.14:443/Memory Used					
1	8.97	22	8	8.68	5.02
LG 34.66.127.14:443/Throughput					
0	2.6	7.81	2.52	2.54	1.37
LG 34.66.127.14:443/User Load					
0	39.7	67	44	40	19.6
LG 34.66.127.14:443/Thread Count					
20	101.8	133	107	102.4	22.5
LG 34.66.127.14:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.127.14:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.66.127.14:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.127.14:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.127.14:443/Controller Connection/Ping Duration (ms)					
59	66.9	99	60	65.4	15
LG 34.66.127.14:443/Network/Segments sent/sec.					
0	145.7	362.5	145.1	144.1	67.6
LG 34.66.127.14:443/Network/Segments retransmitted/sec.					
0	0.019	1.6	0	0	0.159
LG 34.66.127.14:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.69	8.02	2.59	2.63	1.41
LG 34.66.127.14:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.467	0.21	0.206	0.085

## LG 34.66.194.158:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.194.158:443/CPU Load					
0	1.45	17	1	1.26	1.48
LG 34.66.194.158:443/Memory Used					
2	8.79	22	8	8.5	4.98
LG 34.66.194.158:443/Throughput					
0	2.65	6.28	2.62	2.62	1.37
LG 34.66.194.158:443/User Load					
0	40.3	67	45	40.7	19.4
LG 34.66.194.158:443/Thread Count					
20	102	134	106	102.6	22.8
LG 34.66.194.158:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.194.158:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.66.194.158:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.194.158:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.194.158:443/Controller Connection/Ping Duration (ms)					
33	58.6	99	59	57.6	12.2
LG 34.66.194.158:443/Network/Segments sent/sec.					
0	147.3	301.7	153.5	146.6	67.2
LG 34.66.194.158:443/Network/Segments retransmitted/sec.					
0	0.002	0.398	0	0	0.027
LG 34.66.194.158:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.76	6.47	2.75	2.73	1.41
LG 34.66.194.158:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.402	0.214	0.211	0.084

## LG 34.66.5.14:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.5.14:443/CPU Load					
0	1.54	12	1	1.31	1.44
LG 34.66.5.14:443/Memory Used					
1	8.79	24	8	8.47	5.09
LG 34.66.5.14:443/Throughput					
0	2.61	6.84	2.54	2.55	1.37
LG 34.66.5.14:443/User Load					
0	39.6	67	44	40	19.6
LG 34.66.5.14:443/Thread Count					
21	100.8	132	105	101.4	22.2
LG 34.66.5.14:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.5.14:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.66.5.14:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.5.14:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.5.14:443/Controller Connection/Ping Duration (ms)					
44	60.3	87	59	59.5	7.99

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.5.14:443/Network/Segments sent/sec.					
0	147	321.1	149.5	145.3	68.2
LG 34.66.5.14:443/Network/Segments retransmitted/sec.					
0	0.007	1.01	0	0	0.071
LG 34.66.5.14:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	7.12	2.65	2.65	1.41
LG 34.66.5.14:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.384	0.216	0.21	0.084

## LG 34.67.150.159:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.150.159:443/CPU Load					
0	1.6	8	1	1.47	1.05
LG 34.67.150.159:443/Memory Used					
1	8.31	23	7.5	8	4.93
LG 34.67.150.159:443/Throughput					
0	2.65	6.55	2.52	2.62	1.35
LG 34.67.150.159:443/User Load					
0	40.2	67	45	40.6	19.4
LG 34.67.150.159:443/Thread Count					
21	102.2	133	107	102.9	22
LG 34.67.150.159:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.150.159:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.67.150.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.150.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.150.159:443/Controller Connection/Ping Duration (ms)					
37	56.6	61	60	57.4	7.26
LG 34.67.150.159:443/Network/Segments sent/sec.					
0	147.6	315.6	147	146.8	67.6
LG 34.67.150.159:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.67.150.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.015	2.75	6.73	2.61	2.71	1.39
LG 34.67.150.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	0.21	0.391	0.217	0.211	0.084

## LG 34.67.55.171:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.55.171:443/CPU Load					
0	1.53	9	1	1.33	1.34
LG 34.67.55.171:443/Memory Used					
1	9.04	23	8	8.72	5.16
LG 34.67.55.171:443/Throughput					
0	2.62	6.28	2.59	2.58	1.33
LG 34.67.55.171:443/User Load					
0	39.6	67	44	40	19.6
LG 34.67.55.171:443/Thread Count					
20	102.4	135	107	103	22.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.55.171:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.55.171:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.67.55.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.55.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.55.171:443/Controller Connection/Ping Duration (ms)					
37	62.3	111	59	60.7	17.3
LG 34.67.55.171:443/Network/Segments sent/sec.					
0	146.3	294.6	147.9	145.3	67.5
LG 34.67.55.171:443/Network/Segments retransmitted/sec.					
0	0.011	1.62	0	0	0.113
LG 34.67.55.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	6.44	2.68	2.67	1.37
LG 34.67.55.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.419	0.213	0.208	0.085

## LG 34.67.86.243:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.86.243:443/CPU Load					
0	1.46	8	1	1.3	1.09
LG 34.67.86.243:443/Memory Used					
1	8.69	23	8	8.39	4.98
LG 34.67.86.243:443/Throughput					
0	2.63	5.72	2.66	2.6	1.3
LG 34.67.86.243:443/User Load					
0	40.1	67	45	40.4	19.6
LG 34.67.86.243:443/Thread Count					
21	104.1	136	110	104.7	23.2
LG 34.67.86.243:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.86.243:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.67.86.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.86.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.86.243:443/Controller Connection/Ping Duration (ms)					
45	61.5	108	59	59.6	12.2
LG 34.67.86.243:443/Network/Segments sent/sec.					
0	146	285.7	156.1	145.6	64.7
LG 34.67.86.243:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.014
LG 34.67.86.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	5.87	2.74	2.69	1.33
LG 34.67.86.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.372	0.219	0.208	0.082

## LG 34.68.181.234:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.181.234:443/CPU Load					
0	1.69	20	1	1.52	1.54
LG 34.68.181.234:443/Memory Used					
1	8.79	22	8	8.48	5
LG 34.68.181.234:443/Throughput					
0	2.61	5.97	2.64	2.58	1.34
LG 34.68.181.234:443/User Load					
0	39.6	67	44	40	19.6
LG 34.68.181.234:443/Thread Count					
20	102	134	107	102.7	22.6
LG 34.68.181.234:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.181.234:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.68.181.234:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.181.234:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.181.234:443/Controller Connection/Ping Duration (ms)					
58	59.1	60	59	59.1	0.541
LG 34.68.181.234:443/Network/Segments sent/sec.					
0	145	279	147.4	144.6	66.8
LG 34.68.181.234:443/Network/Segments retransmitted/sec.					
0	0.004	0.202	0	0	0.027
LG 34.68.181.234:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.18	2.73	2.67	1.37
LG 34.68.181.234:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.376	0.214	0.207	0.083

## LG 34.68.235.75:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.235.75:443/CPU Load					
0	1.64	7	1	1.52	1.04
LG 34.68.235.75:443/Memory Used					
1	7.89	21	7	7.63	4.42
LG 34.68.235.75:443/Throughput					
0	2.58	5.86	2.43	2.55	1.33
LG 34.68.235.75:443/User Load					
0	39.3	66	44	39.7	19.3
LG 34.68.235.75:443/Thread Count					
20	103.2	135	109	103.9	23.1
LG 34.68.235.75:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.235.75:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.68.235.75:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.235.75:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.235.75:443/Controller Connection/Ping Duration (ms)					
40	62.5	100	59	61.5	13



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.235.75:443/Network/Segments sent/sec.					
0	143.9	283.1	145.8	143.3	65.9
LG 34.68.235.75:443/Network/Segments retransmitted/sec.					
0	0.003	0.404	0	0	0.031
LG 34.68.235.75:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.67	6.04	2.52	2.65	1.37
LG 34.68.235.75:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.599	0.211	0.206	0.087

## LG 34.68.84.209:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.84.209:443/CPU Load					
0	1.74	17	1	1.55	1.46
LG 34.68.84.209:443/Memory Used					
1	9.05	24	8	8.69	5.43
LG 34.68.84.209:443/Throughput					
0	2.62	6.85	2.44	2.57	1.36
LG 34.68.84.209:443/User Load					
0	39.6	66	44	40	19.1
LG 34.68.84.209:443/Thread Count					
21	100.9	132	105	101.6	22
LG 34.68.84.209:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.84.209:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.68.84.209:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.84.209:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.84.209:443/Controller Connection/Ping Duration (ms)					
40	62.6	98	60	61.7	12.3
LG 34.68.84.209:443/Network/Segments sent/sec.					
0	146.2	318.3	141.8	145.1	67.7
LG 34.68.84.209:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.023
LG 34.68.84.209:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	7.04	2.52	2.67	1.39
LG 34.68.84.209:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.461	0.216	0.208	0.084

## LG 34.68.86.233:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.86.233:443/CPU Load					
0	1.77	15	1	1.57	1.45
LG 34.68.86.233:443/Memory Used					
1	8.57	22	8	8.28	4.98
LG 34.68.86.233:443/Throughput					
0	2.63	5.95	2.63	2.6	1.37
LG 34.68.86.233:443/User Load					
0	39.7	67	44	40.1	19.6
LG 34.68.86.233:443/Thread Count					
20	101.8	132	106	102.5	22.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.86.233:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.86.233:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.68.86.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.86.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.86.233:443/Controller Connection/Ping Duration (ms)					
38	60.7	99	59	59.7	14
LG 34.68.86.233:443/Network/Segments sent/sec.					
0	146.3	297.3	150.8	145.3	67.9
LG 34.68.86.233:443/Network/Segments retransmitted/sec.					
0	0.011	2.22	0	0	0.152
LG 34.68.86.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.73	6.11	2.73	2.7	1.41
LG 34.68.86.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.419	0.212	0.208	0.086

## LG 34.69.63.166:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.63.166:443/CPU Load					
0	1.8	20	2	1.62	1.59
LG 34.69.63.166:443/Memory Used					
1	8.76	22	8	8.48	5.05
LG 34.69.63.166:443/Throughput					
0	2.59	8.29	2.53	2.54	1.39
LG 34.69.63.166:443/User Load					
0	39.6	67	44	39.9	19.6
LG 34.69.63.166:443/Thread Count					
20	100.9	132	106	101.5	22.3
LG 34.69.63.166:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.63.166:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.69.63.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.63.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.63.166:443/Controller Connection/Ping Duration (ms)					
58	62.1	87	59	60.8	8.41
LG 34.69.63.166:443/Network/Segments sent/sec.					
0	146	367.3	149.6	144.3	68.6
LG 34.69.63.166:443/Network/Segments retransmitted/sec.					
0	0.032	4.45	0	0	0.31
LG 34.69.63.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.68	8.52	2.64	2.63	1.42
LG 34.69.63.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.426	0.209	0.207	0.086

## LG 34.70.100.35:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.100.35:443/CPU Load					
0	1.72	8	2	1.58	1.1
LG 34.70.100.35:443/Memory Used					
1	8.92	24	8	8.57	5.22
LG 34.70.100.35:443/Throughput					
0	2.59	5.82	2.5	2.56	1.33
LG 34.70.100.35:443/User Load					
0	39.9	67	45	40.3	19.6
LG 34.70.100.35:443/Thread Count					
21	103.1	136	109	103.7	23.4
LG 34.70.100.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.100.35:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.70.100.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.100.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.100.35:443/Controller Connection/Ping Duration (ms)					
41	63.5	99	60	62.6	12.4
LG 34.70.100.35:443/Network/Segments sent/sec.					
0	145	295.5	144.9	144.4	65.7
LG 34.70.100.35:443/Network/Segments retransmitted/sec.					
0	0.007	1.41	0	0	0.097
LG 34.70.100.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.68	6.02	2.58	2.65	1.37
LG 34.70.100.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.377	0.209	0.208	0.083

## LG 34.70.190.224:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.190.224:443/CPU Load					
0	1.64	18	1	1.49	1.4
LG 34.70.190.224:443/Memory Used					
1	8.77	21	8	8.51	4.99
LG 34.70.190.224:443/Throughput					
0	2.6	6.27	2.58	2.56	1.35
LG 34.70.190.224:443/User Load					
0	39.4	66	44	39.8	19.3
LG 34.70.190.224:443/Thread Count					
21	101.8	131	107	102.6	21.9
LG 34.70.190.224:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.190.224:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.70.190.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.190.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.190.224:443/Controller Connection/Ping Duration (ms)					
31	58.9	89	59	58.6	11.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.190.224:443/Network/Segments sent/sec.					
0	144.9	321.2	144.7	143.6	67.5
LG 34.70.190.224:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.033
LG 34.70.190.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.47	2.68	2.66	1.39
LG 34.70.190.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.426	0.215	0.207	0.085

## LG 35.192.22.199:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.22.199:443/CPU Load					
0	1.81	18	2	1.58	1.65
LG 35.192.22.199:443/Memory Used					
1	8.76	22	8	8.46	5.04
LG 35.192.22.199:443/Throughput					
0	2.64	6.24	2.67	2.62	1.34
LG 35.192.22.199:443/User Load					
0	40.2	67	45	40.5	19.4
LG 35.192.22.199:443/Thread Count					
20	101.5	132	106	102.2	21.8
LG 35.192.22.199:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.192.22.199:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.192.22.199:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.22.199:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.22.199:443/Controller Connection/Ping Duration (ms)					
39	59.5	88	59	58.9	8.74
LG 35.192.22.199:443/Network/Segments sent/sec.					
0	147.2	308	149.1	146.7	66.8
LG 35.192.22.199:443/Network/Segments retransmitted/sec.					
0	0.013	2.02	0	0	0.141
LG 35.192.22.199:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.74	6.46	2.78	2.72	1.38
LG 35.192.22.199:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.414	0.222	0.21	0.083

## LG 35.202.66.219:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.66.219:443/CPU Load					
0	1.66	13	1	1.47	1.34
LG 35.202.66.219:443/Memory Used					
1	8.89	23	8	8.58	5.11
LG 35.202.66.219:443/Throughput					
0	2.62	5.59	2.62	2.59	1.32
LG 35.202.66.219:443/User Load					
0	40	67	45	40.3	19.6
LG 35.202.66.219:443/Thread Count					
21	102.2	134	109	102.8	22.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.66.219:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.202.66.219:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.202.66.219:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.66.219:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.66.219:443/Controller Connection/Ping Duration (ms)					
40	61.6	93	59	60.9	11.3
LG 35.202.66.219:443/Network/Segments sent/sec.					
0	146.5	276.6	152.5	146.2	66
LG 35.202.66.219:443/Network/Segments retransmitted/sec.					
0	0.01	1.63	0	0	0.115
LG 35.202.66.219:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	5.74	2.72	2.69	1.36
LG 35.202.66.219:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.372	0.215	0.209	0.084

## LG 35.222.247.112:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.247.112:443/CPU Load					
0	1.67	6	2	1.56	0.904
LG 35.222.247.112:443/Memory Used					
1	9.4	25	8	9.02	5.69
LG 35.222.247.112:443/Throughput					
0	2.65	6.42	2.62	2.61	1.38
LG 35.222.247.112:443/User Load					
0	39.5	66	44	39.9	19.3
LG 35.222.247.112:443/Thread Count					
21	101.1	131	107	101.8	22.3
LG 35.222.247.112:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.247.112:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.222.247.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.247.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.247.112:443/Controller Connection/Ping Duration (ms)					
39	61.4	98	59	60.5	12.4
LG 35.222.247.112:443/Network/Segments sent/sec.					
0	148.8	299.5	157.2	147.5	69.5
LG 35.222.247.112:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.014
LG 35.222.247.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.74	6.61	2.73	2.7	1.42
LG 35.222.247.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.372	0.215	0.208	0.084

## LG 35.222.55.18:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.55.18:443/CPU Load					
0	1.44	13	1	1.28	1.25
LG 35.222.55.18:443/Memory Used					
1	8.54	21	8	8.27	4.87
LG 35.222.55.18:443/Throughput					
0	2.62	5.69	2.51	2.6	1.31
LG 35.222.55.18:443/User Load					
0	40.3	67	45	40.7	19.3
LG 35.222.55.18:443/Thread Count					
20	103.6	136	109	104.2	22.8
LG 35.222.55.18:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.55.18:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.222.55.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.55.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.55.18:443/Controller Connection/Ping Duration (ms)					
45	61.4	95	59	60.3	10.33
LG 35.222.55.18:443/Network/Segments sent/sec.					
0	148.4	290.8	150.1	147.9	67.4
LG 35.222.55.18:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.014
LG 35.222.55.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	5.87	2.61	2.7	1.35
LG 35.222.55.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.398	0.221	0.21	0.083

## LG 35.222.89.231:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.89.231:443/CPU Load					
0	1.62	17	1	1.43	1.46
LG 35.222.89.231:443/Memory Used					
1	8.71	23	8	8.39	5.05
LG 35.222.89.231:443/Throughput					
0	2.58	5.93	2.52	2.54	1.35
LG 35.222.89.231:443/User Load					
0	39.4	66	44	39.7	19.3
LG 35.222.89.231:443/Thread Count					
21	101.3	133	105	101.9	22.6
LG 35.222.89.231:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.89.231:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.222.89.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.89.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.89.231:443/Controller Connection/Ping Duration (ms)					
58	60.7	88	59	59.2	7.14

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.89.231:443/Network/Segments sent/sec.					
0	143.9	291.9	144.8	143.2	66.8
LG 35.222.89.231:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.222.89.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.68	6.13	2.6	2.64	1.39
LG 35.222.89.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.205	0.369	0.208	0.206	0.084

## LG 35.223.128.103:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.128.103:443/CPU Load					
0	1.75	14	2	1.57	1.35
LG 35.223.128.103:443/Memory Used					
1	8.51	24	8	8.19	4.94
LG 35.223.128.103:443/Throughput					
0	2.59	5.38	2.63	2.56	1.3
LG 35.223.128.103:443/User Load					
0	39.4	66	44	39.8	19.3
LG 35.223.128.103:443/Thread Count					
20	101.3	132	107	102	21.9
LG 35.223.128.103:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.128.103:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.223.128.103:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.128.103:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.128.103:443/Controller Connection/Ping Duration (ms)					
38	59.2	89	60	58.6	9.7
LG 35.223.128.103:443/Network/Segments sent/sec.					
0	145.1	280.6	150.7	144.9	65.7
LG 35.223.128.103:443/Network/Segments retransmitted/sec.					
0	0.004	0.399	0	0	0.033
LG 35.223.128.103:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.68	5.55	2.73	2.66	1.34
LG 35.223.128.103:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.412	0.212	0.207	0.084

## LG 35.223.141.77:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.141.77:443/CPU Load					
0	1.52	12	1	1.33	1.41
LG 35.223.141.77:443/Memory Used					
1	8.76	22	8	8.49	4.95
LG 35.223.141.77:443/Throughput					
0	2.62	5.86	2.67	2.6	1.33
LG 35.223.141.77:443/User Load					
0	39.6	67	44	40	19.6
LG 35.223.141.77:443/Thread Count					
20	101.6	133	106	102.3	22.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.141.77:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.141.77:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.223.141.77:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.141.77:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.141.77:443/Controller Connection/Ping Duration (ms)					
36	59.3	113	60	57.4	15.9
LG 35.223.141.77:443/Network/Segments sent/sec.					
0	146.8	295.7	147.7	146.1	66.9
LG 35.223.141.77:443/Network/Segments retransmitted/sec.					
0	0.006	0.601	0	0	0.049
LG 35.223.141.77:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	6.05	2.76	2.69	1.37
LG 35.223.141.77:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.379	0.214	0.208	0.085

## LG 35.223.156.169:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.156.169:443/CPU Load					
0	1.41	17	1	1.25	1.43
LG 35.223.156.169:443/Memory Used					
1	7.65	19	7	7.41	4.28
LG 35.223.156.169:443/Throughput					
0	2.6	7.98	2.27	2.55	1.42
LG 35.223.156.169:443/User Load					
0	39.4	66	44	39.8	19.3
LG 35.223.156.169:443/Thread Count					
21	100.7	131	105	101.4	22.2
LG 35.223.156.169:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.156.169:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.223.156.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.156.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.156.169:443/Controller Connection/Ping Duration (ms)					
35	60.5	94	59	59.9	10.56
LG 35.223.156.169:443/Network/Segments sent/sec.					
0	145.8	344.7	139.1	144.6	69.1
LG 35.223.156.169:443/Network/Segments retransmitted/sec.					
0	0.018	3.24	0	0	0.222
LG 35.223.156.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	8.21	2.35	2.65	1.47
LG 35.223.156.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.394	0.205	0.206	0.084



## LG 35.223.210.184:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.210.184:443/CPU Load					
0	1.68	7	1	1.55	0.999
LG 35.223.210.184:443/Memory Used					
1	7.95	20	7	7.71	4.41
LG 35.223.210.184:443/Throughput					
0	2.62	5.93	2.58	2.59	1.33
LG 35.223.210.184:443/User Load					
0	39.7	67	44	40	19.6
LG 35.223.210.184:443/Thread Count					
21	102.2	134	106	102.9	22.8
LG 35.223.210.184:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.210.184:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.223.210.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.210.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.210.184:443/Controller Connection/Ping Duration (ms)					
41	63.2	96	60	62.4	11.9
LG 35.223.210.184:443/Network/Segments sent/sec.					
0	146.5	304.2	146.1	146	67.3
LG 35.223.210.184:443/Network/Segments retransmitted/sec.					
0	0.01	1.41	0	0	0.105
LG 35.223.210.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	6.12	2.7	2.68	1.37
LG 35.223.210.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.396	0.213	0.209	0.085

## LG 35.224.12.69:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.12.69:443/CPU Load					
0	1.57	20	1	1.38	1.6
LG 35.224.12.69:443/Memory Used					
1	8.68	21	8	8.39	4.98
LG 35.224.12.69:443/Throughput					
0	2.59	6.25	2.5	2.56	1.34
LG 35.224.12.69:443/User Load					
0	39.4	66	44	39.8	19.3
LG 35.224.12.69:443/Thread Count					
20	102.1	133	107	102.9	22.5
LG 35.224.12.69:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.12.69:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.224.12.69:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.12.69:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.12.69:443/Controller Connection/Ping Duration (ms)					
43	61.7	100	59	60.4	14.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.12.69:443/Network/Segments sent/sec.					
0	146.5	297.2	147.2	145.7	66.6
LG 35.224.12.69:443/Network/Segments retransmitted/sec.					
0	0.011	1.81	0	0	0.125
LG 35.224.12.69:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.43	2.59	2.66	1.39
LG 35.224.12.69:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.365	0.209	0.208	0.083

## LG 35.225.136.198:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.136.198:443/CPU Load					
0	2.03	8	2	1.89	1.17
LG 35.225.136.198:443/Memory Used					
1	8.67	22	8	8.37	5
LG 35.225.136.198:443/Throughput					
0	2.6	5.45	2.59	2.58	1.31
LG 35.225.136.198:443/User Load					
0	39.7	67	44	40	19.6
LG 35.225.136.198:443/Thread Count					
20	101.9	134	106	102.5	22.8
LG 35.225.136.198:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.136.198:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.225.136.198:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.136.198:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.136.198:443/Controller Connection/Ping Duration (ms)					
37	57	60	59	57.9	6.93
LG 35.225.136.198:443/Network/Segments sent/sec.					
0	145.5	269.8	149.6	145.5	65.9
LG 35.225.136.198:443/Network/Segments retransmitted/sec.					
0	0.02	3.22	0	0	0.223
LG 35.225.136.198:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.69	5.61	2.69	2.68	1.35
LG 35.225.136.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.371	0.215	0.207	0.084

## LG 35.225.74.235:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.74.235:443/CPU Load					
0	1.69	8	1	1.55	1.13
LG 35.225.74.235:443/Memory Used					
1	8.85	22	8	8.54	5.06
LG 35.225.74.235:443/Throughput					
0	2.65	6.07	2.6	2.62	1.36
LG 35.225.74.235:443/User Load					
0	40	67	45	40.4	19.6
LG 35.225.74.235:443/Thread Count					
20	101	134	106	101.5	22.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.74.235:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.74.235:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.225.74.235:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.74.235:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.74.235:443/Controller Connection/Ping Duration (ms)					
34	58.3	89	59	57.8	11.1
LG 35.225.74.235:443/Network/Segments sent/sec.					
0	147.9	301.7	152.3	147.1	67.8
LG 35.225.74.235:443/Network/Segments retransmitted/sec.					
0	0.011	1.62	0	0	0.117
LG 35.225.74.235:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.75	6.28	2.7	2.72	1.4
LG 35.225.74.235:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.386	0.219	0.21	0.085

## LG 35.225.91.29:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.91.29:443/CPU Load					
0	1.67	7	1	1.54	0.984
LG 35.225.91.29:443/Memory Used					
1	8.32	21	8	8.07	4.67
LG 35.225.91.29:443/Throughput					
0	2.7	6.01	2.76	2.67	1.35
LG 35.225.91.29:443/User Load					
0	40.3	67	45	40.7	19.4
LG 35.225.91.29:443/Thread Count					
21	102	132	108	102.7	21.9
LG 35.225.91.29:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.91.29:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.225.91.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.91.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.91.29:443/Controller Connection/Ping Duration (ms)					
41	62.8	99	60	61.8	12.4
LG 35.225.91.29:443/Network/Segments sent/sec.					
0	148.2	291.7	150.4	147.5	67.1
LG 35.225.91.29:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.225.91.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.015	2.79	6.23	2.84	2.76	1.38
LG 35.225.91.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.211	0.397	0.222	0.212	0.084

## LG 35.226.209.89:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.209.89:443/CPU Load					
0	1.91	21	2	1.72	1.64
LG 35.226.209.89:443/Memory Used					
1	8.91	22	8	8.61	5.08
LG 35.226.209.89:443/Throughput					
0	2.65	5.77	2.68	2.63	1.35
LG 35.226.209.89:443/User Load					
0	39.9	67	45	40.3	19.6
LG 35.226.209.89:443/Thread Count					
20	103.2	135	109	103.9	22.8
LG 35.226.209.89:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.226.209.89:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.226.209.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.209.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.209.89:443/Controller Connection/Ping Duration (ms)					
37	62.7	98	60	61.9	12.9
LG 35.226.209.89:443/Network/Segments sent/sec.					
0	148.5	297.1	154.3	148.1	67.5
LG 35.226.209.89:443/Network/Segments retransmitted/sec.					
0	0.01	2.01	0	0	0.137
LG 35.226.209.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.75	5.95	2.8	2.72	1.39
LG 35.226.209.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.211	0.369	0.221	0.212	0.086

## LG 35.226.90.89:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.90.89:443/CPU Load					
0	1.62	15	1	1.46	1.36
LG 35.226.90.89:443/Memory Used					
1	8.49	22	7.5	8.2	4.93
LG 35.226.90.89:443/Throughput					
0	2.61	6.27	2.5	2.58	1.36
LG 35.226.90.89:443/User Load					
0	39.5	66	44	39.9	19.3
LG 35.226.90.89:443/Thread Count					
21	101.2	132	106	101.9	21.9
LG 35.226.90.89:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.226.90.89:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.226.90.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.90.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.90.89:443/Controller Connection/Ping Duration (ms)					
40	62.2	95	60	61.4	11.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.90.89:443/Network/Segments sent/sec.					
0	146	308.7	150.1	144.9	68.2
LG 35.226.90.89:443/Network/Segments retransmitted/sec.					
0	0.004	0.401	0	0	0.038
LG 35.226.90.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.42	2.6	2.68	1.4
LG 35.226.90.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.418	0.21	0.208	0.085

## LG 35.232.141.95:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.141.95:443/CPU Load					
0	1.49	18	1	1.32	1.46
LG 35.232.141.95:443/Memory Used					
1	9.02	24	8	8.69	5.21
LG 35.232.141.95:443/Throughput					
0	2.65	6.3	2.57	2.62	1.35
LG 35.232.141.95:443/User Load					
0	39.9	67	45	40.2	19.6
LG 35.232.141.95:443/Thread Count					
21	101.8	133	108	102.4	22.3
LG 35.232.141.95:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.232.141.95:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.232.141.95:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.141.95:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.141.95:443/Controller Connection/Ping Duration (ms)					
59	61	88	59	59.5	7.05
LG 35.232.141.95:443/Network/Segments sent/sec.					
0	147.8	297.7	146.8	147.4	67.2
LG 35.232.141.95:443/Network/Segments retransmitted/sec.					
0	0.008	0.6	0	0	0.065
LG 35.232.141.95:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.75	6.51	2.67	2.73	1.4
LG 35.232.141.95:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.466	0.215	0.21	0.086

## LG 35.232.144.180:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.144.180:443/CPU Load					
0	1.63	8	1	1.5	1.04
LG 35.232.144.180:443/Memory Used					
1	9.21	24	8	8.88	5.42
LG 35.232.144.180:443/Throughput					
0	2.63	6.88	2.53	2.59	1.42
LG 35.232.144.180:443/User Load					
0	39.5	66	44	39.9	19.3
LG 35.232.144.180:443/Thread Count					
21	101.2	132	107	101.9	22.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.144.180:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.232.144.180:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.232.144.180:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.144.180:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.144.180:443/Controller Connection/Ping Duration (ms)					
39	58.8	88	58	58.1	8.65
LG 35.232.144.180:443/Network/Segments sent/sec.					
0	146.9	340.2	147.5	145.3	70
LG 35.232.144.180:443/Network/Segments retransmitted/sec.					
0	0.014	2.43	0	0	0.168
LG 35.232.144.180:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.73	7.04	2.63	2.68	1.46
LG 35.232.144.180:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.369	0.212	0.207	0.084

## LG 35.238.99.130:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.99.130:443/CPU Load					
0	1.67	8	1	1.55	1.12
LG 35.238.99.130:443/Memory Used					
1	9.01	23	8	8.71	5.19
LG 35.238.99.130:443/Throughput					
0	2.67	5.93	2.61	2.63	1.36
LG 35.238.99.130:443/User Load					
0	40	67	45	40.3	19.6
LG 35.238.99.130:443/Thread Count					
21	102.9	134	107	103.6	22.5
LG 35.238.99.130:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.238.99.130:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.238.99.130:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.99.130:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.99.130:443/Controller Connection/Ping Duration (ms)					
58	61	88	59	59.5	6.79
LG 35.238.99.130:443/Network/Segments sent/sec.					
0	147.2	295.1	146.7	146.2	68.1
LG 35.238.99.130:443/Network/Segments retransmitted/sec.					
0	0.017	2.02	0	0	0.152
LG 35.238.99.130:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.76	6.11	2.71	2.72	1.4
LG 35.238.99.130:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.211	0.519	0.22	0.211	0.087

## LG 35.239.236.175:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.236.175:443/CPU Load					
0	1.85	15	2	1.63	1.54
LG 35.239.236.175:443/Memory Used					
1	8.38	23	7.5	8.06	4.95
LG 35.239.236.175:443/Throughput					
0	2.6	6.12	2.53	2.57	1.38
LG 35.239.236.175:443/User Load					
0	39.4	66	44	39.8	19.3
LG 35.239.236.175:443/Thread Count					
21	100.9	131	105	101.7	22
LG 35.239.236.175:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.239.236.175:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.239.236.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.236.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.236.175:443/Controller Connection/Ping Duration (ms)					
34	58.7	89	60	58.2	10.64
LG 35.239.236.175:443/Network/Segments sent/sec.					
0	146.1	292.7	146.9	145.1	68.7
LG 35.239.236.175:443/Network/Segments retransmitted/sec.					
0	0.01	2.02	0	0	0.138
LG 35.239.236.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.31	2.61	2.66	1.42
LG 35.239.236.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.361	0.21	0.208	0.084

## LG 35.239.241.100:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.241.100:443/CPU Load					
0	1.85	20	2	1.63	1.65
LG 35.239.241.100:443/Memory Used					
1	8.29	21	8	8.02	4.61
LG 35.239.241.100:443/Throughput					
0	2.59	6.24	2.43	2.56	1.35
LG 35.239.241.100:443/User Load					
0	39.3	66	44	39.7	19.3
LG 35.239.241.100:443/Thread Count					
20	102	134	106	102.7	22.5
LG 35.239.241.100:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.239.241.100:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.239.241.100:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.241.100:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.241.100:443/Controller Connection/Ping Duration (ms)					
38	60.1	88	60	59.7	8.84

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.241.100:443/Network/Segments sent/sec.					
0	145.2	289.3	145.2	144.7	66.5
LG 35.239.241.100:443/Network/Segments retransmitted/sec.					
0	0.003	0.6	0	0	0.041
LG 35.239.241.100:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.68	6.41	2.54	2.65	1.38
LG 35.239.241.100:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.386	0.211	0.207	0.083

## LG 104.196.140.200:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.140.200:443/CPU Load					
0	1.65	7	1	1.53	1.08
LG 104.196.140.200:443/Memory Used					
1	8.73	21	8	8.47	4.92
LG 104.196.140.200:443/Throughput					
0	2.63	6.43	2.61	2.58	1.39
LG 104.196.140.200:443/User Load					
0	39.9	67	45	40.3	19.6
LG 104.196.140.200:443/Thread Count					
20	101.3	135	107	101.8	22.4
LG 104.196.140.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.196.140.200:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.196.140.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.140.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.140.200:443/Controller Connection/Ping Duration (ms)					
21	31.3	67	27	29.8	12.6
LG 104.196.140.200:443/Network/Segments sent/sec.					
0	145.7	311.2	146.3	144.3	68.1
LG 104.196.140.200:443/Network/Segments retransmitted/sec.					
0	0.008	0.403	0	0	0.048
LG 104.196.140.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	6.63	2.72	2.67	1.43
LG 104.196.140.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.389	0.214	0.208	0.085

## LG 104.196.29.160:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.29.160:443/CPU Load					
0	1.69	13	1	1.48	1.35
LG 104.196.29.160:443/Memory Used					
1	8.74	22	8	8.44	5.04
LG 104.196.29.160:443/Throughput					
0	2.64	5.64	2.57	2.62	1.29
LG 104.196.29.160:443/User Load					
0	40.2	67	45	40.6	19.4
LG 104.196.29.160:443/Thread Count					
20	102.6	133	107	103.4	22.4



Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.196.29.160:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 104.196.29.160:443/Http client/Task Pool used</b>					
0	0	0	0	0	0
<b>LG 104.196.29.160:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.29.160:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.29.160:443/Controller Connection/Ping Duration (ms)</b>					
27	32	65	28	30.3	11.5
<b>LG 104.196.29.160:443/Network/Segments sent/sec.</b>					
7.04	147.4	281.2	148.2	146.8	66.2
<b>LG 104.196.29.160:443/Network/Segments retransmitted/sec.</b>					
0	0.012	1.2	0	0	0.095
<b>LG 104.196.29.160:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	2.73	5.82	2.66	2.71	1.32
<b>LG 104.196.29.160:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.008	0.211	0.391	0.211	0.212	0.085

## LG 104.196.51.121:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.196.51.121:443/CPU Load</b>					
0	1.65	17	1	1.51	1.35
<b>LG 104.196.51.121:443/Memory Used</b>					
2	8.48	23	8	8.16	4.8
<b>LG 104.196.51.121:443/Throughput</b>					
0	2.6	5.94	2.54	2.57	1.36
<b>LG 104.196.51.121:443/User Load</b>					
0	39.3	66	44	39.7	19.3
<b>LG 104.196.51.121:443/Thread Count</b>					
20	100.3	132	105	101	22.5
<b>LG 104.196.51.121:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 104.196.51.121:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.001
<b>LG 104.196.51.121:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.51.121:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.51.121:443/Controller Connection/Ping Duration (ms)</b>					
26	31.3	67	27	29.4	12.8
<b>LG 104.196.51.121:443/Network/Segments sent/sec.</b>					
0	145.8	287.4	142.3	145.4	68
<b>LG 104.196.51.121:443/Network/Segments retransmitted/sec.</b>					
0	0.001	0.198	0	0	0.013
<b>LG 104.196.51.121:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	2.7	6.12	2.64	2.67	1.4
<b>LG 104.196.51.121:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.207	0.422	0.208	0.207	0.085

## LG 34.73.137.143:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.137.143:443/CPU Load					
0	1.67	17	1	1.52	1.38
LG 34.73.137.143:443/Memory Used					
1	7.97	21	7	7.7	4.42
LG 34.73.137.143:443/Throughput					
0	2.58	6.41	2.56	2.54	1.34
LG 34.73.137.143:443/User Load					
0	39.3	66	44	39.7	19.3
LG 34.73.137.143:443/Thread Count					
20	101.6	133	107	102.3	22.3
LG 34.73.137.143:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.137.143:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.137.143:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.137.143:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.137.143:443/Controller Connection/Ping Duration (ms)					
16	29	63	28	27.7	8.89
LG 34.73.137.143:443/Network/Segments sent/sec.					
0	146.1	325.8	150.8	144.9	68.1
LG 34.73.137.143:443/Network/Segments retransmitted/sec.					
0	0.018	2.41	0	0	0.167
LG 34.73.137.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.68	6.6	2.67	2.63	1.38
LG 34.73.137.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.438	0.218	0.207	0.085

## LG 34.73.144.9:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.144.9:443/CPU Load					
0	1.68	8	1	1.52	1.1
LG 34.73.144.9:443/Memory Used					
1	8.84	23	8	8.54	5.12
LG 34.73.144.9:443/Throughput					
0	2.65	5.56	2.54	2.62	1.32
LG 34.73.144.9:443/User Load					
0	40.3	67	45	40.6	19.3
LG 34.73.144.9:443/Thread Count					
21	103.3	135	109	104	22.9
LG 34.73.144.9:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.144.9:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.144.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.144.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.144.9:443/Controller Connection/Ping Duration (ms)					
27	31.5	63	28	29.9	10.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.144.9:443/Network/Segments sent/sec.					
0	145.8	288.5	143.6	145.1	65.9
LG 34.73.144.9:443/Network/Segments retransmitted/sec.					
0	0.007	0.608	0	0	0.064
LG 34.73.144.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.74	5.73	2.63	2.71	1.36
LG 34.73.144.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.41	0.22	0.209	0.085

## LG 34.73.159.169:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.159.169:443/CPU Load					
0	1.62	19	1	1.43	1.54
LG 34.73.159.169:443/Memory Used					
1	8.87	23	8	8.59	4.93
LG 34.73.159.169:443/Throughput					
0	2.63	6.39	2.5	2.59	1.37
LG 34.73.159.169:443/User Load					
0	40	67	45	40.3	19.6
LG 34.73.159.169:443/Thread Count					
20	101.7	133	107	102.3	22.2
LG 34.73.159.169:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.159.169:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.159.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.159.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.159.169:443/Controller Connection/Ping Duration (ms)					
20	28.6	65	27	26.9	9.36
LG 34.73.159.169:443/Network/Segments sent/sec.					
0	146.1	295.3	147.6	145.1	67.6
LG 34.73.159.169:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 34.73.159.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.73	6.56	2.6	2.69	1.41
LG 34.73.159.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.462	0.211	0.208	0.085

## LG 34.73.182.7:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.182.7:443/CPU Load					
0	1.77	16	1	1.58	1.44
LG 34.73.182.7:443/Memory Used					
1	8.01	20	7	7.77	4.39
LG 34.73.182.7:443/Throughput					
0	2.61	6.5	2.43	2.58	1.34
LG 34.73.182.7:443/User Load					
0	40.2	67	45	40.5	19.4
LG 34.73.182.7:443/Thread Count					
20	103.2	135	108	103.9	22.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.182.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.182.7:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.182.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.182.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.182.7:443/Controller Connection/Ping Duration (ms)					
21	31.1	67	27	29.5	12.4
LG 34.73.182.7:443/Network/Segments sent/sec.					
0	145.6	304.7	147.6	144.6	66.6
LG 34.73.182.7:443/Network/Segments retransmitted/sec.					
0	0.006	0.2	0	0	0.033
LG 34.73.182.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	6.7	2.52	2.67	1.38
LG 34.73.182.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.411	0.218	0.21	0.084

## LG 34.73.207.61:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.207.61:443/CPU Load					
0	1.52	7	1	1.38	1.03
LG 34.73.207.61:443/Memory Used					
1	9.08	24	8	8.76	5.33
LG 34.73.207.61:443/Throughput					
0	2.63	6.23	2.67	2.61	1.31
LG 34.73.207.61:443/User Load					
0	40.1	67	45	40.5	19.4
LG 34.73.207.61:443/Thread Count					
20	102.6	135	109	103.2	22.3
LG 34.73.207.61:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.207.61:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.207.61:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.207.61:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.207.61:443/Controller Connection/Ping Duration (ms)					
20	30.9	66	27	29.4	13
LG 34.73.207.61:443/Network/Segments sent/sec.					
0	148.1	306.9	157.9	147.6	67.3
LG 34.73.207.61:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.027
LG 34.73.207.61:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.73	6.44	2.79	2.71	1.35
LG 34.73.207.61:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.443	0.213	0.21	0.084

## LG 34.73.78.32:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.78.32:443/CPU Load					
0	1.71	16	1	1.54	1.4
LG 34.73.78.32:443/Memory Used					
1	8	20	7	7.75	4.45
LG 34.73.78.32:443/Throughput					
0	2.63	7.18	2.67	2.59	1.36
LG 34.73.78.32:443/User Load					
0	39.7	67	44	40	19.6
LG 34.73.78.32:443/Thread Count					
20	101.7	133	106	102.3	22.5
LG 34.73.78.32:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.78.32:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.78.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.78.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.78.32:443/Controller Connection/Ping Duration (ms)					
16	28.7	66	27	27.2	9.65
LG 34.73.78.32:443/Network/Segments sent/sec.					
0	147.2	339.5	149.6	146.1	68.1
LG 34.73.78.32:443/Network/Segments retransmitted/sec.					
0	0.009	1.61	0	0	0.111
LG 34.73.78.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.73	7.43	2.77	2.69	1.4
LG 34.73.78.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.531	0.216	0.209	0.088

## LG 34.73.84.246:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.84.246:443/CPU Load					
0	1.66	17	1	1.51	1.41
LG 34.73.84.246:443/Memory Used					
1	8.5	22	8	8.21	4.88
LG 34.73.84.246:443/Throughput					
0	2.6	6.88	2.54	2.55	1.36
LG 34.73.84.246:443/User Load					
0	39.7	67	44	40	19.6
LG 34.73.84.246:443/Thread Count					
20	102.4	133	107	103.1	22.6
LG 34.73.84.246:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.84.246:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.84.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.84.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.84.246:443/Controller Connection/Ping Duration (ms)					
27	32	65	28	30.3	11.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.84.246:443/Network/Segments sent/sec.					
0	145	314	145.2	144	67.2
LG 34.73.84.246:443/Network/Segments retransmitted/sec.					
0	0.008	0.798	0	0	0.062
LG 34.73.84.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	2.7	7.09	2.64	2.65	1.4
LG 34.73.84.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.426	0.211	0.206	0.085

## LG 34.73.86.253:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.86.253:443/CPU Load					
0	1.55	8	1	1.44	1.02
LG 34.73.86.253:443/Memory Used					
1	8.35	21	8	8.07	4.74
LG 34.73.86.253:443/Throughput					
0	2.62	6.82	2.54	2.57	1.39
LG 34.73.86.253:443/User Load					
0	39.3	66	44	39.7	19.3
LG 34.73.86.253:443/Thread Count					
20	100.7	131	106	101.5	22.3
LG 34.73.86.253:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.86.253:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.86.253:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.86.253:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.86.253:443/Controller Connection/Ping Duration (ms)					
26	31.4	67	27	29.5	12.1
LG 34.73.86.253:443/Network/Segments sent/sec.					
0	145.9	324.5	146.6	144.2	69.1
LG 34.73.86.253:443/Network/Segments retransmitted/sec.					
0	0.008	0.8	0	0	0.062
LG 34.73.86.253:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	7.02	2.66	2.67	1.43
LG 34.73.86.253:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.396	0.219	0.207	0.085

## LG 34.74.126.242:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.126.242:443/CPU Load					
0	1.67	20	1	1.47	1.59
LG 34.74.126.242:443/Memory Used					
1	7.85	20	7	7.6	4.23
LG 34.74.126.242:443/Throughput					
0	2.59	6.33	2.61	2.56	1.29
LG 34.74.126.242:443/User Load					
0	39.4	66	44	39.8	19.3
LG 34.74.126.242:443/Thread Count					
20	101	132	105	101.7	22.5

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.126.242:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.74.126.242:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.002
<b>LG 34.74.126.242:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.126.242:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.126.242:443/Controller Connection/Ping Duration (ms)</b>					
27	32.1	67	28	30.3	12.4
<b>LG 34.74.126.242:443/Network/Segments sent/sec.</b>					
0	144.3	303.1	146.1	144	64.7
<b>LG 34.74.126.242:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.201	0	0	0.019
<b>LG 34.74.126.242:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	2.68	6.52	2.7	2.66	1.33
<b>LG 34.74.126.242:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.206	0.395	0.212	0.207	0.083

## LG 34.74.15.178:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.15.178:443/CPU Load</b>					
0	1.6	16	1	1.44	1.37
<b>LG 34.74.15.178:443/Memory Used</b>					
1	8.85	22	8	8.58	4.97
<b>LG 34.74.15.178:443/Throughput</b>					
0	2.65	6.26	2.71	2.61	1.4
<b>LG 34.74.15.178:443/User Load</b>					
0	39.9	67	45	40.3	19.7
<b>LG 34.74.15.178:443/Thread Count</b>					
20	100.9	132	106.5	101.5	22.1
<b>LG 34.74.15.178:443/Http client/Thread Pool used</b>					
0.1	0.1	0.1	0.1	0.1	0
<b>LG 34.74.15.178:443/Http client/Task Pool used</b>					
0	0	0.017	0	0	0.001
<b>LG 34.74.15.178:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.15.178:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.15.178:443/Controller Connection/Ping Duration (ms)</b>					
26	31.9	67	27	30.1	12.5
<b>LG 34.74.15.178:443/Network/Segments sent/sec.</b>					
0	148.8	314.3	154.9	147.7	70.5
<b>LG 34.74.15.178:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.4	0	0	0.033
<b>LG 34.74.15.178:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	2.75	6.44	2.81	2.71	1.44
<b>LG 34.74.15.178:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.21	0.439	0.221	0.209	0.087

## LG 34.74.189.25:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.189.25:443/CPU Load					
0	1.69	15	1	1.51	1.43
LG 34.74.189.25:443/Memory Used					
1	8.82	24	8	8.48	5.26
LG 34.74.189.25:443/Throughput					
0	2.62	6.36	2.55	2.58	1.34
LG 34.74.189.25:443/User Load					
0	39.4	66	44	39.8	19.3
LG 34.74.189.25:443/Thread Count					
20	100.8	133	106	101.4	22.3
LG 34.74.189.25:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.189.25:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.189.25:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.189.25:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.189.25:443/Controller Connection/Ping Duration (ms)					
26	31.1	63	27	29.5	11.4
LG 34.74.189.25:443/Network/Segments sent/sec.					
0	145	334.8	146.3	144.1	66.9
LG 34.74.189.25:443/Network/Segments retransmitted/sec.					
0	0.011	2.41	0	0	0.164
LG 34.74.189.25:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	6.57	2.65	2.67	1.38
LG 34.74.189.25:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.424	0.208	0.207	0.086

## LG 34.74.54.194:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.54.194:443/CPU Load					
0	1.73	18	1	1.54	1.59
LG 34.74.54.194:443/Memory Used					
1	8.83	23	8	8.5	5.21
LG 34.74.54.194:443/Throughput					
0	2.65	5.94	2.51	2.61	1.4
LG 34.74.54.194:443/User Load					
0	39.3	66	44	39.7	19.3
LG 34.74.54.194:443/Thread Count					
20	100.2	133	105	100.8	22
LG 34.74.54.194:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.54.194:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.74.54.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.54.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.54.194:443/Controller Connection/Ping Duration (ms)					
26	30.7	62	27	29.1	10.49



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.54.194:443/Network/Segments sent/sec.					
0	147.5	312.1	144.2	146.4	69.5
LG 34.74.54.194:443/Network/Segments retransmitted/sec.					
0	0.006	0.602	0	0	0.052
LG 34.74.54.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.75	6.13	2.6	2.71	1.44
LG 34.74.54.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.41	0.215	0.21	0.087

## LG 34.74.77.56:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.77.56:443/CPU Load					
0	1.61	7	1	1.49	0.982
LG 34.74.77.56:443/Memory Used					
0	7.81	19	7	7.58	4.27
LG 34.74.77.56:443/Throughput					
0	2.61	5.53	2.43	2.59	1.36
LG 34.74.77.56:443/User Load					
0	39.7	67	44	40.1	19.6
LG 34.74.77.56:443/Thread Count					
20	101.6	133	106	102.3	22.4
LG 34.74.77.56:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.77.56:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.77.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.77.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.77.56:443/Controller Connection/Ping Duration (ms)					
27	31.4	64	27	29.7	11.9
LG 34.74.77.56:443/Network/Segments sent/sec.					
0	147	322.1	141.6	146.1	69.1
LG 34.74.77.56:443/Network/Segments retransmitted/sec.					
0	0.007	1.2	0	0	0.084
LG 34.74.77.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	5.71	2.52	2.69	1.4
LG 34.74.77.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.413	0.209	0.207	0.086

## LG 35.185.6.83:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.6.83:443/CPU Load					
0	1.75	16	1	1.57	1.45
LG 35.185.6.83:443/Memory Used					
1	8.88	23	8	8.57	5.14
LG 35.185.6.83:443/Throughput					
0	2.59	6.32	2.42	2.55	1.33
LG 35.185.6.83:443/User Load					
0	39.3	66	44	39.7	19.3
LG 35.185.6.83:443/Thread Count					
21	102.1	134	108	102.8	22.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.6.83:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.6.83:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.185.6.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.6.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.6.83:443/Controller Connection/Ping Duration (ms)					
17	29	66	27	27.4	9.53
LG 35.185.6.83:443/Network/Segments sent/sec.					
0	143	311.7	144.4	142.2	66
LG 35.185.6.83:443/Network/Segments retransmitted/sec.					
0	0.013	1.61	0	0	0.114
LG 35.185.6.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.68	6.52	2.5	2.65	1.37
LG 35.185.6.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.39	0.215	0.207	0.083

## LG 35.185.98.57:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.98.57:443/CPU Load					
0	1.7	7	1	1.55	1.08
LG 35.185.98.57:443/Memory Used					
1	8.86	23	8	8.56	5.07
LG 35.185.98.57:443/Throughput					
0	2.64	5.34	2.66	2.64	1.29
LG 35.185.98.57:443/User Load					
0	40	67	44	40.3	19.4
LG 35.185.98.57:443/Thread Count					
20	103.2	134	109	104	22.2
LG 35.185.98.57:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.98.57:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.185.98.57:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.98.57:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.98.57:443/Controller Connection/Ping Duration (ms)					
27	34.7	67	28	33.1	14.9
LG 35.185.98.57:443/Network/Segments sent/sec.					
0	147.9	272.9	152.8	148	66.2
LG 35.185.98.57:443/Network/Segments retransmitted/sec.					
0	0.006	0.4	0	0	0.045
LG 35.185.98.57:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.74	5.51	2.76	2.73	1.33
LG 35.185.98.57:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.426	0.214	0.209	0.084

## LG 35.196.20.17:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.20.17:443/CPU Load					
0	1.55	16	1	1.38	1.39
LG 35.196.20.17:443/Memory Used					
1	8.63	23	8	8.31	5.07
LG 35.196.20.17:443/Throughput					
0	2.67	6.68	2.52	2.63	1.4
LG 35.196.20.17:443/User Load					
0	39.7	67	44	40.1	19.6
LG 35.196.20.17:443/Thread Count					
20	101	132	106	101.5	22.4
LG 35.196.20.17:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.20.17:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.20.17:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.20.17:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.20.17:443/Controller Connection/Ping Duration (ms)					
18	31.2	66	27	29.8	12.9
LG 35.196.20.17:443/Network/Segments sent/sec.					
0	147.3	324.2	147.6	145.7	69.7
LG 35.196.20.17:443/Network/Segments retransmitted/sec.					
0	0.013	0.6	0	0	0.076
LG 35.196.20.17:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.77	6.86	2.62	2.73	1.44
LG 35.196.20.17:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.392	0.217	0.211	0.087

## LG 35.196.221.22:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.221.22:443/CPU Load					
0	1.6	10	1	1.47	1.04
LG 35.196.221.22:443/Memory Used					
1	8.14	21	7	7.88	4.5
LG 35.196.221.22:443/Throughput					
0	2.63	6.5	2.56	2.59	1.36
LG 35.196.221.22:443/User Load					
0	40.2	67	45	40.6	19.4
LG 35.196.221.22:443/Thread Count					
20	102.3	131	109	103.1	21.8
LG 35.196.221.22:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.221.22:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.221.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.221.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.221.22:443/Controller Connection/Ping Duration (ms)					
16	31.4	67	27	30.1	13.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.221.22:443/Network/Segments sent/sec.					
0	146.9	315.9	149.9	146	68
LG 35.196.221.22:443/Network/Segments retransmitted/sec.					
0	0.006	0.6	0	0	0.049
LG 35.196.221.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	6.69	2.65	2.69	1.4
LG 35.196.221.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.394	0.213	0.208	0.084

## LG 35.196.250.44:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.250.44:443/CPU Load					
0	1.64	8	1	1.5	1.06
LG 35.196.250.44:443/Memory Used					
1	8.81	22	8	8.53	4.92
LG 35.196.250.44:443/Throughput					
0	2.63	5.62	2.66	2.6	1.34
LG 35.196.250.44:443/User Load					
0	40.1	67	45	40.4	19.6
LG 35.196.250.44:443/Thread Count					
21	102.5	133	108	103.2	22.2
LG 35.196.250.44:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.250.44:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.250.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.250.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.250.44:443/Controller Connection/Ping Duration (ms)					
27	31.4	63	27	29.8	11.5
LG 35.196.250.44:443/Network/Segments sent/sec.					
0	146.2	294.1	146.3	145.6	67.5
LG 35.196.250.44:443/Network/Segments retransmitted/sec.					
0	0.012	1.81	0	0	0.13
LG 35.196.250.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	5.82	2.75	2.69	1.37
LG 35.196.250.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.432	0.217	0.209	0.085

## LG 35.196.50.93:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.50.93:443/CPU Load					
0	1.65	16	1	1.48	1.46
LG 35.196.50.93:443/Memory Used					
1	8.86	21	8	8.58	4.98
LG 35.196.50.93:443/Throughput					
0	2.62	6.98	2.58	2.58	1.37
LG 35.196.50.93:443/User Load					
0	39.7	67	44	40.1	19.6
LG 35.196.50.93:443/Thread Count					
20	101.3	132	106	101.9	22.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.50.93:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.50.93:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.196.50.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.50.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.50.93:443/Controller Connection/Ping Duration (ms)					
23	29.6	64	28	27.9	8.65
LG 35.196.50.93:443/Network/Segments sent/sec.					
0	146.6	309.5	143.4	145.8	68.1
LG 35.196.50.93:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 35.196.50.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	7.17	2.67	2.68	1.41
LG 35.196.50.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.385	0.214	0.21	0.085

## LG 35.196.89.193:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.89.193:443/CPU Load					
0	1.54	9	1	1.41	1.03
LG 35.196.89.193:443/Memory Used					
1	8.09	21	7	7.83	4.44
LG 35.196.89.193:443/Throughput					
0	2.59	7.26	2.44	2.55	1.36
LG 35.196.89.193:443/User Load					
0	39.5	66	44	39.8	19.3
LG 35.196.89.193:443/Thread Count					
20	101.8	133	107	102.5	22.6
LG 35.196.89.193:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.89.193:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.196.89.193:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.89.193:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.89.193:443/Controller Connection/Ping Duration (ms)					
17	30.6	67	27	29.2	12.9
LG 35.196.89.193:443/Network/Segments sent/sec.					
0	146.2	340.6	142.5	144.8	69.1
LG 35.196.89.193:443/Network/Segments retransmitted/sec.					
0	0.006	0.802	0	0	0.059
LG 35.196.89.193:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.69	7.48	2.54	2.65	1.41
LG 35.196.89.193:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.393	0.211	0.207	0.085

## LG 35.196.97.32:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.97.32:443/CPU Load					
0	1.96	25	2	1.7	1.99
LG 35.196.97.32:443/Memory Used					
1	8.93	24	8	8.57	5.31
LG 35.196.97.32:443/Throughput					
0	2.64	5.82	2.68	2.63	1.35
LG 35.196.97.32:443/User Load					
0	40	67	45	40.3	19.6
LG 35.196.97.32:443/Thread Count					
21	101	133	106	101.5	22.4
LG 35.196.97.32:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.196.97.32:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.196.97.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.97.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.97.32:443/Controller Connection/Ping Duration (ms)					
22	31.7	67	28	30.1	13
LG 35.196.97.32:443/Network/Segments sent/sec.					
0	146.5	285.3	151	145.9	67.4
LG 35.196.97.32:443/Network/Segments retransmitted/sec.					
0	0.009	0.6	0	0	0.066
LG 35.196.97.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.74	6	2.76	2.72	1.39
LG 35.196.97.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.418	0.216	0.21	0.085

## LG 35.227.70.4:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.70.4:443/CPU Load					
0	1.63	20	1	1.43	1.65
LG 35.227.70.4:443/Memory Used					
2	8	19	7	7.77	4.3
LG 35.227.70.4:443/Throughput					
0	2.64	6.55	2.68	2.61	1.41
LG 35.227.70.4:443/User Load					
0	39.9	67	45	40.3	19.6
LG 35.227.70.4:443/Thread Count					
20	101.1	131	106	101.8	21.8
LG 35.227.70.4:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.70.4:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.227.70.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.70.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.70.4:443/Controller Connection/Ping Duration (ms)					
27	31.4	65	27	29.7	12

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.70.4:443/Network/Segments sent/sec.					
0	146.4	282.7	146.4	146	69.2
LG 35.227.70.4:443/Network/Segments retransmitted/sec.					
0	0.012	2.4	0	0	0.164
LG 35.227.70.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.74	6.77	2.78	2.71	1.45
LG 35.227.70.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.42	0.214	0.209	0.087

## LG 35.227.81.144:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.81.144:443/CPU Load					
0	1.64	17	1	1.48	1.46
LG 35.227.81.144:443/Memory Used					
1	8.54	23	7.5	8.23	4.91
LG 35.227.81.144:443/Throughput					
0	2.6	6.75	2.6	2.56	1.36
LG 35.227.81.144:443/User Load					
0	40	67	45	40.4	19.6
LG 35.227.81.144:443/Thread Count					
20	101.8	133	107	102.4	22.5
LG 35.227.81.144:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.81.144:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.227.81.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.81.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.81.144:443/Controller Connection/Ping Duration (ms)					
22	29	64	27	27.3	8.81
LG 35.227.81.144:443/Network/Segments sent/sec.					
0	146.9	315.8	149.7	145.6	68.2
LG 35.227.81.144:443/Network/Segments retransmitted/sec.					
0	0.016	2.21	0	0	0.155
LG 35.227.81.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.96	2.7	2.66	1.4
LG 35.227.81.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.397	0.218	0.21	0.086

## LG 35.227.99.113:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.99.113:443/CPU Load					
0	1.85	11	2	1.64	1.51
LG 35.227.99.113:443/Memory Used					
1	8.77	22	8	8.49	4.99
LG 35.227.99.113:443/Throughput					
0	2.64	5.68	2.56	2.61	1.35
LG 35.227.99.113:443/User Load					
0	39.9	67	45	40.3	19.6
LG 35.227.99.113:443/Thread Count					
20	101.8	134	106	102.4	22.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.99.113:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.99.113:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.227.99.113:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.99.113:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.99.113:443/Controller Connection/Ping Duration (ms)					
27	31.6	64	27	29.9	11.6
LG 35.227.99.113:443/Network/Segments sent/sec.					
0	145.9	277.9	150.9	145.7	65.2
LG 35.227.99.113:443/Network/Segments retransmitted/sec.					
0	0.01	0.6	0	0	0.067
LG 35.227.99.113:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.73	5.86	2.67	2.7	1.39
LG 35.227.99.113:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.386	0.216	0.209	0.084

## LG 35.229.103.56:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.103.56:443/CPU Load					
0	1.65	15	1	1.47	1.36
LG 35.229.103.56:443/Memory Used					
1	9.06	23	8	8.74	5.19
LG 35.229.103.56:443/Throughput					
0	2.62	5.63	2.62	2.6	1.34
LG 35.229.103.56:443/User Load					
0	40	67	45	40.4	19.6
LG 35.229.103.56:443/Thread Count					
20	102.7	134	109	103.3	22.6
LG 35.229.103.56:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.103.56:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.229.103.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.103.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.103.56:443/Controller Connection/Ping Duration (ms)					
26	31.1	67	27	29.2	12.4
LG 35.229.103.56:443/Network/Segments sent/sec.					
0	147.7	291.1	150.7	147.3	67.9
LG 35.229.103.56:443/Network/Segments retransmitted/sec.					
0	0.009	1	0	0	0.081
LG 35.229.103.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	5.8	2.74	2.7	1.38
LG 35.229.103.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.396	0.213	0.21	0.086



## LG 35.229.117.7:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.117.7:443/CPU Load					
0	1.69	17	1	1.49	1.54
LG 35.229.117.7:443/Memory Used					
1	8.66	24	8	8.34	5.03
LG 35.229.117.7:443/Throughput					
0	2.67	6.35	2.56	2.63	1.4
LG 35.229.117.7:443/User Load					
0	40	67	45	40.3	19.6
LG 35.229.117.7:443/Thread Count					
20	101.8	134	107	102.3	22.6
LG 35.229.117.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.117.7:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.229.117.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.117.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.117.7:443/Controller Connection/Ping Duration (ms)					
27	31.9	67	27	30.1	12.2
LG 35.229.117.7:443/Network/Segments sent/sec.					
0	148.1	310.5	152	146.9	69.7
LG 35.229.117.7:443/Network/Segments retransmitted/sec.					
0	0.01	0.6	0	0	0.062
LG 35.229.117.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.77	6.54	2.65	2.73	1.44
LG 35.229.117.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.381	0.216	0.209	0.085

## LG 35.231.1.140:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.1.140:443/CPU Load					
0	1.55	7	1	1.44	0.971
LG 35.231.1.140:443/Memory Used					
2	8.22	20	8	7.97	4.38
LG 35.231.1.140:443/Throughput					
0	2.62	6.48	2.6	2.57	1.37
LG 35.231.1.140:443/User Load					
0	40	67	45	40.3	19.6
LG 35.231.1.140:443/Thread Count					
20	101.2	132	108	101.9	22.4
LG 35.231.1.140:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.1.140:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.1.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.1.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.1.140:443/Controller Connection/Ping Duration (ms)					
17	32.9	67	26	31.7	15.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.1.140:443/Network/Segments sent/sec.					
0	147.2	315.5	149.6	145.6	70.1
LG 35.231.1.140:443/Network/Segments retransmitted/sec.					
0	0.017	2.8	0	0	0.192
LG 35.231.1.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	6.72	2.71	2.68	1.41
LG 35.231.1.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.424	0.217	0.21	0.088

## LG 35.231.128.49:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.128.49:443/CPU Load					
0	1.68	19	1	1.46	1.72
LG 35.231.128.49:443/Memory Used					
1	8.69	23	8	8.34	5.19
LG 35.231.128.49:443/Throughput					
0	2.63	6.83	2.64	2.58	1.39
LG 35.231.128.49:443/User Load					
0	39.4	66	44	39.8	19.3
LG 35.231.128.49:443/Thread Count					
20	100.6	132	106	101.3	22.4
LG 35.231.128.49:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.128.49:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.128.49:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.128.49:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.128.49:443/Controller Connection/Ping Duration (ms)					
27	31.8	66	28	30	11.9
LG 35.231.128.49:443/Network/Segments sent/sec.					
0	145.5	339	150.7	144.1	68.5
LG 35.231.128.49:443/Network/Segments retransmitted/sec.					
0	0.005	0.402	0	0	0.036
LG 35.231.128.49:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.73	7.07	2.75	2.68	1.43
LG 35.231.128.49:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.409	0.217	0.208	0.086

## LG 35.231.247.66:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.247.66:443/CPU Load					
0	1.47	7	1	1.33	1.02
LG 35.231.247.66:443/Memory Used					
1	8.99	24	8	8.67	5.21
LG 35.231.247.66:443/Throughput					
0	2.65	6.11	2.53	2.61	1.41
LG 35.231.247.66:443/User Load					
0	39.7	67	44	40.1	19.6
LG 35.231.247.66:443/Thread Count					
20	101.1	132	107	101.8	22.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.247.66:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.247.66:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.247.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.247.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.247.66:443/Controller Connection/Ping Duration (ms)					
26	31.1	68	26	29.2	13.1
LG 35.231.247.66:443/Network/Segments sent/sec.					
0	146.9	322.7	150.3	145.7	70.1
LG 35.231.247.66:443/Network/Segments retransmitted/sec.					
0	0.003	0.402	0	0	0.03
LG 35.231.247.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.75	6.32	2.64	2.71	1.45
LG 35.231.247.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.425	0.22	0.21	0.088

## LG 35.231.253.228:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.253.228:443/CPU Load					
0	1.59	7	1	1.49	0.95
LG 35.231.253.228:443/Memory Used					
1	8.94	23	8	8.63	5.09
LG 35.231.253.228:443/Throughput					
0	2.62	6.4	2.59	2.57	1.38
LG 35.231.253.228:443/User Load					
0	39.7	67	44	40.1	19.6
LG 35.231.253.228:443/Thread Count					
20	102.1	134	106	102.7	22.7
LG 35.231.253.228:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.253.228:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.231.253.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.253.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.253.228:443/Controller Connection/Ping Duration (ms)					
20	25.8	27	26	26	1.47
LG 35.231.253.228:443/Network/Segments sent/sec.					
0	145.4	327.7	142.2	144.1	68.4
LG 35.231.253.228:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.027
LG 35.231.253.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	6.6	2.68	2.67	1.42
LG 35.231.253.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.435	0.211	0.208	0.085

## LG 35.231.94.79:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.94.79:443/CPU Load					
0	1.76	12	2	1.59	1.29
LG 35.231.94.79:443/Memory Used					
1	8.4	21	7	8.11	4.88
LG 35.231.94.79:443/Throughput					
0	2.58	6.34	2.61	2.54	1.32
LG 35.231.94.79:443/User Load					
0	39.6	67	44	39.9	19.6
LG 35.231.94.79:443/Thread Count					
21	100.6	132	105	101.3	22.3
LG 35.231.94.79:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.94.79:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.231.94.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.94.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.94.79:443/Controller Connection/Ping Duration (ms)					
27	33.8	67	27	32.2	14.7
LG 35.231.94.79:443/Network/Segments sent/sec.					
0	145.2	294.8	145.6	144.6	66.5
LG 35.231.94.79:443/Network/Segments retransmitted/sec.					
0	0.014	2.42	0	0	0.166
LG 35.231.94.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.67	6.52	2.7	2.64	1.36
LG 35.231.94.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.388	0.218	0.209	0.084

## LG 35.237.109.35:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.109.35:443/CPU Load					
0	1.86	17	2	1.6	1.78
LG 35.237.109.35:443/Memory Used					
1	8.73	23	8	8.42	5.03
LG 35.237.109.35:443/Throughput					
0	2.6	6.34	2.56	2.56	1.36
LG 35.237.109.35:443/User Load					
0	39.4	66	44	39.8	19.3
LG 35.237.109.35:443/Thread Count					
20	100	130	105	100.7	22
LG 35.237.109.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.109.35:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.109.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.109.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.109.35:443/Controller Connection/Ping Duration (ms)					
27	31.9	63	28	30.3	11.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.109.35:443/Network/Segments sent/sec.					
0	145.3	305.1	147.2	144.4	66.3
LG 35.237.109.35:443/Network/Segments retransmitted/sec.					
0	0.013	1.2	0	0	0.096
LG 35.237.109.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.53	2.66	2.65	1.4
LG 35.237.109.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.386	0.207	0.207	0.083

## LG 35.237.147.42:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.147.42:443/CPU Load					
0	1.62	8	1	1.51	1.01
LG 35.237.147.42:443/Memory Used					
1	8.75	22	8	8.46	4.97
LG 35.237.147.42:443/Throughput					
0	2.61	6.12	2.54	2.58	1.35
LG 35.237.147.42:443/User Load					
0	39.9	67	45	40.3	19.6
LG 35.237.147.42:443/Thread Count					
20	101.8	134	107	102.4	22.6
LG 35.237.147.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.147.42:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.147.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.147.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.147.42:443/Controller Connection/Ping Duration (ms)					
26	29.1	62	27	27.3	8.21
LG 35.237.147.42:443/Network/Segments sent/sec.					
0	145.3	293.5	145.4	144.8	67.5
LG 35.237.147.42:443/Network/Segments retransmitted/sec.					
0	0.008	1	0	0	0.08
LG 35.237.147.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.3	2.65	2.67	1.39
LG 35.237.147.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.455	0.213	0.208	0.086

## LG 35.237.168.185:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.168.185:443/CPU Load					
0	1.78	14	1	1.58	1.4
LG 35.237.168.185:443/Memory Used					
1	7.59	19	7	7.37	4.14
LG 35.237.168.185:443/Throughput					
0	2.56	6.31	2.51	2.53	1.3
LG 35.237.168.185:443/User Load					
0	39.4	66	44	39.7	19.3
LG 35.237.168.185:443/Thread Count					
21	101.9	133	106	102.6	22.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.168.185:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.168.185:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.168.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.168.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.168.185:443/Controller Connection/Ping Duration (ms)					
26	31.2	66	27	29.4	12.5
LG 35.237.168.185:443/Network/Segments sent/sec.					
0	144.8	313.2	144.6	144.5	66.1
LG 35.237.168.185:443/Network/Segments retransmitted/sec.					
0	0.008	0.798	0	0	0.07
LG 35.237.168.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.66	6.51	2.61	2.63	1.33
LG 35.237.168.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.41	0.211	0.208	0.085

## LG 35.237.179.185:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.179.185:443/CPU Load					
0	1.79	20	1	1.57	1.71
LG 35.237.179.185:443/Memory Used					
1	8.78	22	8	8.5	4.96
LG 35.237.179.185:443/Throughput					
0	2.57	6.61	2.44	2.52	1.4
LG 35.237.179.185:443/User Load					
0	39.5	66	44	39.9	19.3
LG 35.237.179.185:443/Thread Count					
20	101.9	135	106	102.5	22.7
LG 35.237.179.185:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.179.185:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.237.179.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.179.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.179.185:443/Controller Connection/Ping Duration (ms)					
16	31.5	67	28	30.3	12.5
LG 35.237.179.185:443/Network/Segments sent/sec.					
0	142	320.4	139.6	140.4	67.2
LG 35.237.179.185:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.027
LG 35.237.179.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.66	6.82	2.54	2.61	1.44
LG 35.237.179.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.205	0.363	0.211	0.206	0.085

## LG 35.237.180.229:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.180.229:443/CPU Load					
0	1.46	7	1	1.37	0.973
LG 35.237.180.229:443/Memory Used					
1	8.25	21	7	7.94	4.8
LG 35.237.180.229:443/Throughput					
0	2.6	6.51	2.51	2.57	1.32
LG 35.237.180.229:443/User Load					
0	39.6	66	44	40	19.1
LG 35.237.180.229:443/Thread Count					
20	102.5	134	109	103.3	22.8
LG 35.237.180.229:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.180.229:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.237.180.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.180.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.180.229:443/Controller Connection/Ping Duration (ms)					
26	31.3	65	27	29.6	11.9
LG 35.237.180.229:443/Network/Segments sent/sec.					
0	147.5	311.9	150.1	146.5	68
LG 35.237.180.229:443/Network/Segments retransmitted/sec.					
0	0.016	1.8	0	0	0.142
LG 35.237.180.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	6.74	2.62	2.68	1.36
LG 35.237.180.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.208	0.414	0.208	0.208	0.086

## LG 35.237.35.132:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.35.132:443/CPU Load					
0	1.76	13	1	1.56	1.36
LG 35.237.35.132:443/Memory Used					
1	8.21	22	7	7.93	4.61
LG 35.237.35.132:443/Throughput					
0	2.62	5.76	2.6	2.59	1.3
LG 35.237.35.132:443/User Load					
0	40.2	67	45	40.6	19.4
LG 35.237.35.132:443/Thread Count					
20	103	135	108	103.7	23
LG 35.237.35.132:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.237.35.132:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.237.35.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.35.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.35.132:443/Controller Connection/Ping Duration (ms)					
17	33.5	67	28	32.4	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.35.132:443/Network/Segments sent/sec.					
0	147.6	285.3	152	147.3	66.2
LG 35.237.35.132:443/Network/Segments retransmitted/sec.					
0	0.01	1.81	0	0	0.124
LG 35.237.35.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.72	5.93	2.7	2.69	1.34
LG 35.237.35.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.412	0.214	0.21	0.084

## LG 35.243.128.37:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.128.37:443/CPU Load					
0	1.71	20	1	1.49	1.65
LG 35.243.128.37:443/Memory Used					
1	8.13	22	7	7.84	4.6
LG 35.243.128.37:443/Throughput					
0	2.61	6.08	2.6	2.58	1.34
LG 35.243.128.37:443/User Load					
0	40.2	67	45	40.6	19.4
LG 35.243.128.37:443/Thread Count					
21	101.6	133	107	102.2	22.3
LG 35.243.128.37:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.128.37:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.243.128.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.128.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.128.37:443/Controller Connection/Ping Duration (ms)					
27	37.8	212	27	28.1	43.3
LG 35.243.128.37:443/Network/Segments sent/sec.					
0	146.4	306.4	149.6	145.6	67.4
LG 35.243.128.37:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.023
LG 35.243.128.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.7	6.29	2.7	2.67	1.38
LG 35.243.128.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.21	0.417	0.21	0.21	0.085

## LG 35.243.134.192:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.134.192:443/CPU Load					
0	1.66	8	1	1.5	1.16
LG 35.243.134.192:443/Memory Used					
1	8.83	22	8	8.54	5.05
LG 35.243.134.192:443/Throughput					
0	2.65	5.74	2.71	2.62	1.37
LG 35.243.134.192:443/User Load					
0	40	67	45	40.3	19.6
LG 35.243.134.192:443/Thread Count					
20	102	133	107	102.6	22.4



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.134.192:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.134.192:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.243.134.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.134.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.134.192:443/Controller Connection/Ping Duration (ms)					
27	31.8	67	27	29.9	12.3
LG 35.243.134.192:443/Network/Segments sent/sec.					
0	146.3	282.3	151.5	145.7	67.3
LG 35.243.134.192:443/Network/Segments retransmitted/sec.					
0	0.007	1.2	0	0	0.084
LG 35.243.134.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.74	5.93	2.81	2.72	1.41
LG 35.243.134.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.209	0.408	0.212	0.209	0.085

## LG 35.243.203.126:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.203.126:443/CPU Load					
0	1.65	17	1	1.48	1.41
LG 35.243.203.126:443/Memory Used					
1	8.72	22	8	8.46	4.9
LG 35.243.203.126:443/Throughput					
0	2.61	5.63	2.58	2.59	1.35
LG 35.243.203.126:443/User Load					
0	40	67	45	40.3	19.6
LG 35.243.203.126:443/Thread Count					
20	102.5	134	107	103.2	22.9
LG 35.243.203.126:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.203.126:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.243.203.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.203.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.203.126:443/Controller Connection/Ping Duration (ms)					
21	31.5	67	27	29.9	12.7
LG 35.243.203.126:443/Network/Segments sent/sec.					
0	145.7	286	145.8	145.1	67.6
LG 35.243.203.126:443/Network/Segments retransmitted/sec.					
0	0.005	0.399	0	0	0.036
LG 35.243.203.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.71	5.82	2.67	2.68	1.39
LG 35.243.203.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.207	0.422	0.218	0.208	0.085

## LG 35.243.214.32:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.214.32:443/CPU Load					
0	1.67	18	1	1.51	1.43
LG 35.243.214.32:443/Memory Used					
1	8.69	23	8	8.39	4.95
LG 35.243.214.32:443/Throughput					
0	2.59	5.7	2.57	2.56	1.33
LG 35.243.214.32:443/User Load					
0	39.5	66	44	39.8	19.3
LG 35.243.214.32:443/Thread Count					
20	101.2	133	106	101.9	22.4
LG 35.243.214.32:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.214.32:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.243.214.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.214.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.214.32:443/Controller Connection/Ping Duration (ms)					
27	31	65	27	29.2	10.86
LG 35.243.214.32:443/Network/Segments sent/sec.					
0	143.8	272.7	147.9	143.5	66.1
LG 35.243.214.32:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.023
LG 35.243.214.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.68	5.86	2.67	2.66	1.36
LG 35.243.214.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.206	0.402	0.213	0.207	0.084


## LG 35.243.227.200:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.227.200:443/CPU Load					
0	1.69	16	1	1.53	1.43
LG 35.243.227.200:443/Memory Used					
1	8.95	23	8	8.62	5.25
LG 35.243.227.200:443/Throughput					
0	2.62	7.76	2.55	2.59	1.38
LG 35.243.227.200:443/User Load					
0	40.4	67	45	40.7	19.3
LG 35.243.227.200:443/Thread Count					
20	101.5	132	107	102.2	22.2
LG 35.243.227.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.227.200:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.243.227.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.227.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.227.200:443/Controller Connection/Ping Duration (ms)					
26	31.5	67	27	29.7	12.2

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.243.227.200:443/Network/Segments sent/sec.</b>					
0	145.3	333.5	148.4	144.1	67.4
<b>LG 35.243.227.200:443/Network/Segments retransmitted/sec.</b>					
0	0.005	0.802	0	0	0.056
<b>LG 35.243.227.200:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	2.72	7.93	2.64	2.68	1.42
<b>LG 35.243.227.200:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.208	0.433	0.206	0.208	0.085


## Average page response time



Min	Average	Max
0.221	1.699	2.514

**Notes:** Displays the average response time, in seconds, of all pages during the test.


## Average request response time



Min	Average	Max
0.216	1.463	10.24

**Notes:** Displays the average response time, in seconds, of all requests during the test.


## Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.216	2.047	6.236	1.809	2.029	0.566

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.


## Requests per second



Min	Average	Max
13.2	835.4	1,386.8

**Notes:** Displays the number of requests per second.

## Errors




Min	Average	Max
0	9.9	33

**Notes:** Displays the number of errors per sampling interval.




## Throughput



Min	Average	Max
0	233.15	403.7

**Notes:** Displays the number of megabits of data per second returned by the server.


## Response time against load



Min	Average	Max
0.192	1.29	2.267

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.