

AEM-SDC Main LT-0303020



Date	Mar 4, 2020 1:58:21 AM
Project	MVOPEGA
Scenario	AEM_MainLT
Comment	
Notes	AEM-SDC Main LT-0303020

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	4
Hot spots.....	6
Errors.....	6
Alerts.....	6
General statistics.....	6
Transaction statistics.....	6
Execution context.....	10
Scenario	7
Servers.....	13
Cloud.....	14
Populations.....	15
User Paths.....	16
Transactions.....	17
Pages.....	20
Requests.....	22
Media Contents.....	28
Push messages.....	19
Monitors.....	29
Main graphs.....	67
Average page response time.....	67
Average request response time.....	68
Average response time (Transactions).....	69
Requests per second.....	70
Errors.....	71
Throughput.....	72
Response time against load.....	73
Distribution of Transaction Durations.....	74

Summary

Results summary

Name	01:57 - 4 Mar 2020_AEM_SDC_MainLT	Project	MVOPEGA
Description		Scenario	AEM_MainLT
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population AEM_pages is customized
Start date	Mar 4, 2020 1:58:21 AM		
End date	Mar 4, 2020 2:47:25 AM	Stop Policy	<ul style="list-style-type: none"> Population AEM_pages: immediate.
Duration	00:49:04		
Termination reason	Manual action	Filters	None
LG Hosts	34.70.136.5:443	Debug	Disabled
	,		
	35.192.147.142:443		
	,		
	35.225.188.189:443		
	,		
	34.68.253.229:443		
	,		
	35.239.193.245:443		
	,		
	130.211.228.160:443		
	,		
	35.193.225.180:443		
	,		
	34.70.131.234:443		
	,		
	104.197.96.140:443		
	,		
	35.223.220.137:443		
	,		
	35.184.216.116:443		
	,		
	34.66.188.89:443		
	,		
	35.232.107.58:443		
	,		
	35.184.134.106:443		
	,		
	35.184.137.246:443		
	,		
	34.67.122.0:443		
	,		
	35.239.107.172:443		
	,		
	35.192.206.238:443		
	,		
	34.68.251.254:443		
	,		
	104.197.201.132:443		
	,		
	104.198.254.215:443		
	,		
	35.238.160.189:443		
	,		
	35.184.59.93:443		
	,		
	34.68.174.79:443		
	,		
	34.70.30.128:443		
	,		
	34.70.29.196:443		
	,		
	34.69.65.93:443		
	,		
	34.66.19.192:443		
	,		
	35.184.199.225:443		
	,		
	34.69.12.6:443		
	,		
	34.94.17.19:443		
	,		

34.94.60.78:443		
,		
35.236.89.138:443		
,		
35.236.33.116:443		
,		
35.235.90.177:443		
,		
34.94.176.105:443		
,		
34.94.105.127:443		
,		
34.94.10.52:443		
,		
35.235.72.121:443		
,		
35.236.79.71:443		
,		
35.235.98.163:443		
,		
34.94.164.47:443		
,		
34.94.81.79:443		
,		
35.236.105.67:443		
,		
35.235.80.138:443		
,		
35.236.3.97:443		
,		
35.236.78.222:443		
,		
35.236.91.203:443		
,		
34.94.139.204:443		
,		
34.94.255.66:443		
,		
35.235.118.208:443		
,		
35.236.15.5:443		
,		
34.94.128.220:443		
,		
35.236.91.41:443		
,		
35.235.90.170:443		
,		
34.94.232.205:443		
,		
34.94.70.216:443		
,		
34.94.1.240:443		
,		
34.94.143.184:443		
,		
34.94.142.45:443		

Statistics Summary


Total pages	3304284	—	Average pages/s	1,122.0	—
Total requests	10269780	—	Average requests/s	3,487.2	—
Total users launched	12500	—	Average Request response time	0.108 s	—
Total iterations completed	1636040	—	Average Page response time	0.247 s	—
Total throughput	247,776 MB	—	Average throughput	673.08 Mb/s	—
Total request errors	372	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA

☀ = Passed

☁ = Warning

⚡ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
0217_dDot_AEM_DisneyPI	AEM_D_T05_DisneyPlus	/solutions-and-services/disneyplus/	372

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
0217_dDot_AEM_DisneyPI	AEM_D_T05_DisneyPlus	/solutions-and-services/disneyplus/	0.73
0217_dDot_AEM_Plans_SIAEM_D_T04_Plans		/plans/	0.571
0217_dDot_AEM_Deals_SIAEM_D_Deals		/deals/	0.523
0217_dDot_AEM_5GHome	AEM_D_T03_5GHome	/5g/home/	0.288
0217_dDot_AEM_FamilyTe	AEM_D_T02_FamilyTech	/family-tech/	0.206

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
0217_dDot_AEM_DisneyPI	AEM_D_T05_DisneyPlus	/solutions-and-services/disneyplus/	105.6
0217_dDot_AEM_Deals_SIAEM_D_Deals		/deals/	70.3
0217_dDot_AEM_FamilyTe	AEM_D_T02_FamilyTech	/family-tech/	39.2
0217_dDot_AEM_Deals_SIAEM_D_Deals		/ui-one-digital/global-footer/p...ct.globalfooter.json	12.5
0217_dDot_AEM_5GHome	AEM_D_T03_5GHome	/5g/home/	12

Errors

Request errors

Error Type	Count	Description
Assertions	372	Validation of the response failed.
Total	372	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
2.06	65.4	264.6	12,500	361	2.9	-
All pages						
0.001	0.246	105.6	3,304,284	372	0	-
All requests						
0.001	0.107	105.6	10,269,780	372	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.072	0.493	105.6	1,636,040	372	0	0.244	0.906	2.26	2.72	0.339	-

Scenario

Summary

Name	01:57 - 4 Mar 2020_AEM_SDC_MainLT	Project	MVOPEGA
Description		Scenario	AEM_MainLT
Status	✓ Passed	Load Policy	• The population AEM_pages is customized
Start date	Mar 4, 2020 1:58:21 AM	Stop Policy	• Population AEM_pages: immediate.
End date	Mar 4, 2020 2:47:25 AM		
Duration	00:49:04		
Termination reason	Manual action	Filters	None
LG Hosts	34.70.136.5:443	Debug	Disabled
	,		
	35.192.147.142:443		
	,		
	35.225.188.189:443		
	,		
	34.68.253.229:443		
	,		
	35.239.193.245:443		
	,		
	130.211.228.160:443		
	,		
	35.193.225.180:443		
	,		
	34.70.131.234:443		
	,		
	104.197.96.140:443		
	,		
	35.223.220.137:443		
	,		
	35.184.216.116:443		
	,		
	34.66.188.89:443		
	,		
	35.232.107.58:443		
	,		
	35.184.134.106:443		
	,		
	35.184.137.246:443		
	,		
	34.67.122.0:443		
	,		
	35.239.107.172:443		
	,		
	35.192.206.238:443		
	,		
	34.68.251.254:443		
	,		
	104.197.201.132:443		
	,		
	104.198.254.215:443		
	,		
	35.238.160.189:443		
	,		
	35.184.59.93:443		
	,		
	34.68.174.79:443		
	,		
	34.70.30.128:443		
	,		
	34.70.29.196:443		
	,		
	34.69.65.93:443		
	,		
	34.66.19.192:443		
	,		
	35.184.199.225:443		
	,		
	34.69.12.6:443		
	,		

34.94.17.19:443		
,		
34.94.60.78:443		
,		
35.236.89.138:443		
,		
35.236.33.116:443		
,		
35.235.90.177:443		
,		
34.94.176.105:443		
,		
34.94.105.127:443		
,		
34.94.10.52:443		
,		
35.235.72.121:443		
,		
35.236.79.71:443		
,		
35.235.98.163:443		
,		
34.94.164.47:443		
,		
34.94.81.79:443		
,		
35.236.105.67:443		
,		
35.235.80.138:443		
,		
35.236.3.97:443		
,		
35.236.78.222:443		
,		
35.236.91.203:443		
,		
34.94.139.204:443		
,		
34.94.255.66:443		
,		
35.235.118.208:443		
,		
35.236.15.5:443		
,		
34.94.128.220:443		
,		
35.236.91.41:443		
,		
35.235.90.170:443		
,		
34.94.232.205:443		
,		
34.94.70.216:443		
,		
34.94.1.240:443		
,		
34.94.143.184:443		
,		
34.94.142.45:443		

Populations

AEM_pages

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
0217_dDot_AEM_De	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0217_dDot_AEM_Fa	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0217_dDot_AEM_5C	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0217_dDot_AEM_Pl	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0217_dDot_AEM_Di	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
0217_dDot_AEM_Dea		Go to the next iteration	Go to the next iteration	0ms	0%
0217_dDot_AEM_Fan		Go to the next iteration	Go to the next iteration	0ms	0%
0217_dDot_AEM_5Gf		Go to the next iteration	Go to the next iteration	0ms	0%

Name	Description	On failed assertion	On error	Think time	Thinktime range
0217_dDot_AEM_Plar		Go to the next iteration	Go to the next iteration	0ms	0%
0217_dDot_AEM_Disr		Go to the next iteration	Go to the next iteration	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	01:57 - 4 Mar 2020_AEM_SDC_MainLT	Project	MVOPEGA
Description		Scenario	AEM_MainLT
Status	✓ Passed	Load Policy	• The population AEM_pages is customized
Start date	Mar 4, 2020 1:58:21 AM		
End date	Mar 4, 2020 2:47:25 AM	Stop Policy	• Population AEM_pages: immediate.
Duration	00:49:04		
Termination reason	Manual action	Filters	None
LG Hosts	34.70.136.5:443 , 35.192.147.142:443 , 35.225.188.189:443 , 34.68.253.229:443 , 35.239.193.245:443 , 130.211.228.160:443 , 35.193.225.180:443 , 34.70.131.234:443 , 104.197.96.140:443 , 35.223.220.137:443 , 35.184.216.116:443 , 34.66.188.89:443 , 35.232.107.58:443 , 35.184.134.106:443 , 35.184.137.246:443 , 34.67.122.0:443 , 35.239.107.172:443 , 35.192.206.238:443 , 34.68.251.254:443 , 104.197.201.132:443 , 104.198.254.215:443 , 35.238.160.189:443 , 35.184.59.93:443 , 34.68.174.79:443 , 34.70.30.128:443 , 34.70.29.196:443 , 34.69.65.93:443 , 34.66.19.192:443 , 35.184.199.225:443 , 34.69.12.6:443 , 34.94.17.19:443 , 34.94.60.78:443	Debug	Disabled

,	35.236.89.138:443		
,	35.236.33.116:443		
,	35.235.90.177:443		
,	34.94.176.105:443		
,	34.94.105.127:443		
,	34.94.10.52:443		
,	35.235.72.121:443		
,	35.236.79.71:443		
,	35.235.98.163:443		
,	34.94.164.47:443		
,	34.94.81.79:443		
,	35.236.105.67:443		
,	35.235.80.138:443		
,	35.236.3.97:443		
,	35.236.78.222:443		
,	35.236.91.203:443		
,	34.94.139.204:443		
,	34.94.255.66:443		
,	35.235.118.208:443		
,	35.236.15.5:443		
,	34.94.128.220:443		
,	35.236.91.41:443		
,	35.235.90.170:443		
,	34.94.232.205:443		
,	34.94.70.216:443		
,	34.94.1.240:443		
,	34.94.143.184:443		
,	34.94.142.45:443		

NeoLoad version
Graphs granularity

6.8.0;build=20190103-16
Standard

Application proxy

Name	Description
test	Automatically detect settings

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

0217_dDot_AEM_Deals_SDC	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
0217_dDot_AEM_FamilyTech_SDC	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
0217_dDot_AEM_5GHome_SDC	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
0217_dDot_AEM_Plans_SDC	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
0217_dDot_AEM_DisneyPlus_SDC	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443		No
stcache.vzw.com	443		No
s7.vzw.com	80		No
scache1.vzw.com	443		No
scache.vzw.com	443		No
scache2.vzw.com	443		No



Graphs



Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA Central - Iowa (Council Bluffs)	Google Compute Engine	30	5044079 (49.1%)	1,712.8	0.327s (+32.4%)	0% (-3.67%)
USA West - California (Los Angeles 2)	Google Compute Engine	30	5225701 (50.9%)	1,774.4	0.169s (-31.58%)	0% (+3.55%)
Global		60	10269780 (100%)	3,487.2	0.247s	0%






Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
AEM_pages	10269780 (100%)	3,487.2	0.247s (0%)	0% (0%)
Global	10269780 (100%)	3,487.2	0.247s	0%






User Paths

	Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_5GHome_SDC							
	2.96	43.1	123.2	2,500	0	0	-
 0217_dDot_AEM_Deals_SDC							
	6.76	86.4	249.2	2,500	0	0	-
 0217_dDot_AEM_DisneyPlus_SDC							
	2.21	93.7	264.6	2,500	361	14.4	-
 0217_dDot_AEM_FamilyTech_SDC							
	2.06	27.4	92.4	2,500	0	0	-
 0217_dDot_AEM_Plans_SDC							
	6.99	76.2	201.1	2,500	0	0	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											





0217_dDot_AEM_5GHome_SDC


Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_5GHome_SDC											
2.96	43.1	123.2	2,500	0	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,500	0	0	-	-	-	-	-	-
 Actions											
0.114	0.322	12.2	329,639	0	0	-	-	-	-	-	-
 AEM_D_T03_5GHome											
0.114	0.322	12.2	329,639	0	0	0.413	0.531	1.48	0.266	0.29	-
 End											
0	0	0.001	2,500	0	0	-	-	-	-	-	-

0217_dDot_AEM_Deals_SDC






Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_Deals_SDC											
6.76	86.4	249.2	2,500	0	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,500	0	0	-	-	-	-	-	-
 Actions											
0.205	0.647	70.5	329,367	0	0	-	-	-	-	-	-
 AEM_D_Deals											
0.205	0.647	70.5	329,367	0	0	0.816	1.34	2.64	0.567	0.583	-
 End											
0	0	0.001	2,500	0	0	-	-	-	-	-	-

0217_dDot_AEM_DisneyPlus_SDC






Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_DisneyPlus_SDC											
2.21	93.7	264.6	2,500	361	14.4	-	-	-	-	-	-
 Init											
0	0	0.001	2,500	0	0	-	-	-	-	-	-
 Actions											
0.074	0.732	105.6	318,215	372	0.1	-	-	-	-	-	-
 AEM_D_T05_DisneyPlus											
0.074	0.732	105.6	318,215	372	0.1	0.236	0.449	2.42	6.09	0.175	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 End											
0	0	0.001	2,500	0	0	-	-	-	-	-	-

0217_dDot_AEM_FamilyTech_SDC

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_FamilyTech_SDC											
2.06	27.4	92.4	2,500	0	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,500	0	0	-	-	-	-	-	-
 Actions											
0.072	0.204	39.2	329,327	0	0	-	-	-	-	-	-
 AEM_D_T02_FamilyTech											
0.072	0.204	39.2	329,327	0	0	0.234	0.347	1.33	0.24	0.171	-
 End											
0	0	0	2,500	0	0	-	-	-	-	-	-

0217_dDot_AEM_Plans_SDC

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_Plans_SDC											
6.99	76.2	201.1	2,500	0	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,500	0	0	-	-	-	-	-	-
 Actions											
0.152	0.568	9.35	329,492	0	0	-	-	-	-	-	-
 AEM_D_T04_Plans											
0.152	0.568	9.35	329,492	0	0	0.545	1.4	2.76	0.483	0.498	-
 End											
0	0	0.001	2,500	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_5GHome_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_Deals_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_DisneyPlus_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_FamilyTech_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						







0217_dDot_AEM_Plans_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						








Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						


0217_dDot_AEM_5GHome_SDC




Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_5GHome_SDC						
2.96	43.1	123.2	2,500	0	0	-
 Actions						
0.114	0.322	12.2	329,639	0	0	-
 AEM_D_T03_5GHome						
0.114	0.322	12.2	329,639	0	0	-
 /5g/home/						
0.103	0.288	12	331,812	0	0	-
 /maps/api/js						
0.007	0.029	5.62	331,812	0	0	-
 /recaptcha/api2/anchor						
0.001	0.006	0.208	331,812	0	0	-

0217_dDot_AEM_Deals_SDC





Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_Deals_SDC						
6.76	86.4	249.2	2,500	0	0	-
 Actions						
0.205	0.647	70.5	329,367	0	0	-
 AEM_D_Deals						
0.205	0.647	70.5	329,367	0	0	-
 /deals/						
0.171	0.523	70.3	331,347	0	0	-
 /ui-one-digital/global-footer/...ct.globalfooter.json						
0.011	0.056	12.5	331,330	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.01	0.042	2.83	331,314	0	0	-
 /rest/v1/delivery						
0.005	0.027	0.774	331,306	0	0	-

0217_dDot_AEM_DisneyPlus_SDC





Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_DisneyPlus_SDC						
2.21	93.7	264.6	2,500	361	14.4	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 Actions						
0.074	0.732	105.6	318,215	372	0.1	-
 AEM_D_T05_DisneyPlus						
0.074	0.732	105.6	318,215	372	0.1	-
 /solutions-and-services/disneyplus/						
0.074	0.73	105.6	320,461	372	0.1	-

0217_dDot_AEM_FamilyTech_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_FamilyTech_SDC						
2.06	27.4	92.4	2,500	0	0	-
 Actions						
0.072	0.204	39.2	329,327	0	0	-
 AEM_D_T02_FamilyTech						
0.072	0.204	39.2	329,327	0	0	-
 /family-tech/						
0.072	0.206	39.2	331,677	0	0	-















0217_dDot_AEM_Plans_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_Plans_SDC						
6.99	76.2	201.1	2,500	0	0	-
 Actions						
0.152	0.568	9.35	329,492	0	0	-
 AEM_D_T04_Plans						
0.152	0.568	9.35	329,492	0	0	-
 /plans/						
0.152	0.571	9.35	331,413	0	0	-




Shared Containers







Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_5GHome_SDC





Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_5GHome_SDC						
2.96	43.1	123.2	2,500	0	0	-
 Actions						
0.114	0.322	12.2	329,639	0	0	-
 AEM_D_T03_5GHome						
0.114	0.322	12.2	329,639	0	0	-
 /5g/home/						
0.103	0.288	12	331,812	0	0	-
 /5g/home/						
0.086	0.244	4.8	331,812	0	0	-
 /ui-one-digital/5g/build/5g.css						
0.01	0.039	11.9	331,812	0	0	-
 /ui-one-digital/content/dam/vzwcom/vzrf/css/core.css						
0.009	0.034	9.63	331,812	0	0	-
 /ui-one-digital/content/dam/.../vzrf/css/shared.css						
0.009	0.034	9.85	331,812	0	0	-
 /ui-one-digital/hp/build/hp.js						
0.011	0.041	0.559	331,812	0	0	-
 /ui-one-digital/etc/designs/.../fiveg/main/js/5g.js						
0.01	0.04	2.19	331,812	0	0	-
 /maps/api/js						
0.007	0.029	5.62	331,812	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.007	0.029	5.62	331,812	0	0	-
 /recaptcha/api2/anchor						
0.001	0.006	0.208	331,812	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.css						
0.001	0.006	0.208	331,812	0	0	-


0217_dDot_AEM_Deals_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_Deals_SDC						
6.76	86.4	249.2	2,500	0	0	-
 Actions						
0.205	0.647	70.5	329,367	0	0	-
 AEM_D_Deals						
0.205	0.647	70.5	329,367	0	0	-






Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /deals/						
0.171	0.523	70.3	331,347	0	0	-
 /deals/						
0.085	0.245	69.9	331,757	0	0	-
 /etc/designs/vzwcom/vzrf/cli...lib-base/css/app.css						
0.039	0.138	4.32	331,431	0	0	-
 /etc/designs/vzwcom/vzrf/cli...ntlib-base/js/app.js						
0.082	0.268	5.79	331,424	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.008	0.031	12.6	331,655	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.036	1.82	331,655	0	0	-
 /ui-one-digital/global-footer/...ct.globalfooter.json						
0.011	0.056	12.5	331,330	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.008	0.029	9.67	331,347	0	0	-
 /is/image/VerizonWireless/72116-hubble-hero-d						
0.002	0.018	3.42	331,330	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.021	12.5	331,331	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.01	0.042	2.83	331,314	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.009	0.036	2.77	331,330	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.001	0.006	0.29	331,316	0	0	-
 /rest/v1/delivery						
0.005	0.027	0.774	331,306	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.021	0.771	331,314	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.006	0.553	331,307	0	0	-

0217_dDot_AEM_DisneyPlus_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_DisneyPlus_SDC						
2.21	93.7	264.6	2,500	361	14.4	-
 Actions						
0.074	0.732	105.6	318,215	372	0.1	-
 AEM_D_T05_DisneyPlus						
0.074	0.732	105.6	318,215	372	0.1	-
 /solutions-and-services/disneyplus/						
0.074	0.73	105.6	320,461	372	0.1	-


Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /solutions-and-services/disneyplus/						
0.074	0.73	105.6	320,462	372	0.1	-

0217_dDot_AEM_FamilyTech_SDC

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_FamilyTech_SDC						
2.06	27.4	92.4	2,500	0	0	-
 Actions						
0.072	0.204	39.2	329,327	0	0	-
 AEM_D_T02_FamilyTech						
0.072	0.204	39.2	329,327	0	0	-
 /family-tech/						
0.072	0.206	39.2	331,677	0	0	-
 /family-tech/						
0.072	0.206	39.2	331,790	0	0	-

0217_dDot_AEM_Plans_SDC















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_Plans_SDC						
6.99	76.2	201.1	2,500	0	0	-
 Actions						
0.152	0.568	9.35	329,492	0	0	-
 AEM_D_T04_Plans						
0.152	0.568	9.35	329,492	0	0	-
 /plans/						
0.152	0.571	9.35	331,413	0	0	-
 /plans/						
0.073	0.205	9.22	331,787	0	0	-
 /content/dam/vzwcom/css/plans/component.css						
0.014	0.093	3.99	331,756	0	0	-
 /content/dam/vzwcom/js/plans/manifest.js						
0.014	0.1	3.99	331,756	0	0	-
 /content/dam/vzwcom/js/plans/vendor.js						
0.014	0.102	3.87	331,756	0	0	-
 /content/dam/vzwcom/js/plans/app.js						
0.014	0.098	3.95	331,756	0	0	-
 /dam/vzwcom/css/plans/component.css						
0.017	0.071	4.58	331,756	0	0	-
 /dam/vzwcom/js/plans/app.js						
0.018	0.096	4.62	331,756	0	0	-
 /dam/vzwcom/js/plans/manifest.js						
0.017	0.068	4.77	331,756	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /dam/vzwcom/js/plans/vendor.js						
0.048	0.249	5.14	331,756	0	0	-

















Shared Containers




SLA	Value	Severity
Empty list		

0217_dDot_AEM_5GHome_SDC






SLA	Value	Severity
 0217_dDot_AEM_5GHome_SDC		
 Actions		
 AEM_D_T03_5GHome		
 /5g/home/		
 /5g/home/		
 /ui-one-digital/5g/build/5g.css		
 /ui-one-digital/content/dam/vzwcom/vzrf/css/core.css		
 /ui-one-digital/content/dam/.../vzrf/css/shared.css		
 /ui-one-digital/hp/build/hp.js		
 /ui-one-digital/etc/designs/.../fiveg/main/js/5g.js		
 /maps/api/js		
 /omni/common/js/vendor/monotype/helveticaNeue.js		
 /recaptcha/api2/anchor		
 /omni/common/js/vendor/monotype/helveticaNeue.css		

0217_dDot_AEM_Deals_SDC






SLA	Value	Severity
 0217_dDot_AEM_Deals_SDC		
 Actions		
 AEM_D_Deals		
 /deals/		
 /deals/		
 /etc/designs/vzwcom/vzrf/cli...lib-base/css/app.css		
 /etc/designs/vzwcom/vzrf/cli...ntlib-base/js/app.js		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/global-footer/...ct.globalfooter.json		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /is/image/VerizonWireless/72116-hubble-hero-d		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /ui-one-digital/global-heade...ct.globalheader.json		

SLA	Value	Severity
 /rest/v1/delivery		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		














0217_dDot_AEM_DisneyPlus_SDC

SLA	Value	Severity
 0217_dDot_AEM_DisneyPlus_SDC		
 Actions		
 AEM_D_T05_DisneyPlus		
 /solutions-and-services/disneyplus/		
 /solutions-and-services/disneyplus/		

0217_dDot_AEM_FamilyTech_SDC

SLA	Value	Severity
 0217_dDot_AEM_FamilyTech_SDC		
 Actions		
 AEM_D_T02_FamilyTech		
 /family-tech/		
 /family-tech/		

0217_dDot_AEM_Plans_SDC

SLA	Value	Severity
 0217_dDot_AEM_Plans_SDC		
 Actions		
 AEM_D_T04_Plans		
 /plans/		
 /plans/		
 /content/dam/vzwcom/css/plans/component.css		
 /content/dam/vzwcom/js/plans/manifest.js		
 /content/dam/vzwcom/js/plans/vendor.js		
 /content/dam/vzwcom/js/plans/app.js		
 /dam/vzwcom/css/plans/component.css		
 /dam/vzwcom/js/plans/app.js		
 /dam/vzwcom/js/plans/manifest.js		
 /dam/vzwcom/js/plans/vendor.js		

0217_dDot_AEM_5GHome_SDC

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

0217_dDot_AEM_Deals_SDC

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

0217_dDot_AEM_DisneyPlus_SDC

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

0217_dDot_AEM_FamilyTech_SDC

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

0217_dDot_AEM_Plans_SDC

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	6,722	12,500	7,191	6,735	3,593
Controller/Throughput					
0	669	1,553	696.8	665.1	361.6
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
19	25.5	50	26	25.3	2.94
Controller/Memory Used					
7	18.4	30	18	18.4	6.63
Controller/Thread Count					
804	849.9	1,462	847	848.1	26.4
Controller/Connected					
59	59	59	59	59	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
3,435	15,231	22,540	15,516	15,309	2,637
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA Central - Iowa (Council Bluffs)/User Load					
0	3,307	6,142	3,532	3,314	1,764
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages/User Load					
0	3,307	6,142	3,532	3,314	1,764
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages..._Deals_SDC/User Load					
0	661.1	1,227	707.5	662.5	352.3
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages...lyTech_SDC/User Load					
0	661.6	1,231	705	662.8	353.3
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages...5GHome_SDC/User Load					
0	661.4	1,229	707	662.7	353.1
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages..._Plans_SDC/User Load					
0	661.2	1,228	706.5	662.7	352.8
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages...eyPlus_SDC/User Load					
0	662	1,227	706	663.5	352.6
Controller/USA West - California (Los Angeles 2)/User Load					
0	3,424	6,358	3,659	3,431	1,825
Controller/USA West - California (Los Angeles 2)/AEM_pages/User Load					
0	3,424	6,358	3,659	3,431	1,825

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/USA West - California (Los Angeles 2)/AEM_pag... Deals_SDC/User Load					
0	685.1	1,273	730.5	686.5	365.6
Controller/USA West - California (Los Angeles 2)/AEM_pag...lyTech_SDC/User Load					
0	684.6	1,269	733.5	686.1	364.6
Controller/USA West - California (Los Angeles 2)/AEM_pag...5GHome_SDC/User Load					
0	684.9	1,271	731	686.3	364.7
Controller/USA West - California (Los Angeles 2)/AEM_pag... Plans_SDC/User Load					
0	685	1,272	732	686.3	365.1
Controller/USA West - California (Los Angeles 2)/AEM_pag...eyPlus_SDC/User Load					
0	684.2	1,273	732	685.5	365.3

LG 104.197.201.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.201.132:443/CPU Load					
0	8.19	20	8	8.1	3.8
LG 104.197.201.132:443/Memory Used					
2	17.1	38	16	16.9	9.62
LG 104.197.201.132:443/Throughput					
0	11.3	29.3	10.8	11.2	6.38
LG 104.197.201.132:443/User Load					
0	113.9	212	121	114.1	60.8
LG 104.197.201.132:443/Thread Count					
20	191.7	301	199	192.4	68.9
LG 104.197.201.132:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 104.197.201.132:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 104.197.201.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.201.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.201.132:443/Controller Connection/Ping Duration (ms)					
35	58.3	89	58	58.4	5.97
LG 104.197.201.132:443/Network/Segments sent/sec.					
0	1,010	2,413	966	998.2	552
LG 104.197.201.132:443/Network/Segments retransmitted/sec.					
0	0.005	2.6	0	0	0.108
LG 104.197.201.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	30.3	11.3	11.6	6.63
LG 104.197.201.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.71	1.51	1.59	0.853

LG 104.197.96.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.96.140:443/CPU Load					
0	8.22	17	8	8.16	3.7
LG 104.197.96.140:443/Memory Used					
2	14.4	33	14	14.2	7.79
LG 104.197.96.140:443/Throughput					
0	11.4	29.2	10.87	11.2	6.38
LG 104.197.96.140:443/User Load					
0	114.3	212	122	114.6	60.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.96.140:443/Thread Count					
20	191.6	307	202	192	69.3
LG 104.197.96.140:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 104.197.96.140:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.009
LG 104.197.96.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.96.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.96.140:443/Controller Connection/Ping Duration (ms)					
41	59.5	94	58	58.5	7.09
LG 104.197.96.140:443/Network/Segments sent/sec.					
0	1,018	2,352	981.3	1,010	551.6
LG 104.197.96.140:443/Network/Segments retransmitted/sec.					
0	0.005	1	0	0	0.052
LG 104.197.96.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	30.1	11.3	11.7	6.63
LG 104.197.96.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.61	3.63	1.58	1.6	0.853

LG 104.198.254.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.254.215:443/CPU Load					
0	7.63	17	7	7.58	3.57
LG 104.198.254.215:443/Memory Used					
2	17.6	38	17	17.4	9.72
LG 104.198.254.215:443/Throughput					
0	11.4	31.3	11.5	11.3	6.32
LG 104.198.254.215:443/User Load					
0	114.5	212	124	114.8	60.9
LG 104.198.254.215:443/Thread Count					
20	191.3	299	198	192	68.9
LG 104.198.254.215:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 104.198.254.215:443/Http client/Task Pool used					
0	0.002	0.217	0	0	0.013
LG 104.198.254.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.254.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.254.215:443/Controller Connection/Ping Duration (ms)					
45	60.9	99	60	59.7	7.31
LG 104.198.254.215:443/Network/Segments sent/sec.					
0	1,023	2,532	1,032	1,017	548.6
LG 104.198.254.215:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.012
LG 104.198.254.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	32.5	12.1	11.8	6.59
LG 104.198.254.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.62	3.66	1.63	1.61	0.847

LG 130.211.228.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.228.160:443/CPU Load					
0	8.72	18	9	8.66	3.95
LG 130.211.228.160:443/Memory Used					
2	13.6	34	13	13.3	7.44
LG 130.211.228.160:443/Throughput					
0	11.4	26.3	11.1	11.2	6.33
LG 130.211.228.160:443/User Load					
0	114.1	212	122	114.4	60.9
LG 130.211.228.160:443/Thread Count					
20	191.9	302	199	192.7	68.1
LG 130.211.228.160:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 130.211.228.160:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 130.211.228.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.228.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.228.160:443/Controller Connection/Ping Duration (ms)					
38	60.9	114	59	59.5	11.2
LG 130.211.228.160:443/Network/Segments sent/sec.					
0	1,012	2,302	1,030	1,005	544.2
LG 130.211.228.160:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.025
LG 130.211.228.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.3	11.7	11.7	6.57
LG 130.211.228.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.61	3.43	1.64	1.6	0.849

LG 34.66.188.89:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.188.89:443/CPU Load					
0	7.9	16	7	7.83	3.59
LG 34.66.188.89:443/Memory Used					
2	17.3	39	16.5	17.1	9.65
LG 34.66.188.89:443/Throughput					
0	11.3	26.2	10.88	11.2	6.37
LG 34.66.188.89:443/User Load					
0	114	212	121.5	114.2	60.9
LG 34.66.188.89:443/Thread Count					
20	192	301	198.5	192.8	70.2
LG 34.66.188.89:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 34.66.188.89:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.66.188.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.188.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.188.89:443/Controller Connection/Ping Duration (ms)					
40	59.7	96	59	58.7	7.21

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.188.89:443/Network/Segments sent/sec.					
0	1,009	2,235	993.5	1,001	554.8
LG 34.66.188.89:443/Network/Segments retransmitted/sec.					
0	0.007	3.6	0	0	0.15
LG 34.66.188.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.4	11.5	11.6	6.63
LG 34.66.188.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.45	1.58	1.59	0.871

LG 34.66.19.192:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.19.192:443/CPU Load					
0	7.54	19	7	7.49	3.37
LG 34.66.19.192:443/Memory Used					
2	13.6	33	13	13.3	7.36
LG 34.66.19.192:443/Throughput					
0	11.4	27.6	11	11.3	6.34
LG 34.66.19.192:443/User Load					
0	114.6	212	124	114.9	60.9
LG 34.66.19.192:443/Thread Count					
20	192.6	309	201	193	69.7
LG 34.66.19.192:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.66.19.192:443/Http client/Task Pool used					
0	0.002	0.217	0	0	0.011
LG 34.66.19.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.19.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.19.192:443/Controller Connection/Ping Duration (ms)					
45	59.2	89	59	59	4.86
LG 34.66.19.192:443/Network/Segments sent/sec.					
0	1,024	2,362	1,009	1,018	551.8
LG 34.66.19.192:443/Network/Segments retransmitted/sec.					
0	0.009	5	0	0	0.205
LG 34.66.19.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	28.7	11.6	11.8	6.6
LG 34.66.19.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.62	3.77	1.62	1.61	0.858

LG 34.67.122.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.122.0:443/CPU Load					
0	8.01	16	8	7.98	3.55
LG 34.67.122.0:443/Memory Used					
2	13.8	34	13	13.6	7.39
LG 34.67.122.0:443/Throughput					
0	11.4	29.1	11.6	11.3	6.27
LG 34.67.122.0:443/User Load					
0	114.9	212	123	115.2	60.7
LG 34.67.122.0:443/Thread Count					
20	192.5	301	203	193	68.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.122.0:443/Http client/Thread Pool used					
0.1	0.1	0.13	0.1	0.1	0.003
LG 34.67.122.0:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 34.67.122.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.122.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.122.0:443/Controller Connection/Ping Duration (ms)					
30	59.1	98	59	58.8	8.69
LG 34.67.122.0:443/Network/Segments sent/sec.					
0	1,024	2,363	1,030	1,020	544.7
LG 34.67.122.0:443/Network/Segments retransmitted/sec.					
0	0.01	5.4	0	0	0.221
LG 34.67.122.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	30.1	12.1	11.8	6.52
LG 34.67.122.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.62	3.84	1.61	1.61	0.852

LG 34.68.174.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.174.79:443/CPU Load					
0	8.44	19	8	8.39	3.77
LG 34.68.174.79:443/Memory Used					
1	12.1	30	12	11.9	6.4
LG 34.68.174.79:443/Throughput					
0	11.4	26.7	11.2	11.3	6.37
LG 34.68.174.79:443/User Load					
0	114.4	212	122.5	114.7	60.8
LG 34.68.174.79:443/Thread Count					
20	191.2	296	204.5	192	68.2
LG 34.68.174.79:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.68.174.79:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.68.174.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.174.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.174.79:443/Controller Connection/Ping Duration (ms)					
39	59.8	91	59	59	6.83
LG 34.68.174.79:443/Network/Segments sent/sec.					
0	1,014	2,243	999.4	1,006	551.7
LG 34.68.174.79:443/Network/Segments retransmitted/sec.					
0	0.001	0.4	0	0	0.023
LG 34.68.174.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.8	11.7	11.8	6.62
LG 34.68.174.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.56	1.6	1.59	0.863

LG 34.68.251.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.251.254:443/CPU Load					
0	8.13	17	8	8.08	3.68
LG 34.68.251.254:443/Memory Used					
2	17.1	38	16	16.9	9.62
LG 34.68.251.254:443/Throughput					
0	11.3	26.3	10.67	11.2	6.34
LG 34.68.251.254:443/User Load					
0	113.6	211	121	113.9	60.7
LG 34.68.251.254:443/Thread Count					
20	188.6	295	197	189.3	66.8
LG 34.68.251.254:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.68.251.254:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 34.68.251.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.251.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.251.254:443/Controller Connection/Ping Duration (ms)					
44	59.6	90	59	59.3	4.95
LG 34.68.251.254:443/Network/Segments sent/sec.					
0	1,012	2,339	975.2	1,007	552.2
LG 34.68.251.254:443/Network/Segments retransmitted/sec.					
0	0.007	3.4	0	0	0.141
LG 34.68.251.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.3	11.2	11.7	6.59
LG 34.68.251.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.64	1.58	1.58	0.856

LG 34.68.253.229:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.253.229:443/CPU Load					
0	8.38	19	8	8.32	3.72
LG 34.68.253.229:443/Memory Used					
2	14.6	36	14	14.4	7.92
LG 34.68.253.229:443/Throughput					
0	11.4	28.6	11.5	11.3	6.3
LG 34.68.253.229:443/User Load					
0	114.6	212	124	114.8	60.9
LG 34.68.253.229:443/Thread Count					
20	191.6	314	198	191.7	70.3
LG 34.68.253.229:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.004
LG 34.68.253.229:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.009
LG 34.68.253.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.253.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.253.229:443/Controller Connection/Ping Duration (ms)					
39	58.8	88	59	58.7	5.15

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.253.229:443/Network/Segments sent/sec.					
0	1,022	2,409	1,025	1,013	549.8
LG 34.68.253.229:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.045
LG 34.68.253.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.7	12	11.7	6.55
LG 34.68.253.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.61	3.91	1.6	1.6	0.854

LG 34.69.12.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.12.6:443/CPU Load					
0	9	19	9	8.95	3.9
LG 34.69.12.6:443/Memory Used					
2	16	40	15	15.7	8.83
LG 34.69.12.6:443/Throughput					
0	11.3	28.1	11.2	11.2	6.34
LG 34.69.12.6:443/User Load					
0	114	212	121.5	114.2	60.9
LG 34.69.12.6:443/Thread Count					
20	190.9	310	198.5	190.9	68.4
LG 34.69.12.6:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.69.12.6:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 34.69.12.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.12.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.12.6:443/Controller Connection/Ping Duration (ms)					
44	59.9	90	60	59.6	4.95
LG 34.69.12.6:443/Network/Segments sent/sec.					
0	1,010	2,251	1,024	1,001	546.8
LG 34.69.12.6:443/Network/Segments retransmitted/sec.					
0	0.005	1.8	0	0	0.079
LG 34.69.12.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	29.1	11.7	11.7	6.59
LG 34.69.12.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.55	1.65	1.58	0.854

LG 34.69.65.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.65.93:443/CPU Load					
0	8.14	25	8	8.07	3.69
LG 34.69.65.93:443/Memory Used					
2	12.5	30	12	12.3	6.57
LG 34.69.65.93:443/Throughput					
0	11.4	27.4	10.98	11.2	6.42
LG 34.69.65.93:443/User Load					
0	114.4	212	122.5	114.6	60.8
LG 34.69.65.93:443/Thread Count					
20	189.4	307	196.5	189.5	68.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.65.93:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.69.65.93:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.69.65.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.65.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.65.93:443/Controller Connection/Ping Duration (ms)					
41	58.6	87	59	58.5	5.23
LG 34.69.65.93:443/Network/Segments sent/sec.					
0	1,020	2,269	1,026	1,014	550.8
LG 34.69.65.93:443/Network/Segments retransmitted/sec.					
0	0.005	0.8	0	0	0.043
LG 34.69.65.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	28.4	11.5	11.7	6.67
LG 34.69.65.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.61	3.48	1.63	1.6	0.848

LG 34.70.131.234:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.131.234:443/CPU Load					
0	7.96	17	8	7.91	3.56
LG 34.70.131.234:443/Memory Used					
1	13.7	34	13	13.5	7.36
LG 34.70.131.234:443/Throughput					
0	11.4	26.9	11.4	11.3	6.25
LG 34.70.131.234:443/User Load					
0	114.8	212	124	115.1	60.8
LG 34.70.131.234:443/Thread Count					
20	192.9	310	203	193.2	70.4
LG 34.70.131.234:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.70.131.234:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 34.70.131.234:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.131.234:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.131.234:443/Controller Connection/Ping Duration (ms)					
43	60.4	98	58	58.8	9.66
LG 34.70.131.234:443/Network/Segments sent/sec.					
0	1,014	2,192	1,034	1,009	544.4
LG 34.70.131.234:443/Network/Segments retransmitted/sec.					
0	0.004	1.8	0	0	0.076
LG 34.70.131.234:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.9	11.9	11.8	6.51
LG 34.70.131.234:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.61	3.65	1.62	1.6	0.852

LG 34.70.136.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.136.5:443/CPU Load					
0	8.18	18	8	8.18	3.75
LG 34.70.136.5:443/Memory Used					
2	16.6	38	16	16.3	9.37
LG 34.70.136.5:443/Throughput					
0	11.3	27	11.2	11.2	6.35
LG 34.70.136.5:443/User Load					
0	113.7	211	121.5	113.9	60.8
LG 34.70.136.5:443/Thread Count					
20	191.1	301	199.5	191.7	69.7
LG 34.70.136.5:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.70.136.5:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.011
LG 34.70.136.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.136.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.136.5:443/Controller Connection/Ping Duration (ms)					
33	59.8	98	58	58.5	9.48
LG 34.70.136.5:443/Network/Segments sent/sec.					
0	1,012	2,174	1,026	1,007	550.7
LG 34.70.136.5:443/Network/Segments retransmitted/sec.					
0	0.006	0.4	0	0	0.044
LG 34.70.136.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.8	11.8	11.7	6.6
LG 34.70.136.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.51	1.62	1.59	0.854

LG 34.70.29.196:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.29.196:443/CPU Load					
0	8.35	19	8	8.29	3.78
LG 34.70.29.196:443/Memory Used					
2	17.2	39	17	16.9	9.53
LG 34.70.29.196:443/Throughput					
0	11.3	27.8	10.99	11.1	6.38
LG 34.70.29.196:443/User Load					
0	113.7	211	121.5	114	60.7
LG 34.70.29.196:443/Thread Count					
20	188.5	300	196.5	189.1	67.7
LG 34.70.29.196:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.70.29.196:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.70.29.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.29.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.29.196:443/Controller Connection/Ping Duration (ms)					
40	59.9	89	59	59.3	5.69

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.29.196:443/Network/Segments sent/sec.					
0	1,008	2,298	945.1	1,000.8	547.1
LG 34.70.29.196:443/Network/Segments retransmitted/sec.					
0	0.006	2.2	0	0	0.093
LG 34.70.29.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	28.9	11.4	11.6	6.63
LG 34.70.29.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.52	1.57	1.59	0.843

LG 34.70.30.128:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.30.128:443/CPU Load					
0	7.72	17	7	7.65	3.42
LG 34.70.30.128:443/Memory Used					
1	16.7	37	16	16.5	9.46
LG 34.70.30.128:443/Throughput					
0	11.4	28.5	11.3	11.3	6.28
LG 34.70.30.128:443/User Load					
0	114.5	212	124	114.8	60.8
LG 34.70.30.128:443/Thread Count					
20	191.4	308	200	191.7	68.6
LG 34.70.30.128:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.70.30.128:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.70.30.128:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.30.128:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.30.128:443/Controller Connection/Ping Duration (ms)					
56	60.4	98	58	58.5	9.29
LG 34.70.30.128:443/Network/Segments sent/sec.					
0	1,025	2,392	1,029	1,017	549.4
LG 34.70.30.128:443/Network/Segments retransmitted/sec.					
0	0.01	4.86	0	0	0.201
LG 34.70.30.128:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.6	11.8	11.7	6.53
LG 34.70.30.128:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.62	3.67	1.58	1.61	0.861

LG 35.184.134.106:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.134.106:443/CPU Load					
0	7.98	17	8	7.92	3.66
LG 35.184.134.106:443/Memory Used					
2	16	37	15	15.7	8.95
LG 35.184.134.106:443/Throughput					
0	11.3	27.5	11.5	11.2	6.43
LG 35.184.134.106:443/User Load					
0	114.1	212	122	114.4	60.9
LG 35.184.134.106:443/Thread Count					
20	192.3	316	196	192.1	70.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.134.106:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.184.134.106:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.008
LG 35.184.134.106:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.134.106:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.134.106:443/Controller Connection/Ping Duration (ms)					
41	59.7	95	59	58.9	7.22
LG 35.184.134.106:443/Network/Segments sent/sec.					
0	1,015	2,298	1,011	1,006	554.3
LG 35.184.134.106:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.034
LG 35.184.134.106:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	28.5	12	11.7	6.69
LG 35.184.134.106:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.74	1.55	1.59	0.866

LG 35.184.137.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.137.246:443/CPU Load					
0	7.79	16	7	7.72	3.67
LG 35.184.137.246:443/Memory Used					
2	13.9	35	13	13.7	7.5
LG 35.184.137.246:443/Throughput					
0	11.4	28.2	11.4	11.3	6.47
LG 35.184.137.246:443/User Load					
0	114.5	212	122.5	114.8	60.8
LG 35.184.137.246:443/Thread Count					
20	193	294	212.5	194.2	67.5
LG 35.184.137.246:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.184.137.246:443/Http client/Task Pool used					
0	0.001	0.2	0	0	0.009
LG 35.184.137.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.137.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.137.246:443/Controller Connection/Ping Duration (ms)					
39	59.7	98	58	58.6	9.88
LG 35.184.137.246:443/Network/Segments sent/sec.					
0	1,024	2,338	1,033	1,018	561.6
LG 35.184.137.246:443/Network/Segments retransmitted/sec.					
0	0.001	0.4	0	0	0.018
LG 35.184.137.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.3	11.9	11.7	6.73
LG 35.184.137.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.62	3.5	1.64	1.61	0.873

LG 35.184.199.225:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.199.225:443/CPU Load					
0	8.02	20	8	7.97	3.66
LG 35.184.199.225:443/Memory Used					
2	17.5	39	17	17.3	9.65
LG 35.184.199.225:443/Throughput					
0	11.3	26.9	11.2	11.2	6.42
LG 35.184.199.225:443/User Load					
0	113.9	212	121.5	114.2	60.8
LG 35.184.199.225:443/Thread Count					
20	189.8	303	196.5	190.3	69.8
LG 35.184.199.225:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.184.199.225:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.184.199.225:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.199.225:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.199.225:443/Controller Connection/Ping Duration (ms)					
37	59.1	89	59	58.8	5.49
LG 35.184.199.225:443/Network/Segments sent/sec.					
0	1,013	2,276	1,006	1,006	554.1
LG 35.184.199.225:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.043
LG 35.184.199.225:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.9	11.7	11.7	6.67
LG 35.184.199.225:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.49	1.58	1.6	0.861

LG 35.184.216.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.216.116:443/CPU Load					
0	8.13	17	8	8.09	3.65
LG 35.184.216.116:443/Memory Used					
2	13.1	33	12	12.9	7
LG 35.184.216.116:443/Throughput					
0	11.3	28.1	11.1	11.2	6.37
LG 35.184.216.116:443/User Load					
0	113.6	211	121	113.8	60.7
LG 35.184.216.116:443/Thread Count					
20	192.9	316	197	192.8	70.7
LG 35.184.216.116:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.184.216.116:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.184.216.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.216.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.216.116:443/Controller Connection/Ping Duration (ms)					
40	59.5	88	59	59	6.57

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.216.116:443/Network/Segments sent/sec.					
0	1,012	2,370	1,013	1,004	552.7
LG 35.184.216.116:443/Network/Segments retransmitted/sec.					
0	0.008	1.4	0	0	0.081
LG 35.184.216.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	29.2	11.6	11.6	6.63
LG 35.184.216.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.87	1.55	1.58	0.875

LG 35.184.59.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.59.93:443/CPU Load					
0	8.12	20	7	8.03	3.76
LG 35.184.59.93:443/Memory Used					
1	12.9	31	12	12.7	6.93
LG 35.184.59.93:443/Throughput					
0	11.4	30.2	10.99	11.2	6.48
LG 35.184.59.93:443/User Load					
0	114	212	121.5	114.2	60.8
LG 35.184.59.93:443/Thread Count					
20	191.7	307	204	192	69.5
LG 35.184.59.93:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 35.184.59.93:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.009
LG 35.184.59.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.59.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.59.93:443/Controller Connection/Ping Duration (ms)					
43	60.7	94	60	59.7	6.87
LG 35.184.59.93:443/Network/Segments sent/sec.					
0	1,016	2,502	987.3	1,005	560
LG 35.184.59.93:443/Network/Segments retransmitted/sec.					
0	0.015	4.8	0	0	0.204
LG 35.184.59.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	31.1	11.5	11.7	6.74
LG 35.184.59.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.75	1.59	1.58	0.87

LG 35.192.147.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.147.142:443/CPU Load					
0	8.31	18	8	8.28	3.8
LG 35.192.147.142:443/Memory Used					
1	17.7	38	17	17.4	9.72
LG 35.192.147.142:443/Throughput					
0	11.4	27.6	11.2	11.3	6.33
LG 35.192.147.142:443/User Load					
0	114.3	212	123	114.5	60.9
LG 35.192.147.142:443/Thread Count					
20	191.2	307	194	191.6	68.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.147.142:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.192.147.142:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.009
LG 35.192.147.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.147.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.147.142:443/Controller Connection/Ping Duration (ms)					
39	59.7	95	59	58.7	7.45
LG 35.192.147.142:443/Network/Segments sent/sec.					
0	1,017	2,248	1,014	1,011	547
LG 35.192.147.142:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.041
LG 35.192.147.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	28.7	11.7	11.7	6.58
LG 35.192.147.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.61	3.43	1.59	1.6	0.846

LG 35.192.206.238:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.206.238:443/CPU Load					
0	8.76	19	9	8.71	3.9
LG 35.192.206.238:443/Memory Used					
2	14.4	37	14	14.1	7.93
LG 35.192.206.238:443/Throughput					
0	11.3	26.8	10.84	11.2	6.3
LG 35.192.206.238:443/User Load					
0	113.7	211	121.5	114	60.7
LG 35.192.206.238:443/Thread Count					
20	191.7	301	200	192.4	68.5
LG 35.192.206.238:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.192.206.238:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.192.206.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.206.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.206.238:443/Controller Connection/Ping Duration (ms)					
50	79	103	98	79	20.2
LG 35.192.206.238:443/Network/Segments sent/sec.					
0	1,007	2,148	971	1,003	543.5
LG 35.192.206.238:443/Network/Segments retransmitted/sec.					
0	0.005	0.8	0	0	0.054
LG 35.192.206.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.7	11.4	11.7	6.54
LG 35.192.206.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.42	1.57	1.59	0.85

LG 35.193.225.180:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.225.180:443/CPU Load					
0	8.42	19	9	8.36	3.75
LG 35.193.225.180:443/Memory Used					
2	15.6	38	14	15.3	8.75
LG 35.193.225.180:443/Throughput					
0	11.3	30.4	11.4	11.2	6.42
LG 35.193.225.180:443/User Load					
0	113.7	212	121	113.9	60.8
LG 35.193.225.180:443/Thread Count					
20	190.4	314	198	190.2	69
LG 35.193.225.180:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.193.225.180:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.01
LG 35.193.225.180:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.225.180:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.225.180:443/Controller Connection/Ping Duration (ms)					
44	60.2	99	59	59.2	7.34
LG 35.193.225.180:443/Network/Segments sent/sec.					
0	1,014	2,374	1,033	1,004	552
LG 35.193.225.180:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.037
LG 35.193.225.180:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	31.4	12	11.6	6.67
LG 35.193.225.180:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.68	1.63	1.58	0.854

LG 35.223.220.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.220.137:443/CPU Load					
0	9.67	24	9	9.57	4.41
LG 35.223.220.137:443/Memory Used					
2	13.5	34	13	13.2	7.37
LG 35.223.220.137:443/Throughput					
0	11.4	26.7	10.96	11.3	6.41
LG 35.223.220.137:443/User Load					
0	114.4	212	122.5	114.6	60.8
LG 35.223.220.137:443/Thread Count					
20	192.2	296	198.5	193.2	69.9
LG 35.223.220.137:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.223.220.137:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.223.220.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.220.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.220.137:443/Controller Connection/Ping Duration (ms)					
40	62.1	102	60	60.9	9.62

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.220.137:443/Network/Segments sent/sec.					
0	1,014	2,206	980.3	1,009	556.6
LG 35.223.220.137:443/Network/Segments retransmitted/sec.					
0	0.056	7.2	0	0.022	0.321
LG 35.223.220.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.6	11.4	11.8	6.66
LG 35.223.220.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.49	1.54	1.59	0.868

LG 35.225.188.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.188.189:443/CPU Load					
0	7.56	18	7	7.52	3.49
LG 35.225.188.189:443/Memory Used					
2	13.9	35	13	13.6	7.49
LG 35.225.188.189:443/Throughput					
0	11.3	28	11.1	11.2	6.32
LG 35.225.188.189:443/User Load					
0	113.9	212	121.5	114.1	60.9
LG 35.225.188.189:443/Thread Count					
20	190.9	298	194.5	191.5	67.9
LG 35.225.188.189:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.225.188.189:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.225.188.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.188.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.188.189:443/Controller Connection/Ping Duration (ms)					
44	61.5	99	60	60	8.88
LG 35.225.188.189:443/Network/Segments sent/sec.					
0	1,019	2,255	998.7	1,014	552.3
LG 35.225.188.189:443/Network/Segments retransmitted/sec.					
0	0.007	3.2	0	0	0.134
LG 35.225.188.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	29	11.6	11.7	6.58
LG 35.225.188.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.61	3.4	1.56	1.6	0.858

LG 35.232.107.58:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.107.58:443/CPU Load					
0	7.97	17	7.5	7.93	3.57
LG 35.232.107.58:443/Memory Used					
1	16.9	38	16	16.7	9.54
LG 35.232.107.58:443/Throughput					
0	11.4	27.8	11	11.3	6.3
LG 35.232.107.58:443/User Load					
0	114.1	212	122.5	114.4	60.9
LG 35.232.107.58:443/Thread Count					
20	192	311	197.5	192.1	69.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.107.58:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.232.107.58:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.009
LG 35.232.107.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.107.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.107.58:443/Controller Connection/Ping Duration (ms)					
39	59.5	95	58	58.5	7.26
LG 35.232.107.58:443/Network/Segments sent/sec.					
0	1,020	2,378	1,000.6	1,013	551.9
LG 35.232.107.58:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 35.232.107.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.9	28.8	11.5	11.8	6.55
LG 35.232.107.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.61	3.68	1.55	1.6	0.867

LG 35.238.160.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.160.189:443/CPU Load					
0	8.45	20	8	8.37	3.94
LG 35.238.160.189:443/Memory Used					
2	13.8	34	13	13.6	7.62
LG 35.238.160.189:443/Throughput					
0	11.3	29.1	10.8	11.1	6.54
LG 35.238.160.189:443/User Load					
0	113.5	211	121	113.8	60.8
LG 35.238.160.189:443/Thread Count					
20	190.5	299	201	191.1	68.6
LG 35.238.160.189:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.238.160.189:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 35.238.160.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.160.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.160.189:443/Controller Connection/Ping Duration (ms)					
34	60.3	98	59	59	9.5
LG 35.238.160.189:443/Network/Segments sent/sec.					
0	1,007	2,348	966.8	996.8	559.7
LG 35.238.160.189:443/Network/Segments retransmitted/sec.					
0	0.004	1.2	0	0	0.056
LG 35.238.160.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	30	11.3	11.6	6.79
LG 35.238.160.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.6	1.53	1.58	0.857

LG 35.239.107.172:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.107.172:443/CPU Load					
0	7.68	16	7	7.63	3.4
LG 35.239.107.172:443/Memory Used					
2	17.5	38	17	17.3	9.61
LG 35.239.107.172:443/Throughput					
0	11.3	26.3	10.97	11.3	6.28
LG 35.239.107.172:443/User Load					
0	114.3	212	122	114.5	60.8
LG 35.239.107.172:443/Thread Count					
20	191.3	304	197	191.7	68.9
LG 35.239.107.172:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.239.107.172:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.239.107.172:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.107.172:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.107.172:443/Controller Connection/Ping Duration (ms)					
42	60.3	93	59	59.3	7.04
LG 35.239.107.172:443/Network/Segments sent/sec.					
0	1,022	2,184	1,000	1,017	547.9
LG 35.239.107.172:443/Network/Segments retransmitted/sec.					
0	0.011	3.19	0	0	0.139
LG 35.239.107.172:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.3	11.4	11.7	6.53
LG 35.239.107.172:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.61	3.55	1.57	1.6	0.852

LG 35.239.193.245:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.193.245:443/CPU Load					
0	0	0	0	0	-
LG 35.239.193.245:443/Memory Used					
0	0	0	0	0	-
LG 35.239.193.245:443/Throughput					
0	0	0	0	0	-
LG 35.239.193.245:443/User Load					
0	0	0	0	0	-
LG 35.239.193.245:443/Thread Count					
0	0	0	0	0	-
LG 35.239.193.245:443/Http client/Thread Pool used					
0	0	0	0	0	-
LG 35.239.193.245:443/Http client/Task Pool used					
0	0	0	0	0	-
LG 35.239.193.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.193.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.193.245:443/Controller Connection/Ping Duration (ms)					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.193.245:443/Network/Segments sent/sec.					
0	0	0	0	0	-
LG 35.239.193.245:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	-
LG 35.239.193.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0	0	0	0	0	-
LG 35.239.193.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0	0	0	0	-

LG 34.94.1.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.1.240:443/CPU Load					
0	7.35	17	8	7.24	4.04
LG 34.94.1.240:443/Memory Used					
2	17.3	39	16	17.1	9.57
LG 34.94.1.240:443/Throughput					
0	11.4	27.1	11.2	11.3	6.25
LG 34.94.1.240:443/User Load					
0	114.6	212	122.5	114.8	60.8
LG 34.94.1.240:443/Thread Count					
20	188.1	300	193.5	188.4	67.3
LG 34.94.1.240:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 34.94.1.240:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.009
LG 34.94.1.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.1.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.1.240:443/Controller Connection/Ping Duration (ms)					
76	122	167	122	121.9	31.6
LG 34.94.1.240:443/Network/Segments sent/sec.					
0	967.5	2,131	980.3	963.2	510.9
LG 34.94.1.240:443/Network/Segments retransmitted/sec.					
0	0.009	0.8	0	0	0.066
LG 34.94.1.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.9	11.7	11.8	6.48
LG 34.94.1.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.71	1.59	1.58	0.829

LG 34.94.10.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.10.52:443/CPU Load					
0	6.58	16	6	6.53	3.45
LG 34.94.10.52:443/Memory Used					
2	13.6	34	13	13.4	7.31
LG 34.94.10.52:443/Throughput					
0	11.4	28.2	11	11.3	6.4
LG 34.94.10.52:443/User Load					
0	115	212	124	115.3	60.8
LG 34.94.10.52:443/Thread Count					
20	190.6	303	202	191	68.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.10.52:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.10.52:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.01
LG 34.94.10.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.10.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.10.52:443/Controller Connection/Ping Duration (ms)					
61	93.6	159	84	92.7	20.6
LG 34.94.10.52:443/Network/Segments sent/sec.					
0	972.8	2,076	933	970.5	526.6
LG 34.94.10.52:443/Network/Segments retransmitted/sec.					
0	0.008	3.6	0	0	0.149
LG 34.94.10.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.1	11.4	11.8	6.64
LG 34.94.10.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.42	1.46	1.59	0.852

LG 34.94.105.127:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.105.127:443/CPU Load					
0	7.12	20	7	6.98	3.75
LG 34.94.105.127:443/Memory Used					
1	14.6	35	14	14.4	8
LG 34.94.105.127:443/Throughput					
0	11.4	30.4	11.5	11.3	6.37
LG 34.94.105.127:443/User Load					
0	114.4	212	123.5	114.7	60.8
LG 34.94.105.127:443/Thread Count					
20	191.3	313	196.5	191.2	70
LG 34.94.105.127:443/Http client/Thread Pool used					
0.1	0.101	0.145	0.1	0.1	0.005
LG 34.94.105.127:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 34.94.105.127:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.105.127:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.105.127:443/Controller Connection/Ping Duration (ms)					
62	90.8	121	83	90.7	20.7
LG 34.94.105.127:443/Network/Segments sent/sec.					
0	970.4	2,514	978.6	957.8	525
LG 34.94.105.127:443/Network/Segments retransmitted/sec.					
0	0.015	3	0	0	0.143
LG 34.94.105.127:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	31.6	12	11.7	6.61
LG 34.94.105.127:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.82	1.6	1.57	0.845

LG 34.94.128.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.128.220:443/CPU Load					
0	6.63	17	6	6.51	3.62
LG 34.94.128.220:443/Memory Used					
2	14.5	33	14	14.3	7.87
LG 34.94.128.220:443/Throughput					
0	11.5	30.1	10.9	11.3	6.6
LG 34.94.128.220:443/User Load					
0	114.8	212	124	115.1	60.7
LG 34.94.128.220:443/Thread Count					
20	188.4	296	194	188.8	66.7
LG 34.94.128.220:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 34.94.128.220:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.94.128.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.128.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.128.220:443/Controller Connection/Ping Duration (ms)					
77	132.6	167	124	133.1	21.1
LG 34.94.128.220:443/Network/Segments sent/sec.					
0	974.2	2,374	935.2	961.5	534.4
LG 34.94.128.220:443/Network/Segments retransmitted/sec.					
0	0.011	2.2	0	0	0.12
LG 34.94.128.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	31.2	11.4	11.7	6.84
LG 34.94.128.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.7	1.58	1.58	0.849

LG 34.94.139.204:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.139.204:443/CPU Load					
0	6.78	17	6	6.68	3.66
LG 34.94.139.204:443/Memory Used					
2	13.7	33	13	13.4	7.33
LG 34.94.139.204:443/Throughput					
0	11.3	27.1	11.4	11.1	6.4
LG 34.94.139.204:443/User Load					
0	113.7	212	121	113.9	60.9
LG 34.94.139.204:443/Thread Count					
20	188.2	298	194	188.7	67.8
LG 34.94.139.204:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.139.204:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.94.139.204:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.139.204:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.139.204:443/Controller Connection/Ping Duration (ms)					
71	124.9	164	124	124.3	11.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.139.204:443/Network/Segments sent/sec.					
0	960.3	2,165	987.3	953.5	525
LG 34.94.139.204:443/Network/Segments retransmitted/sec.					
0	0.009	1.81	0	0	0.088
LG 34.94.139.204:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.7	27.9	11.8	11.6	6.64
LG 34.94.139.204:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.5	1.6	1.57	0.848

LG 34.94.142.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.142.45:443/CPU Load					
0	6.39	17	6	6.25	3.39
LG 34.94.142.45:443/Memory Used					
2	13.5	32	13	13.3	7.24
LG 34.94.142.45:443/Throughput					
0	11.4	30.4	11.2	11.2	6.41
LG 34.94.142.45:443/User Load					
0	114.3	212	121.5	114.6	60.7
LG 34.94.142.45:443/Thread Count					
20	188.7	294	194.5	189.4	68.9
LG 34.94.142.45:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.142.45:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.94.142.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.142.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.142.45:443/Controller Connection/Ping Duration (ms)					
64	101.4	163	85	99.8	25
LG 34.94.142.45:443/Network/Segments sent/sec.					
0	971.2	2,395	974.1	957.4	524.2
LG 34.94.142.45:443/Network/Segments retransmitted/sec.					
0	0.012	1.2	0	0	0.091
LG 34.94.142.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	31.4	11.7	11.6	6.65
LG 34.94.142.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	4.07	1.55	1.56	0.84

LG 34.94.143.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.143.184:443/CPU Load					
0	6.31	15	6	6.24	3.4
LG 34.94.143.184:443/Memory Used					
2	16.1	37	15	15.8	8.95
LG 34.94.143.184:443/Throughput					
0	11.4	28.5	11.5	11.3	6.32
LG 34.94.143.184:443/User Load					
0	114.3	212	122	114.6	60.8
LG 34.94.143.184:443/Thread Count					
20	189.9	307	198	190.1	69.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.143.184:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 34.94.143.184:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.011
LG 34.94.143.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.143.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.143.184:443/Controller Connection/Ping Duration (ms)					
60	131	163	123	132.4	23.9
LG 34.94.143.184:443/Network/Segments sent/sec.					
0	971.2	2,146	973.5	964.9	521.4
LG 34.94.143.184:443/Network/Segments retransmitted/sec.					
0	0.014	2.8	0	0	0.139
LG 34.94.143.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.4	11.9	11.8	6.56
LG 34.94.143.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.58	1.53	1.58	0.843

LG 34.94.164.47:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.164.47:443/CPU Load					
0	6.86	16	7	6.81	3.49
LG 34.94.164.47:443/Memory Used					
2	14.8	37	14	14.5	8.1
LG 34.94.164.47:443/Throughput					
0	11.5	28.2	11.4	11.4	6.35
LG 34.94.164.47:443/User Load					
0	115	212	123.5	115.3	60.7
LG 34.94.164.47:443/Thread Count					
20	190.1	296	202	190.8	67.1
LG 34.94.164.47:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.164.47:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 34.94.164.47:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.164.47:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.164.47:443/Controller Connection/Ping Duration (ms)					
62	101.9	161	83	100.8	32.4
LG 34.94.164.47:443/Network/Segments sent/sec.					
0	975.8	2,158	969.9	970.3	519
LG 34.94.164.47:443/Network/Segments retransmitted/sec.					
0	0.01	2.8	0	0	0.135
LG 34.94.164.47:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.2	11.9	11.8	6.59
LG 34.94.164.47:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.6	3.5	1.58	1.59	0.833

LG 34.94.17.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.17.19:443/CPU Load					
0	7.83	17	8	7.76	3.89
LG 34.94.17.19:443/Memory Used					
2	16.5	38	16	16.3	9.22
LG 34.94.17.19:443/Throughput					
0	11.4	25.8	11.4	11.3	6.26
LG 34.94.17.19:443/User Load					
0	114.6	212	123	114.9	60.7
LG 34.94.17.19:443/Thread Count					
20	189.9	307	197	190	69.1
LG 34.94.17.19:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.94.17.19:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.012
LG 34.94.17.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.17.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.17.19:443/Controller Connection/Ping Duration (ms)					
72	135.2	167	124	135.6	21.2
LG 34.94.17.19:443/Network/Segments sent/sec.					
0	970.7	2,091	987.6	966.3	514.8
LG 34.94.17.19:443/Network/Segments retransmitted/sec.					
0	0.006	0.603	0	0	0.048
LG 34.94.17.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	26.8	11.8	11.8	6.49
LG 34.94.17.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.46	1.63	1.58	0.83

LG 34.94.176.105:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.176.105:443/CPU Load					
0	6.42	16	6	6.34	3.38
LG 34.94.176.105:443/Memory Used					
2	12.5	30	12	12.3	6.57
LG 34.94.176.105:443/Throughput					
0	11.4	28.4	11.3	11.3	6.33
LG 34.94.176.105:443/User Load					
0	114.4	212	122.5	114.6	60.8
LG 34.94.176.105:443/Thread Count					
20	188.6	296	196.5	189.3	66.7
LG 34.94.176.105:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.176.105:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 34.94.176.105:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.176.105:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.176.105:443/Controller Connection/Ping Duration (ms)					
61	103.3	158	118	102.6	24.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.176.105:443/Network/Segments sent/sec.					
0	969.4	2,185	967.4	963.3	521.7
LG 34.94.176.105:443/Network/Segments retransmitted/sec.					
0	0.016	4	0	0	0.188
LG 34.94.176.105:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	29.4	11.8	11.7	6.57
LG 34.94.176.105:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.56	1.56	1.57	0.839

LG 34.94.232.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.232.205:443/CPU Load					
0	6.85	17	6	6.75	3.55
LG 34.94.232.205:443/Memory Used					
2	15.3	36	14	15	8.45
LG 34.94.232.205:443/Throughput					
0	11.5	29.8	11.1	11.3	6.43
LG 34.94.232.205:443/User Load					
0	114.5	212	124	114.8	60.8
LG 34.94.232.205:443/Thread Count					
20	188.4	300	199	189	66.8
LG 34.94.232.205:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.232.205:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.94.232.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.232.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.232.205:443/Controller Connection/Ping Duration (ms)					
72	118.6	158	120	119.6	10.72
LG 34.94.232.205:443/Network/Segments sent/sec.					
0	973.9	2,332	945.2	966.2	525.8
LG 34.94.232.205:443/Network/Segments retransmitted/sec.					
0	0.012	0.6	0	0	0.069
LG 34.94.232.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	30.9	11.6	11.8	6.67
LG 34.94.232.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.47	1.56	1.58	0.844

LG 34.94.255.66:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.255.66:443/CPU Load					
0	7.16	15	7	7.11	3.56
LG 34.94.255.66:443/Memory Used					
2	17.3	38	17	17.1	9.69
LG 34.94.255.66:443/Throughput					
0	11.4	28.1	11.4	11.3	6.3
LG 34.94.255.66:443/User Load					
0	114.1	211	123	114.4	60.7
LG 34.94.255.66:443/Thread Count					
20	188.4	301	197	188.8	67.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.255.66:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.94.255.66:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.94.255.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.255.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.255.66:443/Controller Connection/Ping Duration (ms)					
77	110.4	159	118	109.9	19.3
LG 34.94.255.66:443/Network/Segments sent/sec.					
0	968.2	2,079	1,002	962.7	515.9
LG 34.94.255.66:443/Network/Segments retransmitted/sec.					
0	0.011	1.4	0	0	0.083
LG 34.94.255.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.1	11.9	11.7	6.53
LG 34.94.255.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.56	1.61	1.58	0.835

LG 34.94.60.78:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.60.78:443/CPU Load					
0	7.3	17	8	7.29	3.59
LG 34.94.60.78:443/Memory Used					
2	14.8	37	14	14.5	8.25
LG 34.94.60.78:443/Throughput					
0	11.4	26.7	11.1	11.3	6.36
LG 34.94.60.78:443/User Load					
0	114.3	212	122	114.6	60.9
LG 34.94.60.78:443/Thread Count					
20	189.3	302	194	189.6	68
LG 34.94.60.78:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.60.78:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.94.60.78:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.60.78:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.60.78:443/Controller Connection/Ping Duration (ms)					
76	136.2	164	124	137.2	22.1
LG 34.94.60.78:443/Network/Segments sent/sec.					
0	965.8	2,023	951	961.7	518.6
LG 34.94.60.78:443/Network/Segments retransmitted/sec.					
0	0.011	1	0	0	0.08
LG 34.94.60.78:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.6	11.5	11.7	6.59
LG 34.94.60.78:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.36	1.56	1.57	0.834

LG 34.94.70.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.70.216:443/CPU Load					
0	6.67	16	6	6.58	3.52
LG 34.94.70.216:443/Memory Used					
2	16.2	37	15	15.9	9.13
LG 34.94.70.216:443/Throughput					
0	11.3	29.9	10.72	11.1	6.45
LG 34.94.70.216:443/User Load					
0	113.8	212	121.5	114	60.9
LG 34.94.70.216:443/Thread Count					
20	187.6	298	191.5	188.1	68.8
LG 34.94.70.216:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.70.216:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 34.94.70.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.70.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.70.216:443/Controller Connection/Ping Duration (ms)					
61	81.6	124	79	80.4	13.8
LG 34.94.70.216:443/Network/Segments sent/sec.					
0	964.3	2,276	936.5	953.1	527.2
LG 34.94.70.216:443/Network/Segments retransmitted/sec.					
0	0.017	2.2	0	0	0.142
LG 34.94.70.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	30.9	11.2	11.6	6.7
LG 34.94.70.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.79	1.59	1.56	0.851

LG 34.94.81.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.81.79:443/CPU Load					
0	7.31	18	7	7.25	3.74
LG 34.94.81.79:443/Memory Used					
2	17.3	38	16	17.1	9.59
LG 34.94.81.79:443/Throughput					
0	11.5	26.7	11.3	11.3	6.42
LG 34.94.81.79:443/User Load					
0	115	212	124	115.3	60.8
LG 34.94.81.79:443/Thread Count					
20	188.8	290	200	189.7	65.9
LG 34.94.81.79:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.94.81.79:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.94.81.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.81.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.81.79:443/Controller Connection/Ping Duration (ms)					
79	135.2	161	121	136	21.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.81.79:443/Network/Segments sent/sec.					
0	973.5	2,117	957	969.3	525.8
LG 34.94.81.79:443/Network/Segments retransmitted/sec.					
0	0.009	1.4	0	0	0.089
LG 34.94.81.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.6	11.7	11.8	6.66
LG 34.94.81.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.5	1.58	1.58	0.84

LG 35.235.118.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.118.208:443/CPU Load					
0	6.23	15	6	6.15	3.28
LG 35.235.118.208:443/Memory Used					
2	17.5	38	17	17.3	9.73
LG 35.235.118.208:443/Throughput					
0	11.3	28.8	10.97	11.2	6.33
LG 35.235.118.208:443/User Load					
0	113.7	212	121	113.9	60.9
LG 35.235.118.208:443/Thread Count					
20	187	301	190	187.2	67
LG 35.235.118.208:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.235.118.208:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.01
LG 35.235.118.208:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.118.208:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.118.208:443/Controller Connection/Ping Duration (ms)					
62	109	159	119	109.4	19.5
LG 35.235.118.208:443/Network/Segments sent/sec.					
0	963.3	2,243	932.8	956.5	520.7
LG 35.235.118.208:443/Network/Segments retransmitted/sec.					
0	0.008	1.6	0	0	0.091
LG 35.235.118.208:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	29.8	11.4	11.6	6.58
LG 35.235.118.208:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.59	1.56	1.57	0.833

LG 35.235.72.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.72.121:443/CPU Load					
0	6.08	15	6	5.97	3.36
LG 35.235.72.121:443/Memory Used					
1	14.6	35	14	14.4	8.04
LG 35.235.72.121:443/Throughput					
0	11.3	29.9	11.1	11.1	6.59
LG 35.235.72.121:443/User Load					
0	113.6	211	121	113.9	60.7
LG 35.235.72.121:443/Thread Count					
20	187.6	302	197	187.8	68.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.72.121:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.235.72.121:443/Http client/Task Pool used					
0	0.001	0.2	0	0	0.011
LG 35.235.72.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.72.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.72.121:443/Controller Connection/Ping Duration (ms)					
62	80.7	120	80	79.7	11.5
LG 35.235.72.121:443/Network/Segments sent/sec.					
0	967.2	2,368	962	953.3	539.7
LG 35.235.72.121:443/Network/Segments retransmitted/sec.					
0	0.012	2	0	0	0.115
LG 35.235.72.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	31	11.6	11.6	6.85
LG 35.235.72.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.8	1.53	1.56	0.859

LG 35.235.80.138:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.80.138:443/CPU Load					
0	6.28	14	6	6.23	3.31
LG 35.235.80.138:443/Memory Used					
1	13.6	33	13	13.4	7.4
LG 35.235.80.138:443/Throughput					
0	11.4	27.8	11.2	11.3	6.31
LG 35.235.80.138:443/User Load					
0	114.4	212	124	114.7	60.8
LG 35.235.80.138:443/Thread Count					
20	187.6	294	197	188.1	66.7
LG 35.235.80.138:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.80.138:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.009
LG 35.235.80.138:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.80.138:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.80.138:443/Controller Connection/Ping Duration (ms)					
106	125.4	167	125	124.1	8.95
LG 35.235.80.138:443/Network/Segments sent/sec.					
0	971.1	2,100	957.2	967.8	519.1
LG 35.235.80.138:443/Network/Segments retransmitted/sec.					
0	0.009	3	0	0	0.13
LG 35.235.80.138:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	28.7	11.7	11.8	6.55
LG 35.235.80.138:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.37	1.59	1.58	0.838

LG 35.235.90.170:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.90.170:443/CPU Load					
0	7.08	20	7	6.99	3.78
LG 35.235.90.170:443/Memory Used					
2	16.3	39	16	16	9.14
LG 35.235.90.170:443/Throughput					
0	11.3	27.6	11.1	11.2	6.44
LG 35.235.90.170:443/User Load					
0	114.2	212	122	114.4	60.9
LG 35.235.90.170:443/Thread Count					
20	189.2	302	198	189.5	68.6
LG 35.235.90.170:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.235.90.170:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 35.235.90.170:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.90.170:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.90.170:443/Controller Connection/Ping Duration (ms)					
63	89.6	166	81	88	20.4
LG 35.235.90.170:443/Network/Segments sent/sec.					
0	964.7	2,142	967.3	957.9	524.2
LG 35.235.90.170:443/Network/Segments retransmitted/sec.					
0	0.025	3.61	0	0	0.185
LG 35.235.90.170:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	28.6	11.6	11.7	6.68
LG 35.235.90.170:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.35	1.58	1.57	0.84

LG 35.235.90.177:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.90.177:443/CPU Load					
0	8.62	24	9	8.51	4.3
LG 35.235.90.177:443/Memory Used					
1	14.5	36	14	14.2	8.07
LG 35.235.90.177:443/Throughput					
0	11.5	28.1	11.1	11.3	6.4
LG 35.235.90.177:443/User Load					
0	114.8	212	124	115.1	60.8
LG 35.235.90.177:443/Thread Count					
20	189.1	294	200	189.8	66.6
LG 35.235.90.177:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 35.235.90.177:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.009
LG 35.235.90.177:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.90.177:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.90.177:443/Controller Connection/Ping Duration (ms)					
65	133.8	164	124	135.3	23.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.90.177:443/Network/Segments sent/sec.					
0	971.4	2,109	950.8	965.6	523.8
LG 35.235.90.177:443/Network/Segments retransmitted/sec.					
0	0.01	1	0	0	0.07
LG 35.235.90.177:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.1	11.6	11.8	6.64
LG 35.235.90.177:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.33	1.58	1.58	0.845

LG 35.235.98.163:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.98.163:443/CPU Load					
0	6.8	15	7	6.73	3.49
LG 35.235.98.163:443/Memory Used					
2	13.4	32	13	13.2	7.32
LG 35.235.98.163:443/Throughput					
0	11.4	24.7	11.5	11.3	6.22
LG 35.235.98.163:443/User Load					
0	114.4	212	122	114.7	60.8
LG 35.235.98.163:443/Thread Count					
20	188.5	295	201	189.3	67
LG 35.235.98.163:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.235.98.163:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.235.98.163:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.98.163:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.98.163:443/Controller Connection/Ping Duration (ms)					
62	103.8	162	83	102.7	33.9
LG 35.235.98.163:443/Network/Segments sent/sec.					
0	971	2,080	987.2	966.8	516.1
LG 35.235.98.163:443/Network/Segments retransmitted/sec.					
0	0.012	1.4	0	0	0.087
LG 35.235.98.163:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	25.6	12	11.8	6.46
LG 35.235.98.163:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.73	1.57	1.58	0.832

LG 35.236.105.67:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.105.67:443/CPU Load					
0	6.63	15	6	6.58	3.42
LG 35.236.105.67:443/Memory Used					
1	16.2	37	15	16	9.1
LG 35.236.105.67:443/Throughput					
0	11.2	27.4	11.2	11.1	6.27
LG 35.236.105.67:443/User Load					
0	113.7	212	121	113.9	60.9
LG 35.236.105.67:443/Thread Count					
20	189.3	301	200	189.7	67.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.105.67:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 35.236.105.67:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.236.105.67:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.105.67:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.105.67:443/Controller Connection/Ping Duration (ms)					
61	96	158	83	94.2	24.8
LG 35.236.105.67:443/Network/Segments sent/sec.					
0	958.4	2,115	943.7	953.7	517.7
LG 35.236.105.67:443/Network/Segments retransmitted/sec.					
0	0.014	2.6	0	0	0.144
LG 35.236.105.67:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.7	28.3	11.7	11.6	6.52
LG 35.236.105.67:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.57	3.31	1.54	1.57	0.839

LG 35.236.15.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.15.5:443/CPU Load					
0	6.91	16	7	6.84	3.51
LG 35.236.15.5:443/Memory Used					
2	15.1	36	14	14.8	8.49
LG 35.236.15.5:443/Throughput					
0	11.4	26.9	11	11.2	6.37
LG 35.236.15.5:443/User Load					
0	113.8	212	121.5	114	60.9
LG 35.236.15.5:443/Thread Count					
20	187.1	302	193.5	187.3	67.8
LG 35.236.15.5:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.15.5:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.236.15.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.15.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.15.5:443/Controller Connection/Ping Duration (ms)					
111	121.6	154	121	121.1	5.27
LG 35.236.15.5:443/Network/Segments sent/sec.					
0	967.4	2,169	978.4	958.1	523.6
LG 35.236.15.5:443/Network/Segments retransmitted/sec.					
0	0.025	4.01	0	0	0.216
LG 35.236.15.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.9	11.5	11.7	6.61
LG 35.236.15.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.49	1.57	1.57	0.841

LG 35.236.3.97:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.3.97:443/CPU Load					
0	7.2	16	7	7.11	3.63
LG 35.236.3.97:443/Memory Used					
1	17.7	38	17	17.5	9.83
LG 35.236.3.97:443/Throughput					
0	11.4	28.4	11.3	11.2	6.38
LG 35.236.3.97:443/User Load					
0	114.2	212	123	114.4	60.8
LG 35.236.3.97:443/Thread Count					
20	187.5	300	197	187.9	67.5
LG 35.236.3.97:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.3.97:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.009
LG 35.236.3.97:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.3.97:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.3.97:443/Controller Connection/Ping Duration (ms)					
78	133.7	165	121	133.8	20.6
LG 35.236.3.97:443/Network/Segments sent/sec.					
0	967.7	2,198	964.1	958.8	523.1
LG 35.236.3.97:443/Network/Segments retransmitted/sec.					
0	0.017	1.6	0	0	0.113
LG 35.236.3.97:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	29.3	11.7	11.7	6.62
LG 35.236.3.97:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.59	1.58	1.57	0.841

LG 35.236.33.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.33.116:443/CPU Load					
0	6.89	17	6	6.8	3.6
LG 35.236.33.116:443/Memory Used					
1	17.1	38	16	16.9	9.52
LG 35.236.33.116:443/Throughput					
0	11.4	30	11.4	11.2	6.47
LG 35.236.33.116:443/User Load					
0	114.7	212	123.5	115	60.7
LG 35.236.33.116:443/Thread Count					
20	191.7	304	204	192	69.4
LG 35.236.33.116:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.236.33.116:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.01
LG 35.236.33.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.33.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.33.116:443/Controller Connection/Ping Duration (ms)					
74	133.8	164	124	135.1	22.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.33.116:443/Network/Segments sent/sec.					
0	970.5	2,297	989.1	960.6	529.2
LG 35.236.33.116:443/Network/Segments retransmitted/sec.					
0	0.02	3.61	0	0	0.172
LG 35.236.33.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	30.9	11.9	11.7	6.71
LG 35.236.33.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.88	1.51	1.57	0.858

LG 35.236.78.222:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.78.222:443/CPU Load					
0	6.66	16	6	6.56	3.56
LG 35.236.78.222:443/Memory Used					
1	16.2	37	16	15.9	9.05
LG 35.236.78.222:443/Throughput					
0	11.4	28	10.76	11.2	6.43
LG 35.236.78.222:443/User Load					
0	113.8	212	121.5	114	60.9
LG 35.236.78.222:443/Thread Count					
20	186.7	294	194.5	187.3	66.9
LG 35.236.78.222:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.236.78.222:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.009
LG 35.236.78.222:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.78.222:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.78.222:443/Controller Connection/Ping Duration (ms)					
100	119.3	157	118	117.8	9.78
LG 35.236.78.222:443/Network/Segments sent/sec.					
0	966.3	2,237	936.8	957.5	526
LG 35.236.78.222:443/Network/Segments retransmitted/sec.					
0	0.013	2.4	0	0	0.123
LG 35.236.78.222:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	29	11.2	11.7	6.68
LG 35.236.78.222:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.47	1.57	1.57	0.84

LG 35.236.79.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.71:443/CPU Load					
0	7.56	18	8	7.47	3.77
LG 35.236.79.71:443/Memory Used					
1	14.2	35	13	13.9	7.72
LG 35.236.79.71:443/Throughput					
0	11.3	27.6	11.3	11.2	6.31
LG 35.236.79.71:443/User Load					
0	113.8	212	121.5	114	60.9
LG 35.236.79.71:443/Thread Count					
20	188.9	305	192.5	189.1	68.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.71:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.236.79.71:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.011
LG 35.236.79.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.79.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.79.71:443/Controller Connection/Ping Duration (ms)					
61	127.2	161	119	128.8	26.5
LG 35.236.79.71:443/Network/Segments sent/sec.					
0	966.6	2,249	979.9	958.8	520.7
LG 35.236.79.71:443/Network/Segments retransmitted/sec.					
0	0.019	2	0	0	0.137
LG 35.236.79.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	28.6	11.8	11.7	6.55
LG 35.236.79.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.58	1.6	1.57	0.839

LG 35.236.89.138:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.89.138:443/CPU Load					
0	6.4	16	6	6.3	3.33
LG 35.236.89.138:443/Memory Used					
1	17.4	38	17	17.2	9.67
LG 35.236.89.138:443/Throughput					
0	11.4	26.9	11.1	11.3	6.32
LG 35.236.89.138:443/User Load					
0	114.6	212	123	114.8	60.8
LG 35.236.89.138:443/Thread Count					
20	189.3	308	198	189.2	68.3
LG 35.236.89.138:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.236.89.138:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.007
LG 35.236.89.138:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.89.138:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.89.138:443/Controller Connection/Ping Duration (ms)					
62	102.6	123	118	103.6	21
LG 35.236.89.138:443/Network/Segments sent/sec.					
0	970.4	2,096	993.6	964.9	518.6
LG 35.236.89.138:443/Network/Segments retransmitted/sec.					
0	0.004	0.6	0	0	0.041
LG 35.236.89.138:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.8	11.7	11.7	6.56
LG 35.236.89.138:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.49	1.57	1.58	0.829

LG 35.236.91.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.91.203:443/CPU Load					
0	6.35	15	6	6.26	3.34
LG 35.236.91.203:443/Memory Used					
1	14.1	34	13	13.9	7.77
LG 35.236.91.203:443/Throughput					
0	11.3	28.6	11.6	11.2	6.31
LG 35.236.91.203:443/User Load					
0	114	212	122	114.2	60.8
LG 35.236.91.203:443/Thread Count					
20	188.4	300	199	188.8	67.7
LG 35.236.91.203:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.91.203:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.236.91.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.91.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.91.203:443/Controller Connection/Ping Duration (ms)					
64	108.4	371	118	103.4	43.2
LG 35.236.91.203:443/Network/Segments sent/sec.					
0	967.4	2,140	1,007	962.2	519.1
LG 35.236.91.203:443/Network/Segments retransmitted/sec.					
0	0.004	0.6	0	0	0.042
LG 35.236.91.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	29.4	12.1	11.7	6.55
LG 35.236.91.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.58	3.41	1.64	1.58	0.832


LG 35.236.91.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.91.41:443/CPU Load					
0	6.3	15	6	6.2	3.35
LG 35.236.91.41:443/Memory Used					
2	16.5	38	16	16.2	9.35
LG 35.236.91.41:443/Throughput					
0	11.4	28.1	11.1	11.2	6.41
LG 35.236.91.41:443/User Load					
0	114.6	212	123	114.8	60.8
LG 35.236.91.41:443/Thread Count					
20	188.9	299	199.5	189.5	67.6
LG 35.236.91.41:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.236.91.41:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.236.91.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.91.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.91.41:443/Controller Connection/Ping Duration (ms)					
81	136.2	165	123	136.9	22.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.91.41:443/Network/Segments sent/sec.					
0	972	2,258	948.1	962.7	527.4
LG 35.236.91.41:443/Network/Segments retransmitted/sec.					
0	0.007	1	0	0	0.074
LG 35.236.91.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	29.2	11.6	11.7	6.65
LG 35.236.91.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.59	3.5	1.54	1.58	0.843


Average page response time



Min	Average	Max
0.154	0.247	1.359

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.073	0.108	0.528

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.308	0.494	2.722	0.364	0.416	0.401

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
50	3,487.2	6,520.9

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	2.5	277

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	666.25	1,261.38

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.15	0.23	1.909

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.