

0604_Atomic HP LT-SDC



Date	Jun 4, 2020 1:41:51 AM
Project	EPGNavigation
Scenario	AtomicHP_2500Users
Comment	
Notes	0604_Atomic HP LT-SDC

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	7
Hot spots.....	8
Errors.....	8
Alerts.....	8
General statistics.....	8
Transaction statistics.....	8
Execution context.....	14
Scenario	9
Servers.....	19
Cloud.....	20
Populations.....	21
User Paths.....	22
Transactions.....	23
Pages.....	25
Requests.....	26
Media Contents.....	28
Push messages.....	24
Monitors.....	29
Main graphs.....	120
Average page response time.....	120
Average request response time.....	121
Average response time (Transactions).....	122
Requests per second.....	123
Errors.....	124
Throughput.....	125
Response time against load.....	126
Distribution of Transaction Durations.....	127

Summary

Results summary

Name	01:41 - 4 Jun 2020_2500_MainLT	Project	EPGNavigation
Description		Scenario	AtomicHP_2500Users
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population AtomicHP is customized
Start date	Jun 4, 2020 1:41:51 AM		
End date	Jun 4, 2020 2:12:57 AM	Stop Policy	<ul style="list-style-type: none"> Population AtomicHP: immediate.
Duration	00:31:06		
Termination reason	Manual action	Filters	None
LG Hosts	34.94.132.235:443	Debug	Disabled
	,		
	35.236.119.140:443		
	,		
	35.235.74.239:443		
	,		
	35.236.98.142:443		
	,		
	34.94.70.9:443		
	,		
	35.236.54.143:443		
	,		
	34.94.24.230:443		
	,		
	34.94.140.239:443		
	,		
	34.94.64.195:443		
	,		
	34.94.202.35:443		
	,		
	35.235.88.187:443		
	,		
	35.235.102.15:443		
	,		
	35.235.97.241:443		
	,		
	34.94.131.164:443		
	,		
	35.236.33.116:443		
	,		
	34.94.170.168:443		
	,		
	34.94.158.237:443		
	,		
	34.94.71.179:443		
	,		
	35.235.74.170:443		
	,		
	34.94.7.52:443		
	,		
	34.94.184.9:443		
	,		
	34.94.43.110:443		
	,		
	34.94.13.71:443		
	,		
	35.236.88.137:443		
	,		
	34.94.237.4:443		
	,		
	34.94.6.231:443		
	,		
	34.94.180.76:443		
	,		
	34.94.40.147:443		
	,		
	35.236.105.217:443		
	,		
	34.94.248.157:443		
	,		
	35.236.81.42:443		
	,		

34.94.177.181:443
,
35.236.81.160:443
,
35.235.104.18:443
,
35.236.79.192:443
,
34.94.110.52:443
,
34.94.179.5:443
,
34.94.127.18:443
,
35.235.89.216:443
,
35.236.3.138:443
,
34.94.37.74:443
,
35.236.7.228:443
,
34.94.55.33:443
,
34.94.149.243:443
,
34.94.42.39:443
,
34.94.15.3:443
,
35.236.126.38:443
,
35.236.56.174:443
,
35.236.102.221:443
,
35.235.80.255:443
,
34.83.181.34:443
,
35.230.98.205:443
,
35.233.247.65:443
,
34.83.172.162:443
,
35.233.242.168:443
,
34.82.186.185:443
,
34.83.192.50:443
,
35.233.206.94:443
,
104.196.239.110:443
,
35.199.171.74:443
,
34.105.105.53:443
,
34.105.121.190:443
,
34.105.79.237:443
,
34.105.28.49:443
,
34.83.208.152:443
,
34.105.64.6:443
,
34.83.82.29:443
,
34.105.80.35:443
,
35.227.190.179:443
,
34.105.57.40:443
,


35.203.176.80:443		
,		
35.185.239.154:443		
,		
35.197.46.210:443		
,		
34.82.169.220:443		
,		
34.105.52.119:443		
,		
34.83.178.211:443		
,		
35.233.157.233:443		
,		
34.105.92.82:443		
,		
35.197.110.90:443		
,		
34.105.53.124:443		
,		
34.82.198.14:443		
,		
35.247.78.27:443		
,		
35.247.22.225:443		
,		
34.83.17.227:443		
,		
35.233.232.10:443		
,		
35.203.149.155:443		
,		
34.83.100.43:443		
,		
35.233.227.30:443		
,		
34.105.101.164:443		
,		
35.199.164.158:443		
,		
34.83.118.201:443		
,		
104.199.127.125:443		
,		
35.185.253.203:443		
,		
34.83.127.11:443		
,		
35.199.187.138:443		
,		
34.82.124.178:443		
,		
34.105.92.181:443		
,		
34.105.114.132:443		
,		
34.105.36.29:443		
,		
35.185.240.174:443		
,		
34.105.74.199:443		
,		
35.227.151.101:443		
,		
35.233.214.26:443		
,		
34.83.176.157:443		
,		
34.83.246.249:443		
,		
35.230.25.195:443		
,		
34.105.117.38:443		
,		
34.82.120.92:443		
,		
34.105.23.178:443		
,		


35.197.23.159:443
,
104.196.242.76:443
,
35.230.65.145:443
,
35.230.41.35:443
,
35.233.203.146:443
,
34.105.48.210:443
,
35.197.11.119:443
,
35.247.109.40:443
,
35.197.46.254:443
,
35.233.250.94:443
,
34.105.96.199:443
,
34.105.9.203:443
,
104.199.112.52:443
,
35.233.162.161:443
,
35.230.24.177:443
,
34.105.53.175:443
,
34.82.248.99:443
,
35.199.190.200:443
,
34.105.85.180:443
,
35.199.175.83:443
,
34.82.53.25:443
,
35.247.19.203:443
,
34.82.135.231:443
,
35.233.198.23:443
,
35.233.174.175:443
,
34.105.3.88:443
,
34.105.52.194:443
,
35.227.161.136:443
,
35.247.124.247:443
,
35.197.58.254:443
,
34.83.251.247:443
,
35.227.155.90:443
,
34.83.33.120:443
,
35.230.6.129:443
,
34.82.114.157:443
,
35.227.158.120:443
,
35.247.57.39:443
,
35.185.201.124:443
,
34.82.191.56:443
,

	34.105.33.16:443		
	34.82.125.236:443		

Statistics Summary

Total pages	545000	—	Average pages/s	291.9	—
Total requests	1335530	—	Average requests/s	715.3	—
Total users launched	7906	—	Average Request response time	0.356 s	—
Total iterations completed	269316	—	Average Page response time	0.642 s	—
Total throughput	39,995 MB	—	Average throughput	171.38 Mb/s	—
Total request errors	15110	—	Error rate	1.1 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA
  = Passed
  = Warning
  = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
dc_d_AtomicHP	dc_D_Atomic_HomePage	/featured/ngd-prospect-test/	10520

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
dc_d_AtomicHP	dc_D_Atomic_HomePage	/featured/ngd-prospect-test/	1.12
dc_d_AtomicHP	dc_D_Atomic_HomePage	/cv/cbav/storage	0.162

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
dc_d_AtomicHP	dc_D_Atomic_HomePage	/cv/cbav/storage	211.8
dc_d_AtomicHP	dc_D_Atomic_HomePage	/featured/ngd-prospect-test/	44.3

Errors

Request errors

Error Type	Count	Description
502	15,110	Bad Gateway
Total	15,110	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
0.175	58.6	244.3	7,906	5,270	66.7	-
All pages						
0.044	0.641	211.8	545,000	10,520	1.9	-
All requests						
0.002	0.355	211.8	1,335,530	15,110	1.1	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.166	1.29	212	269,317	9,889	3.7	0.29	1.64	37.1	5.69	0.287	-

Scenario

Summary

Name	01:41 - 4 Jun 2020_2500_MainLT	Project	EPGNavigation
Description		Scenario	AtomicHP_2500Users
Status	✓ Passed	Load Policy	• The population AtomicHP is customized
Start date	Jun 4, 2020 1:41:51 AM		
End date	Jun 4, 2020 2:12:57 AM	Stop Policy	• Population AtomicHP: immediate.
Duration	00:31:06		
Termination reason	Manual action	Filters	None
	34.94.132.235:443 , 35.236.119.140:443 , 35.235.74.239:443 , 35.236.98.142:443 , 34.94.70.9:443 , 35.236.54.143:443 , 34.94.24.230:443 , 34.94.140.239:443 , 34.94.64.195:443 , 34.94.202.35:443 , 35.235.88.187:443 , 35.235.102.15:443 , 35.235.97.241:443 , 34.94.131.164:443 , 35.236.33.116:443 , 34.94.170.168:443 , 34.94.158.237:443 , 34.94.71.179:443 , 35.235.74.170:443 , 34.94.7.52:443 , 34.94.184.9:443 , 34.94.43.110:443 , 34.94.13.71:443 , 35.236.88.137:443 , 34.94.237.4:443 , 34.94.6.231:443 , 34.94.180.76:443 , 34.94.40.147:443 , 35.236.105.217:443 , 34.94.248.157:443 ,		
LG Hosts		Debug	Disabled

35.236.81.42:443		
,		
34.94.177.181:443		
,		
35.236.81.160:443		
,		
35.235.104.18:443		
,		
35.236.79.192:443		
,		
34.94.110.52:443		
,		
34.94.179.5:443		
,		
34.94.127.18:443		
,		
35.235.89.216:443		
,		
35.236.3.138:443		
,		
34.94.37.74:443		
,		
35.236.7.228:443		
,		
34.94.55.33:443		
,		
34.94.149.243:443		
,		
34.94.42.39:443		
,		
34.94.15.3:443		
,		
35.236.126.38:443		
,		
35.236.56.174:443		
,		
35.236.102.221:443		
,		
35.235.80.255:443		
,		
34.83.181.34:443		
,		
35.230.98.205:443		
,		
35.233.247.65:443		
,		
34.83.172.162:443		
,		
35.233.242.168:443		
,		
34.82.186.185:443		
,		
34.83.192.50:443		
,		
35.233.206.94:443		
,		
104.196.239.110:443		
,		
35.199.171.74:443		
,		
34.105.105.53:443		
,		
34.105.121.190:443		
,		
34.105.79.237:443		
,		
34.105.28.49:443		
,		
34.83.208.152:443		
,		
34.105.64.6:443		
,		
34.83.82.29:443		
,		
34.105.80.35:443		
,		
35.227.190.179:443		
,		

34.105.57.40:443		
,		
35.203.176.80:443		
,		
35.185.239.154:443		
,		
35.197.46.210:443		
,		
34.82.169.220:443		
,		
34.105.52.119:443		
,		
34.83.178.211:443		
,		
35.233.157.233:443		
,		
34.105.92.82:443		
,		
35.197.110.90:443		
,		
34.105.53.124:443		
,		
34.82.198.14:443		
,		
35.247.78.27:443		
,		
35.247.22.225:443		
,		
34.83.17.227:443		
,		
35.233.232.10:443		
,		
35.203.149.155:443		
,		
34.83.100.43:443		
,		
35.233.227.30:443		
,		
34.105.101.164:443		
,		
35.199.164.158:443		
,		
34.83.118.201:443		
,		
104.199.127.125:443		
,		
35.185.253.203:443		
,		
34.83.127.11:443		
,		
35.199.187.138:443		
,		
34.82.124.178:443		
,		
34.105.92.181:443		
,		
34.105.114.132:443		
,		
34.105.36.29:443		
,		
35.185.240.174:443		
,		
34.105.74.199:443		
,		
35.227.151.101:443		
,		
35.233.214.26:443		
,		
34.83.176.157:443		
,		
34.83.246.249:443		
,		
35.230.25.195:443		
,		
34.105.117.38:443		
,		
34.82.120.92:443		
,		

34.105.23.178:443		
,		
35.197.23.159:443		
,		
104.196.242.76:443		
,		
35.230.65.145:443		
,		
35.230.41.35:443		
,		
35.233.203.146:443		
,		
34.105.48.210:443		
,		
35.197.11.119:443		
,		
35.247.109.40:443		
,		
35.197.46.254:443		
,		
35.233.250.94:443		
,		
34.105.96.199:443		
,		
34.105.9.203:443		
,		
104.199.112.52:443		
,		
35.233.162.161:443		
,		
35.230.24.177:443		
,		
34.105.53.175:443		
,		
34.82.248.99:443		
,		
35.199.190.200:443		
,		
34.105.85.180:443		
,		
35.199.175.83:443		
,		
34.82.53.25:443		
,		
35.247.19.203:443		
,		
34.82.135.231:443		
,		
35.233.198.23:443		
,		
35.233.174.175:443		
,		
34.105.3.88:443		
,		
34.105.52.194:443		
,		
35.227.161.136:443		
,		
35.247.124.247:443		
,		
35.197.58.254:443		
,		
34.83.251.247:443		
,		
35.227.155.90:443		
,		
34.83.33.120:443		
,		
35.230.6.129:443		
,		
34.82.114.157:443		
,		
35.227.158.120:443		
,		
35.247.57.39:443		
,		
35.185.201.124:443		
,		

	34.82.191.56:443		
	,		
	34.105.33.16:443		
	,		
	34.82.125.236:443		

Populations

AtomicHP

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
dc_d_AtomicHP	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
dc_d_AtomicHP		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	01:41 - 4 Jun 2020_2500_MainLT	Project	EPGNavigation
Description		Scenario	AtomicHP_2500Users
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population AtomicHP is customized
Start date	Jun 4, 2020 1:41:51 AM	Stop Policy	<ul style="list-style-type: none"> Population AtomicHP: immediate.
End date	Jun 4, 2020 2:12:57 AM		
Duration	00:31:06	Filters	None
Termination reason	Manual action		
LG Hosts	34.94.132.235:443	Debug	Disabled
	,		
	35.236.119.140:443		
	,		
	35.235.74.239:443		
	,		
	35.236.98.142:443		
	,		
	34.94.70.9:443		
	,		
	35.236.54.143:443		
	,		
	34.94.24.230:443		
	,		
	34.94.140.239:443		
	,		
	34.94.64.195:443		
	,		
	34.94.202.35:443		
	,		
	35.235.88.187:443		
	,		
	35.235.102.15:443		
	,		
	35.235.97.241:443		
	,		
	34.94.131.164:443		
	,		
	35.236.33.116:443		
	,		
	34.94.170.168:443		
	,		
	34.94.158.237:443		
	,		
	34.94.71.179:443		
	,		
	35.235.74.170:443		
	,		
	34.94.7.52:443		
	,		
	34.94.184.9:443		
	,		
	34.94.43.110:443		
	,		
	34.94.13.71:443		
	,		
	35.236.88.137:443		
	,		
	34.94.237.4:443		
	,		
	34.94.6.231:443		
	,		
	34.94.180.76:443		
	,		
	34.94.40.147:443		
	,		
	35.236.105.217:443		
	,		
	34.94.248.157:443		
	,		
	35.236.81.42:443		
	,		
	34.94.177.181:443		

,	35.236.81.160:443		
,	35.235.104.18:443		
,	35.236.79.192:443		
,	34.94.110.52:443		
,	34.94.179.5:443		
,	34.94.127.18:443		
,	35.235.89.216:443		
,	35.236.3.138:443		
,	34.94.37.74:443		
,	35.236.7.228:443		
,	34.94.55.33:443		
,	34.94.149.243:443		
,	34.94.42.39:443		
,	34.94.15.3:443		
,	35.236.126.38:443		
,	35.236.56.174:443		
,	35.236.102.221:443		
,	35.235.80.255:443		
,	34.83.181.34:443		
,	35.230.98.205:443		
,	35.233.247.65:443		
,	34.83.172.162:443		
,	35.233.242.168:443		
,	34.82.186.185:443		
,	34.83.192.50:443		
,	35.233.206.94:443		
,	104.196.239.110:443		
,	35.199.171.74:443		
,	34.105.105.53:443		
,	34.105.121.190:443		
,	34.105.79.237:443		
,	34.105.28.49:443		
,	34.83.208.152:443		
,	34.105.64.6:443		
,	34.83.82.29:443		
,	34.105.80.35:443		
,	35.227.190.179:443		
,	34.105.57.40:443		
,	35.203.176.80:443		

,	35.185.239.154:443		
,	35.197.46.210:443		
,	34.82.169.220:443		
,	34.105.52.119:443		
,	34.83.178.211:443		
,	35.233.157.233:443		
,	34.105.92.82:443		
,	35.197.110.90:443		
,	34.105.53.124:443		
,	34.82.198.14:443		
,	35.247.78.27:443		
,	35.247.22.225:443		
,	34.83.17.227:443		
,	35.233.232.10:443		
,	35.203.149.155:443		
,	34.83.100.43:443		
,	35.233.227.30:443		
,	34.105.101.164:443		
,	35.199.164.158:443		
,	34.83.118.201:443		
,	104.199.127.125:443		
,	35.185.253.203:443		
,	34.83.127.11:443		
,	35.199.187.138:443		
,	34.82.124.178:443		
,	34.105.92.181:443		
,	34.105.114.132:443		
,	34.105.36.29:443		
,	35.185.240.174:443		
,	34.105.74.199:443		
,	35.227.151.101:443		
,	35.233.214.26:443		
,	34.83.176.157:443		
,	34.83.246.249:443		
,	35.230.25.195:443		
,	34.105.117.38:443		
,	34.82.120.92:443		
,	34.105.23.178:443		
,	35.197.23.159:443		

,
104.196.242.76:443
,
35.230.65.145:443
,
35.230.41.35:443
,
35.233.203.146:443
,
34.105.48.210:443
,
35.197.11.119:443
,
35.247.109.40:443
,
35.197.46.254:443
,
35.233.250.94:443
,
34.105.96.199:443
,
34.105.9.203:443
,
104.199.112.52:443
,
35.233.162.161:443
,
35.230.24.177:443
,
34.105.53.175:443
,
34.82.248.99:443
,
35.199.190.200:443
,
34.105.85.180:443
,
35.199.175.83:443
,
34.82.53.25:443
,
35.247.19.203:443
,
34.82.135.231:443
,
35.233.198.23:443
,
35.233.174.175:443
,
34.105.3.88:443
,
34.105.52.194:443
,
35.227.161.136:443
,
35.247.124.247:443
,
35.197.58.254:443
,
34.83.251.247:443
,
35.227.155.90:443
,
34.83.33.120:443
,
35.230.6.129:443
,
34.82.114.157:443
,
35.227.158.120:443
,
35.247.57.39:443
,
35.185.201.124:443
,
34.82.191.56:443
,
34.105.33.16:443

	34.82.125.236:443		
--	-------------------	--	--

NeoLoad version 6.8.0;build=20190103-16
 Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

dc_d_AtomicHP	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
scache.vzw.com	443		No
www.verizon.com	443		No
autochatva.verizonwireless.com	443		No



Graphs



Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA West - California (Los Angeles 2)	Google Compute Engine	50	464595 (34.8%)	248.8	0.106s (-83.49%)	0% (-100%)
USA West - Oregon (The Dalles)	Google Compute Engine	100	870935 (65.2%)	466.5	0.919s (+43.1%)	1.7% (+53.3%)
Global		150	1335530 (100%)	715.3	0.642s	1.1%


Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
AtomicHP	1335530 (100%)	715.3	0.642s (0%)	1.1% (0%)
Global	1335530 (100%)	715.3	0.642s	1.1%






User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 dc_d_AtomicHP						
0.175	58.6	244.3	7,906	5,270	66.7	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

dc_d_AtomicHP

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 dc_d_AtomicHP											
0.175	58.6	244.3	7,906	5,270	66.7	-	-	-	-	-	-
 Init											
0	0	0.001	7,906	0	0	-	-	-	-	-	-
 Actions											
0.166	1.29	212	269,316	9,889	3.7	-	-	-	-	-	-
 dc_D_Atomic_HomePage											
0.166	1.29	212	269,317	9,889	3.7	0.29	1.64	37.1	5.69	0.287	-
 End											
0	0	0.001	7,906	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						






dc_d_AtomicHP

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						











dc_d_AtomicHP

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 dc_d_AtomicHP						
0.175	58.6	244.3	7,906	5,270	66.7	-
 Actions						
0.166	1.29	212	269,316	9,889	3.7	-
 dc_D_Atomic_HomePage						
0.166	1.29	212	269,317	9,889	3.7	-
 /featured/ngd-prospect-test/						
0.044	1.12	44.3	272,500	10,520	3.9	-
 /cv/cbav/storage						
0.119	0.162	211.8	272,500	0	0	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						











dc_d_AtomicHP

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 dc_d_AtomicHP						
0.175	58.6	244.3	7,906	5,270	66.7	-
 Actions						
0.166	1.29	212	269,316	9,889	3.7	-
 dc_D_Atomic_HomePage						
0.166	1.29	212	269,317	9,889	3.7	-
 /featured/ngd-prospect-test/						
0.044	1.12	44.3	272,500	10,520	3.9	-
 /featured/ngd-prospect-test/						
0.032	1.47	44.3	277,090	15,110	5.5	-
 /etc/designs/vzwcom/vzrf/cli...lib-base/css/app.css						
0.002	0.01	0.662	261,980	0	0	-
 /etc/designs/vzwcom/vzrf/cli...ntlib-base/js/app.js						
0.004	0.039	0.753	261,980	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.036	2.1	261,980	0	0	-
 /cv/cbav/storage						
0.119	0.162	211.8	272,500	0	0	-
 /cv/cbav/storage						
0.119	0.162	211.8	272,500	0	0	-

Shared Containers

SLA	Value	Severity
Empty list		

dc_d_AtomicHP

SLA	Value	Severity
 dc_d_AtomicHP		
 Actions		
 dc_D_Atomic_HomePage		
 /featured/ngd-prospect-test/		
 /featured/ngd-prospect-test/		
 /etc/designs/vzwcom/vzrf/cli...lib-base/css/app.css		
 /etc/designs/vzwcom/vzrf/cli...ntlib-base/js/app.js		
 /ui-one-digital/gn/build/gnav.js		
 /cv/cbav/storage		
 /cv/cbav/storage		

dc_d_AtomicHP

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	4,429	7,880	5,000	4,472	2,250
Controller/Throughput					
0	171	418.9	174.2	170.8	87.3
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
7	18.8	83	19	18.1	8.66
Controller/Memory Used					
5	11.6	22	11	11.5	4.25
Controller/Thread Count					
1,108	1,235	2,317	1,224	1,225	96.1
Controller/Connected					
150	150	150	150	150	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
322.2	15,206	22,065	15,423	15,378	2,732
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA West - California (Los Angeles 2)/User Load					
0	1,462	2,623	1,664	1,475	756
Controller/USA West - California (Los Angeles 2)/AtomicHP/User Load					
0	1,462	2,623	1,664	1,475	756
Controller/USA West - California (Los Angeles 2)/AtomicH...d_AtomicHP/User Load					
0	1,462	2,623	1,664	1,475	756
Controller/USA West - Oregon (The Dalles)/User Load					
0	2,947	5,257	3,336	2,975	1,499
Controller/USA West - Oregon (The Dalles)/AtomicHP/User Load					
0	2,947	5,257	3,336	2,975	1,499
Controller/USA West - Oregon (The Dalles)/AtomicHP/dc_d_AtomicHP/User Load					
0	2,947	5,257	3,336	2,975	1,499

LG 34.94.110.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.110.52:443/CPU Load					
0	1.01	15	1	0.848	1.25

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.110.52:443/Memory Used					
1	4.82	11	4	4.71	2.66
LG 34.94.110.52:443/Throughput					
0	1.22	2.68	1.21	1.21	0.83
LG 34.94.110.52:443/User Load					
0	29.5	53	34	29.8	15.1
LG 34.94.110.52:443/Thread Count					
40	86.6	110	91	87	15.2
LG 34.94.110.52:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.110.52:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.94.110.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.110.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.110.52:443/Controller Connection/Ping Duration (ms)					
62	82.4	155	81	80.3	15.2
LG 34.94.110.52:443/Network/Segments sent/sec.					
2.2	99.8	394.3	98.2	98.9	64.6
LG 34.94.110.52:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.110.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.25	2.76	1.25	1.25	0.853
LG 34.94.110.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.515	0.141	0.143	0.088

LG 34.94.127.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.127.18:443/CPU Load					
0	1	11	1	0.825	1.23
LG 34.94.127.18:443/Memory Used					
1	4.83	11	4	4.73	2.57
LG 34.94.127.18:443/Throughput					
0	1.2	2.67	1.22	1.19	0.863
LG 34.94.127.18:443/User Load					
0	29.1	52	33	29.4	15.2
LG 34.94.127.18:443/Thread Count					
40	86.1	111	90	86.5	15.7
LG 34.94.127.18:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 34.94.127.18:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.127.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.127.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.127.18:443/Controller Connection/Ping Duration (ms)					
63	82.2	121	81	81.3	10.04
LG 34.94.127.18:443/Network/Segments sent/sec.					
1.6	98.2	208.3	99.8	97.7	65
LG 34.94.127.18:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.01
LG 34.94.127.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.75	1.26	1.23	0.884

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.127.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.142	0.296	0.145	0.142	0.089

LG 34.94.13.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.13.71:443/CPU Load					
0	1.11	8	1	0.938	1.19
LG 34.94.13.71:443/Memory Used					
0	4.79	11	4	4.69	2.66
LG 34.94.13.71:443/Throughput					
0	1.19	2.67	1.21	1.18	0.841
LG 34.94.13.71:443/User Load					
0	29	52	33	29.3	15.2
LG 34.94.13.71:443/Thread Count					
40	86.1	112	90	86.4	15.7
LG 34.94.13.71:443/Http client/Thread Pool used					
0.1	0.1	0.125	0.1	0.1	0.003
LG 34.94.13.71:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.94.13.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.13.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.13.71:443/Controller Connection/Ping Duration (ms)					
75	96.1	124	82	95.7	19.9
LG 34.94.13.71:443/Network/Segments sent/sec.					
2.4	97.7	232.3	97.8	96.9	63.5
LG 34.94.13.71:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.13.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.23	2.75	1.25	1.22	0.864
LG 34.94.13.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.142	0.301	0.143	0.141	0.087

LG 34.94.131.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.131.164:443/CPU Load					
0	1.13	10	1	0.935	1.38
LG 34.94.131.164:443/Memory Used					
1	5.34	13	5	5.2	3.06
LG 34.94.131.164:443/Throughput					
0	1.2	2.68	1.21	1.19	0.853
LG 34.94.131.164:443/User Load					
0	29.5	53	33	29.8	15
LG 34.94.131.164:443/Thread Count					
40	86.5	110	90	86.9	15.2
LG 34.94.131.164:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.131.164:443/Http client/Task Pool used					
0	0	0.083	0	0	0.005
LG 34.94.131.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.131.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.131.164:443/Controller Connection/Ping Duration (ms)					
68	87.5	162	83	84.8	16.3
LG 34.94.131.164:443/Network/Segments sent/sec.					
1.8	98.5	212.4	98.3	98	64.2
LG 34.94.131.164:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.01
LG 34.94.131.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.76	1.25	1.23	0.878
LG 34.94.131.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.298	0.144	0.142	0.088

LG 34.94.132.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.132.235:443/CPU Load					
0	1	11	1	0.801	1.3
LG 34.94.132.235:443/Memory Used					
1	7.02	19	6	6.8	4.15
LG 34.94.132.235:443/Throughput					
0	1.19	2.68	1.22	1.18	0.856
LG 34.94.132.235:443/User Load					
0	28.9	52	33	29.2	15.2
LG 34.94.132.235:443/Thread Count					
40	85.9	109	90	86.3	15.5
LG 34.94.132.235:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.132.235:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.94.132.235:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.132.235:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.132.235:443/Controller Connection/Ping Duration (ms)					
63	81.9	117	81	81.2	9.17
LG 34.94.132.235:443/Network/Segments sent/sec.					
1.6	98.4	366.9	97.4	97.4	66.5
LG 34.94.132.235:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.132.235:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.76	1.25	1.22	0.876
LG 34.94.132.235:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.142	0.471	0.136	0.141	0.091

LG 34.94.140.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.140.239:443/CPU Load					
0	0.926	9	1	0.742	1.26
LG 34.94.140.239:443/Memory Used					
1	5.23	13	5	5.09	3
LG 34.94.140.239:443/Throughput					
0	1.19	2.67	1.22	1.18	0.865

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.140.239:443/User Load					
0	29.1	52	33	29.4	15.2
LG 34.94.140.239:443/Thread Count					
40	86.1	109	90	86.5	15.5
LG 34.94.140.239:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.140.239:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.140.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.140.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.140.239:443/Controller Connection/Ping Duration (ms)					
62	84.6	165	82	82.5	16.5
LG 34.94.140.239:443/Network/Segments sent/sec.					
1.6	97.9	217.2	97.8	97.1	65.8
LG 34.94.140.239:443/Network/Segments retransmitted/sec.					
0	0.006	2.2	0	0	0.113
LG 34.94.140.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.22	2.75	1.25	1.22	0.887
LG 34.94.140.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.3	0.141	0.141	0.09

LG 34.94.149.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.149.243:443/CPU Load					
0	1.12	12	1	0.9	1.49
LG 34.94.149.243:443/Memory Used					
1	4.79	11	4	4.68	2.56
LG 34.94.149.243:443/Throughput					
0	1.19	2.71	1.22	1.18	0.86
LG 34.94.149.243:443/User Load					
0	29	52	33	29.2	15.2
LG 34.94.149.243:443/Thread Count					
40	85.9	110	90	86.3	15.6
LG 34.94.149.243:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.94.149.243:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.149.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.149.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.149.243:443/Controller Connection/Ping Duration (ms)					
62	83.7	117	83	83.2	9.03
LG 34.94.149.243:443/Network/Segments sent/sec.					
1.6	97.8	247.8	97.6	97.2	65.7
LG 34.94.149.243:443/Network/Segments retransmitted/sec.					
0	0.008	3	0	0	0.154
LG 34.94.149.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.77	1.25	1.22	0.881
LG 34.94.149.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.142	0.326	0.142	0.141	0.09

LG 34.94.15.3:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.15.3:443/CPU Load					
0	0.987	12	1	0.815	1.27
LG 34.94.15.3:443/Memory Used					
1	4.84	11	4	4.74	2.64
LG 34.94.15.3:443/Throughput					
0	1.22	2.68	1.03	1.21	0.74
LG 34.94.15.3:443/User Load					
0	29.7	53	34	30	15.1
LG 34.94.15.3:443/Thread Count					
40	86.8	111	91	87.1	15.2
LG 34.94.15.3:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.15.3:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 34.94.15.3:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.15.3:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.15.3:443/Controller Connection/Ping Duration (ms)					
62	91.5	154	82	90.2	20.9
LG 34.94.15.3:443/Network/Segments sent/sec.					
2.2	99.9	210.8	91.4	99.3	55.9
LG 34.94.15.3:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.15.3:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.26	2.77	1.1	1.25	0.759
LG 34.94.15.3:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.145	0.296	0.132	0.144	0.077

LG 34.94.158.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.158.237:443/CPU Load					
0	1.17	10	1	0.974	1.38
LG 34.94.158.237:443/Memory Used					
1	7.66	21	7	7.37	4.85
LG 34.94.158.237:443/Throughput					
0	1.2	2.68	1.21	1.19	0.832
LG 34.94.158.237:443/User Load					
0	29.2	52	33	29.5	15.1
LG 34.94.158.237:443/Thread Count					
40	86.2	109	90	86.6	15.4
LG 34.94.158.237:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.158.237:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.158.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.158.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.158.237:443/Controller Connection/Ping Duration (ms)					
61	95	159	81	93.9	23.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.158.237:443/Network/Segments sent/sec.					
1.6	98.7	392.9	98.7	97.7	64.3
LG 34.94.158.237:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.94.158.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.88	1.25	1.23	0.86
LG 34.94.158.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.535	0.143	0.142	0.088

LG 34.94.170.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.170.168:443/CPU Load					
0	1.11	11	1	0.947	1.24
LG 34.94.170.168:443/Memory Used					
1	4.71	11	4	4.61	2.57
LG 34.94.170.168:443/Throughput					
0	1.22	2.68	1.22	1.21	0.865
LG 34.94.170.168:443/User Load					
0	29.6	53	34	29.9	15.1
LG 34.94.170.168:443/Thread Count					
40	86.8	113	91	87	15.4
LG 34.94.170.168:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 34.94.170.168:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.170.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.170.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.170.168:443/Controller Connection/Ping Duration (ms)					
76	92.9	160	82	90.1	22.3
LG 34.94.170.168:443/Network/Segments sent/sec.					
2.4	99.9	398.8	97.4	98.9	67.1
LG 34.94.170.168:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.01
LG 34.94.170.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.26	2.76	1.25	1.25	0.887
LG 34.94.170.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.145	0.524	0.143	0.144	0.091

LG 34.94.177.181:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.177.181:443/CPU Load					
0	0.987	8	1	0.81	1.19
LG 34.94.177.181:443/Memory Used					
1	4.49	10	4	4.42	2.36
LG 34.94.177.181:443/Throughput					
0	1.21	2.68	1.22	1.21	0.864
LG 34.94.177.181:443/User Load					
0	29.6	53	33.5	29.9	15.1
LG 34.94.177.181:443/Thread Count					
40	86.7	110	91	87.1	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.177.181:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.177.181:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.177.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.177.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.177.181:443/Controller Connection/Ping Duration (ms)					
83	145	166	158	147.1	24.6
LG 34.94.177.181:443/Network/Segments sent/sec.					
1.6	99.6	217.9	99.2	99.3	65.2
LG 34.94.177.181:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.177.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.77	1.25	1.25	0.884
LG 34.94.177.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.305	0.144	0.144	0.089

LG 34.94.179.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.179.5:443/CPU Load					
0	1.19	14	1	1.01	1.38
LG 34.94.179.5:443/Memory Used					
1	4.67	11	4	4.6	2.5
LG 34.94.179.5:443/Throughput					
0	1.19	2.68	0.976	1.18	0.776
LG 34.94.179.5:443/User Load					
0	29	52	33	29.3	15.2
LG 34.94.179.5:443/Thread Count					
40	86	109	90	86.5	15.5
LG 34.94.179.5:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.179.5:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 34.94.179.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.179.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.179.5:443/Controller Connection/Ping Duration (ms)					
81	105.5	162	121	104.4	21.3
LG 34.94.179.5:443/Network/Segments sent/sec.					
1.6	97.4	213.1	84.1	96.8	57.6
LG 34.94.179.5:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.179.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.76	1.02	1.22	0.789
LG 34.94.179.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.3	0.124	0.141	0.08

LG 34.94.180.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.180.76:443/CPU Load					
0	0.966	11	1	0.833	1.11
LG 34.94.180.76:443/Memory Used					
1	4.55	10	4	4.47	2.4
LG 34.94.180.76:443/Throughput					
0	1.22	2.68	1.22	1.22	0.862
LG 34.94.180.76:443/User Load					
0	29.7	53	34	30	15
LG 34.94.180.76:443/Thread Count					
40	86.7	110	91	87.1	15.3
LG 34.94.180.76:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.180.76:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.180.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.180.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.180.76:443/Controller Connection/Ping Duration (ms)					
64	93.8	122	83	93.6	18
LG 34.94.180.76:443/Network/Segments sent/sec.					
1.6	100.1	397.7	99.7	99.2	66.5
LG 34.94.180.76:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 34.94.180.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.26	2.75	1.26	1.26	0.883
LG 34.94.180.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.145	0.511	0.145	0.144	0.091

LG 34.94.184.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.184.9:443/CPU Load					
0	0.942	10	1	0.779	1.17
LG 34.94.184.9:443/Memory Used					
1	4.61	10	4	4.53	2.4
LG 34.94.184.9:443/Throughput					
0	1.21	2.68	1.22	1.2	0.86
LG 34.94.184.9:443/User Load					
0	29.4	53	33	29.6	15.1
LG 34.94.184.9:443/Thread Count					
40	86.4	110	90	86.7	15.3
LG 34.94.184.9:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.94.184.9:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.184.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.184.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.184.9:443/Controller Connection/Ping Duration (ms)					
63	83.3	160	81	81.1	14.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.184.9:443/Network/Segments sent/sec.					
2	99	222.6	99.6	98.4	64.8
LG 34.94.184.9:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.184.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.24	2.76	1.25	1.24	0.88
LG 34.94.184.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.297	0.143	0.143	0.088

LG 34.94.202.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.202.35:443/CPU Load					
0	0.976	8	1	0.823	1.11
LG 34.94.202.35:443/Memory Used					
1	4.47	10	4	4.39	2.29
LG 34.94.202.35:443/Throughput					
0	1.21	2.68	1.21	1.2	0.86
LG 34.94.202.35:443/User Load					
0	29.3	52	33	29.6	15.1
LG 34.94.202.35:443/Thread Count					
40	86.3	109	90	86.7	15.4
LG 34.94.202.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.202.35:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.202.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.202.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.202.35:443/Controller Connection/Ping Duration (ms)					
61	79.7	130	79	78.3	11.6
LG 34.94.202.35:443/Network/Segments sent/sec.					
1.6	99.2	406.1	99.4	98.2	65.9
LG 34.94.202.35:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.94.202.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.93	1.25	1.24	0.881
LG 34.94.202.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.546	0.146	0.143	0.09

LG 34.94.237.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.237.4:443/CPU Load					
0	1.02	11	1	0.857	1.22
LG 34.94.237.4:443/Memory Used					
1	4.61	10	4	4.52	2.42
LG 34.94.237.4:443/Throughput					
0	1.21	2.68	1.21	1.2	0.866
LG 34.94.237.4:443/User Load					
0	29.4	53	33	29.7	15.1
LG 34.94.237.4:443/Thread Count					
40	86.4	110	91	86.9	15.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.237.4:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.237.4:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.237.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.237.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.237.4:443/Controller Connection/Ping Duration (ms)					
61	79.9	138	79	78.4	12.5
LG 34.94.237.4:443/Network/Segments sent/sec.					
1.6	99.5	410.4	97.4	98.4	67
LG 34.94.237.4:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.237.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.75	1.25	1.24	0.886
LG 34.94.237.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.144	0.523	0.143	0.143	0.091

LG 34.94.24.230:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.24.230:443/CPU Load					
0	0.963	10	1	0.787	1.2
LG 34.94.24.230:443/Memory Used					
1	7.04	20	6	6.79	4.29
LG 34.94.24.230:443/Throughput					
0	1.21	2.68	0.976	1.2	0.762
LG 34.94.24.230:443/User Load					
0	29.2	53	33	29.5	15
LG 34.94.24.230:443/Thread Count					
40	86.3	110	90	86.7	15.2
LG 34.94.24.230:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.24.230:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 34.94.24.230:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.24.230:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.24.230:443/Controller Connection/Ping Duration (ms)					
62	83.9	159	81	82.1	15.1
LG 34.94.24.230:443/Network/Segments sent/sec.					
1.6	98.9	401.9	82.2	97.4	58.5
LG 34.94.24.230:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.023
LG 34.94.24.230:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.77	1.01	1.23	0.777
LG 34.94.24.230:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.515	0.12	0.142	0.08

LG 34.94.248.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.248.157:443/CPU Load					
0	0.95	11	1	0.791	1.14
LG 34.94.248.157:443/Memory Used					
0	4.97	11	5	4.87	2.72
LG 34.94.248.157:443/Throughput					
0	1.22	2.68	1.21	1.21	0.862
LG 34.94.248.157:443/User Load					
0	29.6	53	34	29.9	15.1
LG 34.94.248.157:443/Thread Count					
40	86.8	110	91	87.1	15.2
LG 34.94.248.157:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.248.157:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.248.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.248.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.248.157:443/Controller Connection/Ping Duration (ms)					
64	83	122	82	82.2	9.57
LG 34.94.248.157:443/Network/Segments sent/sec.					
2.4	99.9	215.2	98.8	99.3	65.3
LG 34.94.248.157:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.248.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	1.26	2.76	1.25	1.25	0.885
LG 34.94.248.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.144	0.303	0.143	0.144	0.089

LG 34.94.37.74:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.37.74:443/CPU Load					
0	1.02	14	1	0.814	1.37
LG 34.94.37.74:443/Memory Used					
1	7.93	22	7	7.62	5.02
LG 34.94.37.74:443/Throughput					
0	1.22	2.68	1.22	1.22	0.866
LG 34.94.37.74:443/User Load					
0	29.8	53	34	30.1	15.1
LG 34.94.37.74:443/Thread Count					
40	86.8	110	91	87.2	15.2
LG 34.94.37.74:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.37.74:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.37.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.37.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.37.74:443/Controller Connection/Ping Duration (ms)					
78	97.9	158	83	96.3	20.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.37.74:443/Network/Segments sent/sec.					
2.2	100.6	223	99.8	100.2	65.7
LG 34.94.37.74:443/Network/Segments retransmitted/sec.					
0	0.006	2.2	0	0	0.114
LG 34.94.37.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.26	2.77	1.26	1.26	0.885
LG 34.94.37.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.146	0.306	0.146	0.145	0.09

LG 34.94.40.147:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.40.147:443/CPU Load					
0	1.02	9	1	0.824	1.29
LG 34.94.40.147:443/Memory Used					
1	5.29	12	5	5.16	2.93
LG 34.94.40.147:443/Throughput					
0	1.19	2.68	1.21	1.18	0.863
LG 34.94.40.147:443/User Load					
0	28.9	52	33	29.2	15.2
LG 34.94.40.147:443/Thread Count					
40	85.8	109	90	86.3	15.7
LG 34.94.40.147:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.40.147:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.40.147:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.40.147:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.40.147:443/Controller Connection/Ping Duration (ms)					
65	81.2	103	81	80.9	7.62
LG 34.94.40.147:443/Network/Segments sent/sec.					
1.6	97.7	416.1	96.9	96.6	67
LG 34.94.40.147:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.40.147:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.85	1.25	1.22	0.885
LG 34.94.40.147:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.543	0.137	0.14	0.092

LG 34.94.42.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.42.39:443/CPU Load					
0	1.1	11	1	0.933	1.26
LG 34.94.42.39:443/Memory Used					
1	4.67	11	4	4.58	2.51
LG 34.94.42.39:443/Throughput					
0	1.21	2.68	1.22	1.2	0.86
LG 34.94.42.39:443/User Load					
0	29.4	53	33	29.7	15
LG 34.94.42.39:443/Thread Count					
40	86.5	110	90	86.9	15.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.42.39:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.42.39:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.94.42.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.42.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.42.39:443/Controller Connection/Ping Duration (ms)					
61	82.5	124	83	81.6	11.3
LG 34.94.42.39:443/Network/Segments sent/sec.					
2	99	211.7	97.9	98.5	64.8
LG 34.94.42.39:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.42.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.25	2.76	1.25	1.24	0.881
LG 34.94.42.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.297	0.145	0.143	0.089

LG 34.94.43.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.43.110:443/CPU Load					
0	1.02	9	1	0.836	1.26
LG 34.94.43.110:443/Memory Used					
1	4.65	10	4	4.57	2.41
LG 34.94.43.110:443/Throughput					
0	1.2	2.68	1	1.19	0.722
LG 34.94.43.110:443/User Load					
0	29.2	52	33	29.5	15
LG 34.94.43.110:443/Thread Count					
40	86.2	109	90	86.6	15.4
LG 34.94.43.110:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.43.110:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.94.43.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.43.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.43.110:443/Controller Connection/Ping Duration (ms)					
62	82.8	157	82	80.8	15.2
LG 34.94.43.110:443/Network/Segments sent/sec.					
1.6	99.1	419.9	85.3	97.6	56.5
LG 34.94.43.110:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.43.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.93	1.02	1.23	0.739
LG 34.94.43.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.549	0.125	0.142	0.077

LG 34.94.55.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.55.33:443/CPU Load					
0	1.21	13	1	0.994	1.47
LG 34.94.55.33:443/Memory Used					
1	4.96	11	5	4.87	2.69
LG 34.94.55.33:443/Throughput					
0	1.2	2.68	0.98	1.2	0.756
LG 34.94.55.33:443/User Load					
0	29.2	52	33	29.5	15.1
LG 34.94.55.33:443/Thread Count					
40	86.2	109	90	86.7	15.4
LG 34.94.55.33:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.55.33:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.55.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.55.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.55.33:443/Controller Connection/Ping Duration (ms)					
64	84.6	162	82	82.2	15.9
LG 34.94.55.33:443/Network/Segments sent/sec.					
1.6	98.8	411.9	83.9	97.9	58.7
LG 34.94.55.33:443/Network/Segments retransmitted/sec.					
0	0.003	1.2	0	0	0.062
LG 34.94.55.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.86	1.01	1.23	0.772
LG 34.94.55.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.531	0.13	0.142	0.08

LG 34.94.6.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.6.231:443/CPU Load					
0	1.05	9	1	0.87	1.26
LG 34.94.6.231:443/Memory Used					
1	5.05	12	5	4.93	2.79
LG 34.94.6.231:443/Throughput					
0	1.2	2.67	1.22	1.19	0.862
LG 34.94.6.231:443/User Load					
0	29	52	33	29.3	15.2
LG 34.94.6.231:443/Thread Count					
40	86	109	90	86.5	15.7
LG 34.94.6.231:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.6.231:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.6.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.6.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.6.231:443/Controller Connection/Ping Duration (ms)					
64	122.5	192	122	122.4	17.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.6.231:443/Network/Segments sent/sec.					
1.6	98.7	414.9	99.6	97.7	67.3
LG 34.94.6.231:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.6.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.91	1.25	1.23	0.885
LG 34.94.6.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.548	0.145	0.142	0.092

LG 34.94.64.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.64.195:443/CPU Load					
0	1.06	11	1	0.898	1.26
LG 34.94.64.195:443/Memory Used					
1	7.79	21	7	7.51	4.87
LG 34.94.64.195:443/Throughput					
0	1.21	2.67	1.22	1.21	0.858
LG 34.94.64.195:443/User Load					
0	29.4	52	33	29.7	15
LG 34.94.64.195:443/Thread Count					
40	86.5	110	90	86.8	15.3
LG 34.94.64.195:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.64.195:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.64.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.64.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.64.195:443/Controller Connection/Ping Duration (ms)					
63	82.9	124	82	82.1	9.72
LG 34.94.64.195:443/Network/Segments sent/sec.					
1.6	99.3	406.2	100	98.3	66.6
LG 34.94.64.195:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.64.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.9	1.26	1.24	0.88
LG 34.94.64.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.535	0.146	0.143	0.091

LG 34.94.7.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.7.52:443/CPU Load					
0	1.07	16	1	0.839	1.56
LG 34.94.7.52:443/Memory Used					
1	5.12	13	5	4.98	2.95
LG 34.94.7.52:443/Throughput					
0	1.18	2.68	0.998	1.18	0.849
LG 34.94.7.52:443/User Load					
0	28.9	52	33	29.1	15.2
LG 34.94.7.52:443/Thread Count					
40	85.8	109	90	86.3	15.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.7.52:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.7.52:443/Http client/Task Pool used					
0	0	0.117	0	0	0.006
LG 34.94.7.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.7.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.7.52:443/Controller Connection/Ping Duration (ms)					
65	82.9	119	81.5	82.1	9.07
LG 34.94.7.52:443/Network/Segments sent/sec.					
1.6	97.7	211.8	87.6	97	62.8
LG 34.94.7.52:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.7.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.22	2.75	1.05	1.21	0.863
LG 34.94.7.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.301	0.128	0.14	0.087

LG 34.94.70.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.70.9:443/CPU Load					
0	1.02	8	1	0.842	1.24
LG 34.94.70.9:443/Memory Used					
0	5.2	12	5	5.07	2.9
LG 34.94.70.9:443/Throughput					
0	1.22	2.68	0.976	1.21	0.757
LG 34.94.70.9:443/User Load					
0	29.6	53	34	29.9	15.1
LG 34.94.70.9:443/Thread Count					
40	86.7	110	91	87	15.2
LG 34.94.70.9:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.70.9:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.94.70.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.70.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.70.9:443/Controller Connection/Ping Duration (ms)					
62	95.8	160	82	94.6	21.9
LG 34.94.70.9:443/Network/Segments sent/sec.					
2.2	100.1	343.6	83.6	99.1	58.3
LG 34.94.70.9:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.94.70.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.26	2.77	1.01	1.25	0.773
LG 34.94.70.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.145	0.455	0.124	0.143	0.08

LG 34.94.71.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.71.179:443/CPU Load					
0	1.13	12	1	0.936	1.43
LG 34.94.71.179:443/Memory Used					
1	5.56	14	5	5.4	3.31
LG 34.94.71.179:443/Throughput					
0	1.21	2.68	1.21	1.21	0.863
LG 34.94.71.179:443/User Load					
0	29.6	53	34	29.9	15
LG 34.94.71.179:443/Thread Count					
40	86.7	110	91	87	15.1
LG 34.94.71.179:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.71.179:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.94.71.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.71.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.71.179:443/Controller Connection/Ping Duration (ms)					
63	91.5	157	78	89.8	23.2
LG 34.94.71.179:443/Network/Segments sent/sec.					
1.8	99.5	218.4	98.6	99	65.5
LG 34.94.71.179:443/Network/Segments retransmitted/sec.					
0	0.005	1.8	0	0	0.092
LG 34.94.71.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.76	1.25	1.25	0.884
LG 34.94.71.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.145	0.306	0.144	0.144	0.09

LG 35.235.102.15:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.102.15:443/CPU Load					
0	0.944	11	1	0.806	1.11
LG 35.235.102.15:443/Memory Used					
1	4.6	10	4	4.52	2.42
LG 35.235.102.15:443/Throughput					
0	1.2	2.68	1.22	1.2	0.86
LG 35.235.102.15:443/User Load					
0	29.3	52	33	29.5	15.1
LG 35.235.102.15:443/Thread Count					
40	86.3	109	90	86.7	15.3
LG 35.235.102.15:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.235.102.15:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.235.102.15:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.102.15:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.102.15:443/Controller Connection/Ping Duration (ms)					
61	93.3	151	79	92.1	22.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.102.15:443/Network/Segments sent/sec.					
1.6	98.6	405	97.6	97.5	66.7
LG 35.235.102.15:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.235.102.15:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.88	1.25	1.24	0.882
LG 35.235.102.15:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.519	0.144	0.142	0.091

LG 35.235.104.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.104.18:443/CPU Load					
0	0.945	11	1	0.763	1.26
LG 35.235.104.18:443/Memory Used					
1	4.7	10	4	4.61	2.49
LG 35.235.104.18:443/Throughput					
0	1.2	2.67	1.21	1.19	0.852
LG 35.235.104.18:443/User Load					
0	29.2	52	33	29.4	15.1
LG 35.235.104.18:443/Thread Count					
40	86.2	109	90	86.6	15.4
LG 35.235.104.18:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.104.18:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.235.104.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.104.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.104.18:443/Controller Connection/Ping Duration (ms)					
79	143.5	160	158	146	24.2
LG 35.235.104.18:443/Network/Segments sent/sec.					
1.6	99.3	421.3	95.6	98.2	65
LG 35.235.104.18:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.235.104.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.9	1.25	1.23	0.87
LG 35.235.104.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.144	0.549	0.14	0.143	0.089

LG 35.235.74.170:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.74.170:443/CPU Load					
0	1.01	9	1	0.838	1.24
LG 35.235.74.170:443/Memory Used					
1	5.34	13	5	5.21	3.02
LG 35.235.74.170:443/Throughput					
0	1.2	2.68	1.22	1.2	0.863
LG 35.235.74.170:443/User Load					
0	29.2	52	33	29.5	15.1
LG 35.235.74.170:443/Thread Count					
40	86.2	109	90	86.7	15.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.74.170:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.74.170:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.235.74.170:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.74.170:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.74.170:443/Controller Connection/Ping Duration (ms)					
68	108.4	160	83	107.5	34.1
LG 35.235.74.170:443/Network/Segments sent/sec.					
1.6	99	415.9	97.8	97.9	67.5
LG 35.235.74.170:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.235.74.170:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.89	1.25	1.23	0.885
LG 35.235.74.170:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.143	0.548	0.143	0.142	0.092

LG 35.235.74.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.74.239:443/CPU Load					
0	1.1	11	1	0.93	1.29
LG 35.235.74.239:443/Memory Used					
1	4.62	10	4	4.56	2.43
LG 35.235.74.239:443/Throughput					
0	1.22	2.68	1.21	1.21	0.863
LG 35.235.74.239:443/User Load					
0	29.5	53	33.5	29.8	15
LG 35.235.74.239:443/Thread Count					
40	86.6	110	91	87.1	15.3
LG 35.235.74.239:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.235.74.239:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.235.74.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.74.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.74.239:443/Controller Connection/Ping Duration (ms)					
64	84.7	154	83	83	14.1
LG 35.235.74.239:443/Network/Segments sent/sec.					
1.6	100.1	394.1	98.3	99.3	66.4
LG 35.235.74.239:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.235.74.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.76	1.25	1.25	0.883
LG 35.235.74.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.145	0.518	0.144	0.144	0.091

LG 35.235.80.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.80.255:443/CPU Load					
0	0.947	11	1	0.778	1.25
LG 35.235.80.255:443/Memory Used					
1	4.72	11	4	4.64	2.5
LG 35.235.80.255:443/Throughput					
0	1.21	2.68	1.21	1.21	0.855
LG 35.235.80.255:443/User Load					
0	29.5	53	33.5	29.9	15
LG 35.235.80.255:443/Thread Count					
40	86.6	110	91	87	15.2
LG 35.235.80.255:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.80.255:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.235.80.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.80.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.80.255:443/Controller Connection/Ping Duration (ms)					
64	104.5	162	119	104	22.3
LG 35.235.80.255:443/Network/Segments sent/sec.					
2.4	99.3	396.5	97	98.6	66.4
LG 35.235.80.255:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.235.80.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.25	2.76	1.25	1.25	0.878
LG 35.235.80.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.509	0.138	0.143	0.09

LG 35.235.88.187:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.88.187:443/CPU Load					
0	1.14	16	1	0.944	1.42
LG 35.235.88.187:443/Memory Used					
1	4.63	10	4	4.56	2.41
LG 35.235.88.187:443/Throughput					
0	1.2	2.68	1.21	1.19	0.86
LG 35.235.88.187:443/User Load					
0	29.3	53	33	29.5	15
LG 35.235.88.187:443/Thread Count					
40	86.3	110	90	86.7	15.2
LG 35.235.88.187:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.88.187:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.235.88.187:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.88.187:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.88.187:443/Controller Connection/Ping Duration (ms)					
62	83.6	131	81	82.2	13.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.88.187:443/Network/Segments sent/sec.					
1.6	98.3	212.5	98	97.8	64.9
LG 35.235.88.187:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.235.88.187:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.76	1.25	1.23	0.881
LG 35.235.88.187:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.3	0.143	0.142	0.089

LG 35.235.89.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.89.216:443/CPU Load					
0	1	10	1	0.822	1.26
LG 35.235.89.216:443/Memory Used					
1	4.45	10	4	4.38	2.3
LG 35.235.89.216:443/Throughput					
0	1.2	2.67	1.22	1.19	0.854
LG 35.235.89.216:443/User Load					
0	29.1	52	33	29.4	15.1
LG 35.235.89.216:443/Thread Count					
40	86	109	90	86.6	15.6
LG 35.235.89.216:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.89.216:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.235.89.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.89.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.89.216:443/Controller Connection/Ping Duration (ms)					
63	91.1	155	79	89.5	20.9
LG 35.235.89.216:443/Network/Segments sent/sec.					
1.6	98.8	409.2	99.2	98	65.9
LG 35.235.89.216:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.235.89.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.86	1.26	1.23	0.873
LG 35.235.89.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.539	0.145	0.142	0.09

LG 35.235.97.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.97.241:443/CPU Load					
0	1.01	15	1	0.821	1.33
LG 35.235.97.241:443/Memory Used					
1	9.92	29	8	9.48	6.52
LG 35.235.97.241:443/Throughput					
0	1.2	2.67	1.22	1.19	0.86
LG 35.235.97.241:443/User Load					
0	29	52	33	29.3	15.2
LG 35.235.97.241:443/Thread Count					
40	86	110	90	86.5	15.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.97.241:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.235.97.241:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.235.97.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.97.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.97.241:443/Controller Connection/Ping Duration (ms)					
62	81.5	118	81	80.7	10.12
LG 35.235.97.241:443/Network/Segments sent/sec.					
1.6	98.2	404.6	98.7	97.1	66.2
LG 35.235.97.241:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.235.97.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.91	1.25	1.23	0.882
LG 35.235.97.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.142	0.543	0.144	0.141	0.09

LG 35.236.102.221:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.102.221:443/CPU Load					
0	1.02	10	1	0.865	1.17
LG 35.236.102.221:443/Memory Used					
1	9.87	28	8	9.45	6.55
LG 35.236.102.221:443/Throughput					
0	1.22	2.7	1.19	1.21	0.811
LG 35.236.102.221:443/User Load					
0	29.5	53	33	29.8	15
LG 35.236.102.221:443/Thread Count					
40	86.5	110	90	86.9	15.2
LG 35.236.102.221:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.102.221:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.236.102.221:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.102.221:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.102.221:443/Controller Connection/Ping Duration (ms)					
63	81.3	105	82	81.3	6.89
LG 35.236.102.221:443/Network/Segments sent/sec.					
2.4	99.8	403.6	98.2	98.7	62.7
LG 35.236.102.221:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.102.221:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.26	2.78	1.25	1.25	0.836
LG 35.236.102.221:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.52	0.141	0.143	0.085

LG 35.236.105.217:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.105.217:443/CPU Load					
0	1.07	10	1	0.906	1.23
LG 35.236.105.217:443/Memory Used					
1	5.16	12	5	5.03	2.9
LG 35.236.105.217:443/Throughput					
0	1.19	2.66	1.21	1.18	0.863
LG 35.236.105.217:443/User Load					
0	28.9	52	33	29.2	15.2
LG 35.236.105.217:443/Thread Count					
40	85.9	109	90	86.4	15.7
LG 35.236.105.217:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.105.217:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.236.105.217:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.105.217:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.105.217:443/Controller Connection/Ping Duration (ms)					
78	113.5	125	117	114.8	13.8
LG 35.236.105.217:443/Network/Segments sent/sec.					
1.6	97.9	404	97.3	96.7	67.4
LG 35.236.105.217:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.105.217:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.88	1.25	1.22	0.885
LG 35.236.105.217:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.142	0.537	0.139	0.14	0.092

LG 35.236.119.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.119.140:443/CPU Load					
0	0.984	10	1	0.785	1.3
LG 35.236.119.140:443/Memory Used					
1	5.03	12	5	4.93	2.74
LG 35.236.119.140:443/Throughput					
0	1.21	2.68	1	1.2	0.737
LG 35.236.119.140:443/User Load					
0	29.4	53	33	29.6	15.1
LG 35.236.119.140:443/Thread Count					
40	86.4	110	90	86.8	15.3
LG 35.236.119.140:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.119.140:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.236.119.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.119.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.119.140:443/Controller Connection/Ping Duration (ms)					
64	84	124	82	83.1	9.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.119.140:443/Network/Segments sent/sec.					
1.8	99.4	309.9	83.3	98.4	56.4
LG 35.236.119.140:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.119.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.76	1.01	1.24	0.752
LG 35.236.119.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.389	0.123	0.142	0.077

LG 35.236.126.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.126.38:443/CPU Load					
0	1.05	11	1	0.898	1.19
LG 35.236.126.38:443/Memory Used					
1	5.01	12	4	4.91	2.78
LG 35.236.126.38:443/Throughput					
0	1.2	2.68	1.22	1.2	0.859
LG 35.236.126.38:443/User Load					
0	29.2	52	33	29.5	15
LG 35.236.126.38:443/Thread Count					
40	86.2	109	90	86.7	15.4
LG 35.236.126.38:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.126.38:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.236.126.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.126.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.126.38:443/Controller Connection/Ping Duration (ms)					
63	82.3	118	82	81.6	9.56
LG 35.236.126.38:443/Network/Segments sent/sec.					
2	98.6	414.8	99.4	97.7	66.2
LG 35.236.126.38:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.126.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.87	1.25	1.24	0.88
LG 35.236.126.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.54	0.144	0.142	0.09

LG 35.236.3.138:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.3.138:443/CPU Load					
0	0.888	9	1	0.713	1.19
LG 35.236.3.138:443/Memory Used					
1	4.84	11	4	4.75	2.57
LG 35.236.3.138:443/Throughput					
0	1.21	2.68	0.994	1.2	0.739
LG 35.236.3.138:443/User Load					
0	29.3	52	33	29.6	15.1
LG 35.236.3.138:443/Thread Count					
40	86.3	109	90	86.8	15.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.3.138:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.3.138:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.236.3.138:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.3.138:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.3.138:443/Controller Connection/Ping Duration (ms)					
61	120.7	161	120	121.6	40.2
LG 35.236.3.138:443/Network/Segments sent/sec.					
1.6	99.7	400.5	86.3	98.4	57.9
LG 35.236.3.138:443/Network/Segments retransmitted/sec.					
0	0.001	0.4	0	0	0.021
LG 35.236.3.138:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.87	1.04	1.24	0.758
LG 35.236.3.138:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.546	0.126	0.142	0.079

LG 35.236.33.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.33.116:443/CPU Load					
0	0.934	15	1	0.753	1.32
LG 35.236.33.116:443/Memory Used					
1	4.87	11	4	4.77	2.59
LG 35.236.33.116:443/Throughput					
0	1.19	2.68	1.22	1.18	0.863
LG 35.236.33.116:443/User Load					
0	29	52	33	29.3	15.2
LG 35.236.33.116:443/Thread Count					
40	86	109	90	86.4	15.6
LG 35.236.33.116:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.33.116:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.236.33.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.33.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.33.116:443/Controller Connection/Ping Duration (ms)					
77	99.5	162	96	98	21.2
LG 35.236.33.116:443/Network/Segments sent/sec.					
2	98	211.6	99	97.4	65.3
LG 35.236.33.116:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.33.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.23	2.75	1.25	1.22	0.884
LG 35.236.33.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.142	0.297	0.141	0.141	0.09

LG 35.236.54.143:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.54.143:443/CPU Load					
0	1.03	12	1	0.849	1.29
LG 35.236.54.143:443/Memory Used					
1	5.01	11	5	4.91	2.71
LG 35.236.54.143:443/Throughput					
0	1.21	2.67	1.21	1.2	0.862
LG 35.236.54.143:443/User Load					
0	29.4	53	33	29.7	15.1
LG 35.236.54.143:443/Thread Count					
40	86.4	110	90	86.8	15.3
LG 35.236.54.143:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.54.143:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.236.54.143:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.54.143:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.54.143:443/Controller Connection/Ping Duration (ms)					
61	93.5	151	82	92.3	21.1
LG 35.236.54.143:443/Network/Segments sent/sec.					
1.6	99.1	210.2	99.2	98.7	65.6
LG 35.236.54.143:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.54.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.25	2.76	1.25	1.24	0.883
LG 35.236.54.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.144	0.298	0.147	0.143	0.09

LG 35.236.56.174:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.56.174:443/CPU Load					
0	1	9	1	0.809	1.26
LG 35.236.56.174:443/Memory Used					
1	5.29	13	5	5.16	3.01
LG 35.236.56.174:443/Throughput					
0	1.2	2.69	1.22	1.2	0.85
LG 35.236.56.174:443/User Load					
0	29.5	53	33	29.8	15
LG 35.236.56.174:443/Thread Count					
40	86.5	110	90	86.9	15.2
LG 35.236.56.174:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.56.174:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.236.56.174:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.56.174:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.56.174:443/Controller Connection/Ping Duration (ms)					
77	143.9	162	158	146.5	24.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.56.174:443/Network/Segments sent/sec.					
1.6	99	324.2	98.9	98.1	64.4
LG 35.236.56.174:443/Network/Segments retransmitted/sec.					
0	0.004	1.6	0	0	0.082
LG 35.236.56.174:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.78	1.25	1.24	0.868
LG 35.236.56.174:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.414	0.144	0.142	0.088

LG 35.236.7.228:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.7.228:443/CPU Load					
0	1	9	1	0.822	1.24
LG 35.236.7.228:443/Memory Used					
1	4.66	10	4	4.59	2.43
LG 35.236.7.228:443/Throughput					
0	1.22	2.68	1.22	1.21	0.863
LG 35.236.7.228:443/User Load					
0	29.6	53	34	29.8	15.1
LG 35.236.7.228:443/Thread Count					
40	86.6	110	91	87	15.1
LG 35.236.7.228:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.7.228:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.236.7.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.7.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.7.228:443/Controller Connection/Ping Duration (ms)					
107	123.5	166	120.5	121.9	10.89
LG 35.236.7.228:443/Network/Segments sent/sec.					
3.2	100.1	393.4	98.2	99.1	66.8
LG 35.236.7.228:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.7.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	1.25	2.76	1.25	1.25	0.885
LG 35.236.7.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.145	0.508	0.142	0.144	0.091

LG 35.236.79.192:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.192:443/CPU Load					
0	1.05	8	1	0.906	1.11
LG 35.236.79.192:443/Memory Used					
0	4.62	10	4	4.54	2.47
LG 35.236.79.192:443/Throughput					
0	1.19	2.68	1.21	1.18	0.861
LG 35.236.79.192:443/User Load					
0	29	52	33	29.3	15.2
LG 35.236.79.192:443/Thread Count					
40	86	109	90	86.4	15.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.192:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.79.192:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.236.79.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.79.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.79.192:443/Controller Connection/Ping Duration (ms)					
68	91.7	162	81	89	22.6
LG 35.236.79.192:443/Network/Segments sent/sec.					
1.6	97.6	220.9	99.2	97	65.1
LG 35.236.79.192:443/Network/Segments retransmitted/sec.					
0	0.005	1.8	0	0	0.093
LG 35.236.79.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.23	2.76	1.25	1.22	0.882
LG 35.236.79.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.307	0.143	0.141	0.089

LG 35.236.81.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.81.160:443/CPU Load					
0	1.06	11	1	0.868	1.32
LG 35.236.81.160:443/Memory Used					
1	8.39	24	7	8.05	5.49
LG 35.236.81.160:443/Throughput					
0	1.19	2.68	1.21	1.18	0.858
LG 35.236.81.160:443/User Load					
0	28.8	52	33	29.2	15.2
LG 35.236.81.160:443/Thread Count					
40	85.8	109	90	86.3	15.6
LG 35.236.81.160:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.81.160:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.236.81.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.81.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.81.160:443/Controller Connection/Ping Duration (ms)					
79	110.3	159	84	109.2	32.3
LG 35.236.81.160:443/Network/Segments sent/sec.					
2.4	98.1	390.9	97.7	97.3	66
LG 35.236.81.160:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.81.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.23	2.75	1.25	1.22	0.88
LG 35.236.81.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.142	0.514	0.142	0.141	0.09

LG 35.236.81.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.81.42:443/CPU Load					
0	1.01	13	1	0.819	1.41
LG 35.236.81.42:443/Memory Used					
1	4.54	10	4	4.46	2.41
LG 35.236.81.42:443/Throughput					
0	1.18	2.67	0.976	1.18	0.728
LG 35.236.81.42:443/User Load					
0	28.8	52	33	29.1	15.2
LG 35.236.81.42:443/Thread Count					
40	85.7	109	90	86.3	15.7
LG 35.236.81.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.81.42:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.236.81.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.81.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.81.42:443/Controller Connection/Ping Duration (ms)					
75	110.7	161	81	109.8	35.5
LG 35.236.81.42:443/Network/Segments sent/sec.					
1.6	97.6	406	84.5	96.5	56.7
LG 35.236.81.42:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.81.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.22	2.9	1.01	1.22	0.745
LG 35.236.81.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.141	0.538	0.124	0.14	0.078

LG 35.236.88.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.88.137:443/CPU Load					
0	1.01	11	1	0.848	1.22
LG 35.236.88.137:443/Memory Used					
1	4.8	11	4	4.7	2.55
LG 35.236.88.137:443/Throughput					
0	1.2	2.68	1.21	1.19	0.86
LG 35.236.88.137:443/User Load					
0	29.2	52	33	29.5	15
LG 35.236.88.137:443/Thread Count					
40	86.2	109	90	86.6	15.4
LG 35.236.88.137:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.88.137:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.236.88.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.88.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.88.137:443/Controller Connection/Ping Duration (ms)					
72	108.8	158	91.5	107.9	33.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.88.137:443/Network/Segments sent/sec.					
1.6	98.5	413.4	97.6	97.4	66.7
LG 35.236.88.137:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.88.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.24	2.9	1.25	1.23	0.882
LG 35.236.88.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.143	0.548	0.141	0.141	0.091

LG 35.236.98.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.98.142:443/CPU Load					
0	0.987	8	1	0.825	1.17
LG 35.236.98.142:443/Memory Used					
1	4.68	10	4	4.6	2.43
LG 35.236.98.142:443/Throughput					
0	1.23	2.68	1.21	1.22	0.774
LG 35.236.98.142:443/User Load					
0	29.7	53	34	30	15
LG 35.236.98.142:443/Thread Count					
40	86.7	110	91	87.2	15.2
LG 35.236.98.142:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.98.142:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.236.98.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.98.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.98.142:443/Controller Connection/Ping Duration (ms)					
79	98.3	158	82.5	96.7	21.8
LG 35.236.98.142:443/Network/Segments sent/sec.					
2.2	100.7	399	95.7	99.5	58.5
LG 35.236.98.142:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.236.98.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.26	2.75	1.25	1.26	0.787
LG 35.236.98.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.145	0.524	0.137	0.144	0.08

LG 104.196.239.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.239.110:443/CPU Load					
0	1.05	12	1	0.867	1.31
LG 104.196.239.110:443/Memory Used					
1	4.83	11	4	4.73	2.53
LG 104.196.239.110:443/Throughput					
0	1.1	3.96	0.975	1.08	0.848
LG 104.196.239.110:443/User Load					
0	29.5	52	33	29.8	15
LG 104.196.239.110:443/Thread Count					
40	86.4	109	90	86.8	15.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.239.110:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 104.196.239.110:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.196.239.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.239.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.239.110:443/Controller Connection/Ping Duration (ms)					
66	85.2	145	85	83.7	13.3
LG 104.196.239.110:443/Network/Segments sent/sec.					
1.6	97.2	289.4	86.8	95.9	64.6
LG 104.196.239.110:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.023
LG 104.196.239.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	4	1.01	1.12	0.865
LG 104.196.239.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.402	0.123	0.137	0.086

LG 104.196.242.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.242.76:443/CPU Load					
0	1.01	11	1	0.815	1.32
LG 104.196.242.76:443/Memory Used					
1	4.84	11	5	4.74	2.5
LG 104.196.242.76:443/Throughput					
0	1.1	4.63	0.975	1.08	0.845
LG 104.196.242.76:443/User Load					
0	29.5	52	33	29.8	14.9
LG 104.196.242.76:443/Thread Count					
40	86.4	109	90	86.8	15.2
LG 104.196.242.76:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 104.196.242.76:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 104.196.242.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.242.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.242.76:443/Controller Connection/Ping Duration (ms)					
79	114.7	169	89.5	113.5	34.7
LG 104.196.242.76:443/Network/Segments sent/sec.					
1.6	97	326.2	85.9	95.7	64.4
LG 104.196.242.76:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 104.196.242.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	4.65	1.01	1.12	0.862
LG 104.196.242.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.451	0.126	0.137	0.086

LG 104.199.112.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.199.112.52:443/CPU Load					
0	0.936	12	1	0.776	1.17
LG 104.199.112.52:443/Memory Used					
1	5.62	13	5	5.51	3.12
LG 104.199.112.52:443/Throughput					
0	1.12	5.12	0.975	1.1	0.852
LG 104.199.112.52:443/User Load					
0	29.8	53	34	30.1	15
LG 104.199.112.52:443/Thread Count					
40	86.7	110	91	87.1	15.1
LG 104.199.112.52:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.199.112.52:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.199.112.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.199.112.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.199.112.52:443/Controller Connection/Ping Duration (ms)					
66	88.9	163	87	86.9	15.5
LG 104.199.112.52:443/Network/Segments sent/sec.					
1.8	98	354.1	84.7	96.6	61.8
LG 104.199.112.52:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 104.199.112.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	5.13	1.01	1.13	0.863
LG 104.199.112.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.485	0.123	0.139	0.084

LG 104.199.127.125:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.199.127.125:443/CPU Load					
0	0.989	12	1	0.815	1.3
LG 104.199.127.125:443/Memory Used					
1	4.94	12	4	4.82	2.71
LG 104.199.127.125:443/Throughput					
0	1.11	4.14	0.975	1.09	0.832
LG 104.199.127.125:443/User Load					
0	29.6	52	33	29.9	14.9
LG 104.199.127.125:443/Thread Count					
40	86.5	109	90	86.9	15.3
LG 104.199.127.125:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 104.199.127.125:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.199.127.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.199.127.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.199.127.125:443/Controller Connection/Ping Duration (ms)					
66	88.1	161	85	85.9	17.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.199.127.125:443/Network/Segments sent/sec.					
1.6	97.1	289.1	87.4	95.8	62.8
LG 104.199.127.125:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 104.199.127.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	4.16	1.01	1.12	0.85
LG 104.199.127.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.401	0.133	0.138	0.085

LG 34.105.101.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.101.164:443/CPU Load					
0	0.979	12	1	0.792	1.36
LG 34.105.101.164:443/Memory Used					
1	4.88	11	4	4.81	2.62
LG 34.105.101.164:443/Throughput					
0	1.1	3.42	0.975	1.08	0.831
LG 34.105.101.164:443/User Load					
0	29.4	53	33	29.8	14.9
LG 34.105.101.164:443/Thread Count					
40	86.3	110	90	86.8	15.2
LG 34.105.101.164:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.101.164:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.101.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.101.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.101.164:443/Controller Connection/Ping Duration (ms)					
66	87.7	153	85	85.7	15.9
LG 34.105.101.164:443/Network/Segments sent/sec.					
2.4	96.7	252.8	86	95.7	64
LG 34.105.101.164:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.105.101.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.14	3.46	1.01	1.12	0.85
LG 34.105.101.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.344	0.127	0.137	0.086

LG 34.105.105.53:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.105.53:443/CPU Load					
0	0.827	9	1	0.646	1.19
LG 34.105.105.53:443/Memory Used					
1	4.83	11	4	4.7	2.77
LG 34.105.105.53:443/Throughput					
0	1.08	4.53	0.975	1.06	0.753
LG 34.105.105.53:443/User Load					
0	29	52	33	29.3	15.1
LG 34.105.105.53:443/Thread Count					
40	85.8	109	90	86.3	15.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.105.53:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.105.105.53:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.105.105.53:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.105.53:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.105.53:443/Controller Connection/Ping Duration (ms)					
66	86.9	152	87	85.2	13.9
LG 34.105.105.53:443/Network/Segments sent/sec.					
1.6	95.3	313.8	84.9	93.7	57.9
LG 34.105.105.53:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.105.105.53:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	4.59	1.01	1.09	0.772
LG 34.105.105.53:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.136	0.433	0.125	0.135	0.078

LG 34.105.114.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.114.132:443/CPU Load					
0	0.831	9	1	0.693	1.08
LG 34.105.114.132:443/Memory Used					
1	8.38	26	7	7.95	5.69
LG 34.105.114.132:443/Throughput					
0	1.09	3.18	0.975	1.07	0.835
LG 34.105.114.132:443/User Load					
0	29.2	52	33	29.4	15.1
LG 34.105.114.132:443/Thread Count					
40	86	109	90	86.4	15.5
LG 34.105.114.132:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.105.114.132:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.114.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.114.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.114.132:443/Controller Connection/Ping Duration (ms)					
69	92.8	168	90	90.6	17.8
LG 34.105.114.132:443/Network/Segments sent/sec.					
1.6	96	239.5	86.5	94.8	64
LG 34.105.114.132:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.105.114.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.22	1.01	1.1	0.853
LG 34.105.114.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.319	0.126	0.136	0.085

LG 34.105.117.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.117.38:443/CPU Load					
0	0.844	14	1	0.657	1.27
LG 34.105.117.38:443/Memory Used					
1	4.85	11	5	4.76	2.68
LG 34.105.117.38:443/Throughput					
0	1.12	3.65	0.976	1.1	0.832
LG 34.105.117.38:443/User Load					
0	30	53	34	30.3	14.9
LG 34.105.117.38:443/Thread Count					
40	86.9	110	91	87.3	15.1
LG 34.105.117.38:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.117.38:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.105.117.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.117.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.117.38:443/Controller Connection/Ping Duration (ms)					
83	99.4	167	88	96.5	23.5
LG 34.105.117.38:443/Network/Segments sent/sec.					
2.4	98.3	211.9	86.3	97.4	63.7
LG 34.105.117.38:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.105.117.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.16	3.58	1.01	1.14	0.852
LG 34.105.117.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.302	0.136	0.139	0.085

LG 34.105.121.190:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.121.190:443/CPU Load					
0	0.884	9	1	0.722	1.14
LG 34.105.121.190:443/Memory Used					
1	4.57	10	4	4.5	2.31
LG 34.105.121.190:443/Throughput					
0	1.09	3.67	0.931	1.07	0.751
LG 34.105.121.190:443/User Load					
0	29.1	52	33	29.4	15.1
LG 34.105.121.190:443/Thread Count					
40	85.9	109	90	86.4	15.6
LG 34.105.121.190:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.121.190:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.105.121.190:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.121.190:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.121.190:443/Controller Connection/Ping Duration (ms)					
67	87	163	85	84.8	15.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.121.190:443/Network/Segments sent/sec.					
1.6	96	273.9	83.2	94.1	57.3
LG 34.105.121.190:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.105.121.190:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.7	0.963	1.1	0.77
LG 34.105.121.190:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.379	0.121	0.135	0.077

LG 34.105.23.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.23.178:443/CPU Load					
0	0.883	10	1	0.694	1.27
LG 34.105.23.178:443/Memory Used					
1	5.23	13	5	5.08	2.99
LG 34.105.23.178:443/Throughput					
0	1.09	3.65	0.968	1.07	0.805
LG 34.105.23.178:443/User Load					
0	29.1	52	33	29.4	15.1
LG 34.105.23.178:443/Thread Count					
40	85.9	109	90	86.4	15.6
LG 34.105.23.178:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.23.178:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.105.23.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.23.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.23.178:443/Controller Connection/Ping Duration (ms)					
124	133.3	176	129	131.6	13.7
LG 34.105.23.178:443/Network/Segments sent/sec.					
1.6	95.5	264.6	83.8	94	62
LG 34.105.23.178:443/Network/Segments retransmitted/sec.					
0	0.002	0.202	0	0	0.018
LG 34.105.23.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.69	1	1.1	0.825
LG 34.105.23.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.362	0.122	0.135	0.083

LG 34.105.28.49:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.28.49:443/CPU Load					
0	0.892	11	1	0.721	1.22
LG 34.105.28.49:443/Memory Used					
1	4.62	10	4	4.54	2.49
LG 34.105.28.49:443/Throughput					
0	1.12	3.58	0.975	1.1	0.83
LG 34.105.28.49:443/User Load					
0	29.9	53	34	30.2	14.9
LG 34.105.28.49:443/Thread Count					
40	86.8	110	91	87.2	15.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.28.49:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.28.49:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.105.28.49:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.28.49:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.28.49:443/Controller Connection/Ping Duration (ms)					
76	103.2	149	90	102.3	20.2
LG 34.105.28.49:443/Network/Segments sent/sec.					
1.6	98.7	261.8	87.3	97.3	60
LG 34.105.28.49:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.105.28.49:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.16	3.65	1.01	1.14	0.84
LG 34.105.28.49:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.362	0.126	0.14	0.081

LG 34.105.3.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.3.88:443/CPU Load					
0	0.874	12	1	0.69	1.25
LG 34.105.3.88:443/Memory Used					
1	4.55	10	4	4.46	2.46
LG 34.105.3.88:443/Throughput					
0	1.11	2.93	0.976	1.09	0.824
LG 34.105.3.88:443/User Load					
0	29.7	53	34	30	14.9
LG 34.105.3.88:443/Thread Count					
40	86.6	110	91	87	15.1
LG 34.105.3.88:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.3.88:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.3.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.3.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.3.88:443/Controller Connection/Ping Duration (ms)					
70	93.5	164	92.5	91.4	17.1
LG 34.105.3.88:443/Network/Segments sent/sec.					
2.4	97.4	204.4	86.2	96.4	63.4
LG 34.105.3.88:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 34.105.3.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.14	2.87	1.01	1.13	0.842
LG 34.105.3.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.301	0.125	0.138	0.085

LG 34.105.33.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.33.16:443/CPU Load					
0	0.685	9	0	0.51	1.12
LG 34.105.33.16:443/Memory Used					
1	5.39	14	5	5.23	3.1
LG 34.105.33.16:443/Throughput					
0	1.11	3.44	0.975	1.09	0.841
LG 34.105.33.16:443/User Load					
0	29.6	52	33	29.9	14.9
LG 34.105.33.16:443/Thread Count					
40	86.4	109	90	86.9	15.3
LG 34.105.33.16:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.33.16:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.105.33.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.33.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.33.16:443/Controller Connection/Ping Duration (ms)					
68	89.8	164	86	87.3	17.3
LG 34.105.33.16:443/Network/Segments sent/sec.					
1.59	97.6	257.6	86.6	96.3	64.7
LG 34.105.33.16:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.105.33.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.48	1.01	1.13	0.862
LG 34.105.33.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.14	0.349	0.13	0.138	0.087

LG 34.105.36.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.36.29:443/CPU Load					
0	0.939	12	1	0.717	1.44
LG 34.105.36.29:443/Memory Used					
1	6.72	19	6	6.47	4.07
LG 34.105.36.29:443/Throughput					
0	1.11	2.67	0.976	1.09	0.807
LG 34.105.36.29:443/User Load					
0	29.6	53	33	29.9	14.9
LG 34.105.36.29:443/Thread Count					
40	86.5	110	90	86.9	15.2
LG 34.105.36.29:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.105.36.29:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.36.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.36.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.36.29:443/Controller Connection/Ping Duration (ms)					
65	110.1	187	87	108.6	34.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.36.29:443/Network/Segments sent/sec.					
1.6	97.6	207.6	90.3	96.6	62.4
LG 34.105.36.29:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.105.36.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	2.72	1.01	1.13	0.829
LG 34.105.36.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.32	0.132	0.138	0.083

LG 34.105.48.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.48.210:443/CPU Load					
0	0.87	10	1	0.708	1.16
LG 34.105.48.210:443/Memory Used					
1	5.5	13	5	5.35	3.25
LG 34.105.48.210:443/Throughput					
0	1.12	3.95	0.975	1.1	0.794
LG 34.105.48.210:443/User Load					
0	29.9	53	34	30.2	14.9
LG 34.105.48.210:443/Thread Count					
40	86.8	110	91	87.2	15.1
LG 34.105.48.210:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.48.210:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.009
LG 34.105.48.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.48.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.48.210:443/Controller Connection/Ping Duration (ms)					
81	100.6	130	88	100.1	19.4
LG 34.105.48.210:443/Network/Segments sent/sec.					
1.6	98.1	289.7	86.4	96.8	60.5
LG 34.105.48.210:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.105.48.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.16	4.02	1.01	1.14	0.816
LG 34.105.48.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.401	0.126	0.139	0.081

LG 34.105.52.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.52.119:443/CPU Load					
0	0.805	11	1	0.635	1.17
LG 34.105.52.119:443/Memory Used					
1	4.52	10	4	4.42	2.46
LG 34.105.52.119:443/Throughput					
0	1.11	3.36	0.975	1.09	0.73
LG 34.105.52.119:443/User Load					
0	29.8	53	34	30.1	14.9
LG 34.105.52.119:443/Thread Count					
40	86.7	110	91	87.1	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.52.119:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.52.119:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 34.105.52.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.52.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.52.119:443/Controller Connection/Ping Duration (ms)					
65	85.7	118	85	85	9.5
LG 34.105.52.119:443/Network/Segments sent/sec.					
3	98	214.1	84.2	96.7	55.1
LG 34.105.52.119:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.105.52.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	1.15	3.33	1.01	1.13	0.742
LG 34.105.52.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.14	0.299	0.122	0.138	0.074

LG 34.105.52.194:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.52.194:443/CPU Load					
0	0.94	11	1	0.766	1.25
LG 34.105.52.194:443/Memory Used					
1	7.42	20	7	7.17	4.4
LG 34.105.52.194:443/Throughput					
0	1.11	4.14	0.976	1.09	0.847
LG 34.105.52.194:443/User Load					
0	29.8	53	34	30.1	14.9
LG 34.105.52.194:443/Thread Count					
40	86.8	110	91	87.1	15
LG 34.105.52.194:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.52.194:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.52.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.52.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.52.194:443/Controller Connection/Ping Duration (ms)					
87	116.4	166	131	115.8	21.7
LG 34.105.52.194:443/Network/Segments sent/sec.					
2.4	98	296.1	85.6	96.7	65
LG 34.105.52.194:443/Network/Segments retransmitted/sec.					
0	0.005	1.8	0	0	0.092
LG 34.105.52.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.15	4.17	1.01	1.13	0.865
LG 34.105.52.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.406	0.126	0.139	0.087

LG 34.105.53.124:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.53.124:443/CPU Load					
0	0.832	13	1	0.632	1.32
LG 34.105.53.124:443/Memory Used					
1	9.18	28	8	8.71	6.1
LG 34.105.53.124:443/Throughput					
0	1.09	3.15	0.973	1.07	0.83
LG 34.105.53.124:443/User Load					
0	29	52	33	29.3	15.1
LG 34.105.53.124:443/Thread Count					
40	85.9	109	90	86.3	15.5
LG 34.105.53.124:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.53.124:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.53.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.53.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.53.124:443/Controller Connection/Ping Duration (ms)					
84	141	167	163	142.6	30.2
LG 34.105.53.124:443/Network/Segments sent/sec.					
1.59	96.1	233.9	85.6	95	64.5
LG 34.105.53.124:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.105.53.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	3.2	1	1.1	0.848
LG 34.105.53.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.137	0.327	0.123	0.136	0.086

LG 34.105.53.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.53.175:443/CPU Load					
0	0.936	11	1	0.731	1.36
LG 34.105.53.175:443/Memory Used					
1	4.75	11	4	4.64	2.66
LG 34.105.53.175:443/Throughput					
0	1.11	3.17	0.975	1.09	0.835
LG 34.105.53.175:443/User Load					
0	29.7	53	33	29.9	14.9
LG 34.105.53.175:443/Thread Count					
40	86.6	110	90	87	15.3
LG 34.105.53.175:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.105.53.175:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.53.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.53.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.53.175:443/Controller Connection/Ping Duration (ms)					
70	88.3	111	88	88.3	7.49

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.53.175:443/Network/Segments sent/sec.					
1.6	97.2	241.6	88.4	96.2	64.5
LG 34.105.53.175:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.105.53.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.21	1.01	1.13	0.854
LG 34.105.53.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.327	0.129	0.138	0.086

LG 34.105.57.40:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.57.40:443/CPU Load					
0	0.836	10	1	0.664	1.17
LG 34.105.57.40:443/Memory Used					
1	5.44	13	5	5.3	3.18
LG 34.105.57.40:443/Throughput					
0	1.1	3.4	0.975	1.08	0.834
LG 34.105.57.40:443/User Load					
0	29.4	53	33	29.7	14.9
LG 34.105.57.40:443/Thread Count					
40	86.3	110	90	86.7	15.2
LG 34.105.57.40:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.57.40:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.57.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.57.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.57.40:443/Controller Connection/Ping Duration (ms)					
68	89.5	118	90	89.5	7.55
LG 34.105.57.40:443/Network/Segments sent/sec.					
1.8	96.7	261.2	87.4	95.4	63.6
LG 34.105.57.40:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.105.57.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	3.46	1.01	1.12	0.853
LG 34.105.57.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.385	0.126	0.137	0.085

LG 34.105.64.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.64.6:443/CPU Load					
0	1.03	10	1	0.856	1.26
LG 34.105.64.6:443/Memory Used					
1	5.87	14	5	5.74	3.38
LG 34.105.64.6:443/Throughput					
0	1.11	3.9	0.975	1.09	0.778
LG 34.105.64.6:443/User Load					
0	29.8	53	34	30.1	14.9
LG 34.105.64.6:443/Thread Count					
40	86.7	110	91	87.1	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.64.6:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.64.6:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 34.105.64.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.64.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.64.6:443/Controller Connection/Ping Duration (ms)					
67	90.1	168	87	87.8	16.9
LG 34.105.64.6:443/Network/Segments sent/sec.					
1.8	97.4	282.4	85.5	95.9	59.7
LG 34.105.64.6:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.105.64.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.94	1	1.13	0.797
LG 34.105.64.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.387	0.126	0.138	0.08

LG 34.105.74.199:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.74.199:443/CPU Load					
0	0.876	11	1	0.693	1.26
LG 34.105.74.199:443/Memory Used					
1	5.03	12	4	4.88	3.01
LG 34.105.74.199:443/Throughput					
0	1.1	3.9	0.975	1.08	0.83
LG 34.105.74.199:443/User Load					
0	29.5	53	33	29.7	14.9
LG 34.105.74.199:443/Thread Count					
40	86.4	110	90	86.7	15.2
LG 34.105.74.199:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.74.199:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.105.74.199:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.74.199:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.74.199:443/Controller Connection/Ping Duration (ms)					
70	147.7	173	172	150.1	31.8
LG 34.105.74.199:443/Network/Segments sent/sec.					
1.8	97.1	266.3	85.2	95.6	60.4
LG 34.105.74.199:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.105.74.199:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	3.9	1.01	1.12	0.84
LG 34.105.74.199:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.413	0.126	0.137	0.082

LG 34.105.79.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.79.237:443/CPU Load					
0	1.04	12	1	0.835	1.35
LG 34.105.79.237:443/Memory Used					
1	5.19	12	5	5.09	2.75
LG 34.105.79.237:443/Throughput					
0	1.12	2.94	0.975	1.1	0.835
LG 34.105.79.237:443/User Load					
0	29.9	53	34	30.2	14.9
LG 34.105.79.237:443/Thread Count					
40	86.8	110	91	87.2	15.1
LG 34.105.79.237:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.79.237:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.79.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.79.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.79.237:443/Controller Connection/Ping Duration (ms)					
78	102.6	164	90	101.2	21.2
LG 34.105.79.237:443/Network/Segments sent/sec.					
1.6	98.2	232.7	86.4	97.3	64.2
LG 34.105.79.237:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.105.79.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3	1.01	1.14	0.853
LG 34.105.79.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.313	0.129	0.139	0.086

LG 34.105.80.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.80.35:443/CPU Load					
0	1.01	11	1	0.839	1.23
LG 34.105.80.35:443/Memory Used					
1	5.29	13	5	5.16	2.96
LG 34.105.80.35:443/Throughput					
0	1.11	5.11	0.975	1.08	0.852
LG 34.105.80.35:443/User Load					
0	29.4	52	33	29.7	14.9
LG 34.105.80.35:443/Thread Count					
40	86.2	109	90	86.7	15.4
LG 34.105.80.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.80.35:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.80.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.80.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.80.35:443/Controller Connection/Ping Duration (ms)					
80	112.6	167	87	111.3	34.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.80.35:443/Network/Segments sent/sec.					
1.6	97.2	349.3	86.8	95.8	64.7
LG 34.105.80.35:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.105.80.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	5.12	1.01	1.12	0.872
LG 34.105.80.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.139	0.477	0.125	0.137	0.086

LG 34.105.85.180:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.85.180:443/CPU Load					
0	0.995	11	1	0.83	1.22
LG 34.105.85.180:443/Memory Used					
1	5.41	13	5	5.29	3
LG 34.105.85.180:443/Throughput					
0	1.12	2.92	0.976	1.1	0.835
LG 34.105.85.180:443/User Load					
0	29.8	53	34	30.1	14.9
LG 34.105.85.180:443/Thread Count					
40	86.8	110	91	87.1	15.1
LG 34.105.85.180:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.85.180:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.85.180:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.85.180:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.85.180:443/Controller Connection/Ping Duration (ms)					
85	111.9	172	94	110.4	24.2
LG 34.105.85.180:443/Network/Segments sent/sec.					
1.79	98.3	228.7	86.8	97.3	64.7
LG 34.105.85.180:443/Network/Segments retransmitted/sec.					
0	0.013	2.61	0	0	0.183
LG 34.105.85.180:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	2.98	1.01	1.14	0.853
LG 34.105.85.180:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	0.14	0.309	0.129	0.139	0.086

LG 34.105.9.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.9.203:443/CPU Load					
0	0.87	11	1	0.709	1.15
LG 34.105.9.203:443/Memory Used					
0	4.89	11	5	4.8	2.54
LG 34.105.9.203:443/Throughput					
0	1.12	2.93	0.976	1.1	0.758
LG 34.105.9.203:443/User Load					
0	29.9	53	34	30.1	14.9
LG 34.105.9.203:443/Thread Count					
40	86.8	110	91	87.1	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.9.203:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.9.203:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.105.9.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.9.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.9.203:443/Controller Connection/Ping Duration (ms)					
65	88.5	128	88	87.8	10.85
LG 34.105.9.203:443/Network/Segments sent/sec.					
2.4	98.3	206.7	86.9	97.3	58.7
LG 34.105.9.203:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.105.9.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.15	2.87	1.01	1.14	0.78
LG 34.105.9.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.321	0.126	0.139	0.079

LG 34.105.92.181:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.92.181:443/CPU Load					
0	0.997	12	1	0.822	1.26
LG 34.105.92.181:443/Memory Used					
1	4.81	11	4	4.69	2.67
LG 34.105.92.181:443/Throughput					
0	1.12	2.68	0.976	1.11	0.834
LG 34.105.92.181:443/User Load					
0	29.9	53	34	30.2	14.9
LG 34.105.92.181:443/Thread Count					
40	86.9	110	91	87.2	15.1
LG 34.105.92.181:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.105.92.181:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.92.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.92.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.92.181:443/Controller Connection/Ping Duration (ms)					
67	127.7	177	132	127.9	30.2
LG 34.105.92.181:443/Network/Segments sent/sec.					
2.2	98.5	212.6	86.7	97.7	64
LG 34.105.92.181:443/Network/Segments retransmitted/sec.					
0	0.006	1.99	0	0	0.104
LG 34.105.92.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.16	2.74	1.01	1.14	0.852
LG 34.105.92.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.31	0.128	0.14	0.086

LG 34.105.92.82:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.92.82:443/CPU Load					
0	0.91	9	1	0.763	1.09
LG 34.105.92.82:443/Memory Used					
1	4.48	10	4	4.39	2.33
LG 34.105.92.82:443/Throughput					
0	1.11	5.09	0.975	1.08	0.848
LG 34.105.92.82:443/User Load					
0	29.4	52	33	29.7	14.9
LG 34.105.92.82:443/Thread Count					
40	86.3	110	90	86.7	15.4
LG 34.105.92.82:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.105.92.82:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.105.92.82:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.92.82:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.92.82:443/Controller Connection/Ping Duration (ms)					
67	97.3	163	87	95.6	21.2
LG 34.105.92.82:443/Network/Segments sent/sec.					
1.6	97.1	347.8	86.8	95.8	64.5
LG 34.105.92.82:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.01
LG 34.105.92.82:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	5.09	1.01	1.12	0.865
LG 34.105.92.82:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.477	0.129	0.137	0.086

LG 34.105.96.199:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.96.199:443/CPU Load					
0	0.823	10	1	0.642	1.19
LG 34.105.96.199:443/Memory Used					
1	4.78	11	5	4.72	2.5
LG 34.105.96.199:443/Throughput					
0	1.11	3.87	0.975	1.09	0.77
LG 34.105.96.199:443/User Load					
0	29.6	53	33	29.9	14.9
LG 34.105.96.199:443/Thread Count					
40	86.5	110	90	86.9	15.2
LG 34.105.96.199:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.105.96.199:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.01
LG 34.105.96.199:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.96.199:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.96.199:443/Controller Connection/Ping Duration (ms)					
81	95.8	164	86	93.5	19.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.96.199:443/Network/Segments sent/sec.					
1.59	97.3	280.7	85.3	95.9	55.8
LG 34.105.96.199:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.105.96.199:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.91	1.01	1.12	0.778
LG 34.105.96.199:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.139	0.383	0.124	0.137	0.075

LG 34.82.114.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.114.157:443/CPU Load					
0	0.874	10	1	0.711	1.17
LG 34.82.114.157:443/Memory Used					
1	4.46	10	4	4.38	2.29
LG 34.82.114.157:443/Throughput					
0	1.1	4.14	0.975	1.08	0.752
LG 34.82.114.157:443/User Load					
0	29.4	53	33	29.6	14.9
LG 34.82.114.157:443/Thread Count					
40	86.3	110	90	86.6	15.2
LG 34.82.114.157:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.114.157:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.82.114.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.114.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.114.157:443/Controller Connection/Ping Duration (ms)					
68	91.8	152	85	89.4	18.7
LG 34.82.114.157:443/Network/Segments sent/sec.					
1.59	97	246.4	86.1	95.7	56.2
LG 34.82.114.157:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.82.114.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	4.07	1.01	1.11	0.765
LG 34.82.114.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.139	0.355	0.124	0.137	0.076

LG 34.82.120.92:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.120.92:443/CPU Load					
0	0.94	11	1	0.719	1.37
LG 34.82.120.92:443/Memory Used					
1	5.13	13	5	4.99	2.91
LG 34.82.120.92:443/Throughput					
0	1.11	2.76	0.975	1.09	0.725
LG 34.82.120.92:443/User Load					
0	29.8	53	34	30	14.9
LG 34.82.120.92:443/Thread Count					
40	86.7	110	91	87	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.120.92:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.82.120.92:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.82.120.92:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.120.92:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.120.92:443/Controller Connection/Ping Duration (ms)					
83	116.1	170	95	114.8	32.3
LG 34.82.120.92:443/Network/Segments sent/sec.					
1.6	97.6	209.7	82.3	96.1	54.2
LG 34.82.120.92:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.82.120.92:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	2.77	1	1.13	0.737
LG 34.82.120.92:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.292	0.121	0.138	0.073

LG 34.82.124.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.124.178:443/CPU Load					
0	0.921	11	1	0.737	1.23
LG 34.82.124.178:443/Memory Used					
1	5.34	12	5	5.23	2.99
LG 34.82.124.178:443/Throughput					
0	1.12	3.65	0.976	1.1	0.843
LG 34.82.124.178:443/User Load					
0	30	53	34	30.3	14.9
LG 34.82.124.178:443/Thread Count					
40	87	110	91	87.3	15.1
LG 34.82.124.178:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.124.178:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.82.124.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.124.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.124.178:443/Controller Connection/Ping Duration (ms)					
77	106.5	169	87	104.5	29.2
LG 34.82.124.178:443/Network/Segments sent/sec.					
1.6	98.2	265.8	88.4	97.3	64.4
LG 34.82.124.178:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.82.124.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.16	3.69	1.01	1.14	0.862
LG 34.82.124.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.36	0.132	0.139	0.086

LG 34.82.125.236:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.125.236:443/CPU Load					
0	0.931	9	1	0.756	1.19
LG 34.82.125.236:443/Memory Used					
1	4.27	9	4	4.18	2.24
LG 34.82.125.236:443/Throughput					
0	1.1	3.65	0.976	1.07	0.835
LG 34.82.125.236:443/User Load					
0	29.2	52	33	29.4	15.1
LG 34.82.125.236:443/Thread Count					
40	86	109	90	86.4	15.7
LG 34.82.125.236:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.82.125.236:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.82.125.236:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.125.236:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.125.236:443/Controller Connection/Ping Duration (ms)					
66	91	166	86	88	20.1
LG 34.82.125.236:443/Network/Segments sent/sec.					
1.58	96.3	269.4	85.8	95.1	64.4
LG 34.82.125.236:443/Network/Segments retransmitted/sec.					
0	0.001	0.404	0	0	0.021
LG 34.82.125.236:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.69	1.01	1.11	0.854
LG 34.82.125.236:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.364	0.124	0.136	0.086

LG 34.82.135.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.135.231:443/CPU Load					
0	0.92	11	1	0.726	1.3
LG 34.82.135.231:443/Memory Used					
1	5.37	13	5	5.24	3
LG 34.82.135.231:443/Throughput					
0	1.12	4.13	0.975	1.09	0.846
LG 34.82.135.231:443/User Load					
0	29.8	53	34	30.1	15
LG 34.82.135.231:443/Thread Count					
40	86.7	110	91	87.1	15.1
LG 34.82.135.231:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.135.231:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.82.135.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.135.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.135.231:443/Controller Connection/Ping Duration (ms)					
64	87.6	160	84	85.5	16.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.135.231:443/Network/Segments sent/sec.					
1.6	97.9	292.2	86.5	96.7	64.8
LG 34.82.135.231:443/Network/Segments retransmitted/sec.					
0	0.001	0.197	0	0	0.01
LG 34.82.135.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	4.16	1.01	1.13	0.865
LG 34.82.135.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.407	0.125	0.138	0.086

LG 34.82.169.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.169.220:443/CPU Load					
0	0.974	12	1	0.795	1.25
LG 34.82.169.220:443/Memory Used					
1	5.12	11	5	5.05	2.71
LG 34.82.169.220:443/Throughput					
0	1.09	4.06	0.975	1.06	0.836
LG 34.82.169.220:443/User Load					
0	29.1	52	33	29.4	15.1
LG 34.82.169.220:443/Thread Count					
40	86	109	90	86.4	15.5
LG 34.82.169.220:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.169.220:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.82.169.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.169.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.169.220:443/Controller Connection/Ping Duration (ms)					
83	109.1	135	94	109	19.7
LG 34.82.169.220:443/Network/Segments sent/sec.					
1.6	95.8	282.8	85.1	94.3	64.3
LG 34.82.169.220:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.02
LG 34.82.169.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	4.06	1	1.1	0.854
LG 34.82.169.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.137	0.384	0.122	0.135	0.086

LG 34.82.186.185:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.186.185:443/CPU Load					
0	0.913	9	1	0.754	1.14
LG 34.82.186.185:443/Memory Used					
1	4.82	11	4	4.75	2.54
LG 34.82.186.185:443/Throughput					
0	1.12	3.9	0.975	1.1	0.843
LG 34.82.186.185:443/User Load					
0	29.6	53	34	29.9	14.9
LG 34.82.186.185:443/Thread Count					
40	86.6	110	91	86.9	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.186.185:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.82.186.185:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.82.186.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.186.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.186.185:443/Controller Connection/Ping Duration (ms)					
70	123.4	171	112	123.4	36.3
LG 34.82.186.185:443/Network/Segments sent/sec.					
1.6	97.9	285.2	86.6	96.7	64.6
LG 34.82.186.185:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.01
LG 34.82.186.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.96	1.01	1.13	0.861
LG 34.82.186.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.39	0.126	0.139	0.087

LG 34.82.191.56:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.191.56:443/CPU Load					
0	0.875	11	1	0.695	1.23
LG 34.82.191.56:443/Memory Used					
1	4.52	10	4	4.46	2.31
LG 34.82.191.56:443/Throughput					
0	1.09	2.92	0.975	1.07	0.792
LG 34.82.191.56:443/User Load					
0	29.3	52	33	29.6	15.1
LG 34.82.191.56:443/Thread Count					
40	86.1	109	90	86.6	15.5
LG 34.82.191.56:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.82.191.56:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 34.82.191.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.191.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.191.56:443/Controller Connection/Ping Duration (ms)					
115	151.1	175	168	151.5	20.8
LG 34.82.191.56:443/Network/Segments sent/sec.					
1.61	95.9	210.1	84.8	94.6	57.2
LG 34.82.191.56:443/Network/Segments retransmitted/sec.					
0	0.002	0.202	0	0	0.018
LG 34.82.191.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	2.92	1.01	1.11	0.801
LG 34.82.191.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.286	0.124	0.136	0.077

LG 34.82.198.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.198.14:443/CPU Load					
0	0.963	11	1	0.731	1.46
LG 34.82.198.14:443/Memory Used					
1	4.7	11	4	4.6	2.5
LG 34.82.198.14:443/Throughput					
0	1.1	2.58	0.975	1.08	0.828
LG 34.82.198.14:443/User Load					
0	29.4	53	33	29.7	14.9
LG 34.82.198.14:443/Thread Count					
40	86.3	110	90	86.7	15.2
LG 34.82.198.14:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.198.14:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.82.198.14:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.198.14:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.198.14:443/Controller Connection/Ping Duration (ms)					
68	97.1	170	91	94.5	24.6
LG 34.82.198.14:443/Network/Segments sent/sec.					
2.4	96.7	210	87.1	95.7	61.2
LG 34.82.198.14:443/Network/Segments retransmitted/sec.					
0	0.007	2.8	0	0	0.143
LG 34.82.198.14:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.13	2.65	1.01	1.12	0.842
LG 34.82.198.14:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.293	0.129	0.137	0.083

LG 34.82.248.99:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.248.99:443/CPU Load					
0	0.981	11	1	0.804	1.28
LG 34.82.248.99:443/Memory Used					
1	4.28	10	4	4.18	2.34
LG 34.82.248.99:443/Throughput					
0	1.1	4.84	0.976	1.08	0.783
LG 34.82.248.99:443/User Load					
0	29.2	52	33	29.5	15.1
LG 34.82.248.99:443/Thread Count					
40	86.1	109	90	86.5	15.6
LG 34.82.248.99:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.82.248.99:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.01
LG 34.82.248.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.248.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.248.99:443/Controller Connection/Ping Duration (ms)					
66	142	177	129	143.5	25.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.248.99:443/Network/Segments sent/sec.					
1.6	95.6	329.3	85.2	94.1	58.8
LG 34.82.248.99:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.014
LG 34.82.248.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	4.89	1.01	1.11	0.806
LG 34.82.248.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.137	0.458	0.123	0.136	0.079

LG 34.82.53.25:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.53.25:443/CPU Load					
0	1.03	12	1	0.841	1.32
LG 34.82.53.25:443/Memory Used					
1	4.76	10	5	4.7	2.43
LG 34.82.53.25:443/Throughput					
0	1.12	4.51	0.977	1.09	0.852
LG 34.82.53.25:443/User Load					
0	29.9	53	34	30.2	14.9
LG 34.82.53.25:443/Thread Count					
40	86.9	110	91	87.2	15
LG 34.82.53.25:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.53.25:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.82.53.25:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.53.25:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.53.25:443/Controller Connection/Ping Duration (ms)					
66	87	127	87	85.9	11.9
LG 34.82.53.25:443/Network/Segments sent/sec.					
1.59	98	308	86.2	96.8	64.8
LG 34.82.53.25:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.82.53.25:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	4.48	1.01	1.13	0.869
LG 34.82.53.25:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.14	0.417	0.124	0.139	0.087

LG 34.83.100.43:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.100.43:443/CPU Load					
0	0.861	12	1	0.678	1.23
LG 34.83.100.43:443/Memory Used					
1	4.82	12	4	4.69	2.75
LG 34.83.100.43:443/Throughput					
0	1.11	3.33	0.975	1.09	0.794
LG 34.83.100.43:443/User Load					
0	29.7	53	34	30	14.9
LG 34.83.100.43:443/Thread Count					
40	86.6	110	91	87	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.100.43:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.100.43:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 34.83.100.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.100.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.100.43:443/Controller Connection/Ping Duration (ms)					
79	144.8	165	163	147	26.9
LG 34.83.100.43:443/Network/Segments sent/sec.					
2.4	97.6	223.2	85.6	96.1	57.3
LG 34.83.100.43:443/Network/Segments retransmitted/sec.					
0	0.002	0.201	0	0	0.02
LG 34.83.100.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.15	3.33	1	1.12	0.802
LG 34.83.100.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.31	0.123	0.137	0.077

LG 34.83.118.201:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.118.201:443/CPU Load					
0	0.966	8	1	0.783	1.24
LG 34.83.118.201:443/Memory Used					
1	6.96	17	6	6.79	3.99
LG 34.83.118.201:443/Throughput					
0	1.12	4.62	0.975	1.1	0.846
LG 34.83.118.201:443/User Load					
0	29.9	53	34	30.2	14.9
LG 34.83.118.201:443/Thread Count					
40	86.9	110	91	87.2	15.1
LG 34.83.118.201:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.118.201:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.83.118.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.118.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.118.201:443/Controller Connection/Ping Duration (ms)					
66	91.3	156	86	89.1	20.7
LG 34.83.118.201:443/Network/Segments sent/sec.					
2.4	98.6	316.1	86.5	97.5	64.2
LG 34.83.118.201:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.83.118.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.16	4.64	1.01	1.14	0.863
LG 34.83.118.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.442	0.126	0.14	0.086

LG 34.83.127.11:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.127.11:443/CPU Load					
0	1.02	12	1	0.842	1.33
LG 34.83.127.11:443/Memory Used					
1	5.51	13	5	5.43	3.1
LG 34.83.127.11:443/Throughput					
0	1.12	3.65	0.975	1.1	0.842
LG 34.83.127.11:443/User Load					
0	29.7	53	34	30.1	14.9
LG 34.83.127.11:443/Thread Count					
40	86.7	110	91	87.1	15.1
LG 34.83.127.11:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.127.11:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.83.127.11:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.127.11:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.127.11:443/Controller Connection/Ping Duration (ms)					
65	94.5	166	86	92	28.1
LG 34.83.127.11:443/Network/Segments sent/sec.					
2.4	97.7	274.2	85.7	96.7	64.1
LG 34.83.127.11:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.83.127.11:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.15	3.71	1.01	1.13	0.86
LG 34.83.127.11:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.39	0.127	0.139	0.086

LG 34.83.17.227:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.17.227:443/CPU Load					
0	0.966	13	1	0.762	1.39
LG 34.83.17.227:443/Memory Used					
1	4.44	10	4	4.34	2.39
LG 34.83.17.227:443/Throughput					
0	1.09	2.68	0.865	1.07	0.755
LG 34.83.17.227:443/User Load					
0	29.2	52	33	29.5	15.1
LG 34.83.17.227:443/Thread Count					
40	86	109	90	86.5	15.5
LG 34.83.17.227:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.83.17.227:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.83.17.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.17.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.17.227:443/Controller Connection/Ping Duration (ms)					
67	92.8	173	90	90.1	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.17.227:443/Network/Segments sent/sec.					
1.6	96	210.6	80.6	94.6	56.2
LG 34.83.17.227:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.83.17.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	2.73	0.887	1.1	0.767
LG 34.83.17.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.296	0.118	0.136	0.076

LG 34.83.172.162:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.172.162:443/CPU Load					
0	0.989	12	1	0.816	1.3
LG 34.83.172.162:443/Memory Used					
1	5.06	11	5	4.98	2.72
LG 34.83.172.162:443/Throughput					
0	1.11	4.15	0.975	1.1	0.839
LG 34.83.172.162:443/User Load					
0	29.8	53	34	30.1	14.9
LG 34.83.172.162:443/Thread Count					
40	86.7	110	91	87.1	15.1
LG 34.83.172.162:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.83.172.162:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.83.172.162:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.172.162:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.172.162:443/Controller Connection/Ping Duration (ms)					
67	85	114	85	84.8	8
LG 34.83.172.162:443/Network/Segments sent/sec.					
1.6	97.7	295	87.2	96.9	64.8
LG 34.83.172.162:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.83.172.162:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	4.17	1.01	1.13	0.857
LG 34.83.172.162:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.14	0.405	0.128	0.139	0.087

LG 34.83.176.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.176.157:443/CPU Load					
0	0.86	10	1	0.67	1.27
LG 34.83.176.157:443/Memory Used					
1	5.1	11	5	5.02	2.79
LG 34.83.176.157:443/Throughput					
0	1.1	4.63	0.975	1.08	0.845
LG 34.83.176.157:443/User Load					
0	29.4	53	33	29.7	14.9
LG 34.83.176.157:443/Thread Count					
40	86.3	110	90	86.7	15.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.176.157:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.176.157:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.83.176.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.176.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.176.157:443/Controller Connection/Ping Duration (ms)					
71	138	171	131	139.4	23.4
LG 34.83.176.157:443/Network/Segments sent/sec.					
1.6	96.8	322.1	85.9	95.5	65.2
LG 34.83.176.157:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.83.176.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	4.64	1.01	1.11	0.864
LG 34.83.176.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.138	0.44	0.127	0.137	0.087

LG 34.83.178.211:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.178.211:443/CPU Load					
0	0.982	16	1	0.778	1.4
LG 34.83.178.211:443/Memory Used					
1	7.69	20	7	7.41	4.89
LG 34.83.178.211:443/Throughput					
0	1.09	3.62	0.975	1.07	0.836
LG 34.83.178.211:443/User Load					
0	29.4	53	33	29.6	14.9
LG 34.83.178.211:443/Thread Count					
40	86.3	110	90	86.7	15.3
LG 34.83.178.211:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.83.178.211:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.83.178.211:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.178.211:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.178.211:443/Controller Connection/Ping Duration (ms)					
91	130.9	134	133	132.5	7.82
LG 34.83.178.211:443/Network/Segments sent/sec.					
1.6	96.1	263	87	94.9	64.7
LG 34.83.178.211:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.018
LG 34.83.178.211:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.67	1.01	1.11	0.854
LG 34.83.178.211:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.362	0.126	0.136	0.087

LG 34.83.181.34:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.181.34:443/CPU Load					
0	0.882	11	1	0.719	1.19
LG 34.83.181.34:443/Memory Used					
1	4.86	11	4	4.76	2.78
LG 34.83.181.34:443/Throughput					
0	1.09	3.91	0.975	1.07	0.832
LG 34.83.181.34:443/User Load					
0	29.1	52	33	29.4	15.1
LG 34.83.181.34:443/Thread Count					
40	85.9	109	90	86.4	15.5
LG 34.83.181.34:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.181.34:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.83.181.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.181.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.181.34:443/Controller Connection/Ping Duration (ms)					
71	95.3	172	91	92.6	19.4
LG 34.83.181.34:443/Network/Segments sent/sec.					
1.6	95.6	285.2	84.1	94.5	64.2
LG 34.83.181.34:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.83.181.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	3.94	1	1.1	0.85
LG 34.83.181.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.39	0.123	0.136	0.087

LG 34.83.192.50:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.192.50:443/CPU Load					
0	0.984	12	1	0.799	1.29
LG 34.83.192.50:443/Memory Used					
1	4.65	11	4	4.54	2.56
LG 34.83.192.50:443/Throughput					
0	1.1	3.91	0.821	1.07	0.787
LG 34.83.192.50:443/User Load					
0	29.3	52	33	29.6	15.1
LG 34.83.192.50:443/Thread Count					
40	86.1	109	90	86.6	15.6
LG 34.83.192.50:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.192.50:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.83.192.50:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.192.50:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.192.50:443/Controller Connection/Ping Duration (ms)					
65	85.8	124	85	85	10.17

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.192.50:443/Network/Segments sent/sec.					
1.6	96.4	286.4	84	94.8	60.5
LG 34.83.192.50:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.83.192.50:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.94	0.872	1.11	0.807
LG 34.83.192.50:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.409	0.121	0.136	0.081

LG 34.83.208.152:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.208.152:443/CPU Load					
0	0.84	10	1	0.687	1.13
LG 34.83.208.152:443/Memory Used					
1	5.26	13	5	5.11	2.98
LG 34.83.208.152:443/Throughput					
0	1.09	4.14	0.975	1.07	0.771
LG 34.83.208.152:443/User Load					
0	29.2	52	33	29.5	15.1
LG 34.83.208.152:443/Thread Count					
40	86	109	90	86.5	15.6
LG 34.83.208.152:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.208.152:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.83.208.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.208.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.208.152:443/Controller Connection/Ping Duration (ms)					
70	92.3	132	93	91.6	10.36
LG 34.83.208.152:443/Network/Segments sent/sec.					
1.6	95.9	295.3	85.7	94.4	58.8
LG 34.83.208.152:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.83.208.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	4.17	1.01	1.1	0.791
LG 34.83.208.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.407	0.122	0.136	0.079

LG 34.83.246.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.246.249:443/CPU Load					
0	0.804	10	1	0.622	1.21
LG 34.83.246.249:443/Memory Used					
0	5.83	14	5	5.69	3.36
LG 34.83.246.249:443/Throughput					
0	1.11	3.66	0.975	1.1	0.766
LG 34.83.246.249:443/User Load					
0	29.7	53	34	30	14.9
LG 34.83.246.249:443/Thread Count					
40	86.7	110	91	87	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.246.249:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.83.246.249:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.83.246.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.246.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.246.249:443/Controller Connection/Ping Duration (ms)					
89	126	147	128	126.6	7.93
LG 34.83.246.249:443/Network/Segments sent/sec.					
1.6	98	272.7	83.8	96.7	56.8
LG 34.83.246.249:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.83.246.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.71	1	1.13	0.776
LG 34.83.246.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.14	0.376	0.121	0.138	0.076

LG 34.83.251.247:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.251.247:443/CPU Load					
0	1.01	11	1	0.839	1.29
LG 34.83.251.247:443/Memory Used					
1	4.81	11	4	4.74	2.52
LG 34.83.251.247:443/Throughput					
0	1.09	4.14	0.973	1.06	0.835
LG 34.83.251.247:443/User Load					
0	29.1	52	33	29.4	15.1
LG 34.83.251.247:443/Thread Count					
40	86	109	90	86.4	15.5
LG 34.83.251.247:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.251.247:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.83.251.247:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.251.247:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.251.247:443/Controller Connection/Ping Duration (ms)					
81	112.5	167	88	111.1	33.6
LG 34.83.251.247:443/Network/Segments sent/sec.					
2.42	95.8	236.3	85.2	94.6	63.3
LG 34.83.251.247:443/Network/Segments retransmitted/sec.					
0	0.001	0.203	0	0	0.01
LG 34.83.251.247:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.12	4.06	1	1.1	0.852
LG 34.83.251.247:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.337	0.124	0.136	0.085

LG 34.83.33.120:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.33.120:443/CPU Load					
0	0.95	14	1	0.703	1.55
LG 34.83.33.120:443/Memory Used					
1	5.08	13	4	4.95	2.87
LG 34.83.33.120:443/Throughput					
0	1.12	4.39	0.976	1.1	0.748
LG 34.83.33.120:443/User Load					
0	29.8	53	34	30.1	14.9
LG 34.83.33.120:443/Thread Count					
40	86.7	110	91	87.1	15.1
LG 34.83.33.120:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.33.120:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.83.33.120:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.33.120:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.33.120:443/Controller Connection/Ping Duration (ms)					
73	113.2	170	91	112	34.8
LG 34.83.33.120:443/Network/Segments sent/sec.					
1.6	98.3	252.6	86.5	97.2	56.4
LG 34.83.33.120:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 34.83.33.120:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.16	4.3	1.01	1.14	0.765
LG 34.83.33.120:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.37	0.125	0.139	0.076

LG 34.83.82.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.82.29:443/CPU Load					
0	0.865	9	1	0.701	1.13
LG 34.83.82.29:443/Memory Used					
1	4.72	11	4	4.62	2.63
LG 34.83.82.29:443/Throughput					
0	1.11	3.4	0.975	1.09	0.835
LG 34.83.82.29:443/User Load					
0	29.6	53	33	29.9	14.9
LG 34.83.82.29:443/Thread Count					
40	86.5	110	90	86.9	15.2
LG 34.83.82.29:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.83.82.29:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.83.82.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.82.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.82.29:443/Controller Connection/Ping Duration (ms)					
81	101.1	126	88	100.8	19.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.82.29:443/Network/Segments sent/sec.					
1.6	97.4	253.3	89	96.3	64
LG 34.83.82.29:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 34.83.82.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.46	1.01	1.13	0.854
LG 34.83.82.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.347	0.133	0.138	0.086

LG 35.185.201.124:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.201.124:443/CPU Load					
0	0.901	15	1	0.71	1.32
LG 35.185.201.124:443/Memory Used					
1	4.8	11	5	4.72	2.5
LG 35.185.201.124:443/Throughput					
0	1.11	3.89	0.976	1.09	0.839
LG 35.185.201.124:443/User Load					
0	29.6	53	33	29.9	14.9
LG 35.185.201.124:443/Thread Count					
40	86.5	110	90	86.9	15.2
LG 35.185.201.124:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.201.124:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.185.201.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.201.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.201.124:443/Controller Connection/Ping Duration (ms)					
79	150.7	174	168.5	153	25
LG 35.185.201.124:443/Network/Segments sent/sec.					
1.79	97.3	281.2	87	96	64.3
LG 35.185.201.124:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.185.201.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.92	1.01	1.12	0.858
LG 35.185.201.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.384	0.126	0.137	0.086

LG 35.185.239.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.239.154:443/CPU Load					
0	0.874	11	1	0.713	1.14
LG 35.185.239.154:443/Memory Used					
1	4.48	11	4	4.37	2.43
LG 35.185.239.154:443/Throughput					
0	1.11	4.14	0.975	1.09	0.843
LG 35.185.239.154:443/User Load					
0	29.7	53	34	30	14.9
LG 35.185.239.154:443/Thread Count					
40	86.6	110	91	87	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.239.154:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.185.239.154:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.185.239.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.239.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.239.154:443/Controller Connection/Ping Duration (ms)					
69	88.6	166	86	86.4	16.2
LG 35.185.239.154:443/Network/Segments sent/sec.					
1.8	97.5	291.8	86	96.2	64.6
LG 35.185.239.154:443/Network/Segments retransmitted/sec.					
0	0.001	0.4	0	0	0.021
LG 35.185.239.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	4.16	1.01	1.12	0.86
LG 35.185.239.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.398	0.125	0.138	0.087

LG 35.185.240.174:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.240.174:443/CPU Load					
0	0.952	12	1	0.765	1.32
LG 35.185.240.174:443/Memory Used					
1	4.96	11	5	4.89	2.62
LG 35.185.240.174:443/Throughput					
0	1.1	4.56	0.975	1.08	0.797
LG 35.185.240.174:443/User Load					
0	29.5	53	33	29.8	14.9
LG 35.185.240.174:443/Thread Count					
40	86.4	110	90	86.8	15.2
LG 35.185.240.174:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.240.174:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.185.240.174:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.240.174:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.240.174:443/Controller Connection/Ping Duration (ms)					
80	155	173	172	157.8	26.6
LG 35.185.240.174:443/Network/Segments sent/sec.					
1.62	96.9	316.5	85.8	95.4	57
LG 35.185.240.174:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.185.240.174:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	4.58	1.01	1.12	0.803
LG 35.185.240.174:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.438	0.124	0.137	0.077

LG 35.185.253.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.253.203:443/CPU Load					
0	0.918	10	1	0.734	1.25
LG 35.185.253.203:443/Memory Used					
1	4.65	11	4	4.56	2.5
LG 35.185.253.203:443/Throughput					
0	1.1	4.88	0.975	1.08	0.833
LG 35.185.253.203:443/User Load					
0	29.4	52	33	29.8	14.9
LG 35.185.253.203:443/Thread Count					
40	86.3	109	90	86.8	15.3
LG 35.185.253.203:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.185.253.203:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.185.253.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.253.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.253.203:443/Controller Connection/Ping Duration (ms)					
65	87.8	164	85	85.5	17.5
LG 35.185.253.203:443/Network/Segments sent/sec.					
1.8	96.6	338.5	86.8	95.5	63.6
LG 35.185.253.203:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 35.185.253.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	4.9	1.01	1.12	0.851
LG 35.185.253.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.474	0.127	0.137	0.085

LG 35.197.11.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.11.119:443/CPU Load					
0	0.894	11	1	0.695	1.32
LG 35.197.11.119:443/Memory Used					
1	9.17	27	8	8.77	5.93
LG 35.197.11.119:443/Throughput					
0	1.1	2.92	0.975	1.08	0.822
LG 35.197.11.119:443/User Load					
0	29.3	52	33	29.6	15
LG 35.197.11.119:443/Thread Count					
40	86.1	109	90	86.6	15.5
LG 35.197.11.119:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.197.11.119:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.197.11.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.11.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.11.119:443/Controller Connection/Ping Duration (ms)					
70	92.1	170	89	89.9	17

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.11.119:443/Network/Segments sent/sec.					
1.6	96.7	229.4	88.8	95.5	63.7
LG 35.197.11.119:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.025
LG 35.197.11.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	2.97	1.01	1.12	0.842
LG 35.197.11.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.315	0.132	0.137	0.084

LG 35.197.110.90:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.110.90:443/CPU Load					
0	0.939	12	1	0.771	1.27
LG 35.197.110.90:443/Memory Used					
1	9.64	28	9	9.16	6.24
LG 35.197.110.90:443/Throughput					
0	1.09	3.17	0.975	1.07	0.834
LG 35.197.110.90:443/User Load					
0	29.2	52	33	29.4	15.1
LG 35.197.110.90:443/Thread Count					
40	86	109	90	86.4	15.5
LG 35.197.110.90:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.197.110.90:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.197.110.90:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.110.90:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.110.90:443/Controller Connection/Ping Duration (ms)					
71	149.8	175	172	152.4	32.1
LG 35.197.110.90:443/Network/Segments sent/sec.					
1.6	95.8	236.7	87.2	94.6	64.2
LG 35.197.110.90:443/Network/Segments retransmitted/sec.					
0	0.003	1.2	0	0	0.062
LG 35.197.110.90:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	3.21	1.01	1.1	0.853
LG 35.197.110.90:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.317	0.125	0.136	0.086

LG 35.197.23.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.23.159:443/CPU Load					
0	0.832	10	1	0.673	1.11
LG 35.197.23.159:443/Memory Used					
1	4.89	10	5	4.81	2.59
LG 35.197.23.159:443/Throughput					
0	1.1	3.67	0.975	1.08	0.772
LG 35.197.23.159:443/User Load					
0	29.5	53	33	29.8	14.9
LG 35.197.23.159:443/Thread Count					
40	86.4	110	90	86.8	15.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.23.159:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.197.23.159:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.197.23.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.23.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.23.159:443/Controller Connection/Ping Duration (ms)					
85	126.6	166	126	126.1	12.8
LG 35.197.23.159:443/Network/Segments sent/sec.					
1.58	97.2	213.4	86.8	96.1	59.5
LG 35.197.23.159:443/Network/Segments retransmitted/sec.					
0	0.002	0.204	0	0	0.018
LG 35.197.23.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	3.59	1.01	1.12	0.792
LG 35.197.23.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.139	0.301	0.128	0.138	0.079

LG 35.197.46.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.46.210:443/CPU Load					
0	0.934	10	1	0.756	1.25
LG 35.197.46.210:443/Memory Used					
1	4.81	11	4	4.74	2.56
LG 35.197.46.210:443/Throughput					
0	1.11	2.68	0.975	1.1	0.824
LG 35.197.46.210:443/User Load					
0	29.8	53	34	30.1	14.9
LG 35.197.46.210:443/Thread Count					
40	86.8	110	91	87.1	15.1
LG 35.197.46.210:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.197.46.210:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.197.46.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.46.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.46.210:443/Controller Connection/Ping Duration (ms)					
67	90.4	130	91	89.7	10.84
LG 35.197.46.210:443/Network/Segments sent/sec.					
3.2	97.9	214.1	86.8	96.9	62.9
LG 35.197.46.210:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.197.46.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	1.15	2.75	1.01	1.13	0.846
LG 35.197.46.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.14	0.293	0.128	0.139	0.084

LG 35.197.46.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.46.254:443/CPU Load					
0	0.911	10	1	0.74	1.21
LG 35.197.46.254:443/Memory Used					
1	5.01	11	5	4.93	2.71
LG 35.197.46.254:443/Throughput					
0	1.1	2.92	0.975	1.09	0.805
LG 35.197.46.254:443/User Load					
0	29.4	53	33	29.8	14.9
LG 35.197.46.254:443/Thread Count					
40	86.3	110	90	86.8	15.2
LG 35.197.46.254:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.197.46.254:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.197.46.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.46.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.46.254:443/Controller Connection/Ping Duration (ms)					
66	89	168	87	86.9	16.2
LG 35.197.46.254:443/Network/Segments sent/sec.					
1.59	96.7	206.8	87.7	96	62.1
LG 35.197.46.254:443/Network/Segments retransmitted/sec.					
0	0.001	0.201	0	0	0.01
LG 35.197.46.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	2.86	1.01	1.12	0.824
LG 35.197.46.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.138	0.287	0.127	0.137	0.083

LG 35.197.58.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.58.254:443/CPU Load					
0	0.857	10	1	0.692	1.17
LG 35.197.58.254:443/Memory Used					
0	4.51	10	4	4.43	2.3
LG 35.197.58.254:443/Throughput					
0	1.11	2.92	0.976	1.09	0.835
LG 35.197.58.254:443/User Load					
0	29.6	53	33	29.9	14.9
LG 35.197.58.254:443/Thread Count					
40	86.6	110	90	86.9	15.2
LG 35.197.58.254:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.197.58.254:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.197.58.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.58.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.58.254:443/Controller Connection/Ping Duration (ms)					
83	151.6	172	170	154.1	28.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.58.254:443/Network/Segments sent/sec.					
1.59	97.2	225	86.9	96.3	64.4
LG 35.197.58.254:443/Network/Segments retransmitted/sec.					
0	0.002	0.805	0	0	0.041
LG 35.197.58.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	2.97	1.01	1.13	0.853
LG 35.197.58.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.139	0.307	0.129	0.138	0.086

LG 35.199.164.158:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.164.158:443/CPU Load					
0	0.966	9	1	0.804	1.19
LG 35.199.164.158:443/Memory Used					
0	5.26	13	5	5.12	2.97
LG 35.199.164.158:443/Throughput					
0	1.1	4.63	0.975	1.07	0.845
LG 35.199.164.158:443/User Load					
0	29.4	52	33	29.7	15.1
LG 35.199.164.158:443/Thread Count					
40	86.2	109	90	86.7	15.5
LG 35.199.164.158:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.199.164.158:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.199.164.158:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.164.158:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.164.158:443/Controller Connection/Ping Duration (ms)					
82	107.6	168	89.5	105.5	27.8
LG 35.199.164.158:443/Network/Segments sent/sec.					
1.61	96.6	321.3	86.8	95.2	64.6
LG 35.199.164.158:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.199.164.158:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	4.65	1.01	1.11	0.863
LG 35.199.164.158:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.443	0.128	0.137	0.086

LG 35.199.171.74:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.171.74:443/CPU Load					
0	0.95	8	1	0.815	1.07
LG 35.199.171.74:443/Memory Used					
1	9.32	25	8	9	6.07
LG 35.199.171.74:443/Throughput					
0	1.09	5.17	0.975	1.06	0.859
LG 35.199.171.74:443/User Load					
0	29.1	52	33	29.3	15.1
LG 35.199.171.74:443/Thread Count					
40	85.9	109	90	86.3	15.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.171.74:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.199.171.74:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.199.171.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.171.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.171.74:443/Controller Connection/Ping Duration (ms)					
71	93.6	144	93	92.2	14.5
LG 35.199.171.74:443/Network/Segments sent/sec.					
1.6	95.7	362.8	86.3	94	65.2
LG 35.199.171.74:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 35.199.171.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	5.15	1.01	1.1	0.875
LG 35.199.171.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.505	0.125	0.135	0.088

LG 35.199.175.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.175.83:443/CPU Load					
0	0.995	9	1	0.798	1.34
LG 35.199.175.83:443/Memory Used					
1	4.56	10	4	4.47	2.44
LG 35.199.175.83:443/Throughput					
0	1.11	3.92	0.975	1.08	0.834
LG 35.199.175.83:443/User Load					
0	29.7	53	34	30	15
LG 35.199.175.83:443/Thread Count					
40	86.6	110	91	87	15.3
LG 35.199.175.83:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.199.175.83:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.199.175.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.175.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.175.83:443/Controller Connection/Ping Duration (ms)					
67	87.1	118	87	86.8	8.45
LG 35.199.175.83:443/Network/Segments sent/sec.					
1.59	97.3	284.9	85.5	95.9	61.1
LG 35.199.175.83:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 35.199.175.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	3.94	1.01	1.12	0.847
LG 35.199.175.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.139	0.39	0.125	0.138	0.083

LG 35.199.187.138:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.187.138:443/CPU Load					
0	0.85	10	1	0.684	1.16
LG 35.199.187.138:443/Memory Used					
1	5.35	12	5	5.25	2.97
LG 35.199.187.138:443/Throughput					
0	1.08	4.77	0.974	1.05	0.835
LG 35.199.187.138:443/User Load					
0	29.1	52	33	29.4	15.1
LG 35.199.187.138:443/Thread Count					
40	86	109	90	86.4	15.5
LG 35.199.187.138:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.199.187.138:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.199.187.138:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.187.138:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.187.138:443/Controller Connection/Ping Duration (ms)					
66	89.7	166	86	87.5	18.1
LG 35.199.187.138:443/Network/Segments sent/sec.					
1.8	95	321.9	86.5	93.4	63.8
LG 35.199.187.138:443/Network/Segments retransmitted/sec.					
0	0.005	1.81	0	0	0.093
LG 35.199.187.138:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	4.84	1.01	1.09	0.86
LG 35.199.187.138:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.447	0.125	0.135	0.086

LG 35.199.190.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.190.200:443/CPU Load					
0	0.822	8	1	0.653	1.12
LG 35.199.190.200:443/Memory Used					
1	4.8	11	5	4.73	2.47
LG 35.199.190.200:443/Throughput					
0	1.09	4.68	0.975	1.06	0.855
LG 35.199.190.200:443/User Load					
0	29.1	52	33	29.4	15.1
LG 35.199.190.200:443/Thread Count					
40	85.9	109	90	86.4	15.7
LG 35.199.190.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.199.190.200:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.199.190.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.190.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.190.200:443/Controller Connection/Ping Duration (ms)					
67	86.7	137	86	85.5	11.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.190.200:443/Network/Segments sent/sec.					
1.59	95.9	333.2	85.5	94.3	65.5
LG 35.199.190.200:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.015
LG 35.199.190.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	4.69	1.01	1.1	0.872
LG 35.199.190.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.137	0.467	0.125	0.135	0.088

LG 35.203.149.155:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.203.149.155:443/CPU Load					
0	0.905	11	1	0.71	1.3
LG 35.203.149.155:443/Memory Used					
1	7.42	21	6.5	7.12	4.55
LG 35.203.149.155:443/Throughput					
0	1.1	3.41	0.975	1.08	0.829
LG 35.203.149.155:443/User Load					
0	29.7	53	33	30	14.9
LG 35.203.149.155:443/Thread Count					
40	86.5	110	90	87	15.2
LG 35.203.149.155:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.203.149.155:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.203.149.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.203.149.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.203.149.155:443/Controller Connection/Ping Duration (ms)					
64	86.6	158	85	84.4	17.8
LG 35.203.149.155:443/Network/Segments sent/sec.					
1.8	97.2	237.5	87.5	95.8	60.4
LG 35.203.149.155:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 35.203.149.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	3.42	1.01	1.12	0.839
LG 35.203.149.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.33	0.126	0.137	0.082

LG 35.203.176.80:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.203.176.80:443/CPU Load					
0	0.989	9	1	0.833	1.17
LG 35.203.176.80:443/Memory Used					
1	10.13	30	8	9.6	6.97
LG 35.203.176.80:443/Throughput					
0	1.11	3.9	0.975	1.09	0.806
LG 35.203.176.80:443/User Load					
0	29.8	53	34	30	14.9
LG 35.203.176.80:443/Thread Count					
40	86.7	110	91	87	15.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.203.176.80:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.203.176.80:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.203.176.80:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.203.176.80:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.203.176.80:443/Controller Connection/Ping Duration (ms)					
65	86.3	125	85	85.5	10.48
LG 35.203.176.80:443/Network/Segments sent/sec.					
1.8	98.1	285.1	87	96.8	61.9
LG 35.203.176.80:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.203.176.80:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.93	1.01	1.13	0.828
LG 35.203.176.80:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.395	0.126	0.138	0.083

LG 35.227.151.101:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.151.101:443/CPU Load					
0	0.937	9	1	0.731	1.32
LG 35.227.151.101:443/Memory Used					
1	5.07	12	5	4.99	2.72
LG 35.227.151.101:443/Throughput					
0	1.08	4.14	0.974	1.06	0.84
LG 35.227.151.101:443/User Load					
0	29	52	33	29.3	15.1
LG 35.227.151.101:443/Thread Count					
40	85.9	110	90	86.3	15.6
LG 35.227.151.101:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.227.151.101:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.227.151.101:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.151.101:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.151.101:443/Controller Connection/Ping Duration (ms)					
64	86.5	126	86	85.5	13.2
LG 35.227.151.101:443/Network/Segments sent/sec.					
1.8	95.4	297.9	85.1	94	64.9
LG 35.227.151.101:443/Network/Segments retransmitted/sec.					
0	0.002	0.204	0	0	0.018
LG 35.227.151.101:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	4.18	1	1.1	0.859
LG 35.227.151.101:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.408	0.125	0.135	0.087

LG 35.227.155.90:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.155.90:443/CPU Load					
0	0.694	9	0	0.516	1.15
LG 35.227.155.90:443/Memory Used					
1	5.14	13	4	4.98	3.09
LG 35.227.155.90:443/Throughput					
0	1.09	5.61	0.976	1.06	0.866
LG 35.227.155.90:443/User Load					
0	29.2	52	33	29.5	15.1
LG 35.227.155.90:443/Thread Count					
40	86	109	90	86.5	15.7
LG 35.227.155.90:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.155.90:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.227.155.90:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.155.90:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.155.90:443/Controller Connection/Ping Duration (ms)					
65	88	165	85	85.7	15.4
LG 35.227.155.90:443/Network/Segments sent/sec.					
1.6	95.9	375.6	85.9	94.3	65.5
LG 35.227.155.90:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.227.155.90:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	5.61	1.01	1.1	0.884
LG 35.227.155.90:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.137	0.514	0.124	0.135	0.088

LG 35.227.158.120:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.158.120:443/CPU Load					
0	0.832	11	1	0.652	1.24
LG 35.227.158.120:443/Memory Used					
1	4.67	11	4	4.54	2.69
LG 35.227.158.120:443/Throughput					
0	1.09	2.68	0.857	1.07	0.755
LG 35.227.158.120:443/User Load					
0	29.1	52	33	29.3	15.1
LG 35.227.158.120:443/Thread Count					
40	85.9	109	90	86.3	15.5
LG 35.227.158.120:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.158.120:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.227.158.120:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.158.120:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.158.120:443/Controller Connection/Ping Duration (ms)					
69	94.7	168	89	92.5	21

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.158.120:443/Network/Segments sent/sec.					
2.4	95.5	205.7	83.3	94.2	56.5
LG 35.227.158.120:443/Network/Segments retransmitted/sec.					
0	0.001	0.199	0	0	0.01
LG 35.227.158.120:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.12	2.72	0.851	1.1	0.769
LG 35.227.158.120:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.32	0.12	0.135	0.077

LG 35.227.161.136:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.161.136:443/CPU Load					
0	0.981	13	1	0.779	1.39
LG 35.227.161.136:443/Memory Used					
1	5.01	12	5	4.91	2.72
LG 35.227.161.136:443/Throughput					
0	1.09	4.4	0.975	1.06	0.849
LG 35.227.161.136:443/User Load					
0	29.1	52	33	29.4	15.1
LG 35.227.161.136:443/Thread Count					
40	86	112	90	86.4	15.8
LG 35.227.161.136:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 35.227.161.136:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.227.161.136:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.161.136:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.161.136:443/Controller Connection/Ping Duration (ms)					
80	114.6	204	124	112.1	27.6
LG 35.227.161.136:443/Network/Segments sent/sec.					
2.19	95.7	308.6	85.7	94.2	64.1
LG 35.227.161.136:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 35.227.161.136:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.13	4.42	1.01	1.1	0.868
LG 35.227.161.136:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.425	0.123	0.135	0.086

LG 35.227.190.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.190.179:443/CPU Load					
0	0.958	12	1	0.756	1.36
LG 35.227.190.179:443/Memory Used					
1	4.46	10	4	4.37	2.32
LG 35.227.190.179:443/Throughput					
0	1.09	3.9	0.975	1.07	0.852
LG 35.227.190.179:443/User Load					
0	29.1	52	33	29.4	15.1
LG 35.227.190.179:443/Thread Count					
40	85.9	109	90	86.4	15.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.190.179:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.227.190.179:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.227.190.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.190.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.190.179:443/Controller Connection/Ping Duration (ms)					
67	86.1	116	85	85.6	8.97
LG 35.227.190.179:443/Network/Segments sent/sec.					
1.6	96.1	286.6	85.6	94.6	65.1
LG 35.227.190.179:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 35.227.190.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.93	1.01	1.1	0.87
LG 35.227.190.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.39	0.125	0.136	0.087

LG 35.230.24.177:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.24.177:443/CPU Load					
0	0.989	11	1	0.821	1.25
LG 35.230.24.177:443/Memory Used					
1	4.84	11	5	4.74	2.55
LG 35.230.24.177:443/Throughput					
0	1.12	3.17	0.975	1.1	0.83
LG 35.230.24.177:443/User Load					
0	29.9	53	34	30.2	14.9
LG 35.230.24.177:443/Thread Count					
40	86.8	110	91	87.2	15.1
LG 35.230.24.177:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.24.177:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.230.24.177:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.24.177:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.24.177:443/Controller Connection/Ping Duration (ms)					
81	123.1	167	124	122.8	37.5
LG 35.230.24.177:443/Network/Segments sent/sec.					
2.4	98.6	241.2	86.3	97.6	63.9
LG 35.230.24.177:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.230.24.177:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.16	3.22	1.01	1.14	0.848
LG 35.230.24.177:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.141	0.352	0.126	0.139	0.085

LG 35.230.25.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.25.195:443/CPU Load					
0	0.875	9	1	0.72	1.08
LG 35.230.25.195:443/Memory Used					
1	10.3	30	9	9.82	6.42
LG 35.230.25.195:443/Throughput					
0	1.1	4.39	0.975	1.07	0.799
LG 35.230.25.195:443/User Load					
0	29.2	52	33	29.5	15.1
LG 35.230.25.195:443/Thread Count					
40	86	109	90	86.5	15.7
LG 35.230.25.195:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.230.25.195:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.230.25.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.25.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.25.195:443/Controller Connection/Ping Duration (ms)					
67	91.2	129	86	90.3	16.1
LG 35.230.25.195:443/Network/Segments sent/sec.					
1.6	96.2	308.5	85.2	94.7	60.6
LG 35.230.25.195:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.230.25.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	4.4	1.01	1.11	0.824
LG 35.230.25.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.432	0.123	0.136	0.081

LG 35.230.41.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.41.35:443/CPU Load					
0	0.835	11	1	0.675	1.16
LG 35.230.41.35:443/Memory Used					
1	4.78	11	4	4.68	2.52
LG 35.230.41.35:443/Throughput					
0	1.09	3.78	0.975	1.07	0.815
LG 35.230.41.35:443/User Load					
0	29.4	53	33	29.7	14.9
LG 35.230.41.35:443/Thread Count					
40	86.3	110	90	86.7	15.2
LG 35.230.41.35:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.41.35:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.230.41.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.41.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.41.35:443/Controller Connection/Ping Duration (ms)					
82	113.6	166	88	112.3	33.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.41.35:443/Network/Segments sent/sec.					
1.6	96.6	274.9	86.4	95.3	62.2
LG 35.230.41.35:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.230.41.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.87	1.01	1.11	0.838
LG 35.230.41.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.138	0.379	0.126	0.137	0.083

LG 35.230.6.129:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.6.129:443/CPU Load					
0	1.03	12	1	0.82	1.44
LG 35.230.6.129:443/Memory Used					
1	4.74	10	4	4.66	2.55
LG 35.230.6.129:443/Throughput					
0	1.09	3.45	0.975	1.07	0.839
LG 35.230.6.129:443/User Load					
0	29.2	52	33	29.5	15.1
LG 35.230.6.129:443/Thread Count					
40	86	109	90	86.5	15.6
LG 35.230.6.129:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.6.129:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.230.6.129:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.6.129:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.6.129:443/Controller Connection/Ping Duration (ms)					
83	113.2	167	89	111.7	34.3
LG 35.230.6.129:443/Network/Segments sent/sec.					
1.6	95.8	253.6	85.4	94.5	63.8
LG 35.230.6.129:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.230.6.129:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	3.47	1	1.1	0.857
LG 35.230.6.129:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.137	0.35	0.124	0.136	0.085

LG 35.230.65.145:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.65.145:443/CPU Load					
0	0.881	9	1	0.704	1.21
LG 35.230.65.145:443/Memory Used					
1	4.67	11	4	4.56	2.51
LG 35.230.65.145:443/Throughput					
0	1.1	3.18	0.976	1.07	0.829
LG 35.230.65.145:443/User Load					
0	29.2	52	33	29.5	15.1
LG 35.230.65.145:443/Thread Count					
40	86	109	90	86.5	15.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.65.145:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.230.65.145:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.230.65.145:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.65.145:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.65.145:443/Controller Connection/Ping Duration (ms)					
122	134.3	239	130	131.1	19.3
LG 35.230.65.145:443/Network/Segments sent/sec.					
1.6	96.5	241.8	86.4	95	60.4
LG 35.230.65.145:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 35.230.65.145:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.22	1.01	1.11	0.841
LG 35.230.65.145:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.33	0.125	0.136	0.082

LG 35.230.98.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.98.205:443/CPU Load					
0	0.931	10	1	0.741	1.27
LG 35.230.98.205:443/Memory Used					
1	5	12	5	4.88	2.74
LG 35.230.98.205:443/Throughput					
0	1.11	2.68	0.975	1.09	0.842
LG 35.230.98.205:443/User Load					
0	29.9	53	34	30.2	14.9
LG 35.230.98.205:443/Thread Count					
40	86.8	110	91	87.2	15.1
LG 35.230.98.205:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.98.205:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.230.98.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.98.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.98.205:443/Controller Connection/Ping Duration (ms)					
66	87.4	155	85	85.3	15.9
LG 35.230.98.205:443/Network/Segments sent/sec.					
1.6	97.5	210.8	86.6	96.6	65
LG 35.230.98.205:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.230.98.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	2.74	1.01	1.13	0.86
LG 35.230.98.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.351	0.126	0.138	0.087

LG 35.233.157.233:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.157.233:443/CPU Load					
0	0.929	9	1	0.76	1.19
LG 35.233.157.233:443/Memory Used					
1	5.26	12	5	5.16	2.88
LG 35.233.157.233:443/Throughput					
0	1.12	4.61	0.975	1.09	0.788
LG 35.233.157.233:443/User Load					
0	29.9	53	34	30.2	14.9
LG 35.233.157.233:443/Thread Count					
40	86.8	110	91	87.2	15
LG 35.233.157.233:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.157.233:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.233.157.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.157.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.157.233:443/Controller Connection/Ping Duration (ms)					
64	86	163	83	83.8	16.8
LG 35.233.157.233:443/Network/Segments sent/sec.					
1.6	98.1	313.2	85.3	96.2	59.7
LG 35.233.157.233:443/Network/Segments retransmitted/sec.					
0	0.001	0.197	0	0	0.01
LG 35.233.157.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	4.62	1.01	1.13	0.806
LG 35.233.157.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.14	0.431	0.125	0.138	0.08

LG 35.233.162.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.162.161:443/CPU Load					
0	0.814	11	1	0.614	1.26
LG 35.233.162.161:443/Memory Used					
1	7.48	19	7	7.28	4.48
LG 35.233.162.161:443/Throughput					
0	1.09	3.91	0.974	1.06	0.749
LG 35.233.162.161:443/User Load					
0	29.1	52	33	29.4	15.1
LG 35.233.162.161:443/Thread Count					
40	85.9	109	90	86.4	15.5
LG 35.233.162.161:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.162.161:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.233.162.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.162.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.162.161:443/Controller Connection/Ping Duration (ms)					
66	125.7	164	128	126.3	16.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.162.161:443/Network/Segments sent/sec.					
1.6	95.8	274	86.8	94.1	58
LG 35.233.162.161:443/Network/Segments retransmitted/sec.					
0	0.004	1	0	0	0.053
LG 35.233.162.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	3.99	1.01	1.1	0.772
LG 35.233.162.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.137	0.379	0.125	0.135	0.078

LG 35.233.174.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.174.175:443/CPU Load					
0	1.04	11	1	0.842	1.36
LG 35.233.174.175:443/Memory Used					
1	4.58	10	4	4.52	2.31
LG 35.233.174.175:443/Throughput					
0	1.1	2.93	0.975	1.08	0.82
LG 35.233.174.175:443/User Load					
0	29.5	53	33	29.7	14.9
LG 35.233.174.175:443/Thread Count					
40	86.4	110	90	86.7	15.2
LG 35.233.174.175:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.174.175:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.233.174.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.174.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.174.175:443/Controller Connection/Ping Duration (ms)					
70	92.3	130	93	91.5	12
LG 35.233.174.175:443/Network/Segments sent/sec.					
1.59	96.3	203.1	86.3	95.4	62.8
LG 35.233.174.175:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.233.174.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	2.87	1.01	1.12	0.838
LG 35.233.174.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.138	0.295	0.127	0.137	0.084

LG 35.233.198.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.198.23:443/CPU Load					
0	0.992	12	1	0.815	1.29
LG 35.233.198.23:443/Memory Used					
1	4.84	11	5	4.77	2.48
LG 35.233.198.23:443/Throughput					
0	1.1	3.9	0.974	1.08	0.801
LG 35.233.198.23:443/User Load					
0	29.4	52	33	29.7	14.9
LG 35.233.198.23:443/Thread Count					
40	86.3	109	90	86.7	15.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.198.23:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.233.198.23:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.233.198.23:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.198.23:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.198.23:443/Controller Connection/Ping Duration (ms)					
67	91.5	164	88	88.9	19.1
LG 35.233.198.23:443/Network/Segments sent/sec.					
2.18	97	282.7	85.7	95.8	61
LG 35.233.198.23:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.233.198.23:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.14	3.94	1.01	1.12	0.818
LG 35.233.198.23:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.387	0.127	0.137	0.082

LG 35.233.203.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.203.146:443/CPU Load					
0	0.871	8	1	0.708	1.15
LG 35.233.203.146:443/Memory Used					
1	5.23	14	4	5.06	3.19
LG 35.233.203.146:443/Throughput					
0	1.1	3.41	0.975	1.08	0.833
LG 35.233.203.146:443/User Load					
0	29.5	53	33	29.7	14.9
LG 35.233.203.146:443/Thread Count					
40	86.3	110	90	86.7	15.2
LG 35.233.203.146:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.203.146:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.233.203.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.203.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.203.146:443/Controller Connection/Ping Duration (ms)					
70	90.7	130	90	89.9	10.2
LG 35.233.203.146:443/Network/Segments sent/sec.					
1.6	96.5	216.3	87	95.5	63.2
LG 35.233.203.146:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.233.203.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.13	3.35	1.01	1.11	0.851
LG 35.233.203.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.298	0.128	0.137	0.085

LG 35.233.206.94:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.206.94:443/CPU Load					
0	0.955	11	1	0.778	1.29
LG 35.233.206.94:443/Memory Used					
1	4.6	10	4	4.51	2.57
LG 35.233.206.94:443/Throughput					
0	1.1	3.88	0.975	1.08	0.848
LG 35.233.206.94:443/User Load					
0	29.5	52	33	29.8	15
LG 35.233.206.94:443/Thread Count					
40	86.4	109	90	86.8	15.4
LG 35.233.206.94:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.206.94:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.233.206.94:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.206.94:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.206.94:443/Controller Connection/Ping Duration (ms)					
64	86.1	124	85	85.2	11.7
LG 35.233.206.94:443/Network/Segments sent/sec.					
1.6	96.9	280.9	86.8	95.6	64.5
LG 35.233.206.94:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.233.206.94:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	3.93	1.01	1.12	0.865
LG 35.233.206.94:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.388	0.127	0.137	0.086

LG 35.233.214.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.214.26:443/CPU Load					
0	1.02	15	1	0.806	1.47
LG 35.233.214.26:443/Memory Used					
1	5.33	13	5	5.21	2.96
LG 35.233.214.26:443/Throughput					
0	1.11	4.81	0.975	1.09	0.85
LG 35.233.214.26:443/User Load					
0	29.7	53	33	30	14.9
LG 35.233.214.26:443/Thread Count					
40	86.6	110	90	87	15.2
LG 35.233.214.26:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.214.26:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.233.214.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.214.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.214.26:443/Controller Connection/Ping Duration (ms)					
67	88	127	86	86.9	13.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.214.26:443/Network/Segments sent/sec.					
1.6	97.8	329.4	90.7	96.4	64.7
LG 35.233.214.26:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.233.214.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	4.84	1.01	1.12	0.868
LG 35.233.214.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.139	0.452	0.134	0.138	0.087

LG 35.233.227.30:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.227.30:443/CPU Load					
0	0.885	11	1	0.731	1.14
LG 35.233.227.30:443/Memory Used					
1	4.2	9	4	4.11	2.27
LG 35.233.227.30:443/Throughput					
0	1.08	4.38	0.966	1.06	0.843
LG 35.233.227.30:443/User Load					
0	29	52	33	29.3	15.1
LG 35.233.227.30:443/Thread Count					
40	85.8	109	90	86.3	15.5
LG 35.233.227.30:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.227.30:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.233.227.30:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.227.30:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.227.30:443/Controller Connection/Ping Duration (ms)					
66	88.8	163	87	86.6	17.1
LG 35.233.227.30:443/Network/Segments sent/sec.					
1.6	95.2	309.6	84	93.7	64
LG 35.233.227.30:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.014
LG 35.233.227.30:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	4.4	0.999	1.09	0.861
LG 35.233.227.30:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.136	0.432	0.124	0.135	0.085

LG 35.233.232.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.232.10:443/CPU Load					
0	0.913	11	1	0.757	1.15
LG 35.233.232.10:443/Memory Used					
1	5.29	12	5	5.19	2.95
LG 35.233.232.10:443/Throughput					
0	1.09	2.89	0.974	1.07	0.833
LG 35.233.232.10:443/User Load					
0	29.3	52	33	29.6	15
LG 35.233.232.10:443/Thread Count					
40	86.1	109	90	86.6	15.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.232.10:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.232.10:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.233.232.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.232.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.232.10:443/Controller Connection/Ping Duration (ms)					
117	130.9	169	130	130.2	7.72
LG 35.233.232.10:443/Network/Segments sent/sec.					
1.6	95.5	224.1	86.7	94.4	64.1
LG 35.233.232.10:443/Network/Segments retransmitted/sec.					
0	0.001	0.396	0	0	0.02
LG 35.233.232.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.12	2.95	1	1.1	0.851
LG 35.233.232.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	0.137	0.305	0.125	0.136	0.086

LG 35.233.242.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.242.168:443/CPU Load					
0	0.852	9	1	0.658	1.25
LG 35.233.242.168:443/Memory Used					
1	4.58	10	4	4.49	2.38
LG 35.233.242.168:443/Throughput					
0	1.12	4.14	0.975	1.1	0.749
LG 35.233.242.168:443/User Load					
0	30	53	34	30.3	14.9
LG 35.233.242.168:443/Thread Count					
40	86.9	110	91	87.3	15.1
LG 35.233.242.168:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.242.168:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.233.242.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.242.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.242.168:443/Controller Connection/Ping Duration (ms)					
66	86.1	112	86	85.8	8.6
LG 35.233.242.168:443/Network/Segments sent/sec.					
2.6	98.4	267.4	83.7	97.1	54.9
LG 35.233.242.168:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.233.242.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.16	4.11	1.01	1.14	0.758
LG 35.233.242.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.37	0.122	0.139	0.074

LG 35.233.247.65:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.247.65:443/CPU Load					
0	0.931	9	1	0.754	1.23
LG 35.233.247.65:443/Memory Used					
1	5.29	12	5	5.2	2.87
LG 35.233.247.65:443/Throughput					
0	1.11	4.13	0.975	1.1	0.807
LG 35.233.247.65:443/User Load					
0	29.7	53	34	30	14.9
LG 35.233.247.65:443/Thread Count					
40	86.6	110	91	87	15.1
LG 35.233.247.65:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.247.65:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.233.247.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.247.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.247.65:443/Controller Connection/Ping Duration (ms)					
67	84.7	107	84	84.5	5.25
LG 35.233.247.65:443/Network/Segments sent/sec.					
2.2	97.9	292.6	85.5	96.4	57.6
LG 35.233.247.65:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.018
LG 35.233.247.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.15	4.15	1.01	1.13	0.814
LG 35.233.247.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.407	0.125	0.138	0.078

LG 35.233.250.94:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.250.94:443/CPU Load					
0	0.912	9	1	0.732	1.22
LG 35.233.250.94:443/Memory Used					
1	4.82	11	4	4.71	2.54
LG 35.233.250.94:443/Throughput					
0	1.11	3.4	0.975	1.09	0.814
LG 35.233.250.94:443/User Load					
0	29.8	53	34	30.1	15
LG 35.233.250.94:443/Thread Count					
40	86.7	110	91	87.1	15.3
LG 35.233.250.94:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.233.250.94:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.233.250.94:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.250.94:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.250.94:443/Controller Connection/Ping Duration (ms)					
65	87	135	85	85.7	11.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.250.94:443/Network/Segments sent/sec.					
1.58	98	254.4	84.6	96.5	58.7
LG 35.233.250.94:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.233.250.94:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	3.45	1	1.13	0.824
LG 35.233.250.94:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.14	0.344	0.124	0.138	0.08

LG 35.247.109.40:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.109.40:443/CPU Load					
0	0.835	8	1	0.702	0.988
LG 35.247.109.40:443/Memory Used					
1	9.64	27	8	9.22	6.14
LG 35.247.109.40:443/Throughput					
0	1.12	4.55	0.975	1.09	0.845
LG 35.247.109.40:443/User Load					
0	29.8	53	34	30.1	14.9
LG 35.247.109.40:443/Thread Count					
40	86.7	110	91	87.1	15
LG 35.247.109.40:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.247.109.40:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.247.109.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.109.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.109.40:443/Controller Connection/Ping Duration (ms)					
69	95.2	169	91.5	93.1	18.6
LG 35.247.109.40:443/Network/Segments sent/sec.					
1.6	98	314.3	86.1	96.6	64.3
LG 35.247.109.40:443/Network/Segments retransmitted/sec.					
0	0.006	2.21	0	0	0.113
LG 35.247.109.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.15	4.59	1.01	1.13	0.864
LG 35.247.109.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.14	0.432	0.124	0.138	0.086

LG 35.247.124.247:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.124.247:443/CPU Load					
0	0.721	12	1	0.566	1.1
LG 35.247.124.247:443/Memory Used					
1	4.84	10	5	4.77	2.55
LG 35.247.124.247:443/Throughput					
0	1.1	3.63	0.966	1.08	0.79
LG 35.247.124.247:443/User Load					
0	29.2	52	33	29.4	15.1
LG 35.247.124.247:443/Thread Count					
40	86	109	90	86.4	15.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.124.247:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.247.124.247:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.247.124.247:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.124.247:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.124.247:443/Controller Connection/Ping Duration (ms)					
68	87.6	167	85	85.2	16.2
LG 35.247.124.247:443/Network/Segments sent/sec.					
2.19	96.5	267.2	82.5	94.9	60.1
LG 35.247.124.247:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 35.247.124.247:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.14	3.68	0.986	1.11	0.807
LG 35.247.124.247:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.368	0.122	0.136	0.08

LG 35.247.19.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.19.203:443/CPU Load					
0	0.928	12	1	0.735	1.31
LG 35.247.19.203:443/Memory Used					
1	5.52	13	5	5.4	3.08
LG 35.247.19.203:443/Throughput					
0	1.12	4.87	0.974	1.1	0.767
LG 35.247.19.203:443/User Load					
0	29.9	53	34	30.2	14.9
LG 35.247.19.203:443/Thread Count					
40	86.8	110	91	87.2	15.1
LG 35.247.19.203:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.19.203:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.247.19.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.19.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.19.203:443/Controller Connection/Ping Duration (ms)					
66	84.4	127	84	83.8	9.17
LG 35.247.19.203:443/Network/Segments sent/sec.					
2.6	98	336.8	84.1	96.3	56
LG 35.247.19.203:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.01
LG 35.247.19.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.16	4.88	1	1.13	0.777
LG 35.247.19.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.473	0.121	0.138	0.075

LG 35.247.22.225:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.22.225:443/CPU Load					
0	0.907	11	1	0.728	1.23
LG 35.247.22.225:443/Memory Used					
1	8.46	24	7	8.13	5.25
LG 35.247.22.225:443/Throughput					
0	1.12	4.39	0.975	1.1	0.803
LG 35.247.22.225:443/User Load					
0	29.9	53	34	30.2	15
LG 35.247.22.225:443/Thread Count					
40	86.8	110	91	87.2	15.2
LG 35.247.22.225:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.22.225:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.247.22.225:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.22.225:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.22.225:443/Controller Connection/Ping Duration (ms)					
66	89.9	130	87	88.7	14.1
LG 35.247.22.225:443/Network/Segments sent/sec.					
2.4	98.2	310.3	85.8	96.8	61
LG 35.247.22.225:443/Network/Segments retransmitted/sec.					
0	0.002	0.398	0	0	0.025
LG 35.247.22.225:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.16	4.41	1.01	1.14	0.821
LG 35.247.22.225:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.14	0.424	0.124	0.139	0.081

LG 35.247.57.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.57.39:443/CPU Load					
0	0.826	14	1	0.646	1.27
LG 35.247.57.39:443/Memory Used					
1	4.85	10	5	4.79	2.54
LG 35.247.57.39:443/Throughput					
0	1.09	4.39	0.975	1.07	0.829
LG 35.247.57.39:443/User Load					
0	29.3	52	33	29.5	15
LG 35.247.57.39:443/Thread Count					
40	86.1	109	90	86.5	15.6
LG 35.247.57.39:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.57.39:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.247.57.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.57.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.57.39:443/Controller Connection/Ping Duration (ms)					
66	95.4	167	86	92.8	23.6


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.57.39:443/Network/Segments sent/sec.					
2.2	96.1	311.5	84.7	94.6	60.3
LG 35.247.57.39:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.247.57.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	1.13	4.41	1	1.11	0.841
LG 35.247.57.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.428	0.122	0.136	0.082

LG 35.247.78.27:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.78.27:443/CPU Load					
0	0.924	12	1	0.711	1.38
LG 35.247.78.27:443/Memory Used					
1	4.77	11	4	4.68	2.62
LG 35.247.78.27:443/Throughput					
0	1.1	5.12	0.974	1.07	0.746
LG 35.247.78.27:443/User Load					
0	29.3	52	33	29.6	14.9
LG 35.247.78.27:443/Thread Count					
40	86.2	109	90	86.6	15.3
LG 35.247.78.27:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.78.27:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.247.78.27:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.78.27:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.78.27:443/Controller Connection/Ping Duration (ms)					
68	142.2	169	164	144.5	32.2
LG 35.247.78.27:443/Network/Segments sent/sec.					
1.6	96.7	354.6	82.6	94.8	54.9
LG 35.247.78.27:443/Network/Segments retransmitted/sec.					
0	0.034	11.8	0	0	0.606
LG 35.247.78.27:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	1.14	5.16	1	1.11	0.758
LG 35.247.78.27:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.138	0.483	0.12	0.136	0.074


Average page response time



Min	Average	Max
0.1	0.642	11.124

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.06	0.356	21.498

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.257	1.291	33.908	0.276	0.386	4.53

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



Min	Average	Max
6	714.2	1,614.7

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	80.6	3,918

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	170.19	392.44

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.1	0.612	11.926

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.