

10-31-Retail Holiday Readiness PDP LT



Date	Nov 1, 2019 12:53:19 AM
Project	HP_GRID_PDP
Scenario	PDP_Nov01
Comment	1031_PDP_LT
Notes	10-31-Retail Holiday Readiness PDP LT

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	7
Hot spots.....	8
Errors.....	8
Alerts.....	8
General statistics.....	8
Transaction statistics.....	8
Execution context.....	15
Scenario	10
Servers.....	20
Populations.....	21
User Paths.....	22
Transactions.....	23
Pages.....	25
Requests.....	28
Media Contents.....	41
Push messages.....	24
Monitors.....	42
Main graphs.....	139
Average page response time.....	139
Average request response time.....	140
Average response time (Transactions).....	141
Requests per second.....	142
Errors.....	143
Throughput.....	144
Response time against load.....	145
Distribution of Transaction Durations.....	146

Summary

Results summary

Name	00:51 - 1 Nov 2019_PDP_LT	Project	HP_GRID_PDP
Description	1031_PDP_LT	Scenario	PDP_Nov01
Status	✓ Passed	Load Policy	• The population PDP_N is customized
Start date	Nov 1, 2019 12:53:19 AM		
End date	Nov 1, 2019 1:24:39 AM	Stop Policy	• Population PDP_N: immediate.
Duration	00:31:20		
Termination reason	Manual action	Filters	None
LG Hosts	40.76.87.118:443	Debug	Disabled
	,		
	40.76.91.219:443		
	,		
	138.91.114.26:443		
	,		
	138.91.117.0:443		
	,		
	138.91.115.150:443		
	,		
	138.91.123.97:443		
	,		
	138.91.117.109:443		
	,		
	138.91.112.32:443		
	,		
	138.91.121.154:443		
	,		
	138.91.122.1:443		
	,		
	138.91.127.185:443		
	,		
	138.91.127.178:443		
	,		
	138.91.124.64:443		
	,		
	138.91.125.70:443		
	,		
	40.121.167.164:443		
	,		
	104.41.135.113:443		
	,		
	104.41.135.103:443		
	,		
	104.41.131.19:443		
	,		
	104.41.140.7:443		
	,		
	104.41.143.83:443		
	,		
	137.117.81.177:443		
	,		
	137.117.86.160:443		
	,		
	137.117.89.73:443		
	,		
	137.135.110.218:443		
	,		
	137.135.103.4:443		
	,		
	137.135.101.229:443		
	,		
	137.135.110.232:443		
	,		
	137.135.106.107:443		
	,		
	137.135.104.129:443		
	,		
	40.114.85.160:443		
	,		
	40.117.94.245:443		
	,		
	40.121.164.159:443		

	, 40.121.161.35:443		
	, 40.121.161.217:443		
	, 40.121.160.88:443		
	, 40.121.163.183:443		
	, 40.85.182.117:443		
	, 40.85.177.216:443		
	, 40.121.165.18:443		
	, 40.85.180.250:443		
	, 40.85.183.41:443		
	, 13.68.220.182:443		
	, 13.68.221.243:443		
	, 13.68.223.56:443		
	, 13.68.217.240:443		
	, 104.41.130.196:443		
	, 13.68.219.229:443		
	, 13.68.216.145:443		
	, 40.121.163.238:443		
	, 137.135.110.73:443		
	, 13.90.99.116:443		
	, 13.90.101.110:443		
	, 13.90.100.44:443		
	, 13.90.100.167:443		
	, 137.135.102.160:443		
	, 13.90.101.237:443		
	, 13.90.102.217:443		
	, 13.90.97.0:443		
	, 13.90.100.28:443		
	, 13.90.96.66:443		
	, 13.90.103.115:443		
	, 13.82.105.65:443		
	, 40.121.165.250:443		
	, 40.117.95.168:443		
	, 13.82.111.42:443		
	, 13.90.103.205:443		
	, 13.92.126.123:443		
	, 13.82.110.31:443		
	, 13.92.126.137:443		
	, 13.92.123.101:443		
	, 13.92.122.242:443		

,	40.121.160.26:443		
,	13.92.120.34:443		
,	13.92.120.39:443		
,	40.114.80.216:443		
,	13.90.96.183:443		
,	40.117.91.161:443		
,	137.135.103.136:443		
,	13.92.97.37:443		
,	13.92.97.139:443		
,	168.62.106.215:443		
,	23.100.73.8:443		
,	23.96.176.116:443		
,	23.101.161.200:443		
,	157.55.141.10:443		
,	23.96.187.110:443		
,	23.96.209.142:443		
,	23.100.79.115:443		
,	23.96.234.77:443		
,	23.96.189.24:443		
,	23.96.187.193:443		
,	23.96.189.10:443		
,	23.96.185.165:443		
,	23.96.189.94:443		
,	23.96.189.88:443		
,	23.96.181.81:443		
,	168.62.104.150:443		
,	23.96.245.163:443		
,	65.52.30.182:443		
,	23.96.188.46:443		
,	23.100.72.19:443		
,	23.96.210.246:443		
,	23.96.181.95:443		
,	23.96.215.35:443		
,	23.96.222.136:443		
,	23.96.211.139:443		
,	23.96.223.124:443		
,	23.96.242.84:443		
,	168.62.111.10:443		
,	168.62.104.21:443		


,	65.52.11.209:443		
,	23.96.222.11:443		
,	65.52.15.161:443		
,	65.52.233.189:443		
,	65.52.5.236:443		
,	23.96.245.141:443		
,	65.52.234.104:443		
,	23.96.252.55:443		
,	65.52.5.247:443		
,	65.52.13.146:443		
,	65.52.11.231:443		
,	157.56.28.13:443		
,	65.52.20.128:443		
,	65.52.24.37:443		
,	65.52.19.45:443		
,	65.52.26.167:443		
,	65.52.26.66:443		
,	23.96.230.165:443		
,	65.52.233.2:443		
,	65.52.31.79:443		
,	65.52.30.102:443		
,	23.96.226.76:443		
,	65.52.30.122:443		
,	65.52.235.168:443		
,	65.52.236.11:443		
,	23.96.225.141:443		
,	157.56.31.174:443		
,	157.56.28.35:443		
,	65.52.5.215:443		
,	23.96.228.72:443		
,	157.56.28.241:443		
,	23.96.227.254:443		
,	23.96.230.243:443		
,	23.96.225.195:443		
,	23.96.226.33:443		
,	23.96.226.189:443		
,	23.96.224.33:443		
,	23.96.224.45:443		
,	65.52.21.68:443		

	23.96.224.100:443		
	23.96.231.200:443		
	23.96.231.208:443		
	23.96.225.202:443		
	23.96.231.141:443		
	23.96.231.144:443		
	23.96.230.224:443		
	23.96.227.37:443		
	23.96.230.197:443		
	23.96.231.56:443		
	23.96.225.46:443		

Statistics Summary

Total pages	27107160	—	Average pages/s	14,411.0	—
Total requests	88273572	—	Average requests/s	46,929.1	—
Total users launched	15000	—	Average Request response time	0.042 s	—
Total iterations completed	1378457	—	Average Page response time	0.11 s	—
Total throughput	2,362,397 MB	—	Average throughput	10,047.41 Mb/s	—
Total request errors	116	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ☄ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
PDP-M_1023	PDP_Mobile	/activityi;dc_pre=CNO3o7a0seUCF...bwi0;u13=iPhone%26re	30
PDP-D_1023	PDP-Desktop	/tbproxy/af/query	29
PDP-M_1023	PDP_Mobile	/glassbox/VZW/SHOP/reporting/cls_report_1	24
PDP-M_1023	PDP_Mobile	/glassbox/VZW/SHOP/reporting/cls_report	14
PDP-D_1023	PDP-Desktop	/glassbox/VZW/SHOP/reporting/cls_report	10

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
PDP-D_1023	PDP-Desktop	/smartphones/apple-iphone-11-pro/	0.631
PDP-M_1023	PDP_Mobile	/smartphones/apple-iphone-11-pro/	0.442
PDP-D_1023	PDP-Desktop	/tbproxy/af/query	0.291
PDP-M_1023	PDP_Mobile	/media/launch/site_10004593_default.js	0.272
PDP-M_1023	PDP_Mobile	/chatskins/launch/inqChatLaunch10004593.js	0.251

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
PDP-M_1023	PDP_Mobile	/glassbox/VZW/SHOP/reporting/cls_report_1	60.2
PDP-D_1023	PDP-Desktop	/glassbox/VZW/SHOP/reporting/cls_report	60.1
PDP-M_1023	PDP_Mobile	/glassbox/VZW/SHOP/reporting/cls_report	60.1
PDP-M_1023	PDP_Mobile	/sid.gif	15.3
PDP-D_1023	PDP-Desktop	/tbproxy/af/query	15

Errors

Request errors

Error Type	Count	Description
NL-NETWORK-01	60	Miscellaneous I/O error when connecting to the server.
504	31	Gateway Timeout
502	16	Bad Gateway
500	9	Internal Server Error
Total	116	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
50.5	199.2	432.1	15,000	116	0.8	-
All pages						
0	0.11	60.2	27,107,160	116	0	-
All requests						
0	0.042	60.1	88,273,572	116	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
1.42	2.15	62.6	1,378,457	114	0	2.08	2.97	3.41	0.572	2.11	-

Scenario

Summary

Name	00:51 - 1 Nov 2019_PDP_LT	Project	HP_GRID_PDP
Description	1031_PDP_LT	Scenario	PDP_Nov01
Status	✓ Passed	Load Policy	• The population PDP_N is customized
Start date	Nov 1, 2019 12:53:19 AM	Stop Policy	• Population PDP_N: immediate.
End date	Nov 1, 2019 1:24:39 AM		
Duration	00:31:20		
Termination reason	Manual action	Filters	None
	40.76.87.118:443		
	,		
	40.76.91.219:443		
	,		
	138.91.114.26:443		
	,		
	138.91.117.0:443		
	,		
	138.91.115.150:443		
	,		
	138.91.123.97:443		
	,		
	138.91.117.109:443		
	,		
	138.91.112.32:443		
	,		
	138.91.121.154:443		
	,		
	138.91.122.1:443		
	,		
	138.91.127.185:443		
	,		
	138.91.127.178:443		
	,		
	138.91.124.64:443		
	,		
	138.91.125.70:443		
	,		
	40.121.167.164:443		
	,		
LG Hosts	104.41.135.113:443	Debug	Disabled
	,		
	104.41.135.103:443		
	,		
	104.41.131.19:443		
	,		
	104.41.140.7:443		
	,		
	104.41.143.83:443		
	,		
	137.117.81.177:443		
	,		
	137.117.86.160:443		
	,		
	137.117.89.73:443		
	,		
	137.135.110.218:443		
	,		
	137.135.103.4:443		
	,		
	137.135.101.229:443		
	,		
	137.135.110.232:443		
	,		
	137.135.106.107:443		
	,		
	137.135.104.129:443		
	,		
	40.114.85.160:443		
	,		
	40.117.94.245:443		

	,	40.121.164.159:443	
	,		
		40.121.161.35:443	
	,		
		40.121.161.217:443	
	,		
		40.121.160.88:443	
	,		
		40.121.163.183:443	
	,		
		40.85.182.117:443	
	,		
		40.85.177.216:443	
	,		
		40.121.165.18:443	
	,		
		40.85.180.250:443	
	,		
		40.85.183.41:443	
	,		
		13.68.220.182:443	
	,		
		13.68.221.243:443	
	,		
		13.68.223.56:443	
	,		
		13.68.217.240:443	
	,		
		104.41.130.196:443	
	,		
		13.68.219.229:443	
	,		
		13.68.216.145:443	
	,		
		40.121.163.238:443	
	,		
		137.135.110.73:443	
	,		
		13.90.99.116:443	
	,		
		13.90.101.110:443	
	,		
		13.90.100.44:443	
	,		
		13.90.100.167:443	
	,		
		137.135.102.160:443	
	,		
		13.90.101.237:443	
	,		
		13.90.102.217:443	
	,		
		13.90.97.0:443	
	,		
		13.90.100.28:443	
	,		
		13.90.96.66:443	
	,		
		13.90.103.115:443	
	,		
		13.82.105.65:443	
	,		
		40.121.165.250:443	
	,		
		40.117.95.168:443	
	,		
		13.82.111.42:443	
	,		
		13.90.103.205:443	
	,		
		13.92.126.123:443	
	,		
		13.82.110.31:443	
	,		
		13.92.126.137:443	
	,		
		13.92.123.101:443	

	,	13.92.122.242:443	
	,		
	,	40.121.160.26:443	
	,		
	,	13.92.120.34:443	
	,		
	,	13.92.120.39:443	
	,		
	,	40.114.80.216:443	
	,		
	,	13.90.96.183:443	
	,		
	,	40.117.91.161:443	
	,		
	,	137.135.103.136:443	
	,		
	,	13.92.97.37:443	
	,		
	,	13.92.97.139:443	
	,		
	,	168.62.106.215:443	
	,		
	,	23.100.73.8:443	
	,		
	,	23.96.176.116:443	
	,		
	,	23.101.161.200:443	
	,		
	,	157.55.141.10:443	
	,		
	,	23.96.187.110:443	
	,		
	,	23.96.209.142:443	
	,		
	,	23.100.79.115:443	
	,		
	,	23.96.234.77:443	
	,		
	,	23.96.189.24:443	
	,		
	,	23.96.187.193:443	
	,		
	,	23.96.189.10:443	
	,		
	,	23.96.185.165:443	
	,		
	,	23.96.189.94:443	
	,		
	,	23.96.189.88:443	
	,		
	,	23.96.181.81:443	
	,		
	,	168.62.104.150:443	
	,		
	,	23.96.245.163:443	
	,		
	,	65.52.30.182:443	
	,		
	,	23.96.188.46:443	
	,		
	,	23.100.72.19:443	
	,		
	,	23.96.210.246:443	
	,		
	,	23.96.181.95:443	
	,		
	,	23.96.215.35:443	
	,		
	,	23.96.222.136:443	
	,		
	,	23.96.211.139:443	
	,		
	,	23.96.223.124:443	
	,		
	,	23.96.242.84:443	
	,		
	,	168.62.111.10:443	

	,	168.62.104.21:443	
	,	65.52.11.209:443	
	,	23.96.222.11:443	
	,	65.52.15.161:443	
	,	65.52.233.189:443	
	,	65.52.5.236:443	
	,	23.96.245.141:443	
	,	65.52.234.104:443	
	,	23.96.252.55:443	
	,	65.52.5.247:443	
	,	65.52.13.146:443	
	,	65.52.11.231:443	
	,	157.56.28.13:443	
	,	65.52.20.128:443	
	,	65.52.24.37:443	
	,	65.52.19.45:443	
	,	65.52.26.167:443	
	,	65.52.26.66:443	
	,	23.96.230.165:443	
	,	65.52.233.2:443	
	,	65.52.31.79:443	
	,	65.52.30.102:443	
	,	23.96.226.76:443	
	,	65.52.30.122:443	
	,	65.52.235.168:443	
	,	65.52.236.11:443	
	,	23.96.225.141:443	
	,	157.56.31.174:443	
	,	157.56.28.35:443	
	,	65.52.5.215:443	
	,	23.96.228.72:443	
	,	157.56.28.241:443	
	,	23.96.227.254:443	
	,	23.96.230.243:443	
	,	23.96.225.195:443	
	,	23.96.226.33:443	
	,	23.96.226.189:443	
	,	23.96.224.33:443	
	,	23.96.224.45:443	

	65.52.21.68:443		
	23.96.224.100:443		
	23.96.231.200:443		
	23.96.231.208:443		
	23.96.225.202:443		
	23.96.231.141:443		
	23.96.231.144:443		
	23.96.230.224:443		
	23.96.227.37:443		
	23.96.230.197:443		
	23.96.231.56:443		
	23.96.225.46:443		

Populations

PDP_N

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
PDP-D_1023	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
PDP-M_1023	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
PDP-D_1023		Go to the next iteration	Do nothing	0ms	0%
PDP-M_1023		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	00:51 - 1 Nov 2019_PDP_LT	Project	HP_GRID_PDP
Description	1031_PDP_LT	Scenario	PDP_Nov01
Status	✓ Passed	Load Policy	• The population PDP_N is customized
Start date	Nov 1, 2019 12:53:19 AM		
End date	Nov 1, 2019 1:24:39 AM	Stop Policy	• Population PDP_N: immediate.
Duration	00:31:20		
Termination reason	Manual action	Filters	None
	40.76.87.118:443		
	,		
	40.76.91.219:443		
	,		
	138.91.114.26:443		
	,		
	138.91.117.0:443		
	,		
	138.91.115.150:443		
	,		
	138.91.123.97:443		
	,		
	138.91.117.109:443		
	,		
	138.91.112.32:443		
	,		
	138.91.121.154:443		
	,		
	138.91.122.1:443		
	,		
	138.91.127.185:443		
	,		
	138.91.127.178:443		
	,		
	138.91.124.64:443		
	,		
	138.91.125.70:443		
	,		
	40.121.167.164:443		
	,		
	104.41.135.113:443		
LG Hosts	104.41.135.103:443	Debug	Disabled
	,		
	104.41.131.19:443		
	,		
	104.41.140.7:443		
	,		
	104.41.143.83:443		
	,		
	137.117.81.177:443		
	,		
	137.117.86.160:443		
	,		
	137.117.89.73:443		
	,		
	137.135.110.218:443		
	,		
	137.135.103.4:443		
	,		
	137.135.101.229:443		
	,		
	137.135.110.232:443		
	,		
	137.135.106.107:443		
	,		
	137.135.104.129:443		
	,		
	40.114.85.160:443		
	,		
	40.117.94.245:443		
	,		
	40.121.164.159:443		
	,		

40.121.161.35:443		
,		
40.121.161.217:443		
,		
40.121.160.88:443		
,		
40.121.163.183:443		
,		
40.85.182.117:443		
,		
40.85.177.216:443		
,		
40.121.165.18:443		
,		
40.85.180.250:443		
,		
40.85.183.41:443		
,		
13.68.220.182:443		
,		
13.68.221.243:443		
,		
13.68.223.56:443		
,		
13.68.217.240:443		
,		
104.41.130.196:443		
,		
13.68.219.229:443		
,		
13.68.216.145:443		
,		
40.121.163.238:443		
,		
137.135.110.73:443		
,		
13.90.99.116:443		
,		
13.90.101.110:443		
,		
13.90.100.44:443		
,		
13.90.100.167:443		
,		
137.135.102.160:443		
,		
13.90.101.237:443		
,		
13.90.102.217:443		
,		
13.90.97.0:443		
,		
13.90.100.28:443		
,		
13.90.96.66:443		
,		
13.90.103.115:443		
,		
13.82.105.65:443		
,		
40.121.165.250:443		
,		
40.117.95.168:443		
,		
13.82.111.42:443		
,		
13.90.103.205:443		
,		
13.92.126.123:443		
,		
13.82.110.31:443		
,		
13.92.126.137:443		
,		
13.92.123.101:443		
,		
13.92.122.242:443		
,		

40.121.160.26:443		
,		
13.92.120.34:443		
,		
13.92.120.39:443		
,		
40.114.80.216:443		
,		
13.90.96.183:443		
,		
40.117.91.161:443		
,		
137.135.103.136:443		
,		
13.92.97.37:443		
,		
13.92.97.139:443		
,		
168.62.106.215:443		
,		
23.100.73.8:443		
,		
23.96.176.116:443		
,		
23.101.161.200:443		
,		
157.55.141.10:443		
,		
23.96.187.110:443		
,		
23.96.209.142:443		
,		
23.100.79.115:443		
,		
23.96.234.77:443		
,		
23.96.189.24:443		
,		
23.96.187.193:443		
,		
23.96.189.10:443		
,		
23.96.185.165:443		
,		
23.96.189.94:443		
,		
23.96.189.88:443		
,		
23.96.181.81:443		
,		
168.62.104.150:443		
,		
23.96.245.163:443		
,		
65.52.30.182:443		
,		
23.96.188.46:443		
,		
23.100.72.19:443		
,		
23.96.210.246:443		
,		
23.96.181.95:443		
,		
23.96.215.35:443		
,		
23.96.222.136:443		
,		
23.96.211.139:443		
,		
23.96.223.124:443		
,		
23.96.242.84:443		
,		
168.62.111.10:443		
,		
168.62.104.21:443		
,		

65.52.11.209:443		
,		
23.96.222.11:443		
,		
65.52.15.161:443		
,		
65.52.233.189:443		
,		
65.52.5.236:443		
,		
23.96.245.141:443		
,		
65.52.234.104:443		
,		
23.96.252.55:443		
,		
65.52.5.247:443		
,		
65.52.13.146:443		
,		
65.52.11.231:443		
,		
157.56.28.13:443		
,		
65.52.20.128:443		
,		
65.52.24.37:443		
,		
65.52.19.45:443		
,		
65.52.26.167:443		
,		
65.52.26.66:443		
,		
23.96.230.165:443		
,		
65.52.233.2:443		
,		
65.52.31.79:443		
,		
65.52.30.102:443		
,		
23.96.226.76:443		
,		
65.52.30.122:443		
,		
65.52.235.168:443		
,		
65.52.236.11:443		
,		
23.96.225.141:443		
,		
157.56.31.174:443		
,		
157.56.28.35:443		
,		
65.52.5.215:443		
,		
23.96.228.72:443		
,		
157.56.28.241:443		
,		
23.96.227.254:443		
,		
23.96.230.243:443		
,		
23.96.225.195:443		
,		
23.96.226.33:443		
,		
23.96.226.189:443		
,		
23.96.224.33:443		
,		
23.96.224.45:443		
,		
65.52.21.68:443		
,		

23.96.224.100:443		
,		
23.96.231.200:443		
,		
23.96.231.208:443		
,		
23.96.225.202:443		
,		
23.96.231.141:443		
,		
23.96.231.144:443		
,		
23.96.230.224:443		
,		
23.96.227.37:443		
,		
23.96.230.197:443		
,		
23.96.231.56:443		
,		
23.96.225.46:443		

NeoLoad version 6.6.0;build=20180904-56
Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

PDP-D_1023	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
PDP-M_1023	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
media.ascend.ai	443		No
www.google-analytics.com	443		No
gateway.verizonwireless.com	443		No
network.bazaarvoice.com	443		No
sp.analytics.yahoo.com	443		No
sanalytics.verizonwireless.com	443		No
vt.myvisualiq.net	443		No
2761768.flis.doubleclick.net	443		No
scache2.vzw.com	443		No
685973.flis.doubleclick.net	443		No
www.verizonwireless.com	443		No
pt.ispot.tv	443		No
t.myvisualiq.net	443		No
scache1.vzw.com	443		No
ss7.vzw.com	443		No
scache.vzw.com	443		No
verizon.inq.com	443		No
mobile.vzw.com	443		No
ct.pinterest.com	443		No



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
PDP_N	88273572 (100%)	46,929.1	0.11s (0%)	0% (0%)
Global	88273572 (100%)	46,929.1	0.11s	0%






User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-D_1023						
50.5	191.6	363	7,500	41	0.5	-
 PDP-M_1023						
52.1	206.9	432.1	7,500	75	1	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

PDP-D_1023

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 PDP-D_1023											
50.5	191.6	363	7,500	41	0.5	-	-	-	-	-	-
 Init											
0	0	0.006	7,500	0	0	-	-	-	-	-	-
 Actions											
1.42	2.07	62.1	688,680	40	0	-	-	-	-	-	-
 PDP-Desktop											
1.42	2.07	62.1	688,680	40	0	2.04	2.87	3.26	0.51	2.03	-
 End											
0	0	0.001	7,500	0	0	-	-	-	-	-	-

PDP-M_1023

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 PDP-M_1023											
52.1	206.9	432.1	7,500	75	1	-	-	-	-	-	-
 Init											
0	0	0.005	7,500	0	0	-	-	-	-	-	-
 Actions											
1.5	2.23	62.6	689,777	74	0	-	-	-	-	-	-
 PDP_Mobile											
1.5	2.23	62.6	689,777	74	0	2.26	3.06	3.49	0.617	2.19	-
 End											
0	0	0.001	7,500	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

PDP-D_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




















PDP-M_1023




Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers



















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						






PDP-D_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-D_1023						
50.5	191.6	363	7,500	41	0.5	-
 Actions						
1.42	2.07	62.1	688,680	40	0	-
 PDP-Desktop						
1.42	2.07	62.1	688,680	40	0	-
 /smartphones/apple-iphone-11-pro/						
0.221	0.631	9.53	695,115	0	0	-
 /is/image/VerizonWireless/Apl...night_Green_09102019						
0.04	0.073	13.6	695,115	0	0	-
 /id						
0.207	0.24	3.69	695,106	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.003	0.006	0.402	695,106	0	0	-
 /rest/v1/delivery_1						
0.005	0.014	7.54	695,105	0	0	-
 /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js						
0.099	0.114	4.51	695,097	0	0	-
 /activity;src=2761768;type=b2...ro;u18=https%3A%2F%2F						
0.026	0.034	1.73	695,092	0	0	-
 /activity;src=2761768;type=b2...o;u18=https%3A%2F%2F						
0.011	0.015	2.17	695,092	0	0	-
 /activity;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r						
0.011	0.016	1.69	695,092	0	0	-
 /activity;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re						
0.023	0.077	7.84	695,082	0	0	-
 /tbproxy/af/query						
0	0.291	15	695,022	29	0	-
 /pagead/viewthroughconversion/1030624533/						
0.005	0.069	0.942	694,991	0	0	-
 /activity;src=685973;type=vzw...f697bc3dcc906146ac;u						
0.027	0.035	2.5	694,983	0	0	-
 /activity;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12=						
0.011	0.016	1.25	694,975	0	0	-
 /spp.pl						
0.081	0.119	3.83	694,936	2	0	-
 /inqchat.html						
0.073	0.125	6.86	694,866	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tapestry/1						
0.001	0.013	0.991	694,858	0	0	-
 /wdcus/8838/resources/image/15...feedback_tab_min.png						
0.091	0.106	3.69	694,804	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.011	0.062	60.1	694,773	10	0	-

PDP-M_1023




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-M_1023						
52.1	206.9	432.1	7,500	75	1	-
 Actions						
1.5	2.23	62.6	689,777	74	0	-
 PDP_Mobile						
1.5	2.23	62.6	689,777	74	0	-
 /smartphones/apple-iphone-11-pro/						
0.199	0.442	8.17	695,098	0	0	-
 /hybridClient/is/image/Verizon...t_Green_09102019-mms						
0.048	0.222	4.11	695,098	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.233	0.251	3.27	695,098	0	0	-
 /is/image/VerizonWireless/Apl...night_Green_09102019						
0.04	0.073	13.6	695,098	0	0	-
 /sid.gif						
0.02	0.134	15.3	695,098	0	0	-
 /wdcus/8838/onsite/embed.js						
0.012	0.022	4.21	695,098	0	0	-
 /inqchat.html						
0.073	0.085	1.45	695,098	0	0	-
 /rest/v1/delivery						
0.005	0.014	8	695,098	0	0	-
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2F						
0.026	0.035	1.74	695,098	0	0	-
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F						
0.011	0.015	1.97	695,098	0	0	-
 /activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r						
0.011	0.017	1.93	695,098	0	0	-
 /activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26re						
0.02	0.035	1.53	695,098	30	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.083	0.122	4.78	695,098	7	0	-
 /rest/v1/delivery_1						
0.014	0.105	4.78	695,098	0	0	-
 /tapestry/1						
0.001	0.013	0.307	695,098	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /media/launch/site_10004593_default.js						
0.234	0.272	3.84	695,098	0	0	-
 /resources/onsite/js/cool-2.1.15.min.js						
0.091	0.106	6.78	695,098	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.012	0.063	60.1	695,097	14	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131						
0.076	0.09	4.06	695,095	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report_1						
0.006	0.106	60.2	695,092	24	0	-
























Shared Containers




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						


PDP-D_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-D_1023						
50.5	191.6	363	7,500	41	0.5	-
 Actions						
1.42	2.07	62.1	688,680	40	0	-
 PDP-Desktop						
1.42	2.07	62.1	688,680	40	0	-
 /smartphones/apple-iphone-11-pro/						
0.221	0.631	9.53	695,115	0	0	-
 /smartphones/apple-iphone-11-pro/						
0.17	0.408	2.58	695,116	0	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.008	0.016	5.76	695,116	0	0	-
 /t/onedigital/uf/build/pdp/bundle.pdp.js						
0.019	0.032	3.7	695,116	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.008	0.016	1.55	695,116	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.019	2.37	695,116	0	0	-
 /t/onedigital/uf/build/assets/css/pdp.min.css						
0.01	0.019	8.23	695,116	0	0	-
 /hybridClient/is/image/Veriz...t_Green_09102019-mms						
0.048	0.222	4.28	695,116	0	0	-
 /is/image/VerizonWireless/Appl...night_Green_09102019						
0.04	0.073	13.6	695,115	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.01	0.017	1.01	695,115	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_b						
0.002	0.014	13.5	695,115	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_c						
0.002	0.003	0.46	695,115	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_d						
0.003	0.005	0.6	695,115	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_e						
0.004	0.006	0.711	695,115	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_f						
0.002	0.004	0.598	695,115	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.004	0.006	0.754	695,115	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-iset						
0.001	0.003	2.34	695,115	0	0	-
 /is/image/VerizonWireless/za...-zag200103912-v-iset						
0.001	0.002	0.34	695,115	0	0	-
 /is/image/VerizonWireless/ot...a-blue-77-62935-iset						
0.001	0.002	0.484	695,115	0	0	-
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset						
0.001	0.002	0.342	695,115	0	0	-
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019						
0.002	0.003	0.472	695,115	0	0	-
 /id						
0.207	0.24	3.69	695,106	0	0	-
 /id						
0.207	0.24	3.69	695,115	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.003	0.006	0.402	695,106	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.003	0.289	695,106	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.002	0.398	695,106	0	0	-
 /rest/v1/delivery_1						
0.005	0.014	7.54	695,105	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.002	0.003	0.297	695,106	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2						
0.002	0.008	7.53	695,106	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.001	0.002	0.363	695,105	0	0	-
 /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js						
0.099	0.114	4.51	695,097	0	0	-
 /analytics.js						
0.016	0.022	4.42	695,105	0	0	-
 /collect						
0	0.001	0.276	695,103	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s72713003712110						
0.077	0.091	3.68	695,103	0	0	-
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2						
0.026	0.034	1.73	695,092	0	0	-
 /activityi;src=2761768;type=...um=5181792881850.382						
0.026	0.034	1.73	695,097	0	0	-
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F						
0.011	0.015	2.17	695,092	0	0	-
 /activityi;src=2761768;type=...rd=3167406900299.841						
0.011	0.015	2.17	695,092	0	0	-
 /activityi;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r						
0.011	0.016	1.69	695,092	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;dc_pre=CleR6N21se...um=5181792881850.382						
0.011	0.016	1.69	695,092	0	0	-
 /activityi;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re						
0.023	0.077	7.84	695,082	0	0	-
 /activityi;dc_pre=CMOQ6N21se...rd=3167406900299.841						
0.011	0.017	1.72	695,092	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.008	1	695,091	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.002	7.82	695,091	0	0	-
 /activity_pixel						
0.01	0.058	4.25	695,082	0	0	-
 /ul_cb/activity_pixel						
0.01	0.06	4.27	695,082	0	0	-
 /tbproxy/af/query						
0	0.291	15	695,022	29	0	-
 /v2/TC-3477-1.gif						
0	0.017	1.02	695,082	29	0	-
 /c/263109848-1/ascend.js						
0.013	0.022	4.13	695,053	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.233	0.251	2.26	694,994	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.01	0.017	4.08	695,045	0	0	-
 /v3/						
0.011	0.036	15	695,043	0	0	-
 /pagead/viewthroughconversion/1030624533/						
0.005	0.069	0.942	694,991	0	0	-
 /sync						
0.001	0.013	0.37	695,022	0	0	-
 /impression_pixel						
0.001	0.013	0.446	695,017	0	0	-
 /sync						
0.001	0.013	0.417	695,010	0	0	-
 /sync						
0.001	0.013	0.843	695,003	0	0	-
 /sync						
0.001	0.013	0.36	694,996	0	0	-
 /activityi;src=685973;type=vzw...f697bc3dcc906146ac;u						
0.027	0.035	2.5	694,983	0	0	-
 /activityi;src=685973;type=v...um=9457106703877.947						
0.027	0.035	2.5	694,991	0	0	-
 /activityi;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12=						
0.011	0.016	1.25	694,975	0	0	-
 /activityi;dc_pre=COXKjuC1se...um=9457106703877.947						
0.011	0.016	1.25	694,983	0	0	-

















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /spp.pl						
0.081	0.119	3.83	694,936	2	0	-
 /spp.pl						
0.053	0.078	3.79	694,975	0	0	-
 /sp.pl						
0.014	0.02	1.65	694,950	1	0	-
 /sp.pl						
0.013	0.02	1.6	694,941	1	0	-
 /inqchat.html						
0.073	0.125	6.86	694,866	0	0	-
 /inqchat.html						
0.013	0.024	1.05	694,936	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.056	0.061	3.11	694,894	0	0	-
 /sid.gif						
0.01	0.062	5.86	694,888	0	0	-
 /sid.gif						
0.01	0.062	3.88	694,888	0	0	-
 /id.json						
0.002	0.065	6.8	694,923	0	0	-
 /id.json						
0.001	0.015	0.582	694,923	0	0	-
 /st.gif						
0.009	0.063	6.79	694,888	0	0	-
 /st.gif						
0.007	0.064	5.86	694,886	0	0	-
 /st.gif						
0.007	0.065	5.87	694,888	0	0	-
 /tapestry/1						
0.001	0.013	0.991	694,858	0	0	-
 /sync						
0.001	0.013	0.991	694,866	0	0	-
 /wdcus/8838/resources/image/15...feedback_tab_min.png						
0.091	0.106	3.69	694,804	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s72971234187508						
0.076	0.091	3.67	694,858	0	0	-
 /st.gif						
0.002	0.015	1.94	694,805	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.011	0.062	60.1	694,773	10	0	-





















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /glassbox/VZW/SHOP/reporting/cls_report						
0.011	0.062	60.1	694,804	10	0	-

PDP-M_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-M_1023						
52.1	206.9	432.1	7,500	75	1	-
 Actions						
1.5	2.23	62.6	689,777	74	0	-
 PDP_Mobile						
1.5	2.23	62.6	689,777	74	0	-
 /smartphones/apple-iphone-11-pro/						
0.199	0.442	8.17	695,098	0	0	-
 /smartphones/apple-iphone-11-pro/						
0.173	0.408	6.44	695,098	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.008	0.016	6.72	695,098	0	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.008	0.016	7.81	695,098	0	0	-
 /t/onedigital/uf/build/pdp/bundle.pdp.js						
0.019	0.032	7.68	695,098	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.019	6.69	695,098	0	0	-
 /t/onedigital/uf/build/assets/css/pdp.min.css						
0.01	0.019	3.06	695,098	0	0	-
 /hybridClient/is/image/Verizon...t_Green_09102019-mms						
0.048	0.222	4.11	695,098	0	0	-
 /hybridClient/is/image/Veriz...t_Green_09102019-mms						
0.048	0.222	4.11	695,098	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.233	0.251	3.27	695,098	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.233	0.251	3.27	695,098	0	0	-
 /is/image/VerizonWireless/Appl...night_Green_09102019						
0.04	0.073	13.6	695,098	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.01	0.017	7.17	695,098	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_b						
0.002	0.014	13.5	695,098	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_c						
0.002	0.003	0.348	695,098	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_d						
0.003	0.005	0.639	695,098	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_e						
0.004	0.006	0.359	695,098	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/Ap...ght_Green_09102019_f						
0.002	0.004	0.558	695,098	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.004	0.006	0.754	695,098	0	0	-
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-is-et						
0.001	0.003	2.39	695,098	0	0	-
 /is/image/VerizonWireless/za...-zag200103912-v-is-et						
0.001	0.002	0.345	695,098	0	0	-
 /is/image/VerizonWireless/ot...a-blue-77-62935-is-et						
0.001	0.002	0.49	695,098	0	0	-
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-is-et						
0.001	0.002	0.288	695,098	0	0	-
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019						
0.001	0.003	0.486	695,098	0	0	-
 /sid.gif						
0.02	0.134	15.3	695,098	0	0	-
 /sid.gif						
0.01	0.06	15.1	695,098	0	0	-
 /sid.gif						
0.001	0.014	0.435	695,098	0	0	-
 /id.json						
0.001	0.014	5.78	695,098	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.008	0.486	695,098	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.002	0.269	695,098	0	0	-
 /id.json						
0.002	0.041	0.759	695,098	0	0	-
 /st.gif						
0.002	0.015	0.428	695,098	0	0	-
 /st.gif						
0.002	0.041	6.69	695,098	0	0	-
 /st.gif						
0.002	0.042	5.85	695,098	0	0	-
 /wdcus/8838/onsite/embed.js						
0.012	0.022	4.21	695,098	0	0	-
 /c/263109848-1/ascend.js						
0.012	0.022	4.21	695,098	0	0	-
 /inqchat.html						
0.073	0.085	1.45	695,098	0	0	-
 /inqchat.html						
0.013	0.024	1.04	695,098	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.056	0.061	1.42	695,098	0	0	-
 /rest/v1/delivery						
0.005	0.014	8	695,098	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.002	0.003	0.417	695,098	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2						
0.002	0.008	7.99	695,098	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.001	0.002	0.339	695,098	0	0	-
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2						
0.026	0.035	1.74	695,098	0	0	-
 /activityi;src=2761768;type=...um=2410568859122.968						
0.026	0.035	1.74	695,098	0	0	-
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F						
0.011	0.015	1.97	695,098	0	0	-
 /activityi;src=2761768;type=...d=1673673671780.3247						
0.011	0.015	1.97	695,098	0	0	-
 /activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r						
0.011	0.017	1.93	695,098	0	0	-
 /activityi;dc_pre=COa0o7a0se...um=2410568859122.968						
0.011	0.017	1.93	695,098	0	0	-
 /activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26re						
0.02	0.035	1.53	695,098	30	0	-
 /activityi;dc_pre=CNO3o7a0se...d=1673673671780.3247						
0.012	0.017	1.52	695,098	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.004	0.326	695,098	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.002	0.395	695,098	0	0	-
 /v2/TC-3477-1.gif						
0	0.018	1.04	695,098	30	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.083	0.122	4.78	695,098	7	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.01	0.016	4.68	695,098	0	0	-
 /v3/						
0.011	0.036	4.16	695,098	1	0	-
 /spp.pl						
0.052	0.075	3.7	695,098	3	0	-
 /sp.pl						
0.054	0.081	3.71	695,098	1	0	-
 /sp.pl						
0.014	0.021	2.02	695,098	2	0	-
 /rest/v1/delivery_1						
0.014	0.105	4.78	695,098	0	0	-
 /activity_pixel						
0.009	0.058	4.6	695,098	0	0	-
 /impression_pixel						
0.001	0.014	0.347	695,098	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /sync						
0.001	0.036	0.495	695,098	0	0	-
 /sync						
0.001	0.037	0.405	695,098	0	0	-
 /sync						
0.001	0.037	0.375	695,098	0	0	-
 /ul_cb/activity_pixel						
0.001	0.037	0.406	695,098	0	0	-
 /ul_cb/sync						
0.001	0.036	0.406	695,098	0	0	-
 /sync						
0.001	0.033	0.405	695,098	0	0	-
 /tapestry/1						
0.001	0.013	0.307	695,098	0	0	-
 /sync						
0.001	0.013	0.307	695,098	0	0	-
 /media/launch/site_10004593_default.js						
0.234	0.272	3.84	695,098	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s76074404245613						
0.234	0.272	3.84	695,098	0	0	-
 /resources/onsite/js/cool-2.1.15.min.js						
0.091	0.106	6.78	695,098	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s73401496713216						
0.076	0.09	3.9	695,098	0	0	-
 /st.gif						
0.002	0.015	6.68	695,098	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.012	0.063	60.1	695,097	14	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.012	0.063	60.1	695,098	14	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131						
0.076	0.09	4.06	695,095	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131						
0.076	0.09	4.06	695,097	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report_1						
0.006	0.106	60.2	695,092	24	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.006	0.05	60.1	695,095	10	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0	0.055	60.1	695,082	14	0	-

Shared Containers

SLA	Value	Severity
Empty list		

























PDP-D_1023

SLA	Value	Severity
 PDP-D_1023		
 Actions		
 PDP-Desktop		
 /smartphones/apple-iphone-11-pro/		
 /smartphones/apple-iphone-11-pro/		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/pdp/bundle.pdp.js		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/assets/css/pdp.min.css		
 /hybridClient/is/image/Veriz...t_Green_09102019-mms		
 /is/image/VerizonWireless/Appl...night_Green_09102019		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_b		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_c		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_d		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_e		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_f		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-isct		
 /is/image/VerizonWireless/za...-zag200103912-v-isct		
 /is/image/VerizonWireless/ot...a-blue-77-62935-isct		
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-isct		
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019		
 /id		
 /id		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /rest/v1/delivery_1		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2		
 /ui-one-digital/global-heade...ct.globalheader.json		























SLA	Value	Severity
 /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js		
 /analytics.js		
 /collect		
 /b/ss/vzwitestenv/10/JS-2.17.0/s72713003712110		
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2		
 /activityi;src=2761768;type=...um=5181792881850.382		
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F		
 /activityi;src=2761768;type=...rd=3167406900299.841		
 /activityi;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r		
 /activityi;dc_pre=CleR6N21se...um=5181792881850.382		
 /activityi;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re		
 /activityi;dc_pre=CMOQ6N21se...rd=3167406900299.841		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /activity_pixel		
 /ul_cb/activity_pixel		
 /tbproxy/af/query		
 /v2/TC-3477-1.gif		
 /c/263109848-1/ascend.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /v3/		
 /pagead/viewthroughconversion/1030624533/		
 /sync		
 /impression_pixel		
 /sync		
 /sync		
 /sync		
 /activityi;src=685973;type=vzw...f697bc3dcc906146ac;u		
 /activityi;src=685973;type=v...um=9457106703877.947		
 /activityi;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12=		
 /activityi;dc_pre=COXKjuC1se...um=9457106703877.947		
 /spp.pl		
 /spp.pl		
 /sp.pl		
 /sp.pl		
 /inqchat.html		
 /inqchat.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /sid.gif		

SLA	Value	Severity
 /sid.gif		
 /id.json		
 /id.json		
 /st.gif		
 /st.gif		
 /st.gif		
 /tapestry/1		
 /sync		
 /wdcus/8838/resources/image/15...feedback_tab_min.png		
 /b/ss/vzwitestenv/10/JS-2.17.0/s72971234187508		
 /st.gif		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		

PDP-M_1023

SLA	Value	Severity
 PDP-M_1023		
 Actions		
 PDP_Mobile		
 /smartphones/apple-iphone-11-pro/		
 /smartphones/apple-iphone-11-pro/		
 /ui-one-digital/gn/build/gnav.css		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/pdp/bundle.pdp.js		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/assets/css/pdp.min.css		
 /hybridClient/is/image/Verizon...t_Green_09102019-mms		
 /hybridClient/is/image/Veriz...t_Green_09102019-mms		
 /chatskins/launch/inqChatLaunch10004593.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /is/image/VerizonWireless/Appl...night_Green_09102019		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_b		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_c		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_d		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_e		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_f		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-isct		
 /is/image/VerizonWireless/za...-zag200103912-v-isct		

SLA	Value	Severity
 /is/image/VerizonWireless/ot...a-blue-77-62935-iset		
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset		
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019		
 /sid.gif		
 /sid.gif		
 /sid.gif		
 /id.json		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /id.json		
 /st.gif		
 /st.gif		
 /st.gif		
 /wdcus/8838/onsite/embed.js		
 /c/263109848-1/ascend.js		
 /inqchat.html		
 /inqchat.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /rest/v1/delivery		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2		
 /activityi;src=2761768;type=...um=2410568859122.968		
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F		
 /activityi;src=2761768;type=...d=1673673671780.3247		
 /activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r		
 /activityi;dc_pre=COa0o7a0se...um=2410568859122.968		
 /activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26re		
 /activityi;dc_pre=CNO3o7a0se...d=1673673671780.3247		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /v2/TC-3477-1.gif		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /v3/		
 /spp.pl		
 /sp.pl		
 /sp.pl		
 /rest/v1/delivery_1		

SLA	Value	Severity
 /activity_pixel		
 /impression_pixel		
 /sync		
 /sync		
 /sync		
 /ul_cb/activity_pixel		
 /ul_cb/sync		
 /sync		
 /tapestry/1		
 /sync		
 /media/launch/site_10004593_default.js		
 /b/ss/vzwitestenv/10/JS-2.17.0/s76074404245613		
 /resources/onsite/js/cool-2.1.15.min.js		
 /b/ss/vzwitestenv/10/JS-2.17.0/s73401496713216		
 /st.gif		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131		
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131		
 /glassbox/VZW/SHOP/reporting/cls_report_1		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		

PDP-D_1023

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

PDP-M_1023

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	8,811	15,000	10,000	8,910	4,545
Controller/Throughput					
0	9,950	17,266	11,028	10,049	5,101
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
5	10.91	75	10	10.56	4.73
Controller/Memory Used					
15	29.2	44	29	29.1	7.93
Controller/Thread Count					
1,165	1,296	4,126	1,271	1,272	251.1
Controller/Connected					
160	160	160	160	160	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,170	7,046	1,109	1,056	1,143
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - Virginia (Ashburn 2)/User Load					
0	4,208	7,500	4,587	4,242	2,343
Controller/USA East - Virginia (Ashburn 2)/PDP_N/User Load					
0	4,208	7,500	4,587	4,242	2,343
Controller/USA East - Virginia (Ashburn 2)/PDP_N/PDP-D_1023/User Load					
0	2,103	3,747	2,288	2,120	1,171
Controller/USA East - Virginia (Ashburn 2)/PDP_N/PDP-M_1023/User Load					
0	2,105	3,753	2,298	2,122	1,173
Controller/USA Central - Illinois (Chicago 2)/User Load					
0	4,204	7,500	4,596	4,239	2,352
Controller/USA Central - Illinois (Chicago 2)/PDP_N/User Load					
0	4,204	7,500	4,596	4,239	2,352
Controller/USA Central - Illinois (Chicago 2)/PDP_N/PDP-D_1023/User Load					
0	2,103	3,753	2,302	2,120	1,177
Controller/USA Central - Illinois (Chicago 2)/PDP_N/PDP-M_1023/User Load					
0	2,101	3,747	2,294	2,119	1,175

LG 157.55.141.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.141.10:443/CPU Load					
0	23.1	47	22	23	11
LG 157.55.141.10:443/Memory Used					
2	14.3	38	11	13.7	8.86
LG 157.55.141.10:443/Throughput					
0	58.1	133	54.5	57.7	31.9
LG 157.55.141.10:443/User Load					
0	51.3	94	50	51.6	27.7
LG 157.55.141.10:443/Thread Count					
39	115.3	168	115	115.6	31.1
LG 157.55.141.10:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 157.55.141.10:443/Http client/Task Pool used					
0	0.005	0.15	0	0.002	0.016
LG 157.55.141.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.141.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.141.10:443/Controller Connection/Ping Duration (ms)					
103	122.9	283	114	116.1	35
LG 157.55.141.10:443/Network/Segments sent/sec.					
11.1	2,932	6,555	2,791	2,921	1,602
LG 157.55.141.10:443/Network/Segments retransmitted/sec.					
0	0.032	1.39	0	0.008	0.127
LG 157.55.141.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.037	62.1	141.8	58.4	61.7	34.1
LG 157.55.141.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.79	13.3	5.48	5.75	3.16

LG 157.56.28.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.13:443/CPU Load					
0	24.9	51	24	24.9	12.5
LG 157.56.28.13:443/Memory Used					
2	14.9	38	12	14.3	9.3
LG 157.56.28.13:443/Throughput					
0	60.5	123	60	60.6	33.5
LG 157.56.28.13:443/User Load					
0	53.5	94	59.5	54	29.1
LG 157.56.28.13:443/Thread Count					
39	118.1	167	124	118.6	33.2
LG 157.56.28.13:443/Http client/Thread Pool used					
0.1	0.107	0.14	0.1	0.106	0.009
LG 157.56.28.13:443/Http client/Task Pool used					
0	0.009	0.35	0	0.004	0.032
LG 157.56.28.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.56.28.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.56.28.13:443/Controller Connection/Ping Duration (ms)					
98	117.8	244	114	113.7	23.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.13:443/Network/Segments sent/sec.					
10.08	3,060	6,176	3,040	3,065	1,684
LG 157.56.28.13:443/Network/Segments retransmitted/sec.					
0	0.039	1.2	0	0.009	0.152
LG 157.56.28.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	64.6	131	64.1	64.7	35.6
LG 157.56.28.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.02	12.2	5.95	6.02	3.28

LG 157.56.28.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.241:443/CPU Load					
0	22.6	49	22	22.4	11.2
LG 157.56.28.241:443/Memory Used					
2	14.9	39	13	14.4	9.12
LG 157.56.28.241:443/Throughput					
0	57.2	132.5	56.6	56.5	32.4
LG 157.56.28.241:443/User Load					
0	50.7	94	49	50.8	27.9
LG 157.56.28.241:443/Thread Count					
39	115.2	174	114	115	32
LG 157.56.28.241:443/Http client/Thread Pool used					
0.1	0.106	0.16	0.1	0.104	0.012
LG 157.56.28.241:443/Http client/Task Pool used					
0	0.006	0.25	0	0.003	0.02
LG 157.56.28.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.56.28.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.56.28.241:443/Controller Connection/Ping Duration (ms)					
90	111.7	118	113	112.3	4.29
LG 157.56.28.241:443/Network/Segments sent/sec.					
8.35	2,899	6,510	2,912	2,866	1,631
LG 157.56.28.241:443/Network/Segments retransmitted/sec.					
0	0.064	2.17	0	0.02	0.231
LG 157.56.28.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	61.1	140.8	60.6	60.4	34.5
LG 157.56.28.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.7	13.3	5.86	5.64	3.16

LG 157.56.28.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.35:443/CPU Load					
0	24.1	49	25	24.1	11.7
LG 157.56.28.35:443/Memory Used					
2	17	38	16	16.7	9.53
LG 157.56.28.35:443/Throughput					
0	61.7	124.4	62.7	61.8	32.6
LG 157.56.28.35:443/User Load					
0	54.5	94	61	55.1	28
LG 157.56.28.35:443/Thread Count					
39	119.3	167	127	119.9	31.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.28.35:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.008
LG 157.56.28.35:443/Http client/Task Pool used					
0	0.01	0.367	0	0.004	0.034
LG 157.56.28.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.56.28.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.56.28.35:443/Controller Connection/Ping Duration (ms)					
90	114.9	163	113	113.4	12
LG 157.56.28.35:443/Network/Segments sent/sec.					
13.2	3,131	6,158	3,196	3,139	1,634
LG 157.56.28.35:443/Network/Segments retransmitted/sec.					
0	0.034	1	0	0.01	0.122
LG 157.56.28.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.038	66	132.6	67.1	66.1	34.8
LG 157.56.28.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	6.16	12.4	6.42	6.17	3.17

LG 157.56.31.174:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.31.174:443/CPU Load					
0	24.6	55	23	24.5	12.6
LG 157.56.31.174:443/Memory Used					
2	15.5	39	13	15	9.43
LG 157.56.31.174:443/Throughput					
0	59.8	129.8	57.5	59.6	34.1
LG 157.56.31.174:443/User Load					
0	53	94	59	53.4	29.3
LG 157.56.31.174:443/Thread Count					
39	118.2	175	127	118.4	33.8
LG 157.56.31.174:443/Http client/Thread Pool used					
0.1	0.11	0.17	0.1	0.107	0.016
LG 157.56.31.174:443/Http client/Task Pool used					
0	0.007	0.217	0	0.002	0.024
LG 157.56.31.174:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.56.31.174:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.56.31.174:443/Controller Connection/Ping Duration (ms)					
68	106.3	119	111	107.7	13
LG 157.56.31.174:443/Network/Segments sent/sec.					
8.36	3,015	6,378	2,958	3,006	1,701
LG 157.56.31.174:443/Network/Segments retransmitted/sec.					
0	0.06	1.38	0	0.023	0.193
LG 157.56.31.174:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	63.9	138.3	61.5	63.7	36.3
LG 157.56.31.174:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.94	12.8	5.82	5.91	3.32

LG 168.62.104.150:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.104.150:443/CPU Load					
0	23.5	52	24	23.5	11.7
LG 168.62.104.150:443/Memory Used					
2	15.3	39	13.5	14.8	9.31
LG 168.62.104.150:443/Throughput					
0	60	145	63.1	59.8	34
LG 168.62.104.150:443/User Load					
0	53.1	94	59.5	53.6	29.3
LG 168.62.104.150:443/Thread Count					
39	117.7	171	124	118.2	32.9
LG 168.62.104.150:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.105	0.01
LG 168.62.104.150:443/Http client/Task Pool used					
0	0.007	0.2	0	0.003	0.022
LG 168.62.104.150:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 168.62.104.150:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 168.62.104.150:443/Controller Connection/Ping Duration (ms)					
60	87.6	120	76	87.1	19.5
LG 168.62.104.150:443/Network/Segments sent/sec.					
10.09	3,035	7,097	3,230	3,029	1,710
LG 168.62.104.150:443/Network/Segments retransmitted/sec.					
0	0.041	0.8	0	0.015	0.131
LG 168.62.104.150:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	64.1	154.1	67.5	63.9	36.3
LG 168.62.104.150:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.96	14	6.16	5.94	3.33

LG 168.62.104.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.104.21:443/CPU Load					
0	25	49	25	25	10.97
LG 168.62.104.21:443/Memory Used					
2	15.6	39	14	15.1	9.37
LG 168.62.104.21:443/Throughput					
0	64.1	125.5	65.4	64.4	31.2
LG 168.62.104.21:443/User Load					
0	57	94	63	57.8	27.1
LG 168.62.104.21:443/Thread Count					
39	121.6	173	127	122.2	30.2
LG 168.62.104.21:443/Http client/Thread Pool used					
0.1	0.106	0.16	0.1	0.105	0.012
LG 168.62.104.21:443/Http client/Task Pool used					
0	0.009	0.2	0	0.004	0.025
LG 168.62.104.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 168.62.104.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 168.62.104.21:443/Controller Connection/Ping Duration (ms)					
88	113	155	112	112.6	9.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.104.21:443/Network/Segments sent/sec.					
10.41	3,240	6,305	3,293	3,259	1,566
LG 168.62.104.21:443/Network/Segments retransmitted/sec.					
0	0.054	1.8	0	0.021	0.179
LG 168.62.104.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.022	68.5	133.7	69.8	68.8	33.2
LG 168.62.104.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.36	12.3	6.41	6.4	3.04

LG 168.62.106.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.106.215:443/CPU Load					
0	25.6	54	27	25.7	11.9
LG 168.62.106.215:443/Memory Used					
2	17	37	15	16.7	9.22
LG 168.62.106.215:443/Throughput					
0	63.1	132.2	67.2	63.5	31.5
LG 168.62.106.215:443/User Load					
0	55.6	93	62	56.5	27.3
LG 168.62.106.215:443/Thread Count					
38	120.4	165	128	121.4	30.6
LG 168.62.106.215:443/Http client/Thread Pool used					
0.1	0.105	0.125	0.1	0.104	0.007
LG 168.62.106.215:443/Http client/Task Pool used					
0	0.008	0.217	0	0.003	0.028
LG 168.62.106.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 168.62.106.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 168.62.106.215:443/Controller Connection/Ping Duration (ms)					
78	113.7	153	113	113.3	12.4
LG 168.62.106.215:443/Network/Segments sent/sec.					
6.81	3,178	6,479	3,413	3,202	1,578
LG 168.62.106.215:443/Network/Segments retransmitted/sec.					
0	0.052	1.4	0	0.02	0.169
LG 168.62.106.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	67.4	140.8	71.9	67.8	33.5
LG 168.62.106.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	6.25	12.5	6.56	6.3	3.1

LG 168.62.111.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.111.10:443/CPU Load					
0	23.5	46	23	23.5	11.6
LG 168.62.111.10:443/Memory Used					
2	14.3	39	12	13.8	8.83
LG 168.62.111.10:443/Throughput					
0	60.6	126.2	61.8	60.4	33.6
LG 168.62.111.10:443/User Load					
0	53.5	94	60	54	29.2
LG 168.62.111.10:443/Thread Count					
39	117.7	166	124	118.2	32.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.111.10:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.007
LG 168.62.111.10:443/Http client/Task Pool used					
0	0.008	0.317	0	0.003	0.028
LG 168.62.111.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 168.62.111.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 168.62.111.10:443/Controller Connection/Ping Duration (ms)					
71	110	115	112	111.1	7.63
LG 168.62.111.10:443/Network/Segments sent/sec.					
14.2	3,066	6,280	3,155	3,061	1,692
LG 168.62.111.10:443/Network/Segments retransmitted/sec.					
0	0.047	1.61	0	0.014	0.173
LG 168.62.111.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	64.7	134.6	65.9	64.6	35.8
LG 168.62.111.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	6.02	12.6	5.96	6	3.3

LG 23.100.72.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.100.72.19:443/CPU Load					
0	24.7	51	26	24.8	11.3
LG 23.100.72.19:443/Memory Used					
2	15.5	38	13	15	9.27
LG 23.100.72.19:443/Throughput					
0	63.5	129.1	67.8	63.8	32
LG 23.100.72.19:443/User Load					
0	56.4	94	63	57.2	27.5
LG 23.100.72.19:443/Thread Count					
39	121.5	166	128	122.4	30.6
LG 23.100.72.19:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 23.100.72.19:443/Http client/Task Pool used					
0	0.009	0.417	0	0.003	0.036
LG 23.100.72.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.100.72.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.100.72.19:443/Controller Connection/Ping Duration (ms)					
92	113.9	151	112	113.1	8.32
LG 23.100.72.19:443/Network/Segments sent/sec.					
10.4	3,213	6,480	3,430	3,230	1,608
LG 23.100.72.19:443/Network/Segments retransmitted/sec.					
0	0.05	1	0	0.02	0.161
LG 23.100.72.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	67.9	137.7	72.4	68.2	34.2
LG 23.100.72.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.33	13	6.8	6.35	3.13

LG 23.100.73.8:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.100.73.8:443/CPU Load					
0	23.5	55	23.5	23.4	11.1
LG 23.100.73.8:443/Memory Used					
2	14.6	39	12	14.1	9.07
LG 23.100.73.8:443/Throughput					
0	59.7	131.5	60.9	59.6	31.4
LG 23.100.73.8:443/User Load					
0	53	93	59	53.4	27.1
LG 23.100.73.8:443/Thread Count					
38	116.7	166	121	117.2	30.3
LG 23.100.73.8:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 23.100.73.8:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.021
LG 23.100.73.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.100.73.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.100.73.8:443/Controller Connection/Ping Duration (ms)					
88	114	154	112	113.2	12.5
LG 23.100.73.8:443/Network/Segments sent/sec.					
10.4	3,019	6,441	3,058	3,017	1,579
LG 23.100.73.8:443/Network/Segments retransmitted/sec.					
0	0.058	1.2	0	0.022	0.184
LG 23.100.73.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	63.7	140	65.2	63.6	33.5
LG 23.100.73.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.93	12.4	5.97	5.92	3.06

LG 23.100.79.115:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.100.79.115:443/CPU Load					
0	22.7	51	22	22.5	11.1
LG 23.100.79.115:443/Memory Used					
2	14.9	46	11	14.1	10.75
LG 23.100.79.115:443/Throughput					
0	57.8	130.9	53.8	57.2	32.3
LG 23.100.79.115:443/User Load					
0	50.9	94	50	51.1	27.8
LG 23.100.79.115:443/Thread Count					
39	115.2	173	113	115.2	31.6
LG 23.100.79.115:443/Http client/Thread Pool used					
0.1	0.107	0.165	0.1	0.105	0.012
LG 23.100.79.115:443/Http client/Task Pool used					
0	0.005	0.233	0	0.002	0.019
LG 23.100.79.115:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.100.79.115:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.100.79.115:443/Controller Connection/Ping Duration (ms)					
93	113.1	155	111	111.6	10.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.100.79.115:443/Network/Segments sent/sec.					
9.08	2,924	6,486	2,772	2,897	1,624
LG 23.100.79.115:443/Network/Segments retransmitted/sec.					
0	0.049	1.21	0	0.015	0.171
LG 23.100.79.115:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	61.8	139.6	57.5	61.2	34.5
LG 23.100.79.115:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.74	12.8	5.32	5.68	3.18

LG 23.101.161.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.101.161.200:443/CPU Load					
0	23.9	54	24	23.9	11.9
LG 23.101.161.200:443/Memory Used					
2	14.1	38	11	13.5	9.23
LG 23.101.161.200:443/Throughput					
0	60	123.7	61.7	59.9	33.3
LG 23.101.161.200:443/User Load					
0	53.1	94	59	53.5	29.3
LG 23.101.161.200:443/Thread Count					
38	117.1	167	123	117.7	32.8
LG 23.101.161.200:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.103	0.008
LG 23.101.161.200:443/Http client/Task Pool used					
0	0.008	0.2	0	0.004	0.024
LG 23.101.161.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.101.161.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.101.161.200:443/Controller Connection/Ping Duration (ms)					
72	113.2	153	112	113	16.5
LG 23.101.161.200:443/Network/Segments sent/sec.					
10.4	3,033	6,058	3,140	3,037	1,675
LG 23.101.161.200:443/Network/Segments retransmitted/sec.					
0	0.051	1	0	0.019	0.163
LG 23.101.161.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	64	131.7	65.7	64	35.4
LG 23.101.161.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.96	12.1	6.3	5.95	3.27

LG 23.96.176.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.176.116:443/CPU Load					
0	27.1	53	26.5	27.1	12.3
LG 23.96.176.116:443/Memory Used					
2	16.3	39	13	15.9	9.72
LG 23.96.176.116:443/Throughput					
0	63.4	132.7	63.9	63.5	31.6
LG 23.96.176.116:443/User Load					
0	56	93	62	56.8	27
LG 23.96.176.116:443/Thread Count					
38	121.1	167	127	122	31

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.176.116:443/Http client/Thread Pool used					
0.1	0.108	0.16	0.1	0.106	0.011
LG 23.96.176.116:443/Http client/Task Pool used					
0	0.009	0.233	0	0.004	0.027
LG 23.96.176.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.176.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.176.116:443/Controller Connection/Ping Duration (ms)					
61	81.9	156	74	79	22.3
LG 23.96.176.116:443/Network/Segments sent/sec.					
8.39	3,198	6,537	3,255	3,201	1,579
LG 23.96.176.116:443/Network/Segments retransmitted/sec.					
0	0.029	0.799	0	0.008	0.107
LG 23.96.176.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	67.8	141.6	68.3	67.9	33.7
LG 23.96.176.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.28	13.2	6.49	6.28	3.05

LG 23.96.181.81:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.181.81:443/CPU Load					
0	25	56	25	24.9	11.7
LG 23.96.181.81:443/Memory Used					
2	15.4	40	13	14.8	9.76
LG 23.96.181.81:443/Throughput					
0	62	130.9	63.6	61.8	32.2
LG 23.96.181.81:443/User Load					
0	54.8	94	61	55.4	27.8
LG 23.96.181.81:443/Thread Count					
39	120.9	175	126	121.2	32.4
LG 23.96.181.81:443/Http client/Thread Pool used					
0.1	0.111	0.17	0.1	0.109	0.017
LG 23.96.181.81:443/Http client/Task Pool used					
0	0.009	0.167	0	0.005	0.022
LG 23.96.181.81:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.181.81:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.181.81:443/Controller Connection/Ping Duration (ms)					
71	88.8	116	73	88.3	19.5
LG 23.96.181.81:443/Network/Segments sent/sec.					
8.41	3,132	6,521	3,242	3,124	1,614
LG 23.96.181.81:443/Network/Segments retransmitted/sec.					
0	0.04	0.802	0	0.014	0.136
LG 23.96.181.81:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	66.3	139.6	68	66	34.3
LG 23.96.181.81:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.16	12.9	6.31	6.14	3.14

LG 23.96.181.95:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.181.95:443/CPU Load					
0	22.9	55	21	22.9	11.8
LG 23.96.181.95:443/Memory Used					
1	13.8	38	11	13.2	9.01
LG 23.96.181.95:443/Throughput					
0	58.5	120.7	55	58.4	34.1
LG 23.96.181.95:443/User Load					
0	51.8	93	56	52.2	29.3
LG 23.96.181.95:443/Thread Count					
39	116.5	170	120	116.9	33.6
LG 23.96.181.95:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.105	0.01
LG 23.96.181.95:443/Http client/Task Pool used					
0	0.01	0.367	0	0.004	0.034
LG 23.96.181.95:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.181.95:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.181.95:443/Controller Connection/Ping Duration (ms)					
64	88	153	73	86.3	22.4
LG 23.96.181.95:443/Network/Segments sent/sec.					
10.08	2,964	6,064	2,780	2,964	1,716
LG 23.96.181.95:443/Network/Segments retransmitted/sec.					
0	0.034	1	0	0.009	0.127
LG 23.96.181.95:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	62.6	128.9	58.7	62.5	36.4
LG 23.96.181.95:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.82	12.5	5.56	5.81	3.34

LG 23.96.185.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.185.165:443/CPU Load					
0	24.6	48	26	24.6	10.89
LG 23.96.185.165:443/Memory Used					
2	15.6	40	13.5	15.2	9.05
LG 23.96.185.165:443/Throughput					
0	63.8	133.5	66.1	63.9	31.6
LG 23.96.185.165:443/User Load					
0	56.3	94	62	57.1	27.2
LG 23.96.185.165:443/Thread Count					
39	121.5	170	127	122.3	30.7
LG 23.96.185.165:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.106	0.01
LG 23.96.185.165:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.022
LG 23.96.185.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.185.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.185.165:443/Controller Connection/Ping Duration (ms)					
69	100.2	149	112	99.1	23.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.185.165:443/Network/Segments sent/sec.					
8.16	3,235	6,666	3,374	3,241	1,591
LG 23.96.185.165:443/Network/Segments retransmitted/sec.					
0	0.045	1	0	0.014	0.152
LG 23.96.185.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	68.2	142.4	70.8	68.3	33.7
LG 23.96.185.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	6.33	12.9	6.63	6.35	3.08

LG 23.96.187.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.187.110:443/CPU Load					
0	24.7	58	24.5	24.5	12.7
LG 23.96.187.110:443/Memory Used					
1	14.8	38	12	14.2	9.34
LG 23.96.187.110:443/Throughput					
0	59.3	135.5	60	59	33.8
LG 23.96.187.110:443/User Load					
0	52.4	94	56.5	52.8	29.4
LG 23.96.187.110:443/Thread Count					
39	116.9	169	118.5	117.2	33.2
LG 23.96.187.110:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 23.96.187.110:443/Http client/Task Pool used					
0	0.012	0.3	0	0.005	0.035
LG 23.96.187.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.187.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.187.110:443/Controller Connection/Ping Duration (ms)					
110	123.8	261	115	117.2	32.2
LG 23.96.187.110:443/Network/Segments sent/sec.					
10.4	2,988	6,464	3,022	2,976	1,693
LG 23.96.187.110:443/Network/Segments retransmitted/sec.					
0	0.055	1.2	0	0.021	0.174
LG 23.96.187.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	63.4	144.5	64.1	63.1	36
LG 23.96.187.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.9	13.5	5.91	5.85	3.34

LG 23.96.187.193:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.187.193:443/CPU Load					
0	25.8	60	26	25.8	11.5
LG 23.96.187.193:443/Memory Used					
2	15.6	38	13	15.1	9.3
LG 23.96.187.193:443/Throughput					
0	64.5	133.2	68.1	64.4	31.8
LG 23.96.187.193:443/User Load					
0	56.9	94	63	57.8	27.1
LG 23.96.187.193:443/Thread Count					
39	121.9	172	127	122.6	30.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.187.193:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.104	0.009
LG 23.96.187.193:443/Http client/Task Pool used					
0	0.008	0.25	0	0.004	0.023
LG 23.96.187.193:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.187.193:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.187.193:443/Controller Connection/Ping Duration (ms)					
67	85.6	151	74	83.2	21.9
LG 23.96.187.193:443/Network/Segments sent/sec.					
10.07	3,258	6,454	3,379	3,260	1,575
LG 23.96.187.193:443/Network/Segments retransmitted/sec.					
0	0.064	1.4	0	0.036	0.168
LG 23.96.187.193:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	69	141.9	72.8	68.8	33.9
LG 23.96.187.193:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.38	12.9	6.55	6.37	3.1

LG 23.96.188.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.188.46:443/CPU Load					
0	24.5	65	26	24.4	11.2
LG 23.96.188.46:443/Memory Used					
2	17.4	37	16	17.1	9.64
LG 23.96.188.46:443/Throughput					
0	63.6	128.5	68.1	63.7	31.7
LG 23.96.188.46:443/User Load					
0	56.3	94	62	57.1	27.3
LG 23.96.188.46:443/Thread Count					
39	119.9	165	126	120.8	30.1
LG 23.96.188.46:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.103	0.006
LG 23.96.188.46:443/Http client/Task Pool used					
0	0.007	0.217	0	0.003	0.024
LG 23.96.188.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.188.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.188.46:443/Controller Connection/Ping Duration (ms)					
71	99.7	154	77	98.2	31.3
LG 23.96.188.46:443/Network/Segments sent/sec.					
10.2	3,227	6,387	3,476	3,235	1,582
LG 23.96.188.46:443/Network/Segments retransmitted/sec.					
0	0.062	1.37	0	0.03	0.18
LG 23.96.188.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.017	67.9	137.3	72.9	68	33.8
LG 23.96.188.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.34	13	6.73	6.35	3.1

LG 23.96.189.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.10:443/CPU Load					
0	25.6	56	25	25.5	12.7
LG 23.96.189.10:443/Memory Used					
2	14.6	40	12	14.1	9.58
LG 23.96.189.10:443/Throughput					
0	60.2	126.3	61	60.1	33.8
LG 23.96.189.10:443/User Load					
0	53.2	94	59	53.7	29.3
LG 23.96.189.10:443/Thread Count					
39	118.2	170	123	118.8	33.3
LG 23.96.189.10:443/Http client/Thread Pool used					
0.1	0.109	0.17	0.102	0.107	0.013
LG 23.96.189.10:443/Http client/Task Pool used					
0	0.01	0.233	0	0.004	0.029
LG 23.96.189.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.189.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.189.10:443/Controller Connection/Ping Duration (ms)					
106	123.5	294	113	114.7	40.2
LG 23.96.189.10:443/Network/Segments sent/sec.					
8.16	3,032	6,089	3,105	3,033	1,691
LG 23.96.189.10:443/Network/Segments retransmitted/sec.					
0	0.044	1.2	0	0.01	0.169
LG 23.96.189.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	64.3	133.9	65.1	64.2	36
LG 23.96.189.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.97	12.4	6	5.97	3.31

LG 23.96.189.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.24:443/CPU Load					
0	23.6	49	24	23.5	11.6
LG 23.96.189.24:443/Memory Used					
2	14.7	39	13	14.2	9.23
LG 23.96.189.24:443/Throughput					
0	59.7	131	62.9	59.3	33.7
LG 23.96.189.24:443/User Load					
0	52.8	93	59	53.3	29.1
LG 23.96.189.24:443/Thread Count					
38	116.7	172	122	117.1	32.8
LG 23.96.189.24:443/Http client/Thread Pool used					
0.1	0.105	0.165	0.1	0.103	0.011
LG 23.96.189.24:443/Http client/Task Pool used					
0	0.007	0.2	0	0.003	0.021
LG 23.96.189.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.189.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.189.24:443/Controller Connection/Ping Duration (ms)					
66	87	150	73	84.8	22.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.24:443/Network/Segments sent/sec.					
8.09	3,013	6,385	3,205	3,000	1,688
LG 23.96.189.24:443/Network/Segments retransmitted/sec.					
0	0.044	0.811	0	0.02	0.133
LG 23.96.189.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	63.8	139.8	67.4	63.4	36
LG 23.96.189.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.93	12.8	6.28	5.91	3.26

LG 23.96.189.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.88:443/CPU Load					
0	24.9	53	26	24.8	12.4
LG 23.96.189.88:443/Memory Used					
2	15.2	37	13	14.8	9.2
LG 23.96.189.88:443/Throughput					
0	60.8	134.2	62.5	60.5	33.7
LG 23.96.189.88:443/User Load					
0	53.8	94	60	54.3	29.1
LG 23.96.189.88:443/Thread Count					
39	118.2	168	123	118.7	32.6
LG 23.96.189.88:443/Http client/Thread Pool used					
0.1	0.106	0.135	0.1	0.105	0.009
LG 23.96.189.88:443/Http client/Task Pool used					
0	0.01	0.25	0	0.003	0.034
LG 23.96.189.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.189.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.189.88:443/Controller Connection/Ping Duration (ms)					
65	96.7	156	74	95	32.7
LG 23.96.189.88:443/Network/Segments sent/sec.					
10.08	3,071	6,512	3,230	3,059	1,683
LG 23.96.189.88:443/Network/Segments retransmitted/sec.					
0	0.078	2.2	0	0.033	0.239
LG 23.96.189.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	65	142.9	66.7	64.6	35.9
LG 23.96.189.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.03	12.8	6.38	6.02	3.28

LG 23.96.189.94:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.94:443/CPU Load					
0	23.6	46	24	23.5	11.5
LG 23.96.189.94:443/Memory Used					
1	14.1	40	11	13.4	9.09
LG 23.96.189.94:443/Throughput					
0	59.7	124.8	61.7	59.6	33.4
LG 23.96.189.94:443/User Load					
0	52.8	94	57	53.2	29.2
LG 23.96.189.94:443/Thread Count					
39	116.2	169	119	116.5	32.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.189.94:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.104	0.009
LG 23.96.189.94:443/Http client/Task Pool used					
0	0.006	0.133	0	0.003	0.016
LG 23.96.189.94:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.189.94:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.189.94:443/Controller Connection/Ping Duration (ms)					
70	114.3	235	112	112	24.7
LG 23.96.189.94:443/Network/Segments sent/sec.					
10.08	3,020	6,131	3,197	3,019	1,680
LG 23.96.189.94:443/Network/Segments retransmitted/sec.					
0	0.061	1.42	0	0.029	0.176
LG 23.96.189.94:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	63.7	132.9	65.9	63.7	35.6
LG 23.96.189.94:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.95	12.1	6.09	5.95	3.26

LG 23.96.209.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.209.142:443/CPU Load					
0	23.5	47	23	23.4	11.9
LG 23.96.209.142:443/Memory Used					
2	14.5	39	13	13.8	9.54
LG 23.96.209.142:443/Throughput					
0	60.1	130.1	60.3	59.8	34.4
LG 23.96.209.142:443/User Load					
0	53.2	94	60	53.7	29.3
LG 23.96.209.142:443/Thread Count					
39	117.9	170	126	118.4	32.6
LG 23.96.209.142:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.01
LG 23.96.209.142:443/Http client/Task Pool used					
0	0.007	0.133	0	0.003	0.02
LG 23.96.209.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.209.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.209.142:443/Controller Connection/Ping Duration (ms)					
63	133.4	155	150	135.7	24.8
LG 23.96.209.142:443/Network/Segments sent/sec.					
10.09	3,043	6,290	3,126	3,032	1,727
LG 23.96.209.142:443/Network/Segments retransmitted/sec.					
0	0.075	4.72	0	0.023	0.345
LG 23.96.209.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	64.3	138.6	64.5	64	36.7
LG 23.96.209.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.98	12.2	6.2	5.97	3.33

LG 23.96.210.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.210.246:443/CPU Load					
0	24.2	51	24	24.2	12
LG 23.96.210.246:443/Memory Used					
2	15.3	42	12.5	14.7	9.72
LG 23.96.210.246:443/Throughput					
0	60.6	130.2	61.9	60.3	33.6
LG 23.96.210.246:443/User Load					
0	53.7	94	60	54.2	29.1
LG 23.96.210.246:443/Thread Count					
39	119	170	126	119.5	32.8
LG 23.96.210.246:443/Http client/Thread Pool used					
0.1	0.106	0.16	0.1	0.104	0.011
LG 23.96.210.246:443/Http client/Task Pool used					
0	0.012	0.317	0	0.005	0.037
LG 23.96.210.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.210.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.210.246:443/Controller Connection/Ping Duration (ms)					
69	92.5	147	79	91.3	21.3
LG 23.96.210.246:443/Network/Segments sent/sec.					
10.08	3,052	6,224	3,109	3,047	1,684
LG 23.96.210.246:443/Network/Segments retransmitted/sec.					
0	0.054	1.2	0	0.02	0.173
LG 23.96.210.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	64.7	138.7	66.2	64.5	35.9
LG 23.96.210.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.02	12.4	5.96	6.01	3.29

LG 23.96.211.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.211.139:443/CPU Load					
0	24.7	49	25	24.7	12.3
LG 23.96.211.139:443/Memory Used					
1	14.6	37	12	14	9.29
LG 23.96.211.139:443/Throughput					
0	59.4	119.6	59	59.4	33.3
LG 23.96.211.139:443/User Load					
0	52.6	93	58	53.1	29.1
LG 23.96.211.139:443/Thread Count					
39	116.1	164	121	116.7	32.5
LG 23.96.211.139:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 23.96.211.139:443/Http client/Task Pool used					
0	0.006	0.167	0	0.003	0.02
LG 23.96.211.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.211.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.211.139:443/Controller Connection/Ping Duration (ms)					
70	91.7	150	77	89.6	22.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.211.139:443/Network/Segments sent/sec.					
10.08	3,001	5,968	2,995	3,008	1,657
LG 23.96.211.139:443/Network/Segments retransmitted/sec.					
0	0.035	0.8	0	0.012	0.118
LG 23.96.211.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	63.5	128	63.1	63.5	35.6
LG 23.96.211.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.9	11.8	6.03	5.91	3.23

LG 23.96.215.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.215.35:443/CPU Load					
0	24.1	50	24	24	12.1
LG 23.96.215.35:443/Memory Used					
2	15.3	38	12	14.7	9.59
LG 23.96.215.35:443/Throughput					
0	60.1	130.6	60.5	59.9	33.8
LG 23.96.215.35:443/User Load					
0	53.1	94	59	53.6	29.3
LG 23.96.215.35:443/Thread Count					
39	117	166	123	117.6	32.9
LG 23.96.215.35:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 23.96.215.35:443/Http client/Task Pool used					
0	0.006	0.167	0	0.002	0.019
LG 23.96.215.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.215.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.215.35:443/Controller Connection/Ping Duration (ms)					
72	110.2	118	112	111.8	9.2
LG 23.96.215.35:443/Network/Segments sent/sec.					
10.56	3,024	6,249	3,050	3,017	1,688
LG 23.96.215.35:443/Network/Segments retransmitted/sec.					
0	0.049	1.02	0	0.018	0.162
LG 23.96.215.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	64.2	139.3	64.7	64	36.1
LG 23.96.215.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.95	12.7	5.84	5.94	3.3

LG 23.96.222.11:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.222.11:443/CPU Load					
0	24	48	24	23.9	11.2
LG 23.96.222.11:443/Memory Used					
2	14.8	44	12	14.2	9.81
LG 23.96.222.11:443/Throughput					
0	61.6	127.1	63.9	61.7	32.4
LG 23.96.222.11:443/User Load					
0	54.8	94	61	55.4	27.8
LG 23.96.222.11:443/Thread Count					
39	119.4	171	127	119.9	31

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.222.11:443/Http client/Thread Pool used					
0.1	0.105	0.155	0.1	0.104	0.009
LG 23.96.222.11:443/Http client/Task Pool used					
0	0.008	0.217	0	0.003	0.027
LG 23.96.222.11:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.222.11:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.222.11:443/Controller Connection/Ping Duration (ms)					
57	109.4	120	113	111.7	13.7
LG 23.96.222.11:443/Network/Segments sent/sec.					
10.08	3,121	6,301	3,203	3,126	1,628
LG 23.96.222.11:443/Network/Segments retransmitted/sec.					
0	0.047	1	0	0.017	0.152
LG 23.96.222.11:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	65.9	135.5	68.3	65.9	34.5
LG 23.96.222.11:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.12	12.5	6.18	6.13	3.17

LG 23.96.222.136:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.222.136:443/CPU Load					
0	25	49	25	25	11.8
LG 23.96.222.136:443/Memory Used					
2	14.7	39	12	14.2	8.98
LG 23.96.222.136:443/Throughput					
0	62.1	128.4	61.9	62	32.1
LG 23.96.222.136:443/User Load					
0	54.9	94	61	55.5	27.8
LG 23.96.222.136:443/Thread Count					
39	119.7	171	125	120.1	31.1
LG 23.96.222.136:443/Http client/Thread Pool used					
0.1	0.107	0.155	0.1	0.106	0.012
LG 23.96.222.136:443/Http client/Task Pool used					
0	0.011	0.2	0	0.006	0.027
LG 23.96.222.136:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.222.136:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.222.136:443/Controller Connection/Ping Duration (ms)					
95	112.4	151	111	111.3	8.51
LG 23.96.222.136:443/Network/Segments sent/sec.					
9.05	3,124	6,160	3,203	3,126	1,605
LG 23.96.222.136:443/Network/Segments retransmitted/sec.					
0	0.045	1.2	0	0.013	0.16
LG 23.96.222.136:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	66.3	136.8	66.4	66.3	34.3
LG 23.96.222.136:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	6.15	12.4	6.04	6.17	3.15

LG 23.96.223.124:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.223.124:443/CPU Load					
0	23.6	49	24	23.5	11.9
LG 23.96.223.124:443/Memory Used					
2	13.6	38	11	13	8.68
LG 23.96.223.124:443/Throughput					
0	58.5	131.4	60.3	58.2	33.6
LG 23.96.223.124:443/User Load					
0	51.5	93	55.5	51.9	29.4
LG 23.96.223.124:443/Thread Count					
38	115.3	166	120	115.8	32.9
LG 23.96.223.124:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.008
LG 23.96.223.124:443/Http client/Task Pool used					
0	0.011	0.283	0	0.005	0.035
LG 23.96.223.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.223.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.223.124:443/Controller Connection/Ping Duration (ms)					
95	112.7	122	113	113.1	4.91
LG 23.96.223.124:443/Network/Segments sent/sec.					
10.09	2,938	6,281	3,052	2,925	1,685
LG 23.96.223.124:443/Network/Segments retransmitted/sec.					
0	0.044	1.01	0	0.017	0.139
LG 23.96.223.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	62.5	139.8	64.3	62.2	35.8
LG 23.96.223.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.79	12.3	6.23	5.76	3.32

LG 23.96.224.100:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.100:443/CPU Load					
0	26.2	56	26	26	14.1
LG 23.96.224.100:443/Memory Used					
2	14.4	38	12	13.9	9.12
LG 23.96.224.100:443/Throughput					
0	59.4	124.9	62.7	59.3	33.9
LG 23.96.224.100:443/User Load					
0	52.5	94	57	52.9	29.4
LG 23.96.224.100:443/Thread Count					
39	116.8	168	121	117.1	33.1
LG 23.96.224.100:443/Http client/Thread Pool used					
0.1	0.107	0.14	0.1	0.106	0.01
LG 23.96.224.100:443/Http client/Task Pool used					
0	0.012	0.283	0	0.006	0.034
LG 23.96.224.100:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.224.100:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.224.100:443/Controller Connection/Ping Duration (ms)					
68	111	153	111	111.4	11.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.100:443/Network/Segments sent/sec.					
9.33	2,984	5,968	3,149	2,986	1,691
LG 23.96.224.100:443/Network/Segments retransmitted/sec.					
0	0.074	4.69	0	0.011	0.413
LG 23.96.224.100:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	63.5	133.1	67	63.4	36.2
LG 23.96.224.100:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	5.89	12.2	6.17	5.86	3.32

LG 23.96.224.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.33:443/CPU Load					
0	23.2	52	24	23.1	11.2
LG 23.96.224.33:443/Memory Used					
1	14	39	12	13.5	9.01
LG 23.96.224.33:443/Throughput					
0	59.5	132.7	60.7	59.2	31.8
LG 23.96.224.33:443/User Load					
0	52.8	93	59	53.3	27.2
LG 23.96.224.33:443/Thread Count					
39	117.1	168	122	117.6	30.1
LG 23.96.224.33:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.103	0.008
LG 23.96.224.33:443/Http client/Task Pool used					
0	0.01	0.233	0	0.004	0.032
LG 23.96.224.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.224.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.224.33:443/Controller Connection/Ping Duration (ms)					
68	95.7	121	110	95.9	19.5
LG 23.96.224.33:443/Network/Segments sent/sec.					
11	3,006	6,518	3,143	2,992	1,594
LG 23.96.224.33:443/Network/Segments retransmitted/sec.					
0	0.039	1.6	0	0.009	0.158
LG 23.96.224.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	63.6	141.5	64.9	63.3	33.9
LG 23.96.224.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.91	13.7	6	5.87	3.1

LG 23.96.224.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.45:443/CPU Load					
0	25	50	25	24.9	12.8
LG 23.96.224.45:443/Memory Used					
2	14.7	39	12	14.1	9.76
LG 23.96.224.45:443/Throughput					
0	59.6	121.8	60.9	59.6	33.7
LG 23.96.224.45:443/User Load					
0	52.8	94	58.5	53.2	29.4
LG 23.96.224.45:443/Thread Count					
39	117.7	170	122	118.2	33.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.224.45:443/Http client/Thread Pool used					
0.1	0.108	0.15	0.1	0.106	0.012
LG 23.96.224.45:443/Http client/Task Pool used					
0	0.009	0.2	0	0.004	0.026
LG 23.96.224.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.224.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.224.45:443/Controller Connection/Ping Duration (ms)					
63	82.2	154	74	79.6	22
LG 23.96.224.45:443/Network/Segments sent/sec.					
11.1	2,998	6,101	3,083	2,997	1,686
LG 23.96.224.45:443/Network/Segments retransmitted/sec.					
0	0.035	1	0	0.011	0.123
LG 23.96.224.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	63.8	130	65.1	63.7	36
LG 23.96.224.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.92	12.1	5.96	5.92	3.29

LG 23.96.225.141:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.141:443/CPU Load					
0	25.4	59	24	25	13.6
LG 23.96.225.141:443/Memory Used					
2	14.4	39	11	13.7	9.64
LG 23.96.225.141:443/Throughput					
0	56.9	138.6	57	56.2	32.5
LG 23.96.225.141:443/User Load					
0	50.4	94	49	50.5	28
LG 23.96.225.141:443/Thread Count					
39	115.3	170	111	115.3	32.6
LG 23.96.225.141:443/Http client/Thread Pool used					
0.1	0.106	0.135	0.1	0.105	0.01
LG 23.96.225.141:443/Http client/Task Pool used					
0	0.01	0.283	0	0.004	0.032
LG 23.96.225.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.225.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.225.141:443/Controller Connection/Ping Duration (ms)					
65	116.2	217	113	114	34.4
LG 23.96.225.141:443/Network/Segments sent/sec.					
11.4	2,862	6,798	2,847	2,833	1,618
LG 23.96.225.141:443/Network/Segments retransmitted/sec.					
0	0.027	1.2	0	0.002	0.126
LG 23.96.225.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	60.9	147.9	61.2	60.1	34.7
LG 23.96.225.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	5.64	13.4	5.43	5.58	3.17

LG 23.96.225.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.195:443/CPU Load					
0	23.7	53	23	23.5	12
LG 23.96.225.195:443/Memory Used					
2	14.8	38	13	14.3	9.06
LG 23.96.225.195:443/Throughput					
0	59	139.8	59.4	58.5	34.2
LG 23.96.225.195:443/User Load					
0	52.3	94	56	52.7	29.6
LG 23.96.225.195:443/Thread Count					
39	116.7	168	119	117.1	33.1
LG 23.96.225.195:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 23.96.225.195:443/Http client/Task Pool used					
0	0.007	0.217	0	0.003	0.022
LG 23.96.225.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.225.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.225.195:443/Controller Connection/Ping Duration (ms)					
60	107.8	117	112	110	13.2
LG 23.96.225.195:443/Network/Segments sent/sec.					
11	2,986	6,812	2,979	2,962	1,721
LG 23.96.225.195:443/Network/Segments retransmitted/sec.					
0	0.056	1.2	0	0.022	0.175
LG 23.96.225.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	63.1	149	63.5	62.5	36.5
LG 23.96.225.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.87	12.9	6.05	5.83	3.33

LG 23.96.225.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.202:443/CPU Load					
0	24.6	51	24	24.5	12.6
LG 23.96.225.202:443/Memory Used					
2	15.1	41	13	14.6	9.58
LG 23.96.225.202:443/Throughput					
0	59.1	128	60	58.8	34.1
LG 23.96.225.202:443/User Load					
0	52.2	94	55.5	52.6	29.4
LG 23.96.225.202:443/Thread Count					
39	116.9	174	118.5	117.1	33.1
LG 23.96.225.202:443/Http client/Thread Pool used					
0.1	0.108	0.17	0.1	0.106	0.013
LG 23.96.225.202:443/Http client/Task Pool used					
0	0.007	0.267	0	0.002	0.025
LG 23.96.225.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.225.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.225.202:443/Controller Connection/Ping Duration (ms)					
64	110.7	152	112	111.4	12.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.202:443/Network/Segments sent/sec.					
8.35	2,984	6,236	3,029	2,972	1,691
LG 23.96.225.202:443/Network/Segments retransmitted/sec.					
0	0.058	1.55	0	0.019	0.2
LG 23.96.225.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	63.2	136.3	64.1	62.8	36.3
LG 23.96.225.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.86	13.2	5.95	5.81	3.35

LG 23.96.225.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.225.46:443/CPU Load					
0	24.2	49	24	24.1	12
LG 23.96.225.46:443/Memory Used					
2	14.9	39	12	14.4	8.89
LG 23.96.225.46:443/Throughput					
0	60.1	123.8	59.4	60	33.6
LG 23.96.225.46:443/User Load					
0	53.2	94	58	53.6	29.1
LG 23.96.225.46:443/Thread Count					
39	117.1	167	125	117.5	32.1
LG 23.96.225.46:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.007
LG 23.96.225.46:443/Http client/Task Pool used					
0	0.008	0.233	0	0.003	0.027
LG 23.96.225.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.225.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.225.46:443/Controller Connection/Ping Duration (ms)					
86	110.2	165	111	109.8	11.2
LG 23.96.225.46:443/Network/Segments sent/sec.					
14.7	3,024	6,001	3,031	3,022	1,683
LG 23.96.225.46:443/Network/Segments retransmitted/sec.					
0	0.021	1	0	0.005	0.086
LG 23.96.225.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.038	64.2	132	63.6	64.1	35.9
LG 23.96.225.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	5.98	11.7	5.89	5.98	3.3

LG 23.96.226.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.226.189:443/CPU Load					
0	27.7	56	27	27.7	12.9
LG 23.96.226.189:443/Memory Used					
2	15.7	40	13	15.2	9.42
LG 23.96.226.189:443/Throughput					
0	64	131	64.9	64.3	31.6
LG 23.96.226.189:443/User Load					
0	56.6	94	63	57.4	27.2
LG 23.96.226.189:443/Thread Count					
39	122.6	166	130	123.6	30.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.226.189:443/Http client/Thread Pool used					
0.1	0.11	0.15	0.11	0.11	0.011
LG 23.96.226.189:443/Http client/Task Pool used					
0	0.009	0.25	0	0.003	0.028
LG 23.96.226.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.226.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.226.189:443/Controller Connection/Ping Duration (ms)					
77	112.8	120	113	113.5	6.37
LG 23.96.226.189:443/Network/Segments sent/sec.					
9.33	3,220	6,506	3,278	3,236	1,573
LG 23.96.226.189:443/Network/Segments retransmitted/sec.					
0	0.034	0.809	0	0.008	0.126
LG 23.96.226.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.015	68.5	139.9	69.4	68.7	33.7
LG 23.96.226.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	6.36	12.7	6.45	6.4	3.09

LG 23.96.226.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.226.33:443/CPU Load					
0	23.7	53	25	23.7	11.4
LG 23.96.226.33:443/Memory Used					
2	14.8	39	13	14.3	9.03
LG 23.96.226.33:443/Throughput					
0	60.2	121.7	63.4	60.2	33.4
LG 23.96.226.33:443/User Load					
0	53.3	94	58.5	53.8	29.2
LG 23.96.226.33:443/Thread Count					
39	117.1	166	121.5	117.7	32.5
LG 23.96.226.33:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.007
LG 23.96.226.33:443/Http client/Task Pool used					
0	0.011	0.317	0	0.004	0.037
LG 23.96.226.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.226.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.226.33:443/Controller Connection/Ping Duration (ms)					
75	109.8	118	112	111.2	9.42
LG 23.96.226.33:443/Network/Segments sent/sec.					
11	3,044	6,020	3,220	3,045	1,684
LG 23.96.226.33:443/Network/Segments retransmitted/sec.					
0	0.065	1.4	0	0.03	0.191
LG 23.96.226.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	64.3	129.8	67.8	64.3	35.6
LG 23.96.226.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.98	12.2	6.36	5.97	3.27

LG 23.96.226.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.226.76:443/CPU Load					
0	24.9	60	25	24.7	12.4
LG 23.96.226.76:443/Memory Used					
2	14.2	38	12	13.7	8.82
LG 23.96.226.76:443/Throughput					
0	60.1	140.9	61.3	59.6	32.6
LG 23.96.226.76:443/User Load					
0	53.3	94	59	53.9	27.4
LG 23.96.226.76:443/Thread Count					
39	118.4	170	122	118.9	31
LG 23.96.226.76:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.1	0.106	0.01
LG 23.96.226.76:443/Http client/Task Pool used					
0	0.007	0.2	0	0.004	0.021
LG 23.96.226.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.226.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.226.76:443/Controller Connection/Ping Duration (ms)					
70	104.3	149	111	104.7	16.4
LG 23.96.226.76:443/Network/Segments sent/sec.					
10.81	3,026	7,008	3,126	3,004	1,623
LG 23.96.226.76:443/Network/Segments retransmitted/sec.					
0	0.044	1	0	0.016	0.148
LG 23.96.226.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	64.2	149.8	65.4	63.6	34.7
LG 23.96.226.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.96	14.3	6.07	5.92	3.19

LG 23.96.227.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.227.254:443/CPU Load					
0	25.8	59	26	25.4	13.5
LG 23.96.227.254:443/Memory Used					
2	14.8	38	12	14.4	9.1
LG 23.96.227.254:443/Throughput					
0	60.8	139.8	63.4	60.1	34
LG 23.96.227.254:443/User Load					
0	53.7	94	60	54.2	29.1
LG 23.96.227.254:443/Thread Count					
39	121.9	174	126	122.6	35.3
LG 23.96.227.254:443/Http client/Thread Pool used					
0.1	0.119	0.235	0.105	0.115	0.028
LG 23.96.227.254:443/Http client/Task Pool used					
0	0.01	0.35	0	0.004	0.032
LG 23.96.227.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.227.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.227.254:443/Controller Connection/Ping Duration (ms)					
75	107.3	153	113	107.2	16.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.227.254:443/Network/Segments sent/sec.					
8.35	3,057	6,999	3,230	3,026	1,697
LG 23.96.227.254:443/Network/Segments retransmitted/sec.					
0	0.027	1	0	0.003	0.123
LG 23.96.227.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	64.9	149.3	67.9	64.2	36.3
LG 23.96.227.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.02	14	6.33	5.97	3.31

LG 23.96.227.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.227.37:443/CPU Load					
0	24.4	50	25	24.4	10.66
LG 23.96.227.37:443/Memory Used					
2	14.3	38	12	13.7	8.85
LG 23.96.227.37:443/Throughput					
0	63.9	127.1	64.2	64.1	31.2
LG 23.96.227.37:443/User Load					
0	56.6	94	62	57.4	27
LG 23.96.227.37:443/Thread Count					
39	121.5	174	126	122.1	30.3
LG 23.96.227.37:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.102	0.009
LG 23.96.227.37:443/Http client/Task Pool used					
0	0.008	0.233	0	0.003	0.023
LG 23.96.227.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.227.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.227.37:443/Controller Connection/Ping Duration (ms)					
75	111.4	141	112	111.8	8.21
LG 23.96.227.37:443/Network/Segments sent/sec.					
8.85	3,237	6,185	3,307	3,256	1,573
LG 23.96.227.37:443/Network/Segments retransmitted/sec.					
0	0.039	1	0	0.006	0.159
LG 23.96.227.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	68.3	135.5	68.6	68.6	33.3
LG 23.96.227.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.34	12.3	6.56	6.38	3.08

LG 23.96.228.72:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.228.72:443/CPU Load					
0	24.7	52	26	24.8	10.7
LG 23.96.228.72:443/Memory Used					
2	15.4	39	14	14.9	9.04
LG 23.96.228.72:443/Throughput					
0	64.1	124	68	64.4	31.1
LG 23.96.228.72:443/User Load					
0	56.7	94	63	57.5	27.2
LG 23.96.228.72:443/Thread Count					
39	120.8	166	127	121.5	29.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.228.72:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 23.96.228.72:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.019
LG 23.96.228.72:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.228.72:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.228.72:443/Controller Connection/Ping Duration (ms)					
70	95.9	154	77.5	94	28.9
LG 23.96.228.72:443/Network/Segments sent/sec.					
8.34	3,248	6,139	3,459	3,267	1,568
LG 23.96.228.72:443/Network/Segments retransmitted/sec.					
0	0.047	1.2	0	0.018	0.153
LG 23.96.228.72:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	68.6	132.2	72.6	68.9	33.2
LG 23.96.228.72:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.38	12.2	6.72	6.41	3.06

LG 23.96.230.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.165:443/CPU Load					
0	26.1	50	26	26.1	11.7
LG 23.96.230.165:443/Memory Used					
2	15.5	38	14	15.1	8.98
LG 23.96.230.165:443/Throughput					
0	64.2	124.2	66.9	64.4	31.4
LG 23.96.230.165:443/User Load					
0	56.8	94	63	57.6	27.2
LG 23.96.230.165:443/Thread Count					
39	122.3	173	129	123	30.7
LG 23.96.230.165:443/Http client/Thread Pool used					
0.1	0.107	0.165	0.105	0.106	0.011
LG 23.96.230.165:443/Http client/Task Pool used					
0	0.011	0.3	0	0.005	0.035
LG 23.96.230.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.230.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.230.165:443/Controller Connection/Ping Duration (ms)					
65	121.8	361	114	115.1	47.8
LG 23.96.230.165:443/Network/Segments sent/sec.					
8.07	3,231	6,305	3,412	3,248	1,565
LG 23.96.230.165:443/Network/Segments retransmitted/sec.					
0	0.063	1.01	0	0.024	0.198
LG 23.96.230.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	68.5	132.1	71.6	68.8	33.4
LG 23.96.230.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	6.37	12.3	6.68	6.4	3.03

LG 23.96.230.197:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.197:443/CPU Load					
0	24.8	58	26	24.8	11.1
LG 23.96.230.197:443/Memory Used					
2	17.7	38	16	17.4	9.82
LG 23.96.230.197:443/Throughput					
0	64.2	126.1	66.8	64.5	31.7
LG 23.96.230.197:443/User Load					
0	56.9	94	63	57.7	27.2
LG 23.96.230.197:443/Thread Count					
39	122	169	127	122.8	30.6
LG 23.96.230.197:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.104	0.009
LG 23.96.230.197:443/Http client/Task Pool used					
0	0.007	0.383	0	0.002	0.027
LG 23.96.230.197:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.230.197:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.230.197:443/Controller Connection/Ping Duration (ms)					
67	100.6	150	111	100.5	20.4
LG 23.96.230.197:443/Network/Segments sent/sec.					
11.1	3,248	6,134	3,374	3,271	1,597
LG 23.96.230.197:443/Network/Segments retransmitted/sec.					
0	0.047	0.981	0	0.016	0.15
LG 23.96.230.197:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	68.6	134.5	71.5	69	33.8
LG 23.96.230.197:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6.37	11.8	6.4	6.41	3.11

LG 23.96.230.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.224:443/CPU Load					
0	26.2	60	26	26	12.5
LG 23.96.230.224:443/Memory Used					
2	15.5	38	13	15.1	8.96
LG 23.96.230.224:443/Throughput					
0	64.4	146.1	64.9	64.3	32.8
LG 23.96.230.224:443/User Load					
0	56.9	94	63	57.7	27.1
LG 23.96.230.224:443/Thread Count					
39	122.4	174	129	123	31
LG 23.96.230.224:443/Http client/Thread Pool used					
0.1	0.108	0.165	0.1	0.106	0.013
LG 23.96.230.224:443/Http client/Task Pool used					
0	0.009	0.217	0	0.005	0.023
LG 23.96.230.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.230.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.230.224:443/Controller Connection/Ping Duration (ms)					
108	114.2	152	112	112.3	8.93

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.224:443/Network/Segments sent/sec.					
9.33	3,238	7,108	3,290	3,234	1,632
LG 23.96.230.224:443/Network/Segments retransmitted/sec.					
0	0.042	1.01	0	0.013	0.149
LG 23.96.230.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	68.9	155.7	69.5	68.7	35
LG 23.96.230.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	6.37	14.3	6.57	6.38	3.16

LG 23.96.230.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.230.243:443/CPU Load					
0	23.6	58	23	23.5	11.6
LG 23.96.230.243:443/Memory Used					
2	14	38	11	13.4	8.92
LG 23.96.230.243:443/Throughput					
0	59.7	130.6	61.1	59.5	33.5
LG 23.96.230.243:443/User Load					
0	52.8	93	59	53.3	29.1
LG 23.96.230.243:443/Thread Count					
39	117.1	174	123.5	117.5	32.7
LG 23.96.230.243:443/Http client/Thread Pool used					
0.1	0.106	0.17	0.1	0.103	0.012
LG 23.96.230.243:443/Http client/Task Pool used					
0	0.006	0.217	0	0.002	0.022
LG 23.96.230.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.230.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.230.243:443/Controller Connection/Ping Duration (ms)					
79	109.1	117	111	110.1	7.28
LG 23.96.230.243:443/Network/Segments sent/sec.					
8.36	3,018	6,579	3,104	3,011	1,684
LG 23.96.230.243:443/Network/Segments retransmitted/sec.					
0	0.039	1.19	0	0.01	0.152
LG 23.96.230.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	63.9	139.4	65.5	63.6	35.8
LG 23.96.230.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.92	12.6	6.17	5.92	3.28

LG 23.96.231.141:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.141:443/CPU Load					
0	23.8	48	24	23.8	11.5
LG 23.96.231.141:443/Memory Used					
1	14.8	40	12	14.1	9.74
LG 23.96.231.141:443/Throughput					
0	59.7	121.9	60.6	59.8	33.5
LG 23.96.231.141:443/User Load					
0	52.7	93	58.5	53.2	29
LG 23.96.231.141:443/Thread Count					
39	116.7	166	121.5	117.3	32.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.141:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 23.96.231.141:443/Http client/Task Pool used					
0	0.006	0.233	0	0.003	0.02
LG 23.96.231.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.231.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.231.141:443/Controller Connection/Ping Duration (ms)					
63	80.5	112	74	79.6	14.6
LG 23.96.231.141:443/Network/Segments sent/sec.					
10.84	3,010	6,021	3,091	3,017	1,678
LG 23.96.231.141:443/Network/Segments retransmitted/sec.					
0	0.075	2.55	0	0.03	0.269
LG 23.96.231.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	63.8	130	64.8	63.9	35.7
LG 23.96.231.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.93	12	5.94	5.94	3.3

LG 23.96.231.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.144:443/CPU Load					
0	23.7	51	23	23.5	11.8
LG 23.96.231.144:443/Memory Used					
2	14.6	38	12	14	9.33
LG 23.96.231.144:443/Throughput					
0	60.3	137.4	62.7	59.7	34.3
LG 23.96.231.144:443/User Load					
0	53.3	94	59	53.7	29.3
LG 23.96.231.144:443/Thread Count					
39	118.7	174	122	119.1	33.5
LG 23.96.231.144:443/Http client/Thread Pool used					
0.1	0.11	0.165	0.102	0.108	0.015
LG 23.96.231.144:443/Http client/Task Pool used					
0	0.007	0.15	0	0.003	0.022
LG 23.96.231.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.231.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.231.144:443/Controller Connection/Ping Duration (ms)					
65	111.3	120	114	112.9	10.21
LG 23.96.231.144:443/Network/Segments sent/sec.					
11	3,046	6,753	3,177	3,017	1,717
LG 23.96.231.144:443/Network/Segments retransmitted/sec.					
0	0.045	1.2	0	0.018	0.146
LG 23.96.231.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	64.5	146.6	67.1	63.8	36.6
LG 23.96.231.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6	13.1	6.32	5.95	3.32

LG 23.96.231.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.200:443/CPU Load					
0	24.8	52	26	24.9	10.82
LG 23.96.231.200:443/Memory Used					
2	15.3	38	13	14.8	9.04
LG 23.96.231.200:443/Throughput					
0	64	124.3	67.1	64.4	31.5
LG 23.96.231.200:443/User Load					
0	56.5	94	63	57.4	27.3
LG 23.96.231.200:443/Thread Count					
39	120.7	167	127	121.6	30.1
LG 23.96.231.200:443/Http client/Thread Pool used					
0.1	0.105	0.13	0.1	0.104	0.007
LG 23.96.231.200:443/Http client/Task Pool used					
0	0.007	0.15	0	0.003	0.023
LG 23.96.231.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.231.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.231.200:443/Controller Connection/Ping Duration (ms)					
60	107.9	149	111	108.8	14.7
LG 23.96.231.200:443/Network/Segments sent/sec.					
10.37	3,232	6,212	3,454	3,256	1,585
LG 23.96.231.200:443/Network/Segments retransmitted/sec.					
0	0.058	2.2	0	0.021	0.2
LG 23.96.231.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.013	68.4	132.7	71.8	68.8	33.6
LG 23.96.231.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6.36	12.6	6.97	6.4	3.11

LG 23.96.231.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.208:443/CPU Load					
0	23.5	50	24	23.3	12.1
LG 23.96.231.208:443/Memory Used					
2	15.8	38	14	15.3	9.41
LG 23.96.231.208:443/Throughput					
0	58.4	126.7	61	58.1	34.2
LG 23.96.231.208:443/User Load					
0	51.7	94	55	52	29.5
LG 23.96.231.208:443/Thread Count					
39	116.1	169	117	116.4	33.4
LG 23.96.231.208:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.1	0.106	0.011
LG 23.96.231.208:443/Http client/Task Pool used					
0	0.008	0.167	0	0.003	0.024
LG 23.96.231.208:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.231.208:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.231.208:443/Controller Connection/Ping Duration (ms)					
65	99.1	151	112	98.9	21

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.208:443/Network/Segments sent/sec.					
11.8	2,950	6,292	3,102	2,937	1,721
LG 23.96.231.208:443/Network/Segments retransmitted/sec.					
0	0.06	1.6	0	0.024	0.188
LG 23.96.231.208:443/Network/eth0 (eth0)/Megabits received/sec.					
0.035	62.4	135	65.1	62.1	36.5
LG 23.96.231.208:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.81	12.5	5.93	5.78	3.34

LG 23.96.231.56:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.231.56:443/CPU Load					
0	25.9	55	25	25.7	13.5
LG 23.96.231.56:443/Memory Used					
2	14.6	38	12	14.1	8.95
LG 23.96.231.56:443/Throughput					
0	58.4	132.1	56.8	58.2	33.9
LG 23.96.231.56:443/User Load					
0	51.7	93	56	52.1	29.4
LG 23.96.231.56:443/Thread Count					
39	116.5	168	124	116.9	33.8
LG 23.96.231.56:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.1	0.106	0.01
LG 23.96.231.56:443/Http client/Task Pool used					
0	0.008	0.2	0	0.003	0.022
LG 23.96.231.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.231.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.231.56:443/Controller Connection/Ping Duration (ms)					
73	109.8	152	112	109.5	14.8
LG 23.96.231.56:443/Network/Segments sent/sec.					
8.36	2,934	6,556	2,833	2,926	1,689
LG 23.96.231.56:443/Network/Segments retransmitted/sec.					
0	0.028	0.999	0	0.005	0.116
LG 23.96.231.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	62.5	141	60.8	62.3	36.2
LG 23.96.231.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.81	13.6	5.75	5.78	3.33

LG 23.96.234.77:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.234.77:443/CPU Load					
0	25	52	25	24.9	12.3
LG 23.96.234.77:443/Memory Used					
2	14.9	38	12	14.3	9.18
LG 23.96.234.77:443/Throughput					
0	60.4	131.8	62.2	60	33.9
LG 23.96.234.77:443/User Load					
0	53.5	94	59.5	54	29.2
LG 23.96.234.77:443/Thread Count					
39	117.8	169	123	118.2	32.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.234.77:443/Http client/Thread Pool used					
0.1	0.108	0.145	0.1	0.106	0.011
LG 23.96.234.77:443/Http client/Task Pool used					
0	0.007	0.25	0	0.003	0.024
LG 23.96.234.77:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.234.77:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.234.77:443/Controller Connection/Ping Duration (ms)					
67	85.1	150	71	82.4	23.9
LG 23.96.234.77:443/Network/Segments sent/sec.					
10.4	3,073	6,604	3,180	3,055	1,701
LG 23.96.234.77:443/Network/Segments retransmitted/sec.					
0	0.041	0.802	0	0.015	0.133
LG 23.96.234.77:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	64.6	140.7	66.4	64.1	36.2
LG 23.96.234.77:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6	13.5	5.99	5.97	3.32

LG 23.96.242.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.242.84:443/CPU Load					
0	22.7	47	22	22.7	11.6
LG 23.96.242.84:443/Memory Used					
2	14.2	38	12	13.6	9.46
LG 23.96.242.84:443/Throughput					
0	58.1	126.6	56.2	57.7	33.8
LG 23.96.242.84:443/User Load					
0	51.3	93	54.5	51.7	29.3
LG 23.96.242.84:443/Thread Count					
39	114.7	167	118	115.1	33.2
LG 23.96.242.84:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 23.96.242.84:443/Http client/Task Pool used					
0	0.008	0.317	0	0.004	0.028
LG 23.96.242.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.242.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.242.84:443/Controller Connection/Ping Duration (ms)					
75	106.9	117	110	108	10.74
LG 23.96.242.84:443/Network/Segments sent/sec.					
10.4	2,947	6,409	2,905	2,934	1,708
LG 23.96.242.84:443/Network/Segments retransmitted/sec.					
0	0.041	2.35	0	0.007	0.204
LG 23.96.242.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	62.1	135	60.1	61.8	36
LG 23.96.242.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.78	12.5	5.8	5.76	3.3

LG 23.96.245.141:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.245.141:443/CPU Load					
0	24.4	59	24	24.4	12.1
LG 23.96.245.141:443/Memory Used					
2	14.1	39	12	13.5	8.74
LG 23.96.245.141:443/Throughput					
0	60	125.2	62.7	59.9	33.5
LG 23.96.245.141:443/User Load					
0	53.1	94	59	53.5	29.2
LG 23.96.245.141:443/Thread Count					
39	117.4	171	126	117.9	33.2
LG 23.96.245.141:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.01
LG 23.96.245.141:443/Http client/Task Pool used					
0	0.01	0.367	0	0.004	0.034
LG 23.96.245.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.245.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.245.141:443/Controller Connection/Ping Duration (ms)					
69	97.4	152	109	96	22.5
LG 23.96.245.141:443/Network/Segments sent/sec.					
10.08	3,027	5,990	3,138	3,028	1,682
LG 23.96.245.141:443/Network/Segments retransmitted/sec.					
0	0.038	1	0	0.011	0.137
LG 23.96.245.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	64.1	133.3	67	64	35.7
LG 23.96.245.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.96	12.1	5.97	5.96	3.27

LG 23.96.245.163:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.245.163:443/CPU Load					
0	24.2	48	23	24.1	12.1
LG 23.96.245.163:443/Memory Used					
2	14.6	39	12	14	9.74
LG 23.96.245.163:443/Throughput					
0	59.8	122.7	61.5	59.7	33.6
LG 23.96.245.163:443/User Load					
0	52.7	93	58.5	53.2	29
LG 23.96.245.163:443/Thread Count					
39	117.2	170	123	117.7	32.9
LG 23.96.245.163:443/Http client/Thread Pool used					
0.1	0.106	0.16	0.1	0.104	0.011
LG 23.96.245.163:443/Http client/Task Pool used					
0	0.009	0.3	0	0.004	0.028
LG 23.96.245.163:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.245.163:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.245.163:443/Controller Connection/Ping Duration (ms)					
80	113.2	154	114	113.1	10.67

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.245.163:443/Network/Segments sent/sec.					
8.09	3,010	6,006	3,090	3,012	1,680
LG 23.96.245.163:443/Network/Segments retransmitted/sec.					
0	0.054	1	0	0.023	0.162
LG 23.96.245.163:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	63.9	130.9	65.9	63.8	35.8
LG 23.96.245.163:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.93	11.7	5.93	5.94	3.26

LG 23.96.252.55:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.252.55:443/CPU Load					
0	26.5	51	27	26.6	11.9
LG 23.96.252.55:443/Memory Used					
2	16.3	40	14	15.9	9.58
LG 23.96.252.55:443/Throughput					
0	63.4	125.1	66.1	63.8	30.9
LG 23.96.252.55:443/User Load					
0	56.3	93	62	57.1	26.9
LG 23.96.252.55:443/Thread Count					
39	121.3	169	126	122.2	30.2
LG 23.96.252.55:443/Http client/Thread Pool used					
0.1	0.108	0.16	0.1	0.106	0.012
LG 23.96.252.55:443/Http client/Task Pool used					
0	0.011	0.267	0	0.005	0.034
LG 23.96.252.55:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.252.55:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.252.55:443/Controller Connection/Ping Duration (ms)					
72	104.2	154	111	103.9	18.6
LG 23.96.252.55:443/Network/Segments sent/sec.					
10.41	3,207	6,183	3,384	3,229	1,558
LG 23.96.252.55:443/Network/Segments retransmitted/sec.					
0	0.064	2.8	0	0.024	0.236
LG 23.96.252.55:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	67.8	133.7	70.6	68.3	33
LG 23.96.252.55:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.3	12.1	6.55	6.34	3.03

LG 65.52.11.209:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.11.209:443/CPU Load					
0	23.3	46	24	23.3	11.4
LG 65.52.11.209:443/Memory Used					
2	14.2	39	11	13.6	9.1
LG 65.52.11.209:443/Throughput					
0	59.3	127.7	61.7	59.1	33.6
LG 65.52.11.209:443/User Load					
0	52.4	94	56.5	52.8	29.5
LG 65.52.11.209:443/Thread Count					
39	116.5	168	120	116.8	33

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.11.209:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.009
LG 65.52.11.209:443/Http client/Task Pool used					
0	0.007	0.15	0	0.003	0.02
LG 65.52.11.209:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.11.209:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.11.209:443/Controller Connection/Ping Duration (ms)					
61	95.4	152	109	93.9	24.2
LG 65.52.11.209:443/Network/Segments sent/sec.					
10.08	3,022	6,293	3,201	3,014	1,706
LG 65.52.11.209:443/Network/Segments retransmitted/sec.					
0	0.073	1.4	0	0.031	0.214
LG 65.52.11.209:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	63.4	136.1	66	63.2	35.9
LG 65.52.11.209:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.91	12.4	6.37	5.9	3.31

LG 65.52.11.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.11.231:443/CPU Load					
0	24.3	55	24	24	12.6
LG 65.52.11.231:443/Memory Used					
2	14.9	40	12	14.3	9.91
LG 65.52.11.231:443/Throughput					
0	59.1	144.3	61.2	58.2	34.4
LG 65.52.11.231:443/User Load					
0	52.2	94	55.5	52.6	29.4
LG 65.52.11.231:443/Thread Count					
39	117.4	169	119.5	117.8	33.6
LG 65.52.11.231:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.106	0.01
LG 65.52.11.231:443/Http client/Task Pool used					
0	0.009	0.35	0	0.003	0.029
LG 65.52.11.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.11.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.11.231:443/Controller Connection/Ping Duration (ms)					
70	111.2	151	113	111.8	12.7
LG 65.52.11.231:443/Network/Segments sent/sec.					
11.6	3,003	7,163	3,099	2,963	1,730
LG 65.52.11.231:443/Network/Segments retransmitted/sec.					
0	0.052	1.38	0	0.02	0.173
LG 65.52.11.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	63.2	154.4	65.4	62.2	36.7
LG 65.52.11.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	5.89	13.8	5.91	5.81	3.36

LG 65.52.13.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.13.146:443/CPU Load					
0	26	50	27	26	11.9
LG 65.52.13.146:443/Memory Used					
2	15.7	38	13	15.3	9.53
LG 65.52.13.146:443/Throughput					
0	63.7	127.3	65.8	63.9	31.3
LG 65.52.13.146:443/User Load					
0	56.3	94	62	57	27.2
LG 65.52.13.146:443/Thread Count					
39	121.3	170	127	122	30.4
LG 65.52.13.146:443/Http client/Thread Pool used					
0.1	0.108	0.155	0.1	0.106	0.011
LG 65.52.13.146:443/Http client/Task Pool used					
0	0.011	0.367	0	0.006	0.032
LG 65.52.13.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.13.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.13.146:443/Controller Connection/Ping Duration (ms)					
90	113.6	151	113	113	8.24
LG 65.52.13.146:443/Network/Segments sent/sec.					
10.41	3,224	6,328	3,337	3,237	1,584
LG 65.52.13.146:443/Network/Segments retransmitted/sec.					
0	0.058	1.96	0	0.024	0.189
LG 65.52.13.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.022	68.2	135.9	70.5	68.4	33.5
LG 65.52.13.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.32	12.8	6.33	6.33	3.09

LG 65.52.15.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.15.161:443/CPU Load					
0	25.5	53	26	25.5	12
LG 65.52.15.161:443/Memory Used					
2	15	39	12	14.6	8.62
LG 65.52.15.161:443/Throughput					
0	64	136.7	65.7	64.2	32.6
LG 65.52.15.161:443/User Load					
0	56.3	94	62	57.1	27.3
LG 65.52.15.161:443/Thread Count					
39	121.3	169	127	122	30.5
LG 65.52.15.161:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 65.52.15.161:443/Http client/Task Pool used					
0	0.01	0.25	0	0.004	0.029
LG 65.52.15.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.15.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.15.161:443/Controller Connection/Ping Duration (ms)					
69	112.1	151	112	111.7	12.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.15.161:443/Network/Segments sent/sec.					
10.21	3,255	6,646	3,394	3,266	1,642
LG 65.52.15.161:443/Network/Segments retransmitted/sec.					
0	0.046	1.19	0	0.014	0.162
LG 65.52.15.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	68.4	145.5	70.2	68.6	34.7
LG 65.52.15.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.34	12.4	6.61	6.37	3.14

LG 65.52.19.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.19.45:443/CPU Load					
0	24.9	55	25	24.8	12
LG 65.52.19.45:443/Memory Used					
2	14.4	38	12	13.8	8.93
LG 65.52.19.45:443/Throughput					
0	61.1	131	62.3	60.9	32.4
LG 65.52.19.45:443/User Load					
0	54	93	60	54.6	27.8
LG 65.52.19.45:443/Thread Count					
39	119.7	172	125	120.3	31.2
LG 65.52.19.45:443/Http client/Thread Pool used					
0.1	0.109	0.165	0.1	0.107	0.014
LG 65.52.19.45:443/Http client/Task Pool used					
0	0.007	0.167	0	0.003	0.022
LG 65.52.19.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.19.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.19.45:443/Controller Connection/Ping Duration (ms)					
69	109.1	154	113	108.7	21.2
LG 65.52.19.45:443/Network/Segments sent/sec.					
10.4	3,076	6,402	3,150	3,066	1,617
LG 65.52.19.45:443/Network/Segments retransmitted/sec.					
0	0.04	1	0	0.012	0.143
LG 65.52.19.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.021	65.3	139.8	66.6	65.1	34.5
LG 65.52.19.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.05	12.6	6.29	6.04	3.14

LG 65.52.20.128:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.20.128:443/CPU Load					
0	23.3	46	23	23.3	11.4
LG 65.52.20.128:443/Memory Used					
2	14.8	38	13	14.2	8.96
LG 65.52.20.128:443/Throughput					
0	59.6	125.8	62.3	59.4	33.6
LG 65.52.20.128:443/User Load					
0	52.7	94	57	53.1	29.3
LG 65.52.20.128:443/Thread Count					
39	116.7	168	122	117.1	32.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.20.128:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 65.52.20.128:443/Http client/Task Pool used					
0	0.008	0.2	0	0.003	0.026
LG 65.52.20.128:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.20.128:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.20.128:443/Controller Connection/Ping Duration (ms)					
84	111.5	151	110	110.8	11.7
LG 65.52.20.128:443/Network/Segments sent/sec.					
10.08	3,009	6,270	3,140	3,000	1,686
LG 65.52.20.128:443/Network/Segments retransmitted/sec.					
0	0.05	1.78	0	0.015	0.191
LG 65.52.20.128:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	63.7	134.2	66.6	63.5	35.8
LG 65.52.20.128:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.91	12.2	6.25	5.9	3.29

LG 65.52.21.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.21.68:443/CPU Load					
0	23.4	49	23	23.3	11.4
LG 65.52.21.68:443/Memory Used					
2	14.4	38	12	13.8	9.16
LG 65.52.21.68:443/Throughput					
0	59.6	127.5	59.8	59.5	33.4
LG 65.52.21.68:443/User Load					
0	52.8	93	58.5	53.2	29
LG 65.52.21.68:443/Thread Count					
39	116.3	165	121.5	116.9	32.2
LG 65.52.21.68:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 65.52.21.68:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.021
LG 65.52.21.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.21.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.21.68:443/Controller Connection/Ping Duration (ms)					
72	107.3	131	112	108	14.5
LG 65.52.21.68:443/Network/Segments sent/sec.					
11.5	3,013	6,347	3,066	3,009	1,679
LG 65.52.21.68:443/Network/Segments retransmitted/sec.					
0	0.036	1	0	0.009	0.141
LG 65.52.21.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.035	63.7	135.7	63.8	63.5	35.6
LG 65.52.21.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	5.93	12.4	6.17	5.91	3.26

LG 65.52.233.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.233.189:443/CPU Load					
0	23	51	21.5	23	11.6
LG 65.52.233.189:443/Memory Used					
2	14.2	39	11	13.6	9.61
LG 65.52.233.189:443/Throughput					
0	58.6	123	55.9	58.5	33.7
LG 65.52.233.189:443/User Load					
0	51.6	94	54.5	51.9	29.6
LG 65.52.233.189:443/Thread Count					
39	115.1	167	118	115.4	33.1
LG 65.52.233.189:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 65.52.233.189:443/Http client/Task Pool used					
0	0.006	0.133	0	0.003	0.018
LG 65.52.233.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.233.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.233.189:443/Controller Connection/Ping Duration (ms)					
62	94.5	151	98	93.7	21.2
LG 65.52.233.189:443/Network/Segments sent/sec.					
8.09	2,952	6,062	2,758	2,947	1,708
LG 65.52.233.189:443/Network/Segments retransmitted/sec.					
0	0.045	1.2	0	0.015	0.152
LG 65.52.233.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	62.6	131.1	59.6	62.5	35.9
LG 65.52.233.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.81	12.1	5.65	5.8	3.31

LG 65.52.233.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.233.2:443/CPU Load					
0	24.2	51	23	24	12.4
LG 65.52.233.2:443/Memory Used					
1	14.7	38	13	14.2	9.02
LG 65.52.233.2:443/Throughput					
0	58.6	132.3	58.5	58.2	34.1
LG 65.52.233.2:443/User Load					
0	52	94	56	52.3	29.6
LG 65.52.233.2:443/Thread Count					
39	115.9	172	119	116.1	33.7
LG 65.52.233.2:443/Http client/Thread Pool used					
0.1	0.106	0.16	0.1	0.105	0.011
LG 65.52.233.2:443/Http client/Task Pool used					
0	0.006	0.183	0	0.003	0.02
LG 65.52.233.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.233.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.233.2:443/Controller Connection/Ping Duration (ms)					
72	111.3	151	113	111.4	16.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.233.2:443/Network/Segments sent/sec.					
8.06	2,951	6,517	2,998	2,933	1,706
LG 65.52.233.2:443/Network/Segments retransmitted/sec.					
0	0.04	1	0	0.009	0.147
LG 65.52.233.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	62.7	141.1	63.1	62.2	36.4
LG 65.52.233.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.83	12.7	5.96	5.8	3.32

LG 65.52.234.104:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.234.104:443/CPU Load					
0	23.5	53	23	23.5	11.8
LG 65.52.234.104:443/Memory Used					
2	15.4	38	13	14.9	8.97
LG 65.52.234.104:443/Throughput					
0	59.3	126.2	57.5	59.2	34
LG 65.52.234.104:443/User Load					
0	52.4	94	57	52.8	29.5
LG 65.52.234.104:443/Thread Count					
39	116.2	171	119	116.5	32.8
LG 65.52.234.104:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.105	0.01
LG 65.52.234.104:443/Http client/Task Pool used					
0	0.009	0.217	0	0.004	0.026
LG 65.52.234.104:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.234.104:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.234.104:443/Controller Connection/Ping Duration (ms)					
70	101	152	112	99.7	23.9
LG 65.52.234.104:443/Network/Segments sent/sec.					
12.3	3,003	6,113	2,899	3,003	1,710
LG 65.52.234.104:443/Network/Segments retransmitted/sec.					
0	0.036	0.995	0	0.009	0.134
LG 65.52.234.104:443/Network/eth0 (eth0)/Megabits received/sec.					
0.037	63.4	134.4	61.4	63.3	36.3
LG 65.52.234.104:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	5.9	12	5.71	5.9	3.31

LG 65.52.235.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.235.168:443/CPU Load					
0	24.8	59	25	24.7	11.8
LG 65.52.235.168:443/Memory Used					
2	14.8	39	12	14.2	8.88
LG 65.52.235.168:443/Throughput					
0	60.9	127.9	62.1	60.8	31.8
LG 65.52.235.168:443/User Load					
0	53.9	93	60	54.5	27.6
LG 65.52.235.168:443/Thread Count					
39	119.5	174	123	120	31.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.235.168:443/Http client/Thread Pool used					
0.1	0.11	0.175	0.1	0.107	0.016
LG 65.52.235.168:443/Http client/Task Pool used					
0	0.008	0.15	0	0.003	0.023
LG 65.52.235.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.235.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.235.168:443/Controller Connection/Ping Duration (ms)					
58	109.4	154	92	109.6	38.1
LG 65.52.235.168:443/Network/Segments sent/sec.					
8.36	3,069	6,374	3,157	3,069	1,590
LG 65.52.235.168:443/Network/Segments retransmitted/sec.					
0	0.043	1.6	0	0.013	0.157
LG 65.52.235.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	65.1	136.2	66.4	65	33.9
LG 65.52.235.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.05	12.3	6.22	6.04	3.11

LG 65.52.236.11:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.236.11:443/CPU Load					
0	23.5	57	22.5	23.4	11.7
LG 65.52.236.11:443/Memory Used					
2	14.2	38	12	13.6	9.04
LG 65.52.236.11:443/Throughput					
0	60.1	127.3	60.2	60.1	34
LG 65.52.236.11:443/User Load					
0	53.2	94	59	53.7	29.4
LG 65.52.236.11:443/Thread Count					
39	117.9	172	123.5	118.3	33.1
LG 65.52.236.11:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.104	0.011
LG 65.52.236.11:443/Http client/Task Pool used					
0	0.007	0.2	0	0.003	0.023
LG 65.52.236.11:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.236.11:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.236.11:443/Controller Connection/Ping Duration (ms)					
65	97.2	145	110	96.2	22.3
LG 65.52.236.11:443/Network/Segments sent/sec.					
8.36	3,040	6,325	3,052	3,039	1,706
LG 65.52.236.11:443/Network/Segments retransmitted/sec.					
0	0.07	1.97	0	0.026	0.232
LG 65.52.236.11:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	64.3	135.7	64.3	64.2	36.3
LG 65.52.236.11:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.97	12.7	6.02	5.97	3.32

LG 65.52.24.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.24.37:443/CPU Load					
0	23.4	51	23	23.2	11.9
LG 65.52.24.37:443/Memory Used					
2	15.9	39	14	15.5	9.27
LG 65.52.24.37:443/Throughput					
0	56.8	126.7	55.5	56.4	32.2
LG 65.52.24.37:443/User Load					
0	50.3	94	49	50.4	27.9
LG 65.52.24.37:443/Thread Count					
39	114.2	170	111	114.3	31.3
LG 65.52.24.37:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.105	0.01
LG 65.52.24.37:443/Http client/Task Pool used					
0	0.01	0.233	0	0.004	0.031
LG 65.52.24.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.24.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.24.37:443/Controller Connection/Ping Duration (ms)					
70	77.1	110	74	75.6	9.53
LG 65.52.24.37:443/Network/Segments sent/sec.					
8.07	2,856	6,266	2,819	2,835	1,611
LG 65.52.24.37:443/Network/Segments retransmitted/sec.					
0	0.033	1.38	0	0.003	0.149
LG 65.52.24.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	60.8	135.3	59.5	60.3	34.3
LG 65.52.24.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.63	12.9	5.57	5.59	3.16

LG 65.52.26.167:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.26.167:443/CPU Load					
0	24.9	51	26	24.7	11.2
LG 65.52.26.167:443/Memory Used					
1	15	38	12	14.5	9
LG 65.52.26.167:443/Throughput					
0	63.5	139.1	67.3	63.3	32.1
LG 65.52.26.167:443/User Load					
0	55.9	93	62	56.7	27.1
LG 65.52.26.167:443/Thread Count					
39	120.3	166	126	121.2	30.7
LG 65.52.26.167:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 65.52.26.167:443/Http client/Task Pool used					
0	0.008	0.233	0	0.004	0.023
LG 65.52.26.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.26.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.26.167:443/Controller Connection/Ping Duration (ms)					
59	137	154	151	139.6	24.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.26.167:443/Network/Segments sent/sec.					
10.08	3,213	6,831	3,405	3,207	1,599
LG 65.52.26.167:443/Network/Segments retransmitted/sec.					
0	0.04	1.4	0	0.014	0.14
LG 65.52.26.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0.021	67.8	148.1	72	67.7	34.2
LG 65.52.26.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.31	12.9	6.72	6.31	3.13

LG 65.52.26.66:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.26.66:443/CPU Load					
0	23.3	47	24	23.3	11.4
LG 65.52.26.66:443/Memory Used					
2	13.9	38	12	13.3	8.91
LG 65.52.26.66:443/Throughput					
0	60.1	129.3	62	60.1	33.6
LG 65.52.26.66:443/User Load					
0	53.2	94	59	53.6	29.4
LG 65.52.26.66:443/Thread Count					
39	117	166	123	117.5	32.6
LG 65.52.26.66:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.006
LG 65.52.26.66:443/Http client/Task Pool used					
0	0.01	0.183	0	0.005	0.028
LG 65.52.26.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.26.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.26.66:443/Controller Connection/Ping Duration (ms)					
93	113.2	146	112	113	8.23
LG 65.52.26.66:443/Network/Segments sent/sec.					
6.9	3,039	6,258	3,146	3,040	1,692
LG 65.52.26.66:443/Network/Segments retransmitted/sec.					
0	0.061	1.77	0	0.021	0.212
LG 65.52.26.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	64.3	137.8	66.3	64.2	35.9
LG 65.52.26.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	5.97	12.2	6.18	5.98	3.29

LG 65.52.30.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.30.102:443/CPU Load					
0	24.8	47	25	24.8	11.1
LG 65.52.30.102:443/Memory Used					
2	14	38	11	13.4	8.62
LG 65.52.30.102:443/Throughput					
0	63.8	128.5	65.3	64	31.5
LG 65.52.30.102:443/User Load					
0	56.5	94	62	57.3	27.1
LG 65.52.30.102:443/Thread Count					
39	120.7	168	126	121.5	30.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.30.102:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.103	0.008
LG 65.52.30.102:443/Http client/Task Pool used					
0	0.007	0.167	0	0.003	0.02
LG 65.52.30.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.30.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.30.102:443/Controller Connection/Ping Duration (ms)					
74	114.1	173	114	113	15.1
LG 65.52.30.102:443/Network/Segments sent/sec.					
9.87	3,222	6,426	3,332	3,233	1,580
LG 65.52.30.102:443/Network/Segments retransmitted/sec.					
0	0.045	1.2	0	0.015	0.155
LG 65.52.30.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	68.2	137	69.8	68.3	33.6
LG 65.52.30.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	6.35	12.7	6.49	6.37	3.07

LG 65.52.30.122:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.30.122:443/CPU Load					
0	23.7	48	24	23.6	11.5
LG 65.52.30.122:443/Memory Used					
2	15.7	39	13	15.2	9.78
LG 65.52.30.122:443/Throughput					
0	61.3	123.9	63.5	61.3	33.1
LG 65.52.30.122:443/User Load					
0	54.1	94	60	54.6	28.2
LG 65.52.30.122:443/Thread Count					
39	118.2	168	125	118.7	31.7
LG 65.52.30.122:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.008
LG 65.52.30.122:443/Http client/Task Pool used					
0	0.009	0.233	0	0.004	0.029
LG 65.52.30.122:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.30.122:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.30.122:443/Controller Connection/Ping Duration (ms)					
70	105.8	155	110	104.9	33.3
LG 65.52.30.122:443/Network/Segments sent/sec.					
8.36	3,088	6,312	3,193	3,091	1,656
LG 65.52.30.122:443/Network/Segments retransmitted/sec.					
0	0.054	1	0	0.025	0.161
LG 65.52.30.122:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	65.5	132.3	68	65.5	35.3
LG 65.52.30.122:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.07	13	6.24	6.07	3.24

LG 65.52.30.182:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.30.182:443/CPU Load					
0	23.7	45	23	23.7	11.5
LG 65.52.30.182:443/Memory Used					
2	14.6	38	12	14.1	9.31
LG 65.52.30.182:443/Throughput					
0	60.6	126.3	60.8	60.5	33.5
LG 65.52.30.182:443/User Load					
0	53.5	94	59	54	29.1
LG 65.52.30.182:443/Thread Count					
39	117.8	166	124	118.4	32.7
LG 65.52.30.182:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.105	0.01
LG 65.52.30.182:443/Http client/Task Pool used					
0	0.009	0.383	0	0.004	0.031
LG 65.52.30.182:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.30.182:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.30.182:443/Controller Connection/Ping Duration (ms)					
93	119.5	212	113	116.6	23.5
LG 65.52.30.182:443/Network/Segments sent/sec.					
14.2	3,057	6,107	3,089	3,058	1,683
LG 65.52.30.182:443/Network/Segments retransmitted/sec.					
0	0.044	1.37	0	0.01	0.168
LG 65.52.30.182:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	64.7	134.8	65	64.7	35.8
LG 65.52.30.182:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	6.01	12.7	6.06	6	3.27

LG 65.52.31.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.31.79:443/CPU Load					
0	24.7	53	25	24.5	11.8
LG 65.52.31.79:443/Memory Used					
2	14.6	39	12	14	9.02
LG 65.52.31.79:443/Throughput					
0	60.8	130.1	63.3	60.6	31.9
LG 65.52.31.79:443/User Load					
0	54	93	61	54.6	27.7
LG 65.52.31.79:443/Thread Count					
38	118.6	168	126	119.2	30.7
LG 65.52.31.79:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.009
LG 65.52.31.79:443/Http client/Task Pool used					
0	0.01	0.217	0	0.004	0.031
LG 65.52.31.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.31.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.31.79:443/Controller Connection/Ping Duration (ms)					
76	109.2	115	111	110.4	7.21

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.31.79:443/Network/Segments sent/sec.					
9.86	3,063	6,476	3,211	3,053	1,598
LG 65.52.31.79:443/Network/Segments retransmitted/sec.					
0	0.046	1.41	0	0.015	0.166
LG 65.52.31.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0.013	65.1	139.1	67.6	64.8	34.1
LG 65.52.31.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	6.02	12.6	6.34	6.02	3.1

LG 65.52.5.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.5.215:443/CPU Load					
0	26.2	50	27	26.3	12
LG 65.52.5.215:443/Memory Used					
2	17	37	15	16.7	9.47
LG 65.52.5.215:443/Throughput					
0	63.6	121.9	67.5	64	31.5
LG 65.52.5.215:443/User Load					
0	56	94	62	56.8	27.5
LG 65.52.5.215:443/Thread Count					
39	121	173	126	121.7	31.6
LG 65.52.5.215:443/Http client/Thread Pool used					
0.1	0.107	0.16	0.1	0.105	0.011
LG 65.52.5.215:443/Http client/Task Pool used					
0	0.009	0.2	0	0.004	0.025
LG 65.52.5.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.5.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.5.215:443/Controller Connection/Ping Duration (ms)					
71	109.7	137	112	110.7	12
LG 65.52.5.215:443/Network/Segments sent/sec.					
8.06	3,197	6,002	3,399	3,219	1,574
LG 65.52.5.215:443/Network/Segments retransmitted/sec.					
0	0.064	11.6	0	0.01	0.55
LG 65.52.5.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	68	130	72.3	68.4	33.6
LG 65.52.5.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	6.28	12.2	6.72	6.31	3.08

LG 65.52.5.236:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.5.236:443/CPU Load					
0	23.1	47	22	23.2	11.4
LG 65.52.5.236:443/Memory Used					
2	13.7	38	11	13.1	9.03
LG 65.52.5.236:443/Throughput					
0	59.7	121.1	58.9	59.7	33.5
LG 65.52.5.236:443/User Load					
0	52.8	93	58.5	53.2	29
LG 65.52.5.236:443/Thread Count					
39	116.7	167	122.5	117.2	32.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.5.236:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.007
LG 65.52.5.236:443/Http client/Task Pool used					
0	0.008	0.217	0	0.003	0.025
LG 65.52.5.236:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.5.236:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.5.236:443/Controller Connection/Ping Duration (ms)					
67	113.1	153	113	113	14.1
LG 65.52.5.236:443/Network/Segments sent/sec.					
8.28	3,037	6,064	2,972	3,039	1,707
LG 65.52.5.236:443/Network/Segments retransmitted/sec.					
0	0.065	10.19	0	0.012	0.528
LG 65.52.5.236:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	63.8	128.9	63	63.8	35.7
LG 65.52.5.236:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.93	12	5.96	5.93	3.26

LG 65.52.5.247:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.5.247:443/CPU Load					
0	24.4	51	25	24.3	12.1
LG 65.52.5.247:443/Memory Used					
2	15.3	40	13	14.7	9.53
LG 65.52.5.247:443/Throughput					
0	60.6	135.1	61	60.4	33.6
LG 65.52.5.247:443/User Load					
0	53.5	94	59.5	54	29.1
LG 65.52.5.247:443/Thread Count					
39	118.3	172	123.5	118.7	33
LG 65.52.5.247:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.106	0.011
LG 65.52.5.247:443/Http client/Task Pool used					
0	0.009	0.25	0	0.003	0.029
LG 65.52.5.247:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.5.247:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.5.247:443/Controller Connection/Ping Duration (ms)					
65	100.5	120	114	101.3	19.4
LG 65.52.5.247:443/Network/Segments sent/sec.					
14	3,079	6,851	3,141	3,066	1,708
LG 65.52.5.247:443/Network/Segments retransmitted/sec.					
0	0.071	10.35	0	0.013	0.545
LG 65.52.5.247:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	64.8	144.1	65.2	64.5	35.8
LG 65.52.5.247:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	6.02	13.4	6.07	5.98	3.31

LG 104.41.130.196:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.130.196:443/CPU Load					
0	24.3	53	24	24.3	11.5
LG 104.41.130.196:443/Memory Used					
1	15.1	39	13	14.6	9.29
LG 104.41.130.196:443/Throughput					
0	64.3	129.8	64.9	64.5	32.3
LG 104.41.130.196:443/User Load					
0	56.8	94	63	57.6	27.1
LG 104.41.130.196:443/Thread Count					
38	120.9	168	126	121.7	30.3
LG 104.41.130.196:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.104	0.009
LG 104.41.130.196:443/Http client/Task Pool used					
0	0.008	0.183	0	0.004	0.023
LG 104.41.130.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.130.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.130.196:443/Controller Connection/Ping Duration (ms)					
83	151.7	163	156	154.5	16.3
LG 104.41.130.196:443/Network/Segments sent/sec.					
8.35	3,085	6,105	3,134	3,098	1,544
LG 104.41.130.196:443/Network/Segments retransmitted/sec.					
0	0.077	2.2	0	0.035	0.23
LG 104.41.130.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	68.6	138.2	69.5	68.9	34.4
LG 104.41.130.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6.32	12.4	6.31	6.34	3.18

LG 104.41.131.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.131.19:443/CPU Load					
0	23.9	51	24	23.7	12
LG 104.41.131.19:443/Memory Used					
1	13.9	50	11	13.1	10.1
LG 104.41.131.19:443/Throughput					
0	59.7	129.3	61.6	59.4	33.7
LG 104.41.131.19:443/User Load					
0	53	94	59	53.5	29.2
LG 104.41.131.19:443/Thread Count					
38	117.6	174	125	118	33.6
LG 104.41.131.19:443/Http client/Thread Pool used					
0.1	0.107	0.16	0.1	0.106	0.011
LG 104.41.131.19:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.027
LG 104.41.131.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.131.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.131.19:443/Controller Connection/Ping Duration (ms)					
80	142.9	198	123	143.2	44.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.131.19:443/Network/Segments sent/sec.					
10.38	2,865	6,135	2,938	2,849	1,606
LG 104.41.131.19:443/Network/Segments retransmitted/sec.					
0	0.098	1.4	0	0.056	0.244
LG 104.41.131.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	63.8	138.1	65.8	63.4	36
LG 104.41.131.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.88	13.3	6.08	5.84	3.25

LG 104.41.135.103:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.135.103:443/CPU Load					
0	22.6	48	20	22.5	11.5
LG 104.41.135.103:443/Memory Used					
2	13.9	39	11	13.2	9.25
LG 104.41.135.103:443/Throughput					
0	57	130	50.7	56.4	33.1
LG 104.41.135.103:443/User Load					
0	50.5	94	49	50.6	28
LG 104.41.135.103:443/Thread Count					
38	114	169	115	114.1	31.3
LG 104.41.135.103:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.103	0.008
LG 104.41.135.103:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.02
LG 104.41.135.103:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.135.103:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.135.103:443/Controller Connection/Ping Duration (ms)					
90	148.2	200	159	148.5	26.8
LG 104.41.135.103:443/Network/Segments sent/sec.					
10	2,736	6,057	2,437	2,712	1,575
LG 104.41.135.103:443/Network/Segments retransmitted/sec.					
0	0.072	1.4	0	0.033	0.205
LG 104.41.135.103:443/Network/eth0 (eth0)/Megabits received/sec.					
0.018	60.8	138.5	54.3	60.2	35.3
LG 104.41.135.103:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	5.6	12.3	5.04	5.55	3.18

LG 104.41.135.113:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.135.113:443/CPU Load					
0	24.3	49	24	24.4	11.1
LG 104.41.135.113:443/Memory Used					
2	15	39	13	14.5	9.21
LG 104.41.135.113:443/Throughput					
0	63.3	123.9	64.5	63.8	31.4
LG 104.41.135.113:443/User Load					
0	56.2	93	62	57	26.9
LG 104.41.135.113:443/Thread Count					
38	120.3	166	125	121.1	30

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.135.113:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 104.41.135.113:443/Http client/Task Pool used					
0	0.008	0.3	0	0.003	0.031
LG 104.41.135.113:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.135.113:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.135.113:443/Controller Connection/Ping Duration (ms)					
80	153	211	155	153.6	21.8
LG 104.41.135.113:443/Network/Segments sent/sec.					
8.3	3,039	5,687	3,091	3,065	1,497
LG 104.41.135.113:443/Network/Segments retransmitted/sec.					
0	0.078	1.6	0	0.04	0.21
LG 104.41.135.113:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	67.6	132	68.8	68.1	33.5
LG 104.41.135.113:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.22	11.9	6.18	6.26	3.05

LG 104.41.140.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.140.7:443/CPU Load					
0	24.3	53	24	24.1	11.4
LG 104.41.140.7:443/Memory Used					
2	15.1	38	12	14.5	9.58
LG 104.41.140.7:443/Throughput					
0	60.6	132.3	61.9	60.1	34.1
LG 104.41.140.7:443/User Load					
0	53.8	94	60	54.3	29.1
LG 104.41.140.7:443/Thread Count					
38	117.9	167	126	118.5	32.8
LG 104.41.140.7:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.009
LG 104.41.140.7:443/Http client/Task Pool used					
0	0.009	0.2	0	0.004	0.025
LG 104.41.140.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.140.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.140.7:443/Controller Connection/Ping Duration (ms)					
87	118.4	195	114	116.5	22.8
LG 104.41.140.7:443/Network/Segments sent/sec.					
10.79	2,909	6,340	3,008	2,888	1,619
LG 104.41.140.7:443/Network/Segments retransmitted/sec.					
0	0.089	1.6	0	0.051	0.219
LG 104.41.140.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	64.7	141.2	65.9	64.2	36.3
LG 104.41.140.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	5.96	14	5.99	5.9	3.32

LG 104.41.143.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.41.143.83:443/CPU Load					
0	23.8	53	23	23.7	11.8
LG 104.41.143.83:443/Memory Used					
2	13.7	38	11	13.2	9.16
LG 104.41.143.83:443/Throughput					
0	59.2	124.6	61	59	33.7
LG 104.41.143.83:443/User Load					
0	52.5	94	56	52.8	29.2
LG 104.41.143.83:443/Thread Count					
38	116.6	168	120	116.8	33.5
LG 104.41.143.83:443/Http client/Thread Pool used					
0.1	0.107	0.14	0.1	0.106	0.01
LG 104.41.143.83:443/Http client/Task Pool used					
0	0.009	0.267	0	0.004	0.031
LG 104.41.143.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.41.143.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.41.143.83:443/Controller Connection/Ping Duration (ms)					
114	154.1	168	156	155.6	10.08
LG 104.41.143.83:443/Network/Segments sent/sec.					
8.34	2,840	5,945	2,902	2,832	1,603
LG 104.41.143.83:443/Network/Segments retransmitted/sec.					
0	0.074	1.4	0	0.036	0.203
LG 104.41.143.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	63.3	133	65.3	63.1	35.9
LG 104.41.143.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.82	12.4	5.67	5.8	3.29

LG 13.68.216.145:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.216.145:443/CPU Load					
0	24.1	49	25	24.2	11.4
LG 13.68.216.145:443/Memory Used					
2	14.3	47	11	13.5	10.25
LG 13.68.216.145:443/Throughput					
0	61.6	129.5	64	61.6	32.3
LG 13.68.216.145:443/User Load					
0	54.6	94	61	55.1	27.9
LG 13.68.216.145:443/Thread Count					
38	118.4	165	124	119	30.7
LG 13.68.216.145:443/Http client/Thread Pool used					
0.1	0.106	0.13	0.1	0.105	0.008
LG 13.68.216.145:443/Http client/Task Pool used					
0	0.009	0.233	0	0.004	0.028
LG 13.68.216.145:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.216.145:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.216.145:443/Controller Connection/Ping Duration (ms)					
154	160	195	156	158.3	10.73

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.216.145:443/Network/Segments sent/sec.					
8.36	2,960	5,959	3,083	2,966	1,543
LG 13.68.216.145:443/Network/Segments retransmitted/sec.					
0	0.083	3.8	0	0.034	0.294
LG 13.68.216.145:443/Network/eth0 (eth0)/Megabits received/sec.					
0.014	65.8	138.1	68.6	65.9	34.5
LG 13.68.216.145:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.04	12.3	6.25	6.05	3.12

LG 13.68.217.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.217.240:443/CPU Load					
0	24.1	49	25	24.1	10.79
LG 13.68.217.240:443/Memory Used					
1	15.6	38	13	15.2	9.51
LG 13.68.217.240:443/Throughput					
0	63.4	130.8	65.9	63.7	31.4
LG 13.68.217.240:443/User Load					
0	56.2	93	62	57	26.9
LG 13.68.217.240:443/Thread Count					
38	120.3	168	125	121.1	30.3
LG 13.68.217.240:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 13.68.217.240:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.025
LG 13.68.217.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.217.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.217.240:443/Controller Connection/Ping Duration (ms)					
118	158.4	200	157	157.7	10.74
LG 13.68.217.240:443/Network/Segments sent/sec.					
8.35	3,043	6,280	3,190	3,058	1,498
LG 13.68.217.240:443/Network/Segments retransmitted/sec.					
0	0.078	1.6	0	0.04	0.215
LG 13.68.217.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	67.7	139.5	70.4	68.1	33.5
LG 13.68.217.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6.22	12.8	6.39	6.26	3.04

LG 13.68.219.229:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.219.229:443/CPU Load					
0	24.1	58	22	24	11.7
LG 13.68.219.229:443/Memory Used					
2	14.4	39	11	13.7	9.49
LG 13.68.219.229:443/Throughput					
0	58.6	133.7	55	58.1	34.3
LG 13.68.219.229:443/User Load					
0	51.9	93	56	52.3	29.2
LG 13.68.219.229:443/Thread Count					
38	115.3	165	120	115.8	32.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.219.229:443/Http client/Thread Pool used					
0.1	0.107	0.165	0.1	0.105	0.011
LG 13.68.219.229:443/Http client/Task Pool used					
0	0.007	0.167	0	0.003	0.022
LG 13.68.219.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.219.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.219.229:443/Controller Connection/Ping Duration (ms)					
84	171.8	202	196	174.9	34.3
LG 13.68.219.229:443/Network/Segments sent/sec.					
8.2	2,817	6,407	2,656	2,795	1,641
LG 13.68.219.229:443/Network/Segments retransmitted/sec.					
0	0.057	1.4	0	0.02	0.188
LG 13.68.219.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	62.5	142.4	59	62	36.5
LG 13.68.219.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.75	13.4	5.63	5.68	3.34

LG 13.68.220.182:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.220.182:443/CPU Load					
0	23.2	57	22	23	12
LG 13.68.220.182:443/Memory Used					
2	14.2	39	12	13.6	9.2
LG 13.68.220.182:443/Throughput					
0	58.5	132.4	59.7	58.1	33.7
LG 13.68.220.182:443/User Load					
0	51.7	93	56	52.1	29.3
LG 13.68.220.182:443/Thread Count					
38	115.2	169	118	115.6	33.3
LG 13.68.220.182:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.105	0.01
LG 13.68.220.182:443/Http client/Task Pool used					
0	0.008	0.217	0	0.003	0.023
LG 13.68.220.182:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.220.182:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.220.182:443/Controller Connection/Ping Duration (ms)					
81	158	201	158	158.8	15.7
LG 13.68.220.182:443/Network/Segments sent/sec.					
8.34	2,813	6,183	2,833	2,796	1,611
LG 13.68.220.182:443/Network/Segments retransmitted/sec.					
0	0.066	1.6	0	0.026	0.212
LG 13.68.220.182:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	62.4	141.1	63.8	62	35.9
LG 13.68.220.182:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.75	12.4	5.87	5.71	3.28

LG 13.68.221.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.221.243:443/CPU Load					
0	24.9	51	25	24.9	12.3
LG 13.68.221.243:443/Memory Used					
2	14	39	11	13.5	9.15
LG 13.68.221.243:443/Throughput					
0	60.1	130.7	61.7	60	33.7
LG 13.68.221.243:443/User Load					
0	53.2	94	59	53.7	29.3
LG 13.68.221.243:443/Thread Count					
38	117	166	121.5	117.6	33.1
LG 13.68.221.243:443/Http client/Thread Pool used					
0.1	0.106	0.135	0.1	0.105	0.008
LG 13.68.221.243:443/Http client/Task Pool used					
0	0.011	0.267	0	0.005	0.032
LG 13.68.221.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.221.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.221.243:443/Controller Connection/Ping Duration (ms)					
101	153	177	159	154.3	16.4
LG 13.68.221.243:443/Network/Segments sent/sec.					
10.79	2,898	6,091	2,930	2,892	1,624
LG 13.68.221.243:443/Network/Segments retransmitted/sec.					
0	0.061	0.801	0	0.031	0.163
LG 13.68.221.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	64.3	139.3	66	64.2	35.9
LG 13.68.221.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	5.9	12.7	5.9	5.88	3.27

LG 13.68.223.56:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.223.56:443/CPU Load					
0	23	55	20	22.6	11.6
LG 13.68.223.56:443/Memory Used					
2	13.6	45	10	12.8	9.52
LG 13.68.223.56:443/Throughput					
0	57.5	142.8	52.8	56.4	32.8
LG 13.68.223.56:443/User Load					
0	50.8	94	49	51	27.7
LG 13.68.223.56:443/Thread Count					
38	113.7	166	113	113.7	31.1
LG 13.68.223.56:443/Http client/Thread Pool used					
0.1	0.106	0.135	0.1	0.105	0.008
LG 13.68.223.56:443/Http client/Task Pool used					
0	0.007	0.25	0	0.003	0.024
LG 13.68.223.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.68.223.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.68.223.56:443/Controller Connection/Ping Duration (ms)					
81	155.7	197	157	156.5	18.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.68.223.56:443/Network/Segments sent/sec.					
10.4	2,750	6,719	2,465	2,701	1,565
LG 13.68.223.56:443/Network/Segments retransmitted/sec.					
0	0.089	2.01	0	0.043	0.246
LG 13.68.223.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	61.4	152.1	56.3	60.2	35
LG 13.68.223.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.64	13.5	5.21	5.55	3.15

LG 13.82.105.65:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.82.105.65:443/CPU Load					
0	24.5	52	25	24.5	12.1
LG 13.82.105.65:443/Memory Used					
2	14.4	37	12	13.9	9.26
LG 13.82.105.65:443/Throughput					
0	59.3	122.5	61.2	59.3	33.7
LG 13.82.105.65:443/User Load					
0	52.6	93	58	53	29.1
LG 13.82.105.65:443/Thread Count					
38	115.4	164	120	116	32.3
LG 13.82.105.65:443/Http client/Thread Pool used					
0.1	0.106	0.135	0.1	0.105	0.009
LG 13.82.105.65:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.021
LG 13.82.105.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.82.105.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.82.105.65:443/Controller Connection/Ping Duration (ms)					
88	112.1	195	112	109.6	19.9
LG 13.82.105.65:443/Network/Segments sent/sec.					
8.2	2,842	5,887	2,923	2,839	1,609
LG 13.82.105.65:443/Network/Segments retransmitted/sec.					
0	0.062	1.19	0	0.028	0.182
LG 13.82.105.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	63.4	130.7	65.5	63.3	35.9
LG 13.82.105.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.83	12.1	5.79	5.82	3.26

LG 13.82.110.31:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.82.110.31:443/CPU Load					
0	24.3	51	24	24.3	11.6
LG 13.82.110.31:443/Memory Used					
2	14.5	38	12	13.9	9.19
LG 13.82.110.31:443/Throughput					
0	61.7	133.8	62	61.5	32.5
LG 13.82.110.31:443/User Load					
0	54.4	94	61	55	27.9
LG 13.82.110.31:443/Thread Count					
38	118.9	167	124	119.5	31.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.82.110.31:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.008
LG 13.82.110.31:443/Http client/Task Pool used					
0	0.008	0.2	0	0.003	0.024
LG 13.82.110.31:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.82.110.31:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.82.110.31:443/Controller Connection/Ping Duration (ms)					
85	113.7	195	110	111.2	20.8
LG 13.82.110.31:443/Network/Segments sent/sec.					
10.85	2,959	6,404	2,955	2,950	1,559
LG 13.82.110.31:443/Network/Segments retransmitted/sec.					
0	0.079	2	0	0.036	0.236
LG 13.82.110.31:443/Network/eth0 (eth0)/Megabits received/sec.					
0.039	65.9	142.8	66.3	65.7	34.7
LG 13.82.110.31:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.05	13	6.03	6.02	3.14

LG 13.82.111.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.82.111.42:443/CPU Load					
0	23	48	20	22.8	11.3
LG 13.82.111.42:443/Memory Used					
2	13.5	47	9	12.7	10.11
LG 13.82.111.42:443/Throughput					
0	56.6	129.4	53.4	56.1	31.9
LG 13.82.111.42:443/User Load					
0	50	93	49	50.1	27.6
LG 13.82.111.42:443/Thread Count					
38	113.4	168	110	113.4	31.6
LG 13.82.111.42:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.009
LG 13.82.111.42:443/Http client/Task Pool used					
0	0.007	0.2	0	0.002	0.023
LG 13.82.111.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.82.111.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.82.111.42:443/Controller Connection/Ping Duration (ms)					
114	162.9	199	159	163.5	22.1
LG 13.82.111.42:443/Network/Segments sent/sec.					
9.8	2,713	5,930	2,566	2,696	1,516
LG 13.82.111.42:443/Network/Segments retransmitted/sec.					
0	0.1	2.03	0	0.053	0.263
LG 13.82.111.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	60.4	137.7	57.1	59.9	34
LG 13.82.111.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	5.56	11.6	5.12	5.54	3.06

LG 13.90.100.167:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.100.167:443/CPU Load					
0	24.2	55	23	24.1	12.1
LG 13.90.100.167:443/Memory Used					
2	15	49	12	14.2	10.46
LG 13.90.100.167:443/Throughput					
0	61	127.1	57.8	60.9	32.6
LG 13.90.100.167:443/User Load					
0	54.1	93	60	54.7	27.6
LG 13.90.100.167:443/Thread Count					
38	118.5	167	124	119.2	31
LG 13.90.100.167:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.008
LG 13.90.100.167:443/Http client/Task Pool used					
0	0.007	0.217	0	0.003	0.022
LG 13.90.100.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.100.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.100.167:443/Controller Connection/Ping Duration (ms)					
116	179.5	201	196	181.8	27
LG 13.90.100.167:443/Network/Segments sent/sec.					
9.57	2,926	5,910	2,812	2,926	1,548
LG 13.90.100.167:443/Network/Segments retransmitted/sec.					
0	0.077	1.6	0	0.035	0.224
LG 13.90.100.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	65.1	135.3	61.7	65.1	34.8
LG 13.90.100.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	5.98	13.5	5.67	5.97	3.18

LG 13.90.100.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.100.28:443/CPU Load					
0	26.4	51	27	26.4	12
LG 13.90.100.28:443/Memory Used					
2	15.5	39	13	15	9.16
LG 13.90.100.28:443/Throughput					
0	64.1	127.3	67.8	64.4	32.1
LG 13.90.100.28:443/User Load					
0	56.5	94	62	57.3	27.2
LG 13.90.100.28:443/Thread Count					
38	120.6	177	125	121.3	30.2
LG 13.90.100.28:443/Http client/Thread Pool used					
0.1	0.109	0.195	0.105	0.106	0.015
LG 13.90.100.28:443/Http client/Task Pool used					
0	0.011	0.283	0	0.005	0.03
LG 13.90.100.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.100.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.100.28:443/Controller Connection/Ping Duration (ms)					
87	111.7	189	113	109	19.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.100.28:443/Network/Segments sent/sec.					
12	3,072	5,915	3,225	3,088	1,533
LG 13.90.100.28:443/Network/Segments retransmitted/sec.					
0	0.084	1.23	0	0.046	0.211
LG 13.90.100.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0.037	68.5	135.8	72.4	68.8	34.2
LG 13.90.100.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	6.28	12.7	6.6	6.3	3.11

LG 13.90.100.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.100.44:443/CPU Load					
0	25.6	50	25	25.7	12.1
LG 13.90.100.44:443/Memory Used					
2	14.6	40	11	14.1	9.53
LG 13.90.100.44:443/Throughput					
0	59.7	132.1	59.2	59.5	33.6
LG 13.90.100.44:443/User Load					
0	52.8	93	59	53.3	29
LG 13.90.100.44:443/Thread Count					
38	117.2	167	123	117.8	33.1
LG 13.90.100.44:443/Http client/Thread Pool used					
0.1	0.108	0.155	0.1	0.106	0.011
LG 13.90.100.44:443/Http client/Task Pool used					
0	0.007	0.217	0	0.003	0.023
LG 13.90.100.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.100.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.100.44:443/Controller Connection/Ping Duration (ms)					
82	173.6	200	197	176.7	31.8
LG 13.90.100.44:443/Network/Segments sent/sec.					
8.2	2,871	6,239	2,833	2,864	1,608
LG 13.90.100.44:443/Network/Segments retransmitted/sec.					
0	0.078	1.4	0	0.041	0.212
LG 13.90.100.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	63.6	140.1	63.2	63.4	35.7
LG 13.90.100.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.87	12.5	5.63	5.84	3.29

LG 13.90.101.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.101.110:443/CPU Load					
0	23.4	52	21	23.3	11.6
LG 13.90.101.110:443/Memory Used					
2	14.3	38	11	13.7	9.44
LG 13.90.101.110:443/Throughput					
0	60.4	128.7	54.9	60.4	34
LG 13.90.101.110:443/User Load					
0	53.5	94	59	54	29.1
LG 13.90.101.110:443/Thread Count					
38	115.8	165	120	116.3	31.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.101.110:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 13.90.101.110:443/Http client/Task Pool used					
0	0.008	0.2	0	0.003	0.025
LG 13.90.101.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.101.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.101.110:443/Controller Connection/Ping Duration (ms)					
117	157.1	197	157	156.9	13.9
LG 13.90.101.110:443/Network/Segments sent/sec.					
9.32	2,900	6,018	2,633	2,902	1,624
LG 13.90.101.110:443/Network/Segments retransmitted/sec.					
0	0.093	2.6	0	0.042	0.274
LG 13.90.101.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	64.5	137.4	58.6	64.6	36.2
LG 13.90.101.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	5.94	12.1	5.4	5.94	3.3

LG 13.90.101.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.101.237:443/CPU Load					
0	26.1	57	26	26	11.9
LG 13.90.101.237:443/Memory Used					
1	15.6	42	13	15.1	9.9
LG 13.90.101.237:443/Throughput					
0	63.5	143.8	64.8	63.4	32.4
LG 13.90.101.237:443/User Load					
0	56.3	94	63	57.1	27.5
LG 13.90.101.237:443/Thread Count					
38	121.3	172	128	122.1	30.8
LG 13.90.101.237:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.105	0.106	0.009
LG 13.90.101.237:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.03
LG 13.90.101.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.101.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.101.237:443/Controller Connection/Ping Duration (ms)					
83	110.8	158	109	109.5	15.1
LG 13.90.101.237:443/Network/Segments sent/sec.					
11.2	3,050	6,749	3,097	3,044	1,562
LG 13.90.101.237:443/Network/Segments retransmitted/sec.					
0	0.1	4.18	0	0.051	0.303
LG 13.90.101.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	67.7	153.1	69.2	67.7	34.5
LG 13.90.101.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6.22	13	6.21	6.22	3.14

LG 13.90.102.217:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.102.217:443/CPU Load					
0	24.1	53	23	24	11.6
LG 13.90.102.217:443/Memory Used					
2	15	37	12	14.5	9.36
LG 13.90.102.217:443/Throughput					
0	60.9	132.5	61	60.6	32.3
LG 13.90.102.217:443/User Load					
0	53.9	93	60	54.5	27.7
LG 13.90.102.217:443/Thread Count					
38	118.3	172	125	118.8	31.3
LG 13.90.102.217:443/Http client/Thread Pool used					
0.1	0.106	0.165	0.1	0.104	0.011
LG 13.90.102.217:443/Http client/Task Pool used					
0	0.009	0.25	0	0.003	0.031
LG 13.90.102.217:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.102.217:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.102.217:443/Controller Connection/Ping Duration (ms)					
88	114.8	179	114	112.9	20.8
LG 13.90.102.217:443/Network/Segments sent/sec.					
6.79	2,919	6,254	2,935	2,910	1,543
LG 13.90.102.217:443/Network/Segments retransmitted/sec.					
0	0.066	1.6	0	0.03	0.197
LG 13.90.102.217:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	65	141.5	65.2	64.8	34.4
LG 13.90.102.217:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	5.96	13.7	6.1	5.93	3.13

LG 13.90.103.115:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.103.115:443/CPU Load					
0	24.5	48	23	24.5	11.8
LG 13.90.103.115:443/Memory Used					
2	14.9	39	11	14.3	9.87
LG 13.90.103.115:443/Throughput					
0	59.4	123.5	58.5	59.2	33.7
LG 13.90.103.115:443/User Load					
0	52.6	93	59	53.1	29.2
LG 13.90.103.115:443/Thread Count					
38	116.6	170	122	117.1	33.2
LG 13.90.103.115:443/Http client/Thread Pool used					
0.1	0.107	0.155	0.1	0.105	0.011
LG 13.90.103.115:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.026
LG 13.90.103.115:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.103.115:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.103.115:443/Controller Connection/Ping Duration (ms)					
88	115.9	195	115	113.1	24.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.103.115:443/Network/Segments sent/sec.					
10.41	2,847	5,873	2,768	2,839	1,608
LG 13.90.103.115:443/Network/Segments retransmitted/sec.					
0	0.081	2.58	0	0.038	0.246
LG 13.90.103.115:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	63.4	131.6	62.4	63.3	35.9
LG 13.90.103.115:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.84	12	5.68	5.83	3.26

LG 13.90.103.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.103.205:443/CPU Load					
0	23.4	54	23	23.3	11.6
LG 13.90.103.205:443/Memory Used					
2	14	39	12	13.4	9.03
LG 13.90.103.205:443/Throughput					
0	59.8	133.2	59.5	59.5	33.6
LG 13.90.103.205:443/User Load					
0	52.9	94	57.5	53.4	29.2
LG 13.90.103.205:443/Thread Count					
38	117.3	170	122	117.6	32.6
LG 13.90.103.205:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.01
LG 13.90.103.205:443/Http client/Task Pool used					
0	0.007	0.217	0	0.003	0.022
LG 13.90.103.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.103.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.103.205:443/Controller Connection/Ping Duration (ms)					
84	115.8	204	115	112.5	24.9
LG 13.90.103.205:443/Network/Segments sent/sec.					
11.1	2,872	6,105	2,852	2,863	1,604
LG 13.90.103.205:443/Network/Segments retransmitted/sec.					
0	0.082	1.2	0	0.046	0.205
LG 13.90.103.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.037	63.8	141.8	64	63.5	35.8
LG 13.90.103.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.87	12.4	5.88	5.85	3.23

LG 13.90.96.183:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.96.183:443/CPU Load					
0	26.6	55	26	26.5	13
LG 13.90.96.183:443/Memory Used					
2	15.5	39	12	14.9	9.79
LG 13.90.96.183:443/Throughput					
0	61.9	128.1	61.3	61.8	32.9
LG 13.90.96.183:443/User Load					
0	54.5	94	61	55.1	28
LG 13.90.96.183:443/Thread Count					
38	119.5	167	126	120.1	31.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.96.183:443/Http client/Thread Pool used					
0.1	0.107	0.135	0.105	0.106	0.009
LG 13.90.96.183:443/Http client/Task Pool used					
0	0.011	0.283	0	0.005	0.031
LG 13.90.96.183:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.96.183:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.96.183:443/Controller Connection/Ping Duration (ms)					
99	154.8	198	158	156.7	12.3
LG 13.90.96.183:443/Network/Segments sent/sec.					
14.2	2,957	6,095	2,901	2,957	1,565
LG 13.90.96.183:443/Network/Segments retransmitted/sec.					
0	0.102	1.8	0	0.057	0.258
LG 13.90.96.183:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	66	136.5	65.6	66	35
LG 13.90.96.183:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	6.07	12.3	6.07	6.07	3.19

LG 13.90.96.66:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.96.66:443/CPU Load					
0	24.2	49	24	24.2	11.8
LG 13.90.96.66:443/Memory Used					
2	14.3	39	12	13.7	8.86
LG 13.90.96.66:443/Throughput					
0	59.8	128.2	61	59.6	33.9
LG 13.90.96.66:443/User Load					
0	53	94	58.5	53.5	29.2
LG 13.90.96.66:443/Thread Count					
38	116.4	172	121.5	116.7	33.1
LG 13.90.96.66:443/Http client/Thread Pool used					
0.1	0.108	0.17	0.1	0.106	0.014
LG 13.90.96.66:443/Http client/Task Pool used					
0	0.009	0.3	0	0.004	0.029
LG 13.90.96.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.96.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.96.66:443/Controller Connection/Ping Duration (ms)					
86	112.8	197	114	110	23.4
LG 13.90.96.66:443/Network/Segments sent/sec.					
12.4	2,881	6,116	2,982	2,874	1,616
LG 13.90.96.66:443/Network/Segments retransmitted/sec.					
0	0.066	1.22	0	0.032	0.188
LG 13.90.96.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0.035	63.9	137	65.3	63.7	36.1
LG 13.90.96.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	5.87	12.7	6.06	5.85	3.27

LG 13.90.97.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.97.0:443/CPU Load					
0	23.5	51	23	23.4	12.1
LG 13.90.97.0:443/Memory Used					
2	14.3	39	11.5	13.8	9.28
LG 13.90.97.0:443/Throughput					
0	60	130	59.7	59.8	33.8
LG 13.90.97.0:443/User Load					
0	53	94	59	53.5	29.3
LG 13.90.97.0:443/Thread Count					
38	115.5	167	120	116	32
LG 13.90.97.0:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.008
LG 13.90.97.0:443/Http client/Task Pool used					
0	0.007	0.15	0	0.003	0.02
LG 13.90.97.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.97.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.97.0:443/Controller Connection/Ping Duration (ms)					
99	127.4	157	119	127.3	21.8
LG 13.90.97.0:443/Network/Segments sent/sec.					
8.39	2,873	6,072	2,917	2,865	1,612
LG 13.90.97.0:443/Network/Segments retransmitted/sec.					
0	0.076	1.4	0	0.039	0.209
LG 13.90.97.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	64.1	138.5	63.7	63.9	36
LG 13.90.97.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.89	12.2	5.81	5.88	3.26

LG 13.90.99.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.99.116:443/CPU Load					
0	24	51	24.5	23.9	11.7
LG 13.90.99.116:443/Memory Used					
2	14.8	39	12	14.2	9.38
LG 13.90.99.116:443/Throughput					
0	60.6	134.4	63.5	60.2	33.7
LG 13.90.99.116:443/User Load					
0	53.6	94	59.5	54.1	29
LG 13.90.99.116:443/Thread Count					
38	117.9	178	125	118.3	32.4
LG 13.90.99.116:443/Http client/Thread Pool used					
0.1	0.108	0.19	0.1	0.105	0.014
LG 13.90.99.116:443/Http client/Task Pool used					
0	0.01	0.317	0	0.004	0.031
LG 13.90.99.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.90.99.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.90.99.116:443/Controller Connection/Ping Duration (ms)					
130	159.2	195	157	158.4	12.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.90.99.116:443/Network/Segments sent/sec.					
11.8	2,956	6,527	3,068	2,938	1,639
LG 13.90.99.116:443/Network/Segments retransmitted/sec.					
0	0.081	1.2	0	0.043	0.213
LG 13.90.99.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0.037	64.7	143.2	67.9	64.3	36
LG 13.90.99.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	5.96	13.5	6.2	5.91	3.3

LG 13.92.120.34:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.120.34:443/CPU Load					
0	24.2	57	24	24.1	12.1
LG 13.92.120.34:443/Memory Used					
2	15.1	41	12	14.5	10.05
LG 13.92.120.34:443/Throughput					
0	59.7	133.1	61.3	59.4	33.9
LG 13.92.120.34:443/User Load					
0	52.9	94	59	53.4	29.4
LG 13.92.120.34:443/Thread Count					
38	117.3	170	123.5	117.8	33.2
LG 13.92.120.34:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 13.92.120.34:443/Http client/Task Pool used					
0	0.008	0.2	0	0.003	0.026
LG 13.92.120.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.120.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.120.34:443/Controller Connection/Ping Duration (ms)					
156	158.7	196	157	157.4	6.88
LG 13.92.120.34:443/Network/Segments sent/sec.					
8.2	2,857	6,221	2,940	2,843	1,617
LG 13.92.120.34:443/Network/Segments retransmitted/sec.					
0	0.099	1.76	0	0.056	0.248
LG 13.92.120.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	63.7	141.5	65.4	63.4	36.1
LG 13.92.120.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.85	12.5	6.05	5.84	3.27

LG 13.92.120.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.120.39:443/CPU Load					
0	24.1	53	24	23.9	12.5
LG 13.92.120.39:443/Memory Used					
2	14.5	39	11	13.8	9.69
LG 13.92.120.39:443/Throughput					
0	59.4	130.6	60.9	59.2	33.6
LG 13.92.120.39:443/User Load					
0	52.6	93	58	53.1	29.1
LG 13.92.120.39:443/Thread Count					
38	129.9	291	125	125.1	59.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.120.39:443/Http client/Thread Pool used					
0.1	0.167	0.705	0.1	0.142	0.176
LG 13.92.120.39:443/Http client/Task Pool used					
0	0.007	0.283	0	0.003	0.024
LG 13.92.120.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.120.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.120.39:443/Controller Connection/Ping Duration (ms)					
112	152.4	162	156	153.9	12.3
LG 13.92.120.39:443/Network/Segments sent/sec.					
11.5	2,851	6,054	2,957	2,841	1,604
LG 13.92.120.39:443/Network/Segments retransmitted/sec.					
0	0.09	2.4	0	0.044	0.261
LG 13.92.120.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	63.4	139.2	65.2	63.2	35.8
LG 13.92.120.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	5.84	12.2	6.13	5.82	3.21

LG 13.92.122.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.122.242:443/CPU Load					
0	24.2	55	24	24	12.5
LG 13.92.122.242:443/Memory Used					
1	14.4	38	12	13.8	9.51
LG 13.92.122.242:443/Throughput					
0	58.5	133.9	60	58.2	33.7
LG 13.92.122.242:443/User Load					
0	51.8	93	56	52.2	29.3
LG 13.92.122.242:443/Thread Count					
38	115.3	172	118	115.6	33.1
LG 13.92.122.242:443/Http client/Thread Pool used					
0.1	0.108	0.17	0.1	0.106	0.013
LG 13.92.122.242:443/Http client/Task Pool used					
0	0.009	0.283	0	0.004	0.029
LG 13.92.122.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.122.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.122.242:443/Controller Connection/Ping Duration (ms)					
88	114.6	195	114	112.3	18.4
LG 13.92.122.242:443/Network/Segments sent/sec.					
10.77	2,811	6,029	2,921	2,798	1,614
LG 13.92.122.242:443/Network/Segments retransmitted/sec.					
0	0.11	3.56	0	0.053	0.317
LG 13.92.122.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	62.5	142.3	64.1	62.1	36
LG 13.92.122.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.76	12.3	5.78	5.74	3.27

LG 13.92.123.101:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.123.101:443/CPU Load					
0	24.3	56	24	24.1	12.7
LG 13.92.123.101:443/Memory Used					
2	14.1	38	11	13.4	9.44
LG 13.92.123.101:443/Throughput					
0	58.7	126.7	59.1	58.4	33.8
LG 13.92.123.101:443/User Load					
0	51.9	94	56	52.3	29.6
LG 13.92.123.101:443/Thread Count					
38	115.8	167	120	116.2	33.3
LG 13.92.123.101:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 13.92.123.101:443/Http client/Task Pool used					
0	0.005	0.167	0	0.002	0.017
LG 13.92.123.101:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.123.101:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.123.101:443/Controller Connection/Ping Duration (ms)					
83	132.8	208	119	131.4	36.6
LG 13.92.123.101:443/Network/Segments sent/sec.					
13.6	2,813	5,901	2,897	2,806	1,606
LG 13.92.123.101:443/Network/Segments retransmitted/sec.					
0	0.075	2.22	0	0.031	0.237
LG 13.92.123.101:443/Network/eth0 (eth0)/Megabits received/sec.					
0.04	62.7	134.9	63.1	62.4	36
LG 13.92.123.101:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	5.76	12.7	5.91	5.73	3.27

LG 13.92.126.123:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.126.123:443/CPU Load					
0	26.7	56	27	26.9	11.7
LG 13.92.126.123:443/Memory Used					
2	16.3	38	14	15.9	9.88
LG 13.92.126.123:443/Throughput					
0	63.5	124.1	67.8	63.9	31.4
LG 13.92.126.123:443/User Load					
0	56.4	94	62	57.2	27.3
LG 13.92.126.123:443/Thread Count					
38	120.3	168	124	121	30.1
LG 13.92.126.123:443/Http client/Thread Pool used					
0.1	0.109	0.155	0.105	0.107	0.011
LG 13.92.126.123:443/Http client/Task Pool used					
0	0.008	0.217	0	0.004	0.024
LG 13.92.126.123:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.126.123:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.126.123:443/Controller Connection/Ping Duration (ms)					
93	169.5	203	161	171.6	28.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.126.123:443/Network/Segments sent/sec.					
10.2	3,035	5,906	3,255	3,052	1,497
LG 13.92.126.123:443/Network/Segments retransmitted/sec.					
0	0.104	2	0	0.058	0.268
LG 13.92.126.123:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	67.8	132.3	72.6	68.2	33.5
LG 13.92.126.123:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.23	12.3	6.6	6.26	3.05

LG 13.92.126.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.126.137:443/CPU Load					
0	27.2	52	29	27.3	12
LG 13.92.126.137:443/Memory Used					
2	15.5	38	12	14.9	9.85
LG 13.92.126.137:443/Throughput					
0	64	125.6	68	64.2	31.8
LG 13.92.126.137:443/User Load					
0	56.5	94	63	57.3	27.4
LG 13.92.126.137:443/Thread Count					
38	121.8	171	127	122.5	31.1
LG 13.92.126.137:443/Http client/Thread Pool used					
0.1	0.108	0.15	0.105	0.107	0.012
LG 13.92.126.137:443/Http client/Task Pool used					
0	0.011	0.267	0	0.005	0.033
LG 13.92.126.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.126.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.126.137:443/Controller Connection/Ping Duration (ms)					
88	120.1	171	114	119.1	21.1
LG 13.92.126.137:443/Network/Segments sent/sec.					
8.07	3,066	5,942	3,261	3,083	1,519
LG 13.92.126.137:443/Network/Segments retransmitted/sec.					
0	0.076	2.01	0	0.035	0.223
LG 13.92.126.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	68.2	133.8	72.5	68.5	33.8
LG 13.92.126.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	6.25	12.2	6.64	6.28	3.05

LG 13.92.97.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.97.139:443/CPU Load					
0	24.2	54	24	24	12.3
LG 13.92.97.139:443/Memory Used					
2	14.8	39	12	14.2	9.71
LG 13.92.97.139:443/Throughput					
0	60.1	132.1	61.7	59.8	34
LG 13.92.97.139:443/User Load					
0	53.1	94	58	53.6	29.1
LG 13.92.97.139:443/Thread Count					
39	116	167	120	116.4	31.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.97.139:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.009
LG 13.92.97.139:443/Http client/Task Pool used					
0	0.007	0.133	0	0.003	0.019
LG 13.92.97.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.97.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.97.139:443/Controller Connection/Ping Duration (ms)					
90	116.8	180	111	114.6	22.6
LG 13.92.97.139:443/Network/Segments sent/sec.					
14.2	2,883	6,323	2,966	2,866	1,623
LG 13.92.97.139:443/Network/Segments retransmitted/sec.					
0	0.057	1.58	0	0.024	0.179
LG 13.92.97.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.035	64.2	141	65.9	63.8	36.2
LG 13.92.97.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	5.9	12.9	6.08	5.87	3.28

LG 13.92.97.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.92.97.37:443/CPU Load					
0	24.1	52	23	23.9	13
LG 13.92.97.37:443/Memory Used					
2	15	47	12	14.3	10.27
LG 13.92.97.37:443/Throughput					
0	59.9	133.2	58.1	59.7	34.1
LG 13.92.97.37:443/User Load					
0	53	94	58.5	53.5	29.4
LG 13.92.97.37:443/Thread Count					
38	116.3	165	122	116.8	32.4
LG 13.92.97.37:443/Http client/Thread Pool used					
0.1	0.106	0.135	0.1	0.105	0.009
LG 13.92.97.37:443/Http client/Task Pool used					
0	0.01	0.283	0	0.004	0.03
LG 13.92.97.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.92.97.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.92.97.37:443/Controller Connection/Ping Duration (ms)					
132	157.9	197	158	157.7	9.05
LG 13.92.97.37:443/Network/Segments sent/sec.					
10.6	2,875	6,142	2,828	2,869	1,633
LG 13.92.97.37:443/Network/Segments retransmitted/sec.					
0	0.094	1.8	0	0.052	0.24
LG 13.92.97.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	64	142.1	62.1	63.8	36.4
LG 13.92.97.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.89	12.5	5.51	5.88	3.31

LG 137.117.81.177:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.117.81.177:443/CPU Load					
0	24	57	23	23.7	12
LG 137.117.81.177:443/Memory Used					
2	14.6	37	12	14.1	9.23
LG 137.117.81.177:443/Throughput					
0	61.2	154.8	58.6	60.4	33.9
LG 137.117.81.177:443/User Load					
0	54.2	94	60.5	54.9	28.1
LG 137.117.81.177:443/Thread Count					
38	117.7	167	124	118.5	32.1
LG 137.117.81.177:443/Http client/Thread Pool used					
0.1	0.109	0.165	0.1	0.107	0.013
LG 137.117.81.177:443/Http client/Task Pool used					
0	0.006	0.2	0	0.002	0.021
LG 137.117.81.177:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.117.81.177:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.117.81.177:443/Controller Connection/Ping Duration (ms)					
118	158.2	198	156	157.6	13.2
LG 137.117.81.177:443/Network/Segments sent/sec.					
9.8	2,929	7,247	2,822	2,893	1,609
LG 137.117.81.177:443/Network/Segments retransmitted/sec.					
0	0.088	1.8	0	0.041	0.254
LG 137.117.81.177:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	65.4	165	62.6	64.6	36.2
LG 137.117.81.177:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6	14.7	6.06	5.92	3.27

LG 137.117.86.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.117.86.160:443/CPU Load					
0	25.8	54	27	25.8	12.4
LG 137.117.86.160:443/Memory Used					
2	14.6	37	11	14	9.59
LG 137.117.86.160:443/Throughput					
0	60.3	123.3	63.4	60.2	33.6
LG 137.117.86.160:443/User Load					
0	53.5	94	60	54	29.3
LG 137.117.86.160:443/Thread Count					
38	116.3	166	125	116.9	32.3
LG 137.117.86.160:443/Http client/Thread Pool used					
0.1	0.107	0.14	0.105	0.106	0.009
LG 137.117.86.160:443/Http client/Task Pool used					
0	0.01	0.267	0	0.004	0.029
LG 137.117.86.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.117.86.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.117.86.160:443/Controller Connection/Ping Duration (ms)					
83	170.4	205	196	173.1	34.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.117.86.160:443/Network/Segments sent/sec.					
8.2	2,892	5,827	3,083	2,888	1,603
LG 137.117.86.160:443/Network/Segments retransmitted/sec.					
0	0.088	1.6	0	0.048	0.23
LG 137.117.86.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	64.4	131.5	67.7	64.2	35.8
LG 137.117.86.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.92	12.2	6.06	5.91	3.25

LG 137.117.89.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.117.89.73:443/CPU Load					
0	23.8	51	25	23.7	11.7
LG 137.117.89.73:443/Memory Used					
2	13.8	38	11	13.1	9.1
LG 137.117.89.73:443/Throughput					
0	59.4	129	62.1	59.1	33.5
LG 137.117.89.73:443/User Load					
0	52.6	94	57.5	53	29.2
LG 137.117.89.73:443/Thread Count					
38	117.9	168	125	118.4	33.9
LG 137.117.89.73:443/Http client/Thread Pool used					
0.1	0.112	0.215	0.1	0.109	0.023
LG 137.117.89.73:443/Http client/Task Pool used					
0	0.009	0.3	0	0.004	0.03
LG 137.117.89.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.117.89.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.117.89.73:443/Controller Connection/Ping Duration (ms)					
105	174.2	206	166	176.1	26.2
LG 137.117.89.73:443/Network/Segments sent/sec.					
10.4	2,856	6,073	3,039	2,843	1,599
LG 137.117.89.73:443/Network/Segments retransmitted/sec.					
0	0.067	1.6	0	0.031	0.194
LG 137.117.89.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	63.5	137.7	66.6	63.2	35.7
LG 137.117.89.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.84	12.8	6	5.81	3.25

LG 137.135.101.229:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.101.229:443/CPU Load					
0	23.9	53	24	23.6	11.3
LG 137.135.101.229:443/Memory Used					
1	14.9	38	12	14.4	9.4
LG 137.135.101.229:443/Throughput					
0	62	142.5	63.1	61.5	32.7
LG 137.135.101.229:443/User Load					
0	54.9	94	61	55.6	27.7
LG 137.135.101.229:443/Thread Count					
38	120.8	174	124	121.2	33.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.101.229:443/Http client/Thread Pool used					
0.1	0.114	0.225	0.1	0.11	0.026
LG 137.135.101.229:443/Http client/Task Pool used					
0	0.009	0.183	0	0.005	0.024
LG 137.135.101.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.101.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.101.229:443/Controller Connection/Ping Duration (ms)					
81	153.8	196	157	155.5	20.5
LG 137.135.101.229:443/Network/Segments sent/sec.					
8.31	2,977	6,783	3,019	2,957	1,558
LG 137.135.101.229:443/Network/Segments retransmitted/sec.					
0	0.09	2.2	0	0.048	0.247
LG 137.135.101.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	66.2	152.2	67.4	65.7	34.8
LG 137.135.101.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	6.1	13.4	6.32	6.06	3.16

LG 137.135.102.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.102.160:443/CPU Load					
0	24.8	46	26	24.9	10.96
LG 137.135.102.160:443/Memory Used					
2	14.6	38	11	14.1	9.35
LG 137.135.102.160:443/Throughput					
0	64	131.7	67.1	64.3	31.6
LG 137.135.102.160:443/User Load					
0	56.7	94	63	57.5	27.2
LG 137.135.102.160:443/Thread Count					
38	120.8	173	126	121.5	30.3
LG 137.135.102.160:443/Http client/Thread Pool used					
0.1	0.106	0.165	0.1	0.104	0.011
LG 137.135.102.160:443/Http client/Task Pool used					
0	0.01	0.233	0	0.004	0.029
LG 137.135.102.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.102.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.102.160:443/Controller Connection/Ping Duration (ms)					
121	154.1	160	155	155	6.21
LG 137.135.102.160:443/Network/Segments sent/sec.					
8.36	3,057	6,208	3,209	3,074	1,502
LG 137.135.102.160:443/Network/Segments retransmitted/sec.					
0	0.072	1.6	0	0.037	0.197
LG 137.135.102.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	68.3	140.4	71.7	68.7	33.7
LG 137.135.102.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6.28	12.5	6.6	6.3	3.07

LG 137.135.103.136:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.103.136:443/CPU Load					
0	25.3	53	24	25.3	12.4
LG 137.135.103.136:443/Memory Used					
2	14.9	39	13	14.3	9
LG 137.135.103.136:443/Throughput					
0	58.9	130.2	58.1	58.6	33.6
LG 137.135.103.136:443/User Load					
0	52.2	94	56	52.5	29.4
LG 137.135.103.136:443/Thread Count					
38	116.4	171	118	116.7	33.6
LG 137.135.103.136:443/Http client/Thread Pool used					
0.1	0.108	0.155	0.1	0.107	0.012
LG 137.135.103.136:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.02
LG 137.135.103.136:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.103.136:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.103.136:443/Controller Connection/Ping Duration (ms)					
87	115.7	158	118	114.8	17.8
LG 137.135.103.136:443/Network/Segments sent/sec.					
11.1	2,825	6,141	2,839	2,812	1,609
LG 137.135.103.136:443/Network/Segments retransmitted/sec.					
0	0.076	1.62	0	0.036	0.211
LG 137.135.103.136:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	62.8	138.8	61.9	62.5	35.8
LG 137.135.103.136:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	5.78	13	5.99	5.74	3.27

LG 137.135.103.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.103.4:443/CPU Load					
0	23.6	48	23	23.6	11.5
LG 137.135.103.4:443/Memory Used					
2	14.3	39	12	13.8	9.05
LG 137.135.103.4:443/Throughput					
0	60.8	129.8	61.3	60.8	33.3
LG 137.135.103.4:443/User Load					
0	53.8	94	60	54.4	29
LG 137.135.103.4:443/Thread Count					
38	116.5	169	125	116.9	32.2
LG 137.135.103.4:443/Http client/Thread Pool used					
0.1	0.107	0.16	0.1	0.105	0.011
LG 137.135.103.4:443/Http client/Task Pool used					
0	0.008	0.3	0	0.003	0.027
LG 137.135.103.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.103.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.103.4:443/Controller Connection/Ping Duration (ms)					
88	115.1	159	116	114	17.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.103.4:443/Network/Segments sent/sec.					
10.81	2,936	6,188	3,004	2,937	1,597
LG 137.135.103.4:443/Network/Segments retransmitted/sec.					
0	0.095	2.8	0	0.048	0.263
LG 137.135.103.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	64.8	138.3	65.4	64.8	35.5
LG 137.135.103.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	5.98	12.6	6.06	5.98	3.21

LG 137.135.104.129:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.104.129:443/CPU Load					
0	23.2	53	22	23.1	11.6
LG 137.135.104.129:443/Memory Used					
2	14.1	39	11	13.5	9.44
LG 137.135.104.129:443/Throughput					
0	59.6	133.2	58.8	59.3	33.8
LG 137.135.104.129:443/User Load					
0	52.9	93	59	53.4	29
LG 137.135.104.129:443/Thread Count					
38	115.4	168	122	115.9	32.4
LG 137.135.104.129:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.104	0.01
LG 137.135.104.129:443/Http client/Task Pool used					
0	0.007	0.217	0	0.004	0.023
LG 137.135.104.129:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.104.129:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.104.129:443/Controller Connection/Ping Duration (ms)					
98	157.5	199	155	158.3	35.1
LG 137.135.104.129:443/Network/Segments sent/sec.					
6.88	2,858	6,316	2,840	2,843	1,611
LG 137.135.104.129:443/Network/Segments retransmitted/sec.					
0	0.088	1.6	0	0.046	0.232
LG 137.135.104.129:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	63.6	142.1	62.8	63.3	36
LG 137.135.104.129:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	5.84	12.6	5.8	5.8	3.27

LG 137.135.106.107:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.106.107:443/CPU Load					
0	23.8	49	24	23.8	11.4
LG 137.135.106.107:443/Memory Used					
2	14	38	12	13.4	8.68
LG 137.135.106.107:443/Throughput					
0	61	131.7	62.3	61	32.3
LG 137.135.106.107:443/User Load					
0	54.2	94	61	54.8	28
LG 137.135.106.107:443/Thread Count					
38	118.5	166	123	119.1	32.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.106.107:443/Http client/Thread Pool used					
0.1	0.107	0.185	0.1	0.105	0.015
LG 137.135.106.107:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.029
LG 137.135.106.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.106.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.106.107:443/Controller Connection/Ping Duration (ms)					
99	163.5	206	158	164.6	36.2
LG 137.135.106.107:443/Network/Segments sent/sec.					
12.4	2,937	6,273	3,032	2,937	1,556
LG 137.135.106.107:443/Network/Segments retransmitted/sec.					
0	0.07	1.2	0	0.033	0.201
LG 137.135.106.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0.035	65.2	140.4	66.7	65.1	34.5
LG 137.135.106.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	6	12.4	6.25	6	3.13

LG 137.135.110.218:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.110.218:443/CPU Load					
0	23.3	48	22	23.2	11.6
LG 137.135.110.218:443/Memory Used					
2	14.2	38	12	13.7	9.07
LG 137.135.110.218:443/Throughput					
0	60.3	132.4	59.3	60	34
LG 137.135.110.218:443/User Load					
0	53.5	94	60	54	29.2
LG 137.135.110.218:443/Thread Count					
38	117.3	168	125	117.8	33.1
LG 137.135.110.218:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.008
LG 137.135.110.218:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.022
LG 137.135.110.218:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.110.218:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.110.218:443/Controller Connection/Ping Duration (ms)					
82	118.7	199	115	116.1	27.7
LG 137.135.110.218:443/Network/Segments sent/sec.					
10.4	2,893	6,272	2,827	2,881	1,619
LG 137.135.110.218:443/Network/Segments retransmitted/sec.					
0	0.071	1.4	0	0.036	0.19
LG 137.135.110.218:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	64.4	141.2	63.4	64	36.2
LG 137.135.110.218:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.93	12.7	5.78	5.91	3.27

LG 137.135.110.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.110.232:443/CPU Load					
0	23.6	53	24	23.4	11.9
LG 137.135.110.232:443/Memory Used					
2	14.2	46	11	13.4	10.44
LG 137.135.110.232:443/Throughput					
0	59.1	131.1	62.2	58.7	33.8
LG 137.135.110.232:443/User Load					
0	52.5	94	57	52.9	29.3
LG 137.135.110.232:443/Thread Count					
38	116.2	166	120	116.7	32.9
LG 137.135.110.232:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 137.135.110.232:443/Http client/Task Pool used					
0	0.01	0.317	0	0.004	0.031
LG 137.135.110.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.110.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.110.232:443/Controller Connection/Ping Duration (ms)					
87	124.3	197	116	122.2	28.4
LG 137.135.110.232:443/Network/Segments sent/sec.					
12.4	2,836	6,199	2,958	2,817	1,609
LG 137.135.110.232:443/Network/Segments retransmitted/sec.					
0	0.105	1.8	0	0.058	0.26
LG 137.135.110.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	63	139.7	66.5	62.6	36
LG 137.135.110.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	5.82	13.1	6.06	5.78	3.26

LG 137.135.110.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.110.73:443/CPU Load					
0	27.3	62	26	27	14
LG 137.135.110.73:443/Memory Used					
2	15	39	12	14.4	9.63
LG 137.135.110.73:443/Throughput					
0	58.6	145.3	59	57.8	34.4
LG 137.135.110.73:443/User Load					
0	51.9	94	55.5	52.3	29.5
LG 137.135.110.73:443/Thread Count					
38	116.5	172	119.5	116.7	34.1
LG 137.135.110.73:443/Http client/Thread Pool used					
0.1	0.108	0.155	0.105	0.106	0.011
LG 137.135.110.73:443/Http client/Task Pool used					
0	0.013	0.233	0	0.007	0.032
LG 137.135.110.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 137.135.110.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 137.135.110.73:443/Controller Connection/Ping Duration (ms)					
86	113.4	161	114	112.2	16.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 137.135.110.73:443/Network/Segments sent/sec.					
8.07	2,836	6,801	2,863	2,798	1,656
LG 137.135.110.73:443/Network/Segments retransmitted/sec.					
0	0.06	1.39	0	0.026	0.184
LG 137.135.110.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	62.6	154.8	63.1	61.8	36.6
LG 137.135.110.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.77	14.1	5.61	5.68	3.34

LG 138.91.112.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.112.32:443/CPU Load					
0	25.5	52	26	25.5	12
LG 138.91.112.32:443/Memory Used					
2	15.1	38	12	14.6	9.5
LG 138.91.112.32:443/Throughput					
0	60.3	127.5	62.8	60.1	33.6
LG 138.91.112.32:443/User Load					
0	53.5	94	59.5	53.9	29.2
LG 138.91.112.32:443/Thread Count					
38	117.8	171	123	118.2	33.5
LG 138.91.112.32:443/Http client/Thread Pool used					
0.1	0.108	0.15	0.1	0.106	0.011
LG 138.91.112.32:443/Http client/Task Pool used					
0	0.01	0.217	0	0.005	0.027
LG 138.91.112.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.112.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.112.32:443/Controller Connection/Ping Duration (ms)					
88	155.3	192	157	156.7	15.6
LG 138.91.112.32:443/Network/Segments sent/sec.					
8.34	2,895	6,142	3,042	2,882	1,604
LG 138.91.112.32:443/Network/Segments retransmitted/sec.					
0	0.097	2.2	0	0.055	0.25
LG 138.91.112.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	64.3	135.7	67.2	64.1	35.8
LG 138.91.112.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.93	13.8	6.2	5.87	3.28

LG 138.91.114.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.114.26:443/CPU Load					
0	23.3	50	23.5	23.2	11.5
LG 138.91.114.26:443/Memory Used					
2	15.3	40	12.5	14.7	9.87
LG 138.91.114.26:443/Throughput					
0	59.1	126.2	61.6	58.7	33.5
LG 138.91.114.26:443/User Load					
0	52.5	93	57.5	52.9	28.9
LG 138.91.114.26:443/Thread Count					
38	116.2	169	121.5	116.6	32.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.114.26:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.105	0.011
LG 138.91.114.26:443/Http client/Task Pool used					
0	0.007	0.167	0	0.003	0.021
LG 138.91.114.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.114.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.114.26:443/Controller Connection/Ping Duration (ms)					
138	155.7	163	156	156	3.54
LG 138.91.114.26:443/Network/Segments sent/sec.					
8.34	2,845	5,997	2,941	2,826	1,600
LG 138.91.114.26:443/Network/Segments retransmitted/sec.					
0	0.065	1.4	0	0.03	0.183
LG 138.91.114.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	63.1	134.3	65.7	62.6	35.7
LG 138.91.114.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.82	12.9	6.09	5.77	3.27

LG 138.91.115.150:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.115.150:443/CPU Load					
0	23.4	53	22	23.2	11.8
LG 138.91.115.150:443/Memory Used					
2	14.2	42	11	13.5	9.63
LG 138.91.115.150:443/Throughput					
0	59.9	141.9	59.3	59.5	34
LG 138.91.115.150:443/User Load					
0	53.1	94	59.5	53.6	29.3
LG 138.91.115.150:443/Thread Count					
38	116.5	166	122.5	117	32.8
LG 138.91.115.150:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.007
LG 138.91.115.150:443/Http client/Task Pool used					
0	0.01	0.2	0	0.004	0.028
LG 138.91.115.150:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.115.150:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.115.150:443/Controller Connection/Ping Duration (ms)					
154	159.5	197	156	157.6	10.61
LG 138.91.115.150:443/Network/Segments sent/sec.					
10	2,875	6,738	2,812	2,855	1,622
LG 138.91.115.150:443/Network/Segments retransmitted/sec.					
0	0.072	2	0	0.035	0.208
LG 138.91.115.150:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	64	151.3	63.4	63.5	36.3
LG 138.91.115.150:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.88	13.8	5.86	5.85	3.27

LG 138.91.117.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.117.0:443/CPU Load					
0	24.9	54	26	24.8	11.1
LG 138.91.117.0:443/Memory Used					
2	16.4	42	14	15.9	10.13
LG 138.91.117.0:443/Throughput					
0	64.4	133.6	68	64.4	31.5
LG 138.91.117.0:443/User Load					
0	57.3	94	63	58.1	26.9
LG 138.91.117.0:443/Thread Count					
38	122.5	170	127	123.2	30.2
LG 138.91.117.0:443/Http client/Thread Pool used					
0.1	0.108	0.15	0.1	0.107	0.012
LG 138.91.117.0:443/Http client/Task Pool used					
0	0.01	0.25	0	0.005	0.029
LG 138.91.117.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.117.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.117.0:443/Controller Connection/Ping Duration (ms)					
81	153.1	195	156	155.3	18
LG 138.91.117.0:443/Network/Segments sent/sec.					
8.34	3,094	6,374	3,252	3,093	1,502
LG 138.91.117.0:443/Network/Segments retransmitted/sec.					
0	0.088	1.4	0	0.044	0.242
LG 138.91.117.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	68.8	142.7	72.7	68.8	33.6
LG 138.91.117.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.32	12.6	6.64	6.34	3.02

LG 138.91.117.109:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.117.109:443/CPU Load					
0	25.8	56	27	25.7	11.4
LG 138.91.117.109:443/Memory Used					
2	15.9	38	13	15.5	9.56
LG 138.91.117.109:443/Throughput					
0	63.4	144.6	66.5	63.1	32
LG 138.91.117.109:443/User Load					
0	56.4	94	62	57.2	27.1
LG 138.91.117.109:443/Thread Count					
38	120.8	170	125	121.4	30.5
LG 138.91.117.109:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.105	0.106	0.01
LG 138.91.117.109:443/Http client/Task Pool used					
0	0.011	0.333	0	0.005	0.032
LG 138.91.117.109:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.117.109:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.117.109:443/Controller Connection/Ping Duration (ms)					
117	175.9	201	197	177.4	24.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.117.109:443/Network/Segments sent/sec.					
8.2	3,062	6,883	3,207	3,050	1,530
LG 138.91.117.109:443/Network/Segments retransmitted/sec.					
0	0.122	3.4	0	0.069	0.322
LG 138.91.117.109:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	67.6	153.8	71	67.3	34
LG 138.91.117.109:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	6.22	13.8	6.35	6.18	3.13

LG 138.91.121.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.121.154:443/CPU Load					
0	23.8	56	24	23.8	11.9
LG 138.91.121.154:443/Memory Used					
2	13.9	39	11	13.3	9.03
LG 138.91.121.154:443/Throughput					
0	60.4	126.4	62.6	60.3	33.7
LG 138.91.121.154:443/User Load					
0	53.6	94	60	54.1	29.2
LG 138.91.121.154:443/Thread Count					
38	117	166	126	117.6	32.9
LG 138.91.121.154:443/Http client/Thread Pool used					
0.1	0.109	0.15	0.105	0.108	0.011
LG 138.91.121.154:443/Http client/Task Pool used					
0	0.01	0.217	0	0.004	0.028
LG 138.91.121.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.121.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.121.154:443/Controller Connection/Ping Duration (ms)					
94	170.6	199	161	172.6	24.5
LG 138.91.121.154:443/Network/Segments sent/sec.					
8.2	2,935	6,015	3,062	2,929	1,626
LG 138.91.121.154:443/Network/Segments retransmitted/sec.					
0	0.1	1.8	0	0.055	0.253
LG 138.91.121.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	64.5	134.8	66.9	64.4	35.9
LG 138.91.121.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.97	12.9	6.25	5.95	3.26

LG 138.91.122.1:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.122.1:443/CPU Load					
0	25.5	49	25.5	25.6	11.4
LG 138.91.122.1:443/Memory Used					
2	14.8	39	12	14.2	9.34
LG 138.91.122.1:443/Throughput					
0	63.5	130.4	64	63.5	32.4
LG 138.91.122.1:443/User Load					
0	56.4	94	62	57.2	27.1
LG 138.91.122.1:443/Thread Count					
38	120.9	166	127	121.7	30.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.122.1:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.105	0.106	0.01
LG 138.91.122.1:443/Http client/Task Pool used					
0	0.006	0.217	0	0.003	0.021
LG 138.91.122.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.122.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.122.1:443/Controller Connection/Ping Duration (ms)					
99	157.8	198	157	157.7	13.1
LG 138.91.122.1:443/Network/Segments sent/sec.					
13.4	3,051	6,207	3,070	3,053	1,542
LG 138.91.122.1:443/Network/Segments retransmitted/sec.					
0	0.069	1.6	0	0.03	0.205
LG 138.91.122.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	67.8	139	68.5	67.9	34.5
LG 138.91.122.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	6.24	12.8	6.34	6.24	3.13

LG 138.91.123.97:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.123.97:443/CPU Load					
0	24.3	51	23.5	24.1	11.8
LG 138.91.123.97:443/Memory Used					
2	14.8	38	12	14.3	9.28
LG 138.91.123.97:443/Throughput					
0	61.5	132.2	62	61.2	33
LG 138.91.123.97:443/User Load					
0	54.6	94	61	55.2	27.9
LG 138.91.123.97:443/Thread Count					
38	119.5	172	127	120	31.8
LG 138.91.123.97:443/Http client/Thread Pool used					
0.1	0.108	0.16	0.1	0.106	0.012
LG 138.91.123.97:443/Http client/Task Pool used					
0	0.009	0.167	0	0.005	0.024
LG 138.91.123.97:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.123.97:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.123.97:443/Controller Connection/Ping Duration (ms)					
85	116.7	197	115	114	25.8
LG 138.91.123.97:443/Network/Segments sent/sec.					
10.79	2,951	6,176	2,911	2,938	1,569
LG 138.91.123.97:443/Network/Segments retransmitted/sec.					
0	0.09	1.6	0	0.042	0.243
LG 138.91.123.97:443/Network/eth0 (eth0)/Megabits received/sec.					
0.036	65.7	140.9	66.2	65.4	35.2
LG 138.91.123.97:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	6.04	12.9	6.01	6.02	3.15

LG 138.91.124.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.124.64:443/CPU Load					
0	24.1	50	24	24	11.7
LG 138.91.124.64:443/Memory Used					
2	15.4	39	11	14.8	10.2
LG 138.91.124.64:443/Throughput					
0	60.3	126.3	63	60.2	33.4
LG 138.91.124.64:443/User Load					
0	53.5	94	59	53.9	29.1
LG 138.91.124.64:443/Thread Count					
38	116.5	165	121	117.1	32.3
LG 138.91.124.64:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.106	0.01
LG 138.91.124.64:443/Http client/Task Pool used					
0	0.008	0.2	0	0.004	0.025
LG 138.91.124.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.124.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.124.64:443/Controller Connection/Ping Duration (ms)					
80	119.6	157	113	119.6	23
LG 138.91.124.64:443/Network/Segments sent/sec.					
10.2	2,901	5,903	3,038	2,898	1,593
LG 138.91.124.64:443/Network/Segments retransmitted/sec.					
0	0.086	1.58	0	0.042	0.239
LG 138.91.124.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	64.3	134.1	67.1	64.2	35.5
LG 138.91.124.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.93	12.3	6.12	5.93	3.23

LG 138.91.125.70:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.125.70:443/CPU Load					
0	24.3	55	24	24.2	11.9
LG 138.91.125.70:443/Memory Used					
1	15.3	39	11	14.7	10.33
LG 138.91.125.70:443/Throughput					
0	59.4	123.5	59.3	59.2	33.7
LG 138.91.125.70:443/User Load					
0	52.7	94	57	53.1	29.3
LG 138.91.125.70:443/Thread Count					
38	115.6	165	119	116	32.6
LG 138.91.125.70:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.01
LG 138.91.125.70:443/Http client/Task Pool used					
0	0.008	0.367	0	0.003	0.03
LG 138.91.125.70:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.125.70:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.125.70:443/Controller Connection/Ping Duration (ms)					
100	157.6	201	158	158.1	13

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.125.70:443/Network/Segments sent/sec.					
8.31	2,843	5,755	2,903	2,839	1,604
LG 138.91.125.70:443/Network/Segments retransmitted/sec.					
0	0.075	1.4	0	0.036	0.212
LG 138.91.125.70:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	63.3	131.3	63.2	63.2	35.9
LG 138.91.125.70:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.84	12.2	6.06	5.82	3.24

LG 138.91.127.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.127.178:443/CPU Load					
0	25.8	57	24	25.8	12.2
LG 138.91.127.178:443/Memory Used					
2	15.5	39	14	15	9.19
LG 138.91.127.178:443/Throughput					
0	63.6	130.2	62.1	63.7	32.6
LG 138.91.127.178:443/User Load					
0	56.4	93	62	57.2	26.9
LG 138.91.127.178:443/Thread Count					
38	121.7	168	127	122.6	30.8
LG 138.91.127.178:443/Http client/Thread Pool used					
0.1	0.109	0.145	0.105	0.108	0.01
LG 138.91.127.178:443/Http client/Task Pool used					
0	0.012	0.383	0	0.005	0.04
LG 138.91.127.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.127.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.127.178:443/Controller Connection/Ping Duration (ms)					
120	158.3	199	159	158.6	10.29
LG 138.91.127.178:443/Network/Segments sent/sec.					
6.8	3,047	6,137	3,015	3,054	1,547
LG 138.91.127.178:443/Network/Segments retransmitted/sec.					
0	0.074	1.2	0	0.034	0.207
LG 138.91.127.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0.014	68	139	66.5	68.1	34.7
LG 138.91.127.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	6.24	13.2	6.18	6.26	3.12

LG 138.91.127.185:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.127.185:443/CPU Load					
0	23.8	47	25	23.8	11.8
LG 138.91.127.185:443/Memory Used					
2	14.3	39	11	13.7	9.21
LG 138.91.127.185:443/Throughput					
0	60.1	128.3	63.9	59.9	33.8
LG 138.91.127.185:443/User Load					
0	53.3	94	59	53.7	29.3
LG 138.91.127.185:443/Thread Count					
38	116.7	166	122.5	117.2	32.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 138.91.127.185:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 138.91.127.185:443/Http client/Task Pool used					
0	0.011	0.3	0	0.004	0.033
LG 138.91.127.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 138.91.127.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 138.91.127.185:443/Controller Connection/Ping Duration (ms)					
116	160.4	199	158	160.1	15.1
LG 138.91.127.185:443/Network/Segments sent/sec.					
8.34	2,889	6,028	3,119	2,885	1,613
LG 138.91.127.185:443/Network/Segments retransmitted/sec.					
0	0.066	1.2	0	0.034	0.179
LG 138.91.127.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	64.2	136.8	68.3	64	36.1
LG 138.91.127.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.9	12.9	6.33	5.86	3.27

LG 40.114.80.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.114.80.216:443/CPU Load					
0	24.2	51	24	24.1	11.9
LG 40.114.80.216:443/Memory Used					
2	14.5	38	12	13.9	9.16
LG 40.114.80.216:443/Throughput					
0	61.3	130.7	62.2	61.2	32.3
LG 40.114.80.216:443/User Load					
0	54.3	94	61	54.9	28
LG 40.114.80.216:443/Thread Count					
38	118.5	170	126	119	31.2
LG 40.114.80.216:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.105	0.009
LG 40.114.80.216:443/Http client/Task Pool used					
0	0.007	0.233	0	0.003	0.025
LG 40.114.80.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.114.80.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.114.80.216:443/Controller Connection/Ping Duration (ms)					
81	116.3	198	117	114	22.8
LG 40.114.80.216:443/Network/Segments sent/sec.					
9.78	2,967	6,275	3,037	2,965	1,555
LG 40.114.80.216:443/Network/Segments retransmitted/sec.					
0	0.075	1.2	0	0.039	0.198
LG 40.114.80.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.017	65.5	139.4	66.4	65.3	34.5
LG 40.114.80.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6.02	12.9	6.18	6.01	3.12

LG 40.114.85.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.114.85.160:443/CPU Load					
0	23.3	50	22	23.2	11.9
LG 40.114.85.160:443/Memory Used					
2	14	38	11	13.4	9.38
LG 40.114.85.160:443/Throughput					
0	58.3	126	57.2	58	34.2
LG 40.114.85.160:443/User Load					
0	51.8	94	55	52.1	29.4
LG 40.114.85.160:443/Thread Count					
38	114	163	118	114.4	32.2
LG 40.114.85.160:443/Http client/Thread Pool used					
0.1	0.103	0.12	0.1	0.103	0.005
LG 40.114.85.160:443/Http client/Task Pool used					
0	0.009	0.2	0	0.004	0.029
LG 40.114.85.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.114.85.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.114.85.160:443/Controller Connection/Ping Duration (ms)					
99	119.6	196	115.5	117.9	21.8
LG 40.114.85.160:443/Network/Segments sent/sec.					
8.35	2,834	6,033	2,820	2,819	1,648
LG 40.114.85.160:443/Network/Segments retransmitted/sec.					
0	0.08	1.01	0	0.045	0.2
LG 40.114.85.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	62.3	134.3	61	61.9	36.5
LG 40.114.85.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.76	12.2	5.75	5.73	3.31

LG 40.117.91.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.91.161:443/CPU Load					
0	24.3	54	25	24.1	12.6
LG 40.117.91.161:443/Memory Used					
2	13.9	39	11	13.3	9.22
LG 40.117.91.161:443/Throughput					
0	59.8	137	64	59.4	34.1
LG 40.117.91.161:443/User Load					
0	52.9	93	59	53.4	29.1
LG 40.117.91.161:443/Thread Count					
38	115.8	165	124	116.4	32.3
LG 40.117.91.161:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.008
LG 40.117.91.161:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.021
LG 40.117.91.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.117.91.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.117.91.161:443/Controller Connection/Ping Duration (ms)					
100	130.2	160	121	130.2	21.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.91.161:443/Network/Segments sent/sec.					
9.8	2,875	6,341	3,050	2,859	1,628
LG 40.117.91.161:443/Network/Segments retransmitted/sec.					
0	0.083	1.77	0	0.042	0.228
LG 40.117.91.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	63.9	146.2	68.4	63.5	36.4
LG 40.117.91.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	5.87	12.6	6.18	5.84	3.25

LG 40.117.94.245:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.94.245:443/CPU Load					
0	25.1	54	24.5	25	12.5
LG 40.117.94.245:443/Memory Used					
2	14.6	39	12	13.9	9.5
LG 40.117.94.245:443/Throughput					
0	59	134.3	58.9	58.7	33.9
LG 40.117.94.245:443/User Load					
0	52.3	94	57	52.7	29.4
LG 40.117.94.245:443/Thread Count					
38	116.5	168	122	117	33.5
LG 40.117.94.245:443/Http client/Thread Pool used					
0.1	0.108	0.155	0.105	0.107	0.011
LG 40.117.94.245:443/Http client/Task Pool used					
0	0.009	0.267	0	0.004	0.027
LG 40.117.94.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.117.94.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.117.94.245:443/Controller Connection/Ping Duration (ms)					
89	115.8	198	115	113.5	19.8
LG 40.117.94.245:443/Network/Segments sent/sec.					
8.34	2,824	6,370	2,836	2,812	1,610
LG 40.117.94.245:443/Network/Segments retransmitted/sec.					
0	0.078	1.2	0	0.038	0.213
LG 40.117.94.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	63	143.2	63	62.7	36.1
LG 40.117.94.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.79	12.7	5.84	5.77	3.28

LG 40.117.95.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.95.168:443/CPU Load					
0	24.2	52	24	24.1	12.1
LG 40.117.95.168:443/Memory Used					
2	14.5	39	11	13.9	9.26
LG 40.117.95.168:443/Throughput					
0	58	126.9	57.1	57.6	34.1
LG 40.117.95.168:443/User Load					
0	51.3	93	54.5	51.6	29.3
LG 40.117.95.168:443/Thread Count					
38	115	167	118.5	115.5	33.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.117.95.168:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.009
LG 40.117.95.168:443/Http client/Task Pool used					
0	0.009	0.35	0	0.004	0.028
LG 40.117.95.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.117.95.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.117.95.168:443/Controller Connection/Ping Duration (ms)					
80	154.9	197	158	156.2	38.6
LG 40.117.95.168:443/Network/Segments sent/sec.					
10.4	2,786	6,173	2,700	2,771	1,635
LG 40.117.95.168:443/Network/Segments retransmitted/sec.					
0	0.055	1	0	0.024	0.167
LG 40.117.95.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	61.9	135.6	61	61.5	36.3
LG 40.117.95.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.69	12.6	5.52	5.66	3.33

LG 40.121.160.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.160.26:443/CPU Load					
0	22.4	49	21	22.2	11.3
LG 40.121.160.26:443/Memory Used					
2	12.9	41	10	12.2	8.76
LG 40.121.160.26:443/Throughput					
0	57	133.1	55.5	56.5	32.3
LG 40.121.160.26:443/User Load					
0	50.3	94	49	50.4	27.9
LG 40.121.160.26:443/Thread Count					
38	113.4	169	112	113.3	31.2
LG 40.121.160.26:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.104	0.011
LG 40.121.160.26:443/Http client/Task Pool used					
0	0.01	0.283	0	0.004	0.031
LG 40.121.160.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.160.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.160.26:443/Controller Connection/Ping Duration (ms)					
91	112.4	165	117	110.8	15.3
LG 40.121.160.26:443/Network/Segments sent/sec.					
8.19	2,775	6,430	2,671	2,751	1,565
LG 40.121.160.26:443/Network/Segments retransmitted/sec.					
0	0.092	1.8	0	0.047	0.255
LG 40.121.160.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	60.8	141.6	59.3	60.3	34.4
LG 40.121.160.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.61	13.2	5.35	5.57	3.14

LG 40.121.160.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.160.88:443/CPU Load					
0	26	49	25	26.1	11.4
LG 40.121.160.88:443/Memory Used					
2	15.5	38	13	15	9.1
LG 40.121.160.88:443/Throughput					
0	64.3	125.7	64.6	64.6	31.8
LG 40.121.160.88:443/User Load					
0	56.9	94	63	57.7	27.1
LG 40.121.160.88:443/Thread Count					
38	120.2	164	127	121.1	30
LG 40.121.160.88:443/Http client/Thread Pool used					
0.1	0.107	0.155	0.105	0.106	0.01
LG 40.121.160.88:443/Http client/Task Pool used					
0	0.009	0.217	0	0.004	0.027
LG 40.121.160.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.160.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.160.88:443/Controller Connection/Ping Duration (ms)					
128	177.9	197	194	178.8	20
LG 40.121.160.88:443/Network/Segments sent/sec.					
10.6	3,121	6,182	3,157	3,139	1,529
LG 40.121.160.88:443/Network/Segments retransmitted/sec.					
0	0.09	1.6	0	0.046	0.244
LG 40.121.160.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	68.7	134.2	69.1	69	33.9
LG 40.121.160.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	6.33	13.2	6.51	6.36	3.07

LG 40.121.161.217:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.161.217:443/CPU Load					
0	23.9	50	24	23.8	11.6
LG 40.121.161.217:443/Memory Used					
3	13.8	37	11	13.3	8.78
LG 40.121.161.217:443/Throughput					
0	60.4	133.6	63.9	60.1	33.7
LG 40.121.161.217:443/User Load					
0	53.6	94	59.5	54.1	29.1
LG 40.121.161.217:443/Thread Count					
38	116.4	167	126	116.8	32.2
LG 40.121.161.217:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.008
LG 40.121.161.217:443/Http client/Task Pool used					
0	0.009	0.233	0	0.004	0.029
LG 40.121.161.217:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.161.217:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.161.217:443/Controller Connection/Ping Duration (ms)					
88	129.1	198	118	127.2	28

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.161.217:443/Network/Segments sent/sec.					
8.34	2,927	6,352	3,078	2,914	1,617
LG 40.121.161.217:443/Network/Segments retransmitted/sec.					
0	0.075	1.4	0	0.037	0.208
LG 40.121.161.217:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	64.5	142.6	68.2	64.2	35.9
LG 40.121.161.217:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.94	13.3	6.31	5.92	3.25

LG 40.121.161.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.161.35:443/CPU Load					
0	26	55	27	25.9	11.6
LG 40.121.161.35:443/Memory Used					
2	15.2	37	13	14.8	9.05
LG 40.121.161.35:443/Throughput					
0	64.4	135.8	67.6	64.5	31.4
LG 40.121.161.35:443/User Load					
0	57.1	94	63	57.9	27
LG 40.121.161.35:443/Thread Count					
38	120.9	165	125	121.7	30
LG 40.121.161.35:443/Http client/Thread Pool used					
0.1	0.109	0.16	0.105	0.108	0.011
LG 40.121.161.35:443/Http client/Task Pool used					
0	0.009	0.267	0	0.004	0.03
LG 40.121.161.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.161.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.161.35:443/Controller Connection/Ping Duration (ms)					
119	157.2	178	159	158.3	8.8
LG 40.121.161.35:443/Network/Segments sent/sec.					
9.08	3,127	6,555	3,328	3,133	1,511
LG 40.121.161.35:443/Network/Segments retransmitted/sec.					
0	0.11	1.6	0	0.065	0.265
LG 40.121.161.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	68.8	144.8	72.3	68.9	33.5
LG 40.121.161.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	6.35	12.9	6.6	6.36	3.05

LG 40.121.163.183:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.163.183:443/CPU Load					
0	23.6	50	23	23.5	11.8
LG 40.121.163.183:443/Memory Used					
2	14.2	47	11	13.3	10.24
LG 40.121.163.183:443/Throughput					
0	60.2	131.4	61	60	33.7
LG 40.121.163.183:443/User Load					
0	53.4	94	59	53.8	29.2
LG 40.121.163.183:443/Thread Count					
38	117.7	170	126	118.1	33.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.163.183:443/Http client/Thread Pool used					
0.1	0.105	0.14	0.1	0.104	0.009
LG 40.121.163.183:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.028
LG 40.121.163.183:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.163.183:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.163.183:443/Controller Connection/Ping Duration (ms)					
89	115.6	198	116	112.7	23.1
LG 40.121.163.183:443/Network/Segments sent/sec.					
8.2	2,947	6,366	2,995	2,940	1,647
LG 40.121.163.183:443/Network/Segments retransmitted/sec.					
0	0.075	1.2	0	0.037	0.206
LG 40.121.163.183:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	64.2	140.2	65.3	64.1	35.9
LG 40.121.163.183:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.93	13.8	5.95	5.9	3.29

LG 40.121.163.238:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.163.238:443/CPU Load					
0	25.8	55	27	25.8	11.7
LG 40.121.163.238:443/Memory Used					
2	16.3	39	14	15.9	9.75
LG 40.121.163.238:443/Throughput					
0	63.1	135.3	67.8	63	31.6
LG 40.121.163.238:443/User Load					
0	56.1	93	62	56.9	27
LG 40.121.163.238:443/Thread Count					
38	120.2	165	126	121.1	29.9
LG 40.121.163.238:443/Http client/Thread Pool used					
0.1	0.106	0.13	0.1	0.105	0.007
LG 40.121.163.238:443/Http client/Task Pool used					
0	0.009	0.233	0	0.004	0.026
LG 40.121.163.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.163.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.163.238:443/Controller Connection/Ping Duration (ms)					
88	112.7	137	119	112.8	10.74
LG 40.121.163.238:443/Network/Segments sent/sec.					
9.27	3,064	6,511	3,309	3,066	1,523
LG 40.121.163.238:443/Network/Segments retransmitted/sec.					
0	0.077	1.46	0	0.038	0.21
LG 40.121.163.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	67.4	144.4	72.4	67.3	33.7
LG 40.121.163.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.21	12.9	6.6	6.21	3.04

LG 40.121.164.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.164.159:443/CPU Load					
0	23.8	58	22	23.6	12
LG 40.121.164.159:443/Memory Used					
1	13.8	43	10	13.1	9.63
LG 40.121.164.159:443/Throughput					
0	56.5	128.4	55	56	31.8
LG 40.121.164.159:443/User Load					
0	50.1	93	49.5	50.3	27.7
LG 40.121.164.159:443/Thread Count					
38	113.5	168	113	113.6	31.5
LG 40.121.164.159:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.01
LG 40.121.164.159:443/Http client/Task Pool used					
0	0.007	0.2	0	0.003	0.021
LG 40.121.164.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.164.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.164.159:443/Controller Connection/Ping Duration (ms)					
90	155.2	197	158	157.4	16.4
LG 40.121.164.159:443/Network/Segments sent/sec.					
8.34	2,743	6,095	2,664	2,725	1,544
LG 40.121.164.159:443/Network/Segments retransmitted/sec.					
0	0.078	1.2	0	0.039	0.212
LG 40.121.164.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	60.3	136.8	58.6	59.9	33.9
LG 40.121.164.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	5.56	11.9	5.33	5.52	3.1

LG 40.121.165.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.165.18:443/CPU Load					
0	25.2	53	25	25.1	12.1
LG 40.121.165.18:443/Memory Used					
1	14.9	39	12	14.4	9.58
LG 40.121.165.18:443/Throughput					
0	60.9	130.5	62.6	60.9	32.6
LG 40.121.165.18:443/User Load					
0	54.1	94	60	54.6	28.1
LG 40.121.165.18:443/Thread Count					
38	117.1	166	123	117.7	31.5
LG 40.121.165.18:443/Http client/Thread Pool used					
0.1	0.107	0.14	0.1	0.106	0.009
LG 40.121.165.18:443/Http client/Task Pool used					
0	0.01	0.2	0	0.004	0.03
LG 40.121.165.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.165.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.165.18:443/Controller Connection/Ping Duration (ms)					
85	112.6	158	117	111.5	17.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.165.18:443/Network/Segments sent/sec.					
12.3	2,955	6,115	3,051	2,955	1,564
LG 40.121.165.18:443/Network/Segments retransmitted/sec.					
0	0.077	2.78	0	0.034	0.246
LG 40.121.165.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.035	65.1	139.1	66.9	65	34.7
LG 40.121.165.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	5.99	11.9	6.15	6	3.13

LG 40.121.165.250:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.165.250:443/CPU Load					
0	24.7	54	24	24.5	13.1
LG 40.121.165.250:443/Memory Used					
2	14.1	39	12	13.5	9.1
LG 40.121.165.250:443/Throughput					
0	58.8	129.3	60.4	58.5	33.8
LG 40.121.165.250:443/User Load					
0	52	94	56	52.3	29.5
LG 40.121.165.250:443/Thread Count					
38	116.2	169	121	116.6	33.2
LG 40.121.165.250:443/Http client/Thread Pool used					
0.1	0.107	0.15	0.1	0.106	0.011
LG 40.121.165.250:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.019
LG 40.121.165.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.165.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.165.250:443/Controller Connection/Ping Duration (ms)					
96	172.8	199	197	175.5	35.3
LG 40.121.165.250:443/Network/Segments sent/sec.					
10.6	2,851	6,260	2,955	2,841	1,628
LG 40.121.165.250:443/Network/Segments retransmitted/sec.					
0	0.062	1.8	0	0.026	0.194
LG 40.121.165.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	62.7	137.8	64.7	62.4	36
LG 40.121.165.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.78	12.5	5.95	5.76	3.28

LG 40.121.167.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.167.164:443/CPU Load					
0	25.5	52	27	25.4	11.5
LG 40.121.167.164:443/Memory Used					
2	15.8	41	13	15.3	9.53
LG 40.121.167.164:443/Throughput					
0	64.2	136.4	68.5	64.3	31.6
LG 40.121.167.164:443/User Load					
0	56.9	94	63	57.7	27.2
LG 40.121.167.164:443/Thread Count					
38	121.9	169	127	122.7	30.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.121.167.164:443/Http client/Thread Pool used					
0.1	0.108	0.155	0.1	0.107	0.012
LG 40.121.167.164:443/Http client/Task Pool used					
0	0.008	0.317	0	0.003	0.027
LG 40.121.167.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.121.167.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.121.167.164:443/Controller Connection/Ping Duration (ms)					
81	122	198	116	119.9	28.9
LG 40.121.167.164:443/Network/Segments sent/sec.					
8.2	3,114	6,601	3,341	3,118	1,523
LG 40.121.167.164:443/Network/Segments retransmitted/sec.					
0	0.086	1.4	0	0.045	0.228
LG 40.121.167.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	68.6	145.6	73.3	68.7	33.7
LG 40.121.167.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	6.34	14	6.72	6.33	3.07

LG 40.76.87.118:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.76.87.118:443/CPU Load					
0	24.5	49	25	24.5	10.96
LG 40.76.87.118:443/Memory Used					
2	14.7	37	12	14.2	9.19
LG 40.76.87.118:443/Throughput					
0	63.6	134.5	66.5	63.7	31.8
LG 40.76.87.118:443/User Load					
0	56.4	94	62	57.2	27.1
LG 40.76.87.118:443/Thread Count					
38	120.5	165	126	121.3	30.1
LG 40.76.87.118:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 40.76.87.118:443/Http client/Task Pool used					
0	0.009	0.167	0	0.004	0.025
LG 40.76.87.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.76.87.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.76.87.118:443/Controller Connection/Ping Duration (ms)					
80	111.4	157	116.5	110.5	17.2
LG 40.76.87.118:443/Network/Segments sent/sec.					
8.34	3,083	6,403	3,282	3,087	1,529
LG 40.76.87.118:443/Network/Segments retransmitted/sec.					
0	0.074	1.4	0	0.038	0.199
LG 40.76.87.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	67.9	143.2	70.9	67.9	33.9
LG 40.76.87.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.26	13.6	6.49	6.24	3.11

LG 40.76.91.219:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.76.91.219:443/CPU Load					
0	24.3	51	25	24.1	11.3
LG 40.76.91.219:443/Memory Used					
2	14.7	37	12	14.1	9.45
LG 40.76.91.219:443/Throughput					
0	61.5	139.3	64.1	61.2	32.3
LG 40.76.91.219:443/User Load					
0	54.5	94	61	55.1	27.7
LG 40.76.91.219:443/Thread Count					
38	119.4	169	126	120	31.7
LG 40.76.91.219:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 40.76.91.219:443/Http client/Task Pool used					
0	0.008	0.2	0	0.003	0.023
LG 40.76.91.219:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.76.91.219:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.76.91.219:443/Controller Connection/Ping Duration (ms)					
89	124.7	197	117	122.4	28.2
LG 40.76.91.219:443/Network/Segments sent/sec.					
8.2	3,033	6,566	3,151	3,018	1,575
LG 40.76.91.219:443/Network/Segments retransmitted/sec.					
0	0.067	1.6	0	0.035	0.185
LG 40.76.91.219:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	65.6	147.9	68.4	65.2	34.4
LG 40.76.91.219:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	6.07	13.8	6.1	6.01	3.17

LG 40.85.177.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.177.216:443/CPU Load					
0	23.8	52	23.5	23.7	11.9
LG 40.85.177.216:443/Memory Used					
2	13.6	38	10	13	9.23
LG 40.85.177.216:443/Throughput					
0	58.7	124.3	60.5	58.6	33.7
LG 40.85.177.216:443/User Load					
0	52	94	55.5	52.3	29.5
LG 40.85.177.216:443/Thread Count					
38	114.3	171	117.5	114.4	32.9
LG 40.85.177.216:443/Http client/Thread Pool used					
0.1	0.107	0.17	0.1	0.105	0.012
LG 40.85.177.216:443/Http client/Task Pool used					
0	0.009	0.217	0	0.004	0.024
LG 40.85.177.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.85.177.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.85.177.216:443/Controller Connection/Ping Duration (ms)					
99	130.2	197	117	128.1	28.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.177.216:443/Network/Segments sent/sec.					
11.2	2,817	5,897	2,862	2,813	1,614
LG 40.85.177.216:443/Network/Segments retransmitted/sec.					
0	0.075	1.2	0	0.035	0.207
LG 40.85.177.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	62.7	132.7	64.6	62.6	36
LG 40.85.177.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	5.77	12.3	5.84	5.75	3.28

LG 40.85.180.250:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.180.250:443/CPU Load					
0	25.9	50	26	26.1	11.5
LG 40.85.180.250:443/Memory Used					
2	16.5	40	14.5	16.1	10.28
LG 40.85.180.250:443/Throughput					
0	63.9	119	65.9	64.4	31.5
LG 40.85.180.250:443/User Load					
0	56.7	94	63	57.5	27.3
LG 40.85.180.250:443/Thread Count					
38	121.2	170	127	122	30.8
LG 40.85.180.250:443/Http client/Thread Pool used					
0.1	0.107	0.14	0.105	0.107	0.009
LG 40.85.180.250:443/Http client/Task Pool used					
0	0.011	0.217	0	0.005	0.031
LG 40.85.180.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.85.180.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.85.180.250:443/Controller Connection/Ping Duration (ms)					
108	155.9	203	157	155.8	16.4
LG 40.85.180.250:443/Network/Segments sent/sec.					
8.36	3,054	5,762	3,178	3,077	1,496
LG 40.85.180.250:443/Network/Segments retransmitted/sec.					
0	0.085	2.22	0	0.038	0.254
LG 40.85.180.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	68.3	127.1	70.3	68.7	33.6
LG 40.85.180.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.26	12.1	6.59	6.28	3.06

LG 40.85.182.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.182.117:443/CPU Load					
0	25.2	54	26	25.3	11.8
LG 40.85.182.117:443/Memory Used					
2	14.6	38	12	14	9.23
LG 40.85.182.117:443/Throughput					
0	61.4	125	65.1	61.6	32
LG 40.85.182.117:443/User Load					
0	54.4	94	61	55	28
LG 40.85.182.117:443/Thread Count					
38	118.3	167	125	118.9	32


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.182.117:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.105	0.008
LG 40.85.182.117:443/Http client/Task Pool used					
0	0.008	0.233	0	0.004	0.025
LG 40.85.182.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.85.182.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.85.182.117:443/Controller Connection/Ping Duration (ms)					
88	121.1	166	116	120.3	22.2
LG 40.85.182.117:443/Network/Segments sent/sec.					
8.35	2,948	5,810	3,131	2,962	1,519
LG 40.85.182.117:443/Network/Segments retransmitted/sec.					
0	0.093	1.8	0	0.052	0.238
LG 40.85.182.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	65.6	133.3	69.5	65.8	34.1
LG 40.85.182.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	6.01	11.7	6.24	6.03	3.09

LG 40.85.183.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.85.183.41:443/CPU Load					
0	23.6	50	22	23.4	11.6
LG 40.85.183.41:443/Memory Used					
2	14.1	38	11	13.5	9.23
LG 40.85.183.41:443/Throughput					
0	56.5	132.9	52.8	56	31.8
LG 40.85.183.41:443/User Load					
0	50.3	93	49	50.5	27.5
LG 40.85.183.41:443/Thread Count					
38	113.3	166	116	113.5	30.8
LG 40.85.183.41:443/Http client/Thread Pool used					
0.1	0.108	0.145	0.1	0.106	0.011
LG 40.85.183.41:443/Http client/Task Pool used					
0	0.009	0.267	0	0.005	0.027
LG 40.85.183.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.85.183.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.85.183.41:443/Controller Connection/Ping Duration (ms)					
90	121	161	116	120.4	22.3
LG 40.85.183.41:443/Network/Segments sent/sec.					
8.2	2,716	6,127	2,561	2,692	1,520
LG 40.85.183.41:443/Network/Segments retransmitted/sec.					
0	0.098	5.8	0	0.038	0.421
LG 40.85.183.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	60.3	141.5	56.5	59.8	33.9
LG 40.85.183.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	5.56	12.5	5.08	5.51	3.1


Average page response time



Min	Average	Max
0.093	0.11	0.227

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.035	0.042	0.088

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
2.008	2.15	3.82	2.149	2.139	0.127

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
56.2	46,954	80,040.1

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	0.6	39

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	9,999.37	17,146.51

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.101	0.109	0.186

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.