

11-6 GW-TDC



Date	Nov 7, 2019 12:33:44 AM
Project	HP_GRID_PDP
Scenario	GW_Nov06
Comment	
Notes	11-6 GW-TDC

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	7
Hot spots.....	8
Errors.....	8
Alerts.....	8
General statistics.....	8
Transaction statistics.....	9
Execution context.....	15
Scenario	10
Servers.....	20
Populations.....	21
User Paths.....	22
Transactions.....	23
Pages.....	25
Requests.....	29
Media Contents.....	47
Push messages.....	24
Monitors.....	48
Alerts.....	145
Main graphs.....	146
Average page response time.....	146
Average request response time.....	147
Average response time (Transactions).....	148
Requests per second.....	149
Errors.....	150
Throughput.....	151
Response time against load.....	152
Distribution of Transaction Durations.....	153
Top 10 First Alerts.....	154

Summary

Results summary

Name	00:32 - 7 Nov 2019_GW_LT_Final_2	Project	HP_GRID_PDP
Description		Scenario	GW_Nov06
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population GridWall_1_Final is customized
Start date	Nov 7, 2019 12:33:44 AM	Stop Policy	<ul style="list-style-type: none"> Population GridWall_1_Final: immediate.
End date	Nov 7, 2019 1:17:31 AM		
Duration	00:43:46	Filters	None
Termination reason	Manual action		
LG Hosts	157.250.33.88:443	Debug	Disabled
	,		
	157.250.37.164:443		
	,		
	157.250.38.192:443		
	,		
	157.250.35.39:443		
	,		
	157.250.43.95:443		
	,		
	157.250.49.33:443		
	,		
	157.250.33.110:443		
	,		
	157.250.34.10:443		
	,		
	157.250.42.60:443		
	,		
	157.250.34.68:443		
	,		
	157.250.43.70:443		
	,		
	157.250.42.17:443		
	,		
	157.250.47.208:443		
	,		
	157.250.34.127:443		
	,		
	157.250.45.245:443		
	,		
	157.250.34.126:443		
	,		
	157.250.45.102:443		
	,		
	157.250.40.177:443		
	,		
	157.250.44.61:443		
	,		
	157.250.49.237:443		
	,		
	157.250.36.216:443		
	,		
	157.250.40.28:443		
	,		
	157.250.44.163:443		
	,		
	157.250.37.247:443		
	,		
	157.250.40.209:443		
	,		
	157.250.35.62:443		
	,		
	157.250.39.162:443		
	,		
	157.250.49.107:443		
	,		
	157.250.37.165:443		
	,		
	157.250.42.21:443		
	,		
	157.250.37.125:443		
	,		

157.250.37.33:443		
,		
157.250.33.143:443		
,		
157.250.46.153:443		
,		
157.250.41.172:443		
,		
157.250.48.79:443		
,		
157.250.39.182:443		
,		
157.250.43.243:443		
,		
157.250.49.170:443		
,		
157.250.44.102:443		
,		
157.250.49.161:443		
,		
157.250.37.193:443		
,		
157.250.34.71:443		
,		
157.250.47.12:443		
,		
157.250.48.146:443		
,		
157.250.43.40:443		
,		
157.250.46.61:443		
,		
157.250.41.153:443		
,		
157.250.46.31:443		
,		
157.250.38.23:443		
,		
157.250.43.180:443		
,		
157.250.48.178:443		
,		
157.250.43.37:443		
,		
157.250.43.207:443		
,		
157.250.42.148:443		
,		
157.250.42.10:443		
,		
157.250.46.239:443		
,		
157.250.51.192:443		
,		
157.250.39.124:443		
,		
157.250.51.245:443		
,		
157.250.41.213:443		
,		
157.250.32.135:443		
,		
157.250.47.195:443		
,		
157.250.46.35:443		
,		
157.250.38.214:443		
,		
157.250.49.35:443		
,		
157.250.49.5:443		
,		
157.250.49.206:443		
,		
157.250.34.13:443		
,		
157.250.39.241:443		
,		

157.250.51.238:443		
,		
157.250.35.177:443		
,		
157.250.35.75:443		
,		
157.250.40.142:443		
,		
157.250.36.138:443		
,		
157.250.44.170:443		
,		
157.250.35.184:443		
,		
157.250.42.61:443		
,		
157.250.37.131:443		
,		
157.250.38.223:443		
,		
104.210.214.205:443		
,		
40.84.239.181:443		
,		
40.124.42.62:443		
,		
40.84.129.154:443		
,		
104.215.116.142:443		
,		
40.84.234.55:443		
,		
13.66.23.33:443		
,		
40.84.129.57:443		
,		
40.84.233.23:443		
,		
13.66.23.196:443		
,		
104.215.114.29:443		
,		
13.66.22.171:443		
,		
13.66.21.227:443		
,		
40.124.42.232:443		
,		
13.66.19.68:443		
,		
40.124.42.143:443		
,		
13.66.20.112:443		
,		
13.66.21.183:443		
,		
13.66.39.135:443		
,		
13.66.18.239:443		
,		
40.124.43.4:443		
,		
13.66.32.239:443		
,		
13.66.21.156:443		
,		
13.66.39.4:443		
,		
13.66.33.234:443		
,		
13.66.33.214:443		
,		
104.214.94.48:443		
,		
40.84.237.60:443		
,		
104.215.113.223:443		
,		


13.66.32.67:443		
,		
104.214.88.215:443		
,		
104.210.213.42:443		
,		
104.210.209.227:443		
,		
40.124.40.25:443		
,		
104.214.94.21:443		
,		
13.66.19.157:443		
,		
40.84.237.65:443		
,		
104.214.94.124:443		
,		
104.214.102.137:443		
,		
104.214.93.66:443		
,		
40.84.132.157:443		
,		
104.214.102.39:443		
,		
40.124.46.152:443		
,		
104.214.99.245:443		
,		
104.215.123.38:443		
,		
104.214.95.212:443		
,		
104.214.93.205:443		
,		
104.214.103.200:443		
,		
104.214.97.131:443		
,		
13.65.169.223:443		
,		
104.215.118.64:443		
,		
13.65.185.162:443		
,		
13.65.185.107:443		
,		
13.65.185.244:443		
,		
13.65.185.249:443		
,		
13.65.186.144:443		
,		
13.65.187.97:443		
,		
13.65.187.145:443		
,		
13.66.39.9:443		
,		
13.65.188.16:443		
,		
13.65.188.4:443		
,		
40.124.47.132:443		
,		
40.84.238.26:443		
,		
104.215.126.45:443		
,		
40.84.139.191:443		
,		
40.84.137.15:443		
,		
13.66.52.26:443		
,		
13.65.184.214:443		
,		

	104.214.90.12:443		
	, 13.66.55.51:443		
	, 13.66.55.33:443		
	, 13.66.54.250:443		
	, 40.124.44.205:443		
	, 104.214.94.221:443		
	, 104.214.95.128:443		
	, 13.84.44.47:443		
	, 40.84.234.145:443		
	, 104.214.89.233:443		
	, 40.84.238.250:443		
	, 104.215.120.58:443		

Statistics Summary

Total pages	45571046	—	Average pages/s	17,347.2	—
Total requests	106766045	—	Average requests/s	40,641.8	—
Total users launched	15004	—	Average Request response time	0.175 s	—
Total iterations completed	1321303	—	Average Page response time	0.347 s	—
Total throughput	1,532,007 MB	—	Average throughput	4,665.42 Mb/s	—
Total request errors	5547	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	80.3 %	—

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ☄ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
GW-Desk	GW_DESK	/wizard/ready_to_open.html	791
GW_MOBILE	GW-M	/webevents/visitWebPage	583
GW-Desk	GW_DESK	/tbproxy/af/query_1	556
GW-Desk	GW_DESK	/t/onedigital/uf/build/chunk.18.4a8d8c535a7da7c71d35.js	259
GW_MOBILE	GW-M	/inqchat.html	257

Top 5 alerts

Sev.	Alert	Duration %	Occurrences
	Controller/Total Disconnections >= 1.0	80.3	1

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
GW-Desk	GW_DESK	/tbproxy/af/query_1	2.17
GW-Desk	GW_DESK	/smartphones/	1.31
GW_MOBILE	GW-M	/smartphones/	1.12
GW-Desk	GW_DESK	/wizard/ready_to_open.html	1.03
GW-Desk	GW_DESK	/askverizon/js/askverizon.js	0.843

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
GW-Desk	GW_DESK	/activityi;dc_pre=CLTzwYWfteUCF...zwvp0;u9=desktop;u12	591.3
GW_MOBILE	GW-M	/sync	540.2
GW-Desk	GW_DESK	/smartphones/	434
GW_MOBILE	GW-M	/t/onedigital/uf/build/assets/css/gw.min.css	366.7
GW-Desk	GW_DESK	/wizard/ready_to_open.html	363.1

Errors

Request errors

Error Type	Count	Description
NL-NETWORK-01	5,522	Miscellaneous I/O error when connecting to the server.
504	15	Gateway Timeout
502	5	Bad Gateway
408	3	Request Timeout - The client did not produce a request within the time that the server was prepared to wait.
500	2	Internal Server Error
Total	5,547	Total error count.

Action errors

No errors

Alerts

Element	Critical	Warning	Monitored
 Controller	0	1	3

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
90.6	1,041	2,625	14,311	3,802	26.6	-
All pages						
0	0.346	591.3	45,571,046	4,971	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All requests						
0	0.174	591	106,766,045	5,547	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
2.43	11.8	786.2	1,321,303	4,604	0.3	2.94	56.9	83.3	28	7.91	-

Scenario

Summary

Name	00:32 - 7 Nov 2019_GW_LT_Final_2	Project	HP_GRID_PDP
Description		Scenario	GW_Nov06
Status	✓ Passed	Load Policy	• The population GridWall_1_Final is customized
Start date	Nov 7, 2019 12:33:44 AM	Stop Policy	• Population GridWall_1_Final: immediate.
End date	Nov 7, 2019 1:17:31 AM		
Duration	00:43:46		
Termination reason	Manual action	Filters	None
LG Hosts	157.250.33.88:443	Debug	Disabled
	,		
	157.250.37.164:443		
	,		
	157.250.38.192:443		
	,		
	157.250.35.39:443		
	,		
	157.250.43.95:443		
	,		
	157.250.49.33:443		
	,		
	157.250.33.110:443		
	,		
	157.250.34.10:443		
	,		
	157.250.42.60:443		
	,		
	157.250.34.68:443		
	,		
	157.250.43.70:443		
	,		
	157.250.42.17:443		
	,		
	157.250.47.208:443		
	,		
	157.250.34.127:443		
	,		
	157.250.45.245:443		
	,		
	157.250.34.126:443		
	,		
	157.250.45.102:443		
	,		
	157.250.40.177:443		
	,		
	157.250.44.61:443		
	,		
	157.250.49.237:443		
	,		
	157.250.36.216:443		
	,		
	157.250.40.28:443		
	,		
	157.250.44.163:443		
	,		
	157.250.37.247:443		
	,		
	157.250.40.209:443		
	,		
	157.250.35.62:443		
	,		
	157.250.39.162:443		
	,		
	157.250.49.107:443		
	,		
	157.250.37.165:443		
	,		
	157.250.42.21:443		
	,		

157.250.37.125:443		
,		
157.250.37.33:443		
,		
157.250.33.143:443		
,		
157.250.46.153:443		
,		
157.250.41.172:443		
,		
157.250.48.79:443		
,		
157.250.39.182:443		
,		
157.250.43.243:443		
,		
157.250.49.170:443		
,		
157.250.44.102:443		
,		
157.250.49.161:443		
,		
157.250.37.193:443		
,		
157.250.34.71:443		
,		
157.250.47.12:443		
,		
157.250.48.146:443		
,		
157.250.43.40:443		
,		
157.250.46.61:443		
,		
157.250.41.153:443		
,		
157.250.46.31:443		
,		
157.250.38.23:443		
,		
157.250.43.180:443		
,		
157.250.48.178:443		
,		
157.250.43.37:443		
,		
157.250.43.207:443		
,		
157.250.42.148:443		
,		
157.250.42.10:443		
,		
157.250.46.239:443		
,		
157.250.51.192:443		
,		
157.250.39.124:443		
,		
157.250.51.245:443		
,		
157.250.41.213:443		
,		
157.250.32.135:443		
,		
157.250.47.195:443		
,		
157.250.46.35:443		
,		
157.250.38.214:443		
,		
157.250.49.35:443		
,		
157.250.49.5:443		
,		
157.250.49.206:443		
,		
157.250.34.13:443		
,		

157.250.39.241:443		
,		
157.250.51.238:443		
,		
157.250.35.177:443		
,		
157.250.35.75:443		
,		
157.250.40.142:443		
,		
157.250.36.138:443		
,		
157.250.44.170:443		
,		
157.250.35.184:443		
,		
157.250.42.61:443		
,		
157.250.37.131:443		
,		
157.250.38.223:443		
,		
104.210.214.205:443		
,		
40.84.239.181:443		
,		
40.124.42.62:443		
,		
40.84.129.154:443		
,		
104.215.116.142:443		
,		
40.84.234.55:443		
,		
13.66.23.33:443		
,		
40.84.129.57:443		
,		
40.84.233.23:443		
,		
13.66.23.196:443		
,		
104.215.114.29:443		
,		
13.66.22.171:443		
,		
13.66.21.227:443		
,		
40.124.42.232:443		
,		
13.66.19.68:443		
,		
40.124.42.143:443		
,		
13.66.20.112:443		
,		
13.66.21.183:443		
,		
13.66.39.135:443		
,		
13.66.18.239:443		
,		
40.124.43.4:443		
,		
13.66.32.239:443		
,		
13.66.21.156:443		
,		
13.66.39.4:443		
,		
13.66.33.234:443		
,		
13.66.33.214:443		
,		
104.214.94.48:443		
,		
40.84.237.60:443		
,		

104.215.113.223:443		
,		
13.66.32.67:443		
,		
104.214.88.215:443		
,		
104.210.213.42:443		
,		
104.210.209.227:443		
,		
40.124.40.25:443		
,		
104.214.94.21:443		
,		
13.66.19.157:443		
,		
40.84.237.65:443		
,		
104.214.94.124:443		
,		
104.214.102.137:443		
,		
104.214.93.66:443		
,		
40.84.132.157:443		
,		
104.214.102.39:443		
,		
40.124.46.152:443		
,		
104.214.99.245:443		
,		
104.215.123.38:443		
,		
104.214.95.212:443		
,		
104.214.93.205:443		
,		
104.214.103.200:443		
,		
104.214.97.131:443		
,		
13.65.169.223:443		
,		
104.215.118.64:443		
,		
13.65.185.162:443		
,		
13.65.185.107:443		
,		
13.65.185.244:443		
,		
13.65.185.249:443		
,		
13.65.186.144:443		
,		
13.65.187.97:443		
,		
13.65.187.145:443		
,		
13.66.39.9:443		
,		
13.65.188.16:443		
,		
13.65.188.4:443		
,		
40.124.47.132:443		
,		
40.84.238.26:443		
,		
104.215.126.45:443		
,		
40.84.139.191:443		
,		
40.84.137.15:443		
,		
13.66.52.26:443		
,		

13.65.184.214:443		
,		
104.214.90.12:443		
,		
13.66.55.51:443		
,		
13.66.55.33:443		
,		
13.66.54.250:443		
,		
40.124.44.205:443		
,		
104.214.94.221:443		
,		
104.214.95.128:443		
,		
13.84.44.47:443		
,		
40.84.234.145:443		
,		
104.214.89.233:443		
,		
40.84.238.250:443		
,		
104.215.120.58:443		

Populations

GridWall_1_Final

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
GW_MOBILE	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user
GW-Desk	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
GW_MOBILE		Go to the next iteration	Do nothing	0ms	0%
GW-Desk		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	00:32 - 7 Nov 2019_GW_LT_Final_2	Project	HP_GRID_PDP
Description		Scenario	GW_Nov06
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population GridWall_1_Final is customized
Start date	Nov 7, 2019 12:33:44 AM	Stop Policy	<ul style="list-style-type: none"> Population GridWall_1_Final: immediate.
End date	Nov 7, 2019 1:17:31 AM		
Duration	00:43:46	Filters	None
Termination reason	Manual action		
LG Hosts	157.250.33.88:443	Debug	Disabled
	,		
	157.250.37.164:443		
	,		
	157.250.38.192:443		
	,		
	157.250.35.39:443		
	,		
	157.250.43.95:443		
	,		
	157.250.49.33:443		
	,		
	157.250.33.110:443		
	,		
	157.250.34.10:443		
	,		
	157.250.42.60:443		
	,		
	157.250.34.68:443		
	,		
	157.250.43.70:443		
	,		
	157.250.42.17:443		
	,		
	157.250.47.208:443		
	,		
	157.250.34.127:443		
	,		
	157.250.45.245:443		
	,		
	157.250.34.126:443		
	,		
	157.250.45.102:443		
	,		
	157.250.40.177:443		
	,		
	157.250.44.61:443		
	,		
	157.250.49.237:443		
	,		
	157.250.36.216:443		
	,		
	157.250.40.28:443		
	,		
	157.250.44.163:443		
	,		
	157.250.37.247:443		
	,		
	157.250.40.209:443		
	,		
	157.250.35.62:443		
	,		
	157.250.39.162:443		
	,		
	157.250.49.107:443		
	,		
	157.250.37.165:443		
	,		
	157.250.42.21:443		
	,		
	157.250.37.125:443		
	,		
	157.250.37.33:443		

157.250.33.143:443		
,		
157.250.46.153:443		
,		
157.250.41.172:443		
,		
157.250.48.79:443		
,		
157.250.39.182:443		
,		
157.250.43.243:443		
,		
157.250.49.170:443		
,		
157.250.44.102:443		
,		
157.250.49.161:443		
,		
157.250.37.193:443		
,		
157.250.34.71:443		
,		
157.250.47.12:443		
,		
157.250.48.146:443		
,		
157.250.43.40:443		
,		
157.250.46.61:443		
,		
157.250.41.153:443		
,		
157.250.46.31:443		
,		
157.250.38.23:443		
,		
157.250.43.180:443		
,		
157.250.48.178:443		
,		
157.250.43.37:443		
,		
157.250.43.207:443		
,		
157.250.42.148:443		
,		
157.250.42.10:443		
,		
157.250.46.239:443		
,		
157.250.51.192:443		
,		
157.250.39.124:443		
,		
157.250.51.245:443		
,		
157.250.41.213:443		
,		
157.250.32.135:443		
,		
157.250.47.195:443		
,		
157.250.46.35:443		
,		
157.250.38.214:443		
,		
157.250.49.35:443		
,		
157.250.49.5:443		
,		
157.250.49.206:443		
,		
157.250.34.13:443		
,		
157.250.39.241:443		
,		
157.250.51.238:443		

157.250.35.177:443		
,		
157.250.35.75:443		
,		
157.250.40.142:443		
,		
157.250.36.138:443		
,		
157.250.44.170:443		
,		
157.250.35.184:443		
,		
157.250.42.61:443		
,		
157.250.37.131:443		
,		
157.250.38.223:443		
,		
104.210.214.205:443		
,		
40.84.239.181:443		
,		
40.124.42.62:443		
,		
40.84.129.154:443		
,		
104.215.116.142:443		
,		
40.84.234.55:443		
,		
13.66.23.33:443		
,		
40.84.129.57:443		
,		
40.84.233.23:443		
,		
13.66.23.196:443		
,		
104.215.114.29:443		
,		
13.66.22.171:443		
,		
13.66.21.227:443		
,		
40.124.42.232:443		
,		
13.66.19.68:443		
,		
40.124.42.143:443		
,		
13.66.20.112:443		
,		
13.66.21.183:443		
,		
13.66.39.135:443		
,		
13.66.18.239:443		
,		
40.124.43.4:443		
,		
13.66.32.239:443		
,		
13.66.21.156:443		
,		
13.66.39.4:443		
,		
13.66.33.234:443		
,		
13.66.33.214:443		
,		
104.214.94.48:443		
,		
40.84.237.60:443		
,		
104.215.113.223:443		
,		
13.66.32.67:443		

,	104.214.88.215:443		
,	104.210.213.42:443		
,	104.210.209.227:443		
,	40.124.40.25:443		
,	104.214.94.21:443		
,	13.66.19.157:443		
,	40.84.237.65:443		
,	104.214.94.124:443		
,	104.214.102.137:443		
,	104.214.93.66:443		
,	40.84.132.157:443		
,	104.214.102.39:443		
,	40.124.46.152:443		
,	104.214.99.245:443		
,	104.215.123.38:443		
,	104.214.95.212:443		
,	104.214.93.205:443		
,	104.214.103.200:443		
,	104.214.97.131:443		
,	13.65.169.223:443		
,	104.215.118.64:443		
,	13.65.185.162:443		
,	13.65.185.107:443		
,	13.65.185.244:443		
,	13.65.185.249:443		
,	13.65.186.144:443		
,	13.65.187.97:443		
,	13.65.187.145:443		
,	13.66.39.9:443		
,	13.65.188.16:443		
,	13.65.188.4:443		
,	40.124.47.132:443		
,	40.84.238.26:443		
,	104.215.126.45:443		
,	40.84.139.191:443		
,	40.84.137.15:443		
,	13.66.52.26:443		
,	13.65.184.214:443		
,	104.214.90.12:443		

,	13.66.55.51:443		
,	13.66.55.33:443		
,	13.66.54.250:443		
,	40.124.44.205:443		
,	104.214.94.221:443		
,	104.214.95.128:443		
,	13.84.44.47:443		
,	40.84.234.145:443		
,	104.214.89.233:443		
,	40.84.238.250:443		
,	104.215.120.58:443		

NeoLoad version 6.6.0;build=20180904-56
 Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

GW_MOBILE	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
GW-Desk	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
ss72.vzw.com	443		No
media.ascend.ai	443		No
www.google-analytics.com	443		No
gateway.verizonwireless.com	443		No
sp.analytics.yahoo.com	443		No
vt.myvisualiq.net	443		No
scache2.vzw.com	443		No
2761768.fl.s.doubleclick.net	443		No
685973.fl.s.doubleclick.net	443		No
ss71.vzw.com	443		No
www.verizonwireless.com	443		No
324-bzd-350.mktoresp.com	443		No
pt.ispot.tv	443		No
t.myvisualiq.net	443		No
scache1.vzw.com	443		No
ss7.vzw.com	443		No
verizon.inq.com	443		No
scache.vzw.com	443		No
ss73.vzw.com	443		No



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
GridWall_1_Final	106766045 (100%)	40,641.8	0.347s (0%)	0% (0%)
Global	106766045 (100%)	40,641.8	0.347s	0%






User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-Desk						
90.6	1,025	2,614	7,143	1,829	25.6	-
 GW_MOBILE						
107.3	1,057	2,625	7,168	1,973	27.5	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

GW-Desk

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 GW-Desk											
90.6	1,025	2,614	7,143	1,829	25.6	-	-	-	-	-	-
 Init											
0	0	0.001	7,504	0	0	-	-	-	-	-	-
 Actions											
2.43	11.5	786.2	677,964	2,276	0.3	-	-	-	-	-	-
 GW_DESK											
2.43	11.5	786.2	677,964	2,276	0.3	2.57	50.7	74.2	26.4	7.98	-
 End											
0	0	0.001	7,143	0	0	-	-	-	-	-	-

GW_MOBILE

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 GW_MOBILE											
107.3	1,057	2,625	7,168	1,973	27.5	-	-	-	-	-	-
 Init											
0	0	0.001	7,500	0	0	-	-	-	-	-	-
 Actions											
2.83	12.2	737.7	643,339	2,328	0.4	-	-	-	-	-	-
 GW-M											
2.83	12.2	737.7	643,339	2,328	0.4	2.99	62.4	88.9	29.5	7.95	-
 End											
0	0	0.001	7,168	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

GW-Desk

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




















GW_MOBILE















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers








Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						
























GW-Desk













Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-Desk						
90.6	1,025	2,614	7,143	1,829	25.6	-
 Actions						
2.43	11.5	786.2	677,964	2,276	0.3	-
 GW_DESK						
2.43	11.5	786.2	677,964	2,276	0.3	-
 /smartphones/						
0.149	1.31	434	678,954	42	0	-
 /onedigital/uf/build/assets/css/gw.min.css						
0.015	0.299	313.4	678,933	55	0	-
 /onedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.014	0.236	303.8	678,927	31	0	-
 /ui-one-digital/gn/build/gnav.css						
0.018	0.43	321.6	678,898	95	0	-
 /onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.019	0.673	326.7	678,811	259	0	-
 /rest/v1/delivery						
0.02	0.478	331.2	678,772	91	0	-
 /tbproxy/af/query_1						
0.083	2.17	350.9	678,562	556	0.1	-
 /askverizon/js/askverizon.js						
0.011	0.843	318	678,500	224	0	-
 /v2/TC-3477-1.gif						
0.01	0.049	97.4	678,500	0	0	-
 /munchkin.js						
0.14	0.454	131.1	678,504	0	0	-
 /inqchat.html						
0.075	0.178	128	678,503	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar						
0	0.271	51.3	678,469	31	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart						
0	0.067	53	678,458	29	0	-
 /activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F						
0	0.083	45.4	678,454	29	0	-
 /activityi;dc_pre=CPCI_ISfteUC...bwi00;u18=https%3A%2F						
0	0.239	326.7	678,465	31	0	-
 /activityi;src=685973;type=vzw...cff83812f9af78de91a;						
0.067	0.273	35	678,461	2	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12						
0.156	0.588	591.3	678,329	40	0	-
 /c/263109848-1/ascend.js						
0	0.21	64.7	678,328	95	0	-
 /tagserver/postToServer.min.htm						
0.139	0.493	151.1	678,306	4	0	-
 /tapestry/1						
0.008	0.057	44.7	678,307	0	0	-
 /tagserver/init/initFramework						
0.034	0.071	45	678,296	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.073	44.2	678,294	0	0	-
 /tagserver/launch/requestC2CImage						
0.034	0.073	44.4	678,302	0	0	-
 /tagserver/incrementality/onEvent_1						
0.034	0.072	22.4	678,298	0	0	-
 /tagserver/incrementality/onEvent_2						
0.07	0.387	303.4	678,253	1	0	-
 /wizard/ready_to_open.html						
0.04	1.03	363.1	678,028	791	0.1	-
 /favicon.ico						
0.019	0.127	300.1	678,023	2	0	-
 /tagserver/incrementality/onEvent_4						
0.034	0.072	42.8	677,999	0	0	-
 /tagserver/incrementality/onEvent_3						
0.034	0.072	51.1	677,984	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504						
0.009	0.112	305.3	677,966	8	0	-

GW_MOBILE

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_MOBILE						
107.3	1,057	2,625	7,168	1,973	27.5	-
 Actions						
2.83	12.2	737.7	643,339	2,328	0.4	-
 GW-M						
2.83	12.2	737.7	643,339	2,328	0.4	-
 /smartphones/						
0.151	1.12	316.5	648,424	34	0	-
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.014	0.194	309.8	648,381	20	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.016	0.248	366.7	648,331	44	0	-
 /ui-one-digital/gn/build/gnav.css						
0.019	0.355	313.7	648,258	76	0	-


















Min	Avg	Max	Count	Err	% of Err	SLA Profile
	 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js					
0.002	0.037	76.7	648,248	0	0	-
	 /id/rd					
0.027	0.703	335.8	648,064	146	0	-
	 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2					
0.009	0.273	318.3	647,954	53	0	-
	 /tbproxy/af/query					
0.013	0.467	327.2	647,792	134	0	-
	 /activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u					
0.067	0.245	51.2	647,735	1	0	-
	 /activityi;src=2761768;type=b2...wireless.com%2Fsmart					
0	0.248	27.8	647,681	25	0	-
	 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar					
0	0.073	23.5	647,672	22	0	-
	 /v4/fullHashes:find					
0.036	0.514	311.8	647,525	89	0	-
	 /tbproxy/af/query_1					
0.006	0.147	305.1	647,485	39	0	-
	 /gtag/js					
0.012	0.317	321.4	647,376	83	0	-
	 /ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar					
0.038	0.796	335.8	647,110	176	0	-
	 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js					
0.013	0.138	348.7	647,108	1	0	-
	 /wi/yt.js					
0.006	0.652	328.2	646,834	148	0	-
	 /support/etc/designs/support_rd/c2c.js					
0.001	0.049	308.6	646,827	16	0	-
	 /v2/TC-3477-1.gif					
0.037	0.638	321.4	646,672	151	0	-
	 /dcm					
0.018	0.417	317	646,501	72	0	-
	 /b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017					
0.003	0.07	300.5	646,473	14	0	-
	 /c/263109848-1/ascend.js					
0	0.651	311.9	646,340	151	0	-
	 /is/image/VerizonWireless/sams...s10-plus-white-prism					
0.019	0.472	310.7	646,162	111	0	-
	 /c/263109848-1/runtime.js.map					
0	0.026	35.3	646,161	62	0	-
	 /activity_pixel					
0.037	0.261	75.5	646,121	0	0	-
	 /inqchat.html					
0.145	0.682	315.7	645,882	257	0	-
	 /sync					
0.091	0.547	540.2	645,711	26	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /webevents/visitWebPage						
0.041	0.837	324.3	645,449	583	0.1	-
 /tagserver/postToServer.min.htm						
0.033	0.064	25.1	645,434	0	0	-
 /wizard/ready_to_open.html						
0.033	0.108	46	645,409	0	0	-
 /favicon.ico						
0.019	0.112	128.3	645,378	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.056	0.252	140.8	645,301	20	0	-
 /tagserver/init/initFramework						
0.034	0.064	300	645,290	1	0	-
 /flash/jquery-3.3.1.min.js						
0.036	0.246	87	645,212	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.065	21.5	645,205	0	0	-
 /tagserver/incrementality/onEvent_1						
0.033	0.065	105.5	645,184	0	0	-
 /tagserver/launch/requestC2CImage						
0.034	0.066	44.6	645,171	0	0	-
 /tagserver/incrementality/onEvent_2						
0.034	0.064	43.9	645,158	0	0	-
 /tagserver/incrementality/onEvent_3						
0.033	0.065	22.3	645,143	0	0	-














Shared Containers
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						









GW-Desk

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW-Desk						
90.6	1,025	2,614	7,143	1,829	25.6	-
 Actions						
2.43	11.5	786.2	677,964	2,276	0.3	-
 GW_DESK						
2.43	11.5	786.2	677,964	2,276	0.3	-
 /smartphones/						
0.149	1.31	434	678,954	42	0	-
 /smartphones/						
0.149	1.31	434	678,968	47	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.015	0.299	313.4	678,933	55	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.015	0.304	313.4	678,945	67	0	-
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.014	0.236	303.8	678,927	31	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.014	0.237	303.8	678,930	33	0	-
 /ui-one-digital/gn/build/gnav.css						
0.018	0.43	321.6	678,898	95	0	-
 /ui-one-digital/gn/build/gnav.css						
0.014	0.289	310.9	678,909	62	0	-
 /ui-one-digital/gn/build/gnav.js						
0.003	0.144	318	678,842	39	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.019	0.673	326.7	678,811	259	0	-
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js						
0.002	0.046	300.1	678,896	7	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.004	0.196	325.9	678,880	51	0	-
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf						
0.006	0.227	315.1	678,866	48	0	-
 /ui-one-digital/global-head...ct.globalheader.json						
0.003	0.205	304.4	678,883	45	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.005	0.177	309.2	678,875	41	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.002	0.092	300.5	678,876	16	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.003	0.225	310.8	678,871	74	0	-
 /rest/v1/delivery						
0.02	0.478	331.2	678,772	91	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.02	0.485	331.2	678,792	106	0	-
 /tbproxy/af/query_1						
0.083	2.17	350.9	678,562	556	0.1	-
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles						
0.015	0.305	350.9	678,760	59	0	-
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles						
0.003	0.141	313.8	678,690	55	0	-
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles						
0	0.153	312.6	678,636	51	0	-
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles						
0.001	0.149	305.3	678,571	39	0	-
 /is/image/VerizonWireless/55...outube-minibanner-x1						
0.003	0.054	300.2	678,533	11	0	-
 /is/image/VerizonWireless/iPhone8-SpGry						
0.003	0.128	308.9	678,508	40	0	-
 /is/image/VerizonWireless/iPhone8-Svr						
0.003	0.129	309.7	678,458	42	0	-
 /is/image/VerizonWireless/iPhone8-Gld						
0.003	0.132	309.5	678,418	45	0	-
 /is/image/VerizonWireless/iPhone8_RED						
0.003	0.132	315.3	678,368	50	0	-
 /is/image/VerizonWireless/iphone7-front-matblk						
0.015	0.308	305.7	678,300	72	0	-
 /is/image/VerizonWireless/iphone7-front-jetblk						
0.002	0.122	309.8	678,225	37	0	-
 /is/image/VerizonWireless/iphone7-front-svr						
0.003	0.138	319	678,176	41	0	-
 /is/image/VerizonWireless/iphone7-front-rsgld						
0.003	0.149	317.3	678,121	47	0	-
 /is/image/VerizonWireless/iphone7-front-gld						
0.001	0.161	311.5	678,062	56	0	-
 /askverizon/js/askverizon.js						
0.011	0.843	318	678,500	224	0	-
 /askverizon/js/askverizon.js						
0.008	0.795	318	678,537	233	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.058	304.3	678,290	14	0	-
 /v2/TC-3477-1.gif						
0.01	0.049	97.4	678,500	0	0	-
 /v2/TC-3477-1.gif						
0.01	0.049	97.4	678,500	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
	 /munchkin.js					
0.14	0.454	131.1	678,504	0	0	-
	 /chatskins/launch/inqChatLaunch10004593.js					
0.14	0.454	131.1	678,510	1	0	-
	 /inqchat.html					
0.075	0.178	128	678,503	0	0	-
	 /inqchat.html					
0.019	0.104	127.1	678,504	0	0	-
	 /chatskins/launch/inqChatLaunch10004593.js					
0.033	0.074	90.8	678,503	0	0	-
	 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar					
0	0.271	51.3	678,469	31	0	-
	 /activityi;src=2761768;type=...um=6377803691626.312					
0	0.271	51.3	678,472	31	0	-
	 /activityi;src=2761768;type=b2...wireless.com%2Fsmart					
0	0.067	53	678,458	29	0	-
	 /activityi;src=2761768;type=...rd=6822912973472.224					
0	0.067	53	678,463	29	0	-
	 /activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F					
0	0.083	45.4	678,454	29	0	-
	 /activityi;dc_pre=CKue_ISfte...rd=6822912973472.224					
0	0.083	45.4	678,457	29	0	-
	 /activityi;dc_pre=CPCI_ISfteUC...bwi00;u18=https%3A%2					
0	0.239	326.7	678,465	31	0	-
	 /activityi;dc_pre=CPCI_ISfte...um=6377803691626.312					
0	0.082	14.8	678,456	29	0	-
	 /2/PS5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js					
0.013	0.157	326.6	678,436	2	0	-
	 /activityi;src=685973;type=vzw...cff83812f9af78de91a;					
0.067	0.273	35	678,461	2	0	-
	 /activityi;src=685973;type=v...um=5474536749569.184					
0.067	0.273	35	678,467	2	0	-
	 /activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12					
0.156	0.588	591.3	678,329	40	0	-
	 /activityi;dc_pre=CLTzwYWfte...um=5474536749569.184					
0.027	0.083	23.3	678,465	0	0	-
	 /sp.pl					
0.072	0.524	591	678,457	42	0	-
	 /c/263109848-1/ascend.js					
0	0.21	64.7	678,328	95	0	-
	 /c/263109848-1/ascend.js					
0	0.21	64.7	678,330	95	0	-
	 /tagserver/postToServer.min.htm					
0.139	0.493	151.1	678,306	4	0	-
	 /tagserver/postToServer.min.htm					
0.033	0.07	46	678,325	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activity_pixel						
0.037	0.238	62.2	678,316	0	0	-
 /sync						
0.037	0.244	62.8	678,321	2	0	-
 /sync						
0.038	0.246	103.9	678,329	0	0	-
 /tagserver/postToServer.min.js						
0.033	0.131	46	678,327	0	0	-
 /impression_pixel						
0.037	0.246	66	678,321	2	0	-
 /sync						
0.037	0.241	150.9	678,320	0	0	-
 /ul_cb/sync						
0.038	0.232	62	678,326	0	0	-
 /sync						
0.042	0.245	61.9	678,321	0	0	-
 /tapestry/1						
0.008	0.057	44.7	678,307	0	0	-
 /sync						
0.008	0.057	44.7	678,309	0	0	-
 /tagserver/init/initFramework						
0.034	0.071	45	678,296	0	0	-
 /tagserver/init/initFramework						
0.034	0.071	45	678,299	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.073	44.2	678,294	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.073	44.2	678,295	0	0	-
 /tagserver/launch/requestC2CImage						
0.034	0.073	44.4	678,302	0	0	-
 /tagserver/launch/requestC2CImage						
0.034	0.073	44.4	678,303	0	0	-
 /tagserver/incrementality/onEvent_1						
0.034	0.072	22.4	678,298	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.072	22.4	678,302	0	0	-
 /tagserver/incrementality/onEvent_2						
0.07	0.387	303.4	678,253	1	0	-
 /tagserver/incrementality/onEvent						
0.034	0.072	42.9	678,301	0	0	-
 /tagserver/cbc-min.js						
0.035	0.314	303.3	678,253	1	0	-
 /wizard/ready_to_open.html						
0.04	1.03	363.1	678,028	791	0.1	-
 /webevents/visitWebPage						
0.04	1.07	363.1	678,142	873	0.1	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /favicon.ico						
0.019	0.127	300.1	678,023	2	0	-
 /favicon.ico						
0.019	0.127	300.1	678,028	2	0	-
 /tagserver/incrementality/onEvent_4						
0.034	0.072	42.8	677,999	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.072	42.8	678,019	0	0	-
 /tagserver/incrementality/onEvent_3						
0.034	0.072	51.1	677,984	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.072	51.1	677,998	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504						
0.009	0.112	305.3	677,966	8	0	-
 /webevents/visitWebPage						
0.009	0.113	305.3	677,977	10	0	-
























GW_MOBILE
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 GW_MOBILE						
107.3	1,057	2,625	7,168	1,973	27.5	-
 Actions						
2.83	12.2	737.7	643,339	2,328	0.4	-
 GW-M						
2.83	12.2	737.7	643,339	2,328	0.4	-
 /smartphones/						
0.151	1.12	316.5	648,424	34	0	-
 /smartphones/						
0.151	1.12	316.5	648,496	42	0	-
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js						
0.014	0.194	309.8	648,381	20	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.014	0.196	309.8	648,410	24	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.016	0.248	366.7	648,331	44	0	-
 /t/onedigital/uf/build/assets/css/gw.min.css						
0.016	0.252	366.7	648,364	51	0	-
 /ui-one-digital/gn/build/gnav.css						
0.019	0.355	313.7	648,258	76	0	-
 /ui-one-digital/gn/build/gnav.css						
0.015	0.239	306.5	648,338	48	0	-
 /ui-one-digital/gn/build/gnav.js						
0.003	0.121	309.3	648,220	38	0	-
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js						
0.002	0.037	76.7	648,248	0	0	-














Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js						
0.002	0.038	300	648,256	1	0	-
 /id/rd						
0.027	0.703	335.8	648,064	146	0	-
 /ui-one-digital/gn/build/gnav.js.map						
0.006	0.313	327	648,236	84	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.02	0.397	332.8	647,995	77	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.009	0.273	318.3	647,954	53	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.003	0.152	309.6	648,045	34	0	-
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf						
0.003	0.077	304.3	647,970	21	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.002	0.05	301.3	647,926	12	0	-
 /tbproxy/af/query						
0.013	0.467	327.2	647,792	134	0	-
 /preorderUI/shop/iconicexpressconfiginventory.json						
0.003	0.224	327.2	647,951	66	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.005	0.137	304.9	647,790	27	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.003	0.164	302.3	647,822	32	0	-
 /is/image/VerizonWireless/google-pixel-3-liquorice						
0.003	0.102	311.4	647,791	26	0	-
 /activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u						
0.067	0.245	51.2	647,735	1	0	-
 /activityi;src=685973;type=v...um=6367984012243.537						
0.067	0.245	51.2	647,792	1	0	-
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart						
0	0.248	27.8	647,681	25	0	-
 /activityi;src=2761768;type=...rd=5712158622854.915						
0	0.248	27.8	647,739	25	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar						
0	0.073	23.5	647,672	22	0	-
 /activityi;src=2761768;type=...;num=7598002111842.9						
0	0.073	23.5	647,685	22	0	-
 /v4/fullHashes:find						
0.036	0.514	311.8	647,525	89	0	-
 /is/image/VerizonWireless/ip...1-pro-max-space-gray						
0.015	0.23	311.8	647,671	45	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-silver						
0.003	0.07	300.5	647,582	17	0	-
 /is/image/VerizonWireless/davinci-2-front-aurablack						
0.015	0.221	308.7	647,532	41	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tbproxy/af/query_1						
0.006	0.147	305.1	647,485	39	0	-
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019						
0.003	0.078	301.5	647,528	26	0	-
 /is/image/VerizonWireless/SamsungGalaxyS10_Blue						
0.003	0.07	305	647,476	17	0	-
 /gtag/js						
0.012	0.317	321.4	647,376	83	0	-
 /is/image/VerizonWireless/Ig-v50-thinq-5g-black						
0.003	0.101	307.6	647,485	25	0	-
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles						
0.003	0.081	308.8	647,442	34	0	-
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles						
0.001	0.075	308.6	647,366	19	0	-
 /is/image/VerizonWireless/davinci-1-front-aurablack						
0.003	0.065	302.4	647,332	19	0	-
 /ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar						
0.038	0.796	335.8	647,110	176	0	-
 /is/image/VerizonWireless/sa...s-5g-front-aura-glow						
0.015	0.215	303.2	647,367	36	0	-
 /is/image/VerizonWireless/sa...s-5g-front-aurablack						
0.003	0.067	308.6	647,266	22	0	-
 /is/image/VerizonWireless/iphone7-front-matblk						
0	0.093	308.6	647,229	37	0	-
 /is/image/VerizonWireless/iphone7-front-gld						
0	0.088	304.4	647,162	26	0	-
 /is/image/VerizonWireless/Ig-black-vzw-alpha						
0.003	0.095	312.1	647,113	23	0	-
 /is/image/VerizonWireless/Sa...10-5G-Majestic-Black						
0.003	0.074	309.4	647,065	20	0	-
 /is/image/VerizonWireless/Ig-gray-vzw-alpha						
0.003	0.101	304.5	647,020	26	0	-
 /is/image/VerizonWireless/Sa...S10-5G-Crown-Silver						
0.003	0.075	309	646,973	17	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.013	0.138	348.7	647,108	1	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.013	0.138	348.7	647,111	1	0	-
 /wi/ytc.js						
0.006	0.652	328.2	646,834	148	0	-
 /askverizon/js/askverizon.js						
0.006	0.667	328.2	647,076	179	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.049	308.6	646,827	16	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.049	308.6	646,836	16	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /v2/TC-3477-1.gif						
0.037	0.638	321.4	646,672	151	0	-
 /v2/TC-3477-1.gif						
0.01	0.049	50	646,827	0	0	-
 /is/image/VerizonWireless/sa...-5g-front-aura-white						
0.003	0.065	311.5	646,820	19	0	-
 /is/image/VerizonWireless/google-pixel-3-sand						
0.003	0.097	308.9	646,790	28	0	-
 /is/image/VerizonWireless/google-pixel-3-rockcandy						
0	0.096	301.3	646,742	28	0	-
 /is/image/VerizonWireless/iphone-11-pro-max-gold						
0.003	0.08	310.4	646,690	26	0	-
 /is/image/VerizonWireless/ip...o-max-midnight-green						
0	0.06	302.1	646,642	15	0	-
 /is/image/VerizonWireless/davinci-2-front-aura-white						
0.003	0.063	308.6	646,620	16	0	-
 /is/image/VerizonWireless/davinci-2-front-aura-glow						
0.003	0.063	301.6	646,587	16	0	-
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019						
0.003	0.07	307.7	646,558	22	0	-
 /dcm						
0.018	0.417	317	646,501	72	0	-
 /is/image/VerizonWireless/Ap...ne_11_White_09102019						
0.003	0.07	304.6	646,658	14	0	-
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019						
0.001	0.077	305.4	646,622	17	0	-
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019						
0.003	0.07	300.6	646,579	16	0	-
 /is/image/VerizonWireless/sa...laxy-s10-white-prism						
0.003	0.071	301.2	646,548	19	0	-
 /is/image/VerizonWireless/samsung-galaxy-s10-black						
0.003	0.069	301.4	646,503	13	0	-
 /is/image/VerizonWireless/SamsungGalaxyS10_Pink						
0.003	0.067	308.9	646,464	12	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017						
0.003	0.07	300.5	646,473	14	0	-
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019						
0.003	0.07	300.5	646,495	15	0	-
 /c/263109848-1/ascend.js						
0	0.651	311.9	646,340	151	0	-
 /c/263109848-1/ascend.js						
0	0.185	128.7	646,474	74	0	-
 /is/image/VerizonWireless/apple-iphonexs-spacegrey						
0.003	0.106	309.1	646,361	27	0	-
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Blue						
0.003	0.076	310.6	646,378	22	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/sa...alaxy-s10-plus-black						
0.006	0.168	301.4	646,352	24	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.14	0.394	302	646,310	4	0	-
 /is/image/VerizonWireless/sams...s10-plus-white-prism						
0.019	0.472	310.7	646,162	111	0	-
 /is/image/VerizonWireless/sa...s10-plus-white-prism						
0.003	0.076	308.7	646,334	29	0	-
 /is/image/VerizonWireless/apple-iphonexs-silver						
0.003	0.096	310	646,284	20	0	-
 /is/image/VerizonWireless/Sa...S10PLUS_WhiteCeramic						
0.003	0.067	302.1	646,230	14	0	-
 /is/image/VerizonWireless/apple-iphonexs-gold						
0.003	0.105	306.3	646,196	34	0	-
 /is/image/VerizonWireless/Sa...S10PLUS_BlackCeramic						
0.003	0.07	308.4	646,124	23	0	-
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Pink						
0.001	0.07	308.9	646,094	20	0	-
 /c/263109848-1/runtime.js.map						
0	0.026	35.3	646,161	62	0	-
 /c/263109848-1/runtime.js.map						
0	0.026	35.3	646,162	62	0	-
 /activity_pixel						
0.037	0.261	75.5	646,121	0	0	-
 /activity_pixel						
0.037	0.262	75.5	646,168	0	0	-
 /inqchat.html						
0.145	0.682	315.7	645,882	257	0	-
 /inqchat.html						
0.019	0.093	66.4	646,119	0	0	-
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles						
0.003	0.084	300.9	646,077	18	0	-
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles						
0.006	0.184	310.7	646,054	33	0	-
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles						
0.003	0.194	304.6	646,046	39	0	-
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles						
0.006	0.174	315.3	646,060	27	0	-
 /is/image/VerizonWireless/iphone7-front-svr						
0.003	0.105	309.2	646,057	34	0	-
 /is/image/VerizonWireless/iphone7-front-rsgld						
0.006	0.196	306.8	646,049	35	0	-
 /is/image/VerizonWireless/iphone7-front-jetblk						
0.006	0.208	303.9	646,037	42	0	-
 /is/image/VerizonWireless/davinci-1-front-aura-white						
0.003	0.07	310.2	646,078	15	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/davinci-1-front-aura-glow						
0.003	0.088	308.8	646,067	13	0	-
 /sync						
0.008	0.053	57	646,094	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.033	0.066	45.3	646,087	0	0	-
 /sync						
0.008	0.144	61.3	646,085	0	0	-
 /impression_pixel						
0.009	0.147	91.2	646,087	0	0	-
 /analytics.js						
0.051	0.259	29.4	646,034	1	0	-
 /sync						
0.008	0.144	88	646,083	0	0	-
 /sync						
0.009	0.142	66.4	646,086	0	0	-
 /sync						
0.091	0.547	540.2	645,711	26	0	-
 /sync						
0.008	0.054	44	645,879	0	0	-
 /sync						
0.008	0.053	43.8	645,870	0	0	-
 /sp.pl						
0.073	0.459	540.1	645,860	33	0	-
 /webevents/visitWebPage						
0.041	0.837	324.3	645,449	583	0.1	-
 /webevents/visitWebPage						
0.041	0.872	340.4	645,665	651	0.1	-
 /tagserver/postToServer.min.htm						
0.033	0.064	25.1	645,434	0	0	-
 /tagserver/postToServer.min.htm						
0.033	0.064	25.1	645,447	0	0	-
 /wizard/ready_to_open.html						
0.033	0.108	46	645,409	0	0	-
 /tagserver/postToServer.min.js						
0.033	0.108	46	645,433	0	0	-
 /favicon.ico						
0.019	0.112	128.3	645,378	0	0	-
 /favicon.ico						
0.019	0.112	128.3	645,407	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.056	0.252	140.8	645,301	20	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.056	0.253	301.1	645,361	21	0	-
 /tagserver/init/initFramework						
0.034	0.064	300	645,290	1	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tagserver/init/initFramework						
0.034	0.064	300	645,301	1	0	-
 /flash/jquery-3.3.1.min.js						
0.036	0.246	87	645,212	0	0	-
 /tagserver/cbc-min.js						
0.036	0.246	87	645,274	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.065	21.5	645,205	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.065	21.5	645,219	0	0	-
 /tagserver/incrementality/onEvent_1						
0.033	0.065	105.5	645,184	0	0	-
 /tagserver/incrementality/onEvent						
0.033	0.065	105.5	645,202	0	0	-
 /tagserver/launch/requestC2CImage						
0.034	0.066	44.6	645,171	0	0	-
 /tagserver/launch/requestC2CImage						
0.034	0.066	44.6	645,186	0	0	-
 /tagserver/incrementality/onEvent_2						
0.034	0.064	43.9	645,158	0	0	-
 /tagserver/incrementality/onEvent						
0.034	0.065	87	645,175	0	0	-
 /tagserver/incrementality/onEvent_3						
0.033	0.065	22.3	645,143	0	0	-
 /tagserver/incrementality/onEvent						
0.033	0.065	22.3	645,158	0	0	-
















Shared Containers

SLA	Value	Severity
Empty list		















GW-Desk

SLA	Value	Severity
 GW-Desk		
 Actions		
 GW_DESK		
 /smartphones/		
 /smartphones/		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /rest/v1/delivery		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /tbproxy/af/query_1		
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles		
 /is/image/VerizonWireless/55...outube-minibanner-x1		
 /is/image/VerizonWireless/iPhone8-SpGry		
 /is/image/VerizonWireless/iPhone8-Svr		
 /is/image/VerizonWireless/iPhone8-Gld		
 /is/image/VerizonWireless/iPhone8_RED		
 /is/image/VerizonWireless/iphone7-front-matblk		

SLA	Value	Severity
 /is/image/VerizonWireless/iphone7-front-jetblk		
 /is/image/VerizonWireless/iphone7-front-svr		
 /is/image/VerizonWireless/iphone7-front-rsgld		
 /is/image/VerizonWireless/iphone7-front-gld		
 /askverizon/js/askverizon.js		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /v2/TC-3477-1.gif		
 /v2/TC-3477-1.gif		
 /munchkin.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /inqchat.html		
 /inqchat.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar		
 /activityi;src=2761768;type=...um=6377803691626.312		
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart		
 /activityi;src=2761768;type=...rd=6822912973472.224		
 /activityi;dc_pre=CKue_ISfteUC...bwi0;u18=https%3A%2F		
 /activityi;dc_pre=CKue_ISfte...rd=6822912973472.224		
 /activityi;dc_pre=CPCI_ISfteUC...bwi00;u18=https%3A%2		
 /activityi;dc_pre=CPCI_ISfte...um=6377803691626.312		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /activityi;src=685973;type=vzw...cff83812f9af78de91a;		
 /activityi;src=685973;type=v...um=5474536749569.184		
 /activityi;dc_pre=CLTzwYWfteUC...zwvp0;u9=desktop;u12		
 /activityi;dc_pre=CLTzwYWfte...um=5474536749569.184		
 /sp.pl		
 /c/263109848-1/ascend.js		
 /c/263109848-1/ascend.js		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.htm		
 /activity_pixel		
 /sync		
 /sync		
 /tagserver/postToServer.min.js		
 /impression_pixel		
 /sync		
 /ul_cb/sync		
 /sync		

SLA	Value	Severity
 /tapestry/1		
 /sync		
 /tagserver/init/initFramework		
 /tagserver/init/initFramework		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent		
 /tagserver/launch/requestC2CImage		
 /tagserver/launch/requestC2CImage		
 /tagserver/incrementality/onEvent_1		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_2		
 /tagserver/incrementality/onEvent		
 /tagserver/cbc-min.js		
 /wizard/ready_to_open.html		
 /webevents/visitWebPage		
 /favicon.ico		
 /favicon.ico		
 /tagserver/incrementality/onEvent_4		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_3		
 /tagserver/incrementality/onEvent		
 /b/ss/vzwitestenv/10/JS-2.17.0/s99225305666504		
 /webevents/visitWebPage		








GW_MOBILE

SLA	Value	Severity
 GW_MOBILE		
 Actions		
 GW-M		
 /smartphones/		
 /smartphones/		
 /t/onedigital/uf/build/matchMedia/bundle.matchMedia.js		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /t/onedigital/uf/build/assets/css/gw.min.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/chunk.1...d8c535a7da7c71d35.js		
 /t/onedigital/uf/build/chunk...d8c535a7da7c71d35.js		

SLA	Value	Severity
 /id/rd		
 /ui-one-digital/gn/build/gnav.js.map		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /onedigital/uf/build/assets/fonts/vzwFontIcon.ttf		
 /ui-one-digital/global-head...ct.globalheader.json		
 /tbproxy/af/query		
 /preorderUI/shop/iconicexpressconfiginventory.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /is/image/VerizonWireless/google-pixel-3-liquorice		
 /activityi;src=685973;type=vzw...6aa2552ac99ff5fe37;u		
 /activityi;src=685973;type=v...um=6367984012243.537		
 /activityi;src=2761768;type=b2...wireless.com%2Fsmart		
 /activityi;src=2761768;type=...rd=5712158622854.915		
 /activityi;src=2761768;type=b2...nwireless.com%2Fsmar		
 /activityi;src=2761768;type=...;num=7598002111842.9		
 /v4/fullHashes:find		
 /is/image/VerizonWireless/ip...1-pro-max-space-gray		
 /is/image/VerizonWireless/iphone-11-pro-max-silver		
 /is/image/VerizonWireless/davinci-2-front-aurablack		
 /tbproxy/af/query_1		
 /is/image/VerizonWireless/Ap...hone_11_Red_09102019		
 /is/image/VerizonWireless/SamsungGalaxyS10_Blue		
 /gtag/js		
 /is/image/VerizonWireless/lg-v50-thinq-5g-black		
 /is/image/VerizonWireless/iPhoneXr_Red_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Blue_PureAngles		
 /is/image/VerizonWireless/davinci-1-front-aurablack		
 /ddm/fls/i/src=2761768;type=b2...nwireless.com%2Fsmar		
 /is/image/VerizonWireless/sa...s-5g-front-aura-glow		
 /is/image/VerizonWireless/sa...s-5g-front-aurablack		
 /is/image/VerizonWireless/iphone7-front-matblk		
 /is/image/VerizonWireless/iphone7-front-gld		
 /is/image/VerizonWireless/lg-black-vzw-alpha		
 /is/image/VerizonWireless/Sa...10-5G-Majestic-Black		
 /is/image/VerizonWireless/lg-gray-vzw-alpha		
 /is/image/VerizonWireless/Sa...S10-5G-Crown-Silver		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		

SLA	Value	Severity
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /wi/yt.js		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /support/etc/designs/support_rd/c2c.js		
 /v2/TC-3477-1.gif		
 /v2/TC-3477-1.gif		
 /is/image/VerizonWireless/sa...-5g-front-aura-white		
 /is/image/VerizonWireless/google-pixel-3-sand		
 /is/image/VerizonWireless/google-pixel-3-rockcandy		
 /is/image/VerizonWireless/iphone-11-pro-max-gold		
 /is/image/VerizonWireless/ip...o-max-midnight-green		
 /is/image/VerizonWireless/davinci-2-front-aura-white		
 /is/image/VerizonWireless/davinci-2-front-aura-glow		
 /is/image/VerizonWireless/Ap...e_11_Purple_09102019		
 /dcm		
 /is/image/VerizonWireless/Ap...ne_11_White_09102019		
 /is/image/VerizonWireless/Ap...e_11_Yellow_09102019		
 /is/image/VerizonWireless/Ap...ne_11_Green_09102019		
 /is/image/VerizonWireless/sa...laxy-s10-white-prism		
 /is/image/VerizonWireless/samsung-galaxy-s10-black		
 /is/image/VerizonWireless/SamsungGalaxyS10_Pink		
 /b/ss/vzwitestenv/10/JS-2.17.0/s94705689907017		
 /is/image/VerizonWireless/Ap...ne_11_Black_09102019		
 /c/263109848-1/ascend.js		
 /c/263109848-1/ascend.js		
 /is/image/VerizonWireless/apple-iphonexs-spacegrey		
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Blue		
 /is/image/VerizonWireless/sa...alaxy-s10-plus-black		
 /chatskins/launch/inqChatLaunch10004593.js		
 /is/image/VerizonWireless/sams...s10-plus-white-prism		
 /is/image/VerizonWireless/sa...s10-plus-white-prism		
 /is/image/VerizonWireless/apple-iphonexs-silver		
 /is/image/VerizonWireless/Sa...S10PLUS_WhiteCeramic		
 /is/image/VerizonWireless/apple-iphonexs-gold		
 /is/image/VerizonWireless/Sa...S10PLUS_BlackCeramic		
 /is/image/VerizonWireless/SamsungGalaxy_S10PLUS_Pink		
 /c/263109848-1/runtime.js.map		
 /c/263109848-1/runtime.js.map		
 /activity_pixel		

SLA	Value	Severity
 /activity_pixel		
 /inqchat.html		
 /inqchat.html		
 /is/image/VerizonWireless/iPhoneXr_Yellow_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Coral_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_White_PureAngles		
 /is/image/VerizonWireless/iPhoneXr_Black_PureAngles		
 /is/image/VerizonWireless/iphone7-front-svr		
 /is/image/VerizonWireless/iphone7-front-rsgld		
 /is/image/VerizonWireless/iphone7-front-jetblk		
 /is/image/VerizonWireless/davinci-1-front-aura-white		
 /is/image/VerizonWireless/davinci-1-front-aura-glow		
 /sync		
 /chatskins/launch/inqChatLaunch10004593.js		
 /sync		
 /impression_pixel		
 /analytics.js		
 /sync		
 /sync		
 /sync		
 /sync		
 /sp.pl		
 /webevents/visitWebPage		
 /webevents/visitWebPage		
 /tagserver/postToServer.min.htm		
 /tagserver/postToServer.min.htm		
 /wizard/ready_to_open.html		
 /tagserver/postToServer.min.js		
 /favicon.ico		
 /favicon.ico		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /tagserver/init/initFramework		
 /tagserver/init/initFramework		
 /flash/jquery-3.3.1.min.js		
 /tagserver/cbc-min.js		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_1		

SLA	Value	Severity
 /tagserver/incrementality/onEvent		
 /tagserver/launch/requestC2CImage		
 /tagserver/launch/requestC2CImage		
 /tagserver/incrementality/onEvent_2		
 /tagserver/incrementality/onEvent		
 /tagserver/incrementality/onEvent_3		
 /tagserver/incrementality/onEvent		

GW-Desk

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

GW_MOBILE

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	9,925	14,912	10,701	10,138	4,261
Controller/Throughput					
0	4,579	6,960	4,925	4,672	1,718
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
4	17.7	56	18	17.5	6.48
Controller/Memory Used					
8	20.8	39	21	20.6	7.66
Controller/Thread Count					
1,172	1,307	2,271	1,291	1,297	91.5
Controller/Connected					
157	158.7	159	159	158.8	0.519
Controller/Total Disconnections					
0	9.14	30	5	8.44	9.3
Controller/Total Reconnections					
0	8.86	30	5	8.17	9.09
Controller/Network/Segments sent/sec.					
0	1,509	16,066	933	1,205	2,073
Controller/Network/Segments retransmitted/sec.					
0	10.17	637.2	0	0	77.2
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - New Jersey/User Load					
0	4,085	7,465	4,215	4,098	2,217
Controller/USA East - New Jersey/GridWall_1_Final/User Load					
0	4,085	7,465	4,215	4,098	2,217
Controller/USA East - New Jersey/GridWall_1_Final/GW_MOBILE/User Load					
0	2,040	3,727	2,115	2,047	1,109
Controller/USA East - New Jersey/GridWall_1_Final/GW-Desk/User Load					
0	2,045	3,738	2,117	2,052	1,110
Controller/USA Central - Texas (San Antonio)/User Load					
0	3,989	7,447	4,179	4,006	2,284
Controller/USA Central - Texas (San Antonio)/GridWall_1_Final/User Load					
0	3,989	7,447	4,179	4,006	2,284
Controller/USA Central - Texas (San Antonio)/GridWall_1_.../GW_MOBILE/User Load					
0	1,995	3,726	2,090	2,004	1,143
Controller/USA Central - Texas (San Antonio)/GridWall_1_Final/GW-Desk/User Load					
0	1,994	3,721	2,089	2,003	1,140

LG 157.250.32.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.32.135:443/CPU Load					
0	11.3	19	11	11.5	2.96
LG 157.250.32.135:443/Memory Used					
2	9.55	20	9	9.4	3.72
LG 157.250.32.135:443/Throughput					
0	10.21	15.2	10.82	10.55	2.95
LG 157.250.32.135:443/User Load					
0	51.3	95	53	51.3	28.5
LG 157.250.32.135:443/Thread Count					
38	117	182	115	117.2	33.5
LG 157.250.32.135:443/Http client/Thread Pool used					
0.1	0.114	0.26	0.1	0.108	0.034
LG 157.250.32.135:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.012
LG 157.250.32.135:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.32.135:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.32.135:443/Controller Connection/Ping Duration (ms)					
129	463.5	2,410	282	432.8	357.5
LG 157.250.32.135:443/Network/Segments sent/sec.					
3.4	1,247	2,020	1,346	1,287	392.9
LG 157.250.32.135:443/Network/Segments retransmitted/sec.					
0	9.11	19.1	9.52	9.11	4.78
LG 157.250.32.135:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.1	16.8	11.8	11.5	3.19
LG 157.250.32.135:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.4	3.44	1.47	1.43	0.438

LG 157.250.33.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.110:443/CPU Load					
0	11.9	29	12	12.1	3.3
LG 157.250.33.110:443/Memory Used					
2	10.29	25	10	10.11	4.2
LG 157.250.33.110:443/Throughput					
0	10.9	20.3	11.4	11.2	3.18
LG 157.250.33.110:443/User Load					
0	51.3	94	53	51.4	28.1
LG 157.250.33.110:443/Thread Count					
38	114.8	162	119	115.1	30.8
LG 157.250.33.110:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 157.250.33.110:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 157.250.33.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.33.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.33.110:443/Controller Connection/Ping Duration (ms)					
135	477.1	2,696	317	392.8	482.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.110:443/Network/Segments sent/sec.					
2.8	1,329	2,050	1,433	1,371	425.4
LG 157.250.33.110:443/Network/Segments retransmitted/sec.					
0	7.41	23.1	7.62	7.34	4.17
LG 157.250.33.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	20.5	12.4	12.2	3.43
LG 157.250.33.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.45	2.48	1.54	1.49	0.419

LG 157.250.33.143:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.143:443/CPU Load					
0	12	24	12	12.2	3.14
LG 157.250.33.143:443/Memory Used					
1	9.82	22	10	9.71	3.79
LG 157.250.33.143:443/Throughput					
0	10.9	15.4	11.5	11.3	3.09
LG 157.250.33.143:443/User Load					
0	51.5	95	53	51.6	28.4
LG 157.250.33.143:443/Thread Count					
38	115.5	162	117	116	30.5
LG 157.250.33.143:443/Http client/Thread Pool used					
0.1	0.103	0.16	0.1	0.101	0.01
LG 157.250.33.143:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 157.250.33.143:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.33.143:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.33.143:443/Controller Connection/Ping Duration (ms)					
124	690.9	83,377	278	335.5	4,811
LG 157.250.33.143:443/Network/Segments sent/sec.					
1.62	1,333	1,869	1,446	1,376	417.5
LG 157.250.33.143:443/Network/Segments retransmitted/sec.					
0	7.68	17.5	8.43	7.7	4.22
LG 157.250.33.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.8	16.7	12.5	12.2	3.33
LG 157.250.33.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.45	2.13	1.56	1.49	0.414

LG 157.250.33.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.88:443/CPU Load					
0	12	24	12	12.3	3.43
LG 157.250.33.88:443/Memory Used					
2	8.02	21	8	7.77	3.04
LG 157.250.33.88:443/Throughput					
0	10.76	16.5	11.5	11.1	3.18
LG 157.250.33.88:443/User Load					
0	51.1	94	53.5	51.2	28.4
LG 157.250.33.88:443/Thread Count					
38	114.8	173	115.5	115	32

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.88:443/Http client/Thread Pool used					
0.1	0.103	0.16	0.1	0.101	0.01
LG 157.250.33.88:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 157.250.33.88:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.33.88:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.33.88:443/Controller Connection/Ping Duration (ms)					
130	523.7	6,551	279	431.2	642.8
LG 157.250.33.88:443/Network/Segments sent/sec.					
1.6	1,322	2,049	1,446	1,364	426.7
LG 157.250.33.88:443/Network/Segments retransmitted/sec.					
0	7.27	15.8	7.72	7.26	4.09
LG 157.250.33.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.7	18.1	12.5	12.1	3.44
LG 157.250.33.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.44	2.76	1.54	1.48	0.444

LG 157.250.34.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.34.10:443/CPU Load					
0	11.7	25	12	12	3.4
LG 157.250.34.10:443/Memory Used					
2	7.98	18	8	7.86	3.32
LG 157.250.34.10:443/Throughput					
0	10.56	15.7	11.2	10.89	3.13
LG 157.250.34.10:443/User Load					
0	50.8	94	53.5	50.9	28.6
LG 157.250.34.10:443/Thread Count					
38	115.9	182	116.5	115.6	33.5
LG 157.250.34.10:443/Http client/Thread Pool used					
0.1	0.109	0.205	0.1	0.105	0.023
LG 157.250.34.10:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.008
LG 157.250.34.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.34.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.34.10:443/Controller Connection/Ping Duration (ms)					
134	430.3	2,495	277	380.6	399.6
LG 157.250.34.10:443/Network/Segments sent/sec.					
1.6	1,294	1,902	1,400	1,332	419.6
LG 157.250.34.10:443/Network/Segments retransmitted/sec.					
0	7.39	17.9	7.76	7.37	4.16
LG 157.250.34.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	17	12.1	11.9	3.37
LG 157.250.34.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.42	3.26	1.49	1.45	0.432

LG 157.250.34.126:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.34.126:443/CPU Load					
0	11.2	23	11	11.4	3.18
LG 157.250.34.126:443/Memory Used					
2	8.14	24	7	7.83	3.47
LG 157.250.34.126:443/Throughput					
0	10.01	15.8	10.59	10.29	2.93
LG 157.250.34.126:443/User Load					
0	50.8	94	53	50.9	28.7
LG 157.250.34.126:443/Thread Count					
38	116.2	167	122	116.7	33
LG 157.250.34.126:443/Http client/Thread Pool used					
0.1	0.11	0.21	0.1	0.106	0.023
LG 157.250.34.126:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 157.250.34.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.34.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.34.126:443/Controller Connection/Ping Duration (ms)					
139	440.9	3,437	281	387.9	431
LG 157.250.34.126:443/Network/Segments sent/sec.					
2.4	1,225	1,950	1,308	1,259	394.1
LG 157.250.34.126:443/Network/Segments retransmitted/sec.					
0	9.19	23.8	9.62	9.14	4.99
LG 157.250.34.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.88	16.9	11.5	11.2	3.17
LG 157.250.34.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.35	2.36	1.43	1.38	0.4

LG 157.250.34.127:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.34.127:443/CPU Load					
0	8.35	26	8	8.35	3.2
LG 157.250.34.127:443/Memory Used					
2	6.88	18	6	6.66	2.68
LG 157.250.34.127:443/Throughput					
0	7.41	12.2	8.01	7.58	2.5
LG 157.250.34.127:443/User Load					
0	51.5	94	54	51.7	27.9
LG 157.250.34.127:443/Thread Count					
38	118.5	181	118	118.7	34.2
LG 157.250.34.127:443/Http client/Thread Pool used					
0.1	0.101	0.145	0.1	0.1	0.005
LG 157.250.34.127:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 157.250.34.127:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.34.127:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.34.127:443/Controller Connection/Ping Duration (ms)					
125	423.1	2,441	300	366.3	375.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.34.127:443/Network/Segments sent/sec.					
2	907	1,460	987	929.3	298.5
LG 157.250.34.127:443/Network/Segments retransmitted/sec.					
0	9.44	22.3	9.8	9.43	4.79
LG 157.250.34.127:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.07	13	8.75	8.26	2.69
LG 157.250.34.127:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.03	1.67	1.12	1.06	0.313

LG 157.250.34.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.34.13:443/CPU Load					
0	8.95	24	9	8.94	3.21
LG 157.250.34.13:443/Memory Used					
2	8.13	22	7	7.81	3.74
LG 157.250.34.13:443/Throughput					
0	7.87	13.6	8.29	8.09	2.34
LG 157.250.34.13:443/User Load					
0	51.8	95	53	52	28
LG 157.250.34.13:443/Thread Count					
38	118.4	168	117	118.8	33.5
LG 157.250.34.13:443/Http client/Thread Pool used					
0.1	0.102	0.135	0.1	0.101	0.006
LG 157.250.34.13:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 157.250.34.13:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.34.13:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.34.13:443/Controller Connection/Ping Duration (ms)					
98	1,118	19,976	283	408	3,612
LG 157.250.34.13:443/Network/Segments sent/sec.					
4.21	961.9	1,395	1,032	992.8	279.6
LG 157.250.34.13:443/Network/Segments retransmitted/sec.					
0	10	22.2	10.75	10.08	4.7
LG 157.250.34.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.58	14.5	9.05	8.82	2.5
LG 157.250.34.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.09	1.66	1.15	1.12	0.296

LG 157.250.34.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.34.68:443/CPU Load					
0	12.1	29	12	12.3	3.34
LG 157.250.34.68:443/Memory Used					
2	7.71	22	7	7.49	3.04
LG 157.250.34.68:443/Throughput					
0	10.88	15.8	11.6	11.2	3.19
LG 157.250.34.68:443/User Load					
0	51.1	94	54	51.2	28.2
LG 157.250.34.68:443/Thread Count					
38	114.6	161	118	115	31

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.34.68:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 157.250.34.68:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 157.250.34.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.34.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.34.68:443/Controller Connection/Ping Duration (ms)					
104	472.4	1,418	317.5	441.3	317.4
LG 157.250.34.68:443/Network/Segments sent/sec.					
2.8	1,336	2,055	1,453	1,378	429.5
LG 157.250.34.68:443/Network/Segments retransmitted/sec.					
0	7.66	21.4	8.09	7.65	4.2
LG 157.250.34.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	17.3	12.7	12.2	3.45
LG 157.250.34.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.46	2.29	1.55	1.5	0.435

LG 157.250.34.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.34.71:443/CPU Load					
0	11.7	22	12	12	3.18
LG 157.250.34.71:443/Memory Used					
2	10.74	29	10	10.34	5.21
LG 157.250.34.71:443/Throughput					
0	10.83	21.3	11.4	11.2	3.24
LG 157.250.34.71:443/User Load					
0	51.5	95	53	51.6	28.1
LG 157.250.34.71:443/Thread Count					
38	116.6	169	127	117.1	30.9
LG 157.250.34.71:443/Http client/Thread Pool used					
0.1	0.106	0.19	0.1	0.103	0.015
LG 157.250.34.71:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.01
LG 157.250.34.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.34.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.34.71:443/Controller Connection/Ping Duration (ms)					
120	439.3	1,378	281	413	294.9
LG 157.250.34.71:443/Network/Segments sent/sec.					
3.4	1,329	2,800	1,433	1,367	430.9
LG 157.250.34.71:443/Network/Segments retransmitted/sec.					
0	7.59	18.8	7.92	7.54	4.18
LG 157.250.34.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.8	23.5	12.5	12.2	3.52
LG 157.250.34.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.46	3.38	1.54	1.49	0.444

LG 157.250.35.177:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.35.177:443/CPU Load					
0	7.95	20	8	7.9	3.38
LG 157.250.35.177:443/Memory Used					
2	8.8	22	8	8.54	3.73
LG 157.250.35.177:443/Throughput					
0	7.07	11.9	7.77	7.24	2.56
LG 157.250.35.177:443/User Load					
0	51.3	94	52.5	51.5	27.8
LG 157.250.35.177:443/Thread Count					
38	116.9	168	117	117.3	32.2
LG 157.250.35.177:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.101	0.007
LG 157.250.35.177:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 157.250.35.177:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.35.177:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.35.177:443/Controller Connection/Ping Duration (ms)					
130	468.9	2,436	319	412.4	396.1
LG 157.250.35.177:443/Network/Segments sent/sec.					
1.6	866.1	1,551	949.3	883.2	330.5
LG 157.250.35.177:443/Network/Segments retransmitted/sec.					
0	9.64	23.5	10.23	9.6	5.5
LG 157.250.35.177:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	7.71	12.8	8.51	7.89	2.77
LG 157.250.35.177:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.994	1.8	1.09	1.01	0.351

LG 157.250.35.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.35.184:443/CPU Load					
0	9.32	24	9	9.31	3.14
LG 157.250.35.184:443/Memory Used					
2	13.6	33	13	13.4	6.64
LG 157.250.35.184:443/Throughput					
0	7.97	13.4	8.33	8.18	2.37
LG 157.250.35.184:443/User Load					
0	51.3	94	53	51.5	27.7
LG 157.250.35.184:443/Thread Count					
39	118.2	190	119	118.3	33.1
LG 157.250.35.184:443/Http client/Thread Pool used					
0.1	0.103	0.225	0.1	0.101	0.012
LG 157.250.35.184:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.01
LG 157.250.35.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.35.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.35.184:443/Controller Connection/Ping Duration (ms)					
120	465.4	2,449	318	401.2	434.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.35.184:443/Network/Segments sent/sec.					
3.8	975.7	1,491	1,050	1,005	289.1
LG 157.250.35.184:443/Network/Segments retransmitted/sec.					
0	10.05	23.3	10.88	10.15	4.79
LG 157.250.35.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.69	14.5	9.09	8.92	2.55
LG 157.250.35.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.1	1.93	1.17	1.13	0.304

LG 157.250.35.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.35.39:443/CPU Load					
0	11.5	22	12	11.8	3.09
LG 157.250.35.39:443/Memory Used					
2	9.11	22	9	8.92	3.59
LG 157.250.35.39:443/Throughput					
0	10.7	15.8	11.4	11.1	3.08
LG 157.250.35.39:443/User Load					
0	51.1	95	53	51.1	28.2
LG 157.250.35.39:443/Thread Count					
38	117.9	167	121	118.5	30.9
LG 157.250.35.39:443/Http client/Thread Pool used					
0.1	0.118	0.25	0.1	0.112	0.035
LG 157.250.35.39:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 157.250.35.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.35.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.35.39:443/Controller Connection/Ping Duration (ms)					
134	491.4	3,449	317	425	498.1
LG 157.250.35.39:443/Network/Segments sent/sec.					
2.8	1,302	1,992	1,413	1,343	415.6
LG 157.250.35.39:443/Network/Segments retransmitted/sec.					
0	7.24	18.7	7.99	7.22	3.98
LG 157.250.35.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	16.9	12.4	12	3.33
LG 157.250.35.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.42	2.07	1.52	1.46	0.413

LG 157.250.35.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.35.62:443/CPU Load					
0	11	20	11	11.2	2.93
LG 157.250.35.62:443/Memory Used					
2	7.81	21	7	7.53	3.1
LG 157.250.35.62:443/Throughput					
0	9.8	14	10.47	10.14	2.72
LG 157.250.35.62:443/User Load					
0	51.3	95	53	51.4	28.2
LG 157.250.35.62:443/Thread Count					
38	114.7	175	115	114.9	30.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.35.62:443/Http client/Thread Pool used					
0.1	0.105	0.165	0.1	0.103	0.012
LG 157.250.35.62:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.011
LG 157.250.35.62:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.35.62:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.35.62:443/Controller Connection/Ping Duration (ms)					
138	629.6	5,260	321	488.8	813.6
LG 157.250.35.62:443/Network/Segments sent/sec.					
1.6	1,197	1,697	1,302	1,237	368.2
LG 157.250.35.62:443/Network/Segments retransmitted/sec.					
0	8.55	23.6	9.27	8.6	4.38
LG 157.250.35.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.65	15	11.4	11	2.94
LG 157.250.35.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.32	1.85	1.42	1.36	0.373

LG 157.250.35.75:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.35.75:443/CPU Load					
0	8.88	19	9	8.88	2.87
LG 157.250.35.75:443/Memory Used					
2	7.52	22	7	7.2	3.2
LG 157.250.35.75:443/Throughput					
0	7.9	13.2	8.2	8.11	2.23
LG 157.250.35.75:443/User Load					
0	51.7	95	53	51.8	27.9
LG 157.250.35.75:443/Thread Count					
38	117.5	165	118	117.9	32.2
LG 157.250.35.75:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 157.250.35.75:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 157.250.35.75:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.35.75:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.35.75:443/Controller Connection/Ping Duration (ms)					
111	414.2	1,974	282	363.5	351
LG 157.250.35.75:443/Network/Segments sent/sec.					
3.8	962.9	1,478	1,019	991.5	274.1
LG 157.250.35.75:443/Network/Segments retransmitted/sec.					
0	10.23	22.3	11	10.27	5.02
LG 157.250.35.75:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.61	14.2	8.94	8.84	2.38
LG 157.250.35.75:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.1	2.31	1.13	1.12	0.305

LG 157.250.36.138:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.36.138:443/CPU Load					
0	8.73	20	9	8.72	3.12
LG 157.250.36.138:443/Memory Used					
2	8.14	23	7	7.78	3.68
LG 157.250.36.138:443/Throughput					
0	7.69	14	8.07	7.89	2.34
LG 157.250.36.138:443/User Load					
0	51.6	94	53	51.8	27.7
LG 157.250.36.138:443/Thread Count					
38	116.4	169	116	116.9	31.7
LG 157.250.36.138:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 157.250.36.138:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 157.250.36.138:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.36.138:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.36.138:443/Controller Connection/Ping Duration (ms)					
140	414.4	1,375	281	375.4	292.8
LG 157.250.36.138:443/Network/Segments sent/sec.					
3	943.3	1,411	1,025	969.9	291.3
LG 157.250.36.138:443/Network/Segments retransmitted/sec.					
0	10.45	22.4	11.3	10.52	5.11
LG 157.250.36.138:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.38	15	8.86	8.61	2.52
LG 157.250.36.138:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.07	3.1	1.15	1.1	0.321

LG 157.250.36.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.36.216:443/CPU Load					
0	9.11	22	9	9.2	2.84
LG 157.250.36.216:443/Memory Used					
2	8	20	7	7.74	3.21
LG 157.250.36.216:443/Throughput					
0	7.72	11.9	8.12	7.94	2.21
LG 157.250.36.216:443/User Load					
0	51.3	94	53	51.5	27.8
LG 157.250.36.216:443/Thread Count					
38	116.8	169	115	117.1	33.2
LG 157.250.36.216:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 157.250.36.216:443/Http client/Task Pool used					
0	0.002	0.117	0	0.001	0.011
LG 157.250.36.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.36.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.36.216:443/Controller Connection/Ping Duration (ms)					
124	456.7	2,472	286	373	485.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.36.216:443/Network/Segments sent/sec.					
1.6	943.9	1,397	1,016	973.4	276.7
LG 157.250.36.216:443/Network/Segments retransmitted/sec.					
0	10.14	24.5	10.97	10.19	4.87
LG 157.250.36.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.41	12.9	8.87	8.66	2.38
LG 157.250.36.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	2.58	1.14	1.11	0.327

LG 157.250.37.125:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.125:443/CPU Load					
0	11.8	19	12	12.1	3.13
LG 157.250.37.125:443/Memory Used					
2	10.19	24	9	9.97	4.42
LG 157.250.37.125:443/Throughput					
0	10.75	16.3	11.3	11.1	3.1
LG 157.250.37.125:443/User Load					
0	51.1	95	53	51.2	28.5
LG 157.250.37.125:443/Thread Count					
38	116.4	183	117	116.1	31.9
LG 157.250.37.125:443/Http client/Thread Pool used					
0.1	0.109	0.195	0.1	0.105	0.021
LG 157.250.37.125:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.009
LG 157.250.37.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.37.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.37.125:443/Controller Connection/Ping Duration (ms)					
133	414.8	1,888	318	380.6	295.9
LG 157.250.37.125:443/Network/Segments sent/sec.					
3.2	1,316	2,024	1,427	1,357	418.9
LG 157.250.37.125:443/Network/Segments retransmitted/sec.					
0	7.37	17.8	7.6	7.38	3.97
LG 157.250.37.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	11.7	17.3	12.3	12.1	3.35
LG 157.250.37.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.44	2.39	1.52	1.48	0.417

LG 157.250.37.131:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.131:443/CPU Load					
0	10.59	20	11	10.76	2.87
LG 157.250.37.131:443/Memory Used					
2	10.44	24	9	10.25	4.65
LG 157.250.37.131:443/Throughput					
0	9.55	14.3	10.1	9.84	2.76
LG 157.250.37.131:443/User Load					
0	52.1	95	53	52.3	27.7
LG 157.250.37.131:443/Thread Count					
39	120.2	163	123	121.2	28.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.131:443/Http client/Thread Pool used					
0.1	0.127	0.29	0.1	0.12	0.049
LG 157.250.37.131:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.009
LG 157.250.37.131:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.37.131:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.37.131:443/Controller Connection/Ping Duration (ms)					
135	591.5	3,382	317	491.3	639.2
LG 157.250.37.131:443/Network/Segments sent/sec.					
3.8	1,166	1,852	1,252	1,199	363.8
LG 157.250.37.131:443/Network/Segments retransmitted/sec.					
0	9.13	23.2	9.69	9.09	4.89
LG 157.250.37.131:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	10.37	15.5	11	10.69	2.97
LG 157.250.37.131:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.31	2.89	1.37	1.33	0.39

LG 157.250.37.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.164:443/CPU Load					
0	11.7	24	12	11.9	3.25
LG 157.250.37.164:443/Memory Used					
2	8.76	19	8	8.67	3.36
LG 157.250.37.164:443/Throughput					
0	10.69	15.4	11.4	11.1	3.05
LG 157.250.37.164:443/User Load					
0	51.1	94	53	51.2	28.3
LG 157.250.37.164:443/Thread Count					
38	115.6	167	120	116	31.4
LG 157.250.37.164:443/Http client/Thread Pool used					
0.1	0.106	0.16	0.1	0.104	0.013
LG 157.250.37.164:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.012
LG 157.250.37.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.37.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.37.164:443/Controller Connection/Ping Duration (ms)					
136	404.1	1,244	279	377.7	267.2
LG 157.250.37.164:443/Network/Segments sent/sec.					
2.8	1,310	1,912	1,434	1,353	414.2
LG 157.250.37.164:443/Network/Segments retransmitted/sec.					
0	7.3	18.9	7.52	7.27	4.11
LG 157.250.37.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	16.7	12.4	12	3.29
LG 157.250.37.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.44	2.85	1.52	1.47	0.426

LG 157.250.37.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.165:443/CPU Load					
0	11.6	26	12	11.9	3.33
LG 157.250.37.165:443/Memory Used					
2	10.22	26	10	9.94	4.61
LG 157.250.37.165:443/Throughput					
0	10.54	15.8	11.3	10.88	3.15
LG 157.250.37.165:443/User Load					
0	50.8	94	52	50.9	28.5
LG 157.250.37.165:443/Thread Count					
38	114.7	164	114	115.1	32.1
LG 157.250.37.165:443/Http client/Thread Pool used					
0.1	0.104	0.215	0.1	0.101	0.017
LG 157.250.37.165:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 157.250.37.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.37.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.37.165:443/Controller Connection/Ping Duration (ms)					
146	451	2,546	278	377.7	461.3
LG 157.250.37.165:443/Network/Segments sent/sec.					
1.6	1,289	1,932	1,402	1,329	422.9
LG 157.250.37.165:443/Network/Segments retransmitted/sec.					
0	7.47	18.4	7.88	7.44	4.25
LG 157.250.37.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	16.9	12.3	11.8	3.4
LG 157.250.37.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.41	2.43	1.5	1.45	0.43

LG 157.250.37.193:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.193:443/CPU Load					
0	11.5	28	12	11.6	3.45
LG 157.250.37.193:443/Memory Used					
2	10.02	25	9	9.81	4.29
LG 157.250.37.193:443/Throughput					
0	10.44	16.7	11.2	10.79	3.04
LG 157.250.37.193:443/User Load					
0	50.9	94	52	51	28
LG 157.250.37.193:443/Thread Count					
38	114.5	161	116	115	30.2
LG 157.250.37.193:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.101	0.006
LG 157.250.37.193:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 157.250.37.193:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.37.193:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.37.193:443/Controller Connection/Ping Duration (ms)					
132	975.1	46,767	281	413.9	4,963

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.193:443/Network/Segments sent/sec.					
3.8	1,274	2,044	1,392	1,314	406.3
LG 157.250.37.193:443/Network/Segments retransmitted/sec.					
0	7.05	16.5	7.53	7.04	3.92
LG 157.250.37.193:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.4	17.7	12.1	11.7	3.28
LG 157.250.37.193:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.39	2.29	1.51	1.43	0.405

LG 157.250.37.247:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.247:443/CPU Load					
0	12.9	25	13	13.1	3.46
LG 157.250.37.247:443/Memory Used					
1	11.6	30	11	11.3	5.67
LG 157.250.37.247:443/Throughput					
0	10.86	16.2	11.7	11.2	3.04
LG 157.250.37.247:443/User Load					
0	51.9	95	53	52.1	28.1
LG 157.250.37.247:443/Thread Count					
38	115.7	164	117	116.2	30.4
LG 157.250.37.247:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.101	0.006
LG 157.250.37.247:443/Http client/Task Pool used					
0	0.003	0.167	0	0.001	0.012
LG 157.250.37.247:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.37.247:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.37.247:443/Controller Connection/Ping Duration (ms)					
132	378.2	1,335	279	345	264.4
LG 157.250.37.247:443/Network/Segments sent/sec.					
2.4	1,330	1,864	1,450	1,374	413.1
LG 157.250.37.247:443/Network/Segments retransmitted/sec.					
0	7.5	17.9	8.07	7.45	4.17
LG 157.250.37.247:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	17.6	12.7	12.2	3.29
LG 157.250.37.247:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.45	2.4	1.55	1.49	0.418

LG 157.250.37.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.33:443/CPU Load					
0	11.8	21	12	12	3.14
LG 157.250.37.33:443/Memory Used					
2	8.33	22	8	8.09	3.49
LG 157.250.37.33:443/Throughput					
0	10.66	15.3	11.3	11	3.06
LG 157.250.37.33:443/User Load					
0	51.3	94	53	51.4	28.1
LG 157.250.37.33:443/Thread Count					
38	115.6	189	115	115.4	32.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.33:443/Http client/Thread Pool used					
0.1	0.105	0.25	0.1	0.101	0.02
LG 157.250.37.33:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 157.250.37.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.37.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.37.33:443/Controller Connection/Ping Duration (ms)					
134	478.8	2,444	279	427.7	396.7
LG 157.250.37.33:443/Network/Segments sent/sec.					
2.4	1,308	1,927	1,418	1,351	410.7
LG 157.250.37.33:443/Network/Segments retransmitted/sec.					
0	7.35	16.5	7.62	7.31	4.1
LG 157.250.37.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	16.5	12.3	12	3.3
LG 157.250.37.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.43	2.87	1.52	1.47	0.424

LG 157.250.38.192:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.192:443/CPU Load					
0	12.1	25	12	12.4	3.44
LG 157.250.38.192:443/Memory Used					
3	11.5	27	10	11.1	5.49
LG 157.250.38.192:443/Throughput					
0	10.8	16.8	11.4	11.1	3.2
LG 157.250.38.192:443/User Load					
0	51.5	95	53	51.6	28.1
LG 157.250.38.192:443/Thread Count					
38	118.1	165	128	118.8	31.3
LG 157.250.38.192:443/Http client/Thread Pool used					
0.1	0.115	0.245	0.1	0.11	0.033
LG 157.250.38.192:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.008
LG 157.250.38.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.38.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.38.192:443/Controller Connection/Ping Duration (ms)					
131	485.2	1,421	316	452.2	363.6
LG 157.250.38.192:443/Network/Segments sent/sec.					
2	1,321	1,883	1,436	1,365	418.3
LG 157.250.38.192:443/Network/Segments retransmitted/sec.					
0	7.6	22	8.08	7.55	4.19
LG 157.250.38.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.7	17.6	12.4	12.1	3.45
LG 157.250.38.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.44	2.32	1.55	1.49	0.422

LG 157.250.38.214:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.214:443/CPU Load					
0	12	24	12	12.2	3.42
LG 157.250.38.214:443/Memory Used					
2	8.07	23	7	7.74	3.57
LG 157.250.38.214:443/Throughput					
0	10.42	15.5	11.1	10.74	3.04
LG 157.250.38.214:443/User Load					
0	51.3	95	53	51.3	28.7
LG 157.250.38.214:443/Thread Count					
38	114.9	163	117	115.2	31.5
LG 157.250.38.214:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 157.250.38.214:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 157.250.38.214:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.38.214:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.38.214:443/Controller Connection/Ping Duration (ms)					
138	556.6	4,841	290	486.6	585.7
LG 157.250.38.214:443/Network/Segments sent/sec.					
3.8	1,275	1,931	1,381	1,315	405.6
LG 157.250.38.214:443/Network/Segments retransmitted/sec.					
0	9.2	20.1	9.66	9.2	4.95
LG 157.250.38.214:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.3	16.5	12	11.7	3.28
LG 157.250.38.214:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.41	2.84	1.48	1.45	0.412

LG 157.250.38.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.223:443/CPU Load					
0	10.92	23	11	11.1	3.16
LG 157.250.38.223:443/Memory Used					
2	8.22	22	8	7.93	3.43
LG 157.250.38.223:443/Throughput					
0	9.57	14.9	10.26	9.88	2.76
LG 157.250.38.223:443/User Load					
0	51.3	94	53.5	51.5	28.3
LG 157.250.38.223:443/Thread Count					
38	116.7	195	121	116.1	34.1
LG 157.250.38.223:443/Http client/Thread Pool used					
0.1	0.111	0.28	0.1	0.105	0.031
LG 157.250.38.223:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 157.250.38.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.38.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.38.223:443/Controller Connection/Ping Duration (ms)					
99	576.6	3,442	283	479.6	614.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.223:443/Network/Segments sent/sec.					
3.03	1,173	1,768	1,271	1,210	365.3
LG 157.250.38.223:443/Network/Segments retransmitted/sec.					
0	8.96	20.3	9.84	8.99	4.61
LG 157.250.38.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	10.4	15.9	11.2	10.75	2.98
LG 157.250.38.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.3	2.3	1.37	1.34	0.38

LG 157.250.38.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.23:443/CPU Load					
0	11.6	20	12	11.9	3.16
LG 157.250.38.23:443/Memory Used					
2	7.78	20	7	7.53	3.09
LG 157.250.38.23:443/Throughput					
0	10.61	15.9	11.3	10.98	3.03
LG 157.250.38.23:443/User Load					
0	51.4	94	53	51.6	28.2
LG 157.250.38.23:443/Thread Count					
38	115.4	162	117	115.9	30.8
LG 157.250.38.23:443/Http client/Thread Pool used					
0.1	0.103	0.16	0.1	0.101	0.01
LG 157.250.38.23:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 157.250.38.23:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.38.23:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.38.23:443/Controller Connection/Ping Duration (ms)					
89	579.6	7,621	278	439.2	999.2
LG 157.250.38.23:443/Network/Segments sent/sec.					
4.25	1,303	1,936	1,431	1,346	414.2
LG 157.250.38.23:443/Network/Segments retransmitted/sec.					
0	7.19	17.5	7.74	7.15	4.12
LG 157.250.38.23:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.6	17.2	12.4	12	3.28
LG 157.250.38.23:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.42	2.71	1.52	1.46	0.418

LG 157.250.39.124:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.124:443/CPU Load					
0	10.99	21	11	11.1	2.94
LG 157.250.39.124:443/Memory Used					
2	8.68	20	8	8.51	3.37
LG 157.250.39.124:443/Throughput					
0	9.77	13.8	10.3	10.08	2.73
LG 157.250.39.124:443/User Load					
0	51.8	95	53	51.9	28.2
LG 157.250.39.124:443/Thread Count					
38	115.6	163	116	116	30.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.124:443/Http client/Thread Pool used					
0.1	0.105	0.16	0.1	0.103	0.011
LG 157.250.39.124:443/Http client/Task Pool used					
0	0.003	0.2	0	0.001	0.015
LG 157.250.39.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.39.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.39.124:443/Controller Connection/Ping Duration (ms)					
141	412.4	1,433	281	370.6	299.3
LG 157.250.39.124:443/Network/Segments sent/sec.					
4.61	1,199	1,739	1,279	1,235	368.4
LG 157.250.39.124:443/Network/Segments retransmitted/sec.					
0	9.3	22.4	9.94	9.33	4.75
LG 157.250.39.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	10.62	14.8	11.2	10.97	2.94
LG 157.250.39.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.33	2.02	1.39	1.37	0.368

LG 157.250.39.162:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.162:443/CPU Load					
0	11.9	22	12	12.2	3.2
LG 157.250.39.162:443/Memory Used					
2	8.09	23	7.5	7.76	3.52
LG 157.250.39.162:443/Throughput					
0	10.51	15.9	11.3	10.87	3.02
LG 157.250.39.162:443/User Load					
0	50.9	94	52.5	51	28.1
LG 157.250.39.162:443/Thread Count					
38	114.7	176	115.5	114.8	31.6
LG 157.250.39.162:443/Http client/Thread Pool used					
0.1	0.104	0.18	0.1	0.101	0.012
LG 157.250.39.162:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.007
LG 157.250.39.162:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.39.162:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.39.162:443/Controller Connection/Ping Duration (ms)					
130	409.7	1,416	280	370.9	302.3
LG 157.250.39.162:443/Network/Segments sent/sec.					
1.6	1,286	1,981	1,413	1,328	413
LG 157.250.39.162:443/Network/Segments retransmitted/sec.					
0	7.3	20	8.08	7.24	4.11
LG 157.250.39.162:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.4	17.3	12.3	11.8	3.27
LG 157.250.39.162:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.41	2.52	1.5	1.45	0.419

LG 157.250.39.182:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.182:443/CPU Load					
0	11.8	22	12	12	3.15
LG 157.250.39.182:443/Memory Used					
2	9.84	26	9	9.51	4.57
LG 157.250.39.182:443/Throughput					
0	10.56	14.5	11.3	10.92	2.99
LG 157.250.39.182:443/User Load					
0	50.9	94	52	51	28.3
LG 157.250.39.182:443/Thread Count					
38	114.9	168	117	115.2	31.5
LG 157.250.39.182:443/Http client/Thread Pool used					
0.1	0.104	0.17	0.1	0.102	0.012
LG 157.250.39.182:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 157.250.39.182:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.39.182:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.39.182:443/Controller Connection/Ping Duration (ms)					
101	445.9	4,843	278	380.3	461.1
LG 157.250.39.182:443/Network/Segments sent/sec.					
4.4	1,291	1,905	1,410	1,335	406.9
LG 157.250.39.182:443/Network/Segments retransmitted/sec.					
0	7.19	19.9	7.7	7.11	4.07
LG 157.250.39.182:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	11.5	16.2	12.3	11.9	3.23
LG 157.250.39.182:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.41	2.56	1.51	1.45	0.408

LG 157.250.39.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.241:443/CPU Load					
0	11.3	25	12	11.5	3.2
LG 157.250.39.241:443/Memory Used					
3	8.63	21	8	8.45	3.3
LG 157.250.39.241:443/Throughput					
0	10.03	13.8	10.74	10.37	2.88
LG 157.250.39.241:443/User Load					
0	50.9	94	53	51	28.4
LG 157.250.39.241:443/Thread Count					
38	114.8	163	125	115.3	31.4
LG 157.250.39.241:443/Http client/Thread Pool used					
0.1	0.105	0.19	0.1	0.102	0.014
LG 157.250.39.241:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 157.250.39.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.39.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.39.241:443/Controller Connection/Ping Duration (ms)					
137	532.4	4,412	280	431.8	679.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.39.241:443/Network/Segments sent/sec.					
1.6	1,228	1,794	1,354	1,268	391.2
LG 157.250.39.241:443/Network/Segments retransmitted/sec.					
0	9.53	22.1	10.58	9.53	5.24
LG 157.250.39.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.9	14.9	11.7	11.3	3.11
LG 157.250.39.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.36	3.55	1.44	1.39	0.412

LG 157.250.40.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.142:443/CPU Load					
0	8.5	19	8	8.47	3.03
LG 157.250.40.142:443/Memory Used					
2	7.69	22	7	7.36	3.37
LG 157.250.40.142:443/Throughput					
0	7.57	13.8	7.79	7.74	2.3
LG 157.250.40.142:443/User Load					
0	52.9	96	54	53.1	28.1
LG 157.250.40.142:443/Thread Count					
38	120.1	172	119	120.4	33.7
LG 157.250.40.142:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 157.250.40.142:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 157.250.40.142:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.40.142:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.40.142:443/Controller Connection/Ping Duration (ms)					
136	563.9	6,610	279	374.6	1,044
LG 157.250.40.142:443/Network/Segments sent/sec.					
4.21	922.9	1,416	961.1	947.8	267.5
LG 157.250.40.142:443/Network/Segments retransmitted/sec.					
0	10.18	20.4	11	10.28	4.81
LG 157.250.40.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	8.26	15	8.46	8.45	2.48
LG 157.250.40.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.05	1.75	1.09	1.08	0.29

LG 157.250.40.177:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.177:443/CPU Load					
0	9.1	18	9	9.16	3.03
LG 157.250.40.177:443/Memory Used					
2	8.35	23	7	8	3.75
LG 157.250.40.177:443/Throughput					
0	7.65	12.7	7.98	7.88	2.23
LG 157.250.40.177:443/User Load					
0	51.8	95	53	51.9	28.3
LG 157.250.40.177:443/Thread Count					
38	119.1	169	119	119.8	34.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.177:443/Http client/Thread Pool used					
0.1	0.103	0.175	0.1	0.101	0.012
LG 157.250.40.177:443/Http client/Task Pool used					
0	0.002	0.083	0	0.001	0.007
LG 157.250.40.177:443/Controller Connection/Disconnections					
1	1.67	2	2	1.69	0.47
LG 157.250.40.177:443/Controller Connection/Reconnections					
1	1.67	2	2	1.69	0.47
LG 157.250.40.177:443/Controller Connection/Ping Duration (ms)					
109	1,957	27,849	281	589.7	6,336
LG 157.250.40.177:443/Network/Segments sent/sec.					
1.6	931.6	1,525	1,000.2	958.2	279.9
LG 157.250.40.177:443/Network/Segments retransmitted/sec.					
0	10.26	24.9	10.76	10.26	5.17
LG 157.250.40.177:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.34	13.6	8.68	8.58	2.41
LG 157.250.40.177:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	1.96	1.11	1.09	0.315

LG 157.250.40.209:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.209:443/CPU Load					
0	11.7	24	12	11.9	3.2
LG 157.250.40.209:443/Memory Used					
2	9.62	21	9	9.46	3.88
LG 157.250.40.209:443/Throughput					
0	10.7	17.6	11.3	11	3.14
LG 157.250.40.209:443/User Load					
0	51.1	94	53	51.2	28.2
LG 157.250.40.209:443/Thread Count					
38	115.2	169	117	115.6	31.9
LG 157.250.40.209:443/Http client/Thread Pool used					
0.1	0.102	0.155	0.1	0.101	0.008
LG 157.250.40.209:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.01
LG 157.250.40.209:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.40.209:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.40.209:443/Controller Connection/Ping Duration (ms)					
131	444.4	2,442	281	384.9	409.1
LG 157.250.40.209:443/Network/Segments sent/sec.					
2	1,308	2,428	1,422	1,346	422
LG 157.250.40.209:443/Network/Segments retransmitted/sec.					
0	7.36	18.7	7.78	7.27	4.21
LG 157.250.40.209:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	18.9	12.3	12	3.38
LG 157.250.40.209:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.43	3.07	1.52	1.47	0.437

LG 157.250.40.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.28:443/CPU Load					
0	10.86	27	11	11.1	3.01
LG 157.250.40.28:443/Memory Used					
2	8.21	20	8	8	3.15
LG 157.250.40.28:443/Throughput					
0	9.73	13.5	10.34	10.06	2.75
LG 157.250.40.28:443/User Load					
0	51.2	94	54	51.4	28.2
LG 157.250.40.28:443/Thread Count					
38	117.9	216	116	116.5	36.4
LG 157.250.40.28:443/Http client/Thread Pool used					
0.1	0.119	0.38	0.1	0.111	0.045
LG 157.250.40.28:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 157.250.40.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.40.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.40.28:443/Controller Connection/Ping Duration (ms)					
110	435.9	5,367	281	379.5	440.8
LG 157.250.40.28:443/Network/Segments sent/sec.					
2.4	1,197	1,790	1,307	1,236	373.9
LG 157.250.40.28:443/Network/Segments retransmitted/sec.					
0	9.11	18.7	9.6	9.14	4.68
LG 157.250.40.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.58	14.7	11.3	10.95	2.98
LG 157.250.40.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.32	2.54	1.41	1.36	0.389

LG 157.250.41.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.153:443/CPU Load					
0	11.9	25	12	12.1	3.28
LG 157.250.41.153:443/Memory Used					
3	10.58	27	10	10.23	4.88
LG 157.250.41.153:443/Throughput					
0	10.86	16.1	11.5	11.2	3.1
LG 157.250.41.153:443/User Load					
0	51.6	95	53	51.8	28.3
LG 157.250.41.153:443/Thread Count					
38	116.3	168	123	116.8	31.7
LG 157.250.41.153:443/Http client/Thread Pool used					
0.1	0.105	0.165	0.1	0.103	0.013
LG 157.250.41.153:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 157.250.41.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.41.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.41.153:443/Controller Connection/Ping Duration (ms)					
133	447.5	2,622	280	364.1	480.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.153:443/Network/Segments sent/sec.					
3.81	1,334	1,913	1,458	1,378	419.5
LG 157.250.41.153:443/Network/Segments retransmitted/sec.					
0	7.51	19.8	8	7.46	4.19
LG 157.250.41.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.8	17.4	12.6	12.2	3.35
LG 157.250.41.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.45	2.12	1.56	1.5	0.415

LG 157.250.41.172:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.172:443/CPU Load					
0	11.5	22	12	11.7	3.1
LG 157.250.41.172:443/Memory Used					
2	8.1	21	8	7.85	3.06
LG 157.250.41.172:443/Throughput					
0	10.65	14.9	11.5	11	3.02
LG 157.250.41.172:443/User Load					
0	51.5	94	53	51.7	28
LG 157.250.41.172:443/Thread Count					
38	115	164	116.5	115.4	31
LG 157.250.41.172:443/Http client/Thread Pool used					
0.1	0.102	0.16	0.1	0.1	0.008
LG 157.250.41.172:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 157.250.41.172:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.41.172:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.41.172:443/Controller Connection/Ping Duration (ms)					
136	537.5	4,934	280	405.9	756.7
LG 157.250.41.172:443/Network/Segments sent/sec.					
3.6	1,305	1,812	1,421	1,351	404.8
LG 157.250.41.172:443/Network/Segments retransmitted/sec.					
0	7.58	17.1	8.32	7.59	4.09
LG 157.250.41.172:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.6	16.2	12.5	12	3.27
LG 157.250.41.172:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.43	2.19	1.53	1.47	0.405

LG 157.250.41.213:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.213:443/CPU Load					
0	11.1	25	11	11.2	3.18
LG 157.250.41.213:443/Memory Used					
1	9.78	21	10	9.67	3.77
LG 157.250.41.213:443/Throughput					
0	9.96	14.5	10.57	10.3	2.82
LG 157.250.41.213:443/User Load					
0	51.7	95	53.5	51.8	28.1
LG 157.250.41.213:443/Thread Count					
38	115.4	163	116.5	115.8	30.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.213:443/Http client/Thread Pool used					
0.1	0.104	0.16	0.1	0.102	0.012
LG 157.250.41.213:443/Http client/Task Pool used					
0	0.003	0.1	0	0.001	0.01
LG 157.250.41.213:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.41.213:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.41.213:443/Controller Connection/Ping Duration (ms)					
100	619.6	6,016	281	413.4	1,090
LG 157.250.41.213:443/Network/Segments sent/sec.					
3	1,217	1,923	1,313	1,255	373
LG 157.250.41.213:443/Network/Segments retransmitted/sec.					
0	9.29	22.8	10.06	9.3	4.81
LG 157.250.41.213:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	10.82	15.4	11.5	11.2	3.03
LG 157.250.41.213:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.35	2.47	1.43	1.38	0.393

LG 157.250.42.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.10:443/CPU Load					
0	8.29	26	8	8.23	3.24
LG 157.250.42.10:443/Memory Used					
2	8.52	24	7	8.21	3.96
LG 157.250.42.10:443/Throughput					
0	6.98	14.5	7.24	7.1	2.38
LG 157.250.42.10:443/User Load					
0	52.5	95	55	52.7	27.6
LG 157.250.42.10:443/Thread Count					
38	119.4	186	120	119.3	33.3
LG 157.250.42.10:443/Http client/Thread Pool used					
0.1	0.103	0.19	0.1	0.1	0.013
LG 157.250.42.10:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.012
LG 157.250.42.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.42.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.42.10:443/Controller Connection/Ping Duration (ms)					
134	751.1	10,825	282	512.9	1,515
LG 157.250.42.10:443/Network/Segments sent/sec.					
4.21	854.6	1,447	912.3	869.5	299
LG 157.250.42.10:443/Network/Segments retransmitted/sec.					
0	9.37	21.3	10.21	9.33	5.38
LG 157.250.42.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	7.6	15.5	7.89	7.73	2.56
LG 157.250.42.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.01	3.29	1.02	1	0.381

LG 157.250.42.148:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.148:443/CPU Load					
0	8.99	22	9	9.02	3.03
LG 157.250.42.148:443/Memory Used					
2	6.88	14	7	6.8	2.13
LG 157.250.42.148:443/Throughput					
0	7.65	14	7.93	7.85	2.32
LG 157.250.42.148:443/User Load					
0	51.3	94	54	51.5	28.1
LG 157.250.42.148:443/Thread Count					
38	117.9	168	119	118.4	32.5
LG 157.250.42.148:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.004
LG 157.250.42.148:443/Http client/Task Pool used					
0	0.003	0.117	0	0.001	0.012
LG 157.250.42.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.42.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.42.148:443/Controller Connection/Ping Duration (ms)					
132	484.1	6,049	321	432.4	502
LG 157.250.42.148:443/Network/Segments sent/sec.					
1.61	928	1,501	994.2	955.6	277.3
LG 157.250.42.148:443/Network/Segments retransmitted/sec.					
0	10.29	24.2	10.8	10.34	5.05
LG 157.250.42.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.32	15	8.66	8.55	2.49
LG 157.250.42.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.06	1.87	1.11	1.09	0.303

LG 157.250.42.17:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.17:443/CPU Load					
0	12.1	24	12	12.3	3.28
LG 157.250.42.17:443/Memory Used					
2	10.22	23	9	9.96	4.47
LG 157.250.42.17:443/Throughput					
0	10.73	15.6	11.5	11.1	3.06
LG 157.250.42.17:443/User Load					
0	51.4	95	53.5	51.5	28.5
LG 157.250.42.17:443/Thread Count					
38	116.4	189	118.5	115.9	32.6
LG 157.250.42.17:443/Http client/Thread Pool used					
0.1	0.108	0.24	0.1	0.103	0.028
LG 157.250.42.17:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 157.250.42.17:443/Controller Connection/Disconnections					
1	1.8	2	2	1.82	0.407
LG 157.250.42.17:443/Controller Connection/Reconnections					
1	1.8	2	2	1.82	0.407
LG 157.250.42.17:443/Controller Connection/Ping Duration (ms)					
130	995.5	38,869	315	496.7	4,140

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.17:443/Network/Segments sent/sec.					
2	1,314	1,899	1,430	1,357	414
LG 157.250.42.17:443/Network/Segments retransmitted/sec.					
0	7.29	18.6	7.57	7.22	4.19
LG 157.250.42.17:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.7	16.8	12.6	12.1	3.32
LG 157.250.42.17:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.44	3.52	1.53	1.48	0.432

LG 157.250.42.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.21:443/CPU Load					
0	11.6	21	12	11.9	3.2
LG 157.250.42.21:443/Memory Used					
2	8.26	23	8	7.97	3.38
LG 157.250.42.21:443/Throughput					
0	10.82	17.2	11.6	11.2	3.17
LG 157.250.42.21:443/User Load					
0	51.1	94	53	51.2	28.3
LG 157.250.42.21:443/Thread Count					
38	116.1	161	117	116.7	31.8
LG 157.250.42.21:443/Http client/Thread Pool used					
0.1	0.111	0.23	0.1	0.107	0.025
LG 157.250.42.21:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.008
LG 157.250.42.21:443/Controller Connection/Disconnections					
1	1.56	2	2	1.57	0.498
LG 157.250.42.21:443/Controller Connection/Reconnections					
1	1.56	2	2	1.57	0.498
LG 157.250.42.21:443/Controller Connection/Ping Duration (ms)					
133	1,049	20,200	280	410.7	3,476
LG 157.250.42.21:443/Network/Segments sent/sec.					
3.2	1,323	2,090	1,428	1,363	426.2
LG 157.250.42.21:443/Network/Segments retransmitted/sec.					
0	7.3	20.3	7.64	7.25	4.16
LG 157.250.42.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	11.8	18.7	12.5	12.1	3.42
LG 157.250.42.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.45	4.09	1.53	1.48	0.443

LG 157.250.42.60:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.60:443/CPU Load					
0	11.8	25	12	12	3.31
LG 157.250.42.60:443/Memory Used					
1	7.96	21	8	7.7	3.17
LG 157.250.42.60:443/Throughput					
0	10.6	14.7	11.2	10.96	3.14
LG 157.250.42.60:443/User Load					
0	50.6	94	52	50.7	28.4
LG 157.250.42.60:443/Thread Count					
38	113.2	161	114	113.6	31.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.60:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 157.250.42.60:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.008
LG 157.250.42.60:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.42.60:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.42.60:443/Controller Connection/Ping Duration (ms)					
135	555.1	15,910	279	433.4	1,046
LG 157.250.42.60:443/Network/Segments sent/sec.					
3.2	1,300	2,112	1,404	1,340	426.5
LG 157.250.42.60:443/Network/Segments retransmitted/sec.					
0	7.21	18.6	7.84	7.18	4.1
LG 157.250.42.60:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	11.5	15.9	12.2	11.9	3.39
LG 157.250.42.60:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.42	2.71	1.51	1.46	0.435

LG 157.250.42.61:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.61:443/CPU Load					
0	11.3	22	12	11.6	2.9
LG 157.250.42.61:443/Memory Used					
2	8.26	22	8	8.04	3.15
LG 157.250.42.61:443/Throughput					
0	10.19	15	10.92	10.53	2.87
LG 157.250.42.61:443/User Load					
0	51.9	95	53.5	52	28.2
LG 157.250.42.61:443/Thread Count					
39	119	173	121	119.5	30.5
LG 157.250.42.61:443/Http client/Thread Pool used					
0.1	0.119	0.205	0.1	0.115	0.028
LG 157.250.42.61:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 157.250.42.61:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.42.61:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.42.61:443/Controller Connection/Ping Duration (ms)					
137	556	3,318	287	485.6	554.6
LG 157.250.42.61:443/Network/Segments sent/sec.					
3	1,244	2,005	1,357	1,284	383.9
LG 157.250.42.61:443/Network/Segments retransmitted/sec.					
0	9.35	20.3	9.81	9.34	4.98
LG 157.250.42.61:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	11.1	16.5	11.9	11.5	3.1
LG 157.250.42.61:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.37	2.52	1.47	1.41	0.388

LG 157.250.43.180:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.180:443/CPU Load					
0	11.6	21	12	11.9	3.09
LG 157.250.43.180:443/Memory Used					
2	8.39	21	8	8.16	3.22
LG 157.250.43.180:443/Throughput					
0	10.89	16.2	11.6	11.3	3.11
LG 157.250.43.180:443/User Load					
0	51.4	95	53	51.5	28.5
LG 157.250.43.180:443/Thread Count					
38	115.9	163	118	116.3	30.3
LG 157.250.43.180:443/Http client/Thread Pool used					
0.1	0.106	0.18	0.1	0.103	0.015
LG 157.250.43.180:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 157.250.43.180:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.43.180:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.43.180:443/Controller Connection/Ping Duration (ms)					
136	449.4	1,375	280	423.4	283.8
LG 157.250.43.180:443/Network/Segments sent/sec.					
4.6	1,334	1,982	1,441	1,376	423.5
LG 157.250.43.180:443/Network/Segments retransmitted/sec.					
0	7.29	18.6	7.79	7.25	3.97
LG 157.250.43.180:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	11.9	17.2	12.6	12.3	3.37
LG 157.250.43.180:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.45	2.98	1.54	1.49	0.431

LG 157.250.43.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.207:443/CPU Load					
0	10.34	22	10	10.5	2.98
LG 157.250.43.207:443/Memory Used					
2	7.98	21	7	7.72	3.31
LG 157.250.43.207:443/Throughput					
0	9.07	13.1	9.51	9.35	2.55
LG 157.250.43.207:443/User Load					
0	51.6	95	53	51.7	28.2
LG 157.250.43.207:443/Thread Count					
38	117.9	171	117	118.3	33.1
LG 157.250.43.207:443/Http client/Thread Pool used					
0.1	0.108	0.21	0.1	0.104	0.021
LG 157.250.43.207:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 157.250.43.207:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.43.207:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.43.207:443/Controller Connection/Ping Duration (ms)					
134	1,239	20,302	320	553.1	3,548

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.207:443/Network/Segments sent/sec.					
3.4	1,108	1,712	1,189	1,143	334.8
LG 157.250.43.207:443/Network/Segments retransmitted/sec.					
0	9.71	23.1	10.66	9.7	4.96
LG 157.250.43.207:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.89	14.2	10.33	10.2	2.76
LG 157.250.43.207:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.24	2.55	1.3	1.27	0.356

LG 157.250.43.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.243:443/CPU Load					
0	12.1	28	12	12.3	3.5
LG 157.250.43.243:443/Memory Used					
2	8.39	24	8	8.09	3.62
LG 157.250.43.243:443/Throughput					
0	10.92	17.8	11.6	11.2	3.29
LG 157.250.43.243:443/User Load					
0	51.5	95	53	51.6	28.5
LG 157.250.43.243:443/Thread Count					
38	120.5	193	124	120.3	31.3
LG 157.250.43.243:443/Http client/Thread Pool used					
0.1	0.126	0.265	0.1	0.121	0.045
LG 157.250.43.243:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 157.250.43.243:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.43.243:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.43.243:443/Controller Connection/Ping Duration (ms)					
126	452.2	4,279	280	354.2	598.7
LG 157.250.43.243:443/Network/Segments sent/sec.					
4.2	1,335	2,211	1,434	1,371	436.9
LG 157.250.43.243:443/Network/Segments retransmitted/sec.					
0	7.36	16.3	7.8	7.34	4.06
LG 157.250.43.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.9	19.4	12.5	12.2	3.56
LG 157.250.43.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.45	2.95	1.53	1.49	0.443

LG 157.250.43.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.37:443/CPU Load					
0	9.1	28	11	8.96	5.53
LG 157.250.43.37:443/Memory Used					
0	13.5	36	12	13	10.84
LG 157.250.43.37:443/Throughput					
0	8.03	14.1	10.2	8.16	4.72
LG 157.250.43.37:443/User Load					
0	34.2	79	32	33.5	27.1
LG 157.250.43.37:443/Thread Count					
0	83.8	146	95	84.8	49.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.37:443/Http client/Thread Pool used					
0	0.082	0.15	0.1	0.083	0.044
LG 157.250.43.37:443/Http client/Task Pool used					
0	0.003	0.083	0	0.001	0.011
LG 157.250.43.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.43.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.43.37:443/Controller Connection/Ping Duration (ms)					
123	345.8	1,235	282	320.9	208.5
LG 157.250.43.37:443/Network/Segments sent/sec.					
3	1,277	1,756	1,395	1,313	313.3
LG 157.250.43.37:443/Network/Segments retransmitted/sec.					
0	9.42	18.3	10.34	9.57	4.3
LG 157.250.43.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0	8.72	15.1	11.1	8.88	5.12
LG 157.250.43.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.07	2.79	1.36	1.09	0.646

LG 157.250.43.40:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.40:443/CPU Load					
0	11.6	23	12	11.8	3.26
LG 157.250.43.40:443/Memory Used					
2	7.84	22	7	7.53	3.33
LG 157.250.43.40:443/Throughput					
0	10.8	16.4	11.6	11.2	3.06
LG 157.250.43.40:443/User Load					
0	51.6	95	53	51.7	28.2
LG 157.250.43.40:443/Thread Count					
38	114.6	162	116	114.9	30.6
LG 157.250.43.40:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 157.250.43.40:443/Http client/Task Pool used					
0	0.003	0.317	0	0	0.02
LG 157.250.43.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.43.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.43.40:443/Controller Connection/Ping Duration (ms)					
134	552.2	4,311	279	382.3	847.6
LG 157.250.43.40:443/Network/Segments sent/sec.					
4.4	1,318	1,851	1,438	1,363	410.4
LG 157.250.43.40:443/Network/Segments retransmitted/sec.					
0	7.24	19.8	7.85	7.2	4.08
LG 157.250.43.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	11.7	17.6	12.6	12.1	3.3
LG 157.250.43.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.44	2.33	1.53	1.48	0.409

LG 157.250.43.70:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.70:443/CPU Load					
0	11.9	21	12	12.2	3.24
LG 157.250.43.70:443/Memory Used					
2	8.28	24	8	8	3.46
LG 157.250.43.70:443/Throughput					
0	10.65	15.3	11.3	11	3.23
LG 157.250.43.70:443/User Load					
0	50.7	94	52	50.8	28.2
LG 157.250.43.70:443/Thread Count					
38	114.3	173	115	114.4	31.5
LG 157.250.43.70:443/Http client/Thread Pool used					
0.1	0.102	0.16	0.1	0.1	0.008
LG 157.250.43.70:443/Http client/Task Pool used					
0	0.002	0.25	0	0	0.015
LG 157.250.43.70:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.43.70:443/Controller Connection/Reconnections					
0	0.963	1	1	1	0.192
LG 157.250.43.70:443/Controller Connection/Ping Duration (ms)					
136	1,683	33,660	318	565.3	5,870
LG 157.250.43.70:443/Network/Segments sent/sec.					
2	1,304	2,076	1,415	1,344	429
LG 157.250.43.70:443/Network/Segments retransmitted/sec.					
0	7.19	19.5	7.72	7.15	4.11
LG 157.250.43.70:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	16.6	12.3	12	3.48
LG 157.250.43.70:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.43	2.9	1.52	1.47	0.444

LG 157.250.43.95:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.95:443/CPU Load					
0	12.3	21	12	12.6	3.48
LG 157.250.43.95:443/Memory Used					
2	9.46	27	9	9.16	4.17
LG 157.250.43.95:443/Throughput					
0	10.73	17.4	11.4	11.1	3.18
LG 157.250.43.95:443/User Load					
0	50.8	94	52	50.9	28.5
LG 157.250.43.95:443/Thread Count					
38	114.3	178	115	114.5	31.7
LG 157.250.43.95:443/Http client/Thread Pool used					
0.1	0.103	0.19	0.1	0.101	0.011
LG 157.250.43.95:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.008
LG 157.250.43.95:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.43.95:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.43.95:443/Controller Connection/Ping Duration (ms)					
135	382.6	1,380	278	339.9	321.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.43.95:443/Network/Segments sent/sec.					
2	1,314	2,013	1,419	1,352	428
LG 157.250.43.95:443/Network/Segments retransmitted/sec.					
0	7.36	19.8	7.58	7.29	4.21
LG 157.250.43.95:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.7	18.6	12.4	12	3.44
LG 157.250.43.95:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.44	2.53	1.52	1.48	0.432

LG 157.250.44.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.44.102:443/CPU Load					
0	11.1	18	11	11.4	3.19
LG 157.250.44.102:443/Memory Used					
2	8.97	22	9	8.79	3.62
LG 157.250.44.102:443/Throughput					
0	10.34	15.3	10.97	10.7	3.14
LG 157.250.44.102:443/User Load					
0	50.3	94	51.5	50.4	28.4
LG 157.250.44.102:443/Thread Count					
38	113.7	162	114.5	114.1	31.1
LG 157.250.44.102:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 157.250.44.102:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 157.250.44.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.44.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.44.102:443/Controller Connection/Ping Duration (ms)					
135	480.8	2,440	318	414.8	431.5
LG 157.250.44.102:443/Network/Segments sent/sec.					
2	1,261	1,831	1,381	1,302	415.9
LG 157.250.44.102:443/Network/Segments retransmitted/sec.					
0	6.86	15	7.07	6.85	3.78
LG 157.250.44.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.3	16.5	12	11.6	3.39
LG 157.250.44.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.39	2.45	1.48	1.43	0.425

LG 157.250.44.163:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.44.163:443/CPU Load					
0	12.1	24	12	12.4	3.38
LG 157.250.44.163:443/Memory Used					
2	11.3	28	10	10.97	5.15
LG 157.250.44.163:443/Throughput					
0	10.82	16.5	11.3	11.2	3.12
LG 157.250.44.163:443/User Load					
0	51.3	94	53	51.5	28.3
LG 157.250.44.163:443/Thread Count					
38	115.5	177	118	115.7	31.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.44.163:443/Http client/Thread Pool used					
0.1	0.104	0.18	0.1	0.102	0.012
LG 157.250.44.163:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 157.250.44.163:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.44.163:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.44.163:443/Controller Connection/Ping Duration (ms)					
106	433.3	3,487	280	340.7	553.5
LG 157.250.44.163:443/Network/Segments sent/sec.					
2	1,321	1,958	1,430	1,361	416.9
LG 157.250.44.163:443/Network/Segments retransmitted/sec.					
0	7.53	17.3	8.18	7.53	4.08
LG 157.250.44.163:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	17.9	12.3	12.1	3.37
LG 157.250.44.163:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.44	2.28	1.52	1.48	0.415

LG 157.250.44.170:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.44.170:443/CPU Load					
0	11.3	25	11	11.4	3.21
LG 157.250.44.170:443/Memory Used					
2	8.19	22	8	7.89	3.38
LG 157.250.44.170:443/Throughput					
0	9.84	14.1	10.38	10.16	2.81
LG 157.250.44.170:443/User Load					
0	51.3	95	53	51.4	28.1
LG 157.250.44.170:443/Thread Count					
39	114.7	162	120	115.1	30.4
LG 157.250.44.170:443/Http client/Thread Pool used					
0.1	0.103	0.16	0.1	0.101	0.01
LG 157.250.44.170:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 157.250.44.170:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.44.170:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.44.170:443/Controller Connection/Ping Duration (ms)					
134	413.7	2,449	281	355.5	387
LG 157.250.44.170:443/Network/Segments sent/sec.					
3	1,202	1,767	1,290	1,239	372
LG 157.250.44.170:443/Network/Segments retransmitted/sec.					
0	9.19	23	9.45	9.09	5.1
LG 157.250.44.170:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	10.7	15.2	11.3	11	3.04
LG 157.250.44.170:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.34	2.42	1.39	1.37	0.394

LG 157.250.44.61:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.44.61:443/CPU Load					
0	11.3	24	11	11.4	3.19
LG 157.250.44.61:443/Memory Used					
1	8.61	21	8	8.43	3.19
LG 157.250.44.61:443/Throughput					
0	10.15	15.8	10.84	10.45	2.92
LG 157.250.44.61:443/User Load					
0	51.7	95	53.5	51.8	28.3
LG 157.250.44.61:443/Thread Count					
38	115.2	162	116.5	115.7	30.6
LG 157.250.44.61:443/Http client/Thread Pool used					
0.1	0.104	0.165	0.1	0.101	0.011
LG 157.250.44.61:443/Http client/Task Pool used					
0	0.004	0.233	0	0.001	0.018
LG 157.250.44.61:443/Controller Connection/Disconnections					
1	1.33	2	1	1.31	0.47
LG 157.250.44.61:443/Controller Connection/Reconnections					
1	1.33	2	1	1.31	0.47
LG 157.250.44.61:443/Controller Connection/Ping Duration (ms)					
136	532.8	7,042	281	378.2	974.7
LG 157.250.44.61:443/Network/Segments sent/sec.					
2.4	1,235	1,789	1,341	1,273	388.6
LG 157.250.44.61:443/Network/Segments retransmitted/sec.					
0	9.08	21.6	9.31	9.06	5.12
LG 157.250.44.61:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11	16.9	11.7	11.4	3.15
LG 157.250.44.61:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.38	3.32	1.45	1.41	0.401

LG 157.250.45.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.102:443/CPU Load					
0	9.88	23	10	9.91	3.09
LG 157.250.45.102:443/Memory Used					
1	19	36	19	18.9	9.5
LG 157.250.45.102:443/Throughput					
0	8.1	13.2	8.44	8.31	2.3
LG 157.250.45.102:443/User Load					
0	52	96	53	52.1	28
LG 157.250.45.102:443/Thread Count					
38	117.8	177	119	117.8	31.4
LG 157.250.45.102:443/Http client/Thread Pool used					
0.1	0.106	0.165	0.1	0.104	0.013
LG 157.250.45.102:443/Http client/Task Pool used					
0	0.003	0.25	0	0.001	0.015
LG 157.250.45.102:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.45.102:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.45.102:443/Controller Connection/Ping Duration (ms)					
141	648.8	12,324	324	462.9	1,065

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.102:443/Network/Segments sent/sec.					
1.6	986.6	1,582	1,050	1,015	287.9
LG 157.250.45.102:443/Network/Segments retransmitted/sec.					
0	10.59	25.1	11.3	10.62	5.18
LG 157.250.45.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.83	14.2	9.22	9.06	2.49
LG 157.250.45.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	3.97	1.18	1.16	0.356

LG 157.250.45.245:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.245:443/CPU Load					
0	10.87	22	11	11	3.02
LG 157.250.45.245:443/Memory Used					
2	8.12	22	8	7.9	3.18
LG 157.250.45.245:443/Throughput					
0	9.76	14.3	10.28	10.06	2.83
LG 157.250.45.245:443/User Load					
0	50.9	94	53	51	28.3
LG 157.250.45.245:443/Thread Count					
38	114.7	166	117	115	31.3
LG 157.250.45.245:443/Http client/Thread Pool used					
0.1	0.102	0.185	0.1	0.1	0.01
LG 157.250.45.245:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.007
LG 157.250.45.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.45.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.45.245:443/Controller Connection/Ping Duration (ms)					
138	427.3	1,390	282	405	265.7
LG 157.250.45.245:443/Network/Segments sent/sec.					
2	1,196	1,901	1,273	1,229	380.7
LG 157.250.45.245:443/Network/Segments retransmitted/sec.					
0	9.6	22.7	10.11	9.55	5.23
LG 157.250.45.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.6	15.3	11.1	10.93	3.05
LG 157.250.45.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.35	2.85	1.41	1.37	0.429

LG 157.250.46.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.153:443/CPU Load					
0	11.7	21	12	12	3.23
LG 157.250.46.153:443/Memory Used					
2	9.41	25	9	9.06	4.32
LG 157.250.46.153:443/Throughput					
0	10.82	16.4	11.5	11.2	3.21
LG 157.250.46.153:443/User Load					
0	51.1	95	52.5	51.2	28.2
LG 157.250.46.153:443/Thread Count					
38	116	178	116.5	116	32.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.153:443/Http client/Thread Pool used					
0.1	0.107	0.21	0.1	0.102	0.02
LG 157.250.46.153:443/Http client/Task Pool used					
0	0.002	0.1	0	0.001	0.009
LG 157.250.46.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.46.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.46.153:443/Controller Connection/Ping Duration (ms)					
130	373.9	1,235	290	353.8	217.9
LG 157.250.46.153:443/Network/Segments sent/sec.					
3.41	1,322	1,895	1,445	1,365	430.8
LG 157.250.46.153:443/Network/Segments retransmitted/sec.					
0	7.34	18.2	7.75	7.3	4.18
LG 157.250.46.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	11.8	18.1	12.6	12.2	3.47
LG 157.250.46.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.44	2.05	1.54	1.48	0.428

LG 157.250.46.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.239:443/CPU Load					
0	10.29	20	10	10.42	2.75
LG 157.250.46.239:443/Memory Used					
2	9.62	22	9	9.42	4.05
LG 157.250.46.239:443/Throughput					
0	9.16	13.3	9.73	9.45	2.55
LG 157.250.46.239:443/User Load					
0	51.8	95	53	52	28
LG 157.250.46.239:443/Thread Count					
38	115.5	163	121	115.9	30.5
LG 157.250.46.239:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.1	0.006
LG 157.250.46.239:443/Http client/Task Pool used					
0	0.004	0.15	0	0.002	0.014
LG 157.250.46.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.46.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.46.239:443/Controller Connection/Ping Duration (ms)					
129	436.7	2,972	281	389.7	374.4
LG 157.250.46.239:443/Network/Segments sent/sec.					
3.81	1,119	1,638	1,216	1,155	337.5
LG 157.250.46.239:443/Network/Segments retransmitted/sec.					
0	9.97	25.1	10.99	10.04	4.87
LG 157.250.46.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.97	14.1	10.64	10.29	2.76
LG 157.250.46.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.24	2.24	1.33	1.28	0.349

LG 157.250.46.31:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.31:443/CPU Load					
0	11.5	26	12	11.8	3.18
LG 157.250.46.31:443/Memory Used					
2	8.34	23	8	8.09	3.51
LG 157.250.46.31:443/Throughput					
0	10.74	18	11.5	11.1	3.14
LG 157.250.46.31:443/User Load					
0	50.7	94	52	50.8	28.5
LG 157.250.46.31:443/Thread Count					
38	116	164	117	116.6	30.8
LG 157.250.46.31:443/Http client/Thread Pool used					
0.1	0.111	0.205	0.1	0.107	0.025
LG 157.250.46.31:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 157.250.46.31:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.46.31:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.46.31:443/Controller Connection/Ping Duration (ms)					
128	447.2	2,433	315	380.1	418.9
LG 157.250.46.31:443/Network/Segments sent/sec.					
2.04	1,311	2,183	1,423	1,353	422.8
LG 157.250.46.31:443/Network/Segments retransmitted/sec.					
0	7.23	18.5	7.69	7.23	3.94
LG 157.250.46.31:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.7	18.8	12.5	12.1	3.39
LG 157.250.46.31:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.43	2.25	1.53	1.47	0.429

LG 157.250.46.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.35:443/CPU Load					
0	8.48	27	8	8.4	3.36
LG 157.250.46.35:443/Memory Used					
2	7.7	21	7	7.42	3.35
LG 157.250.46.35:443/Throughput					
0	7.26	12.2	7.57	7.44	2.2
LG 157.250.46.35:443/User Load					
0	51.3	94	52.5	51.4	28
LG 157.250.46.35:443/Thread Count					
38	118.2	178	119.5	118.6	34.5
LG 157.250.46.35:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.101	0.007
LG 157.250.46.35:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 157.250.46.35:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.46.35:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.46.35:443/Controller Connection/Ping Duration (ms)					
134	1,126	33,710	317	470.3	4,369

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.35:443/Network/Segments sent/sec.					
1.6	883.7	1,460	936.4	909.4	265.2
LG 157.250.46.35:443/Network/Segments retransmitted/sec.					
0	9.55	20.7	10.28	9.6	4.56
LG 157.250.46.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	7.91	12.9	8.32	8.12	2.37
LG 157.250.46.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.01	1.88	1.05	1.04	0.29

LG 157.250.46.61:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.61:443/CPU Load					
0	11.6	23	12	11.9	3.22
LG 157.250.46.61:443/Memory Used					
2	8.62	23	8	8.4	3.51
LG 157.250.46.61:443/Throughput					
0	10.66	15.3	11.3	11	2.97
LG 157.250.46.61:443/User Load					
0	51.5	95	53	51.6	28.5
LG 157.250.46.61:443/Thread Count					
38	115.7	162	117	116.2	30.9
LG 157.250.46.61:443/Http client/Thread Pool used					
0.1	0.104	0.185	0.1	0.101	0.015
LG 157.250.46.61:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 157.250.46.61:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.46.61:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.46.61:443/Controller Connection/Ping Duration (ms)					
132	523.1	3,532	278	432.8	607
LG 157.250.46.61:443/Network/Segments sent/sec.					
4.21	1,302	1,823	1,419	1,345	405.9
LG 157.250.46.61:443/Network/Segments retransmitted/sec.					
0	7.16	21.1	7.65	7.13	4.04
LG 157.250.46.61:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.6	16.7	12.3	12	3.22
LG 157.250.46.61:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.42	2.28	1.52	1.46	0.41

LG 157.250.47.12:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.47.12:443/CPU Load					
0	11.7	22	12	12	3.21
LG 157.250.47.12:443/Memory Used					
2	7.69	20	7	7.44	3.05
LG 157.250.47.12:443/Throughput					
0	10.76	15.4	11.5	11.1	3.12
LG 157.250.47.12:443/User Load					
0	50.9	94	53	51	28.2
LG 157.250.47.12:443/Thread Count					
38	115.6	164	118	116.1	31.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.47.12:443/Http client/Thread Pool used					
0.1	0.105	0.155	0.1	0.103	0.012
LG 157.250.47.12:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.008
LG 157.250.47.12:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.47.12:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.47.12:443/Controller Connection/Ping Duration (ms)					
136	483.2	3,445	316	411.6	497.4
LG 157.250.47.12:443/Network/Segments sent/sec.					
4.2	1,315	2,029	1,442	1,359	422.3
LG 157.250.47.12:443/Network/Segments retransmitted/sec.					
0	7.39	18.3	7.73	7.34	4.14
LG 157.250.47.12:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.7	16.9	12.5	12.1	3.38
LG 157.250.47.12:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.43	2.31	1.53	1.48	0.422

LG 157.250.47.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.47.195:443/CPU Load					
0	11.1	24	11	11.2	3.2
LG 157.250.47.195:443/Memory Used					
2	7.93	17	8	7.83	2.98
LG 157.250.47.195:443/Throughput					
0	9.68	15	10.3	10.01	2.79
LG 157.250.47.195:443/User Load					
0	51.5	94	53	51.7	28.1
LG 157.250.47.195:443/Thread Count					
38	114.3	160	117	114.8	30.5
LG 157.250.47.195:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.101	0.007
LG 157.250.47.195:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.007
LG 157.250.47.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.47.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.47.195:443/Controller Connection/Ping Duration (ms)					
129	421.7	2,382	317	365.2	377.3
LG 157.250.47.195:443/Network/Segments sent/sec.					
3.4	1,186	1,860	1,284	1,226	360.2
LG 157.250.47.195:443/Network/Segments retransmitted/sec.					
0	9.24	18.7	10.31	9.33	4.53
LG 157.250.47.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	10.52	16.1	11.2	10.88	3.01
LG 157.250.47.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.31	2.09	1.39	1.35	0.373

LG 157.250.47.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.47.208:443/CPU Load					
0	10.94	27	11	11.1	3.14
LG 157.250.47.208:443/Memory Used					
2	8.42	21	8	8.22	3.33
LG 157.250.47.208:443/Throughput					
0	9.74	14	10.48	10.08	2.87
LG 157.250.47.208:443/User Load					
0	51.4	94	53	51.6	28
LG 157.250.47.208:443/Thread Count					
38	116.2	172	127	116.8	31.1
LG 157.250.47.208:443/Http client/Thread Pool used					
0.1	0.11	0.225	0.1	0.105	0.026
LG 157.250.47.208:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 157.250.47.208:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.47.208:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.47.208:443/Controller Connection/Ping Duration (ms)					
138	379.1	1,284	282	348.8	238.1
LG 157.250.47.208:443/Network/Segments sent/sec.					
2.8	1,198	1,803	1,292	1,236	363.4
LG 157.250.47.208:443/Network/Segments retransmitted/sec.					
0	9.33	21.4	9.87	9.33	4.79
LG 157.250.47.208:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.59	14.9	11.4	10.97	3.08
LG 157.250.47.208:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.5	18.4	1.4	1.39	1.39

LG 157.250.48.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.48.146:443/CPU Load					
0	12.1	26	12	12.3	3.51
LG 157.250.48.146:443/Memory Used					
2	10.1	24	10	9.92	4.03
LG 157.250.48.146:443/Throughput					
0	10.92	15.8	11.7	11.3	3.1
LG 157.250.48.146:443/User Load					
0	51.7	96	53	51.8	28.7
LG 157.250.48.146:443/Thread Count					
38	118.7	196	116	118.3	32.5
LG 157.250.48.146:443/Http client/Thread Pool used					
0.1	0.119	0.27	0.1	0.113	0.041
LG 157.250.48.146:443/Http client/Task Pool used					
0	0.002	0.05	0	0.001	0.007
LG 157.250.48.146:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.48.146:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.48.146:443/Controller Connection/Ping Duration (ms)					
129	750	14,644	279	370	2,284

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.48.146:443/Network/Segments sent/sec.					
4.2	1,337	1,915	1,451	1,381	424.6
LG 157.250.48.146:443/Network/Segments retransmitted/sec.					
0	7.71	23.5	8.22	7.58	4.53
LG 157.250.48.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.9	17	12.7	12.3	3.35
LG 157.250.48.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.46	2.75	1.56	1.5	0.427

LG 157.250.48.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.48.178:443/CPU Load					
0	11.4	25	12	11.6	3.41
LG 157.250.48.178:443/Memory Used					
1	8.39	22	8	8.1	3.66
LG 157.250.48.178:443/Throughput					
0	10.62	16.2	11.3	10.97	3.18
LG 157.250.48.178:443/User Load					
0	50.3	94	52	50.3	28.5
LG 157.250.48.178:443/Thread Count					
38	113.4	175	115	113.3	31.9
LG 157.250.48.178:443/Http client/Thread Pool used					
0.1	0.103	0.175	0.1	0.1	0.011
LG 157.250.48.178:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 157.250.48.178:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.48.178:443/Controller Connection/Reconnections					
0	0.976	1	1	1	0.154
LG 157.250.48.178:443/Controller Connection/Ping Duration (ms)					
132	1,549	60,446	313	459.8	7,849
LG 157.250.48.178:443/Network/Segments sent/sec.					
4.4	1,298	1,892	1,418	1,339	427.1
LG 157.250.48.178:443/Network/Segments retransmitted/sec.					
0	7.09	18.2	7.28	7.03	4.02
LG 157.250.48.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	11.6	17.2	12.3	11.9	3.44
LG 157.250.48.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.41	2.04	1.51	1.45	0.423

LG 157.250.48.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.48.79:443/CPU Load					
0	11.9	23	12	12.2	3.08
LG 157.250.48.79:443/Memory Used					
2	7.65	20	7	7.44	3.06
LG 157.250.48.79:443/Throughput					
0	10.61	14.9	11.2	10.97	3.06
LG 157.250.48.79:443/User Load					
0	50.8	94	52	50.9	28.6
LG 157.250.48.79:443/Thread Count					
38	116.9	165	116	117.6	33.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.48.79:443/Http client/Thread Pool used					
0.1	0.114	0.285	0.1	0.107	0.039
LG 157.250.48.79:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 157.250.48.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.48.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.48.79:443/Controller Connection/Ping Duration (ms)					
130	456.5	3,544	318	353.6	588.2
LG 157.250.48.79:443/Network/Segments sent/sec.					
4.2	1,300	1,917	1,414	1,342	408.7
LG 157.250.48.79:443/Network/Segments retransmitted/sec.					
0	7.24	18	7.45	7.21	4.02
LG 157.250.48.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.5	16.2	12.3	11.9	3.29
LG 157.250.48.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.43	4.58	1.48	1.43	0.49

LG 157.250.49.107:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.107:443/CPU Load					
0	11.7	23	12	11.9	3.33
LG 157.250.49.107:443/Memory Used					
2	8.12	22	8	7.8	3.47
LG 157.250.49.107:443/Throughput					
0	10.48	15.3	11.2	10.84	3.14
LG 157.250.49.107:443/User Load					
0	50.8	94	52.5	50.9	28.1
LG 157.250.49.107:443/Thread Count					
38	115.2	160	116.5	115.8	30.1
LG 157.250.49.107:443/Http client/Thread Pool used					
0.1	0.108	0.21	0.1	0.103	0.022
LG 157.250.49.107:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 157.250.49.107:443/Controller Connection/Disconnections					
1	1.9	2	2	1.93	0.301
LG 157.250.49.107:443/Controller Connection/Reconnections					
1	1.87	2	2	1.89	0.341
LG 157.250.49.107:443/Controller Connection/Ping Duration (ms)					
135	559.5	2,260	337	516.1	424.3
LG 157.250.49.107:443/Network/Segments sent/sec.					
2.6	1,284	1,974	1,407	1,326	416.8
LG 157.250.49.107:443/Network/Segments retransmitted/sec.					
0	6.93	16.5	7.48	6.93	3.74
LG 157.250.49.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.4	17.1	12.2	11.8	3.4
LG 157.250.49.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.41	2.98	1.51	1.45	0.43

LG 157.250.49.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.161:443/CPU Load					
0	12.2	27	12	12.5	3.24
LG 157.250.49.161:443/Memory Used					
2	10.97	27	11	10.78	4.57
LG 157.250.49.161:443/Throughput					
0	10.83	15.4	11.5	11.2	3.08
LG 157.250.49.161:443/User Load					
0	51.5	95	53	51.6	28.1
LG 157.250.49.161:443/Thread Count					
38	115.6	173	116	115.6	30.9
LG 157.250.49.161:443/Http client/Thread Pool used					
0.1	0.103	0.145	0.1	0.101	0.007
LG 157.250.49.161:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 157.250.49.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.49.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.49.161:443/Controller Connection/Ping Duration (ms)					
132	446.5	3,446	316	367.8	499.6
LG 157.250.49.161:443/Network/Segments sent/sec.					
4.2	1,326	1,925	1,445	1,370	413.3
LG 157.250.49.161:443/Network/Segments retransmitted/sec.					
0	7.49	23.1	8.05	7.47	4.09
LG 157.250.49.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.8	16.8	12.6	12.2	3.33
LG 157.250.49.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.44	2.19	1.54	1.49	0.414

LG 157.250.49.170:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.170:443/CPU Load					
0	11.7	23	12	12	3.12
LG 157.250.49.170:443/Memory Used					
2	9.7	22	9	9.54	4.19
LG 157.250.49.170:443/Throughput					
0	10.78	17	11.4	11.1	3.11
LG 157.250.49.170:443/User Load					
0	50.7	94	53	50.8	28.4
LG 157.250.49.170:443/Thread Count					
38	114.7	162	116	115	31.2
LG 157.250.49.170:443/Http client/Thread Pool used					
0.1	0.102	0.165	0.1	0.1	0.008
LG 157.250.49.170:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 157.250.49.170:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.49.170:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.49.170:443/Controller Connection/Ping Duration (ms)					
135	405.3	1,423	279	361.5	326.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.170:443/Network/Segments sent/sec.					
3.8	1,318	1,945	1,433	1,358	424.6
LG 157.250.49.170:443/Network/Segments retransmitted/sec.					
0	7.2	16.6	7.48	7.14	4.23
LG 157.250.49.170:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	11.7	18.3	12.4	12.1	3.36
LG 157.250.49.170:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.43	2.94	1.52	1.47	0.431

LG 157.250.49.206:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.206:443/CPU Load					
0	9.56	28	10	9.65	3.09
LG 157.250.49.206:443/Memory Used					
2	8.45	24	8	8.09	3.77
LG 157.250.49.206:443/Throughput					
0	8.54	12.7	9.01	8.79	2.45
LG 157.250.49.206:443/User Load					
0	51.3	94	54	51.5	28.2
LG 157.250.49.206:443/Thread Count					
38	115.9	165	118	116.4	31.7
LG 157.250.49.206:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 157.250.49.206:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 157.250.49.206:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.49.206:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.49.206:443/Controller Connection/Ping Duration (ms)					
111	385.4	2,440	280	338.7	329.2
LG 157.250.49.206:443/Network/Segments sent/sec.					
2.41	1,044	1,643	1,116	1,074	316.5
LG 157.250.49.206:443/Network/Segments retransmitted/sec.					
0	9.92	20.9	10.49	9.96	4.8
LG 157.250.49.206:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.27	13.7	9.76	9.55	2.63
LG 157.250.49.206:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.18	2.63	1.23	1.2	0.344

LG 157.250.49.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.237:443/CPU Load					
0	8.68	22	9	8.64	3.12
LG 157.250.49.237:443/Memory Used					
2	7.54	21	7	7.22	3.29
LG 157.250.49.237:443/Throughput					
0	7.64	11.9	7.94	7.83	2.27
LG 157.250.49.237:443/User Load					
0	51.8	94	53	52	27.6
LG 157.250.49.237:443/Thread Count					
38	119.1	181	125	119.2	33.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.237:443/Http client/Thread Pool used					
0.1	0.103	0.19	0.1	0.101	0.01
LG 157.250.49.237:443/Http client/Task Pool used					
0	0.002	0.217	0	0	0.013
LG 157.250.49.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.49.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.49.237:443/Controller Connection/Ping Duration (ms)					
138	353.3	2,441	281	339.9	200.6
LG 157.250.49.237:443/Network/Segments sent/sec.					
3	935.3	1,330	1,009	962.4	276.8
LG 157.250.49.237:443/Network/Segments retransmitted/sec.					
0	9.99	20.4	10.71	10.08	4.76
LG 157.250.49.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.32	12.7	8.72	8.54	2.45
LG 157.250.49.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.08	2.3	1.13	1.1	0.323

LG 157.250.49.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.33:443/CPU Load					
0	12	23	12	12.3	3.17
LG 157.250.49.33:443/Memory Used					
1	10.08	24	9	9.76	4.78
LG 157.250.49.33:443/Throughput					
0	10.87	16.9	11.5	11.2	3.15
LG 157.250.49.33:443/User Load					
0	51.4	95	53	51.5	28.4
LG 157.250.49.33:443/Thread Count					
38	115.3	166	116	115.7	31.4
LG 157.250.49.33:443/Http client/Thread Pool used					
0.1	0.103	0.18	0.1	0.101	0.01
LG 157.250.49.33:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.011
LG 157.250.49.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.49.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.49.33:443/Controller Connection/Ping Duration (ms)					
131	345.2	1,583	279	322.3	215.8
LG 157.250.49.33:443/Network/Segments sent/sec.					
1.6	1,325	2,094	1,433	1,366	425.7
LG 157.250.49.33:443/Network/Segments retransmitted/sec.					
0	7.22	16.6	7.78	7.22	4.09
LG 157.250.49.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.8	18.2	12.5	12.2	3.41
LG 157.250.49.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.44	2.35	1.54	1.49	0.421

LG 157.250.49.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.35:443/CPU Load					
0	10.1	24	10	10.15	3.08
LG 157.250.49.35:443/Memory Used					
2	7.91	20	7	7.66	3.37
LG 157.250.49.35:443/Throughput					
0	8.92	14.5	9.4	9.17	2.5
LG 157.250.49.35:443/User Load					
0	51.7	96	53.5	51.8	28.7
LG 157.250.49.35:443/Thread Count					
38	116.2	182	117.5	116.1	31.9
LG 157.250.49.35:443/Http client/Thread Pool used					
0.1	0.105	0.185	0.1	0.102	0.013
LG 157.250.49.35:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 157.250.49.35:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.49.35:443/Controller Connection/Reconnections					
0	0.99	1	1	1	0.101
LG 157.250.49.35:443/Controller Connection/Ping Duration (ms)					
135	910.2	10,812	281	566.7	1,809
LG 157.250.49.35:443/Network/Segments sent/sec.					
3	1,089	1,828	1,167	1,120	324.2
LG 157.250.49.35:443/Network/Segments retransmitted/sec.					
0	9.87	21.8	10.74	9.99	4.78
LG 157.250.49.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.71	15.6	10.26	9.99	2.71
LG 157.250.49.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.22	2.36	1.29	1.25	0.34

LG 157.250.49.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.5:443/CPU Load					
0	11.3	20	12	11.6	3.07
LG 157.250.49.5:443/Memory Used					
2	8.55	23	8	8.28	3.73
LG 157.250.49.5:443/Throughput					
0	10	14.4	10.59	10.33	2.86
LG 157.250.49.5:443/User Load					
0	51.1	94	53	51.2	28.5
LG 157.250.49.5:443/Thread Count					
38	116	164	115	116.4	32.3
LG 157.250.49.5:443/Http client/Thread Pool used					
0.1	0.109	0.185	0.1	0.106	0.017
LG 157.250.49.5:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.01
LG 157.250.49.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.49.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.49.5:443/Controller Connection/Ping Duration (ms)					
94	400.6	1,381	281	359.9	329.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.49.5:443/Network/Segments sent/sec.					
3.41	1,225	1,855	1,318	1,262	386.3
LG 157.250.49.5:443/Network/Segments retransmitted/sec.					
0	9.12	21.5	9.77	9.15	4.79
LG 157.250.49.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	10.87	15.8	11.5	11.2	3.09
LG 157.250.49.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.35	2.51	1.43	1.39	0.395

LG 157.250.51.192:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.51.192:443/CPU Load					
0	10.95	25	11	11.1	3
LG 157.250.51.192:443/Memory Used					
3	8.37	21	8	8.15	3.02
LG 157.250.51.192:443/Throughput					
0	9.69	16	10.15	10	2.69
LG 157.250.51.192:443/User Load					
0	51.6	95	54	51.7	28.2
LG 157.250.51.192:443/Thread Count					
38	116.3	162	116	116.9	32
LG 157.250.51.192:443/Http client/Thread Pool used					
0.1	0.11	0.22	0.1	0.105	0.024
LG 157.250.51.192:443/Http client/Task Pool used					
0	0.002	0.05	0	0.001	0.007
LG 157.250.51.192:443/Controller Connection/Disconnections					
1	1	1	1	1	0
LG 157.250.51.192:443/Controller Connection/Reconnections					
1	1	1	1	1	0
LG 157.250.51.192:443/Controller Connection/Ping Duration (ms)					
137	573.5	22,827	283	386.9	1,746
LG 157.250.51.192:443/Network/Segments sent/sec.					
3.81	1,179	1,933	1,273	1,214	354.8
LG 157.250.51.192:443/Network/Segments retransmitted/sec.					
0	9.01	20.9	9.54	9.02	4.58
LG 157.250.51.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	10.53	17.2	11	10.87	2.89
LG 157.250.51.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.31	2.55	1.38	1.34	0.354

LG 157.250.51.238:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.51.238:443/CPU Load					
0	8.47	27	8	8.44	3.26
LG 157.250.51.238:443/Memory Used					
2	7.08	20	6	6.78	2.98
LG 157.250.51.238:443/Throughput					
0	7.45	11.8	7.76	7.65	2.25
LG 157.250.51.238:443/User Load					
0	51	94	52	51.1	27.7
LG 157.250.51.238:443/Thread Count					
38	118.6	185	116	118.5	34.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.51.238:443/Http client/Thread Pool used					
0.1	0.104	0.175	0.1	0.102	0.013
LG 157.250.51.238:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 157.250.51.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.51.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.51.238:443/Controller Connection/Ping Duration (ms)					
137	440.7	3,493	280	349.2	546.5
LG 157.250.51.238:443/Network/Segments sent/sec.					
1.6	906.1	1,631	961.1	931.9	273.7
LG 157.250.51.238:443/Network/Segments retransmitted/sec.					
0	9.43	25.4	9.98	9.42	4.67
LG 157.250.51.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.12	12.7	8.47	8.34	2.43
LG 157.250.51.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.02	1.95	1.09	1.05	0.29

LG 157.250.51.245:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.51.245:443/CPU Load					
0	10.47	22	11	10.63	2.89
LG 157.250.51.245:443/Memory Used					
2	7.42	20	7	7.17	2.95
LG 157.250.51.245:443/Throughput					
0	9.1	12.7	9.73	9.42	2.54
LG 157.250.51.245:443/User Load					
0	51	94	52	51.1	28.1
LG 157.250.51.245:443/Thread Count					
38	115.5	172	117	115.8	31.1
LG 157.250.51.245:443/Http client/Thread Pool used					
0.1	0.104	0.155	0.1	0.102	0.011
LG 157.250.51.245:443/Http client/Task Pool used					
0	0.002	0.117	0	0.001	0.008
LG 157.250.51.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.51.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.51.245:443/Controller Connection/Ping Duration (ms)					
135	442.6	2,047	280	378.7	415.6
LG 157.250.51.245:443/Network/Segments sent/sec.					
3.84	1,112	1,627	1,210	1,148	338.5
LG 157.250.51.245:443/Network/Segments retransmitted/sec.					
0	10.01	22.6	10.83	10.05	5.01
LG 157.250.51.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.9	13.8	10.56	10.26	2.74
LG 157.250.51.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.23	2	1.31	1.27	0.349

LG 104.210.209.227:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.210.209.227:443/CPU Load					
0	23	46	23	23.1	12.5
LG 104.210.209.227:443/Memory Used					
2	15.5	37	13	15.1	9.33
LG 104.210.209.227:443/Throughput					
0	38.2	76.6	39.5	38.2	22.3
LG 104.210.209.227:443/User Load					
0	50.3	94	52	50.5	29.1
LG 104.210.209.227:443/Thread Count					
39	112	175	113	111.9	32.1
LG 104.210.209.227:443/Http client/Thread Pool used					
0.1	0.105	0.19	0.1	0.103	0.011
LG 104.210.209.227:443/Http client/Task Pool used					
0	0.007	0.367	0	0.003	0.025
LG 104.210.209.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.210.209.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.210.209.227:443/Controller Connection/Ping Duration (ms)					
85	102.9	114	105	103.4	5.59
LG 104.210.209.227:443/Network/Segments sent/sec.					
6.01	2,865	5,781	3,009	2,867	1,658
LG 104.210.209.227:443/Network/Segments retransmitted/sec.					
0	0.041	1.53	0	0.013	0.15
LG 104.210.209.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.6	83.5	43.1	41.6	24.3
LG 104.210.209.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.72	7.41	3.79	3.73	2.1

LG 104.210.213.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.210.213.42:443/CPU Load					
0	24.3	51	23.5	24.3	13.1
LG 104.210.213.42:443/Memory Used					
2	15.8	38	14	15.3	9.31
LG 104.210.213.42:443/Throughput					
0	38.4	84.1	39.1	38.3	22.4
LG 104.210.213.42:443/User Load					
0	50.8	94	53.5	51.1	29
LG 104.210.213.42:443/Thread Count					
39	112.3	162	114.5	112.5	31.2
LG 104.210.213.42:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 104.210.213.42:443/Http client/Task Pool used					
0	0.007	0.15	0	0.003	0.022
LG 104.210.213.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.210.213.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.210.213.42:443/Controller Connection/Ping Duration (ms)					
90	108.8	146	107	107.6	10.12

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.210.213.42:443/Network/Segments sent/sec.					
10.6	2,888	6,216	2,960	2,884	1,661
LG 104.210.213.42:443/Network/Segments retransmitted/sec.					
0	0.033	1.44	0	0.006	0.143
LG 104.210.213.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.014	41.9	92	43	41.8	24.3
LG 104.210.213.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.75	7.83	3.8	3.76	2.1

LG 104.210.214.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.210.214.205:443/CPU Load					
0	25.5	57	24	25.4	14.1
LG 104.210.214.205:443/Memory Used					
1	16.6	38	14	16.2	9.71
LG 104.210.214.205:443/Throughput					
0	38.1	86.4	35.9	37.9	22.6
LG 104.210.214.205:443/User Load					
0	50.6	94	54	50.9	28.9
LG 104.210.214.205:443/Thread Count					
39	112.6	167	116	112.8	32
LG 104.210.214.205:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.105	0.009
LG 104.210.214.205:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.03
LG 104.210.214.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.210.214.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.210.214.205:443/Controller Connection/Ping Duration (ms)					
66	109.2	331	105	102.1	45.7
LG 104.210.214.205:443/Network/Segments sent/sec.					
6.38	2,874	6,407	2,699	2,857	1,683
LG 104.210.214.205:443/Network/Segments retransmitted/sec.					
0	0.029	0.993	0	0.005	0.118
LG 104.210.214.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.6	93.9	39.2	41.3	24.6
LG 104.210.214.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.72	7.9	3.5	3.71	2.13

LG 104.214.102.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.102.137:443/CPU Load					
0	23.9	49	22	24	13.4
LG 104.214.102.137:443/Memory Used					
2	16.4	38	14	16	9.41
LG 104.214.102.137:443/Throughput					
0	37.8	82.3	34.6	37.7	22.6
LG 104.214.102.137:443/User Load					
0	50.1	94	52	50.3	29
LG 104.214.102.137:443/Thread Count					
39	112.2	166	113	112.3	31.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.102.137:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.009
LG 104.214.102.137:443/Http client/Task Pool used					
0	0.009	0.217	0	0.005	0.023
LG 104.214.102.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.102.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.102.137:443/Controller Connection/Ping Duration (ms)					
63	99.9	136	104	100.1	16.7
LG 104.214.102.137:443/Network/Segments sent/sec.					
6.45	2,827	6,040	2,629	2,823	1,671
LG 104.214.102.137:443/Network/Segments retransmitted/sec.					
0	0.022	0.615	0	0.004	0.082
LG 104.214.102.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.2	89.6	37.7	41.1	24.6
LG 104.214.102.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	3.68	7.61	3.43	3.68	2.12

LG 104.214.102.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.102.39:443/CPU Load					
0	23.1	50	22	23	12.7
LG 104.214.102.39:443/Memory Used					
2	15.2	39	13	14.8	8.87
LG 104.214.102.39:443/Throughput					
0	38.8	86.7	38.3	38.6	23.1
LG 104.214.102.39:443/User Load					
0	50.9	95	53	51.1	29
LG 104.214.102.39:443/Thread Count					
39	112.5	164	113.5	112.7	31.2
LG 104.214.102.39:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.104	0.006
LG 104.214.102.39:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.024
LG 104.214.102.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.102.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.102.39:443/Controller Connection/Ping Duration (ms)					
65	97.6	147	107	96.5	22
LG 104.214.102.39:443/Network/Segments sent/sec.					
9.44	2,911	6,556	2,848	2,895	1,707
LG 104.214.102.39:443/Network/Segments retransmitted/sec.					
0	0.034	1.34	0	0.008	0.137
LG 104.214.102.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	42.3	94.3	41.8	42.1	25.1
LG 104.214.102.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.78	8.25	3.77	3.77	2.17

LG 104.214.103.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.103.200:443/CPU Load					
0	25.4	53	25.5	25.3	14
LG 104.214.103.200:443/Memory Used					
2	17.2	39	15	16.8	10.29
LG 104.214.103.200:443/Throughput					
0	38.4	86.2	39.2	38.2	22.8
LG 104.214.103.200:443/User Load					
0	50.7	94	54	51	28.9
LG 104.214.103.200:443/Thread Count					
39	114.5	163	115.5	115	33
LG 104.214.103.200:443/Http client/Thread Pool used					
0.1	0.114	0.24	0.105	0.109	0.027
LG 104.214.103.200:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.021
LG 104.214.103.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.103.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.103.200:443/Controller Connection/Ping Duration (ms)					
92	105.1	144	105	105.2	4.53
LG 104.214.103.200:443/Network/Segments sent/sec.					
6.4	2,872	6,171	2,990	2,864	1,681
LG 104.214.103.200:443/Network/Segments retransmitted/sec.					
0	0.023	0.622	0	0.007	0.082
LG 104.214.103.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.9	93.6	42.8	41.7	24.9
LG 104.214.103.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.74	7.9	3.84	3.74	2.13

LG 104.214.88.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.88.215:443/CPU Load					
0	24.7	54	23.5	24.7	13.3
LG 104.214.88.215:443/Memory Used					
2	16.7	39	14.5	16.3	9.7
LG 104.214.88.215:443/Throughput					
0	38.3	88	37.6	38.1	22.7
LG 104.214.88.215:443/User Load					
0	50.6	94	53	50.8	29.1
LG 104.214.88.215:443/Thread Count					
39	112.5	167	114	112.6	32.2
LG 104.214.88.215:443/Http client/Thread Pool used					
0.1	0.104	0.15	0.1	0.103	0.008
LG 104.214.88.215:443/Http client/Task Pool used					
0	0.01	0.283	0	0.005	0.028
LG 104.214.88.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.88.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.88.215:443/Controller Connection/Ping Duration (ms)					
79	105.7	144	106	105.3	8.74

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.88.215:443/Network/Segments sent/sec.					
6.36	2,876	6,588	2,825	2,866	1,687
LG 104.214.88.215:443/Network/Segments retransmitted/sec.					
0	0.109	0.858	0	0.087	0.167
LG 104.214.88.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.7	95.8	40.9	41.6	24.7
LG 104.214.88.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.74	8.6	3.72	3.73	2.14

LG 104.214.89.233:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.89.233:443/CPU Load					
0	25.9	58	25.5	25.8	14.2
LG 104.214.89.233:443/Memory Used					
2	16.5	38	14	16.1	9.76
LG 104.214.89.233:443/Throughput					
0	38.7	88.3	38.5	38.5	22.7
LG 104.214.89.233:443/User Load					
0	51.3	95	53	51.5	29.1
LG 104.214.89.233:443/Thread Count					
39	113.6	172	116	113.6	32.1
LG 104.214.89.233:443/Http client/Thread Pool used					
0.1	0.108	0.17	0.1	0.106	0.012
LG 104.214.89.233:443/Http client/Task Pool used					
0	0.009	0.25	0	0.003	0.03
LG 104.214.89.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.89.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.89.233:443/Controller Connection/Ping Duration (ms)					
94	107.3	151	107	107.2	5.77
LG 104.214.89.233:443/Network/Segments sent/sec.					
6.37	2,911	6,316	2,940	2,897	1,677
LG 104.214.89.233:443/Network/Segments retransmitted/sec.					
0	0.032	0.987	0	0.009	0.117
LG 104.214.89.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.2	95.5	42.1	42	24.6
LG 104.214.89.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.78	8.32	3.8	3.77	2.13

LG 104.214.90.12:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.90.12:443/CPU Load					
0	24.9	56	25	24.8	13.4
LG 104.214.90.12:443/Memory Used					
2	16.5	39	14	16	9.89
LG 104.214.90.12:443/Throughput					
0	38.3	88	39.4	38.1	22.5
LG 104.214.90.12:443/User Load					
0	50.7	94	54	50.9	29
LG 104.214.90.12:443/Thread Count					
39	112.3	162	115	112.5	31.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.90.12:443/Http client/Thread Pool used					
0.1	0.105	0.13	0.1	0.104	0.007
LG 104.214.90.12:443/Http client/Task Pool used					
0	0.009	0.217	0	0.003	0.027
LG 104.214.90.12:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.90.12:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.90.12:443/Controller Connection/Ping Duration (ms)					
72	105.8	122	108	106.7	8.27
LG 104.214.90.12:443/Network/Segments sent/sec.					
6.33	2,876	6,546	3,033	2,863	1,669
LG 104.214.90.12:443/Network/Segments retransmitted/sec.					
0	0.04	0.883	0	0.013	0.133
LG 104.214.90.12:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.8	95.8	43	41.6	24.5
LG 104.214.90.12:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.74	8.38	3.9	3.73	2.12

LG 104.214.93.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.93.205:443/CPU Load					
0	23.6	49	24	23.6	12.6
LG 104.214.93.205:443/Memory Used					
3	15.7	37	13	15.3	9.29
LG 104.214.93.205:443/Throughput					
0	37.9	86.1	39.1	37.8	22.4
LG 104.214.93.205:443/User Load					
0	49.9	94	52	50.1	29.1
LG 104.214.93.205:443/Thread Count					
39	111.3	164	112	111.5	31.4
LG 104.214.93.205:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 104.214.93.205:443/Http client/Task Pool used					
0	0.008	0.167	0	0.004	0.022
LG 104.214.93.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.93.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.93.205:443/Controller Connection/Ping Duration (ms)					
67	104.6	147	106	105.4	10.2
LG 104.214.93.205:443/Network/Segments sent/sec.					
6.41	2,841	6,474	2,890	2,834	1,657
LG 104.214.93.205:443/Network/Segments retransmitted/sec.					
0	0.033	0.998	0	0.008	0.125
LG 104.214.93.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.3	93.5	42.3	41.2	24.3
LG 104.214.93.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.7	8.16	3.73	3.69	2.11

LG 104.214.93.66:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.93.66:443/CPU Load					
0	25	59	24	25	13.9
LG 104.214.93.66:443/Memory Used					
2	16.2	39	14	15.8	9.28
LG 104.214.93.66:443/Throughput					
0	38.3	83.5	36.4	38.2	22.3
LG 104.214.93.66:443/User Load					
0	50.7	95	53	50.9	29.1
LG 104.214.93.66:443/Thread Count					
39	112.7	165	114	112.9	31.5
LG 104.214.93.66:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 104.214.93.66:443/Http client/Task Pool used					
0	0.007	0.25	0	0.003	0.025
LG 104.214.93.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.93.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.93.66:443/Controller Connection/Ping Duration (ms)					
91	104.7	112	105	105.1	3.16
LG 104.214.93.66:443/Network/Segments sent/sec.					
6.34	2,870	6,339	2,766	2,864	1,655
LG 104.214.93.66:443/Network/Segments retransmitted/sec.					
0	0.03	0.938	0	0.012	0.097
LG 104.214.93.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.8	91.2	39.8	41.7	24.3
LG 104.214.93.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.74	8.45	3.63	3.73	2.1

LG 104.214.94.124:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.94.124:443/CPU Load					
0	24.3	55	24	24.3	12.8
LG 104.214.94.124:443/Memory Used					
2	16.1	39	13	15.6	9.82
LG 104.214.94.124:443/Throughput					
0	38.4	92.6	38.1	38.3	22.6
LG 104.214.94.124:443/User Load					
0	50.9	94	54	51.1	29
LG 104.214.94.124:443/Thread Count					
39	113.9	171	115	114	33.2
LG 104.214.94.124:443/Http client/Thread Pool used					
0.1	0.112	0.23	0.1	0.107	0.024
LG 104.214.94.124:443/Http client/Task Pool used					
0	0.01	0.3	0	0.003	0.034
LG 104.214.94.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.94.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.94.124:443/Controller Connection/Ping Duration (ms)					
56	101.1	154	106	100.8	19.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.94.124:443/Network/Segments sent/sec.					
9.52	2,886	6,776	2,922	2,876	1,681
LG 104.214.94.124:443/Network/Segments retransmitted/sec.					
0	0.03	1.03	0	0.005	0.128
LG 104.214.94.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	41.9	100.7	41.7	41.8	24.6
LG 104.214.94.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.75	8.75	3.81	3.75	2.13

LG 104.214.94.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.94.21:443/CPU Load					
0	25.6	55	25	25.5	14.2
LG 104.214.94.21:443/Memory Used					
2	15.7	39	14	15.2	9.22
LG 104.214.94.21:443/Throughput					
0	38.3	86.7	38.4	38	22.8
LG 104.214.94.21:443/User Load					
0	50.3	94	52	50.5	29
LG 104.214.94.21:443/Thread Count					
39	111.9	164	113	112.1	31.7
LG 104.214.94.21:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.104	0.007
LG 104.214.94.21:443/Http client/Task Pool used					
0	0.011	0.483	0	0.004	0.041
LG 104.214.94.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.94.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.94.21:443/Controller Connection/Ping Duration (ms)					
65	84.7	148	70	82.3	23
LG 104.214.94.21:443/Network/Segments sent/sec.					
6.42	2,876	6,325	2,807	2,862	1,694
LG 104.214.94.21:443/Network/Segments retransmitted/sec.					
0	0.032	1.36	0	0.007	0.126
LG 104.214.94.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.7	93.5	41.8	41.5	24.9
LG 104.214.94.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	3.73	8.15	3.73	3.72	2.15

LG 104.214.94.221:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.94.221:443/CPU Load					
0	25.1	55	24	25	13.7
LG 104.214.94.221:443/Memory Used					
2	15.2	39	12	14.7	9.22
LG 104.214.94.221:443/Throughput					
0	38.4	85.5	39.1	38.2	22.4
LG 104.214.94.221:443/User Load					
0	50.8	94	54	51.1	29
LG 104.214.94.221:443/Thread Count					
39	113.3	172	115	113.3	32.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.94.221:443/Http client/Thread Pool used					
0.1	0.109	0.175	0.1	0.107	0.015
LG 104.214.94.221:443/Http client/Task Pool used					
0	0.009	0.217	0	0.004	0.026
LG 104.214.94.221:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.94.221:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.94.221:443/Controller Connection/Ping Duration (ms)					
62	97.6	214	104	93	33.2
LG 104.214.94.221:443/Network/Segments sent/sec.					
9.54	2,881	6,318	2,952	2,870	1,662
LG 104.214.94.221:443/Network/Segments retransmitted/sec.					
0	0.029	1.12	0	0.008	0.111
LG 104.214.94.221:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.9	92.4	42.8	41.7	24.4
LG 104.214.94.221:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.75	8.19	3.76	3.74	2.11

LG 104.214.94.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.94.48:443/CPU Load					
0	27	58	26	27	15
LG 104.214.94.48:443/Memory Used					
2	15.4	39	14	14.9	8.88
LG 104.214.94.48:443/Throughput					
0	38.8	85.5	39.5	38.6	22.6
LG 104.214.94.48:443/User Load					
0	51.1	95	53	51.3	29.1
LG 104.214.94.48:443/Thread Count					
39	113.6	168	113	113.6	32.5
LG 104.214.94.48:443/Http client/Thread Pool used					
0.1	0.108	0.165	0.1	0.107	0.012
LG 104.214.94.48:443/Http client/Task Pool used					
0	0.011	0.383	0	0.005	0.037
LG 104.214.94.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.94.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.94.48:443/Controller Connection/Ping Duration (ms)					
65	104	147	105	103.7	14.4
LG 104.214.94.48:443/Network/Segments sent/sec.					
6.05	2,909	6,322	2,930	2,899	1,677
LG 104.214.94.48:443/Network/Segments retransmitted/sec.					
0	0.03	0.941	0	0.011	0.105
LG 104.214.94.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	42.3	93.4	43	42.1	24.6
LG 104.214.94.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.78	7.85	3.7	3.77	2.13

LG 104.214.95.128:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.95.128:443/CPU Load					
0	24.1	57	24	24	12.9
LG 104.214.95.128:443/Memory Used					
2	16.8	38	14.5	16.5	9.66
LG 104.214.95.128:443/Throughput					
0	38.9	92.7	38.5	38.8	22.6
LG 104.214.95.128:443/User Load					
0	51.3	95	54	51.6	29
LG 104.214.95.128:443/Thread Count					
39	113.1	163	118.5	113.3	31.4
LG 104.214.95.128:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 104.214.95.128:443/Http client/Task Pool used					
0	0.007	0.2	0	0.003	0.022
LG 104.214.95.128:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.95.128:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.95.128:443/Controller Connection/Ping Duration (ms)					
66	89.2	144	96	88	21.9
LG 104.214.95.128:443/Network/Segments sent/sec.					
6.34	2,926	6,552	2,939	2,919	1,676
LG 104.214.95.128:443/Network/Segments retransmitted/sec.					
0	0.031	1.02	0	0.008	0.12
LG 104.214.95.128:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.4	100.7	42.2	42.3	24.5
LG 104.214.95.128:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.8	8.85	3.78	3.79	2.13

LG 104.214.95.212:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.95.212:443/CPU Load					
0	24.6	54	24	24.6	13.7
LG 104.214.95.212:443/Memory Used					
2	16.1	39	14	15.7	9.62
LG 104.214.95.212:443/Throughput					
0	38.6	85.6	38.5	38.5	22.7
LG 104.214.95.212:443/User Load					
0	50.8	94	53	51.1	28.9
LG 104.214.95.212:443/Thread Count					
39	113.9	181	114	113.9	31.3
LG 104.214.95.212:443/Http client/Thread Pool used					
0.1	0.111	0.225	0.1	0.106	0.025
LG 104.214.95.212:443/Http client/Task Pool used					
0	0.008	0.217	0	0.003	0.026
LG 104.214.95.212:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.95.212:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.95.212:443/Controller Connection/Ping Duration (ms)					
72	106.9	154	107	106.8	10.34

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.95.212:443/Network/Segments sent/sec.					
6.33	2,901	6,376	2,979	2,891	1,685
LG 104.214.95.212:443/Network/Segments retransmitted/sec.					
0	0.028	1.29	0	0.005	0.12
LG 104.214.95.212:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.1	93.1	42.1	42	24.7
LG 104.214.95.212:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.77	7.99	3.81	3.76	2.14

LG 104.214.97.131:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.97.131:443/CPU Load					
0	26.2	53	27	26.3	14
LG 104.214.97.131:443/Memory Used					
2	16.1	38	14	15.7	9.31
LG 104.214.97.131:443/Throughput					
0	37.9	80.4	38.9	37.8	22.2
LG 104.214.97.131:443/User Load					
0	50.4	94	53.5	50.6	29
LG 104.214.97.131:443/Thread Count					
39	112.7	165	114	112.8	32.1
LG 104.214.97.131:443/Http client/Thread Pool used					
0.1	0.106	0.135	0.1	0.105	0.009
LG 104.214.97.131:443/Http client/Task Pool used					
0	0.009	0.15	0	0.005	0.024
LG 104.214.97.131:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.97.131:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.97.131:443/Controller Connection/Ping Duration (ms)					
58	100.6	146	106	100.8	18
LG 104.214.97.131:443/Network/Segments sent/sec.					
6.25	2,845	5,874	2,891	2,841	1,644
LG 104.214.97.131:443/Network/Segments retransmitted/sec.					
0	0.084	11.3	0	0.015	0.643
LG 104.214.97.131:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.3	87.1	42.3	41.2	24.2
LG 104.214.97.131:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	3.71	7.54	3.91	3.71	2.09

LG 104.214.99.245:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.99.245:443/CPU Load					
0	24.3	49	25	24.4	12.7
LG 104.214.99.245:443/Memory Used					
2	15.3	38	12	14.7	8.99
LG 104.214.99.245:443/Throughput					
0	38.3	81.5	37.2	38.2	22.5
LG 104.214.99.245:443/User Load					
0	50.5	94	54	50.7	28.9
LG 104.214.99.245:443/Thread Count					
39	112.4	167	114	112.6	32

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.214.99.245:443/Http client/Thread Pool used					
0.1	0.107	0.17	0.1	0.106	0.011
LG 104.214.99.245:443/Http client/Task Pool used					
0	0.006	0.2	0	0.003	0.021
LG 104.214.99.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.214.99.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.214.99.245:443/Controller Connection/Ping Duration (ms)					
64	102.9	144	105	102.9	15.4
LG 104.214.99.245:443/Network/Segments sent/sec.					
6.44	2,871	6,122	2,889	2,866	1,668
LG 104.214.99.245:443/Network/Segments retransmitted/sec.					
0	0.03	1.13	0	0.008	0.114
LG 104.214.99.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.7	88.8	40.7	41.7	24.5
LG 104.214.99.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	3.73	7.71	3.81	3.74	2.12

LG 104.215.113.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.113.223:443/CPU Load					
0	23.7	50	24	23.7	12.7
LG 104.215.113.223:443/Memory Used					
2	16.4	37	15	16	9.02
LG 104.215.113.223:443/Throughput					
0	37.9	82.4	38.1	37.9	22.2
LG 104.215.113.223:443/User Load					
0	50.2	94	52	50.4	29
LG 104.215.113.223:443/Thread Count					
39	111.5	164	113	111.7	31.5
LG 104.215.113.223:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 104.215.113.223:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.029
LG 104.215.113.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.215.113.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.215.113.223:443/Controller Connection/Ping Duration (ms)					
86	104.6	111	105	105.3	4.95
LG 104.215.113.223:443/Network/Segments sent/sec.					
6.24	2,843	6,212	2,886	2,840	1,654
LG 104.215.113.223:443/Network/Segments retransmitted/sec.					
0	0.239	1.25	0.199	0.212	0.263
LG 104.215.113.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.4	89.2	41.6	41.3	24.2
LG 104.215.113.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.7	7.82	3.75	3.7	2.1

LG 104.215.114.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.114.29:443/CPU Load					
0	25.3	54	25	25.3	14
LG 104.215.114.29:443/Memory Used					
2	16.5	39	13	16.1	9.93
LG 104.215.114.29:443/Throughput					
0	38.2	79.7	38.5	38.1	22.6
LG 104.215.114.29:443/User Load					
0	50.5	94	53	50.7	29
LG 104.215.114.29:443/Thread Count					
39	112.1	163	114	112.2	31.8
LG 104.215.114.29:443/Http client/Thread Pool used					
0.1	0.105	0.13	0.1	0.104	0.007
LG 104.215.114.29:443/Http client/Task Pool used					
0	0.008	0.183	0	0.004	0.023
LG 104.215.114.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.215.114.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.215.114.29:443/Controller Connection/Ping Duration (ms)					
93	106.2	147	106	105.3	8.03
LG 104.215.114.29:443/Network/Segments sent/sec.					
6.39	2,856	5,939	2,813	2,854	1,668
LG 104.215.114.29:443/Network/Segments retransmitted/sec.					
0	0.037	0.972	0	0.013	0.124
LG 104.215.114.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.7	86.7	42.1	41.6	24.6
LG 104.215.114.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.73	7.89	3.82	3.73	2.13

LG 104.215.116.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.116.142:443/CPU Load					
0	25	52	25	25.1	13.3
LG 104.215.116.142:443/Memory Used					
2	16.1	39	13	15.6	10.05
LG 104.215.116.142:443/Throughput					
0	38.6	83.3	40.2	38.6	22.3
LG 104.215.116.142:443/User Load					
0	50.9	95	53	51.1	29.1
LG 104.215.116.142:443/Thread Count					
39	113	173	114	113.1	31.8
LG 104.215.116.142:443/Http client/Thread Pool used					
0.1	0.106	0.17	0.1	0.105	0.01
LG 104.215.116.142:443/Http client/Task Pool used					
0	0.008	0.217	0	0.004	0.026
LG 104.215.116.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.215.116.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.215.116.142:443/Controller Connection/Ping Duration (ms)					
65	104.1	168	107	103.4	18.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.116.142:443/Network/Segments sent/sec.					
9.19	2,894	6,041	2,957	2,894	1,655
LG 104.215.116.142:443/Network/Segments retransmitted/sec.					
0	0.027	0.839	0	0.009	0.095
LG 104.215.116.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.014	42.2	90.5	43.9	42.1	24.3
LG 104.215.116.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.77	7.91	3.97	3.77	2.11

LG 104.215.118.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.118.64:443/CPU Load					
0	24.5	52	25	24.5	12.9
LG 104.215.118.64:443/Memory Used					
2	15.6	38	14	15.2	9.15
LG 104.215.118.64:443/Throughput					
0	38.1	84.6	38.8	37.9	22.4
LG 104.215.118.64:443/User Load					
0	50.2	95	52.5	50.4	29.1
LG 104.215.118.64:443/Thread Count					
39	112.6	171	113.5	112.5	32.5
LG 104.215.118.64:443/Http client/Thread Pool used					
0.1	0.108	0.195	0.1	0.105	0.016
LG 104.215.118.64:443/Http client/Task Pool used					
0	0.01	0.167	0	0.005	0.027
LG 104.215.118.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.215.118.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.215.118.64:443/Controller Connection/Ping Duration (ms)					
66	103.3	170	106	102	19.9
LG 104.215.118.64:443/Network/Segments sent/sec.					
6.38	2,855	6,258	2,913	2,845	1,658
LG 104.215.118.64:443/Network/Segments retransmitted/sec.					
0	0.039	1.3	0	0.011	0.15
LG 104.215.118.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.6	92	42.3	41.4	24.3
LG 104.215.118.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.72	8.08	3.83	3.71	2.1

LG 104.215.120.58:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.120.58:443/CPU Load					
0	25	54	22.5	25	14.1
LG 104.215.120.58:443/Memory Used					
2	16.1	39	14	15.6	9.84
LG 104.215.120.58:443/Throughput					
0	38	82.8	35.5	37.9	23
LG 104.215.120.58:443/User Load					
0	50.1	94	52	50.3	29.1
LG 104.215.120.58:443/Thread Count					
39	112.9	166	117	113.1	33

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.120.58:443/Http client/Thread Pool used					
0.1	0.108	0.195	0.1	0.105	0.015
LG 104.215.120.58:443/Http client/Task Pool used					
0	0.008	0.2	0	0.004	0.024
LG 104.215.120.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.215.120.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.215.120.58:443/Controller Connection/Ping Duration (ms)					
71	104.7	144	104	104.3	8.74
LG 104.215.120.58:443/Network/Segments sent/sec.					
10.66	2,846	6,145	2,640	2,841	1,695
LG 104.215.120.58:443/Network/Segments retransmitted/sec.					
0	0.036	1.09	0	0.011	0.128
LG 104.215.120.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0.014	41.5	90.3	38.5	41.3	25
LG 104.215.120.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.71	7.9	3.48	3.7	2.16

LG 104.215.123.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.123.38:443/CPU Load					
0	25.2	51	25	25.3	13.5
LG 104.215.123.38:443/Memory Used					
2	16.1	38	13	15.6	9.77
LG 104.215.123.38:443/Throughput					
0	38.3	82.1	39	38.3	22.4
LG 104.215.123.38:443/User Load					
0	50.6	94	53	50.8	29.1
LG 104.215.123.38:443/Thread Count					
39	112.6	162	115	112.8	31.8
LG 104.215.123.38:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.007
LG 104.215.123.38:443/Http client/Task Pool used					
0	0.009	0.45	0	0.004	0.033
LG 104.215.123.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.215.123.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.215.123.38:443/Controller Connection/Ping Duration (ms)					
93	105.8	146	105	105.2	7.18
LG 104.215.123.38:443/Network/Segments sent/sec.					
6.29	2,866	5,903	2,897	2,868	1,656
LG 104.215.123.38:443/Network/Segments retransmitted/sec.					
0	0.039	1.81	0	0.009	0.16
LG 104.215.123.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.8	88.8	42.5	41.8	24.4
LG 104.215.123.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.73	7.8	3.81	3.74	2.1

LG 104.215.126.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.215.126.45:443/CPU Load					
0	24.8	54	26	24.9	13.2
LG 104.215.126.45:443/Memory Used					
2	16.3	38	14	15.9	9.63
LG 104.215.126.45:443/Throughput					
0	38.3	88.5	39	38.1	22.4
LG 104.215.126.45:443/User Load					
0	50.7	94	53	51	28.9
LG 104.215.126.45:443/Thread Count					
39	112.1	161	115	112.3	31.1
LG 104.215.126.45:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.103	0.005
LG 104.215.126.45:443/Http client/Task Pool used					
0	0.007	0.267	0	0.003	0.023
LG 104.215.126.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.215.126.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.215.126.45:443/Controller Connection/Ping Duration (ms)					
89	107.5	155	107	107.1	7.48
LG 104.215.126.45:443/Network/Segments sent/sec.					
5.97	2,864	6,471	2,943	2,856	1,656
LG 104.215.126.45:443/Network/Segments retransmitted/sec.					
0	0.038	0.963	0	0.008	0.14
LG 104.215.126.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.7	96.4	42.6	41.6	24.4
LG 104.215.126.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.73	8.38	3.9	3.73	2.1

LG 13.65.169.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.169.223:443/CPU Load					
0	24.8	54	24	24.8	13.7
LG 13.65.169.223:443/Memory Used					
2	16.4	39	14	15.9	9.82
LG 13.65.169.223:443/Throughput					
0	38.6	88.4	37.4	38.5	22.5
LG 13.65.169.223:443/User Load					
0	50.6	94	53.5	50.8	29
LG 13.65.169.223:443/Thread Count					
39	112	162	113.5	112.3	31.6
LG 13.65.169.223:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 13.65.169.223:443/Http client/Task Pool used					
0	0.008	0.15	0	0.004	0.022
LG 13.65.169.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.169.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.169.223:443/Controller Connection/Ping Duration (ms)					
55	101.9	128	107	103.5	16.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.169.223:443/Network/Segments sent/sec.					
6.35	2,887	6,434	2,819	2,884	1,668
LG 13.65.169.223:443/Network/Segments retransmitted/sec.					
0	0.039	1.35	0	0.011	0.142
LG 13.65.169.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.1	96.3	40.9	42	24.5
LG 13.65.169.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.77	8.2	3.69	3.77	2.13

LG 13.65.184.214:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.184.214:443/CPU Load					
0	23.8	51	25	23.9	12.5
LG 13.65.184.214:443/Memory Used					
2	16.1	41	13	15.6	9.86
LG 13.65.184.214:443/Throughput					
0	38.2	82.3	39.7	38.2	22.4
LG 13.65.184.214:443/User Load					
0	50.5	94	53.5	50.8	29.1
LG 13.65.184.214:443/Thread Count					
39	113.8	174	114.5	113.8	33.7
LG 13.65.184.214:443/Http client/Thread Pool used					
0.1	0.109	0.205	0.1	0.105	0.019
LG 13.65.184.214:443/Http client/Task Pool used					
0	0.008	0.167	0	0.004	0.021
LG 13.65.184.214:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.184.214:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.184.214:443/Controller Connection/Ping Duration (ms)					
55	76.9	137	65	75.9	19.5
LG 13.65.184.214:443/Network/Segments sent/sec.					
6.56	2,867	6,119	2,941	2,868	1,666
LG 13.65.184.214:443/Network/Segments retransmitted/sec.					
0	0.034	1.86	0	0.008	0.142
LG 13.65.184.214:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.6	89.7	43.3	41.6	24.3
LG 13.65.184.214:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.73	7.74	3.84	3.73	2.11

LG 13.65.185.107:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.185.107:443/CPU Load					
0	24.6	57	24	24.5	13.6
LG 13.65.185.107:443/Memory Used					
2	15.6	38	13	15.1	9.42
LG 13.65.185.107:443/Throughput					
0	38.4	97.5	36.7	38	23.1
LG 13.65.185.107:443/User Load					
0	50.5	94	53	50.7	29
LG 13.65.185.107:443/Thread Count					
39	112	161	114	112.3	31.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.185.107:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 13.65.185.107:443/Http client/Task Pool used					
0	0.007	0.133	0	0.003	0.021
LG 13.65.185.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.185.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.185.107:443/Controller Connection/Ping Duration (ms)					
66	105.5	157	106	105.1	14.6
LG 13.65.185.107:443/Network/Segments sent/sec.					
6.41	2,876	7,218	2,791	2,853	1,707
LG 13.65.185.107:443/Network/Segments retransmitted/sec.					
0	0.029	1.18	0	0.005	0.124
LG 13.65.185.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.8	105.9	40	41.5	25.1
LG 13.65.185.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.75	8.91	3.64	3.72	2.17

LG 13.65.185.162:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.185.162:443/CPU Load					
0	24	52	24	23.9	13.3
LG 13.65.185.162:443/Memory Used					
2	16.1	40	14	15.6	9.66
LG 13.65.185.162:443/Throughput					
0	38.3	89.9	37.5	38.1	22.8
LG 13.65.185.162:443/User Load					
0	50.5	94	53	50.7	28.9
LG 13.65.185.162:443/Thread Count					
39	112.3	163	115	112.5	31.6
LG 13.65.185.162:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.006
LG 13.65.185.162:443/Http client/Task Pool used					
0	0.008	0.2	0	0.004	0.023
LG 13.65.185.162:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.185.162:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.185.162:443/Controller Connection/Ping Duration (ms)					
66	103	161	103	102	17.3
LG 13.65.185.162:443/Network/Segments sent/sec.					
6.42	2,872	6,353	2,870	2,858	1,687
LG 13.65.185.162:443/Network/Segments retransmitted/sec.					
0	0.049	1.72	0	0.017	0.175
LG 13.65.185.162:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.8	97.4	41.1	41.5	24.8
LG 13.65.185.162:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	3.74	7.91	3.67	3.73	2.14

LG 13.65.185.244:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.185.244:443/CPU Load					
0	24.7	61	24	24.6	13.6
LG 13.65.185.244:443/Memory Used					
2	15.8	39	13	15.3	9.97
LG 13.65.185.244:443/Throughput					
0	38	103	37.8	37.7	22.6
LG 13.65.185.244:443/User Load					
0	50.2	94	52	50.5	29.1
LG 13.65.185.244:443/Thread Count					
39	113.4	169	124	113.6	32.1
LG 13.65.185.244:443/Http client/Thread Pool used					
0.1	0.108	0.16	0.1	0.106	0.013
LG 13.65.185.244:443/Http client/Task Pool used					
0	0.008	0.167	0	0.003	0.023
LG 13.65.185.244:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.185.244:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.185.244:443/Controller Connection/Ping Duration (ms)					
69	106.3	146	107	106.5	10.84
LG 13.65.185.244:443/Network/Segments sent/sec.					
6.42	2,857	7,267	2,824	2,836	1,674
LG 13.65.185.244:443/Network/Segments retransmitted/sec.					
0	0.033	1.01	0	0.01	0.125
LG 13.65.185.244:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.5	111.7	41.3	41.2	24.6
LG 13.65.185.244:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.71	9.16	3.73	3.7	2.12

LG 13.65.185.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.185.249:443/CPU Load					
0	22.7	50	21.5	22.7	12.5
LG 13.65.185.249:443/Memory Used					
2	16.7	38	15	16.3	9.9
LG 13.65.185.249:443/Throughput					
0	38.2	84.6	37.2	38.1	22.5
LG 13.65.185.249:443/User Load					
0	50.2	94	52.5	50.4	28.9
LG 13.65.185.249:443/Thread Count					
39	112.5	161	117	112.8	31.2
LG 13.65.185.249:443/Http client/Thread Pool used					
0.1	0.106	0.15	0.1	0.104	0.011
LG 13.65.185.249:443/Http client/Task Pool used					
0	0.007	0.167	0	0.003	0.023
LG 13.65.185.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.185.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.185.249:443/Controller Connection/Ping Duration (ms)					
69	104.1	132	107	105	10.42

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.185.249:443/Network/Segments sent/sec.					
6.34	2,863	6,306	2,769	2,855	1,667
LG 13.65.185.249:443/Network/Segments retransmitted/sec.					
0	0.028	1.36	0	0.007	0.114
LG 13.65.185.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.6	92.2	40.5	41.5	24.5
LG 13.65.185.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.72	7.99	3.64	3.72	2.11

LG 13.65.186.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.186.144:443/CPU Load					
0	24.2	50	24	24.3	12.6
LG 13.65.186.144:443/Memory Used					
2	15.8	42	13	15.3	9.71
LG 13.65.186.144:443/Throughput					
0	38.1	84.9	38.6	38	22.4
LG 13.65.186.144:443/User Load					
0	50.4	94	53	50.6	29.1
LG 13.65.186.144:443/Thread Count					
39	112.3	163	114	112.5	31.9
LG 13.65.186.144:443/Http client/Thread Pool used					
0.1	0.106	0.175	0.1	0.105	0.011
LG 13.65.186.144:443/Http client/Task Pool used					
0	0.01	0.383	0	0.004	0.036
LG 13.65.186.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.186.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.186.144:443/Controller Connection/Ping Duration (ms)					
66	94.3	148	106	93.5	21.3
LG 13.65.186.144:443/Network/Segments sent/sec.					
6.75	2,867	6,228	2,850	2,863	1,666
LG 13.65.186.144:443/Network/Segments retransmitted/sec.					
0	0.028	1.71	0	0.004	0.136
LG 13.65.186.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.5	92.2	41.7	41.4	24.3
LG 13.65.186.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.72	8.06	3.67	3.72	2.11

LG 13.65.187.145:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.187.145:443/CPU Load					
0	25	57	26	25	13.7
LG 13.65.187.145:443/Memory Used					
2	16.4	38	14	16	9.54
LG 13.65.187.145:443/Throughput					
0	38.2	91.5	38.8	38.1	22.4
LG 13.65.187.145:443/User Load					
0	50.5	94	53	50.7	28.9
LG 13.65.187.145:443/Thread Count					
39	111.9	164	114	112	31.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.187.145:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.007
LG 13.65.187.145:443/Http client/Task Pool used					
0	0.006	0.233	0	0.002	0.024
LG 13.65.187.145:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.187.145:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.187.145:443/Controller Connection/Ping Duration (ms)					
57	103.5	156	105	103.5	14.7
LG 13.65.187.145:443/Network/Segments sent/sec.					
6.43	2,889	6,616	3,069	2,881	1,672
LG 13.65.187.145:443/Network/Segments retransmitted/sec.					
0	0.023	1.02	0	0.003	0.098
LG 13.65.187.145:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.6	99.5	42.5	41.5	24.3
LG 13.65.187.145:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	3.74	8.23	4.06	3.74	2.11

LG 13.65.187.97:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.187.97:443/CPU Load					
0	25.7	53	26	25.7	13.9
LG 13.65.187.97:443/Memory Used					
2	15.6	39	14	15.1	9.05
LG 13.65.187.97:443/Throughput					
0	38.4	80.4	39.9	38.3	22.3
LG 13.65.187.97:443/User Load					
0	50.5	94	53	50.8	29
LG 13.65.187.97:443/Thread Count					
39	112.3	163	114	112.5	31.9
LG 13.65.187.97:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.008
LG 13.65.187.97:443/Http client/Task Pool used					
0	0.009	0.283	0	0.003	0.033
LG 13.65.187.97:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.187.97:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.187.97:443/Controller Connection/Ping Duration (ms)					
68	105.7	205	105	103.8	21.2
LG 13.65.187.97:443/Network/Segments sent/sec.					
6.41	2,872	6,081	3,013	2,872	1,655
LG 13.65.187.97:443/Network/Segments retransmitted/sec.					
0	0.036	1.28	0	0.008	0.143
LG 13.65.187.97:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.8	87.8	43.4	41.8	24.3
LG 13.65.187.97:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.74	7.9	3.96	3.75	2.1

LG 13.65.188.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.188.16:443/CPU Load					
0	25.3	62	23	25.2	14.3
LG 13.65.188.16:443/Memory Used					
2	16.2	37	14	15.8	9.09
LG 13.65.188.16:443/Throughput					
0	38.4	100.5	36.3	38.1	22.9
LG 13.65.188.16:443/User Load					
0	50.8	94	53	51	29.1
LG 13.65.188.16:443/Thread Count					
39	112.8	163	114	113	31.5
LG 13.65.188.16:443/Http client/Thread Pool used					
0.1	0.105	0.13	0.1	0.104	0.007
LG 13.65.188.16:443/Http client/Task Pool used					
0	0.009	0.367	0	0.004	0.033
LG 13.65.188.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.188.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.188.16:443/Controller Connection/Ping Duration (ms)					
73	107.2	134	108	107.7	9.45
LG 13.65.188.16:443/Network/Segments sent/sec.					
6.44	2,882	7,160	2,704	2,864	1,692
LG 13.65.188.16:443/Network/Segments retransmitted/sec.					
0	0.14	1.21	0	0.111	0.209
LG 13.65.188.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.9	108.9	39.8	41.6	24.9
LG 13.65.188.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.75	9.15	3.68	3.74	2.14

LG 13.65.188.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.188.4:443/CPU Load					
0	25.9	55	24	25.9	14.3
LG 13.65.188.4:443/Memory Used					
2	16.5	39	14	16	10.11
LG 13.65.188.4:443/Throughput					
0	38.4	84.7	37.1	38.3	22.7
LG 13.65.188.4:443/User Load					
0	50.5	94	54	50.7	29
LG 13.65.188.4:443/Thread Count					
39	112.7	160	117	113.1	31.4
LG 13.65.188.4:443/Http client/Thread Pool used					
0.1	0.106	0.13	0.1	0.105	0.007
LG 13.65.188.4:443/Http client/Task Pool used					
0	0.009	0.167	0	0.004	0.025
LG 13.65.188.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.65.188.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.65.188.4:443/Controller Connection/Ping Duration (ms)					
65	94.7	181	106	92.1	27.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.65.188.4:443/Network/Segments sent/sec.					
7	2,881	5,979	2,762	2,880	1,679
LG 13.65.188.4:443/Network/Segments retransmitted/sec.					
0	0.024	1.18	0	0.003	0.118
LG 13.65.188.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	41.9	91.9	40.5	41.8	24.7
LG 13.65.188.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	3.75	7.64	3.66	3.75	2.13

LG 13.66.18.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.18.239:443/CPU Load					
0	24	52	25	24	13.2
LG 13.66.18.239:443/Memory Used					
2	16.4	39	13	15.9	9.65
LG 13.66.18.239:443/Throughput					
0	38	85.1	39.8	37.8	22.6
LG 13.66.18.239:443/User Load					
0	50.2	94	52	50.4	29.1
LG 13.66.18.239:443/Thread Count					
39	111.6	162	113	111.8	31.7
LG 13.66.18.239:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.007
LG 13.66.18.239:443/Http client/Task Pool used					
0	0.009	0.233	0	0.004	0.028
LG 13.66.18.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.18.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.18.239:443/Controller Connection/Ping Duration (ms)					
65	105.5	145	105	105.4	18.6
LG 13.66.18.239:443/Network/Segments sent/sec.					
6.01	2,852	6,247	3,030	2,836	1,678
LG 13.66.18.239:443/Network/Segments retransmitted/sec.					
0	0.033	1.02	0	0.006	0.133
LG 13.66.18.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.5	92.4	43.3	41.2	24.6
LG 13.66.18.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.71	8.11	3.89	3.7	2.13

LG 13.66.19.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.19.157:443/CPU Load					
0	25.8	53	25	25.8	14.3
LG 13.66.19.157:443/Memory Used					
1	15.9	39	13	15.4	9.45
LG 13.66.19.157:443/Throughput					
0	37.9	77.1	36.7	37.8	22.4
LG 13.66.19.157:443/User Load					
0	50	94	52	50.2	29
LG 13.66.19.157:443/Thread Count					
39	114.4	162	113	114.9	33.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.19.157:443/Http client/Thread Pool used					
0.1	0.111	0.22	0.1	0.107	0.022
LG 13.66.19.157:443/Http client/Task Pool used					
0	0.01	0.233	0	0.005	0.029
LG 13.66.19.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.19.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.19.157:443/Controller Connection/Ping Duration (ms)					
61	101.6	111	105	103.3	13.1
LG 13.66.19.157:443/Network/Segments sent/sec.					
6.32	2,841	5,796	2,734	2,838	1,668
LG 13.66.19.157:443/Network/Segments retransmitted/sec.					
0	0.029	1.02	0	0.006	0.114
LG 13.66.19.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.3	83.8	40.1	41.2	24.4
LG 13.66.19.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.7	7.52	3.63	3.7	2.12

LG 13.66.19.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.19.68:443/CPU Load					
0	24.5	52	24	24.5	13.4
LG 13.66.19.68:443/Memory Used					
2	16.8	39	14	16.4	10.26
LG 13.66.19.68:443/Throughput					
0	38.3	85	37.4	38.3	22.5
LG 13.66.19.68:443/User Load					
0	50.4	94	53.5	50.6	28.9
LG 13.66.19.68:443/Thread Count					
39	111.9	162	113.5	112.1	31.1
LG 13.66.19.68:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.007
LG 13.66.19.68:443/Http client/Task Pool used					
0	0.006	0.133	0	0.002	0.017
LG 13.66.19.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.19.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.19.68:443/Controller Connection/Ping Duration (ms)					
62	90.6	146	104	88.9	24.3
LG 13.66.19.68:443/Network/Segments sent/sec.					
6.08	2,867	6,275	2,836	2,865	1,668
LG 13.66.19.68:443/Network/Segments retransmitted/sec.					
0	0.026	0.897	0	0.005	0.106
LG 13.66.19.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.7	92.1	40.9	41.7	24.5
LG 13.66.19.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.73	8.12	3.69	3.73	2.11

LG 13.66.20.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.20.112:443/CPU Load					
0	24.7	50	25	24.8	13
LG 13.66.20.112:443/Memory Used					
3	17	38	14	16.5	10.43
LG 13.66.20.112:443/Throughput					
0	38.8	81.1	40.5	38.8	22.4
LG 13.66.20.112:443/User Load					
0	51	94	53	51.3	28.9
LG 13.66.20.112:443/Thread Count					
39	112.9	164	115	113.1	31.5
LG 13.66.20.112:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 13.66.20.112:443/Http client/Task Pool used					
0	0.01	0.283	0	0.005	0.029
LG 13.66.20.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.20.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.20.112:443/Controller Connection/Ping Duration (ms)					
90	106.3	146	105	105.4	8.06
LG 13.66.20.112:443/Network/Segments sent/sec.					
6.43	2,906	6,091	3,036	2,908	1,658
LG 13.66.20.112:443/Network/Segments retransmitted/sec.					
0	0.037	1.73	0	0.006	0.158
LG 13.66.20.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	42.3	88.6	44.4	42.4	24.4
LG 13.66.20.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.78	7.75	3.91	3.79	2.1

LG 13.66.21.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.21.156:443/CPU Load					
0	25.9	54	25	26	13.9
LG 13.66.21.156:443/Memory Used					
2	15.8	38	14	15.5	9.15
LG 13.66.21.156:443/Throughput					
0	39	86	37.2	38.8	22.9
LG 13.66.21.156:443/User Load					
0	51.1	95	53	51.3	29.1
LG 13.66.21.156:443/Thread Count					
39	113.1	165	113	113.1	31.7
LG 13.66.21.156:443/Http client/Thread Pool used					
0.1	0.106	0.13	0.1	0.105	0.008
LG 13.66.21.156:443/Http client/Task Pool used					
0	0.011	0.183	0	0.006	0.028
LG 13.66.21.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.21.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.21.156:443/Controller Connection/Ping Duration (ms)					
61	79.8	146	69	77.1	22

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.21.156:443/Network/Segments sent/sec.					
6.36	2,919	6,259	2,759	2,914	1,690
LG 13.66.21.156:443/Network/Segments retransmitted/sec.					
0	0.027	1.04	0	0.004	0.118
LG 13.66.21.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.4	93.3	40.4	42.3	24.9
LG 13.66.21.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.8	7.93	3.69	3.79	2.15

LG 13.66.21.183:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.21.183:443/CPU Load					
0	24.7	51	25	24.7	13.6
LG 13.66.21.183:443/Memory Used					
2	16.5	39	14	16.1	9.71
LG 13.66.21.183:443/Throughput					
0	37.9	84.9	39.9	37.7	22.7
LG 13.66.21.183:443/User Load					
0	50.3	94	52.5	50.5	29
LG 13.66.21.183:443/Thread Count					
39	112.3	164	115	112.5	31.5
LG 13.66.21.183:443/Http client/Thread Pool used					
0.1	0.106	0.155	0.1	0.104	0.01
LG 13.66.21.183:443/Http client/Task Pool used					
0	0.008	0.2	0	0.004	0.023
LG 13.66.21.183:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.21.183:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.21.183:443/Controller Connection/Ping Duration (ms)					
92	106.5	144	107	105.8	7.63
LG 13.66.21.183:443/Network/Segments sent/sec.					
6.37	2,840	6,068	3,046	2,832	1,679
LG 13.66.21.183:443/Network/Segments retransmitted/sec.					
0	0.033	0.666	0	0.014	0.099
LG 13.66.21.183:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.3	92.6	43.2	41.2	24.7
LG 13.66.21.183:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.7	7.77	3.97	3.69	2.13

LG 13.66.21.227:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.21.227:443/CPU Load					
0	25.5	53	26	25.5	13.8
LG 13.66.21.227:443/Memory Used					
2	16.5	40	13	16	10.05
LG 13.66.21.227:443/Throughput					
0	38.9	84.2	40.6	38.8	22.5
LG 13.66.21.227:443/User Load					
0	51	95	53	51.3	29.1
LG 13.66.21.227:443/Thread Count					
39	113.2	170	115	113.1	31.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.21.227:443/Http client/Thread Pool used					
0.1	0.104	0.17	0.1	0.103	0.009
LG 13.66.21.227:443/Http client/Task Pool used					
0	0.01	0.217	0	0.004	0.031
LG 13.66.21.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.21.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.21.227:443/Controller Connection/Ping Duration (ms)					
63	74.6	144	67	72.3	16.7
LG 13.66.21.227:443/Network/Segments sent/sec.					
6.44	2,909	6,105	3,107	2,907	1,664
LG 13.66.21.227:443/Network/Segments retransmitted/sec.					
0	0.145	1.29	0	0.118	0.209
LG 13.66.21.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.4	91.5	44.4	42.4	24.5
LG 13.66.21.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.79	7.69	3.98	3.79	2.12

LG 13.66.22.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.22.171:443/CPU Load					
0	26.4	57	25	26.4	14.1
LG 13.66.22.171:443/Memory Used					
2	15.7	38	13	15.2	9.54
LG 13.66.22.171:443/Throughput					
0	38.3	91.9	36.6	38.2	22.7
LG 13.66.22.171:443/User Load					
0	50.8	94	53	51	28.9
LG 13.66.22.171:443/Thread Count					
39	114.5	166	115	114.8	33.5
LG 13.66.22.171:443/Http client/Thread Pool used					
0.1	0.109	0.205	0.1	0.107	0.017
LG 13.66.22.171:443/Http client/Task Pool used					
0	0.008	0.267	0	0.003	0.026
LG 13.66.22.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.22.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.22.171:443/Controller Connection/Ping Duration (ms)					
65	92.6	143	103	91.3	22
LG 13.66.22.171:443/Network/Segments sent/sec.					
6.04	2,877	6,556	2,777	2,866	1,682
LG 13.66.22.171:443/Network/Segments retransmitted/sec.					
0	0.214	1.9	0.198	0.189	0.243
LG 13.66.22.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.8	99.8	40.2	41.6	24.7
LG 13.66.22.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.74	8.09	3.61	3.74	2.14

LG 13.66.23.196:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.23.196:443/CPU Load					
0	25	57	24	25	13.6
LG 13.66.23.196:443/Memory Used					
1	15.9	38	14	15.5	9.4
LG 13.66.23.196:443/Throughput					
0	38.7	90.2	37.7	38.7	22.5
LG 13.66.23.196:443/User Load					
0	51	95	53	51.2	29.1
LG 13.66.23.196:443/Thread Count					
39	113.1	169	114	113.2	31.8
LG 13.66.23.196:443/Http client/Thread Pool used					
0.1	0.105	0.15	0.1	0.104	0.007
LG 13.66.23.196:443/Http client/Task Pool used					
0	0.006	0.2	0	0.002	0.021
LG 13.66.23.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.23.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.23.196:443/Controller Connection/Ping Duration (ms)					
56	81.2	142	66	80.3	20.5
LG 13.66.23.196:443/Network/Segments sent/sec.					
6.34	2,895	6,642	2,893	2,894	1,666
LG 13.66.23.196:443/Network/Segments retransmitted/sec.					
0	0.032	1.35	0	0.01	0.119
LG 13.66.23.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.2	98.3	41.2	42.2	24.5
LG 13.66.23.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.77	8.57	3.75	3.77	2.12

LG 13.66.23.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.23.33:443/CPU Load					
0	24.8	51	25.5	24.8	13
LG 13.66.23.33:443/Memory Used					
2	16.3	38	14	15.9	9.52
LG 13.66.23.33:443/Throughput					
0	37.7	81.9	37.7	37.5	22.6
LG 13.66.23.33:443/User Load					
0	49.7	94	51.5	49.9	29.1
LG 13.66.23.33:443/Thread Count					
39	112	167	114	112.1	32
LG 13.66.23.33:443/Http client/Thread Pool used					
0.1	0.107	0.145	0.1	0.106	0.009
LG 13.66.23.33:443/Http client/Task Pool used					
0	0.009	0.2	0	0.005	0.025
LG 13.66.23.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.23.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.23.33:443/Controller Connection/Ping Duration (ms)					
62	86.4	146	70	84.3	24.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.23.33:443/Network/Segments sent/sec.					
6.37	2,817	6,099	2,912	2,805	1,671
LG 13.66.23.33:443/Network/Segments retransmitted/sec.					
0	0.029	1.11	0	0.008	0.112
LG 13.66.23.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.1	89.5	41.1	40.9	24.6
LG 13.66.23.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.67	7.8	3.85	3.66	2.12

LG 13.66.32.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.32.239:443/CPU Load					
0	25.5	59	24.5	25.3	14.3
LG 13.66.32.239:443/Memory Used					
2	15.9	39	14	15.5	9.47
LG 13.66.32.239:443/Throughput					
0	38.2	85.4	36.9	38	22.7
LG 13.66.32.239:443/User Load					
0	50.3	94	52.5	50.5	29
LG 13.66.32.239:443/Thread Count					
39	112.6	169	117	112.7	32.3
LG 13.66.32.239:443/Http client/Thread Pool used					
0.1	0.106	0.165	0.1	0.105	0.008
LG 13.66.32.239:443/Http client/Task Pool used					
0	0.011	0.217	0	0.005	0.032
LG 13.66.32.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.32.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.32.239:443/Controller Connection/Ping Duration (ms)					
87	106.3	146	105	105.4	8.46
LG 13.66.32.239:443/Network/Segments sent/sec.					
3.81	2,857	6,613	2,786	2,846	1,682
LG 13.66.32.239:443/Network/Segments retransmitted/sec.					
0	0.039	1.22	0	0.013	0.133
LG 13.66.32.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	41.6	93.3	40.1	41.4	24.7
LG 13.66.32.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	3.71	8.42	3.68	3.7	2.13

LG 13.66.32.67:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.32.67:443/CPU Load					
0	24.9	51	24.5	24.9	13.3
LG 13.66.32.67:443/Memory Used					
3	16.7	39	14	16.2	9.71
LG 13.66.32.67:443/Throughput					
0	38.8	82.5	38.2	38.7	22.4
LG 13.66.32.67:443/User Load					
0	51.2	94	54	51.5	28.9
LG 13.66.32.67:443/Thread Count					
39	113.2	162	114	113.4	31.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.32.67:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.103	0.007
LG 13.66.32.67:443/Http client/Task Pool used					
0	0.008	0.217	0	0.003	0.026
LG 13.66.32.67:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.32.67:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.32.67:443/Controller Connection/Ping Duration (ms)					
63	102.7	149	106	103	15.4
LG 13.66.32.67:443/Network/Segments sent/sec.					
6.34	2,913	6,117	2,935	2,911	1,664
LG 13.66.32.67:443/Network/Segments retransmitted/sec.					
0	0.029	1.07	0	0.007	0.109
LG 13.66.32.67:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.3	89.7	41.6	42.2	24.4
LG 13.66.32.67:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.79	7.73	3.83	3.79	2.11

LG 13.66.33.214:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.33.214:443/CPU Load					
0	25.8	58	27	25.7	14
LG 13.66.33.214:443/Memory Used					
2	16	38	14	15.6	9.36
LG 13.66.33.214:443/Throughput					
0	38.3	89.7	39.6	38	22.6
LG 13.66.33.214:443/User Load					
0	50.4	94	53	50.7	29
LG 13.66.33.214:443/Thread Count					
39	112.8	163	113	113.1	31.7
LG 13.66.33.214:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 13.66.33.214:443/Http client/Task Pool used					
0	0.008	0.15	0	0.004	0.02
LG 13.66.33.214:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.33.214:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.33.214:443/Controller Connection/Ping Duration (ms)					
57	103.4	113	106	105.3	11.4
LG 13.66.33.214:443/Network/Segments sent/sec.					
6.36	2,878	6,557	2,989	2,856	1,675
LG 13.66.33.214:443/Network/Segments retransmitted/sec.					
0	0.024	1.05	0	0.002	0.115
LG 13.66.33.214:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.8	97.8	43.3	41.5	24.6
LG 13.66.33.214:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.74	8.41	3.9	3.71	2.12

LG 13.66.33.234:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.33.234:443/CPU Load					
0	24.5	54	23	24.5	13.4
LG 13.66.33.234:443/Memory Used					
2	15.5	40	13	15	9.14
LG 13.66.33.234:443/Throughput					
0	38.7	93.9	36.1	38.4	22.6
LG 13.66.33.234:443/User Load					
0	51.1	95	53	51.3	29.1
LG 13.66.33.234:443/Thread Count					
39	113.9	167	115	114	32.2
LG 13.66.33.234:443/Http client/Thread Pool used					
0.1	0.108	0.175	0.1	0.106	0.012
LG 13.66.33.234:443/Http client/Task Pool used					
0	0.008	0.167	0	0.004	0.021
LG 13.66.33.234:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.33.234:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.33.234:443/Controller Connection/Ping Duration (ms)					
59	76.8	144	65	74.1	21.4
LG 13.66.33.234:443/Network/Segments sent/sec.					
8.74	2,892	6,786	2,716	2,881	1,668
LG 13.66.33.234:443/Network/Segments retransmitted/sec.					
0	0.032	1.04	0	0.006	0.132
LG 13.66.33.234:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	42.1	102.2	39.4	41.9	24.6
LG 13.66.33.234:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.78	8.55	3.55	3.77	2.13

LG 13.66.39.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.39.135:443/CPU Load					
0	24.4	56	24	24.4	13.2
LG 13.66.39.135:443/Memory Used					
2	16.1	39	14	15.6	9.97
LG 13.66.39.135:443/Throughput					
0	38.3	89.5	39.5	38.2	22.3
LG 13.66.39.135:443/User Load					
0	50.8	94	53	51	29
LG 13.66.39.135:443/Thread Count					
39	113.7	181	114	113.4	32.9
LG 13.66.39.135:443/Http client/Thread Pool used					
0.1	0.11	0.215	0.1	0.106	0.019
LG 13.66.39.135:443/Http client/Task Pool used					
0	0.008	0.283	0	0.003	0.028
LG 13.66.39.135:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.39.135:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.39.135:443/Controller Connection/Ping Duration (ms)					
56	71.9	144	66	69.2	16

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.39.135:443/Network/Segments sent/sec.					
6.24	2,877	6,187	2,951	2,870	1,655
LG 13.66.39.135:443/Network/Segments retransmitted/sec.					
0	0.025	0.861	0	0.005	0.102
LG 13.66.39.135:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.8	97.2	43	41.6	24.3
LG 13.66.39.135:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.74	8.27	3.88	3.74	2.1

LG 13.66.39.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.39.4:443/CPU Load					
0	24.4	55	24	24.4	13.2
LG 13.66.39.4:443/Memory Used					
2	15.9	38	13	15.4	9.97
LG 13.66.39.4:443/Throughput					
0	37.8	95.4	36.2	37.7	22.5
LG 13.66.39.4:443/User Load					
0	49.8	94	51.5	49.9	29.1
LG 13.66.39.4:443/Thread Count					
39	111.4	166	112.5	111.4	31.2
LG 13.66.39.4:443/Http client/Thread Pool used					
0.1	0.105	0.145	0.1	0.104	0.009
LG 13.66.39.4:443/Http client/Task Pool used					
0	0.006	0.233	0	0.003	0.021
LG 13.66.39.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.39.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.39.4:443/Controller Connection/Ping Duration (ms)					
90	107.8	145	107	107	8.34
LG 13.66.39.4:443/Network/Segments sent/sec.					
6.42	2,838	6,950	2,760	2,830	1,671
LG 13.66.39.4:443/Network/Segments retransmitted/sec.					
0	0.031	1.04	0	0.007	0.127
LG 13.66.39.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.2	103.3	39.6	41.1	24.5
LG 13.66.39.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.69	8.78	3.6	3.68	2.12

LG 13.66.39.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.39.9:443/CPU Load					
0	24.6	58	24	24.6	13.3
LG 13.66.39.9:443/Memory Used					
2	16	39	14	15.5	9.64
LG 13.66.39.9:443/Throughput					
0	38.5	92	38.1	38.4	22.6
LG 13.66.39.9:443/User Load					
0	50.9	95	53	51.1	29.1
LG 13.66.39.9:443/Thread Count					
39	112.8	164	115	112.9	31.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.39.9:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 13.66.39.9:443/Http client/Task Pool used					
0	0.009	0.25	0	0.004	0.029
LG 13.66.39.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.39.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.39.9:443/Controller Connection/Ping Duration (ms)					
93	110.3	147	107	109	11.2
LG 13.66.39.9:443/Network/Segments sent/sec.					
5.96	2,895	6,650	2,849	2,890	1,675
LG 13.66.39.9:443/Network/Segments retransmitted/sec.					
0	0.029	2.04	0	0.007	0.137
LG 13.66.39.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	42	100.2	41.3	41.9	24.6
LG 13.66.39.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.77	8.68	3.75	3.76	2.13

LG 13.66.52.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.52.26:443/CPU Load					
0	25.4	55	26	25.5	13.6
LG 13.66.52.26:443/Memory Used					
2	16.3	39	14	15.8	9.63
LG 13.66.52.26:443/Throughput					
0	39	84.5	39.8	39	22.6
LG 13.66.52.26:443/User Load					
0	51.4	95	53	51.6	29
LG 13.66.52.26:443/Thread Count					
39	113.6	164	115	113.8	31.9
LG 13.66.52.26:443/Http client/Thread Pool used					
0.1	0.107	0.135	0.1	0.106	0.009
LG 13.66.52.26:443/Http client/Task Pool used					
0	0.009	0.267	0	0.003	0.029
LG 13.66.52.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.52.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.52.26:443/Controller Connection/Ping Duration (ms)					
58	83.6	137	68	82.9	21.9
LG 13.66.52.26:443/Network/Segments sent/sec.					
6.32	2,922	6,186	2,943	2,920	1,668
LG 13.66.52.26:443/Network/Segments retransmitted/sec.					
0	0.129	1.59	0	0.098	0.205
LG 13.66.52.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.6	91.7	43.2	42.5	24.6
LG 13.66.52.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.81	8.04	3.9	3.81	2.12

LG 13.66.54.250:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.54.250:443/CPU Load					
0	25.7	52	26	25.8	14
LG 13.66.54.250:443/Memory Used					
2	16.4	38	14	16	9.55
LG 13.66.54.250:443/Throughput					
0	38.4	83	40.4	38.4	22.6
LG 13.66.54.250:443/User Load					
0	50.7	94	54	50.9	29
LG 13.66.54.250:443/Thread Count					
39	112.6	163	115	112.8	31.8
LG 13.66.54.250:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 13.66.54.250:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.021
LG 13.66.54.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.54.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.54.250:443/Controller Connection/Ping Duration (ms)					
68	86.5	139	70	85.8	18.8
LG 13.66.54.250:443/Network/Segments sent/sec.					
6.42	2,879	6,072	2,935	2,879	1,674
LG 13.66.54.250:443/Network/Segments retransmitted/sec.					
0	0.042	1.28	0	0.012	0.155
LG 13.66.54.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.9	90.4	44.1	41.9	24.6
LG 13.66.54.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.75	7.67	3.89	3.75	2.13

LG 13.66.55.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.55.33:443/CPU Load					
0	26.4	57	25	26.3	14.9
LG 13.66.55.33:443/Memory Used					
2	17.5	37	16	17.2	9.31
LG 13.66.55.33:443/Throughput					
0	38	82.4	36.4	38	22.3
LG 13.66.55.33:443/User Load					
0	50.2	94	52	50.4	28.9
LG 13.66.55.33:443/Thread Count					
39	112	163	114	112.2	32.1
LG 13.66.55.33:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 13.66.55.33:443/Http client/Task Pool used					
0	0.01	0.233	0	0.004	0.029
LG 13.66.55.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.55.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.55.33:443/Controller Connection/Ping Duration (ms)					
60	103.7	129	106	104.7	10.33

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.55.33:443/Network/Segments sent/sec.					
7.81	2,844	6,147	2,740	2,843	1,651
LG 13.66.55.33:443/Network/Segments retransmitted/sec.					
0	0.024	0.594	0	0.007	0.085
LG 13.66.55.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	41.5	89.7	39.9	41.5	24.4
LG 13.66.55.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.71	7.99	3.62	3.71	2.1

LG 13.66.55.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.66.55.51:443/CPU Load					
0	23.5	52	23	23.6	12.6
LG 13.66.55.51:443/Memory Used					
2	15.8	39	13	15.3	9.76
LG 13.66.55.51:443/Throughput					
0	38.5	87.8	38	38.4	22.5
LG 13.66.55.51:443/User Load					
0	50.5	94	53	50.7	29.1
LG 13.66.55.51:443/Thread Count					
39	111.9	166	114	112	31.8
LG 13.66.55.51:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.006
LG 13.66.55.51:443/Http client/Task Pool used					
0	0.006	0.133	0	0.003	0.018
LG 13.66.55.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.66.55.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.66.55.51:443/Controller Connection/Ping Duration (ms)					
66	100.1	160	104	99.5	17.7
LG 13.66.55.51:443/Network/Segments sent/sec.					
6.45	2,885	6,528	2,816	2,882	1,674
LG 13.66.55.51:443/Network/Segments retransmitted/sec.					
0	0.032	1.55	0	0.007	0.136
LG 13.66.55.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42	95.7	41.3	41.9	24.5
LG 13.66.55.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.75	8.4	3.72	3.75	2.12

LG 13.84.44.47:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.84.44.47:443/CPU Load					
0	24.9	58	25	24.7	13.6
LG 13.84.44.47:443/Memory Used					
2	15.7	39	13	15.3	9.5
LG 13.84.44.47:443/Throughput					
0	38.5	92	38.8	38.2	22.6
LG 13.84.44.47:443/User Load					
0	50.9	95	53	51.2	29.2
LG 13.84.44.47:443/Thread Count					
39	114.2	186	115	113.6	34.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 13.84.44.47:443/Http client/Thread Pool used					
0.1	0.109	0.205	0.1	0.106	0.017
LG 13.84.44.47:443/Http client/Task Pool used					
0	0.009	0.217	0	0.004	0.024
LG 13.84.44.47:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 13.84.44.47:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 13.84.44.47:443/Controller Connection/Ping Duration (ms)					
94	105	111	105	105.3	2.81
LG 13.84.44.47:443/Network/Segments sent/sec.					
6.36	2,883	6,728	2,943	2,863	1,670
LG 13.84.44.47:443/Network/Segments retransmitted/sec.					
0	0.038	1.33	0	0.011	0.138
LG 13.84.44.47:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42	100.3	42.5	41.7	24.6
LG 13.84.44.47:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.76	8.8	3.82	3.74	2.13

LG 40.124.40.25:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.40.25:443/CPU Load					
0	25.2	52	23	25.2	13.5
LG 40.124.40.25:443/Memory Used					
2	16.2	39	13.5	15.7	9.4
LG 40.124.40.25:443/Throughput					
0	38.7	84.1	37.6	38.6	22.3
LG 40.124.40.25:443/User Load					
0	51.1	95	53	51.4	29
LG 40.124.40.25:443/Thread Count					
39	113.8	178	115	113.7	31.5
LG 40.124.40.25:443/Http client/Thread Pool used					
0.1	0.107	0.2	0.1	0.105	0.013
LG 40.124.40.25:443/Http client/Task Pool used					
0	0.01	0.3	0	0.005	0.03
LG 40.124.40.25:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.124.40.25:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.124.40.25:443/Controller Connection/Ping Duration (ms)					
77	104.8	128	106	105.4	5.95
LG 40.124.40.25:443/Network/Segments sent/sec.					
9.02	2,890	5,998	2,870	2,889	1,648
LG 40.124.40.25:443/Network/Segments retransmitted/sec.					
0	0.039	1.18	0	0.012	0.138
LG 40.124.40.25:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	42.2	91.2	41.3	42.1	24.3
LG 40.124.40.25:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.76	7.53	3.69	3.77	2.1

LG 40.124.42.143:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.42.143:443/CPU Load					
0	24.3	53	23	24.2	13.4
LG 40.124.42.143:443/Memory Used					
2	16.6	39	13	16.2	9.87
LG 40.124.42.143:443/Throughput					
0	38.2	86.8	36.8	38	22.7
LG 40.124.42.143:443/User Load					
0	50.4	94	53	50.6	28.9
LG 40.124.42.143:443/Thread Count					
39	112.1	162	114	112.2	31.4
LG 40.124.42.143:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.008
LG 40.124.42.143:443/Http client/Task Pool used					
0	0.009	0.233	0	0.004	0.026
LG 40.124.42.143:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.124.42.143:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.124.42.143:443/Controller Connection/Ping Duration (ms)					
82	105.6	145	105	104.5	8.96
LG 40.124.42.143:443/Network/Segments sent/sec.					
6.09	2,867	6,344	2,764	2,856	1,681
LG 40.124.42.143:443/Network/Segments retransmitted/sec.					
0	0.041	1.05	0	0.015	0.13
LG 40.124.42.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.7	94.4	40	41.5	24.7
LG 40.124.42.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.73	8.15	3.58	3.72	2.13

LG 40.124.42.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.42.232:443/CPU Load					
0	24.1	48	24.5	24.2	12.7
LG 40.124.42.232:443/Memory Used					
1	15.5	39	13.5	15	9.28
LG 40.124.42.232:443/Throughput					
0	38.2	81.4	38.5	38.1	22.6
LG 40.124.42.232:443/User Load					
0	50.5	94	53.5	50.8	29.1
LG 40.124.42.232:443/Thread Count					
39	113.1	171	114.5	113.2	32.3
LG 40.124.42.232:443/Http client/Thread Pool used					
0.1	0.109	0.185	0.1	0.106	0.016
LG 40.124.42.232:443/Http client/Task Pool used					
0	0.007	0.133	0	0.003	0.021
LG 40.124.42.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.124.42.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.124.42.232:443/Controller Connection/Ping Duration (ms)					
94	107	147	106	106.1	8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.42.232:443/Network/Segments sent/sec.					
6.35	2,863	6,112	2,869	2,858	1,672
LG 40.124.42.232:443/Network/Segments retransmitted/sec.					
0	0.033	0.957	0	0.012	0.112
LG 40.124.42.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.7	88.5	41.9	41.6	24.6
LG 40.124.42.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.73	8.01	3.73	3.73	2.12

LG 40.124.42.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.42.62:443/CPU Load					
0	25.4	55	25	25.4	13.9
LG 40.124.42.62:443/Memory Used					
1	16.6	38	14	16.2	10
LG 40.124.42.62:443/Throughput					
0	39	90.3	39.1	38.9	22.6
LG 40.124.42.62:443/User Load					
0	51.1	95	53.5	51.4	29.1
LG 40.124.42.62:443/Thread Count					
39	113.8	174	114.5	113.8	32.7
LG 40.124.42.62:443/Http client/Thread Pool used					
0.1	0.109	0.26	0.1	0.104	0.023
LG 40.124.42.62:443/Http client/Task Pool used					
0	0.006	0.183	0	0.002	0.021
LG 40.124.42.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.124.42.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.124.42.62:443/Controller Connection/Ping Duration (ms)					
94	108.9	148	107	107.4	10.58
LG 40.124.42.62:443/Network/Segments sent/sec.					
6.29	2,917	6,375	2,914	2,914	1,670
LG 40.124.42.62:443/Network/Segments retransmitted/sec.					
0	0.04	2.06	0	0.012	0.159
LG 40.124.42.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	42.5	97.9	42.6	42.4	24.6
LG 40.124.42.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.8	8.39	3.85	3.8	2.12

LG 40.124.43.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.43.4:443/CPU Load					
0	24.6	51	23	24.7	13.5
LG 40.124.43.4:443/Memory Used					
2	16.2	39	14	15.8	9.63
LG 40.124.43.4:443/Throughput					
0	38.7	85.9	38.3	38.7	22.6
LG 40.124.43.4:443/User Load					
0	51	94	53	51.3	28.9
LG 40.124.43.4:443/Thread Count					
39	112.9	163	118	113.2	31.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.43.4:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.105	0.008
LG 40.124.43.4:443/Http client/Task Pool used					
0	0.008	0.2	0	0.002	0.025
LG 40.124.43.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.124.43.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.124.43.4:443/Controller Connection/Ping Duration (ms)					
90	107.3	147	107	106.7	8.25
LG 40.124.43.4:443/Network/Segments sent/sec.					
6.36	2,901	6,112	2,926	2,904	1,668
LG 40.124.43.4:443/Network/Segments retransmitted/sec.					
0	0.036	1.13	0	0.007	0.144
LG 40.124.43.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.2	92.9	41.9	42.2	24.6
LG 40.124.43.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.77	7.73	3.66	3.78	2.12

LG 40.124.44.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.44.205:443/CPU Load					
0	23.3	50	22.5	23.3	12.9
LG 40.124.44.205:443/Memory Used					
2	15.7	38	13	15.2	9.38
LG 40.124.44.205:443/Throughput					
0	38.1	83.7	37.1	38	22.8
LG 40.124.44.205:443/User Load					
0	50.4	94	53.5	50.6	29
LG 40.124.44.205:443/Thread Count					
39	111.7	162	114.5	111.9	31.4
LG 40.124.44.205:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.006
LG 40.124.44.205:443/Http client/Task Pool used					
0	0.009	0.233	0	0.003	0.031
LG 40.124.44.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.124.44.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.124.44.205:443/Controller Connection/Ping Duration (ms)					
93	104.9	108	105	105.2	2.63
LG 40.124.44.205:443/Network/Segments sent/sec.					
6.35	2,858	6,111	2,803	2,845	1,689
LG 40.124.44.205:443/Network/Segments retransmitted/sec.					
0	0.04	1.18	0	0.01	0.148
LG 40.124.44.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.6	90.9	40.7	41.4	24.8
LG 40.124.44.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.72	7.99	3.65	3.71	2.15

LG 40.124.46.152:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.46.152:443/CPU Load					
0	23.9	54	23	23.8	12.5
LG 40.124.46.152:443/Memory Used					
2	15.6	38	13	15.1	9.41
LG 40.124.46.152:443/Throughput					
0	38.8	94.1	37.2	38.3	22.8
LG 40.124.46.152:443/User Load					
0	51.3	95	53	51.6	29
LG 40.124.46.152:443/Thread Count					
39	114.9	170	125	115	32.4
LG 40.124.46.152:443/Http client/Thread Pool used					
0.1	0.112	0.17	0.1	0.11	0.018
LG 40.124.46.152:443/Http client/Task Pool used					
0	0.007	0.133	0	0.003	0.019
LG 40.124.46.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.124.46.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.124.46.152:443/Controller Connection/Ping Duration (ms)					
55	102.2	110	104	104.1	10.74
LG 40.124.46.152:443/Network/Segments sent/sec.					
6.01	2,903	6,833	2,765	2,873	1,684
LG 40.124.46.152:443/Network/Segments retransmitted/sec.					
0	0.04	0.93	0	0.016	0.123
LG 40.124.46.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	42.2	102	40.7	41.8	24.8
LG 40.124.46.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.78	8.69	3.7	3.75	2.14

LG 40.124.47.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.47.132:443/CPU Load					
0	0	0	0	0	-
LG 40.124.47.132:443/Memory Used					
0	0	0	0	0	-
LG 40.124.47.132:443/Throughput					
0	0	0	0	0	-
LG 40.124.47.132:443/User Load					
0	0	0	0	0	-
LG 40.124.47.132:443/Thread Count					
0	0	0	0	0	-
LG 40.124.47.132:443/Http client/Thread Pool used					
0	0	0	0	0	-
LG 40.124.47.132:443/Http client/Task Pool used					
0	0	0	0	0	-
LG 40.124.47.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.124.47.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.124.47.132:443/Controller Connection/Ping Duration (ms)					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.124.47.132:443/Network/Segments sent/sec.					
0	0	0	0	0	-
LG 40.124.47.132:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	-
LG 40.124.47.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0	0	0	0	0	-
LG 40.124.47.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0	0	0	0	-

LG 40.84.129.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.129.154:443/CPU Load					
0	24.4	52	25	24.3	13.1
LG 40.84.129.154:443/Memory Used					
2	16.6	38	14	16.1	10.45
LG 40.84.129.154:443/Throughput					
0	38.3	86	41.1	38.2	22.2
LG 40.84.129.154:443/User Load					
0	50.6	94	53	50.8	29.1
LG 40.84.129.154:443/Thread Count					
39	113.3	172	114	113.5	31.2
LG 40.84.129.154:443/Http client/Thread Pool used					
0.1	0.11	0.195	0.1	0.107	0.019
LG 40.84.129.154:443/Http client/Task Pool used					
0	0.009	0.333	0	0.004	0.031
LG 40.84.129.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.129.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.129.154:443/Controller Connection/Ping Duration (ms)					
82	108.3	147	107	107.3	11.7
LG 40.84.129.154:443/Network/Segments sent/sec.					
6.45	2,867	6,239	3,047	2,859	1,645
LG 40.84.129.154:443/Network/Segments retransmitted/sec.					
0	0.028	0.648	0	0.01	0.093
LG 40.84.129.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.8	93.4	44.6	41.7	24.2
LG 40.84.129.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.73	8.08	3.88	3.73	2.09

LG 40.84.129.57:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.129.57:443/CPU Load					
0	25.7	54	25	25.6	14
LG 40.84.129.57:443/Memory Used					
2	16.5	37	14.5	16.2	9.14
LG 40.84.129.57:443/Throughput					
0	38.5	88.2	37.9	38.4	22.6
LG 40.84.129.57:443/User Load					
0	50.8	94	53	51.1	29
LG 40.84.129.57:443/Thread Count					
39	113.6	165	117	113.8	32.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.129.57:443/Http client/Thread Pool used					
0.1	0.108	0.16	0.105	0.107	0.012
LG 40.84.129.57:443/Http client/Task Pool used					
0	0.01	0.333	0	0.005	0.03
LG 40.84.129.57:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.129.57:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.129.57:443/Controller Connection/Ping Duration (ms)					
67	105.7	145	107	106.2	11.2
LG 40.84.129.57:443/Network/Segments sent/sec.					
6.36	2,894	6,445	2,865	2,886	1,672
LG 40.84.129.57:443/Network/Segments retransmitted/sec.					
0	0.044	0.864	0	0.018	0.133
LG 40.84.129.57:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42	95.8	41.2	41.8	24.6
LG 40.84.129.57:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.76	7.91	3.71	3.76	2.12

LG 40.84.132.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.132.157:443/CPU Load					
0	25	53	25	25.1	13
LG 40.84.132.157:443/Memory Used					
3	16.3	37	14	15.9	9.11
LG 40.84.132.157:443/Throughput					
0	38.7	83.6	39.9	38.7	22.3
LG 40.84.132.157:443/User Load					
0	51.1	94	53	51.4	28.9
LG 40.84.132.157:443/Thread Count					
39	113.3	165	116	113.5	31.6
LG 40.84.132.157:443/Http client/Thread Pool used					
0.1	0.106	0.145	0.1	0.104	0.008
LG 40.84.132.157:443/Http client/Task Pool used					
0	0.006	0.15	0	0.003	0.018
LG 40.84.132.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.132.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.132.157:443/Controller Connection/Ping Duration (ms)					
66	105.1	136	107	105.9	10.03
LG 40.84.132.157:443/Network/Segments sent/sec.					
6.37	2,903	6,256	2,982	2,900	1,657
LG 40.84.132.157:443/Network/Segments retransmitted/sec.					
0	0.224	1.27	0.19	0.197	0.248
LG 40.84.132.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.3	91.2	43.4	42.2	24.3
LG 40.84.132.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.77	8.17	3.81	3.77	2.11

LG 40.84.137.15:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.137.15:443/CPU Load					
0	25.4	55	25	25.5	13.9
LG 40.84.137.15:443/Memory Used					
2	15.6	39	15	15.1	8.94
LG 40.84.137.15:443/Throughput					
0	37.8	81.3	37.4	37.8	22.2
LG 40.84.137.15:443/User Load					
0	50	94	52.5	50.2	28.9
LG 40.84.137.15:443/Thread Count					
39	111.7	163	113.5	111.9	31.5
LG 40.84.137.15:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 40.84.137.15:443/Http client/Task Pool used					
0	0.008	0.233	0	0.004	0.026
LG 40.84.137.15:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.137.15:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.137.15:443/Controller Connection/Ping Duration (ms)					
92	105.7	112	106	106.1	2.96
LG 40.84.137.15:443/Network/Segments sent/sec.					
6	2,851	6,064	2,861	2,848	1,655
LG 40.84.137.15:443/Network/Segments retransmitted/sec.					
0	0.049	0.969	0	0.02	0.145
LG 40.84.137.15:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.3	88.4	40.9	41.2	24.2
LG 40.84.137.15:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.71	7.69	3.7	3.71	2.1

LG 40.84.139.191:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.139.191:443/CPU Load					
0	25.7	54	25	25.7	13.8
LG 40.84.139.191:443/Memory Used					
2	16.3	40	15	15.8	9.49
LG 40.84.139.191:443/Throughput					
0	38.4	79.9	38	38.4	22.4
LG 40.84.139.191:443/User Load					
0	50.6	94	53	50.8	29.1
LG 40.84.139.191:443/Thread Count					
39	112.1	164	114	112.3	31.6
LG 40.84.139.191:443/Http client/Thread Pool used					
0.1	0.105	0.135	0.1	0.104	0.007
LG 40.84.139.191:443/Http client/Task Pool used					
0	0.008	0.233	0	0.003	0.025
LG 40.84.139.191:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.139.191:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.139.191:443/Controller Connection/Ping Duration (ms)					
62	83.5	145	67	81.3	24.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.139.191:443/Network/Segments sent/sec.					
6.38	2,883	5,930	2,834	2,885	1,663
LG 40.84.139.191:443/Network/Segments retransmitted/sec.					
0	0.027	1.19	0	0.005	0.114
LG 40.84.139.191:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	41.8	86.5	41.2	41.9	24.3
LG 40.84.139.191:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.75	7.72	3.8	3.75	2.11

LG 40.84.233.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.233.23:443/CPU Load					
0	25.7	61	26	25.6	13.3
LG 40.84.233.23:443/Memory Used					
2	16.5	39	14	16	10.2
LG 40.84.233.23:443/Throughput					
0	38.6	94.8	39	38.2	22.9
LG 40.84.233.23:443/User Load					
0	50.8	94	53	51.1	29
LG 40.84.233.23:443/Thread Count					
39	113.8	175	116	113.7	32.5
LG 40.84.233.23:443/Http client/Thread Pool used					
0.1	0.109	0.185	0.1	0.107	0.016
LG 40.84.233.23:443/Http client/Task Pool used					
0	0.009	0.167	0	0.005	0.023
LG 40.84.233.23:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.233.23:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.233.23:443/Controller Connection/Ping Duration (ms)					
55	96.1	211	94	92.1	34.2
LG 40.84.233.23:443/Network/Segments sent/sec.					
9	2,888	6,828	2,904	2,865	1,687
LG 40.84.233.23:443/Network/Segments retransmitted/sec.					
0	0.033	1.42	0	0.01	0.123
LG 40.84.233.23:443/Network/eth0 (eth0)/Megabits received/sec.					
0.014	42.1	102.9	42.7	41.7	24.9
LG 40.84.233.23:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.76	8.95	3.78	3.74	2.14

LG 40.84.234.145:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.234.145:443/CPU Load					
0	25.8	53	26	25.8	13.6
LG 40.84.234.145:443/Memory Used					
1	16.6	39	14	16.1	10.17
LG 40.84.234.145:443/Throughput					
0	38.6	79.5	39.9	38.6	22.3
LG 40.84.234.145:443/User Load					
0	50.9	95	53	51.1	29.1
LG 40.84.234.145:443/Thread Count					
39	113.6	168	116	113.7	33

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.234.145:443/Http client/Thread Pool used					
0.1	0.108	0.2	0.1	0.105	0.016
LG 40.84.234.145:443/Http client/Task Pool used					
0	0.008	0.3	0	0.003	0.028
LG 40.84.234.145:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.234.145:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.234.145:443/Controller Connection/Ping Duration (ms)					
63	88.5	135	103	87.7	20.4
LG 40.84.234.145:443/Network/Segments sent/sec.					
6.33	2,894	5,826	3,020	2,896	1,655
LG 40.84.234.145:443/Network/Segments retransmitted/sec.					
0	0.049	2.48	0	0.018	0.182
LG 40.84.234.145:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.1	86.5	43.5	42.1	24.3
LG 40.84.234.145:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.77	7.7	3.85	3.77	2.1

LG 40.84.234.55:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.234.55:443/CPU Load					
0	25.1	55	24	25	13.7
LG 40.84.234.55:443/Memory Used					
2	15.9	39	14	15.4	9.14
LG 40.84.234.55:443/Throughput					
0	38.6	88.4	36.9	38.4	22.7
LG 40.84.234.55:443/User Load					
0	50.7	95	53	50.9	29.1
LG 40.84.234.55:443/Thread Count					
39	113.3	166	116	113.5	31.3
LG 40.84.234.55:443/Http client/Thread Pool used					
0.1	0.109	0.165	0.105	0.107	0.012
LG 40.84.234.55:443/Http client/Task Pool used					
0	0.008	0.2	0	0.003	0.024
LG 40.84.234.55:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.234.55:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.234.55:443/Controller Connection/Ping Duration (ms)					
61	107.8	159	108	107.5	17
LG 40.84.234.55:443/Network/Segments sent/sec.					
6.14	2,897	6,456	2,771	2,885	1,687
LG 40.84.234.55:443/Network/Segments retransmitted/sec.					
0	0.039	1.1	0	0.011	0.139
LG 40.84.234.55:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.1	96	40.6	41.8	24.7
LG 40.84.234.55:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.77	8.22	3.68	3.75	2.14

LG 40.84.237.60:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.237.60:443/CPU Load					
0	24.4	57	23	24.3	13.2
LG 40.84.237.60:443/Memory Used					
2	16.4	38	14	15.9	9.75
LG 40.84.237.60:443/Throughput					
0	39	92.6	37.6	38.8	22.9
LG 40.84.237.60:443/User Load					
0	51.3	95	53	51.6	29
LG 40.84.237.60:443/Thread Count					
39	114.2	172	115	114.1	32.4
LG 40.84.237.60:443/Http client/Thread Pool used					
0.1	0.108	0.205	0.1	0.104	0.019
LG 40.84.237.60:443/Http client/Task Pool used					
0	0.008	0.35	0	0.003	0.028
LG 40.84.237.60:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.237.60:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.237.60:443/Controller Connection/Ping Duration (ms)					
68	105.4	147	107	105.6	12.3
LG 40.84.237.60:443/Network/Segments sent/sec.					
6.36	2,924	6,898	2,863	2,909	1,695
LG 40.84.237.60:443/Network/Segments retransmitted/sec.					
0	0.039	1.18	0	0.01	0.143
LG 40.84.237.60:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	42.5	100.7	41.2	42.3	24.9
LG 40.84.237.60:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.8	8.94	3.67	3.79	2.15

LG 40.84.237.65:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.237.65:443/CPU Load					
0	26	60	25	26	14.5
LG 40.84.237.65:443/Memory Used					
2	17.6	54	15	17.1	11.3
LG 40.84.237.65:443/Throughput					
0	38.4	98.3	37.2	38.3	22.7
LG 40.84.237.65:443/User Load					
0	50.4	94	53	50.6	29.1
LG 40.84.237.65:443/Thread Count					
39	112.3	164	113	112.6	32.2
LG 40.84.237.65:443/Http client/Thread Pool used					
0.1	0.106	0.14	0.1	0.105	0.009
LG 40.84.237.65:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.022
LG 40.84.237.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.237.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.237.65:443/Controller Connection/Ping Duration (ms)					
90	106	113	107	106.4	3.84

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.237.65:443/Network/Segments sent/sec.					
2.4	2,869	6,914	2,802	2,867	1,675
LG 40.84.237.65:443/Network/Segments retransmitted/sec.					
0	0.046	1.35	0	0.014	0.17
LG 40.84.237.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	41.8	106.4	40.7	41.8	24.7
LG 40.84.237.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	3.73	8.7	3.68	3.74	2.12

LG 40.84.238.250:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.238.250:443/CPU Load					
0	24.7	52	24	24.7	13.4
LG 40.84.238.250:443/Memory Used					
2	14.8	38	13	14.3	8.56
LG 40.84.238.250:443/Throughput					
0	38.3	85.4	38.5	38.2	22.6
LG 40.84.238.250:443/User Load					
0	50.4	94	53	50.6	29
LG 40.84.238.250:443/Thread Count					
39	112	162	114	112.2	31.7
LG 40.84.238.250:443/Http client/Thread Pool used					
0.1	0.105	0.125	0.1	0.104	0.007
LG 40.84.238.250:443/Http client/Task Pool used					
0	0.009	0.317	0	0.004	0.029
LG 40.84.238.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.238.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.238.250:443/Controller Connection/Ping Duration (ms)					
93	107	151	107	106.7	6.35
LG 40.84.238.250:443/Network/Segments sent/sec.					
5.94	2,874	6,212	2,872	2,864	1,678
LG 40.84.238.250:443/Network/Segments retransmitted/sec.					
0	0.032	1.3	0	0.008	0.132
LG 40.84.238.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	41.8	92.6	41.8	41.6	24.6
LG 40.84.238.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.74	7.92	3.78	3.73	2.13

LG 40.84.238.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.238.26:443/CPU Load					
0	24.9	52	25	24.9	13.4
LG 40.84.238.26:443/Memory Used					
2	16.2	38	15	15.7	9.32
LG 40.84.238.26:443/Throughput					
0	38.8	87	38	38.7	22.3
LG 40.84.238.26:443/User Load					
0	51.3	95	53	51.6	29
LG 40.84.238.26:443/Thread Count					
39	114.8	165	117	115.2	32.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.238.26:443/Http client/Thread Pool used					
0.1	0.113	0.235	0.1	0.107	0.029
LG 40.84.238.26:443/Http client/Task Pool used					
0	0.007	0.183	0	0.003	0.023
LG 40.84.238.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.238.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.238.26:443/Controller Connection/Ping Duration (ms)					
94	106.5	138	107	106.4	4.92
LG 40.84.238.26:443/Network/Segments sent/sec.					
7.97	2,905	6,244	2,919	2,902	1,654
LG 40.84.238.26:443/Network/Segments retransmitted/sec.					
0	0.043	1.29	0	0.014	0.156
LG 40.84.238.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.01	42.3	94.4	41.8	42.2	24.3
LG 40.84.238.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.78	8.05	3.74	3.78	2.1

LG 40.84.239.181:443


Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 40.84.239.181:443/CPU Load					
0	23.8	49	23	23.9	12.9
LG 40.84.239.181:443/Memory Used					
2	15.4	39	13	14.9	8.77
LG 40.84.239.181:443/Throughput					
0	38.5	80	36.8	38.5	22.6
LG 40.84.239.181:443/User Load					
0	50.6	94	54	50.9	29
LG 40.84.239.181:443/Thread Count					
39	112.5	169	117.5	112.8	31.4
LG 40.84.239.181:443/Http client/Thread Pool used					
0.1	0.103	0.155	0.1	0.103	0.006
LG 40.84.239.181:443/Http client/Task Pool used					
0	0.008	0.217	0	0.003	0.024
LG 40.84.239.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 40.84.239.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 40.84.239.181:443/Controller Connection/Ping Duration (ms)					
94	108.4	148	106	106.8	10.85
LG 40.84.239.181:443/Network/Segments sent/sec.					
7.87	2,890	5,961	2,830	2,893	1,675
LG 40.84.239.181:443/Network/Segments retransmitted/sec.					
0	0.036	0.861	0	0.012	0.118
LG 40.84.239.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0.01	41.9	87.6	40.1	42	24.6
LG 40.84.239.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	3.76	7.55	3.73	3.77	2.12

Controller**Alerts**

Sev.	Alert	Occurrences	First Occurrence	Duration %
	Controller/Total Disconnections >= 1.0	1	00:08:37.009	80.3
	Load Generator Diconnected >=1			


Average page response time



Min	Average	Max
0.083	0.347	1.149

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.043	0.175	303.253

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
2.858	11.802	48.05	12.028	11.867	2.367

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
0.1	38,405.1	58,794

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	39.9	217

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	4,377.16	6,739.62

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.082	0.296	1.906


Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

Top 10 First Alerts



Notes: Displays the list of alerts on the monitored counters during the test.