

10-22-Retail Holiday Readiness Home Page LT



Date	Oct 23, 2019 1:42:55 AM
Project	HP_GRID_PDP
Scenario	Homepage
Comment	
Notes	10-22-Retail Holiday Readiness Home Page LT

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	8
Hot spots.....	9
Errors.....	9
Alerts.....	10
General statistics.....	10
Transaction statistics.....	10
Execution context.....	17
Scenario	11
Servers.....	23
Populations.....	24
User Paths.....	25
Transactions.....	26
Pages.....	28
Requests.....	31
Media Contents.....	41
Push messages.....	27
Monitors.....	42
Alerts.....	163
Main graphs.....	165
Average page response time.....	165
Average request response time.....	166
Average response time (Transactions).....	167
Requests per second.....	168
Errors.....	169
Throughput.....	170
Response time against load.....	171
Distribution of Transaction Durations.....	172
Top 10 First Alerts.....	173

Summary

Results summary

Name	01:41 - 23 Oct 2019_HP	Project	HP_GRID_PDP
Description		Scenario	Homepage
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population HomePage is customized
Start date	Oct 23, 2019 1:42:55 AM		
End date	Oct 23, 2019 2:13:31 AM	Stop Policy	<ul style="list-style-type: none"> Population HomePage: immediate.
Duration	00:30:35		
Termination reason	Manual action	Filters	None
LG Hosts	162.209.11.42:443	Debug	Disabled
	,		
	162.209.11.133:443		
	,		
	162.209.11.139:443		
	,		
	162.209.11.152:443		
	,		
	162.209.11.153:443		
	,		
	162.209.11.154:443		
	,		
	162.209.11.155:443		
	,		
	162.209.11.158:443		
	,		
	162.209.11.159:443		
	,		
	162.209.11.162:443		
	,		
	162.209.11.163:443		
	,		
	162.209.11.164:443		
	,		
	162.209.92.9:443		
	,		
	162.209.92.17:443		
	,		
	162.209.92.20:443		
	,		
	166.78.241.29:443		
	,		
	166.78.241.36:443		
	,		
	166.78.241.37:443		
	,		
	166.78.241.42:443		
	,		
	166.78.241.45:443		
	,		
	166.78.241.69:443		
	,		
	166.78.241.83:443		
	,		
	166.78.241.93:443		
	,		
	166.78.241.104:443		
	,		
	162.209.92.21:443		
	,		
	166.78.241.105:443		
	,		
	162.209.92.22:443		
	,		
	162.209.92.25:443		
	,		
	162.209.92.28:443		
	,		
	162.209.92.32:443		
	,		
	162.209.92.33:443		
	,		
	162.209.92.34:443		

,	162.209.92.35:443		
,	162.209.92.37:443		
,	67.207.157.19:443		
,	162.209.92.36:443		
,	67.207.157.21:443		
,	67.207.157.20:443		
,	67.207.157.24:443		
,	67.207.157.33:443		
,	67.207.157.34:443		
,	67.207.157.35:443		
,	67.207.157.37:443		
,	67.207.157.42:443		
,	67.207.157.47:443		
,	67.207.157.51:443		
,	67.207.157.53:443		
,	67.207.157.54:443		
,	67.207.157.59:443		
,	67.207.157.64:443		
,	67.207.157.66:443		
,	67.207.157.67:443		
,	67.207.157.68:443		
,	67.207.157.69:443		
,	67.207.157.72:443		
,	67.207.157.73:443		
,	67.207.157.74:443		
,	162.209.11.165:443		
,	162.209.11.167:443		
,	162.209.11.168:443		
,	162.209.11.169:443		
,	162.209.11.170:443		
,	166.78.121.11:443		
,	166.78.121.14:443		
,	166.78.121.24:443		
,	166.78.121.36:443		
,	166.78.121.42:443		
,	166.78.121.41:443		
,	166.78.121.49:443		
,	166.78.121.58:443		
,	166.78.121.63:443		

166.78.121.64:443		
,		
192.237.187.71:443		
,		
192.237.187.175:443		
,		
192.237.187.178:443		
,		
192.237.187.193:443		
,		
192.237.188.25:443		
,		
192.237.188.36:443		
,		
192.237.188.55:443		
,		
192.237.188.61:443		
,		
192.237.188.62:443		
,		
166.78.241.108:443		
,		
166.78.241.109:443		
,		
166.78.241.110:443		
,		
166.78.241.117:443		
,		
198.61.181.5:443		
,		
198.61.181.6:443		
,		
162.209.92.38:443		
,		
166.78.241.119:443		
,		
166.78.241.122:443		
,		
157.55.169.251:443		
,		
157.55.167.144:443		
,		
65.52.206.199:443		
,		
157.55.165.35:443		
,		
23.96.206.16:443		
,		
157.55.165.155:443		
,		
157.55.165.202:443		
,		
65.52.245.44:443		
,		
157.55.161.218:443		
,		
157.55.161.231:443		
,		
65.52.246.193:443		
,		
23.96.194.59:443		
,		
157.55.163.253:443		
,		
65.52.197.175:443		
,		
157.55.167.150:443		
,		
157.55.167.139:443		
,		
65.52.192.45:443		
,		
157.55.166.255:443		
,		
157.55.160.12:443		
,		
157.55.169.16:443		

,
23.96.194.68:443
,
157.55.169.28:443
,
157.55.171.216:443
,
65.52.246.51:443
,
65.52.245.5:443
,
65.52.245.74:443
,
52.237.152.205:443
,
65.52.244.167:443
,
157.55.168.62:443
,
52.237.153.108:443
,
65.52.245.203:443
,
52.162.243.140:443
,
23.96.197.254:443
,
23.96.202.93:443
,
52.162.245.182:443
,
23.96.200.10:443
,
52.237.154.159:443
,
52.162.242.191:443
,
52.237.159.195:443
,
52.237.153.62:443
,
23.96.204.80:443
,
52.237.153.39:443
,
52.237.152.117:443
,
52.237.129.24:443
,
52.237.129.18:443
,
52.237.158.149:443
,
52.237.129.54:443
,
65.52.241.152:443
,
52.237.153.222:443
,
52.237.159.104:443
,
52.237.159.0:443
,
52.237.129.43:443
,
52.237.154.69:443
,
52.237.131.6:443
,
52.237.129.30:443
,
52.237.159.224:443
,
52.237.134.1:443
,
52.237.129.106:443
,
52.237.159.96:443


,
52.237.129.116:443
,
52.237.130.30:443
,
52.237.129.226:443
,
52.237.133.230:443
,
65.52.203.249:443
,
157.55.164.26:443
,
157.56.12.167:443
,
52.237.128.100:443
,
65.52.240.155:443
,
52.237.133.41:443
,
157.55.164.191:443
,
52.237.155.40:443
,
52.240.142.118:443
,
52.240.142.96:443
,
52.237.128.156:443
,
52.237.135.110:443
,
157.55.167.100:443
,
157.55.161.77:443
,
52.237.129.204:443
,
52.237.129.230:443
,
52.237.135.159:443
,
52.237.135.163:443
,
52.237.134.147:443
,
52.237.132.166:443
,
52.237.128.173:443
,
52.237.130.78:443
,
52.237.131.190:443
,
157.55.160.61:443
,
52.237.131.147:443
,
52.237.131.201:443
,
52.237.134.118:443
,
52.237.128.205:443
,
52.237.128.220:443
,
52.237.128.73:443
,
52.237.134.10:443
,
52.162.55.202:443
,
52.162.98.231:443
,
52.237.134.142:443
,
52.162.34.43:443

	52.162.211.144:443		
	52.162.37.55:443		

Statistics Summary

Total pages	31869529	—	Average pages/s	17,358.1	—
Total requests	81720082	—	Average requests/s	44,509.8	—
Total users launched	50000	—	Average Request response time	0.365 s	—
Total iterations completed	1764058	—	Average Page response time	0.823 s	—
Total throughput	2,225,904 MB	—	Average throughput	9,698.93 Mb/s	—
Total request errors	384194	—	Error rate	0.5 %	—
Total action errors	0	—	Alerts total duration	12.3 %	—

— = No SLA
 ☀️ = Passed
 ☁️ = Warning
 ☄️ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
HomePage-D_1023	HomePage_Desktop	/pagead/viewthroughconversion/1030624533/_1	317342
HomePage-M_1023	HomePage_Mobile	/tapestry/1	60539
HomePage-D_1023	HomePage_Desktop	/sync	41
HomePage-D_1023	HomePage_Desktop	/	13
HomePage-D_1023	HomePage_Desktop	/tbproxy/af/query	2

Top 5 alerts

Sev.	Alert	Duration %	Occurrences
LG 166.78.241.37:443/CPU Load >= 90.0%		2.5	2
LG 166.78.121.58:443/CPU Load >= 90.0%		1.1	1
LG 166.78.241.42:443/CPU Load >= 90.0%		1.1	1
LG 162.209.11.154:443/CPU Load >= 80.0%		2.7	2
LG 166.78.241.37:443/CPU Load >= 80.0%		2.7	2

First critical alerts

Time	Sev.	Alert
00:27:25.447	LG 166.78.121.58:443/CPU Load >= 90.0%	
00:28:19.451	LG 166.78.241.37:443/CPU Load >= 90.0%	
00:29:18.451	LG 166.78.241.42:443/CPU Load >= 90.0%	

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
HomePage-D_1023	HomePage_Desktop	/pagead/viewthroughconversion/1030624533/_1	28
HomePage-M_1023	HomePage_Mobile	/	0.779
HomePage-D_1023	HomePage_Desktop	/	0.476
HomePage-D_1023	HomePage_Desktop	/sync	0.358
HomePage-M_1023	HomePage_Mobile	/inqchat.html	0.326

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
HomePage-D_1023	HomePage_Desktop	/	300.7
HomePage-D_1023	HomePage_Desktop	/pagead/viewthroughconversion/1030624533/_1	300.2
HomePage-D_1023	HomePage_Desktop	/activityi;dc_pre=COatzJqyseUCF...bwi0;u18=https%3A%2F	300.1
HomePage-M_1023	HomePage_Mobile	/	63.5
HomePage-D_1023	HomePage_Desktop	/sync	63.5

Errors












Request errors

Error Type	Count	Description
504	318,750	Gateway Timeout
NL-REDIRECT-03	60,539	NeoLoad could not follow the sendRedirect directive for the previous request. The previous request did not issue a redirection.
502	4,844	Bad Gateway
NL-NETWORK-01	61	Miscellaneous I/O error when connecting to the server.
Total	384,194	Total error count.

Action errors

No errors

Alerts

Element	Critical	Warning	Monitored
 LG 162.209.11.152:443	0	1	3
 LG 162.209.11.154:443	0	1	3
 LG 166.78.121.36:443	0	1	3
 LG 166.78.121.58:443	1	0	3
 LG 166.78.121.63:443	0	1	3
 LG 166.78.241.37:443	1	1	3
 LG 166.78.241.42:443	1	1	3
 LG 166.78.241.69:443	0	1	3
 LG 198.61.181.5:443	0	1	3
 LG 198.61.181.6:443	0	1	3
 LG 67.207.157.35:443	0	1	3

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
14.2	536.1	1,627	49,965	45,621	91.3	-
All pages						
0	0.822	300.7	31,869,529	377,939	1.2	-
All requests						
0	0.364	300.2	81,720,082	384,194	0.5	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
1.18	14.8	356.7	1,764,050	375,705	21.3	2.84	46.8	60.2	17	13.3	-

Scenario

Summary

Name	01:41 - 23 Oct 2019_HP	Project	HP_GRID_PDP
Description		Scenario	Homepage
Status	✓ Passed	Load Policy	• The population HomePage is customized
Start date	Oct 23, 2019 1:42:55 AM		
End date	Oct 23, 2019 2:13:31 AM	Stop Policy	• Population HomePage: immediate.
Duration	00:30:35		
Termination reason	Manual action	Filters	None
	162.209.11.42:443		
	,		
	162.209.11.133:443		
	,		
	162.209.11.139:443		
	,		
	162.209.11.152:443		
	,		
	162.209.11.153:443		
	,		
	162.209.11.154:443		
	,		
	162.209.11.155:443		
	,		
	162.209.11.158:443		
	,		
	162.209.11.159:443		
	,		
	162.209.11.162:443		
	,		
	162.209.11.163:443		
	,		
	162.209.11.164:443		
	,		
	162.209.92.9:443		
	,		
	162.209.92.17:443		
	,		
	162.209.92.20:443		
	,		
LG Hosts	166.78.241.29:443	Debug	Disabled
	,		
	166.78.241.36:443		
	,		
	166.78.241.37:443		
	,		
	166.78.241.42:443		
	,		
	166.78.241.45:443		
	,		
	166.78.241.69:443		
	,		
	166.78.241.83:443		
	,		
	166.78.241.93:443		
	,		
	166.78.241.104:443		
	,		
	162.209.92.21:443		
	,		
	166.78.241.105:443		
	,		
	162.209.92.22:443		
	,		
	162.209.92.25:443		
	,		
	162.209.92.28:443		
	,		
	162.209.92.32:443		
	,		
	162.209.92.33:443		

,	162.209.92.34:443		
,	162.209.92.35:443		
,	162.209.92.37:443		
,	67.207.157.19:443		
,	162.209.92.36:443		
,	67.207.157.21:443		
,	67.207.157.20:443		
,	67.207.157.24:443		
,	67.207.157.33:443		
,	67.207.157.34:443		
,	67.207.157.35:443		
,	67.207.157.37:443		
,	67.207.157.42:443		
,	67.207.157.47:443		
,	67.207.157.51:443		
,	67.207.157.53:443		
,	67.207.157.54:443		
,	67.207.157.59:443		
,	67.207.157.64:443		
,	67.207.157.66:443		
,	67.207.157.67:443		
,	67.207.157.68:443		
,	67.207.157.69:443		
,	67.207.157.72:443		
,	67.207.157.73:443		
,	67.207.157.74:443		
,	162.209.11.165:443		
,	162.209.11.167:443		
,	162.209.11.168:443		
,	162.209.11.169:443		
,	162.209.11.170:443		
,	166.78.121.11:443		
,	166.78.121.14:443		
,	166.78.121.24:443		
,	166.78.121.36:443		
,	166.78.121.42:443		
,	166.78.121.41:443		
,	166.78.121.49:443		
,	166.78.121.58:443		

166.78.121.63:443		
,		
166.78.121.64:443		
,		
192.237.187.71:443		
,		
192.237.187.175:443		
,		
192.237.187.178:443		
,		
192.237.187.193:443		
,		
192.237.188.25:443		
,		
192.237.188.36:443		
,		
192.237.188.55:443		
,		
192.237.188.61:443		
,		
192.237.188.62:443		
,		
166.78.241.108:443		
,		
166.78.241.109:443		
,		
166.78.241.110:443		
,		
166.78.241.117:443		
,		
198.61.181.5:443		
,		
198.61.181.6:443		
,		
162.209.92.38:443		
,		
166.78.241.119:443		
,		
166.78.241.122:443		
,		
157.55.169.251:443		
,		
157.55.167.144:443		
,		
65.52.206.199:443		
,		
157.55.165.35:443		
,		
23.96.206.16:443		
,		
157.55.165.155:443		
,		
157.55.165.202:443		
,		
65.52.245.44:443		
,		
157.55.161.218:443		
,		
157.55.161.231:443		
,		
65.52.246.193:443		
,		
23.96.194.59:443		
,		
157.55.163.253:443		
,		
65.52.197.175:443		
,		
157.55.167.150:443		
,		
157.55.167.139:443		
,		
65.52.192.45:443		
,		
157.55.166.255:443		
,		
157.55.160.12:443		

157.55.169.16:443		
,		
23.96.194.68:443		
,		
157.55.169.28:443		
,		
157.55.171.216:443		
,		
65.52.246.51:443		
,		
65.52.245.5:443		
,		
65.52.245.74:443		
,		
52.237.152.205:443		
,		
65.52.244.167:443		
,		
157.55.168.62:443		
,		
52.237.153.108:443		
,		
65.52.245.203:443		
,		
52.162.243.140:443		
,		
23.96.197.254:443		
,		
23.96.202.93:443		
,		
52.162.245.182:443		
,		
23.96.200.10:443		
,		
52.237.154.159:443		
,		
52.162.242.191:443		
,		
52.237.159.195:443		
,		
52.237.153.62:443		
,		
23.96.204.80:443		
,		
52.237.153.39:443		
,		
52.237.152.117:443		
,		
52.237.129.24:443		
,		
52.237.129.18:443		
,		
52.237.158.149:443		
,		
52.237.129.54:443		
,		
65.52.241.152:443		
,		
52.237.153.222:443		
,		
52.237.159.104:443		
,		
52.237.159.0:443		
,		
52.237.129.43:443		
,		
52.237.154.69:443		
,		
52.237.131.6:443		
,		
52.237.129.30:443		
,		
52.237.159.224:443		
,		
52.237.134.1:443		
,		
52.237.129.106:443		

,	52.237.159.96:443		
,	52.237.129.116:443		
,	52.237.130.30:443		
,	52.237.129.226:443		
,	52.237.133.230:443		
,	65.52.203.249:443		
,	157.55.164.26:443		
,	157.56.12.167:443		
,	52.237.128.100:443		
,	65.52.240.155:443		
,	52.237.133.41:443		
,	157.55.164.191:443		
,	52.237.155.40:443		
,	52.240.142.118:443		
,	52.240.142.96:443		
,	52.237.128.156:443		
,	52.237.135.110:443		
,	157.55.167.100:443		
,	157.55.161.77:443		
,	52.237.129.204:443		
,	52.237.129.230:443		
,	52.237.135.159:443		
,	52.237.135.163:443		
,	52.237.134.147:443		
,	52.237.132.166:443		
,	52.237.128.173:443		
,	52.237.130.78:443		
,	52.237.131.190:443		
,	157.55.160.61:443		
,	52.237.131.147:443		
,	52.237.131.201:443		
,	52.237.134.118:443		
,	52.237.128.205:443		
,	52.237.128.220:443		
,	52.237.128.73:443		
,	52.237.134.10:443		
,	52.162.55.202:443		
,	52.162.98.231:443		
,	52.237.134.142:443		

	,		
	52.162.34.43:443		
	,		
	52.162.211.144:443		
	,		
	52.162.37.55:443		

Populations

HomePage

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
HomePage-D_1023	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 44.0	Yes	6	New user
HomePage-M_1023	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
HomePage-D_1023		Go to the next iteration	Do nothing	0ms	0%
HomePage-M_1023		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	01:41 - 23 Oct 2019_HP	Project	HP_GRID_PDP
Description		Scenario	Homepage
Status	✓ Passed	Load Policy	• The population HomePage is customized
Start date	Oct 23, 2019 1:42:55 AM		
End date	Oct 23, 2019 2:13:31 AM	Stop Policy	• Population HomePage: immediate.
Duration	00:30:35		
Termination reason	Manual action	Filters	None
	162.209.11.42:443		
	,		
	162.209.11.133:443		
	,		
	162.209.11.139:443		
	,		
	162.209.11.152:443		
	,		
	162.209.11.153:443		
	,		
	162.209.11.154:443		
	,		
	162.209.11.155:443		
	,		
	162.209.11.158:443		
	,		
	162.209.11.159:443		
	,		
	162.209.11.162:443		
	,		
	162.209.11.163:443		
	,		
	162.209.11.164:443		
	,		
	162.209.92.9:443		
	,		
	162.209.92.17:443		
	,		
	162.209.92.20:443		
	,		
	166.78.241.29:443		
LG Hosts	166.78.241.36:443	Debug	Disabled
	,		
	166.78.241.37:443		
	,		
	166.78.241.42:443		
	,		
	166.78.241.45:443		
	,		
	166.78.241.69:443		
	,		
	166.78.241.83:443		
	,		
	166.78.241.93:443		
	,		
	166.78.241.104:443		
	,		
	162.209.92.21:443		
	,		
	166.78.241.105:443		
	,		
	162.209.92.22:443		
	,		
	162.209.92.25:443		
	,		
	162.209.92.28:443		
	,		
	162.209.92.32:443		
	,		
	162.209.92.33:443		
	,		
	162.209.92.34:443		
	,		

162.209.92.35:443		
,		
162.209.92.37:443		
,		
67.207.157.19:443		
,		
162.209.92.36:443		
,		
67.207.157.21:443		
,		
67.207.157.20:443		
,		
67.207.157.24:443		
,		
67.207.157.33:443		
,		
67.207.157.34:443		
,		
67.207.157.35:443		
,		
67.207.157.37:443		
,		
67.207.157.42:443		
,		
67.207.157.47:443		
,		
67.207.157.51:443		
,		
67.207.157.53:443		
,		
67.207.157.54:443		
,		
67.207.157.59:443		
,		
67.207.157.64:443		
,		
67.207.157.66:443		
,		
67.207.157.67:443		
,		
67.207.157.68:443		
,		
67.207.157.69:443		
,		
67.207.157.72:443		
,		
67.207.157.73:443		
,		
67.207.157.74:443		
,		
162.209.11.165:443		
,		
162.209.11.167:443		
,		
162.209.11.168:443		
,		
162.209.11.169:443		
,		
162.209.11.170:443		
,		
166.78.121.11:443		
,		
166.78.121.14:443		
,		
166.78.121.24:443		
,		
166.78.121.36:443		
,		
166.78.121.42:443		
,		
166.78.121.41:443		
,		
166.78.121.49:443		
,		
166.78.121.58:443		
,		
166.78.121.63:443		
,		

166.78.121.64:443		
,		
192.237.187.71:443		
,		
192.237.187.175:443		
,		
192.237.187.178:443		
,		
192.237.187.193:443		
,		
192.237.188.25:443		
,		
192.237.188.36:443		
,		
192.237.188.55:443		
,		
192.237.188.61:443		
,		
192.237.188.62:443		
,		
166.78.241.108:443		
,		
166.78.241.109:443		
,		
166.78.241.110:443		
,		
166.78.241.117:443		
,		
198.61.181.5:443		
,		
198.61.181.6:443		
,		
162.209.92.38:443		
,		
166.78.241.119:443		
,		
166.78.241.122:443		
,		
157.55.169.251:443		
,		
157.55.167.144:443		
,		
65.52.206.199:443		
,		
157.55.165.35:443		
,		
23.96.206.16:443		
,		
157.55.165.155:443		
,		
157.55.165.202:443		
,		
65.52.245.44:443		
,		
157.55.161.218:443		
,		
157.55.161.231:443		
,		
65.52.246.193:443		
,		
23.96.194.59:443		
,		
157.55.163.253:443		
,		
65.52.197.175:443		
,		
157.55.167.150:443		
,		
157.55.167.139:443		
,		
65.52.192.45:443		
,		
157.55.166.255:443		
,		
157.55.160.12:443		
,		
157.55.169.16:443		
,		

23.96.194.68:443		
,		
157.55.169.28:443		
,		
157.55.171.216:443		
,		
65.52.246.51:443		
,		
65.52.245.5:443		
,		
65.52.245.74:443		
,		
52.237.152.205:443		
,		
65.52.244.167:443		
,		
157.55.168.62:443		
,		
52.237.153.108:443		
,		
65.52.245.203:443		
,		
52.162.243.140:443		
,		
23.96.197.254:443		
,		
23.96.202.93:443		
,		
52.162.245.182:443		
,		
23.96.200.10:443		
,		
52.237.154.159:443		
,		
52.162.242.191:443		
,		
52.237.159.195:443		
,		
52.237.153.62:443		
,		
23.96.204.80:443		
,		
52.237.153.39:443		
,		
52.237.152.117:443		
,		
52.237.129.24:443		
,		
52.237.129.18:443		
,		
52.237.158.149:443		
,		
52.237.129.54:443		
,		
65.52.241.152:443		
,		
52.237.153.222:443		
,		
52.237.159.104:443		
,		
52.237.159.0:443		
,		
52.237.129.43:443		
,		
52.237.154.69:443		
,		
52.237.131.6:443		
,		
52.237.129.30:443		
,		
52.237.159.224:443		
,		
52.237.134.1:443		
,		
52.237.129.106:443		
,		
52.237.159.96:443		
,		

52.237.129.116:443
,
52.237.130.30:443
,
52.237.129.226:443
,
52.237.133.230:443
,
65.52.203.249:443
,
157.55.164.26:443
,
157.56.12.167:443
,
52.237.128.100:443
,
65.52.240.155:443
,
52.237.133.41:443
,
157.55.164.191:443
,
52.237.155.40:443
,
52.240.142.118:443
,
52.240.142.96:443
,
52.237.128.156:443
,
52.237.135.110:443
,
157.55.167.100:443
,
157.55.161.77:443
,
52.237.129.204:443
,
52.237.129.230:443
,
52.237.135.159:443
,
52.237.135.163:443
,
52.237.134.147:443
,
52.237.132.166:443
,
52.237.128.173:443
,
52.237.130.78:443
,
52.237.131.190:443
,
157.55.160.61:443
,
52.237.131.147:443
,
52.237.131.201:443
,
52.237.134.118:443
,
52.237.128.205:443
,
52.237.128.220:443
,
52.237.128.73:443
,
52.237.134.10:443
,
52.162.55.202:443
,
52.162.98.231:443
,
52.237.134.142:443
,
52.162.34.43:443
,

	52.162.211.144:443		
	52.162.37.55:443		

NeoLoad version 6.6.0;build=20180904-56
 Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

HomePage-D_1023	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
HomePage-M_1023	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
stcache.vzw.com	443	Yes	Yes
media.ascend.ai	443	Yes	No
www.facebook.com	443		No
gateway.verizonwireless.com	443	No	No
www.google-analytics.com	443	Yes	Yes
verizonwireless.com	443	No	No
sp.analytics.yahoo.com	443	Yes	Yes
sanalytics.verizonwireless.com	443	No	No
dpm.demdex.net	443	No	No
vt.myvisualiq.net	443	No	No
2761768.fls.doubleclick.net	443	Yes	No
scache2.vzw.com	443	Yes	Yes
resources.digital-cloud.medallia.com	443	Yes	Yes
685973.fls.doubleclick.net	443	Yes	Yes
media-lax1.inq.com	443		No
www.verizonwireless.com	443	No	No
loadus.exelator.com	443		No
pt.ispot.tv	443	Yes	No
scache1.vzw.com	443	Yes	No
t.myvisualiq.net	443	No	No
ss7.vzw.com	443	Yes	Yes
scache.vzw.com	443	Yes	Yes
verizon.inq.com	443	Yes	No



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
HomePage	81720082 (100%)	44,509.8	0.823s (0%)	0.5% (0%)
Global	81720082 (100%)	44,509.8	0.823s	0.5%






User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 HomePage-D_1023						
174.5	994.3	1,627	24,980	24,968	100	-
 HomePage-M_1023						
14.2	78	325.5	24,985	20,653	82.7	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

HomePage-D_1023

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 HomePage-D_1023											
174.5	994.3	1,627	24,980	24,968	100	-	-	-	-	-	-
 Init											
0	0	0.004	25,000	0	0	-	-	-	-	-	-
 Actions											
1.56	30	356.7	805,870	317,099	39.3	-	-	-	-	-	-
 HomePage_Desktop											
1.56	30	356.7	805,869	317,099	39.3	30.2	53.3	67	14.2	29.8	-
 End											
0	0	0.001	24,980	0	0	-	-	-	-	-	-

HomePage-M_1023

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 HomePage-M_1023											
14.2	78	325.5	24,985	20,653	82.7	-	-	-	-	-	-
 Init											
0	0	0.009	25,000	0	0	-	-	-	-	-	-
 Actions											
1.18	1.98	67.1	958,188	58,608	6.1	-	-	-	-	-	-
 HomePage_Mobile											
1.18	1.98	67.1	958,181	58,606	6.1	1.61	3.81	6.23	1.04	1.83	-
 End											
0	0	0.001	24,985	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

HomePage-D_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						



















HomePage-M_1023


Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers





















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						



HomePage-D_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 HomePage-D_1023						
174.5	994.3	1,627	24,980	24,968	100	-
 Actions						
1.56	30	356.7	805,870	317,099	39.3	-
 HomePage_Desktop						
1.56	30	356.7	805,869	317,099	39.3	-
 /						
0.056	0.476	300.7	828,859	13	0	-
 /activityi;src=2761768;type=b2...wireless.com%2F%3Flt						
0.032	0.055	9.39	828,858	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2F%3FI						
0.013	0.018	3.1	828,857	0	0	-
 /activityi;dc_pre=CLqqzJqyseUC...bwi00;u18=https%3A%2						
0.014	0.019	3.12	828,855	0	0	-
 /activityi;dc_pre=COatzJqyseUC...bwi0;u18=https%3A%2F						
0.215	0.295	300.1	828,845	2	0	-
 /spp.pl						
0.067	0.121	9.23	828,842	0	0	-
 /activityi;src=685973;type=vzw...66ab9b05988491dbde4;						
0.032	0.053	5.21	828,817	0	0	-
 /activityi;dc_pre=COObuZyysUC...zwvp0;u9=desktop;u12						
0.014	0.019	14.4	828,817	0	0	-
 /v4/fullHashes:find						
0.01	0.029	5.33	828,815	0	0	-
 /analytics.js						
0.02	0.036	5.07	828,809	0	0	-
 /player_api						
0.002	0.007	4.44	828,809	0	0	-
 /sync						
0.259	0.358	63.5	828,747	41	0	-
 /activity_pixel						
0.02	0.027	3.2	828,747	0	0	-
 /inqchat.html						
0.072	0.093	4.54	828,745	0	0	-
 /tbproxy/af/query						
0.183	0.295	63.1	828,725	2	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /pagead/viewthroughconversion/1030624533/_1						
0.088	28	300.2	809,220	317,342	39.2	-

HomePage-M_1023




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 HomePage-M_1023						
14.2	78	325.5	24,985	20,653	82.7	-
 Actions						
1.18	1.98	67.1	958,188	58,608	6.1	-
 HomePage_Mobile						
1.18	1.98	67.1	958,181	58,606	6.1	-
 /						
0.449	0.779	63.5	980,472	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.001	0.006	4.19	980,472	0	0	-
 /activity;src=685973;type=vzw...69198a1dd5d6c8009fa;						
0.032	0.058	14.6	980,469	0	0	-
 /activity;dc_pre=COmCmdCzseUC...zwvp0;u9=desktop;u12						
0.014	0.019	3.14	980,468	0	0	-
 /activity;src=2761768;type=b2...wireless.com%2F%3Flt						
0.033	0.057	14.5	980,466	0	0	-
 /activity;src=2761768;type=b2...nwireless.com%2F%3FI						
0.014	0.019	3.42	980,465	0	0	-
 /activity;dc_pre=CNK_udCzseUC...bwi00;u18=https%3A%2						
0.014	0.019	3.01	980,464	0	0	-
 /activity;dc_pre=CJbBudCzseUC...bwi0;u18=https%3A%2F						
0.014	0.02	3.19	980,464	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.011	0.036	63	980,462	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.01	0.033	63	980,462	0	0	-
 /event						
0.127	0.217	19.1	980,439	0	0	-
 /tapestry/1						
0	0.116	63.2	980,401	60,539	6.2	-
 /inqchat.html						
0.203	0.326	63.2	980,388	0	0	-
 /load/						
0.021	0.083	14.5	980,385	0	0	-
 /tbproxy/af/query						
0.005	0.022	3.72	980,382	0	0	-
 /tagserver/init/initFramework						
0.009	0.038	14.4	980,379	0	0	-
 /dest5.html						
0.002	0.007	14.4	980,379	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tagserver/incrementality/onEvent						
0.003	0.01	3.54	980,378	0	0	-
 /pagead/viewthroughconversion/1030624533/_1						
0.078	0.116	4.51	980,367	0	0	-




















Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						


HomePage-D_1023


















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 HomePage-D_1023						
174.5	994.3	1,627	24,980	24,968	100	-
 Actions						
1.56	30	356.7	805,870	317,099	39.3	-
 HomePage_Desktop						
1.56	30	356.7	805,869	317,099	39.3	-
 /						
0.056	0.476	300.7	828,859	13	0	-
 /						
0.056	0.221	63	828,860	6	0	-
 /						
0.048	0.193	9.58	828,854	6	0	-
 /ui-one-digital/gn/build/gnav.css						
0.01	0.04	9.54	828,848	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.012	0.044	9.45	828,848	0	0	-
 /ui-one-digital/hp/build/hp.css						
0.012	0.045	300.2	828,847	1	0	-
 /ui-one-digital/hp/build/hp.js						
0.014	0.054	9.55	828,847	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2F%3FIt						
0.032	0.055	9.39	828,858	0	0	-
 /activityi;src=2761768;type=...rd=8487149019605.118						
0.032	0.055	9.39	828,858	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2F%3FI						
0.013	0.018	3.1	828,857	0	0	-
 /activityi;src=2761768;type=...um=7841726889791.571						
0.013	0.018	3.1	828,857	0	0	-
 /activityi;dc_pre=CLqqzJqyseUC...bwi00;u18=https%3A%2						
0.014	0.019	3.12	828,855	0	0	-
 /activityi;dc_pre=CLqqzJqyse...um=7841726889791.571						
0.014	0.019	3.12	828,855	0	0	-
 /activityi;dc_pre=COatzJqyseUC...bwi0;u18=https%3A%2F						
0.215	0.295	300.1	828,845	2	0	-
 /activityi;dc_pre=COatzJqyse...rd=8487149019605.118						
0.014	0.02	3.14	828,855	0	0	-
 /is/image/VerizonWireless/vz...d-mixandmatch-d-0808						
0.019	0.08	16.7	828,847	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/vz...t-phones-hero-d-1016						
0.02	0.085	11.9	828,847	0	0	-
 /wdcus/8838/onsite/embed.js						
0.01	0.044	63	828,850	1	0	-
 /v2/TC-3477-1.gif						
0.01	0.046	7.41	828,849	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.012	0.048	7.59	828,850	0	0	-
 /ui-one-digital/global-head...ct.globalheader.json						
0.002	0.046	15.1	828,850	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.003	0.016	300.1	828,852	1	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.005	3.31	828,850	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.199	0.258	6.47	828,846	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.011	0.045	5.23	828,852	0	0	-
 /c/263109848-1/ascend.js						
0.017	0.059	7.28	828,848	0	0	-
 /spp.pl						
0.067	0.121	9.23	828,842	0	0	-
 /spp.pl						
0.053	0.097	6.54	828,846	0	0	-
 /sp.pl						
0.014	0.023	6.68	828,842	0	0	-
 /activityi;src=685973;type=vzw...66ab9b05988491dbde4;						
0.032	0.053	5.21	828,817	0	0	-
 /activityi;src=685973;type=v...um=5478041916386.596						
0.032	0.053	5.21	828,841	0	0	-
 /activityi;dc_pre=COObuZyyseUC...zwvp0;u9=desktop;u12						
0.014	0.019	14.4	828,817	0	0	-
 /activityi;dc_pre=COObuZyyse...um=5478041916386.596						
0.014	0.019	14.4	828,818	0	0	-
 /v4/fullHashes:find						
0.01	0.029	5.33	828,815	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.01	0.029	5.33	828,817	0	0	-
 /analytics.js						
0.02	0.036	5.07	828,809	0	0	-
 /analytics.js						
0.02	0.036	5.07	828,815	0	0	-
 /player_api						
0.002	0.007	4.44	828,809	0	0	-
 /collect						
0.001	0.003	3.23	828,809	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /omni/common/js/vendor/monotype/helveticaNeue.css						
0.001	0.003	4.43	828,809	0	0	-
 /sync						
0.259	0.358	63.5	828,747	41	0	-
 /sync						
0.085	0.12	5.45	828,809	0	0	-
 /sync						
0.02	0.027	3.2	828,796	0	0	-
 /sync						
0.02	0.027	3.5	828,793	0	0	-
 /ul_cb/sync						
0.02	0.118	63.1	828,791	39	0	-
 /ul_cb/sync						
0.022	0.037	63	828,715	3	0	-
 /sync						
0.02	0.027	14.3	828,708	0	0	-
 /activity_pixel						
0.02	0.027	3.2	828,747	0	0	-
 /activity_pixel						
0.02	0.027	3.2	828,747	0	0	-
 /inqchat.html						
0.072	0.093	4.54	828,745	0	0	-
 /inqchat.html						
0.022	0.034	4.5	828,747	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.048	0.058	3.56	828,745	0	0	-
 /tbproxy/af/query						
0.183	0.295	63.1	828,725	2	0	-
 /wdcus/8838/onsite/generic1571670842717.js						
0.004	0.01	9.36	828,745	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s79392731821557						
0.176	0.284	63	828,745	2	0	-
 /wdcus/8838/resources/image/...lia_feedbank_min.png						
0.001	0.003	4.21	828,745	0	0	-
 /pagead/viewthroughconversion/1030624533/_1						
0.088	28	300.2	809,220	317,342	39.2	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s7837466518878						
0.077	0.111	4.19	828,728	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.006	28	300.1	828,701	323,596	39	-

HomePage-M_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 HomePage-M_1023						
14.2	78	325.5	24,985	20,653	82.7	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 Actions						
1.18	1.98	67.1	958,188	58,608	6.1	-
 HomePage_Mobile						
1.18	1.98	67.1	958,181	58,606	6.1	-
 /						
0.449	0.779	63.5	980,472	0	0	-
 /						
0.092	0.219	14.6	980,489	0	0	-
 /						
0.125	0.193	63.2	980,480	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.013	0.127	7.25	980,475	0	0	-
 /ui-one-digital/hp/build/hp.css						
0.012	0.108	6.37	980,478	0	0	-
 /ui-one-digital/hp/build/hp.js						
0.005	0.129	10.21	980,477	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.199	0.324	63.2	980,475	0	0	-
 /is/image/VerizonWireless/vz...d-mixandmatch-d-0808						
0.016	0.142	7.54	980,477	0	0	-
 /is/image/VerizonWireless/vz...t-phones-hero-d-1016						
0.006	0.156	7.55	980,476	0	0	-
 /wdcus/8838/onsite/embed.js						
0.01	0.103	7.42	980,476	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.003	0.126	6.4	980,476	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.114	6.4	980,478	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.013	0.128	7.44	980,477	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.001	0.039	7.27	980,477	0	0	-
 /v2/TC-3477-1.gif						
0.01	0.125	7.46	980,478	0	0	-
 /c/263109848-1/ascend.js						
0.016	0.142	12	980,477	0	0	-
 /spp.pl						
0.053	0.176	13.2	980,475	0	0	-
 /sp.pl						
0.014	0.079	19.4	980,476	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.001	0.006	4.19	980,472	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.001	0.006	4.19	980,472	0	0	-
 /activityi;src=685973;type=vzw...69198a1dd5d6c8009fa;						
0.032	0.058	14.6	980,469	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;src=685973;type=v...um=2713788159457.304						
0.032	0.058	14.6	980,469	0	0	-
 /activityi;dc_pre=COmCmdCzseUC...zwvp0;u9=desktop;u12						
0.014	0.019	3.14	980,468	0	0	-
 /activityi;dc_pre=COmCmdCzse...um=2713788159457.304						
0.014	0.019	3.14	980,469	0	0	-
 /activityi;src=2761768;type=b2...wireless.com%2F%3FIt						
0.033	0.057	14.5	980,466	0	0	-
 /activityi;src=2761768;type=...rd=8693199691969.296						
0.033	0.057	14.5	980,466	0	0	-
 /activityi;src=2761768;type=b2...nwireless.com%2F%3FI						
0.014	0.019	3.42	980,465	0	0	-
 /activityi;src=2761768;type=...um=9112616232958.111						
0.014	0.019	3.42	980,465	0	0	-
 /activityi;dc_pre=CNK_udCzseUC...bwi00;u18=https%3A%2						
0.014	0.019	3.01	980,464	0	0	-
 /activityi;dc_pre=CNK_udCzse...um=9112616232958.111						
0.014	0.019	3.01	980,464	0	0	-
 /activityi;dc_pre=CJbBudCzseUC...bwi0;u18=https%3A%2F						
0.014	0.02	3.19	980,464	0	0	-
 /activityi;dc_pre=CJbBudCzse...rd=8693199691969.296						
0.014	0.02	3.19	980,464	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.011	0.036	63	980,462	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.011	0.036	63	980,462	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.01	0.033	63	980,462	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.01	0.033	63	980,462	0	0	-
 /event						
0.127	0.217	19.1	980,439	0	0	-
 /analytics.js						
0.019	0.045	5.05	980,455	0	0	-
 /collect						
0.001	0.004	3.09	980,454	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.css						
0.001	0.005	3.09	980,455	0	0	-
 /activity_pixel						
0.085	0.134	9.5	980,448	0	0	-
 /sync						
0.086	0.138	9.5	980,446	0	0	-
 /sync						
0.041	0.141	9.53	980,447	0	0	-
 /sync						
0.059	0.143	9.61	980,446	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ul_cb/activity_pixel						
0.023	0.146	9.73	980,446	0	0	-
 /ul_cb/sync						
0.029	0.149	9.56	980,446	0	0	-
 /sync						
0.029	0.152	19.1	980,448	0	0	-
 /tapestry/1						
0	0.116	63.2	980,401	60,539	6.2	-
 /sync						
0	0.116	63.2	980,438	60,539	6.2	-
 /inqchat.html						
0.203	0.326	63.2	980,388	0	0	-
 /inqchat.html						
0.022	0.034	3.96	980,401	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.048	0.059	3.84	980,400	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s74280791104045						
0.176	0.29	63.2	980,393	0	0	-
 /load/						
0.021	0.083	14.5	980,385	0	0	-
 /media/launch/site_10004593_default.js						
0.021	0.083	14.5	980,388	0	0	-
 /tbproxy/af/query						
0.005	0.022	3.72	980,382	0	0	-
 /media/launch/tcFramework.min.js						
0.005	0.022	3.72	980,385	0	0	-
 /tagserver/init/initFramework						
0.009	0.038	14.4	980,379	0	0	-
 /flash/InqFramework.js						
0.009	0.038	14.4	980,381	0	0	-
 /dest5.html						
0.002	0.007	14.4	980,379	0	0	-
 /flash/jquery-3.3.1.min.js						
0.002	0.007	14.4	980,379	0	0	-
 /tagserver/incrementality/onEvent						
0.003	0.01	3.54	980,378	0	0	-
 /wdcus/8838/onsite/generic1571670842717.js						
0.003	0.01	3.54	980,379	0	0	-
 /pagead/viewthroughconversion/1030624533/_1						
0.078	0.116	4.51	980,367	0	0	-
 /wdcus/8838/resources/image/...lia_feedbank_min.png						
0.001	0.003	2.94	980,378	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s73037202781765						
0.077	0.112	4.5	980,377	0	0	-

Shared Containers









SLA	Value	Severity
Empty list		

HomePage-D_1023






















SLA	Value	Severity
 HomePage-D_1023		
 Actions		
 HomePage_Desktop		
 /		
 /		
 /		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/hp/build/hp.css		
 /ui-one-digital/hp/build/hp.js		
 /activityi;src=2761768;type=b2...wireless.com%2F%3FIt		
 /activityi;src=2761768;type=...rd=8487149019605.118		
 /activityi;src=2761768;type=b2...nwireless.com%2F%3FI		
 /activityi;src=2761768;type=...um=7841726889791.571		
 /activityi;dc_pre=CLqqzJqyseUC...bwi00;u18=https%3A%2		
 /activityi;dc_pre=CLqqzJqyse...um=7841726889791.571		
 /activityi;dc_pre=COatzJqyseUC...bwi0;u18=https%3A%2F		
 /activityi;dc_pre=COatzJqyse...rd=8487149019605.118		
 /is/image/VerizonWireless/vz...d-mixandmatch-d-0808		
 /is/image/VerizonWireless/vz...t-phones-hero-d-1016		
 /wdcus/8838/onsite/embed.js		
 /v2/TC-3477-1.gif		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /chatskins/launch/inqChatLaunch10004593.js		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /c/263109848-1/ascend.js		
 /spp.pl		
 /spp.pl		
 /sp.pl		
 /activityi;src=685973;type=vzw...66ab9b05988491dbde4;		

SLA	Value	Severity
 /activityi;src=685973;type=v...um=5478041916386.596		
 /activityi;dc_pre=COObuZyyseUC...zwvp0;u9=desktop;u12		
 /activityi;dc_pre=COObuZyyse...um=5478041916386.596		
 /v4/fullHashes:find		
 /omni/common/js/vendor/monotype/helveticaNeue.js		
 /analytics.js		
 /analytics.js		
 /player_api		
 /collect		
 /omni/common/js/vendor/monotype/helveticaNeue.css		
 /sync		
 /sync		
 /sync		
 /sync		
 /ul_cb/sync		
 /ul_cb/sync		
 /sync		
 /activity_pixel		
 /activity_pixel		
 /inqchat.html		
 /inqchat.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /tbproxy/af/query		
 /wdcus/8838/onsite/generic1571670842717.js		
 /b/ss/vzwitestenv/10/JS-2.17.0/s79392731821557		
 /wdcus/8838/resources/image/...lia_feedbank_min.png		
 /pagead/viewthroughconversion/1030624533/_1		
 /b/ss/vzwitestenv/10/JS-2.17.0/s7837466518878		
 /glassbox/VZW/SHOP/reporting/cls_report		

HomePage-M_1023

SLA	Value	Severity
 HomePage-M_1023		
 Actions		
 HomePage_Mobile		
 /		
 /		
 /		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/hp/build/hp.css		

SLA	Value	Severity
 /ui-one-digital/hp/build/hp.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /is/image/VerizonWireless/vz...d-mixandmatch-d-0808		
 /is/image/VerizonWireless/vz...t-phones-hero-d-1016		
 /wdcus/8838/onsite/embed.js		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /v2/TC-3477-1.gif		
 /c/263109848-1/ascend.js		
 /spp.pl		
 /sp.pl		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.css		
 /activityi;src=685973;type=vzw...69198a1dd5d6c8009fa;		
 /activityi;src=685973;type=v...um=2713788159457.304		
 /activityi;dc_pre=COmCmdCzseUC...zwvp0;u9=desktop;u12		
 /activityi;dc_pre=COmCmdCzse...um=2713788159457.304		
 /activityi;src=2761768;type=b2...wireless.com%2F%3FIt		
 /activityi;src=2761768;type=...rd=8693199691969.296		
 /activityi;src=2761768;type=b2...nwireless.com%2F%3FI		
 /activityi;src=2761768;type=...um=9112616232958.111		
 /activityi;dc_pre=CNK_udCzseUC...bwi00;u18=https%3A%2		
 /activityi;dc_pre=CNK_udCzse...um=9112616232958.111		
 /activityi;dc_pre=CJbBudCzseUC...bwi0;u18=https%3A%2F		
 /activityi;dc_pre=CJbBudCzse...rd=8693199691969.296		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /omni/common/js/vendor/monotype/helveticaNeue.js		
 /omni/common/js/vendor/monotype/helveticaNeue.js		
 /event		
 /analytics.js		
 /collect		
 /omni/common/js/vendor/monotype/helveticaNeue.css		
 /activity_pixel		
 /sync		
 /sync		
 /sync		
 /ul_cb/activity_pixel		

SLA	Value	Severity
 /ul_cb/sync		
 /sync		
 /tapestry/1		
 /sync		
 /inqchat.html		
 /inqchat.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /b/ss/vzwitestenv/10/JS-2.17.0/s74280791104045		
 /load/		
 /media/launch/site_10004593_default.js		
 /tbproxy/af/query		
 /media/launch/tcFramework.min.js		
 /tagserver/init/initFramework		
 /flash/InqFramework.js		
 /dest5.html		
 /flash/jquery-3.3.1.min.js		
 /tagserver/incrementality/onEvent		
 /wdcus/8838/onsite/generic1571670842717.js		
 /pagead/viewthroughconversion/1030624533/_1		
 /wdcus/8838/resources/image/...lia_feedbank_min.png		
 /b/ss/vzwitestenv/10/JS-2.17.0/s73037202781765		

HomePage-D_1023

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

HomePage-M_1023

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	32,478	50,000	40,000	33,123	14,790
Controller/Throughput					
0	9,763	18,209	10,396	9,833	4,574
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
3	11.4	86	11	10.85	5.97
Controller/Memory Used					
8	24.5	41	25	24.4	9.72
Controller/Thread Count					
1,214	1,459	5,796	1,381	1,383	547.4
Controller/Connected					
190	190	190	190	190	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,516	9,738	1,197	1,336	1,526
Controller/Network/Segments retransmitted/sec.					
0	1.53	569.7	0	0	29.5
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA Central - Illinois (Chicago 1)/User Load					
0	15,282	23,683	18,612	15,566	6,900
Controller/USA Central - Illinois (Chicago 1)/HomePage/User Load					
0	15,282	23,683	18,612	15,566	6,900
Controller/USA Central - Illinois (Chicago 1)/HomePage/HomePage-D_1023/User Load					
0	7,644	11,846	9,311	7,786	3,451
Controller/USA Central - Illinois (Chicago 1)/HomePage/HomePage-M_1023/User Load					
0	7,638	11,837	9,301	7,780	3,449
Controller/USA Central - Illinois (Chicago 2)/User Load					
0	17,029	26,317	20,868	17,348	7,661
Controller/USA Central - Illinois (Chicago 2)/HomePage/User Load					
0	17,029	26,317	20,868	17,348	7,661
Controller/USA Central - Illinois (Chicago 2)/HomePage/HomePage-D_1023/User Load					
0	8,515	13,154	10,450	8,674	3,830
Controller/USA Central - Illinois (Chicago 2)/HomePage/HomePage-M_1023/User Load					
0	8,514	13,163	10,418	8,674	3,831

LG 162.209.11.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.133:443/CPU Load					
0	37.5	96	38	36.9	18.2
LG 162.209.11.133:443/Memory Used					
1	35.4	72	36	35.6	15.2
LG 162.209.11.133:443/Throughput					
0	51.5	152	54.4	51.2	24.9
LG 162.209.11.133:443/User Load					
0	170.2	263	210	173.4	77.3
LG 162.209.11.133:443/Thread Count					
38	329.8	502	390	334.1	130.2
LG 162.209.11.133:443/Http client/Thread Pool used					
0.1	0.205	0.37	0.195	0.202	0.082
LG 162.209.11.133:443/Http client/Task Pool used					
0	0.017	0.417	0	0.008	0.05
LG 162.209.11.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.133:443/Controller Connection/Ping Duration (ms)					
55	112.8	1,546	101	100.2	94.6
LG 162.209.11.133:443/Network/Segments sent/sec.					
5.85	3,478	9,958	3,566	3,456	1,699
LG 162.209.11.133:443/Network/Segments retransmitted/sec.					
0	0.322	23.2	0	0.166	1.34
LG 162.209.11.133:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.133:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.8	164.8	58.9	55.4	26.9
LG 162.209.11.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.97	11.2	4.11	3.95	1.9

LG 162.209.11.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.139:443/CPU Load					
0	36.6	87	34	35.9	21
LG 162.209.11.139:443/Memory Used					
1	35.4	77	35.5	35.3	16.1
LG 162.209.11.139:443/Throughput					
0	50.8	147.5	44.2	49.7	31.3
LG 162.209.11.139:443/User Load					
0	169	263	206.5	172.2	77.4
LG 162.209.11.139:443/Thread Count					
38	408.4	625	504	414.5	170
LG 162.209.11.139:443/Http client/Thread Pool used					
0.1	0.558	0.91	0.67	0.563	0.263
LG 162.209.11.139:443/Http client/Task Pool used					
0	0.018	0.6	0	0.01	0.049
LG 162.209.11.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.139:443/Controller Connection/Ping Duration (ms)					
61	115.5	2,726	103	106.7	139.1
LG 162.209.11.139:443/Network/Segments sent/sec.					
5.89	3,459	9,141	3,074	3,382	2,115
LG 162.209.11.139:443/Network/Segments retransmitted/sec.					
0	0.359	7.8	0	0.198	0.89
LG 162.209.11.139:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.139:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55	159.2	47.6	53.9	33.8
LG 162.209.11.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	3.93	10.38	3.53	3.86	2.29

LG 162.209.11.152:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.152:443/CPU Load					
0	50.8	99	48	50.6	28
LG 162.209.11.152:443/Memory Used					
1	34.8	67	35	35	15.1
LG 162.209.11.152:443/Throughput					
0	50.9	125.5	43.9	49.7	32.2
LG 162.209.11.152:443/User Load					
0	170	263	208	173.2	77
LG 162.209.11.152:443/Thread Count					
38	456.8	666	576	465.7	193.9
LG 162.209.11.152:443/Http client/Thread Pool used					
0.1	0.761	1.13	1	0.776	0.378
LG 162.209.11.152:443/Http client/Task Pool used					
0	0.047	0.933	0	0.025	0.117
LG 162.209.11.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.152:443/Controller Connection/Ping Duration (ms)					
79	136.2	317	123	131	43.2
LG 162.209.11.152:443/Network/Segments sent/sec.					
5.68	3,696	8,366	3,284	3,648	2,235
LG 162.209.11.152:443/Network/Segments retransmitted/sec.					
0	5.13	69.7	1.2	3.65	9.31
LG 162.209.11.152:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.152:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.2	132.7	47.7	54.2	34.2
LG 162.209.11.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.08	9	3.68	4.04	2.37

LG 162.209.11.153:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.153:443/CPU Load					
0	37.1	98	37	36.5	18.1
LG 162.209.11.153:443/Memory Used					
2	35.6	78	37	35.7	16
LG 162.209.11.153:443/Throughput					
0	51.4	165.5	53.2	50.9	25.8
LG 162.209.11.153:443/User Load					
0	170.1	263	209	173.3	76.8
LG 162.209.11.153:443/Thread Count					
38	343.2	539	384	346.9	141.9
LG 162.209.11.153:443/Http client/Thread Pool used					
0.1	0.277	0.545	0.2	0.272	0.151
LG 162.209.11.153:443/Http client/Task Pool used					
0	0.029	1.08	0	0.012	0.094
LG 162.209.11.153:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.153:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.153:443/Controller Connection/Ping Duration (ms)					
99	212.9	1,782	161	151.4	316.7
LG 162.209.11.153:443/Network/Segments sent/sec.					
3.77	3,494	10,503	3,615	3,475	1,726
LG 162.209.11.153:443/Network/Segments retransmitted/sec.					
0	0.568	9.2	0	0.358	1.22
LG 162.209.11.153:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.153:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.153:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	55.6	168.5	58	55.2	27.7
LG 162.209.11.153:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	3.98	11.7	4.08	3.95	1.93

LG 162.209.11.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.154:443/CPU Load					
0	50.5	99	46	50.3	28
LG 162.209.11.154:443/Memory Used					
2	35.5	67	36	35.7	15.4
LG 162.209.11.154:443/Throughput					
0	51.2	200.6	47	49.8	32.5
LG 162.209.11.154:443/User Load					
0	169.6	264	206	172.8	77.6
LG 162.209.11.154:443/Thread Count					
38	420.8	612	526	428.9	170.9
LG 162.209.11.154:443/Http client/Thread Pool used					
0.1	0.614	0.88	0.755	0.627	0.282
LG 162.209.11.154:443/Http client/Task Pool used					
0	0.031	0.733	0	0.02	0.071
LG 162.209.11.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.154:443/Controller Connection/Ping Duration (ms)					
121	132.7	173	124	131.1	17.1
LG 162.209.11.154:443/Network/Segments sent/sec.					
5.89	3,664	9,366	3,295	3,602	2,285
LG 162.209.11.154:443/Network/Segments retransmitted/sec.					
0	5.34	43.5	1.3	4.02	8.76
LG 162.209.11.154:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.154:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.5	197.5	51	54.1	34.8
LG 162.209.11.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4.07	9.56	3.78	4	2.39

LG 162.209.11.155:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.155:443/CPU Load					
0	40	98	39	39.4	21.6
LG 162.209.11.155:443/Memory Used					
2	35	68	36	35.2	15
LG 162.209.11.155:443/Throughput					
0	51.1	142.3	49.6	50.1	28.6
LG 162.209.11.155:443/User Load					
0	169.9	263	207	173.1	76.9
LG 162.209.11.155:443/Thread Count					
38	376.1	581	436	381.1	150.7
LG 162.209.11.155:443/Http client/Thread Pool used					
0.1	0.406	0.7	0.44	0.405	0.173
LG 162.209.11.155:443/Http client/Task Pool used					
0	0.028	0.4	0	0.018	0.06
LG 162.209.11.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.155:443/Controller Connection/Ping Duration (ms)					
54	90.2	143	100	89.1	24.3
LG 162.209.11.155:443/Network/Segments sent/sec.					
5.68	3,598	12,768	3,506	3,521	2,090
LG 162.209.11.155:443/Network/Segments retransmitted/sec.					
0	3.32	273	0.8	1.99	14.7
LG 162.209.11.155:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.155:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.3	152.3	54	54.3	30.9
LG 162.209.11.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.03	10.38	3.86	3.96	2.21

LG 162.209.11.158:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.158:443/CPU Load					
0	37.6	99	30	36.3	25.9
LG 162.209.11.158:443/Memory Used					
2	35.6	71	36	35.7	15.1
LG 162.209.11.158:443/Throughput					
0	51.6	156.3	39.6	49.3	39.4
LG 162.209.11.158:443/User Load					
0	169.7	263	208	172.9	77.2
LG 162.209.11.158:443/Thread Count					
38	443.5	718	518.5	448.3	196.4
LG 162.209.11.158:443/Http client/Thread Pool used					
0.1	0.7	1.35	0.765	0.696	0.377
LG 162.209.11.158:443/Http client/Task Pool used					
0	0.018	0.35	0	0.01	0.047
LG 162.209.11.158:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.158:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.158:443/Controller Connection/Ping Duration (ms)					
86	172.8	217	165	174.4	30.3
LG 162.209.11.158:443/Network/Segments sent/sec.					
4.8	3,592	24,496	2,774	3,394	2,859
LG 162.209.11.158:443/Network/Segments retransmitted/sec.					
0	3.15	901.8	0	0.305	46.7
LG 162.209.11.158:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.158:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.158:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	56	166.4	43.2	53.5	42.6
LG 162.209.11.158:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	4.04	20.4	3.25	3.86	2.92

LG 162.209.11.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.159:443/CPU Load					
0	36.9	97	37	36.2	18.4
LG 162.209.11.159:443/Memory Used					
1	34.5	76	36	34.7	14.9
LG 162.209.11.159:443/Throughput					
0	51.3	143	52.7	50.8	26.6
LG 162.209.11.159:443/User Load					
0	169	263	206	172.2	77.5
LG 162.209.11.159:443/Thread Count					
38	355.7	573	417	359.1	145.8
LG 162.209.11.159:443/Http client/Thread Pool used					
0.1	0.321	0.68	0.32	0.314	0.157
LG 162.209.11.159:443/Http client/Task Pool used					
0	0.026	0.467	0	0.013	0.07
LG 162.209.11.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.159:443/Controller Connection/Ping Duration (ms)					
60	95.6	603	100	90.7	42.5
LG 162.209.11.159:443/Network/Segments sent/sec.					
5.89	3,478	9,817	3,625	3,435	1,797
LG 162.209.11.159:443/Network/Segments retransmitted/sec.					
0	0.598	16.6	0	0.313	1.55
LG 162.209.11.159:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.159:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.5	154.4	57.4	55	28.8
LG 162.209.11.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.96	11.4	4.2	3.92	1.99

LG 162.209.11.162:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.162:443/CPU Load					
0	47.8	99	46	47.3	23.6
LG 162.209.11.162:443/Memory Used					
2	35.3	69	37	35.5	15.4
LG 162.209.11.162:443/Throughput					
0	51.4	129.7	48.8	50.5	29
LG 162.209.11.162:443/User Load					
0	169.4	263	207	172.6	77.2
LG 162.209.11.162:443/Thread Count					
38	401.5	606	480	408	168.9
LG 162.209.11.162:443/Http client/Thread Pool used					
0.1	0.538	0.865	0.625	0.543	0.257
LG 162.209.11.162:443/Http client/Task Pool used					
0	0.035	1.1	0	0.022	0.085
LG 162.209.11.162:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.162:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.162:443/Controller Connection/Ping Duration (ms)					
99	153.9	206	162	154.6	21.9
LG 162.209.11.162:443/Network/Segments sent/sec.					
5	3,527	8,911	3,424	3,465	1,933
LG 162.209.11.162:443/Network/Segments retransmitted/sec.					
0	0.545	9.86	0	0.291	1.36
LG 162.209.11.162:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.162:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.162:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	55.7	140.3	52.7	54.8	31.3
LG 162.209.11.162:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.99	9.66	3.87	3.93	2.14

LG 162.209.11.163:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.163:443/CPU Load					
0	37	93	36	36.3	18.3
LG 162.209.11.163:443/Memory Used					
1	34.7	68	36.5	34.8	15.1
LG 162.209.11.163:443/Throughput					
0	51.1	154.8	49.9	50.1	27
LG 162.209.11.163:443/User Load					
0	168.7	263	205	171.8	77.4
LG 162.209.11.163:443/Thread Count					
38	337.2	549	394	340.1	140.1
LG 162.209.11.163:443/Http client/Thread Pool used					
0.1	0.244	0.575	0.25	0.235	0.13
LG 162.209.11.163:443/Http client/Task Pool used					
0	0.018	0.533	0	0.007	0.06
LG 162.209.11.163:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.163:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.163:443/Controller Connection/Ping Duration (ms)					
80	109	1,394	102	104.7	68.9
LG 162.209.11.163:443/Network/Segments sent/sec.					
5.89	3,459	9,649	3,371	3,401	1,812
LG 162.209.11.163:443/Network/Segments retransmitted/sec.					
0	0.541	11.4	0	0.339	1.24
LG 162.209.11.163:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.163:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.163:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.3	167.1	54	54.3	29.1
LG 162.209.11.163:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.95	12	3.88	3.88	2.04

LG 162.209.11.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.164:443/CPU Load					
0	34.2	84	33	33.7	16.1
LG 162.209.11.164:443/Memory Used					
2	35.5	73	36	35.6	15.8
LG 162.209.11.164:443/Throughput					
0	51.3	127.5	51.9	50.7	25.6
LG 162.209.11.164:443/User Load					
0	169.8	263	206	173.1	77.1
LG 162.209.11.164:443/Thread Count					
38	344.2	525	390	348.8	138.5
LG 162.209.11.164:443/Http client/Thread Pool used					
0.1	0.276	0.49	0.255	0.274	0.122
LG 162.209.11.164:443/Http client/Task Pool used					
0	0.013	0.583	0	0.004	0.051
LG 162.209.11.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.164:443/Controller Connection/Ping Duration (ms)					
60	102.2	341	102	101.5	20.6
LG 162.209.11.164:443/Network/Segments sent/sec.					
5.88	3,475	8,624	3,559	3,452	1,713
LG 162.209.11.164:443/Network/Segments retransmitted/sec.					
0	0.293	5.6	0	0.162	0.71
LG 162.209.11.164:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.164:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.5	137.9	56.3	54.9	27.7
LG 162.209.11.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.97	10.02	4.01	3.93	1.93

LG 162.209.11.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.165:443/CPU Load					
0	37.4	91	38	36.8	18.4
LG 162.209.11.165:443/Memory Used					
1	34.9	66	37	35.1	14.8
LG 162.209.11.165:443/Throughput					
0	50.9	140.3	52.4	50.5	25.7
LG 162.209.11.165:443/User Load					
0	168.9	263	206	172.1	77.4
LG 162.209.11.165:443/Thread Count					
38	351.3	569	413	354.9	146.4
LG 162.209.11.165:443/Http client/Thread Pool used					
0.1	0.312	0.66	0.32	0.307	0.157
LG 162.209.11.165:443/Http client/Task Pool used					
0	0.023	0.367	0	0.013	0.057
LG 162.209.11.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.165:443/Controller Connection/Ping Duration (ms)					
94	161.2	200	165	162.6	18.1
LG 162.209.11.165:443/Network/Segments sent/sec.					
5.66	3,461	8,844	3,610	3,432	1,743
LG 162.209.11.165:443/Network/Segments retransmitted/sec.					
0	0.801	16.7	0	0.473	1.92
LG 162.209.11.165:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.165:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.1	151.9	56.8	54.7	27.7
LG 162.209.11.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.94	10.18	4.09	3.92	1.93

LG 162.209.11.167:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.167:443/CPU Load					
0	48.1	98	50	47.9	21.9
LG 162.209.11.167:443/Memory Used					
2	34.4	76	35	34.5	15.2
LG 162.209.11.167:443/Throughput					
0	51.2	118.3	50.4	50.8	26.3
LG 162.209.11.167:443/User Load					
0	169.5	263	207	172.7	77.1
LG 162.209.11.167:443/Thread Count					
38	360.3	559	417	364.6	145.4
LG 162.209.11.167:443/Http client/Thread Pool used					
0.1	0.35	0.6	0.345	0.349	0.149
LG 162.209.11.167:443/Http client/Task Pool used					
0	0.037	1.48	0	0.019	0.113
LG 162.209.11.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.167:443/Controller Connection/Ping Duration (ms)					
65	103.3	166	82	101.7	31.2
LG 162.209.11.167:443/Network/Segments sent/sec.					
5.66	3,501	8,681	3,503	3,473	1,788
LG 162.209.11.167:443/Network/Segments retransmitted/sec.					
0	0.303	6.28	0	0.157	0.792
LG 162.209.11.167:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.167:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.5	128.6	55.3	55.1	28.4
LG 162.209.11.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.97	9.13	3.96	3.94	1.99

LG 162.209.11.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.168:443/CPU Load					
0	34.8	89	34	34.1	16.6
LG 162.209.11.168:443/Memory Used					
1	35.4	74	37	35.6	15.2
LG 162.209.11.168:443/Throughput					
0	51.3	170.3	51.1	50.6	26
LG 162.209.11.168:443/User Load					
0	170.2	264	208	173.5	77.1
LG 162.209.11.168:443/Thread Count					
38	341.4	555	388	343.9	144.4
LG 162.209.11.168:443/Http client/Thread Pool used					
0.1	0.263	0.635	0.21	0.251	0.166
LG 162.209.11.168:443/Http client/Task Pool used					
0	0.016	0.383	0	0.009	0.04
LG 162.209.11.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.168:443/Controller Connection/Ping Duration (ms)					
56	85.6	106	101	86.1	19.8
LG 162.209.11.168:443/Network/Segments sent/sec.					
5.93	3,474	10,770	3,515	3,436	1,736
LG 162.209.11.168:443/Network/Segments retransmitted/sec.					
0	0.313	17.1	0	0.13	1.18
LG 162.209.11.168:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.168:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.6	183.3	54.7	54.8	28.1
LG 162.209.11.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.97	11.7	3.98	3.93	1.94

LG 162.209.11.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.169:443/CPU Load					
0	40.4	95	40	39.7	20.2
LG 162.209.11.169:443/Memory Used					
2	34.1	65	34	34.2	14.4
LG 162.209.11.169:443/Throughput					
0	51	121.4	52.5	50.6	25.3
LG 162.209.11.169:443/User Load					
0	169.3	263	206.5	172.5	77.1
LG 162.209.11.169:443/Thread Count					
38	349.1	544	391	353.3	146
LG 162.209.11.169:443/Http client/Thread Pool used					
0.1	0.298	0.54	0.245	0.295	0.157
LG 162.209.11.169:443/Http client/Task Pool used					
0	0.025	0.4	0	0.015	0.058
LG 162.209.11.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.169:443/Controller Connection/Ping Duration (ms)					
88	166.9	205	165	168.9	31.8
LG 162.209.11.169:443/Network/Segments sent/sec.					
5.6	3,536	9,001	3,550	3,488	1,835
LG 162.209.11.169:443/Network/Segments retransmitted/sec.					
0	2.15	58.4	0.595	1.32	5.12
LG 162.209.11.169:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.169:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.2	130.7	56.8	54.7	27.4
LG 162.209.11.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.99	9.51	3.98	3.95	1.99

LG 162.209.11.170:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.170:443/CPU Load					
0	40.1	96	38.5	39.5	19.6
LG 162.209.11.170:443/Memory Used					
2	35	71	36	35.1	15.4
LG 162.209.11.170:443/Throughput					
0	51	129.6	51.5	50.6	25.4
LG 162.209.11.170:443/User Load					
0	169.4	263	205	172.6	77.3
LG 162.209.11.170:443/Thread Count					
38	336.1	531	382	339.6	139
LG 162.209.11.170:443/Http client/Thread Pool used					
0.1	0.246	0.535	0.19	0.238	0.136
LG 162.209.11.170:443/Http client/Task Pool used					
0	0.022	0.35	0	0.012	0.052
LG 162.209.11.170:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.11.170:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.170:443/Controller Connection/Ping Duration (ms)					
65	121.2	162	122	121.8	13.9
LG 162.209.11.170:443/Network/Segments sent/sec.					
5.63	3,514	9,329	3,447	3,483	1,784
LG 162.209.11.170:443/Network/Segments retransmitted/sec.					
0	1.58	17.4	0.401	1.15	2.7
LG 162.209.11.170:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.170:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.170:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.2	139.7	55.4	54.8	27.4
LG 162.209.11.170:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.98	9.96	3.95	3.95	1.96

LG 162.209.11.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.42:443/CPU Load					
0	36.8	99	35	35.8	20.2
LG 162.209.11.42:443/Memory Used					
1	35.4	68	37	35.6	15.3
LG 162.209.11.42:443/Throughput					
0	50.6	157	49	48.9	30
LG 162.209.11.42:443/User Load					
0	169.3	263	206.5	172.5	77.1
LG 162.209.11.42:443/Thread Count					
38	396.3	687	455	397.2	169.9
LG 162.209.11.42:443/Http client/Thread Pool used					
0.1	0.501	1.16	0.52	0.486	0.276
LG 162.209.11.42:443/Http client/Task Pool used					
0	0.042	4.75	0	0.018	0.254
LG 162.209.11.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.11.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.11.42:443/Controller Connection/Ping Duration (ms)					
70	127.1	226	122	125.4	24.8
LG 162.209.11.42:443/Network/Segments sent/sec.					
5.89	3,565	33,567	3,399	3,393	2,533
LG 162.209.11.42:443/Network/Segments retransmitted/sec.					
0	1.05	72.4	0	0.444	4.64
LG 162.209.11.42:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.11.42:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.11.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	54.9	172.1	53.4	53.2	32.1
LG 162.209.11.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.99	23.5	3.9	3.84	2.42

LG 162.209.92.17:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.17:443/CPU Load					
0	39.5	98	37	38.7	19.7
LG 162.209.92.17:443/Memory Used					
2	34.4	66	35.5	34.6	14.5
LG 162.209.92.17:443/Throughput					
0	51.1	133.2	50	50.3	26.2
LG 162.209.92.17:443/User Load					
0	170.1	263	209.5	173.3	76.8
LG 162.209.92.17:443/Thread Count					
38	341.3	625	389	344.5	141.3
LG 162.209.92.17:443/Http client/Thread Pool used					
0.1	0.265	0.935	0.2	0.256	0.146
LG 162.209.92.17:443/Http client/Task Pool used					
0	0.028	0.45	0	0.016	0.067
LG 162.209.92.17:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.17:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.17:443/Controller Connection/Ping Duration (ms)					
68	122.7	162	124	123.6	34
LG 162.209.92.17:443/Network/Segments sent/sec.					
4.59	3,527	9,583	3,407	3,467	1,826
LG 162.209.92.17:443/Network/Segments retransmitted/sec.					
0	1.58	54.4	0.4	1.08	3.67
LG 162.209.92.17:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.17:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.17:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	55.3	142.7	53.9	54.5	28.2
LG 162.209.92.17:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	3.99	10.58	3.84	3.92	2.02

LG 162.209.92.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.20:443/CPU Load					
0	39.4	99	32	38.1	25.3
LG 162.209.92.20:443/Memory Used					
1	36.7	75	38	36.8	15.9
LG 162.209.92.20:443/Throughput					
0	51.5	164.3	41.3	48.9	36.6
LG 162.209.92.20:443/User Load					
0	170.5	263	207	173.8	76.9
LG 162.209.92.20:443/Thread Count					
38	455.5	662	558	464.7	187.3
LG 162.209.92.20:443/Http client/Thread Pool used					
0.1	0.763	1.08	0.95	0.781	0.357
LG 162.209.92.20:443/Http client/Task Pool used					
0	0.025	0.65	0	0.011	0.074
LG 162.209.92.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.20:443/Controller Connection/Ping Duration (ms)					
72	93.7	160	84	91.8	20.4
LG 162.209.92.20:443/Network/Segments sent/sec.					
5.68	3,611	10,458	3,010	3,442	2,479
LG 162.209.92.20:443/Network/Segments retransmitted/sec.					
0	3.68	67.5	0.4	2.05	8.92
LG 162.209.92.20:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.20:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.8	178.2	45.2	53.1	39.1
LG 162.209.92.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.05	11.4	3.48	3.89	2.62

LG 162.209.92.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.21:443/CPU Load					
0	34.5	95	33	33.8	18.9
LG 162.209.92.21:443/Memory Used					
2	35.7	70	37	35.9	15.1
LG 162.209.92.21:443/Throughput					
0	51	168.4	48.4	49.2	31.7
LG 162.209.92.21:443/User Load					
0	169	263	206.5	172.3	77.5
LG 162.209.92.21:443/Thread Count					
38	410	594	510.5	418.1	169.5
LG 162.209.92.21:443/Http client/Thread Pool used					
0.1	0.558	0.78	0.712	0.57	0.26
LG 162.209.92.21:443/Http client/Task Pool used					
0	0.027	0.567	0	0.015	0.068
LG 162.209.92.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.21:443/Controller Connection/Ping Duration (ms)					
90	129.4	246	122	125	29.8
LG 162.209.92.21:443/Network/Segments sent/sec.					
5.68	3,487	10,380	3,431	3,411	2,042
LG 162.209.92.21:443/Network/Segments retransmitted/sec.					
0	0.667	41.7	0	0.185	3.18
LG 162.209.92.21:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.21:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.2	178.7	52.5	53.4	33.9
LG 162.209.92.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.96	11.6	3.92	3.87	2.24

LG 162.209.92.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.22:443/CPU Load					
0	39.2	99	37	38.2	21.7
LG 162.209.92.22:443/Memory Used					
2	34.9	71	35	34.9	15.3
LG 162.209.92.22:443/Throughput					
0	51.2	136.2	46.8	49.6	30.8
LG 162.209.92.22:443/User Load					
0	170.5	263	208.5	173.8	76.6
LG 162.209.92.22:443/Thread Count					
38	378.6	579	450	384.2	148.4
LG 162.209.92.22:443/Http client/Thread Pool used					
0.1	0.415	0.715	0.483	0.417	0.172
LG 162.209.92.22:443/Http client/Task Pool used					
0	0.047	0.833	0	0.025	0.116
LG 162.209.92.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.22:443/Controller Connection/Ping Duration (ms)					
65	104	143	106	104.3	11.9
LG 162.209.92.22:443/Network/Segments sent/sec.					
5.89	3,539	10,044	3,582	3,435	2,038
LG 162.209.92.22:443/Network/Segments retransmitted/sec.					
0	1.56	61.7	0.402	1.08	3.86
LG 162.209.92.22:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.22:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.4	146.7	50.9	53.7	33.1
LG 162.209.92.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	3.99	10.58	3.91	3.88	2.23

LG 162.209.92.25:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.25:443/CPU Load					
0	39.3	98	38	38.6	20
LG 162.209.92.25:443/Memory Used					
1	34.8	74	35	34.9	15.5
LG 162.209.92.25:443/Throughput					
0	50.8	124.8	52.6	50.4	25.9
LG 162.209.92.25:443/User Load					
0	169	263	205	172.2	77.7
LG 162.209.92.25:443/Thread Count					
38	360.3	545	418	365.7	144.3
LG 162.209.92.25:443/Http client/Thread Pool used					
0.1	0.343	0.555	0.365	0.345	0.137
LG 162.209.92.25:443/Http client/Task Pool used					
0	0.025	0.5	0	0.014	0.062
LG 162.209.92.25:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.25:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.25:443/Controller Connection/Ping Duration (ms)					
60	109.6	254	103	105.6	29.8
LG 162.209.92.25:443/Network/Segments sent/sec.					
5.64	3,498	9,432	3,535	3,469	1,794
LG 162.209.92.25:443/Network/Segments retransmitted/sec.					
0	1.14	10	0.345	0.872	1.8
LG 162.209.92.25:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.25:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.25:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55	136.6	57.2	54.5	28
LG 162.209.92.25:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.96	10.1	3.94	3.93	1.98

LG 162.209.92.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.28:443/CPU Load					
0	39.7	98	35	38.8	20.8
LG 162.209.92.28:443/Memory Used					
2	34.2	67	36	34.2	15.8
LG 162.209.92.28:443/Throughput					
0	50.9	137.3	46.7	50.1	28.2
LG 162.209.92.28:443/User Load					
0	169.5	264	206	172.8	77.7
LG 162.209.92.28:443/Thread Count					
38	374.7	612	429.5	377.9	165.4
LG 162.209.92.28:443/Http client/Thread Pool used					
0.1	0.411	0.855	0.395	0.403	0.244
LG 162.209.92.28:443/Http client/Task Pool used					
0	0.051	1.2	0	0.022	0.152
LG 162.209.92.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.28:443/Controller Connection/Ping Duration (ms)					
60	106.5	353	101	98.5	51.4
LG 162.209.92.28:443/Network/Segments sent/sec.					
5.67	3,522	9,218	3,238	3,478	1,879
LG 162.209.92.28:443/Network/Segments retransmitted/sec.					
0	1.87	24.4	0.656	1.47	2.88
LG 162.209.92.28:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.28:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.1	151.1	50.7	54.3	30.2
LG 162.209.92.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.98	11	3.65	3.92	2.1

LG 162.209.92.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.32:443/CPU Load					
0	40.3	97	39	39.7	20.4
LG 162.209.92.32:443/Memory Used					
2	35.8	73	36	36	15.5
LG 162.209.92.32:443/Throughput					
0	51	134.6	51.3	50.3	26.1
LG 162.209.92.32:443/User Load					
0	169.2	263	206.5	172.4	77.1
LG 162.209.92.32:443/Thread Count					
38	372.7	664	383.5	372.6	185.5
LG 162.209.92.32:443/Http client/Thread Pool used					
0.1	0.419	1.25	0.185	0.39	0.41
LG 162.209.92.32:443/Http client/Task Pool used					
0	0.026	0.317	0	0.016	0.054
LG 162.209.92.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.32:443/Controller Connection/Ping Duration (ms)					
113	170.1	382	164.5	164.5	41
LG 162.209.92.32:443/Network/Segments sent/sec.					
5.75	3,541	9,494	3,495	3,489	1,865
LG 162.209.92.32:443/Network/Segments retransmitted/sec.					
0	2.27	33.3	0.6	1.7	3.88
LG 162.209.92.32:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.32:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	55.2	145.7	55.7	54.5	28.3
LG 162.209.92.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4	11.7	3.89	3.94	2.04

LG 162.209.92.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.33:443/CPU Load					
0	39.5	98	38.5	38.7	20.6
LG 162.209.92.33:443/Memory Used					
1	35	68	36	35.1	15
LG 162.209.92.33:443/Throughput					
0	51.5	128.9	50.1	50.6	27.3
LG 162.209.92.33:443/User Load					
0	170.2	263	208	173.4	76.8
LG 162.209.92.33:443/Thread Count					
38	357.4	600	398	359.2	159.4
LG 162.209.92.33:443/Http client/Thread Pool used					
0.1	0.338	0.895	0.245	0.321	0.248
LG 162.209.92.33:443/Http client/Task Pool used					
0	0.022	0.55	0	0.012	0.058
LG 162.209.92.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.33:443/Controller Connection/Ping Duration (ms)					
68	102	109	104	103.4	9.61
LG 162.209.92.33:443/Network/Segments sent/sec.					
5.97	3,563	9,852	3,629	3,508	1,877
LG 162.209.92.33:443/Network/Segments retransmitted/sec.					
0	1.81	37.6	0.402	1.24	3.56
LG 162.209.92.33:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.33:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.7	144.1	54.4	54.7	29.4
LG 162.209.92.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4.03	11.5	4.05	3.96	2.07

LG 162.209.92.34:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.34:443/CPU Load					
0	40.8	98	40	40.3	21.7
LG 162.209.92.34:443/Memory Used					
2	34.8	66	36	35.1	14.4
LG 162.209.92.34:443/Throughput					
0	51.1	130.9	52.4	50.5	27.2
LG 162.209.92.34:443/User Load					
0	170.3	263	207.5	173.5	76.9
LG 162.209.92.34:443/Thread Count					
38	403.2	642	439.5	407.6	175.2
LG 162.209.92.34:443/Http client/Thread Pool used					
0.1	0.538	1.05	0.45	0.533	0.305
LG 162.209.92.34:443/Http client/Task Pool used					
0	0.018	0.483	0	0.009	0.051
LG 162.209.92.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.34:443/Controller Connection/Ping Duration (ms)					
85	127.4	242	122	124.2	24.5
LG 162.209.92.34:443/Network/Segments sent/sec.					
5.67	3,565	9,439	3,615	3,532	1,921
LG 162.209.92.34:443/Network/Segments retransmitted/sec.					
0	3.3	52	0.999	2.44	5.84
LG 162.209.92.34:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.34:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.3	139.8	56.9	54.7	29.4
LG 162.209.92.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.02	10.2	4.07	3.98	2.1

LG 162.209.92.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.35:443/CPU Load					
0	40.4	99	38	39.3	21.4
LG 162.209.92.35:443/Memory Used					
2	35.3	74	36	35.4	15
LG 162.209.92.35:443/Throughput					
0	51.1	155.2	48.8	50	27.4
LG 162.209.92.35:443/User Load					
0	169.5	263	207	172.7	77.1
LG 162.209.92.35:443/Thread Count					
38	342.6	561	392	345.3	144.7
LG 162.209.92.35:443/Http client/Thread Pool used					
0.1	0.274	0.655	0.24	0.263	0.156
LG 162.209.92.35:443/Http client/Task Pool used					
0	0.027	0.533	0	0.015	0.069
LG 162.209.92.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.35:443/Controller Connection/Ping Duration (ms)					
113	171.1	224	166	171.3	21.7
LG 162.209.92.35:443/Network/Segments sent/sec.					
5.72	3,555	10,086	3,435	3,467	1,944
LG 162.209.92.35:443/Network/Segments retransmitted/sec.					
0	2.52	55.3	0.6	1.72	5.02
LG 162.209.92.35:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.35:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.4	166.1	53.4	54.2	29.6
LG 162.209.92.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4	10.57	3.88	3.92	2.11

LG 162.209.92.36:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.36:443/CPU Load					
0	39.6	99	38	38.7	21
LG 162.209.92.36:443/Memory Used					
2	35	68	36	35.3	15.2
LG 162.209.92.36:443/Throughput					
0	51.6	142.8	50.1	50.4	29.5
LG 162.209.92.36:443/User Load					
0	170.3	264	208	173.5	77.2
LG 162.209.92.36:443/Thread Count					
38	385.5	565	453	392.3	156.6
LG 162.209.92.36:443/Http client/Thread Pool used					
0.1	0.448	0.655	0.52	0.455	0.201
LG 162.209.92.36:443/Http client/Task Pool used					
0	0.027	0.433	0	0.016	0.06
LG 162.209.92.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.36:443/Controller Connection/Ping Duration (ms)					
60	158.3	1,597	105	109.1	268.2
LG 162.209.92.36:443/Network/Segments sent/sec.					
5.67	3,568	10,470	3,454	3,491	2,011
LG 162.209.92.36:443/Network/Segments retransmitted/sec.					
0	1.38	16.4	0.398	0.986	2.42
LG 162.209.92.36:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0.002	0	0	0
LG 162.209.92.36:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.9	156	54.3	54.6	31.7
LG 162.209.92.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.03	11.6	3.98	3.95	2.2

LG 162.209.92.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.37:443/CPU Load					
0	39.6	99	35	38.8	23.2
LG 162.209.92.37:443/Memory Used					
2	35.1	66	36	35.3	15.4
LG 162.209.92.37:443/Throughput					
0	51	136.9	44.1	50	31.5
LG 162.209.92.37:443/User Load					
0	169.9	263	207	173.1	76.9
LG 162.209.92.37:443/Thread Count					
38	447.2	917	464	440.8	253.7
LG 162.209.92.37:443/Http client/Thread Pool used					
0.1	0.766	2.44	0.54	0.708	0.782
LG 162.209.92.37:443/Http client/Task Pool used					
0	0.022	0.367	0	0.012	0.052
LG 162.209.92.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.37:443/Controller Connection/Ping Duration (ms)					
68	104.2	147	104	104.1	11.5
LG 162.209.92.37:443/Network/Segments sent/sec.					
4.92	3,558	9,760	3,130	3,479	2,190
LG 162.209.92.37:443/Network/Segments retransmitted/sec.					
0	2.21	49.2	0.4	1.45	4.62
LG 162.209.92.37:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.37:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	55.2	148.6	47.9	54.1	34
LG 162.209.92.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	4.01	10.72	3.66	3.93	2.34

LG 162.209.92.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.38:443/CPU Load					
0	34.1	91	31	33.4	18.8
LG 162.209.92.38:443/Memory Used					
2	35.9	74	36	36.1	15.7
LG 162.209.92.38:443/Throughput					
0	51.3	170.4	46.3	50.2	30.5
LG 162.209.92.38:443/User Load					
0	169.4	263	207	172.6	77.5
LG 162.209.92.38:443/Thread Count					
39	372	571	431.5	377.1	150.1
LG 162.209.92.38:443/Http client/Thread Pool used					
0.1	0.387	0.675	0.42	0.387	0.169
LG 162.209.92.38:443/Http client/Task Pool used					
0	0.018	0.633	0	0.006	0.065
LG 162.209.92.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.38:443/Controller Connection/Ping Duration (ms)					
61	98.7	141	101	100.1	11.1
LG 162.209.92.38:443/Network/Segments sent/sec.					
5.97	3,476	10,324	3,188	3,408	2,023
LG 162.209.92.38:443/Network/Segments retransmitted/sec.					
0	0.267	7.14	0	0.117	0.852
LG 162.209.92.38:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.38:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.6	183.4	50.1	54.4	33
LG 162.209.92.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.96	12.1	3.65	3.88	2.24

LG 162.209.92.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 162.209.92.9:443/CPU Load					
0	39.7	95	40	39	21.1
LG 162.209.92.9:443/Memory Used					
1	35.4	68	36	35.7	15
LG 162.209.92.9:443/Throughput					
0	51.3	141.5	49.9	50.4	28.8
LG 162.209.92.9:443/User Load					
0	169.7	263	207	173	77.1
LG 162.209.92.9:443/Thread Count					
38	385.2	582	450	391.1	158
LG 162.209.92.9:443/Http client/Thread Pool used					
0.1	0.446	0.725	0.485	0.45	0.206
LG 162.209.92.9:443/Http client/Task Pool used					
0	0.02	0.35	0	0.011	0.046
LG 162.209.92.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 162.209.92.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 162.209.92.9:443/Controller Connection/Ping Duration (ms)					
84	147.4	261	127	146.6	39.9
LG 162.209.92.9:443/Network/Segments sent/sec.					
6.13	3,582	9,619	3,500	3,524	2,038
LG 162.209.92.9:443/Network/Segments retransmitted/sec.					
0	2.49	23.4	0.6	1.92	3.94
LG 162.209.92.9:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 162.209.92.9:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 162.209.92.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.5	149.9	53.8	54.6	31.1
LG 162.209.92.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	4.03	10.23	3.95	3.97	2.19

LG 166.78.121.11:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.11:443/CPU Load					
0	47.3	98	45	46.7	21.4
LG 166.78.121.11:443/Memory Used					
1	34.9	75	36	34.9	15.7
LG 166.78.121.11:443/Throughput					
0	51.2	137.7	50.3	50.4	26.5
LG 166.78.121.11:443/User Load					
0	169.9	263	208	173.1	77.2
LG 166.78.121.11:443/Thread Count					
38	348.9	572	392	351.4	150.3
LG 166.78.121.11:443/Http client/Thread Pool used					
0.1	0.296	0.67	0.22	0.285	0.188
LG 166.78.121.11:443/Http client/Task Pool used					
0	0.035	0.683	0	0.021	0.082
LG 166.78.121.11:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.11:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.11:443/Controller Connection/Ping Duration (ms)					
63	87.4	112	101	87.3	18.2
LG 166.78.121.11:443/Network/Segments sent/sec.					
7.2	3,498	8,685	3,410	3,452	1,784
LG 166.78.121.11:443/Network/Segments retransmitted/sec.					
0	0.195	7.34	0	0.087	0.631
LG 166.78.121.11:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.11:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.11:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.5	149.9	54.5	54.6	28.6
LG 166.78.121.11:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.97	9.76	3.89	3.92	1.98

LG 166.78.121.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.14:443/CPU Load					
0	48.9	98	47	48.3	22.6
LG 166.78.121.14:443/Memory Used					
2	34.6	65	35	34.8	15.5
LG 166.78.121.14:443/Throughput					
0	51.4	127.5	46.9	50.6	27.2
LG 166.78.121.14:443/User Load					
0	169.5	263	208	172.7	77.2
LG 166.78.121.14:443/Thread Count					
38	359.5	589	388	362.3	157.8
LG 166.78.121.14:443/Http client/Thread Pool used					
0.1	0.347	0.765	0.24	0.338	0.215
LG 166.78.121.14:443/Http client/Task Pool used					
0	0.023	0.383	0	0.014	0.051
LG 166.78.121.14:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.121.14:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.14:443/Controller Connection/Ping Duration (ms)					
63	118.5	162	122	119	21.5
LG 166.78.121.14:443/Network/Segments sent/sec.					
5.93	3,527	8,861	3,333	3,462	1,885
LG 166.78.121.14:443/Network/Segments retransmitted/sec.					
0	0.577	9.11	0	0.368	1.22
LG 166.78.121.14:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.14:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.14:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.6	136.5	50.9	54.9	29.5
LG 166.78.121.14:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.99	9.6	3.77	3.93	2.06

LG 166.78.121.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.24:443/CPU Load					
0	49	99	48	48.5	22.1
LG 166.78.121.24:443/Memory Used					
1	35.5	74	36	35.7	15.5
LG 166.78.121.24:443/Throughput					
0	51.4	116.6	50.6	50.8	26
LG 166.78.121.24:443/User Load					
0	171	264	210	174.2	76.8
LG 166.78.121.24:443/Thread Count					
38	365.8	576	419	369.8	153.6
LG 166.78.121.24:443/Http client/Thread Pool used					
0.1	0.373	0.745	0.35	0.367	0.194
LG 166.78.121.24:443/Http client/Task Pool used					
0	0.028	0.8	0	0.017	0.072
LG 166.78.121.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.121.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.24:443/Controller Connection/Ping Duration (ms)					
67	88.8	124	84	87.8	14.9
LG 166.78.121.24:443/Network/Segments sent/sec.					
5.67	3,523	8,931	3,581	3,493	1,776
LG 166.78.121.24:443/Network/Segments retransmitted/sec.					
0	0.649	8.02	0	0.44	1.26
LG 166.78.121.24:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.24:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.7	127.3	55	55.1	28.1
LG 166.78.121.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.99	9.4	4	3.95	1.97

LG 166.78.121.36:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.36:443/CPU Load					
0	47.8	98	48	47.4	22.9
LG 166.78.121.36:443/Memory Used					
2	35.6	70	36.5	35.8	15.5
LG 166.78.121.36:443/Throughput					
0	51.2	143.7	52	50.4	27.9
LG 166.78.121.36:443/User Load					
0	168.8	263	205	172	77.6
LG 166.78.121.36:443/Thread Count					
38	357.7	553	413.5	362.5	143.9
LG 166.78.121.36:443/Http client/Thread Pool used					
0.1	0.342	0.595	0.34	0.342	0.144
LG 166.78.121.36:443/Http client/Task Pool used					
0	0.023	0.517	0	0.013	0.059
LG 166.78.121.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.36:443/Controller Connection/Ping Duration (ms)					
58	105.1	352	103	97.7	49.6
LG 166.78.121.36:443/Network/Segments sent/sec.					
5.92	3,495	8,569	3,550	3,457	1,861
LG 166.78.121.36:443/Network/Segments retransmitted/sec.					
0	0.257	5.53	0	0.138	0.673
LG 166.78.121.36:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.36:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.4	149.7	56.5	54.7	30.1
LG 166.78.121.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.97	9.9	4.01	3.92	2.07

LG 166.78.121.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.41:443/CPU Load					
0	46.6	99	46	46.1	22.4
LG 166.78.121.41:443/Memory Used					
1	35.2	66	36	35.4	14.8
LG 166.78.121.41:443/Throughput					
0	51	139	49.3	50	27.6
LG 166.78.121.41:443/User Load					
0	169.5	263	206	172.7	77.3
LG 166.78.121.41:443/Thread Count					
38	361.8	616	411	363.4	154
LG 166.78.121.41:443/Http client/Thread Pool used					
0.1	0.352	0.89	0.31	0.336	0.199
LG 166.78.121.41:443/Http client/Task Pool used					
0	0.023	0.55	0	0.012	0.06
LG 166.78.121.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.121.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.41:443/Controller Connection/Ping Duration (ms)					
70	118.3	132	123	120.2	15.6
LG 166.78.121.41:443/Network/Segments sent/sec.					
5.66	3,496	8,741	3,467	3,455	1,818
LG 166.78.121.41:443/Network/Segments retransmitted/sec.					
0	0.202	12	0	0.077	0.943
LG 166.78.121.41:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.41:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0.01	55.3	149	53.4	54.3	29.7
LG 166.78.121.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.96	9.29	3.94	3.92	2.01

LG 166.78.121.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.42:443/CPU Load					
0	46.7	99	43	46.2	25.9
LG 166.78.121.42:443/Memory Used					
1	35.2	69	37	35.5	15.2
LG 166.78.121.42:443/Throughput					
0	50.7	145.6	45.1	49.2	32.5
LG 166.78.121.42:443/User Load					
0	168.6	263	205	171.8	77.5
LG 166.78.121.42:443/Thread Count					
38	414.3	607	507.5	422.3	170.7
LG 166.78.121.42:443/Http client/Thread Pool used					
0.1	0.591	0.865	0.71	0.602	0.273
LG 166.78.121.42:443/Http client/Task Pool used					
0	0.034	1	0	0.018	0.091
LG 166.78.121.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.121.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.42:443/Controller Connection/Ping Duration (ms)					
156	171.1	225	165	169.1	16.1
LG 166.78.121.42:443/Network/Segments sent/sec.					
3.7	3,527	9,111	3,179	3,446	2,136
LG 166.78.121.42:443/Network/Segments retransmitted/sec.					
0	0.213	8.74	0	0.091	0.734
LG 166.78.121.42:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.42:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	55	154.7	49	53.5	34.9
LG 166.78.121.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	3.96	10.15	3.74	3.88	2.32

LG 166.78.121.49:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.49:443/CPU Load					
0	46.2	99	42	45.6	25.9
LG 166.78.121.49:443/Memory Used					
2	35.8	74	37	35.9	15.5
LG 166.78.121.49:443/Throughput					
0	50.9	148.4	43.6	49.1	33.5
LG 166.78.121.49:443/User Load					
0	170	263	207.5	173.2	77
LG 166.78.121.49:443/Thread Count					
38	428.6	660	510.5	435.1	179
LG 166.78.121.49:443/Http client/Thread Pool used					
0.1	0.642	1.04	0.75	0.648	0.308
LG 166.78.121.49:443/Http client/Task Pool used					
0	0.039	1.3	0	0.023	0.101
LG 166.78.121.49:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.49:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.49:443/Controller Connection/Ping Duration (ms)					
60	96.4	141	99	96.1	18.2
LG 166.78.121.49:443/Network/Segments sent/sec.					
5.94	3,557	11,051	3,014	3,445	2,312
LG 166.78.121.49:443/Network/Segments retransmitted/sec.					
0	0.561	41.5	0	0.173	2.72
LG 166.78.121.49:443/Network/eth1 (eth1)/Megabits received/sec.					
0.001	0.001	0.003	0.001	0.001	0.001
LG 166.78.121.49:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.49:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.2	156.5	47.2	53.4	36.1
LG 166.78.121.49:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.99	10.04	3.57	3.89	2.43

LG 166.78.121.58:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.58:443/CPU Load					
0	46	99	41	45.2	26
LG 166.78.121.58:443/Memory Used					
1	35	75	35	35	16.1
LG 166.78.121.58:443/Throughput					
0	50.8	150.3	41.7	48.8	33.4
LG 166.78.121.58:443/User Load					
0	169.4	263	207	172.6	77
LG 166.78.121.58:443/Thread Count					
38	411	628	504	417	171.3
LG 166.78.121.58:443/Http client/Thread Pool used					
0.1	0.573	0.925	0.697	0.579	0.27
LG 166.78.121.58:443/Http client/Task Pool used					
0	0.047	2.12	0	0.021	0.177
LG 166.78.121.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.121.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.58:443/Controller Connection/Ping Duration (ms)					
54	99.5	107	103	101.2	10.21
LG 166.78.121.58:443/Network/Segments sent/sec.					
6.24	3,525	9,597	3,093	3,420	2,217
LG 166.78.121.58:443/Network/Segments retransmitted/sec.					
0	0.407	33	0	0.12	2.01
LG 166.78.121.58:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.58:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	55.1	159.8	46.2	53.1	35.9
LG 166.78.121.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	3.96	10.31	3.48	3.86	2.38

LG 166.78.121.63:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.63:443/CPU Load					
0	55.9	99	55.5	55.9	21.4
LG 166.78.121.63:443/Memory Used					
2	35.7	75	36	35.7	15.7
LG 166.78.121.63:443/Throughput					
0	51.3	144	46.6	50	30.1
LG 166.78.121.63:443/User Load					
0	169.4	263	209	172.6	77.1
LG 166.78.121.63:443/Thread Count					
38	392.7	610	457.5	398.2	157.9
LG 166.78.121.63:443/Http client/Thread Pool used					
0.1	0.488	0.825	0.53	0.491	0.21
LG 166.78.121.63:443/Http client/Task Pool used					
0	0.036	0.983	0	0.021	0.089
LG 166.78.121.63:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.121.63:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.63:443/Controller Connection/Ping Duration (ms)					
55	100.8	123	103	101.9	13
LG 166.78.121.63:443/Network/Segments sent/sec.					
5.64	3,564	9,516	3,326	3,474	2,055
LG 166.78.121.63:443/Network/Segments retransmitted/sec.					
0	0.895	16.5	0.2	0.548	1.99
LG 166.78.121.63:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.63:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.63:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.6	153.3	50.5	54.2	32.5
LG 166.78.121.63:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.01	9.88	3.74	3.93	2.21

LG 166.78.121.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.64:443/CPU Load					
0	46.7	99	47	46	22.4
LG 166.78.121.64:443/Memory Used					
1	34.7	68	36	34.8	15.6
LG 166.78.121.64:443/Throughput					
0	51.3	118.1	51.5	50.6	27.5
LG 166.78.121.64:443/User Load					
0	170.9	263	210	174.1	76.7
LG 166.78.121.64:443/Thread Count					
38	368.8	591	423	372.6	149.6
LG 166.78.121.64:443/Http client/Thread Pool used					
0.1	0.38	0.76	0.36	0.376	0.172
LG 166.78.121.64:443/Http client/Task Pool used					
0	0.042	0.833	0	0.024	0.099
LG 166.78.121.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.121.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.121.64:443/Controller Connection/Ping Duration (ms)					
76	123.4	249	123	120.7	28.4
LG 166.78.121.64:443/Network/Segments sent/sec.					
5.66	3,517	8,974	3,663	3,464	1,856
LG 166.78.121.64:443/Network/Segments retransmitted/sec.					
0	0.278	12.4	0	0.124	0.967
LG 166.78.121.64:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.121.64:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.121.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.6	128.7	56	54.8	29.6
LG 166.78.121.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.98	9.46	3.97	3.93	2.05

LG 166.78.241.104:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.104:443/CPU Load					
0	47.4	99	48	47	21.6
LG 166.78.241.104:443/Memory Used					
1	34.7	65	36	35	14.9
LG 166.78.241.104:443/Throughput					
0	51.2	136.4	47.5	50.4	27.3
LG 166.78.241.104:443/User Load					
0	169.4	263	206.5	172.6	77.1
LG 166.78.241.104:443/Thread Count					
38	354.2	583	398	356.9	151.2
LG 166.78.241.104:443/Http client/Thread Pool used					
0.1	0.331	0.755	0.28	0.321	0.192
LG 166.78.241.104:443/Http client/Task Pool used					
0	0.025	0.567	0	0.013	0.065
LG 166.78.241.104:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.104:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.104:443/Controller Connection/Ping Duration (ms)					
67	92.4	155	84	90.6	20.5
LG 166.78.241.104:443/Network/Segments sent/sec.					
5.68	3,501	8,813	3,445	3,450	1,814
LG 166.78.241.104:443/Network/Segments retransmitted/sec.					
0	0.404	16	0	0.184	1.34
LG 166.78.241.104:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.104:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.104:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.4	145.6	51.4	54.6	29.4
LG 166.78.241.104:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.97	10.05	3.87	3.91	2.02

LG 166.78.241.105:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.105:443/CPU Load					
0	48.5	99	49	48	21.9
LG 166.78.241.105:443/Memory Used					
1	35.3	74	36	35.2	15.4
LG 166.78.241.105:443/Throughput					
0	51.7	126.2	50.9	51	26.3
LG 166.78.241.105:443/User Load					
0	170.4	263	209	173.6	76.8
LG 166.78.241.105:443/Thread Count					
38	350.3	556	392	353.9	149.8
LG 166.78.241.105:443/Http client/Thread Pool used					
0.1	0.3	0.62	0.215	0.293	0.178
LG 166.78.241.105:443/Http client/Task Pool used					
0	0.032	1.3	0	0.019	0.088
LG 166.78.241.105:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.105:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.105:443/Controller Connection/Ping Duration (ms)					
70	102	118	105	102.9	10.4
LG 166.78.241.105:443/Network/Segments sent/sec.					
6.06	3,530	8,683	3,491	3,481	1,805
LG 166.78.241.105:443/Network/Segments retransmitted/sec.					
0	0.316	7.69	0	0.162	0.867
LG 166.78.241.105:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.105:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.105:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56	136.4	55	55.3	28.4
LG 166.78.241.105:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4	9.42	3.87	3.96	1.99

LG 166.78.241.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.108:443/CPU Load					
0	47.9	99	47	47.7	23.1
LG 166.78.241.108:443/Memory Used					
2	34.9	69	36	35.2	15
LG 166.78.241.108:443/Throughput					
0	51.7	125	51.6	50.9	27.6
LG 166.78.241.108:443/User Load					
0	170	264	206	173.2	77.3
LG 166.78.241.108:443/Thread Count					
39	361.3	571	409	365.6	148.1
LG 166.78.241.108:443/Http client/Thread Pool used					
0.1	0.349	0.665	0.3	0.346	0.163
LG 166.78.241.108:443/Http client/Task Pool used					
0	0.021	0.317	0	0.013	0.046
LG 166.78.241.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.108:443/Controller Connection/Ping Duration (ms)					
67	111.7	131	123	113	20.2
LG 166.78.241.108:443/Network/Segments sent/sec.					
5.66	3,531	8,442	3,499	3,490	1,883
LG 166.78.241.108:443/Network/Segments retransmitted/sec.					
0	0.438	33.8	0	0.197	1.94
LG 166.78.241.108:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.108:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56	134.9	55.9	55.2	29.9
LG 166.78.241.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4	9.32	3.91	3.96	2.07

LG 166.78.241.109:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.109:443/CPU Load					
0	50.2	99	43	49.8	29.4
LG 166.78.241.109:443/Memory Used					
2	35.4	75	36	35.4	15.4
LG 166.78.241.109:443/Throughput					
0	51.2	134.6	40.6	49.6	36.1
LG 166.78.241.109:443/User Load					
0	169.9	263	207	173.1	77.3
LG 166.78.241.109:443/Thread Count					
39	446.3	677	538	453.5	189.8
LG 166.78.241.109:443/Http client/Thread Pool used					
0.1	0.711	1.13	0.86	0.72	0.351
LG 166.78.241.109:443/Http client/Task Pool used					
0	0.062	1.9	0	0.031	0.182
LG 166.78.241.109:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.109:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.109:443/Controller Connection/Ping Duration (ms)					
90	169.7	231	166	170	27.5
LG 166.78.241.109:443/Network/Segments sent/sec.					
5.67	3,706	9,994	2,964	3,623	2,439
LG 166.78.241.109:443/Network/Segments retransmitted/sec.					
0	3.56	85.1	0.729	2.43	7.42
LG 166.78.241.109:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.109:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.109:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.5	143.7	44.4	53.9	38.3
LG 166.78.241.109:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.09	9.58	3.4	4.03	2.55

LG 166.78.241.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.110:443/CPU Load					
0	48.7	99	49	48.1	21.8
LG 166.78.241.110:443/Memory Used					
2	34.5	64	36	34.7	14.6
LG 166.78.241.110:443/Throughput					
0	51.5	126.1	51.3	50.7	26.2
LG 166.78.241.110:443/User Load					
0	170.2	263	208	173.4	77
LG 166.78.241.110:443/Thread Count					
39	349.2	576	400	351.8	145
LG 166.78.241.110:443/Http client/Thread Pool used					
0.1	0.299	0.695	0.255	0.289	0.159
LG 166.78.241.110:443/Http client/Task Pool used					
0	0.029	0.45	0	0.019	0.061
LG 166.78.241.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.110:443/Controller Connection/Ping Duration (ms)					
59	105.5	146	105	105.2	12.9
LG 166.78.241.110:443/Network/Segments sent/sec.					
5.94	3,520	8,852	3,566	3,478	1,773
LG 166.78.241.110:443/Network/Segments retransmitted/sec.					
0	0.292	11.5	0	0.181	0.767
LG 166.78.241.110:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.110:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.8	135.9	55.8	55	28.3
LG 166.78.241.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.98	9.8	3.93	3.94	1.97

LG 166.78.241.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.117:443/CPU Load					
0	46.6	99	45	46.1	24.6
LG 166.78.241.117:443/Memory Used					
2	35.5	76	36	35.4	16.1
LG 166.78.241.117:443/Throughput					
0	51.1	142.8	46.8	49.8	31.6
LG 166.78.241.117:443/User Load					
0	169.9	263	207	173.1	77
LG 166.78.241.117:443/Thread Count					
39	431.8	649	521	439	178
LG 166.78.241.117:443/Http client/Thread Pool used					
0.1	0.66	1.04	0.79	0.669	0.312
LG 166.78.241.117:443/Http client/Task Pool used					
0	0.028	1.1	0	0.015	0.082
LG 166.78.241.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.117:443/Controller Connection/Ping Duration (ms)					
102	163	206	164	163.9	21.4
LG 166.78.241.117:443/Network/Segments sent/sec.					
5.68	3,534	9,141	3,383	3,460	2,081
LG 166.78.241.117:443/Network/Segments retransmitted/sec.					
0	0.375	9.12	0	0.153	1.18
LG 166.78.241.117:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.117:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.5	152.6	50.2	54.1	34
LG 166.78.241.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.98	9.97	3.67	3.9	2.29

LG 166.78.241.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.119:443/CPU Load					
0	47	98	46.5	46.4	22.3
LG 166.78.241.119:443/Memory Used					
2	34.9	65	36	35.1	15.1
LG 166.78.241.119:443/Throughput					
0	51.6	137.3	52.4	50.8	27.5
LG 166.78.241.119:443/User Load					
0	170.7	264	210.5	174	77.2
LG 166.78.241.119:443/Thread Count					
39	375.6	572	454	381.1	150
LG 166.78.241.119:443/Http client/Thread Pool used					
0.1	0.401	0.635	0.47	0.405	0.165
LG 166.78.241.119:443/Http client/Task Pool used					
0	0.042	0.533	0	0.029	0.082
LG 166.78.241.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.119:443/Controller Connection/Ping Duration (ms)					
58	109.2	246	106	105.5	31.8
LG 166.78.241.119:443/Network/Segments sent/sec.					
5.67	3,533	8,677	3,619	3,493	1,806
LG 166.78.241.119:443/Network/Segments retransmitted/sec.					
0	0.288	9.84	0	0.125	0.936
LG 166.78.241.119:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.119:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.9	144.8	56.3	55.1	29.7
LG 166.78.241.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4	9.3	4.02	3.96	2.02

LG 166.78.241.122:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.122:443/CPU Load					
0	47.4	98	43	46.9	24.1
LG 166.78.241.122:443/Memory Used					
2	35.1	70	36.5	35.3	15.3
LG 166.78.241.122:443/Throughput					
0	50.6	120.5	45.4	49.6	29.1
LG 166.78.241.122:443/User Load					
0	168.6	263	205	171.8	77.5
LG 166.78.241.122:443/Thread Count					
39	364.9	608	409.5	367.2	155.9
LG 166.78.241.122:443/Http client/Thread Pool used					
0.1	0.38	0.86	0.35	0.368	0.213
LG 166.78.241.122:443/Http client/Task Pool used					
0	0.04	0.65	0	0.024	0.089
LG 166.78.241.122:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.122:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.122:443/Controller Connection/Ping Duration (ms)					
86	160	205	166	163	19.2
LG 166.78.241.122:443/Network/Segments sent/sec.					
4.42	3,462	8,724	3,186	3,403	1,964
LG 166.78.241.122:443/Network/Segments retransmitted/sec.					
0	0.481	14.9	0	0.203	1.47
LG 166.78.241.122:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.122:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.122:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	54.8	130.4	49.5	53.9	31.4
LG 166.78.241.122:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	3.93	9.17	3.65	3.87	2.16

LG 166.78.241.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.29:443/CPU Load					
0	47.8	98	47	47.3	21.6
LG 166.78.241.29:443/Memory Used					
1	34.9	71	36	35	15.2
LG 166.78.241.29:443/Throughput					
0	51.2	129.9	50.7	50.5	25.9
LG 166.78.241.29:443/User Load					
0	170	263	207	173.2	76.8
LG 166.78.241.29:443/Thread Count					
38	348.7	565	404	351.4	145.4
LG 166.78.241.29:443/Http client/Thread Pool used					
0.1	0.296	0.64	0.275	0.288	0.152
LG 166.78.241.29:443/Http client/Task Pool used					
0	0.027	0.55	0	0.017	0.061
LG 166.78.241.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.29:443/Controller Connection/Ping Duration (ms)					
56	104	221	104	101.5	26.8
LG 166.78.241.29:443/Network/Segments sent/sec.					
5.68	3,501	8,403	3,473	3,458	1,768
LG 166.78.241.29:443/Network/Segments retransmitted/sec.					
0	0.247	8.09	0	0.112	0.78
LG 166.78.241.29:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.29:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.5	140.6	54.9	54.8	28.1
LG 166.78.241.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.98	9.72	3.94	3.94	1.96

LG 166.78.241.36:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.36:443/CPU Load					
0	50.2	99	44	49.9	28.7
LG 166.78.241.36:443/Memory Used					
1	35.5	76	36	35.5	15.4
LG 166.78.241.36:443/Throughput					
0	51.6	144.5	43.1	49.7	35.6
LG 166.78.241.36:443/User Load					
0	170.6	264	210	173.9	77.3
LG 166.78.241.36:443/Thread Count					
38	482.5	736	580.5	490.8	212.1
LG 166.78.241.36:443/Http client/Thread Pool used					
0.1	0.867	1.38	1.05	0.881	0.448
LG 166.78.241.36:443/Http client/Task Pool used					
0	0.047	1.18	0	0.025	0.123
LG 166.78.241.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.36:443/Controller Connection/Ping Duration (ms)					
80	102.6	165	90	100.8	21.5
LG 166.78.241.36:443/Network/Segments sent/sec.					
6.72	3,732	8,592	3,134	3,666	2,384
LG 166.78.241.36:443/Network/Segments retransmitted/sec.					
0	3.61	77.4	0.599	2.54	7.11
LG 166.78.241.36:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.36:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0.01	55.9	152.7	46.9	54.1	37.9
LG 166.78.241.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	4.13	9.29	3.59	4.07	2.49

LG 166.78.241.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.37:443/CPU Load					
0	50.9	99	46	50.6	27
LG 166.78.241.37:443/Memory Used					
1	35.2	66	37	35.4	15.2
LG 166.78.241.37:443/Throughput					
0	51.1	132.3	44.5	50.2	31.1
LG 166.78.241.37:443/User Load					
0	169.5	263	206.5	172.7	77.2
LG 166.78.241.37:443/Thread Count					
38	423.6	657	507.5	429.4	178.9
LG 166.78.241.37:443/Http client/Thread Pool used					
0.1	0.622	1.04	0.75	0.626	0.301
LG 166.78.241.37:443/Http client/Task Pool used					
0	0.036	0.717	0	0.023	0.077
LG 166.78.241.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.37:443/Controller Connection/Ping Duration (ms)					
88	159.5	204	165	162	18.2
LG 166.78.241.37:443/Network/Segments sent/sec.					
5.68	3,609	8,342	3,378	3,557	2,112
LG 166.78.241.37:443/Network/Segments retransmitted/sec.					
0	3.11	56.4	0.6	1.99	6.58
LG 166.78.241.37:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.37:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.4	142.9	48.3	54.5	33.3
LG 166.78.241.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.03	9.21	3.66	3.99	2.28

LG 166.78.241.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.42:443/CPU Load					
0	50.3	99	48.5	49.9	26
LG 166.78.241.42:443/Memory Used					
2	35.1	76	36	35.1	16
LG 166.78.241.42:443/Throughput					
0	50.6	127	48.6	49.8	29.2
LG 166.78.241.42:443/User Load					
0	169.2	263	206.5	172.4	77.1
LG 166.78.241.42:443/Thread Count					
38	391.9	608	454	397	161.4
LG 166.78.241.42:443/Http client/Thread Pool used					
0.1	0.486	0.86	0.527	0.486	0.23
LG 166.78.241.42:443/Http client/Task Pool used					
0	0.034	0.483	0	0.019	0.078
LG 166.78.241.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.42:443/Controller Connection/Ping Duration (ms)					
68	103.6	214	102	102.6	13.1
LG 166.78.241.42:443/Network/Segments sent/sec.					
4.97	3,561	8,838	3,478	3,503	2,033
LG 166.78.241.42:443/Network/Segments retransmitted/sec.					
0	2.7	38.6	0.598	1.85	5.17
LG 166.78.241.42:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.42:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	54.9	135.8	53.7	54	31.4
LG 166.78.241.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.98	9.3	3.91	3.93	2.17

LG 166.78.241.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.45:443/CPU Load					
0	48.2	98	48	47.7	21.6
LG 166.78.241.45:443/Memory Used					
1	35.1	74	36	35.2	14.8
LG 166.78.241.45:443/Throughput					
0	51.4	132.7	50.8	50.4	26.9
LG 166.78.241.45:443/User Load					
0	169.5	263	205	172.7	77.1
LG 166.78.241.45:443/Thread Count					
38	349.3	578	390.5	351.5	149.4
LG 166.78.241.45:443/Http client/Thread Pool used					
0.1	0.304	0.7	0.257	0.292	0.178
LG 166.78.241.45:443/Http client/Task Pool used					
0	0.02	0.3	0	0.011	0.046
LG 166.78.241.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.45:443/Controller Connection/Ping Duration (ms)					
126	160.1	168	163	161.5	9.59
LG 166.78.241.45:443/Network/Segments sent/sec.					
5.68	3,513	8,893	3,428	3,462	1,816
LG 166.78.241.45:443/Network/Segments retransmitted/sec.					
0	0.505	48.6	0	0.164	2.77
LG 166.78.241.45:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.45:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.7	141.1	55.2	54.7	29
LG 166.78.241.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.98	9.58	3.85	3.93	2

LG 166.78.241.69:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.69:443/CPU Load					
0	50.7	99	47	50.2	24.7
LG 166.78.241.69:443/Memory Used					
1	35	77	36	35.1	15.5
LG 166.78.241.69:443/Throughput					
0	51.2	131.2	48.6	50.2	27.8
LG 166.78.241.69:443/User Load					
0	169.6	263	205	172.9	77.2
LG 166.78.241.69:443/Thread Count					
38	370.2	660	397	370.2	168.7
LG 166.78.241.69:443/Http client/Thread Pool used					
0.1	0.387	1.03	0.28	0.367	0.275
LG 166.78.241.69:443/Http client/Task Pool used					
0	0.054	1.73	0	0.027	0.158
LG 166.78.241.69:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.69:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.69:443/Controller Connection/Ping Duration (ms)					
90	135.3	202	125	133.6	22.4
LG 166.78.241.69:443/Network/Segments sent/sec.					
5.68	3,609	9,132	3,458	3,547	1,956
LG 166.78.241.69:443/Network/Segments retransmitted/sec.					
0	2.53	40.4	0.515	1.59	5.33
LG 166.78.241.69:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.69:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.69:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.5	142.4	52.7	54.5	29.9
LG 166.78.241.69:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.04	9.02	3.89	3.99	2.09

LG 166.78.241.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.83:443/CPU Load					
0	48.2	98	48	48	23.7
LG 166.78.241.83:443/Memory Used					
2	35.7	76	36	35.4	16.5
LG 166.78.241.83:443/Throughput					
0	50.9	123.6	49.8	50.6	27.4
LG 166.78.241.83:443/User Load					
0	169.5	263	207	172.7	77.3
LG 166.78.241.83:443/Thread Count					
38	379.2	609	442.5	383.1	160.9
LG 166.78.241.83:443/Http client/Thread Pool used					
0.1	0.433	0.885	0.435	0.426	0.228
LG 166.78.241.83:443/Http client/Task Pool used					
0	0.047	1.07	0	0.028	0.11
LG 166.78.241.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.83:443/Controller Connection/Ping Duration (ms)					
56	107.1	179	106	105.9	28.3
LG 166.78.241.83:443/Network/Segments sent/sec.					
5.77	3,496	8,407	3,483	3,472	1,884
LG 166.78.241.83:443/Network/Segments retransmitted/sec.					
0	0.428	14.9	0	0.251	1.11
LG 166.78.241.83:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.83:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.2	134.9	54.3	54.9	29.7
LG 166.78.241.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.96	9.27	3.94	3.93	2.06

LG 166.78.241.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 166.78.241.93:443/CPU Load					
0	49.8	99	49	49.3	24.1
LG 166.78.241.93:443/Memory Used					
2	35.2	73	36	35.3	15.5
LG 166.78.241.93:443/Throughput					
0	51.1	131.9	49.6	50.4	28.5
LG 166.78.241.93:443/User Load					
0	169.5	263	207	172.7	77.1
LG 166.78.241.93:443/Thread Count					
38	377.4	595	436	381.8	156.3
LG 166.78.241.93:443/Http client/Thread Pool used					
0.1	0.43	0.765	0.44	0.429	0.196
LG 166.78.241.93:443/Http client/Task Pool used					
0	0.06	1.03	0	0.035	0.14
LG 166.78.241.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 166.78.241.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 166.78.241.93:443/Controller Connection/Ping Duration (ms)					
58	104.3	142	104	104.6	11.9
LG 166.78.241.93:443/Network/Segments sent/sec.					
5.68	3,619	9,004	3,612	3,567	1,955
LG 166.78.241.93:443/Network/Segments retransmitted/sec.					
0	2.9	36.5	0.801	2.04	5.35
LG 166.78.241.93:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 166.78.241.93:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 166.78.241.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.4	141.8	52.8	54.7	30.4
LG 166.78.241.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.04	11.1	3.88	3.99	2.13

LG 192.237.187.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.187.175:443/CPU Load					
0	35.6	99	33.5	34.6	20.1
LG 192.237.187.175:443/Memory Used					
2	35.1	74	35	35.2	15.9
LG 192.237.187.175:443/Throughput					
0	51	166.1	45	48.4	34
LG 192.237.187.175:443/User Load					
0	169.7	263	207	172.9	77.1
LG 192.237.187.175:443/Thread Count					
38	406.3	600	489	413.5	165.3
LG 192.237.187.175:443/Http client/Thread Pool used					
0.1	0.532	0.79	0.635	0.541	0.241
LG 192.237.187.175:443/Http client/Task Pool used					
0	0.022	1.1	0	0.01	0.076
LG 192.237.187.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 192.237.187.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.187.175:443/Controller Connection/Ping Duration (ms)					
55	127.9	148	140	130.6	26.2
LG 192.237.187.175:443/Network/Segments sent/sec.					
5.94	3,486	12,198	3,201	3,368	2,146
LG 192.237.187.175:443/Network/Segments retransmitted/sec.					
0	0.467	15.8	0	0.173	1.63
LG 192.237.187.175:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.187.175:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.187.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.2	178.7	49.1	52.6	36.2
LG 192.237.187.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	3.95	12.1	3.7	3.82	2.36

LG 192.237.187.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.187.178:443/CPU Load					
0	34.7	91	34	34.2	16.7
LG 192.237.187.178:443/Memory Used					
2	35.3	70	36	35.5	15
LG 192.237.187.178:443/Throughput					
0	51.3	162.2	50.7	50.6	26.3
LG 192.237.187.178:443/User Load					
0	169.4	263	208.5	172.6	77.1
LG 192.237.187.178:443/Thread Count					
38	332.9	531	387	336.2	137.5
LG 192.237.187.178:443/Http client/Thread Pool used					
0.1	0.227	0.475	0.203	0.222	0.117
LG 192.237.187.178:443/Http client/Task Pool used					
0	0.032	0.733	0	0.015	0.093
LG 192.237.187.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.187.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.187.178:443/Controller Connection/Ping Duration (ms)					
80	106.8	128	120	107.1	18.7
LG 192.237.187.178:443/Network/Segments sent/sec.					
3.69	3,468	9,881	3,536	3,437	1,719
LG 192.237.187.178:443/Network/Segments retransmitted/sec.					
0	0.132	2.42	0	0.067	0.347
LG 192.237.187.178:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.187.178:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.187.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	55.5	174.8	55.1	54.8	28.3
LG 192.237.187.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	3.96	11.3	4	3.92	1.94

LG 192.237.187.193:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.187.193:443/CPU Load					
0	40.6	98	40	39.7	22.5
LG 192.237.187.193:443/Memory Used					
2	34.5	66	35	34.7	14.9
LG 192.237.187.193:443/Throughput					
0	51	132.6	48.8	49.8	28.9
LG 192.237.187.193:443/User Load					
0	169.8	263	209	173	77.2
LG 192.237.187.193:443/Thread Count					
38	366.3	573	425.5	371.2	149.1
LG 192.237.187.193:443/Http client/Thread Pool used					
0.1	0.371	0.68	0.365	0.37	0.166
LG 192.237.187.193:443/Http client/Task Pool used					
0	0.033	1.33	0	0.019	0.091
LG 192.237.187.193:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 192.237.187.193:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.187.193:443/Controller Connection/Ping Duration (ms)					
81	121.4	136	123	122.4	10.3
LG 192.237.187.193:443/Network/Segments sent/sec.					
5.99	3,566	9,628	3,394	3,466	2,082
LG 192.237.187.193:443/Network/Segments retransmitted/sec.					
0	2.65	142	0.602	1.69	8.22
LG 192.237.187.193:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.187.193:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.187.193:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.3	144.1	53	54	31.2
LG 192.237.187.193:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4.02	10.27	3.93	3.92	2.24

LG 192.237.187.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.187.71:443/CPU Load					
0	36.6	89	35	36	17.3
LG 192.237.187.71:443/Memory Used					
1	35	74	36	35.2	15
LG 192.237.187.71:443/Throughput					
0	51.7	167.8	52.9	50.9	26.2
LG 192.237.187.71:443/User Load					
0	170.6	263	210	173.9	76.8
LG 192.237.187.71:443/Thread Count					
38	339.8	545	386.5	342.9	140.7
LG 192.237.187.71:443/Http client/Thread Pool used					
0.1	0.249	0.57	0.185	0.24	0.139
LG 192.237.187.71:443/Http client/Task Pool used					
0	0.029	0.55	0	0.018	0.068
LG 192.237.187.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 192.237.187.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.187.71:443/Controller Connection/Ping Duration (ms)					
70	132.8	188	123	133.4	29
LG 192.237.187.71:443/Network/Segments sent/sec.					
5.67	3,501	9,466	3,580	3,472	1,730
LG 192.237.187.71:443/Network/Segments retransmitted/sec.					
0	0.677	11.4	0.194	0.444	1.37
LG 192.237.187.71:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.187.71:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.187.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.9	179.5	57.3	55.1	28.3
LG 192.237.187.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4	11.3	4.06	3.95	1.96

LG 192.237.188.25:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.188.25:443/CPU Load					
0	40.8	99	40	40	20.2
LG 192.237.188.25:443/Memory Used					
1	35.3	66	37	35.6	14.9
LG 192.237.188.25:443/Throughput					
0	50.9	130	51	50.1	26
LG 192.237.188.25:443/User Load					
0	169.8	263	208.5	173.1	77.1
LG 192.237.188.25:443/Thread Count					
39	346.3	571	390	348.5	148.4
LG 192.237.188.25:443/Http client/Thread Pool used					
0.1	0.286	0.695	0.207	0.273	0.177
LG 192.237.188.25:443/Http client/Task Pool used					
0	0.045	4.18	0	0.018	0.236
LG 192.237.188.25:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.188.25:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.188.25:443/Controller Connection/Ping Duration (ms)					
86	125.4	164	122	125	13.4
LG 192.237.188.25:443/Network/Segments sent/sec.					
5.97	3,524	10,106	3,534	3,471	1,810
LG 192.237.188.25:443/Network/Segments retransmitted/sec.					
0	1.72	21.6	0.604	1.3	2.78
LG 192.237.188.25:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.188.25:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.188.25:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.1	139.9	55.4	54.2	28.1
LG 192.237.188.25:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.98	10	3.9	3.93	1.98

LG 192.237.188.36:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.188.36:443/CPU Load					
0	37.4	98	33	36.3	22.8
LG 192.237.188.36:443/Memory Used					
2	35.8	74	35	35.8	16.2
LG 192.237.188.36:443/Throughput					
0	51.3	166.5	44.1	49.1	34.3
LG 192.237.188.36:443/User Load					
0	169.2	263	206	172.4	77.2
LG 192.237.188.36:443/Thread Count					
38	431.5	664	489	438.1	186.6
LG 192.237.188.36:443/Http client/Thread Pool used					
0.1	0.669	1.15	0.66	0.674	0.351
LG 192.237.188.36:443/Http client/Task Pool used					
0	0.025	0.35	0	0.015	0.057
LG 192.237.188.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 192.237.188.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.188.36:443/Controller Connection/Ping Duration (ms)					
63	98.8	143	102	98.5	18.7
LG 192.237.188.36:443/Network/Segments sent/sec.					
6.43	3,506	10,404	3,015	3,392	2,253
LG 192.237.188.36:443/Network/Segments retransmitted/sec.					
0	0.345	5.63	0	0.22	0.725
LG 192.237.188.36:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.188.36:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.188.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.5	174.5	47.7	53.2	36.8
LG 192.237.188.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.97	11.7	3.45	3.85	2.44

LG 192.237.188.55:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.188.55:443/CPU Load					
0	34.3	95	31	33.2	20.6
LG 192.237.188.55:443/Memory Used					
1	35.8	72	37	35.9	15.6
LG 192.237.188.55:443/Throughput					
0	50.8	176	42.6	48.6	34
LG 192.237.188.55:443/User Load					
0	169.3	263	206.5	172.5	77.1
LG 192.237.188.55:443/Thread Count					
39	407.6	696	484	410.7	173.2
LG 192.237.188.55:443/Http client/Thread Pool used					
0.1	0.544	1.26	0.603	0.533	0.289
LG 192.237.188.55:443/Http client/Task Pool used					
0	0.042	5.02	0	0.018	0.267
LG 192.237.188.55:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 192.237.188.55:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.188.55:443/Controller Connection/Ping Duration (ms)					
55	74.6	129	66	72.6	19.5
LG 192.237.188.55:443/Network/Segments sent/sec.					
5.97	3,474	10,064	3,133	3,370	2,172
LG 192.237.188.55:443/Network/Segments retransmitted/sec.					
0	0.248	8.71	0	0.151	0.63
LG 192.237.188.55:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.188.55:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.188.55:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55	182.9	46.7	52.7	36.4
LG 192.237.188.55:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.94	11.1	3.56	3.83	2.37

LG 192.237.188.61:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.188.61:443/CPU Load					
0	37.2	93	33	36.3	22.6
LG 192.237.188.61:443/Memory Used					
1	35.8	68	37	36.1	15.2
LG 192.237.188.61:443/Throughput					
0	50.8	134.5	44.9	49.5	32.4
LG 192.237.188.61:443/User Load					
0	169.3	263	206	172.5	77.2
LG 192.237.188.61:443/Thread Count					
39	408.3	594	484	415.9	170.6
LG 192.237.188.61:443/Http client/Thread Pool used					
0.1	0.553	0.855	0.605	0.56	0.266
LG 192.237.188.61:443/Http client/Task Pool used					
0	0.025	0.517	0	0.012	0.066
LG 192.237.188.61:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.188.61:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.188.61:443/Controller Connection/Ping Duration (ms)					
54	80.4	145	69	78.7	20.9
LG 192.237.188.61:443/Network/Segments sent/sec.					
5.99	3,460	9,132	3,104	3,386	2,139
LG 192.237.188.61:443/Network/Segments retransmitted/sec.					
0	0.366	11.3	0	0.202	0.994
LG 192.237.188.61:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.188.61:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.188.61:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55	146.9	48.8	53.7	35
LG 192.237.188.61:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.93	10.18	3.69	3.86	2.33

LG 192.237.188.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 192.237.188.62:443/CPU Load					
0	40.9	99	36.5	39.8	23.4
LG 192.237.188.62:443/Memory Used					
2	35.7	67	37	35.8	15.2
LG 192.237.188.62:443/Throughput					
0	51.6	167.1	45.2	49.3	33.1
LG 192.237.188.62:443/User Load					
0	170.1	263	209.5	173.3	76.7
LG 192.237.188.62:443/Thread Count					
39	399.8	626	469.5	404.9	169.2
LG 192.237.188.62:443/Http client/Thread Pool used					
0.1	0.515	0.86	0.545	0.518	0.253
LG 192.237.188.62:443/Http client/Task Pool used					
0	0.032	0.45	0	0.02	0.069
LG 192.237.188.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 192.237.188.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 192.237.188.62:443/Controller Connection/Ping Duration (ms)					
71	100.8	132	102	101	11.4
LG 192.237.188.62:443/Network/Segments sent/sec.					
6.01	3,621	9,905	3,376	3,509	2,180
LG 192.237.188.62:443/Network/Segments retransmitted/sec.					
0	3.1	59.9	0.593	1.98	6.64
LG 192.237.188.62:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 192.237.188.62:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 192.237.188.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.9	177.8	49.9	53.4	35.4
LG 192.237.188.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4.05	10.91	3.75	3.93	2.36

LG 198.61.181.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 198.61.181.5:443/CPU Load					
0	58.6	99	59.5	58.9	19.9
LG 198.61.181.5:443/Memory Used					
1	35.5	71	37	35.7	15.1
LG 198.61.181.5:443/Throughput					
0	51.1	121.8	47.8	50.4	26.5
LG 198.61.181.5:443/User Load					
0	169.6	263	208.5	172.8	77.2
LG 198.61.181.5:443/Thread Count					
39	349.2	542	401	353.2	142.5
LG 198.61.181.5:443/Http client/Thread Pool used					
0.1	0.304	0.57	0.275	0.299	0.144
LG 198.61.181.5:443/Http client/Task Pool used					
0	0.029	0.333	0	0.019	0.06
LG 198.61.181.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 198.61.181.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 198.61.181.5:443/Controller Connection/Ping Duration (ms)					
82	117.9	181	123	118.4	15.5
LG 198.61.181.5:443/Network/Segments sent/sec.					
4.44	3,537	8,667	3,491	3,502	1,801
LG 198.61.181.5:443/Network/Segments retransmitted/sec.					
0	1.41	20.8	0.403	1.06	2.36
LG 198.61.181.5:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 198.61.181.5:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 198.61.181.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	55.3	132	52.1	54.7	28.6
LG 198.61.181.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	3.99	9.65	3.77	3.95	2

LG 198.61.181.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 198.61.181.6:443/CPU Load					
0	58.3	99	56.5	58.8	25.4
LG 198.61.181.6:443/Memory Used					
1	35.2	71	37	35.3	15.1
LG 198.61.181.6:443/Throughput					
0	51.6	190.6	42	49.9	35.4
LG 198.61.181.6:443/User Load					
0	170.4	263	208.5	173.6	76.7
LG 198.61.181.6:443/Thread Count					
39	419.6	648	486	425.8	168.3
LG 198.61.181.6:443/Http client/Thread Pool used					
0.1	0.598	1.03	0.655	0.601	0.268
LG 198.61.181.6:443/Http client/Task Pool used					
0	0.052	0.933	0	0.027	0.136
LG 198.61.181.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 198.61.181.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 198.61.181.6:443/Controller Connection/Ping Duration (ms)					
89	170.3	613	166	160.3	73.8
LG 198.61.181.6:443/Network/Segments sent/sec.					
6.43	3,672	10,628	3,037	3,581	2,412
LG 198.61.181.6:443/Network/Segments retransmitted/sec.					
0	3.54	94.1	0.475	2.29	7.99
LG 198.61.181.6:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 198.61.181.6:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 198.61.181.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	56	189.5	45.2	54.3	38
LG 198.61.181.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4.1	13.5	3.5	4	2.58

LG 67.207.157.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.19:443/CPU Load					
0	40.3	98	36	39.5	23.3
LG 67.207.157.19:443/Memory Used					
1	35	74	36	35.1	15.3
LG 67.207.157.19:443/Throughput					
0	51	140	43.7	49.6	32.1
LG 67.207.157.19:443/User Load					
0	170.2	263	209	173.4	76.7
LG 67.207.157.19:443/Thread Count					
38	435.7	638	531	443.9	175.6
LG 67.207.157.19:443/Http client/Thread Pool used					
0.1	0.682	0.955	0.835	0.698	0.314
LG 67.207.157.19:443/Http client/Task Pool used					
0	0.023	0.5	0	0.012	0.058
LG 67.207.157.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.19:443/Controller Connection/Ping Duration (ms)					
102	112	184	106	108.6	20.2
LG 67.207.157.19:443/Network/Segments sent/sec.					
5.91	3,619	10,100	3,188	3,531	2,239
LG 67.207.157.19:443/Network/Segments retransmitted/sec.					
0	3.52	58.2	0.401	2.37	7.11
LG 67.207.157.19:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.19:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.2	148.3	47.5	53.8	34.4
LG 67.207.157.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4.04	10.85	3.72	3.94	2.38

LG 67.207.157.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.20:443/CPU Load					
0	37.6	88	38	36.9	19.2
LG 67.207.157.20:443/Memory Used					
1	34.8	72	36	34.9	15.2
LG 67.207.157.20:443/Throughput					
0	51.4	137.7	52.6	50.5	27.9
LG 67.207.157.20:443/User Load					
0	170.2	263	208	173.4	76.8
LG 67.207.157.20:443/Thread Count					
38	378.5	564	443.5	384.6	151.3
LG 67.207.157.20:443/Http client/Thread Pool used					
0.1	0.405	0.61	0.475	0.411	0.169
LG 67.207.157.20:443/Http client/Task Pool used					
0	0.027	0.5	0	0.013	0.075
LG 67.207.157.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.20:443/Controller Connection/Ping Duration (ms)					
62	125.6	147	143	127.9	28.6
LG 67.207.157.20:443/Network/Segments sent/sec.					
6.02	3,494	8,737	3,546	3,451	1,839
LG 67.207.157.20:443/Network/Segments retransmitted/sec.					
0	0.396	10.6	0	0.227	0.967
LG 67.207.157.20:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.20:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.7	150.6	57	54.7	30
LG 67.207.157.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	3.98	9.71	4.06	3.93	2.04

LG 67.207.157.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.21:443/CPU Load					
0	37.7	99	31	36.6	24.6
LG 67.207.157.21:443/Memory Used					
2	34.9	69	36	35.1	14.8
LG 67.207.157.21:443/Throughput					
0	51.4	167.1	40.5	48.5	38.7
LG 67.207.157.21:443/User Load					
0	170.8	264	208.5	174	76.8
LG 67.207.157.21:443/Thread Count					
38	446.4	662	538.5	454.6	189.7
LG 67.207.157.21:443/Http client/Thread Pool used					
0.1	0.699	1.06	0.835	0.711	0.344
LG 67.207.157.21:443/Http client/Task Pool used					
0	0.023	0.35	0	0.012	0.058
LG 67.207.157.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.21:443/Controller Connection/Ping Duration (ms)					
77	107	145	105	106.3	11.2
LG 67.207.157.21:443/Network/Segments sent/sec.					
6.02	3,516	10,929	2,876	3,392	2,506
LG 67.207.157.21:443/Network/Segments retransmitted/sec.					
0	0.616	14	0	0.363	1.46
LG 67.207.157.21:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.21:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.6	179.2	43.8	52.7	41.6
LG 67.207.157.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.98	11.3	3.37	3.86	2.66

LG 67.207.157.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.24:443/CPU Load					
0	37	98	36	36.2	18.8
LG 67.207.157.24:443/Memory Used					
1	35.6	76	37	35.8	15.3
LG 67.207.157.24:443/Throughput					
0	51.4	151.2	51	50.5	26.7
LG 67.207.157.24:443/User Load					
0	169.6	263	207	172.8	77.1
LG 67.207.157.24:443/Thread Count					
38	344.7	562	397.5	347.2	143.3
LG 67.207.157.24:443/Http client/Thread Pool used					
0.1	0.278	0.63	0.26	0.268	0.151
LG 67.207.157.24:443/Http client/Task Pool used					
0	0.024	0.5	0	0.014	0.059
LG 67.207.157.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.24:443/Controller Connection/Ping Duration (ms)					
72	108	1,546	104	104.1	76.8
LG 67.207.157.24:443/Network/Segments sent/sec.					
5.95	3,482	10,087	3,508	3,425	1,806
LG 67.207.157.24:443/Network/Segments retransmitted/sec.					
0	0.352	17	0	0.195	1.08
LG 67.207.157.24:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.24:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.6	162.9	55.2	54.7	28.9
LG 67.207.157.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.97	11	3.97	3.91	2.01

LG 67.207.157.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.33:443/CPU Load					
0	35.2	97	33.5	33.9	21
LG 67.207.157.33:443/Memory Used					
1	35.7	80	36	35.7	16.7
LG 67.207.157.33:443/Throughput					
0	51.3	171.8	44.8	48.5	34.8
LG 67.207.157.33:443/User Load					
0	169.5	263	208	172.7	77.2
LG 67.207.157.33:443/Thread Count					
38	433.4	634	539.5	441.8	180.6
LG 67.207.157.33:443/Http client/Thread Pool used					
0.1	0.668	0.975	0.845	0.682	0.32
LG 67.207.157.33:443/Http client/Task Pool used					
0	0.024	1.12	0	0.011	0.081
LG 67.207.157.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.33:443/Controller Connection/Ping Duration (ms)					
66	118	142	122	119.5	16.2
LG 67.207.157.33:443/Network/Segments sent/sec.					
2.95	3,491	10,733	3,272	3,357	2,174
LG 67.207.157.33:443/Network/Segments retransmitted/sec.					
0	0.209	9.26	0	0.1	0.674
LG 67.207.157.33:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.33:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	55.5	183	49	52.6	37.4
LG 67.207.157.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	3.97	11.7	3.77	3.82	2.4

LG 67.207.157.34:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.34:443/CPU Load					
0	40.4	98	35	39.4	24.9
LG 67.207.157.34:443/Memory Used					
2	35.5	73	36	35.6	15.3
LG 67.207.157.34:443/Throughput					
0	51.3	147.3	43.4	49.3	34.2
LG 67.207.157.34:443/User Load					
0	169.8	263	207	173.1	77
LG 67.207.157.34:443/Thread Count					
38	423.4	665	498	429.1	181
LG 67.207.157.34:443/Http client/Thread Pool used					
0.1	0.621	1.08	0.675	0.624	0.315
LG 67.207.157.34:443/Http client/Task Pool used					
0	0.026	0.567	0	0.014	0.066
LG 67.207.157.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.34:443/Controller Connection/Ping Duration (ms)					
65	119.1	161	121	119.7	18.3
LG 67.207.157.34:443/Network/Segments sent/sec.					
5.93	3,662	10,334	2,980	3,542	2,442
LG 67.207.157.34:443/Network/Segments retransmitted/sec.					
0	3.6	89.1	0.4	2.22	8.89
LG 67.207.157.34:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.34:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.6	158.5	47.2	53.5	36.7
LG 67.207.157.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	4.08	10.95	3.53	3.96	2.55

LG 67.207.157.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.35:443/CPU Load					
0	40.2	98	36	39.2	25.1
LG 67.207.157.35:443/Memory Used					
2	35.7	73	36	35.9	15.3
LG 67.207.157.35:443/Throughput					
0	51.1	148	42.5	48.9	36.1
LG 67.207.157.35:443/User Load					
0	170	263	208	173.2	76.7
LG 67.207.157.35:443/Thread Count					
38	416.5	634	511	423.8	171.9
LG 67.207.157.35:443/Http client/Thread Pool used					
0.1	0.588	0.935	0.725	0.597	0.275
LG 67.207.157.35:443/Http client/Task Pool used					
0	0.05	1.67	0	0.022	0.153
LG 67.207.157.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.35:443/Controller Connection/Ping Duration (ms)					
66	119.6	150	122	121.3	15.3
LG 67.207.157.35:443/Network/Segments sent/sec.					
5.67	3,618	9,940	3,155	3,504	2,374
LG 67.207.157.35:443/Network/Segments retransmitted/sec.					
0	3.64	49.1	0.747	2.64	6.35
LG 67.207.157.35:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.35:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.4	157.5	46.4	53.1	38.4
LG 67.207.157.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.04	10.47	3.49	3.93	2.56

LG 67.207.157.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.37:443/CPU Load					
0	40.6	97	37	40.2	21.5
LG 67.207.157.37:443/Memory Used					
1	35.3	69	36	35.4	15.1
LG 67.207.157.37:443/Throughput					
0	51.1	140.9	47.9	50.3	29.1
LG 67.207.157.37:443/User Load					
0	170.1	263	207	173.4	76.9
LG 67.207.157.37:443/Thread Count					
38	404.1	591	502	411.6	165
LG 67.207.157.37:443/Http client/Thread Pool used					
0.1	0.537	0.785	0.665	0.547	0.244
LG 67.207.157.37:443/Http client/Task Pool used					
0	0.032	0.483	0	0.018	0.074
LG 67.207.157.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.37:443/Controller Connection/Ping Duration (ms)					
89	168.2	237	165	169	42.4
LG 67.207.157.37:443/Network/Segments sent/sec.					
6.7	3,562	9,279	3,441	3,522	1,954
LG 67.207.157.37:443/Network/Segments retransmitted/sec.					
0	2.66	29.5	0.8	2.05	4.21
LG 67.207.157.37:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.37:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.3	150.2	52.1	54.5	31.2
LG 67.207.157.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4.01	10.17	3.86	3.96	2.15

LG 67.207.157.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.42:443/CPU Load					
0	40.4	93	41	39.9	19.8
LG 67.207.157.42:443/Memory Used					
2	35.1	67	36	35.4	14.5
LG 67.207.157.42:443/Throughput					
0	51	115.5	50.2	50.7	25.4
LG 67.207.157.42:443/User Load					
0	169.5	263	207	172.7	77.2
LG 67.207.157.42:443/Thread Count					
38	338	537	373	341.4	141.3
LG 67.207.157.42:443/Http client/Thread Pool used					
0.1	0.251	0.5	0.17	0.245	0.14
LG 67.207.157.42:443/Http client/Task Pool used					
0	0.036	0.867	0	0.018	0.1
LG 67.207.157.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.42:443/Controller Connection/Ping Duration (ms)					
86	153.7	175	164	156.4	23.2
LG 67.207.157.42:443/Network/Segments sent/sec.					
4.89	3,510	7,815	3,422	3,496	1,739
LG 67.207.157.42:443/Network/Segments retransmitted/sec.					
0	1.38	12.1	0.413	1.05	2.18
LG 67.207.157.42:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.42:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	55.3	124	54.4	54.9	27.4
LG 67.207.157.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	3.98	8.64	3.94	3.96	1.92

LG 67.207.157.47:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.47:443/CPU Load					
0	40.6	95	40	40	21.6
LG 67.207.157.47:443/Memory Used					
1	35.3	73	37	35.4	15.4
LG 67.207.157.47:443/Throughput					
0	50.7	123.4	49.6	50	28
LG 67.207.157.47:443/User Load					
0	169.5	263	206.5	172.7	77.1
LG 67.207.157.47:443/Thread Count					
38	391.1	587	472	397.3	156.5
LG 67.207.157.47:443/Http client/Thread Pool used					
0.1	0.474	0.74	0.548	0.48	0.206
LG 67.207.157.47:443/Http client/Task Pool used					
0	0.027	0.65	0	0.018	0.062
LG 67.207.157.47:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.47:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.47:443/Controller Connection/Ping Duration (ms)					
87	157.9	210	164	158.7	30.8
LG 67.207.157.47:443/Network/Segments sent/sec.					
5.65	3,524	8,296	3,532	3,484	1,907
LG 67.207.157.47:443/Network/Segments retransmitted/sec.					
0	2.39	31.6	0.799	1.81	3.89
LG 67.207.157.47:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.47:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.47:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	54.9	132.1	53.7	54.1	30.1
LG 67.207.157.47:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	3.97	9.29	3.96	3.93	2.08

LG 67.207.157.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.51:443/CPU Load					
0	37.5	89	35.5	36.9	18.2
LG 67.207.157.51:443/Memory Used					
1	35.5	73	36.5	35.5	15.8
LG 67.207.157.51:443/Throughput					
0	51.2	129.9	51.6	50.6	25.8
LG 67.207.157.51:443/User Load					
0	169.1	263	205	172.4	77.6
LG 67.207.157.51:443/Thread Count					
38	339.7	533	395.5	343.5	139.1
LG 67.207.157.51:443/Http client/Thread Pool used					
0.1	0.259	0.515	0.26	0.254	0.121
LG 67.207.157.51:443/Http client/Task Pool used					
0	0.028	0.767	0	0.014	0.077
LG 67.207.157.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.51:443/Controller Connection/Ping Duration (ms)					
86	173.5	315	202	173.6	46.5
LG 67.207.157.51:443/Network/Segments sent/sec.					
5.99	3,457	8,690	3,490	3,431	1,716
LG 67.207.157.51:443/Network/Segments retransmitted/sec.					
0	0.344	7.41	0	0.183	0.906
LG 67.207.157.51:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.51:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.4	139.5	55.8	54.9	27.8
LG 67.207.157.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.95	9.83	4.02	3.91	1.93

LG 67.207.157.53:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.53:443/CPU Load					
0	40.2	98	40	39.6	20.2
LG 67.207.157.53:443/Memory Used					
1	35.2	71	36	35.5	15
LG 67.207.157.53:443/Throughput					
0	51.2	137.9	51.8	50.3	26.3
LG 67.207.157.53:443/User Load					
0	169.6	263	207	172.8	77.1
LG 67.207.157.53:443/Thread Count					
38	350.3	562	389	353.6	151.6
LG 67.207.157.53:443/Http client/Thread Pool used					
0.1	0.307	0.635	0.23	0.301	0.187
LG 67.207.157.53:443/Http client/Task Pool used					
0	0.031	0.383	0	0.02	0.064
LG 67.207.157.53:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.53:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.53:443/Controller Connection/Ping Duration (ms)					
60	99.3	145	101	99.4	17
LG 67.207.157.53:443/Network/Segments sent/sec.					
5.64	3,541	10,621	3,598	3,490	1,849
LG 67.207.157.53:443/Network/Segments retransmitted/sec.					
0	1.85	48.5	0.602	1.34	3.6
LG 67.207.157.53:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.53:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.53:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.4	146.8	56.2	54.5	28.4
LG 67.207.157.53:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4	10.05	4	3.95	2

LG 67.207.157.54:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.54:443/CPU Load					
0	40.5	98	37	39.8	20.5
LG 67.207.157.54:443/Memory Used					
1	34.9	71	37	35.1	14.8
LG 67.207.157.54:443/Throughput					
0	51.4	137.4	48	50.6	26.9
LG 67.207.157.54:443/User Load					
0	170.3	264	208	173.5	77.2
LG 67.207.157.54:443/Thread Count					
38	353.3	556	391	357.2	151.3
LG 67.207.157.54:443/Http client/Thread Pool used					
0.1	0.309	0.61	0.235	0.303	0.177
LG 67.207.157.54:443/Http client/Task Pool used					
0	0.019	0.367	0	0.011	0.046
LG 67.207.157.54:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.54:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.54:443/Controller Connection/Ping Duration (ms)					
60	105.2	143	105	105.4	10.92
LG 67.207.157.54:443/Network/Segments sent/sec.					
5.93	3,541	9,464	3,302	3,500	1,862
LG 67.207.157.54:443/Network/Segments retransmitted/sec.					
0	2.06	39	0.6	1.41	4.13
LG 67.207.157.54:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.54:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.54:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.6	147.3	51.9	54.9	29.1
LG 67.207.157.54:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	4.01	10.03	3.75	3.96	2.06

LG 67.207.157.59:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.59:443/CPU Load					
0	40.3	99	37	39.4	24.4
LG 67.207.157.59:443/Memory Used					
2	35.9	70	37	36.1	15.4
LG 67.207.157.59:443/Throughput					
0	51.2	153.5	44.7	49.5	32.8
LG 67.207.157.59:443/User Load					
0	169.5	263	207	172.7	77.2
LG 67.207.157.59:443/Thread Count					
38	405	638	470	410	173.1
LG 67.207.157.59:443/Http client/Thread Pool used					
0.1	0.534	0.96	0.55	0.533	0.271
LG 67.207.157.59:443/Http client/Task Pool used					
0	0.028	0.533	0	0.014	0.074
LG 67.207.157.59:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.59:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.59:443/Controller Connection/Ping Duration (ms)					
53	104.3	144	104	104.7	12.6
LG 67.207.157.59:443/Network/Segments sent/sec.					
2.93	3,606	10,054	3,158	3,498	2,324
LG 67.207.157.59:443/Network/Segments retransmitted/sec.					
0	2.53	37.5	0.397	1.78	4.74
LG 67.207.157.59:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.59:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.59:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	55.4	163.9	48.2	53.6	35.4
LG 67.207.157.59:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	4.03	10.69	3.64	3.92	2.45

LG 67.207.157.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.64:443/CPU Load					
0	39.5	99	39	38.9	19.4
LG 67.207.157.64:443/Memory Used					
2	35.4	69	36	35.6	15.4
LG 67.207.157.64:443/Throughput					
0	51.5	141	52.3	51	25.7
LG 67.207.157.64:443/User Load					
0	169.7	264	207	172.9	77.5
LG 67.207.157.64:443/Thread Count					
38	340.8	531	382	344.7	140.9
LG 67.207.157.64:443/Http client/Thread Pool used					
0.1	0.257	0.495	0.22	0.253	0.135
LG 67.207.157.64:443/Http client/Task Pool used					
0	0.025	0.5	0	0.012	0.07
LG 67.207.157.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.64:443/Controller Connection/Ping Duration (ms)					
57	94.8	246	103	89.7	37
LG 67.207.157.64:443/Network/Segments sent/sec.					
5.92	3,545	10,455	3,540	3,512	1,802
LG 67.207.157.64:443/Network/Segments retransmitted/sec.					
0	1.72	18.9	0.6	1.3	2.75
LG 67.207.157.64:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.64:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.7	153.3	56.6	55.2	27.8
LG 67.207.157.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	4.01	11.2	3.99	3.97	2

LG 67.207.157.66:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.66:443/CPU Load					
0	39.9	98	39	39.3	20.9
LG 67.207.157.66:443/Memory Used					
2	35.7	77	36	35.7	16.1
LG 67.207.157.66:443/Throughput					
0	51.6	138.6	51.3	50.7	28.8
LG 67.207.157.66:443/User Load					
0	171.4	264	211	174.6	76.8
LG 67.207.157.66:443/Thread Count					
38	387.7	602	449	392.5	153.3
LG 67.207.157.66:443/Http client/Thread Pool used					
0.1	0.453	0.79	0.48	0.453	0.192
LG 67.207.157.66:443/Http client/Task Pool used					
0	0.022	0.633	0	0.013	0.06
LG 67.207.157.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.66:443/Controller Connection/Ping Duration (ms)					
66	108.1	164	87	107.2	34.4
LG 67.207.157.66:443/Network/Segments sent/sec.					
5.95	3,609	9,958	3,592	3,548	1,998
LG 67.207.157.66:443/Network/Segments retransmitted/sec.					
0	2.22	40.7	0.6	1.52	4.44
LG 67.207.157.66:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.66:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.9	147.5	55.6	55	30.9
LG 67.207.157.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	4.05	10.21	4.06	3.98	2.17

LG 67.207.157.67:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.67:443/CPU Load					
0	39	96	35	38	24.4
LG 67.207.157.67:443/Memory Used					
1	35.7	64	36	35.9	15.3
LG 67.207.157.67:443/Throughput					
0	50.7	166.2	43.9	48.9	33.3
LG 67.207.157.67:443/User Load					
0	169.1	263	206	172.3	77.1
LG 67.207.157.67:443/Thread Count					
38	410.6	586	529	419.1	169.9
LG 67.207.157.67:443/Http client/Thread Pool used					
0.1	0.57	0.885	0.695	0.578	0.273
LG 67.207.157.67:443/Http client/Task Pool used					
0	0.025	0.467	0	0.013	0.065
LG 67.207.157.67:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.67:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.67:443/Controller Connection/Ping Duration (ms)					
95	106.7	145	104	105.2	10.2
LG 67.207.157.67:443/Network/Segments sent/sec.					
6.02	3,523	9,753	3,053	3,385	2,326
LG 67.207.157.67:443/Network/Segments retransmitted/sec.					
0	1.94	26.3	0.402	1.36	3.53
LG 67.207.157.67:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.67:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.67:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	54.9	170.2	47.5	53	35.9
LG 67.207.157.67:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	3.97	10.48	3.41	3.85	2.47

LG 67.207.157.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.68:443/CPU Load					
0	39.4	98	35	38.4	23.3
LG 67.207.157.68:443/Memory Used					
2	34.6	67	36	34.8	14.9
LG 67.207.157.68:443/Throughput					
0	51.1	169.9	43.6	49.2	33.1
LG 67.207.157.68:443/User Load					
0	169.3	263	206.5	172.5	77.1
LG 67.207.157.68:443/Thread Count					
38	398.3	624	439	403.5	171.1
LG 67.207.157.68:443/Http client/Thread Pool used					
0.1	0.51	0.91	0.515	0.51	0.261
LG 67.207.157.68:443/Http client/Task Pool used					
0	0.028	0.533	0	0.016	0.068
LG 67.207.157.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.68:443/Controller Connection/Ping Duration (ms)					
55	107.9	148	103	108.4	31.2
LG 67.207.157.68:443/Network/Segments sent/sec.					
3.91	3,582	10,576	3,260	3,456	2,283
LG 67.207.157.68:443/Network/Segments retransmitted/sec.					
0	3.65	65.9	0.4	2.06	8.67
LG 67.207.157.68:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.68:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	55.3	181	47.5	53.4	35.4
LG 67.207.157.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	4.02	11.4	3.6	3.9	2.44

LG 67.207.157.69:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.69:443/CPU Load					
0	40.1	97	38	39.5	21.6
LG 67.207.157.69:443/Memory Used					
2	36.4	82	38	36.3	16
LG 67.207.157.69:443/Throughput					
0	51.4	126.8	51.1	51	27.6
LG 67.207.157.69:443/User Load					
0	170.5	263	208.5	173.8	77.1
LG 67.207.157.69:443/Thread Count					
38	363.5	548	427	369	142.8
LG 67.207.157.69:443/Http client/Thread Pool used					
0.1	0.348	0.555	0.38	0.351	0.137
LG 67.207.157.69:443/Http client/Task Pool used					
0	0.019	0.4	0	0.009	0.054
LG 67.207.157.69:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.69:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.69:443/Controller Connection/Ping Duration (ms)					
55	101.7	146	103	102.1	15.2
LG 67.207.157.69:443/Network/Segments sent/sec.					
5.67	3,561	9,261	3,537	3,525	1,935
LG 67.207.157.69:443/Network/Segments retransmitted/sec.					
0	1.83	27.4	0.402	1.36	3.19
LG 67.207.157.69:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.69:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.69:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.7	138	55.2	55.3	29.9
LG 67.207.157.69:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.02	10.44	4.01	3.99	2.1

LG 67.207.157.72:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.72:443/CPU Load					
0	39.8	97	38	39.2	19.5
LG 67.207.157.72:443/Memory Used					
2	35.1	75	36	35.2	15.1
LG 67.207.157.72:443/Throughput					
0	51.5	135.8	49.6	50.8	26.6
LG 67.207.157.72:443/User Load					
0	170.6	264	208	173.8	76.8
LG 67.207.157.72:443/Thread Count					
38	361.2	583	420	364.5	149.4
LG 67.207.157.72:443/Http client/Thread Pool used					
0.1	0.34	0.705	0.325	0.334	0.167
LG 67.207.157.72:443/Http client/Task Pool used					
0	0.029	0.5	0	0.019	0.063
LG 67.207.157.72:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.72:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.72:443/Controller Connection/Ping Duration (ms)					
106	124.6	202	123	122	17.1
LG 67.207.157.72:443/Network/Segments sent/sec.					
6.44	3,559	9,677	3,497	3,506	1,847
LG 67.207.157.72:443/Network/Segments retransmitted/sec.					
0	1.76	28	0.6	1.29	3.12
LG 67.207.157.72:443/Network/eth1 (eth1)/Megabits received/sec.					
0.001	0.002	0.003	0.002	0.002	0
LG 67.207.157.72:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0.001	0	0	0
LG 67.207.157.72:443/Network/eth0 (eth0)/Megabits received/sec.					
0.009	55.7	148.5	54	55	28.7
LG 67.207.157.72:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	4.02	10.46	3.88	3.97	2.03

LG 67.207.157.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.73:443/CPU Load					
0	37.1	95	37	36.4	20
LG 67.207.157.73:443/Memory Used					
1	35.1	69	36	35.4	15.3
LG 67.207.157.73:443/Throughput					
0	51.2	150.6	48.2	50.2	29.5
LG 67.207.157.73:443/User Load					
0	169.8	263	207	173	77.2
LG 67.207.157.73:443/Thread Count					
38	391.9	575	454	398.9	163.8
LG 67.207.157.73:443/Http client/Thread Pool used					
0.1	0.479	0.74	0.495	0.486	0.23
LG 67.207.157.73:443/Http client/Task Pool used					
0	0.018	0.433	0	0.009	0.048
LG 67.207.157.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.73:443/Controller Connection/Ping Duration (ms)					
101	104.9	143	103	103.4	7.95
LG 67.207.157.73:443/Network/Segments sent/sec.					
5.94	3,477	9,759	3,257	3,416	1,971
LG 67.207.157.73:443/Network/Segments retransmitted/sec.					
0	0.305	10.55	0	0.127	1.03
LG 67.207.157.73:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.73:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.5	162.2	52.3	54.4	31.9
LG 67.207.157.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	3.96	10.83	3.82	3.9	2.15

LG 67.207.157.74:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 67.207.157.74:443/CPU Load					
0	37	92	37	36.2	19.6
LG 67.207.157.74:443/Memory Used					
2	34.7	67	35	34.8	15.4
LG 67.207.157.74:443/Throughput					
0	51.3	133.7	49	50.3	28.6
LG 67.207.157.74:443/User Load					
0	169.4	263	207	172.6	77.1
LG 67.207.157.74:443/Thread Count					
38	366.7	566	422	371.4	149.3
LG 67.207.157.74:443/Http client/Thread Pool used					
0.1	0.364	0.62	0.355	0.364	0.158
LG 67.207.157.74:443/Http client/Task Pool used					
0	0.032	0.633	0	0.018	0.078
LG 67.207.157.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 67.207.157.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 67.207.157.74:443/Controller Connection/Ping Duration (ms)					
62	90.5	162	84	88.3	21.1
LG 67.207.157.74:443/Network/Segments sent/sec.					
4.89	3,486	9,918	3,502	3,443	1,870
LG 67.207.157.74:443/Network/Segments retransmitted/sec.					
0	0.581	9.11	0	0.348	1.28
LG 67.207.157.74:443/Network/eth1 (eth1)/Megabits received/sec.					
0	0	0	0	0	0
LG 67.207.157.74:443/Network/eth1 (eth1)/Megabits sent/sec.					
0	0	0	0	0	0
LG 67.207.157.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	55.6	143.6	53.6	54.5	30.9
LG 67.207.157.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	3.97	10.26	3.98	3.92	2.08

LG 157.55.160.12:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.160.12:443/CPU Load					
0	28.7	89	26	27.8	16.1
LG 157.55.160.12:443/Memory Used					
2	38.2	80	38	38.3	17.1
LG 157.55.160.12:443/Throughput					
0	51.6	147.8	43.7	49.6	33.6
LG 157.55.160.12:443/User Load					
0	170.9	264	207	174.1	76.8
LG 157.55.160.12:443/Thread Count					
39	386.9	554	475	394.4	151.4
LG 157.55.160.12:443/Http client/Thread Pool used					
0.1	0.449	0.61	0.545	0.459	0.187
LG 157.55.160.12:443/Http client/Task Pool used					
0	0.047	1.05	0	0.021	0.134
LG 157.55.160.12:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.160.12:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.160.12:443/Controller Connection/Ping Duration (ms)					
71	94	153	96	92.4	22.1
LG 157.55.160.12:443/Network/Segments sent/sec.					
15.1	3,366	8,864	3,125	3,287	1,918
LG 157.55.160.12:443/Network/Segments retransmitted/sec.					
0	35	82.6	34.8	34.4	24.6
LG 157.55.160.12:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.5	159	48.7	54.4	35.8
LG 157.55.160.12:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.96	11	3.66	3.85	2.25

LG 157.55.160.61:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.160.61:443/CPU Load					
0	28	82	28	27.5	13.1
LG 157.55.160.61:443/Memory Used					
2	37.8	79	39	37.8	16.9
LG 157.55.160.61:443/Throughput					
0	51.2	144.2	51.2	50.8	26
LG 157.55.160.61:443/User Load					
0	170.3	263	210	173.5	76.7
LG 157.55.160.61:443/Thread Count					
39	349	530	423	353.7	137.5
LG 157.55.160.61:443/Http client/Thread Pool used					
0.1	0.291	0.485	0.325	0.291	0.115
LG 157.55.160.61:443/Http client/Task Pool used					
0	0.011	0.283	0	0.004	0.036
LG 157.55.160.61:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.160.61:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.160.61:443/Controller Connection/Ping Duration (ms)					
60	88.2	121	76	87.8	18.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.160.61:443/Network/Segments sent/sec.					
16.7	3,326	9,208	3,316	3,291	1,700
LG 157.55.160.61:443/Network/Segments retransmitted/sec.					
0	34.9	95.8	34.3	34.1	24.7
LG 157.55.160.61:443/Network/eth0 (eth0)/Megabits received/sec.					
0.045	56	157.1	56	55.5	28.3
LG 157.55.160.61:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.024	3.93	10.46	3.87	3.89	1.95

LG 157.55.161.218:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.161.218:443/CPU Load					
0	30.9	81	32	30.4	14.1
LG 157.55.161.218:443/Memory Used					
2	37.8	82	38	37.7	17.5
LG 157.55.161.218:443/Throughput					
0	51.4	119	55.7	51.4	24.3
LG 157.55.161.218:443/User Load					
0	170	263	209	173.2	76.7
LG 157.55.161.218:443/Thread Count					
39	344.5	525	410.5	349.5	135.5
LG 157.55.161.218:443/Http client/Thread Pool used					
0.1	0.272	0.47	0.3	0.273	0.102
LG 157.55.161.218:443/Http client/Task Pool used					
0	0.017	0.617	0	0.006	0.06
LG 157.55.161.218:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.161.218:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.161.218:443/Controller Connection/Ping Duration (ms)					
62	87.9	140	76	86.3	21.5
LG 157.55.161.218:443/Network/Segments sent/sec.					
9	3,328	7,237	3,638	3,324	1,581
LG 157.55.161.218:443/Network/Segments retransmitted/sec.					
0	35	91.5	34.6	34.4	24.6
LG 157.55.161.218:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56.2	129.4	60.8	56.2	26.5
LG 157.55.161.218:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.93	8.67	4.22	3.92	1.83

LG 157.55.161.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.161.231:443/CPU Load					
0	30.1	82	29	29.5	13.9
LG 157.55.161.231:443/Memory Used					
2	37.2	78	38	37.3	16.8
LG 157.55.161.231:443/Throughput					
0	51.4	144.5	53.1	51.4	24.7
LG 157.55.161.231:443/User Load					
0	170.2	263	208	173.4	76.9
LG 157.55.161.231:443/Thread Count					
39	333	519	389	336.8	134.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.161.231:443/Http client/Thread Pool used					
0.1	0.216	0.45	0.185	0.21	0.106
LG 157.55.161.231:443/Http client/Task Pool used					
0	0.015	0.333	0	0.007	0.041
LG 157.55.161.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.161.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.161.231:443/Controller Connection/Ping Duration (ms)					
71	126.3	157	116	127.5	27
LG 157.55.161.231:443/Network/Segments sent/sec.					
8.96	3,327	8,890	3,481	3,328	1,586
LG 157.55.161.231:443/Network/Segments retransmitted/sec.					
0	34.9	96.6	34.1	34.1	24.6
LG 157.55.161.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56.1	156.7	58.1	56.2	26.8
LG 157.55.161.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.93	10.53	4.04	3.93	1.84

LG 157.55.161.77:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.161.77:443/CPU Load					
0	29	85	25	27.9	18.4
LG 157.55.161.77:443/Memory Used					
2	38.4	78	39	38.6	16.4
LG 157.55.161.77:443/Throughput					
0	51.8	174.3	41.7	49	37.8
LG 157.55.161.77:443/User Load					
0	170.9	264	209	174.1	76.7
LG 157.55.161.77:443/Thread Count					
39	424.8	635	526.5	432.1	180.8
LG 157.55.161.77:443/Http client/Thread Pool used					
0.1	0.595	0.905	0.755	0.605	0.295
LG 157.55.161.77:443/Http client/Task Pool used					
0	0.014	0.483	0	0.005	0.051
LG 157.55.161.77:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.161.77:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.161.77:443/Controller Connection/Ping Duration (ms)					
61	109.9	115	112	111.6	9.5
LG 157.55.161.77:443/Network/Segments sent/sec.					
11.4	3,402	10,442	2,860	3,227	2,423
LG 157.55.161.77:443/Network/Segments retransmitted/sec.					
0	34.7	92.2	34.9	34.1	24.5
LG 157.55.161.77:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	56.4	182.8	45.9	53.5	40.7
LG 157.55.161.77:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.98	11.8	3.43	3.81	2.64

LG 157.55.163.253:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.163.253:443/CPU Load					
0	28.4	87	25	27.6	15.4
LG 157.55.163.253:443/Memory Used					
2	38	77	39	38.2	17
LG 157.55.163.253:443/Throughput					
0	51.2	127.9	46.7	50	30.5
LG 157.55.163.253:443/User Load					
0	170.2	264	205.5	173.4	77.3
LG 157.55.163.253:443/Thread Count					
39	374.3	553	443.5	380.4	148
LG 157.55.163.253:443/Http client/Thread Pool used					
0.1	0.398	0.6	0.455	0.404	0.163
LG 157.55.163.253:443/Http client/Task Pool used					
0	0.038	2.18	0	0.01	0.163
LG 157.55.163.253:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.163.253:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.163.253:443/Controller Connection/Ping Duration (ms)					
87	174	1,525	130	129.9	250.1
LG 157.55.163.253:443/Network/Segments sent/sec.					
8.99	3,311	7,841	3,205	3,270	1,802
LG 157.55.163.253:443/Network/Segments retransmitted/sec.					
0	34.8	93.1	34.1	34.2	24.4
LG 157.55.163.253:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	55.9	138.9	51.3	54.7	32.7
LG 157.55.163.253:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.91	9.61	3.73	3.87	2.09

LG 157.55.164.191:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.164.191:443/CPU Load					
0	29.5	70	29	28.9	13.7
LG 157.55.164.191:443/Memory Used					
2	37.7	79	38	37.5	17.2
LG 157.55.164.191:443/Throughput					
0	51.5	142.4	53.8	51.1	25.1
LG 157.55.164.191:443/User Load					
0	170.6	263	209	173.8	76.7
LG 157.55.164.191:443/Thread Count					
39	330.7	515	384	334.4	134.9
LG 157.55.164.191:443/Http client/Thread Pool used					
0.1	0.211	0.415	0.15	0.206	0.108
LG 157.55.164.191:443/Http client/Task Pool used					
0	0.013	0.433	0	0.005	0.042
LG 157.55.164.191:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.164.191:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.164.191:443/Controller Connection/Ping Duration (ms)					
71	105.2	156	112	104.1	26.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.164.191:443/Network/Segments sent/sec.					
13.4	3,333	8,254	3,433	3,306	1,625
LG 157.55.164.191:443/Network/Segments retransmitted/sec.					
0	34.9	95.2	34.9	34.3	24.3
LG 157.55.164.191:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.3	154.4	58.6	55.9	27.4
LG 157.55.164.191:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.94	9.67	3.96	3.91	1.89

LG 157.55.164.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.164.26:443/CPU Load					
0	28.2	71	26	27.5	15.5
LG 157.55.164.26:443/Memory Used					
2	37.6	72	38	37.8	16.6
LG 157.55.164.26:443/Throughput					
0	51.3	146.7	46.8	49.6	31.4
LG 157.55.164.26:443/User Load					
0	170.4	264	208	173.6	77.2
LG 157.55.164.26:443/Thread Count					
39	372.9	571	435	378.2	153.4
LG 157.55.164.26:443/Http client/Thread Pool used					
0.1	0.379	0.63	0.41	0.38	0.173
LG 157.55.164.26:443/Http client/Task Pool used					
0	0.019	0.6	0	0.005	0.07
LG 157.55.164.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.164.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.164.26:443/Controller Connection/Ping Duration (ms)					
58	75	113	74	74	10.03
LG 157.55.164.26:443/Network/Segments sent/sec.					
13.4	3,337	9,539	3,145	3,252	1,982
LG 157.55.164.26:443/Network/Segments retransmitted/sec.					
0	34.7	90.5	34.6	34.1	24.4
LG 157.55.164.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	55.9	158.4	51.2	54.2	33.9
LG 157.55.164.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.93	10.47	3.68	3.84	2.25

LG 157.55.165.155:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.165.155:443/CPU Load					
0	28.3	71	25	27.5	16.5
LG 157.55.165.155:443/Memory Used					
2	37.9	77	38	38	16.6
LG 157.55.165.155:443/Throughput					
0	51.8	165.3	42.7	49.4	34.9
LG 157.55.165.155:443/User Load					
0	170.3	263	208.5	173.5	77
LG 157.55.165.155:443/Thread Count					
39	422.9	630	520	430.7	173.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.165.155:443/Http client/Thread Pool used					
0.1	0.609	0.905	0.765	0.622	0.289
LG 157.55.165.155:443/Http client/Task Pool used					
0	0.018	1.23	0	0.006	0.08
LG 157.55.165.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.165.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.165.155:443/Controller Connection/Ping Duration (ms)					
60	84.5	177	74	81	26.4
LG 157.55.165.155:443/Network/Segments sent/sec.					
9.73	3,383	10,314	2,873	3,241	2,213
LG 157.55.165.155:443/Network/Segments retransmitted/sec.					
0	34.6	88.6	34.3	34	24.6
LG 157.55.165.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.5	175.9	47.1	54	37.8
LG 157.55.165.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	3.96	11.4	3.52	3.81	2.45

LG 157.55.165.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.165.202:443/CPU Load					
0	29.3	78	28	28.6	15.8
LG 157.55.165.202:443/Memory Used					
2	37.7	73	39	37.9	16.4
LG 157.55.165.202:443/Throughput					
0	51.3	134.4	48.1	49.9	30.3
LG 157.55.165.202:443/User Load					
0	170.1	263	208.5	173.3	77.1
LG 157.55.165.202:443/Thread Count					
39	388.3	592	452.5	394.1	164.4
LG 157.55.165.202:443/Http client/Thread Pool used					
0.1	0.445	0.78	0.45	0.445	0.226
LG 157.55.165.202:443/Http client/Task Pool used					
0	0.021	0.683	0	0.01	0.06
LG 157.55.165.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.165.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.165.202:443/Controller Connection/Ping Duration (ms)					
73	110.6	153	114	110.5	16.4
LG 157.55.165.202:443/Network/Segments sent/sec.					
13.4	3,334	8,342	3,206	3,278	1,864
LG 157.55.165.202:443/Network/Segments retransmitted/sec.					
0	34.8	89.7	34.5	34.2	24.7
LG 157.55.165.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.1	146.8	52.7	54.6	32.8
LG 157.55.165.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.93	10.21	3.86	3.84	2.17

LG 157.55.165.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.165.35:443/CPU Load					
0	29	92	25	27.4	20.9
LG 157.55.165.35:443/Memory Used					
2	37.6	79	39	37.8	16.3
LG 157.55.165.35:443/Throughput					
0	50.8	164.2	40.2	47.9	40.3
LG 157.55.165.35:443/User Load					
0	169.3	263	207	172.5	77.1
LG 157.55.165.35:443/Thread Count					
39	444	683	532.5	450.8	191.1
LG 157.55.165.35:443/Http client/Thread Pool used					
0.1	0.686	1.18	0.79	0.691	0.353
LG 157.55.165.35:443/Http client/Task Pool used					
0	0.01	0.367	0	0.002	0.039
LG 157.55.165.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.165.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.165.35:443/Controller Connection/Ping Duration (ms)					
71	105.8	172	110	104.3	25.7
LG 157.55.165.35:443/Network/Segments sent/sec.					
13.4	3,345	11,535	2,727	3,146	2,583
LG 157.55.165.35:443/Network/Segments retransmitted/sec.					
0	34.2	85.8	33.8	33.5	24.4
LG 157.55.165.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	55.5	179.3	44	52.3	43.6
LG 157.55.165.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.91	12.6	3.3	3.72	2.79

LG 157.55.166.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.166.255:443/CPU Load					
0	28.6	86	28	27.7	17.1
LG 157.55.166.255:443/Memory Used					
2	37.6	80	38	37.5	17.4
LG 157.55.166.255:443/Throughput					
0	51	172.3	47.2	49.3	32.7
LG 157.55.166.255:443/User Load					
0	169.6	263	208	172.8	77.1
LG 157.55.166.255:443/Thread Count					
39	421.6	630	507	428.8	181.3
LG 157.55.166.255:443/Http client/Thread Pool used					
0.1	0.619	0.985	0.72	0.627	0.316
LG 157.55.166.255:443/Http client/Task Pool used					
0	0.015	0.55	0	0.006	0.051
LG 157.55.166.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.166.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.166.255:443/Controller Connection/Ping Duration (ms)					
75	113.2	162	113	112.6	16.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.166.255:443/Network/Segments sent/sec.					
5.99	3,343	11,038	3,142	3,222	2,120
LG 157.55.166.255:443/Network/Segments retransmitted/sec.					
0	34.5	82.5	34.6	34	24.5
LG 157.55.166.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.6	186.4	51.4	53.8	35.4
LG 157.55.166.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.92	12	3.7	3.81	2.33

LG 157.55.167.100:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.167.100:443/CPU Load					
0	29.4	72	30	28.9	14
LG 157.55.167.100:443/Memory Used					
2	37.4	74	38	37.5	16.8
LG 157.55.167.100:443/Throughput					
0	51.6	150.9	53.7	50.9	26.8
LG 157.55.167.100:443/User Load					
0	171.1	264	210	174.3	76.7
LG 157.55.167.100:443/Thread Count					
39	359	543	430	364.1	141.4
LG 157.55.167.100:443/Http client/Thread Pool used					
0.1	0.325	0.52	0.365	0.327	0.128
LG 157.55.167.100:443/Http client/Task Pool used					
0	0.022	0.467	0	0.009	0.066
LG 157.55.167.100:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.167.100:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.167.100:443/Controller Connection/Ping Duration (ms)					
68	118.9	169	111	119	34.3
LG 157.55.167.100:443/Network/Segments sent/sec.					
11.4	3,346	8,915	3,433	3,322	1,683
LG 157.55.167.100:443/Network/Segments retransmitted/sec.					
0	35	90.6	34.3	34.3	24.7
LG 157.55.167.100:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	56.4	163.5	58.8	55.7	29.1
LG 157.55.167.100:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.95	10.75	4.01	3.91	1.95

LG 157.55.167.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.167.139:443/CPU Load					
0	26.5	69	27	25.9	13.9
LG 157.55.167.139:443/Memory Used					
2	37.3	78	37	37.4	16.9
LG 157.55.167.139:443/Throughput					
0	51	119	52.6	50.8	27.4
LG 157.55.167.139:443/User Load					
0	169.5	263	207	172.7	77.2
LG 157.55.167.139:443/Thread Count					
39	370.1	562	441	375.6	152.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.167.139:443/Http client/Thread Pool used					
0.1	0.37	0.62	0.405	0.371	0.169
LG 157.55.167.139:443/Http client/Task Pool used					
0	0.012	0.567	0	0.003	0.05
LG 157.55.167.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.167.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.167.139:443/Controller Connection/Ping Duration (ms)					
65	132.8	889	112	109.1	140
LG 157.55.167.139:443/Network/Segments sent/sec.					
8.99	3,331	6,996	3,434	3,324	1,767
LG 157.55.167.139:443/Network/Segments retransmitted/sec.					
0	34.6	83.7	34.2	34	24.5
LG 157.55.167.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	55.8	128.7	57.5	55.6	29.9
LG 157.55.167.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.91	8.35	4.03	3.9	2

LG 157.55.167.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.167.144:443/CPU Load					
0	28.7	85	29	28	15.4
LG 157.55.167.144:443/Memory Used					
2	37.6	78	38	37.7	16.7
LG 157.55.167.144:443/Throughput					
0	51.2	139.1	50.6	50.1	28.3
LG 157.55.167.144:443/User Load					
0	170.6	263	209	173.8	76.8
LG 157.55.167.144:443/Thread Count					
39	363.1	533	434	369.2	143.6
LG 157.55.167.144:443/Http client/Thread Pool used					
0.1	0.341	0.515	0.395	0.345	0.14
LG 157.55.167.144:443/Http client/Task Pool used					
0	0.029	0.8	0	0.012	0.09
LG 157.55.167.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.167.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.167.144:443/Controller Connection/Ping Duration (ms)					
65	115.9	192	114	114.6	19.4
LG 157.55.167.144:443/Network/Segments sent/sec.					
13.4	3,321	8,422	3,396	3,274	1,799
LG 157.55.167.144:443/Network/Segments retransmitted/sec.					
0	34.5	87.7	34.9	33.9	24.2
LG 157.55.167.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	55.8	148.5	55.4	54.8	30.6
LG 157.55.167.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.9	9.95	3.99	3.85	2.05

LG 157.55.167.150:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.167.150:443/CPU Load					
0	28.8	76	30	28.4	13.3
LG 157.55.167.150:443/Memory Used					
2	37	79	38	37	16.6
LG 157.55.167.150:443/Throughput					
0	51.3	108.5	55.1	51.2	25.4
LG 157.55.167.150:443/User Load					
0	169.9	263	208.5	173.2	77
LG 157.55.167.150:443/Thread Count					
39	336.3	525	392.5	340.1	135
LG 157.55.167.150:443/Http client/Thread Pool used					
0.1	0.236	0.48	0.23	0.23	0.106
LG 157.55.167.150:443/Http client/Task Pool used					
0	0.014	0.483	0	0.006	0.046
LG 157.55.167.150:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.167.150:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.167.150:443/Controller Connection/Ping Duration (ms)					
66	98.9	160	77	97.2	30.6
LG 157.55.167.150:443/Network/Segments sent/sec.					
8.96	3,326	7,531	3,483	3,324	1,618
LG 157.55.167.150:443/Network/Segments retransmitted/sec.					
0	34.8	88.1	34.5	34.2	24.2
LG 157.55.167.150:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56.1	118	60.1	56	27.6
LG 157.55.167.150:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.92	8.39	4.08	3.92	1.87

LG 157.55.168.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.168.62:443/CPU Load					
0	27.5	87	27	26.8	15.1
LG 157.55.168.62:443/Memory Used					
2	38.1	77	40	38.2	16.9
LG 157.55.168.62:443/Throughput					
0	51.1	141.3	49.3	50.4	28.6
LG 157.55.168.62:443/User Load					
0	169.9	263	208	173.2	77.2
LG 157.55.168.62:443/Thread Count					
39	382.3	572	458	388.5	159.4
LG 157.55.168.62:443/Http client/Thread Pool used					
0.1	0.426	0.675	0.51	0.43	0.203
LG 157.55.168.62:443/Http client/Task Pool used					
0	0.015	0.417	0	0.006	0.047
LG 157.55.168.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.168.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.168.62:443/Controller Connection/Ping Duration (ms)					
97	111.8	151	111	110.9	8.01

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.168.62:443/Network/Segments sent/sec.					
6.02	3,324	8,139	3,264	3,279	1,843
LG 157.55.168.62:443/Network/Segments retransmitted/sec.					
0	34.6	88.7	34.8	34	24.5
LG 157.55.168.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.7	152.7	53.9	55	31
LG 157.55.168.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.92	9.85	3.9	3.87	2.08

LG 157.55.169.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.169.16:443/CPU Load					
0	29.5	87	27	28.8	15.9
LG 157.55.169.16:443/Memory Used					
2	37.3	77	38	37.4	17
LG 157.55.169.16:443/Throughput					
0	51.6	128.6	51	51.1	28
LG 157.55.169.16:443/User Load					
0	171.3	264	209	174.6	76.7
LG 157.55.169.16:443/Thread Count					
39	363.8	547	433	369.4	141.6
LG 157.55.169.16:443/Http client/Thread Pool used					
0.1	0.337	0.55	0.375	0.34	0.127
LG 157.55.169.16:443/Http client/Task Pool used					
0	0.016	0.517	0	0.007	0.05
LG 157.55.169.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.169.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.169.16:443/Controller Connection/Ping Duration (ms)					
70	111.5	361	82	101.7	64.2
LG 157.55.169.16:443/Network/Segments sent/sec.					
5.97	3,355	8,775	3,200	3,320	1,818
LG 157.55.169.16:443/Network/Segments retransmitted/sec.					
0	35.3	89.8	34.1	34.7	24.8
LG 157.55.169.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.4	140.3	55.1	55.9	30.5
LG 157.55.169.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.96	9.81	3.94	3.92	2.07

LG 157.55.169.251:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.169.251:443/CPU Load					
0	29.8	95	26	28.7	17
LG 157.55.169.251:443/Memory Used					
2	38.1	81	39	38	17.1
LG 157.55.169.251:443/Throughput					
0	51.3	180.7	43.5	49.1	33.7
LG 157.55.169.251:443/User Load					
0	169.5	263	206	172.7	77.1
LG 157.55.169.251:443/Thread Count					
39	395.7	604	476	401.4	166.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.169.251:443/Http client/Thread Pool used					
0.1	0.497	0.825	0.54	0.5	0.249
LG 157.55.169.251:443/Http client/Task Pool used					
0	0.047	1.45	0	0.019	0.144
LG 157.55.169.251:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.169.251:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.169.251:443/Controller Connection/Ping Duration (ms)					
68	104.9	150	110	104.7	18.4
LG 157.55.169.251:443/Network/Segments sent/sec.					
13.4	3,352	12,438	3,192	3,229	2,008
LG 157.55.169.251:443/Network/Segments retransmitted/sec.					
0	34.7	87.3	34.1	34.2	24.5
LG 157.55.169.251:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.1	197.3	47.8	53.8	36.2
LG 157.55.169.251:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.94	13.5	3.7	3.81	2.29

LG 157.55.169.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.169.28:443/CPU Load					
0	29.6	91	28	28.6	17.7
LG 157.55.169.28:443/Memory Used					
2	38.4	78	39	38.5	17
LG 157.55.169.28:443/Throughput					
0	51.5	174.3	47	49.4	34.1
LG 157.55.169.28:443/User Load					
0	170.7	263	210	173.9	76.7
LG 157.55.169.28:443/Thread Count					
39	414.9	620	514	421.8	173.2
LG 157.55.169.28:443/Http client/Thread Pool used					
0.1	0.571	0.89	0.73	0.579	0.279
LG 157.55.169.28:443/Http client/Task Pool used					
0	0.021	0.383	0	0.01	0.057
LG 157.55.169.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.169.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.169.28:443/Controller Connection/Ping Duration (ms)					
69	99	161	110	97.2	26.6
LG 157.55.169.28:443/Network/Segments sent/sec.					
16.7	3,378	11,705	3,066	3,246	2,201
LG 157.55.169.28:443/Network/Segments retransmitted/sec.					
0	34.9	88.7	35.4	34.3	24.5
LG 157.55.169.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0.047	56.3	189.3	51.8	54	37.1
LG 157.55.169.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.025	3.96	12.1	3.66	3.83	2.42

LG 157.55.171.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.55.171.216:443/CPU Load					
0	29.9	93	26	28.9	17.7
LG 157.55.171.216:443/Memory Used					
2	38	72	38	38.2	16.9
LG 157.55.171.216:443/Throughput					
0	51.7	174.6	42.9	49.9	34
LG 157.55.171.216:443/User Load					
0	170.4	263	208	173.6	76.8
LG 157.55.171.216:443/Thread Count					
39	414.4	625	500	421	174.5
LG 157.55.171.216:443/Http client/Thread Pool used					
0.1	0.571	0.935	0.665	0.576	0.279
LG 157.55.171.216:443/Http client/Task Pool used					
0	0.024	0.9	0	0.011	0.079
LG 157.55.171.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.55.171.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.55.171.216:443/Controller Connection/Ping Duration (ms)					
68	101.7	147	111	101.3	21.4
LG 157.55.171.216:443/Network/Segments sent/sec.					
14.3	3,390	9,123	2,887	3,302	2,152
LG 157.55.171.216:443/Network/Segments retransmitted/sec.					
0	34.7	90.1	34.5	33.9	25
LG 157.55.171.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.5	187.8	47.3	54.7	36.8
LG 157.55.171.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.97	11.5	3.46	3.89	2.38

LG 157.56.12.167:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.12.167:443/CPU Load					
0	28.9	75	28	28.4	13.8
LG 157.56.12.167:443/Memory Used					
2	38	82	39	37.9	17.3
LG 157.56.12.167:443/Throughput					
0	51.4	146.7	51.8	51.1	25.6
LG 157.56.12.167:443/User Load					
0	170.1	263	209	173.3	76.7
LG 157.56.12.167:443/Thread Count					
39	341.2	522	397.5	345.5	138.2
LG 157.56.12.167:443/Http client/Thread Pool used					
0.1	0.257	0.475	0.24	0.254	0.12
LG 157.56.12.167:443/Http client/Task Pool used					
0	0.022	0.933	0	0.009	0.077
LG 157.56.12.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.56.12.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.56.12.167:443/Controller Connection/Ping Duration (ms)					
57	92.9	140	92	92.6	21.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.56.12.167:443/Network/Segments sent/sec.					
13.4	3,306	8,598	3,363	3,290	1,638
LG 157.56.12.167:443/Network/Segments retransmitted/sec.					
0	34.8	87.1	34	34.1	24.8
LG 157.56.12.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56	158.5	56.8	55.8	27.7
LG 157.56.12.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.92	10.18	3.89	3.91	1.9

LG 23.96.194.59:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.194.59:443/CPU Load					
0	28.7	75	26	28.1	16
LG 23.96.194.59:443/Memory Used					
1	39	80	39	39.2	16.8
LG 23.96.194.59:443/Throughput					
0	51.4	145.4	46.7	49.8	31.5
LG 23.96.194.59:443/User Load					
0	169.8	263	208	173.1	77.1
LG 23.96.194.59:443/Thread Count					
39	421.1	615	510	429.1	173
LG 23.96.194.59:443/Http client/Thread Pool used					
0.1	0.601	0.9	0.715	0.611	0.281
LG 23.96.194.59:443/Http client/Task Pool used					
0	0.033	4.8	0	0.01	0.254
LG 23.96.194.59:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.194.59:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.194.59:443/Controller Connection/Ping Duration (ms)					
63	106.7	199	111	104.5	32.8
LG 23.96.194.59:443/Network/Segments sent/sec.					
9	3,364	10,037	3,107	3,289	2,025
LG 23.96.194.59:443/Network/Segments retransmitted/sec.					
0	34.8	86.7	33.7	34.2	24.7
LG 23.96.194.59:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56.2	159	51.1	54.5	34.1
LG 23.96.194.59:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.95	11.1	3.75	3.88	2.26

LG 23.96.194.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.194.68:443/CPU Load					
0	30.3	89	27	29.4	17.5
LG 23.96.194.68:443/Memory Used					
2	38	78	40	38.1	17.2
LG 23.96.194.68:443/Throughput					
0	52.5	168.6	46.2	50.7	33.6
LG 23.96.194.68:443/User Load					
0	171.4	264	209	174.6	76.7
LG 23.96.194.68:443/Thread Count					
39	424.7	635	509	431.9	178.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.194.68:443/Http client/Thread Pool used					
0.1	0.606	0.95	0.73	0.614	0.301
LG 23.96.194.68:443/Http client/Task Pool used					
0	0.016	0.6	0	0.006	0.057
LG 23.96.194.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.194.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.194.68:443/Controller Connection/Ping Duration (ms)					
62	98.5	150	111	97.7	23.6
LG 23.96.194.68:443/Network/Segments sent/sec.					
16.7	3,447	11,906	3,092	3,333	2,197
LG 23.96.194.68:443/Network/Segments retransmitted/sec.					
0	35.2	86.7	34.6	34.7	24.6
LG 23.96.194.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.044	57.3	179.6	50.6	55.5	36.6
LG 23.96.194.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.023	4.03	13	3.73	3.91	2.4

LG 23.96.197.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.197.254:443/CPU Load					
0	27.7	85	24	26.6	17.2
LG 23.96.197.254:443/Memory Used					
2	37.2	75	37	37.4	16.3
LG 23.96.197.254:443/Throughput					
0	51.5	169.5	44.5	49.3	34.3
LG 23.96.197.254:443/User Load					
0	170.3	263	208	173.5	76.9
LG 23.96.197.254:443/Thread Count					
39	397.9	578	487	405.4	160.2
LG 23.96.197.254:443/Http client/Thread Pool used					
0.1	0.497	0.695	0.635	0.508	0.218
LG 23.96.197.254:443/Http client/Task Pool used					
0	0.014	0.667	0	0.005	0.05
LG 23.96.197.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.197.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.197.254:443/Controller Connection/Ping Duration (ms)					
90	109.9	116	110	110.4	4.14
LG 23.96.197.254:443/Network/Segments sent/sec.					
6.01	3,348	10,464	2,952	3,196	2,201
LG 23.96.197.254:443/Network/Segments retransmitted/sec.					
0	34.5	89	34.2	33.8	24.5
LG 23.96.197.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.1	181.7	48.5	53.7	37
LG 23.96.197.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.94	12	3.58	3.79	2.44

LG 23.96.200.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.200.10:443/CPU Load					
0	28.1	71	28.5	27.7	12.7
LG 23.96.200.10:443/Memory Used					
1	37.3	79	38	37.3	17.1
LG 23.96.200.10:443/Throughput					
0	51.1	107.6	53.2	51	25.2
LG 23.96.200.10:443/User Load					
0	169.9	263	208.5	173.1	76.7
LG 23.96.200.10:443/Thread Count					
39	350.9	509	422	357.1	136.3
LG 23.96.200.10:443/Http client/Thread Pool used					
0.1	0.295	0.41	0.34	0.299	0.107
LG 23.96.200.10:443/Http client/Task Pool used					
0	0.019	0.467	0	0.008	0.059
LG 23.96.200.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.200.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.200.10:443/Controller Connection/Ping Duration (ms)					
70	120.4	154	112	121.2	31.9
LG 23.96.200.10:443/Network/Segments sent/sec.					
5.99	3,329	7,086	3,492	3,316	1,639
LG 23.96.200.10:443/Network/Segments retransmitted/sec.					
0	34.6	90.8	34.7	34	24.4
LG 23.96.200.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.9	115.2	58.1	55.8	27.4
LG 23.96.200.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.92	8.18	4.06	3.9	1.89

LG 23.96.202.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.202.93:443/CPU Load					
0	28.3	80	28	27.8	13.2
LG 23.96.202.93:443/Memory Used					
2	38.4	71	40	38.7	16.5
LG 23.96.202.93:443/Throughput					
0	51.6	114.2	53.1	51.3	25.3
LG 23.96.202.93:443/User Load					
0	171.4	264	211	174.6	76.9
LG 23.96.202.93:443/Thread Count					
39	328.8	519	381	332	132.3
LG 23.96.202.93:443/Http client/Thread Pool used					
0.1	0.195	0.44	0.155	0.187	0.098
LG 23.96.202.93:443/Http client/Task Pool used					
0	0.018	0.433	0	0.009	0.05
LG 23.96.202.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.202.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.202.93:443/Controller Connection/Ping Duration (ms)					
70	111.2	203	110	109.2	35

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.202.93:443/Network/Segments sent/sec.					
13.6	3,335	7,099	3,466	3,323	1,611
LG 23.96.202.93:443/Network/Segments retransmitted/sec.					
0	35.5	89.6	34.7	34.9	24.6
LG 23.96.202.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.4	123.9	58	56.1	27.5
LG 23.96.202.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.95	8.54	4.07	3.93	1.88

LG 23.96.204.80:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.204.80:443/CPU Load					
0	30	81	29	29.2	15.5
LG 23.96.204.80:443/Memory Used					
2	37.8	73	39	37.9	17.1
LG 23.96.204.80:443/Throughput					
0	51.6	119.8	52.8	51.1	27.7
LG 23.96.204.80:443/User Load					
0	170.7	263	208	173.9	76.7
LG 23.96.204.80:443/Thread Count					
39	368.7	537	445.5	375.4	143.7
LG 23.96.204.80:443/Http client/Thread Pool used					
0.1	0.354	0.51	0.435	0.36	0.136
LG 23.96.204.80:443/Http client/Task Pool used					
0	0.017	0.567	0	0.008	0.051
LG 23.96.204.80:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.204.80:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.204.80:443/Controller Connection/Ping Duration (ms)					
63	109.6	174	111	108.8	24
LG 23.96.204.80:443/Network/Segments sent/sec.					
6	3,364	8,053	3,344	3,325	1,816
LG 23.96.204.80:443/Network/Segments retransmitted/sec.					
0	35.2	88.3	34.4	34.6	24.5
LG 23.96.204.80:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.4	131	57.4	55.9	30.2
LG 23.96.204.80:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.96	9.07	4	3.93	2.04

LG 23.96.206.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.206.16:443/CPU Load					
0	29.3	75	30	28.7	13.7
LG 23.96.206.16:443/Memory Used					
2	37.6	73	39	37.8	16.5
LG 23.96.206.16:443/Throughput					
0	51.5	148.6	51.9	51.1	25.5
LG 23.96.206.16:443/User Load					
0	169.9	263	210	173.1	77.2
LG 23.96.206.16:443/Thread Count					
39	327.7	491	384.5	332.4	126.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.206.16:443/Http client/Thread Pool used					
0.1	0.198	0.325	0.19	0.196	0.066
LG 23.96.206.16:443/Http client/Task Pool used					
0	0.016	0.783	0	0.006	0.058
LG 23.96.206.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.206.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.206.16:443/Controller Connection/Ping Duration (ms)					
63	110.2	201	110	108.5	35.7
LG 23.96.206.16:443/Network/Segments sent/sec.					
13.4	3,323	9,305	3,543	3,306	1,636
LG 23.96.206.16:443/Network/Segments retransmitted/sec.					
0	35	93.3	34.1	34.4	24.5
LG 23.96.206.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.2	160.9	56.8	55.9	27.8
LG 23.96.206.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.93	11.6	4.09	3.9	1.92

LG 52.162.211.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.211.144:443/CPU Load					
0	29.8	92	27	28.9	16.4
LG 52.162.211.144:443/Memory Used					
2	38.2	79	40	38.2	17.2
LG 52.162.211.144:443/Throughput					
0	51.3	134.9	46.4	49.8	31
LG 52.162.211.144:443/User Load					
0	170.7	263	208	174	76.6
LG 52.162.211.144:443/Thread Count					
39	379.5	593	447	384.1	159.7
LG 52.162.211.144:443/Http client/Thread Pool used					
0.1	0.408	0.73	0.46	0.406	0.197
LG 52.162.211.144:443/Http client/Task Pool used					
0	0.049	2	0	0.016	0.202
LG 52.162.211.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.211.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.211.144:443/Controller Connection/Ping Duration (ms)					
63	84.3	119	76	83.5	16.6
LG 52.162.211.144:443/Network/Segments sent/sec.					
6.07	3,346	9,154	3,061	3,245	1,961
LG 52.162.211.144:443/Network/Segments retransmitted/sec.					
0	35	93.4	35.2	34.4	24.7
LG 52.162.211.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.1	147.4	50.9	54.5	33.6
LG 52.162.211.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.94	10.14	3.61	3.85	2.22

LG 52.162.242.191:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.242.191:443/CPU Load					
0	29.3	76	29	28.6	13.5
LG 52.162.242.191:443/Memory Used					
2	37.7	77	39.5	37.9	16.4
LG 52.162.242.191:443/Throughput					
0	51.3	130.2	54.7	51.2	24.3
LG 52.162.242.191:443/User Load					
0	170.3	263	208	173.5	76.8
LG 52.162.242.191:443/Thread Count					
39	333	514	392.5	336.9	133.1
LG 52.162.242.191:443/Http client/Thread Pool used					
0.1	0.218	0.415	0.21	0.213	0.094
LG 52.162.242.191:443/Http client/Task Pool used					
0	0.019	0.3	0	0.011	0.045
LG 52.162.242.191:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.242.191:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.242.191:443/Controller Connection/Ping Duration (ms)					
63	112.5	154	95	112.7	37.9
LG 52.162.242.191:443/Network/Segments sent/sec.					
5.99	3,318	7,840	3,514	3,318	1,571
LG 52.162.242.191:443/Network/Segments retransmitted/sec.					
0	34.9	88.7	34.9	34.3	24.4
LG 52.162.242.191:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56	139.9	60.1	55.9	26.4
LG 52.162.242.191:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.92	9.38	4.11	3.92	1.82

LG 52.162.243.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.243.140:443/CPU Load					
0	28	70	28	27.6	12.9
LG 52.162.243.140:443/Memory Used					
2	38.4	81	40	38.2	17.4
LG 52.162.243.140:443/Throughput					
0	51.3	156.4	51.8	50.9	25.7
LG 52.162.243.140:443/User Load					
0	169.7	263	208	173	77.5
LG 52.162.243.140:443/Thread Count					
39	341.1	516	396	345.8	135.8
LG 52.162.243.140:443/Http client/Thread Pool used					
0.1	0.253	0.43	0.24	0.251	0.102
LG 52.162.243.140:443/Http client/Task Pool used					
0	0.024	0.95	0	0.007	0.093
LG 52.162.243.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.243.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.243.140:443/Controller Connection/Ping Duration (ms)					
71	100.6	149	111	99.9	20.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.243.140:443/Network/Segments sent/sec.					
6.01	3,333	9,461	3,457	3,308	1,654
LG 52.162.243.140:443/Network/Segments retransmitted/sec.					
0	34.8	93.5	34.8	34.3	24.6
LG 52.162.243.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.1	168.4	57.2	55.7	28
LG 52.162.243.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.93	10.96	4.07	3.9	1.92

LG 52.162.245.182:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.245.182:443/CPU Load					
0	29.4	94	26	28.4	17.8
LG 52.162.245.182:443/Memory Used					
2	37.9	73	38	38	16.9
LG 52.162.245.182:443/Throughput					
0	51.8	161.3	44	49.8	35
LG 52.162.245.182:443/User Load					
0	170.9	263	208	174.1	76.7
LG 52.162.245.182:443/Thread Count					
39	410.7	610	491	417.8	173.3
LG 52.162.245.182:443/Http client/Thread Pool used					
0.1	0.543	0.88	0.615	0.549	0.274
LG 52.162.245.182:443/Http client/Task Pool used					
0	0.019	0.617	0	0.009	0.055
LG 52.162.245.182:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.245.182:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.245.182:443/Controller Connection/Ping Duration (ms)					
70	97.1	151	109	95.8	22
LG 52.162.245.182:443/Network/Segments sent/sec.					
14.4	3,384	10,536	2,955	3,262	2,208
LG 52.162.245.182:443/Network/Segments retransmitted/sec.					
0	34.9	86	34.7	34.3	24.4
LG 52.162.245.182:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.6	175.7	48.7	54.4	37.9
LG 52.162.245.182:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.97	11.9	3.61	3.85	2.45

LG 52.162.34.43:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.34.43:443/CPU Load					
0	28.8	73	28	28.3	13.9
LG 52.162.34.43:443/Memory Used					
2	38	80	39	38	16.9
LG 52.162.34.43:443/Throughput					
0	51.4	157.7	50.2	50.6	27.4
LG 52.162.34.43:443/User Load					
0	170.6	263	210	173.8	76.7
LG 52.162.34.43:443/Thread Count					
39	339	521	391	343	137.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.34.43:443/Http client/Thread Pool used					
0.1	0.24	0.46	0.21	0.236	0.119
LG 52.162.34.43:443/Http client/Task Pool used					
0	0.018	0.633	0	0.006	0.068
LG 52.162.34.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.34.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.34.43:443/Controller Connection/Ping Duration (ms)					
68	106.3	158	109	105.4	31.1
LG 52.162.34.43:443/Network/Segments sent/sec.					
6.12	3,325	9,795	3,245	3,281	1,737
LG 52.162.34.43:443/Network/Segments retransmitted/sec.					
0	35	116.1	34.8	34.2	24.7
LG 52.162.34.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.1	170.4	55.1	55.2	29.7
LG 52.162.34.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.94	11.4	3.85	3.88	2.02

LG 52.162.37.55:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.37.55:443/CPU Load					
0	29	88	26	28.1	16.4
LG 52.162.37.55:443/Memory Used					
2	37.5	79	38	37.4	17
LG 52.162.37.55:443/Throughput					
0	51.6	181.3	45.4	50.2	32.4
LG 52.162.37.55:443/User Load					
0	170.8	264	208	174	76.9
LG 52.162.37.55:443/Thread Count					
39	393.8	592	483	400	161.6
LG 52.162.37.55:443/Http client/Thread Pool used					
0.1	0.477	0.76	0.585	0.482	0.224
LG 52.162.37.55:443/Http client/Task Pool used					
0	0.026	1.63	0	0.006	0.123
LG 52.162.37.55:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.37.55:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.37.55:443/Controller Connection/Ping Duration (ms)					
75	113.9	179	112	112.6	17.6
LG 52.162.37.55:443/Network/Segments sent/sec.					
6.78	3,353	10,428	3,162	3,279	1,982
LG 52.162.37.55:443/Network/Segments retransmitted/sec.					
0	34.8	90.4	35.5	34.2	24.5
LG 52.162.37.55:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.4	195.7	50.1	54.9	35
LG 52.162.37.55:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.95	12.1	3.73	3.88	2.25

LG 52.162.55.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.55.202:443/CPU Load					
0	29.3	73	30	28.8	13.3
LG 52.162.55.202:443/Memory Used					
2	37.5	78	38	37.5	16.7
LG 52.162.55.202:443/Throughput					
0	51.5	133.6	54.9	51.4	24.4
LG 52.162.55.202:443/User Load					
0	169.6	263	207	172.8	77
LG 52.162.55.202:443/Thread Count					
39	321.8	501	381.5	325.5	126.1
LG 52.162.55.202:443/Http client/Thread Pool used					
0.1	0.175	0.36	0.155	0.169	0.062
LG 52.162.55.202:443/Http client/Task Pool used					
0	0.016	0.35	0	0.007	0.048
LG 52.162.55.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.55.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.55.202:443/Controller Connection/Ping Duration (ms)					
59	94.4	159	76	92.7	30.3
LG 52.162.55.202:443/Network/Segments sent/sec.					
6.06	3,335	8,937	3,503	3,324	1,603
LG 52.162.55.202:443/Network/Segments retransmitted/sec.					
0	34.7	100.4	33.9	33.9	24.5
LG 52.162.55.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.3	144.9	60.2	56.3	26.6
LG 52.162.55.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.94	10.41	4.13	3.93	1.86

LG 52.162.98.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.98.231:443/CPU Load					
0	30.5	94	28	29.5	15.6
LG 52.162.98.231:443/Memory Used					
2	37.6	82	38.5	37.7	16.9
LG 52.162.98.231:443/Throughput					
0	52.6	154.2	51.7	51.3	28.7
LG 52.162.98.231:443/User Load					
0	171.4	263	211	174.6	76.8
LG 52.162.98.231:443/Thread Count					
39	346	539	405.5	349.9	138.3
LG 52.162.98.231:443/Http client/Thread Pool used					
0.1	0.263	0.51	0.25	0.259	0.113
LG 52.162.98.231:443/Http client/Task Pool used					
0	0.028	1.43	0	0.015	0.094
LG 52.162.98.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.98.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.98.231:443/Controller Connection/Ping Duration (ms)					
79	110.2	126	111	111.1	8.45

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.98.231:443/Network/Segments sent/sec.					
15.2	3,421	13,197	3,267	3,326	1,882
LG 52.162.98.231:443/Network/Segments retransmitted/sec.					
0	35.3	85.1	34.8	34.7	24.5
LG 52.162.98.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.045	57.5	171	56.4	56.1	31.2
LG 52.162.98.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.022	4.02	12.9	3.91	3.93	2.11

LG 52.237.128.100:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.128.100:443/CPU Load					
0	28.2	83	25	27.6	15.8
LG 52.237.128.100:443/Memory Used					
2	37.9	79	39	37.9	17
LG 52.237.128.100:443/Throughput					
0	51	118.1	45.5	50.2	30.4
LG 52.237.128.100:443/User Load					
0	169.9	264	207.5	173.1	77.5
LG 52.237.128.100:443/Thread Count					
39	378.2	578	435.5	384.1	157.1
LG 52.237.128.100:443/Http client/Thread Pool used					
0.1	0.407	0.69	0.39	0.408	0.201
LG 52.237.128.100:443/Http client/Task Pool used					
0	0.024	1.33	0	0.009	0.092
LG 52.237.128.100:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.128.100:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.128.100:443/Controller Connection/Ping Duration (ms)					
72	110.7	122	113	111.9	9.95
LG 52.237.128.100:443/Network/Segments sent/sec.					
13.4	3,324	8,226	3,000	3,258	1,987
LG 52.237.128.100:443/Network/Segments retransmitted/sec.					
0	35	96.7	34	34.3	24.8
LG 52.237.128.100:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	55.7	129.5	49.9	54.8	33.1
LG 52.237.128.100:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.91	9.15	3.6	3.85	2.22

LG 52.237.128.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.128.156:443/CPU Load					
0	28.4	87	25	27.3	17.8
LG 52.237.128.156:443/Memory Used					
2	38.7	79	39	38.7	17.2
LG 52.237.128.156:443/Throughput					
0	51.3	213.6	41.6	48.6	36.8
LG 52.237.128.156:443/User Load					
0	169.9	264	207.5	173.1	77.5
LG 52.237.128.156:443/Thread Count					
39	413.9	609	509.5	421.4	171.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.128.156:443/Http client/Thread Pool used					
0.1	0.562	0.8	0.705	0.574	0.259
LG 52.237.128.156:443/Http client/Task Pool used					
0	0.012	0.5	0	0.004	0.049
LG 52.237.128.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.128.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.128.156:443/Controller Connection/Ping Duration (ms)					
71	115.4	164	114	115.1	16.8
LG 52.237.128.156:443/Network/Segments sent/sec.					
11.4	3,373	12,759	2,764	3,217	2,335
LG 52.237.128.156:443/Network/Segments retransmitted/sec.					
0	34.8	89	35.1	34.2	24.6
LG 52.237.128.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	56.1	223.4	45.5	53.3	39.8
LG 52.237.128.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.94	14	3.33	3.8	2.56

LG 52.237.128.173:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.128.173:443/CPU Load					
0	28.4	83	28	28	13.8
LG 52.237.128.173:443/Memory Used					
2	37.6	80	38	37.6	16.6
LG 52.237.128.173:443/Throughput					
0	51.3	132.3	51.6	50.8	26.9
LG 52.237.128.173:443/User Load					
0	170.1	263	208	173.3	76.8
LG 52.237.128.173:443/Thread Count					
39	344.8	514	417	350.1	136.9
LG 52.237.128.173:443/Http client/Thread Pool used					
0.1	0.269	0.405	0.315	0.271	0.102
LG 52.237.128.173:443/Http client/Task Pool used					
0	0.013	0.417	0	0.004	0.044
LG 52.237.128.173:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.128.173:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.128.173:443/Controller Connection/Ping Duration (ms)					
65	101.8	205	111	99	28.4
LG 52.237.128.173:443/Network/Segments sent/sec.					
6.09	3,328	8,487	3,340	3,297	1,735
LG 52.237.128.173:443/Network/Segments retransmitted/sec.					
0	34.6	92.2	33.7	33.9	24.3
LG 52.237.128.173:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.1	143.3	56.5	55.5	29.3
LG 52.237.128.173:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.93	10.06	3.89	3.89	2

LG 52.237.128.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.128.205:443/CPU Load					
0	28.7	79	30	28.2	13.8
LG 52.237.128.205:443/Memory Used					
2	37.9	79	39	38	16.6
LG 52.237.128.205:443/Throughput					
0	51	115.8	55.1	51	25.2
LG 52.237.128.205:443/User Load					
0	170.1	263	209	173.3	76.7
LG 52.237.128.205:443/Thread Count					
39	357.3	535	431	362.7	139.7
LG 52.237.128.205:443/Http client/Thread Pool used					
0.1	0.325	0.515	0.375	0.327	0.126
LG 52.237.128.205:443/Http client/Task Pool used					
0	0.017	0.883	0	0.005	0.068
LG 52.237.128.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.128.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.128.205:443/Controller Connection/Ping Duration (ms)					
68	104.6	155	91	103.7	33.4
LG 52.237.128.205:443/Network/Segments sent/sec.					
6.78	3,305	6,971	3,578	3,311	1,629
LG 52.237.128.205:443/Network/Segments retransmitted/sec.					
0	34.5	81	34.1	34	24.2
LG 52.237.128.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.7	125.5	60.3	55.7	27.4
LG 52.237.128.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.9	8.76	4.23	3.9	1.88

LG 52.237.128.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.128.220:443/CPU Load					
0	28.6	82	28	27.8	14.4
LG 52.237.128.220:443/Memory Used					
2	37.6	81	39	37.5	17.2
LG 52.237.128.220:443/Throughput					
0	51.8	182.8	52.9	51.2	27.1
LG 52.237.128.220:443/User Load					
0	171.2	264	207.5	174.4	76.9
LG 52.237.128.220:443/Thread Count					
39	345.3	520	407	350.2	135.7
LG 52.237.128.220:443/Http client/Thread Pool used					
0.1	0.269	0.435	0.285	0.269	0.103
LG 52.237.128.220:443/Http client/Task Pool used					
0	0.015	0.85	0	0.005	0.057
LG 52.237.128.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.128.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.128.220:443/Controller Connection/Ping Duration (ms)					
70	95.2	117	110	95.3	19.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.128.220:443/Network/Segments sent/sec.					
6.01	3,364	10,296	3,466	3,325	1,746
LG 52.237.128.220:443/Network/Segments retransmitted/sec.					
0	34.9	85.6	34.2	34.3	24.3
LG 52.237.128.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.6	195.8	57.8	56	29.5
LG 52.237.128.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.96	12	4.04	3.92	1.99

LG 52.237.128.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.128.73:443/CPU Load					
0	29.4	94	24	28.2	19.5
LG 52.237.128.73:443/Memory Used					
2	37.9	76	39	38	17.2
LG 52.237.128.73:443/Throughput					
0	51.6	196.9	41.7	48.5	39.2
LG 52.237.128.73:443/User Load					
0	169.8	263	207	173	77.1
LG 52.237.128.73:443/Thread Count					
39	439.2	657	533	447	190.8
LG 52.237.128.73:443/Http client/Thread Pool used					
0.1	0.675	1.03	0.822	0.685	0.349
LG 52.237.128.73:443/Http client/Task Pool used					
0	0.02	0.917	0	0.007	0.073
LG 52.237.128.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.128.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.128.73:443/Controller Connection/Ping Duration (ms)					
70	136.9	170	152	138.8	26.8
LG 52.237.128.73:443/Network/Segments sent/sec.					
6	3,415	11,403	2,856	3,267	2,415
LG 52.237.128.73:443/Network/Segments retransmitted/sec.					
0	34.4	95.7	33.6	33.6	24.8
LG 52.237.128.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.5	208.3	45.7	53.3	42.1
LG 52.237.128.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.98	13.6	3.43	3.81	2.69

LG 52.237.129.106:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.106:443/CPU Load					
0	28.9	97	26	28	15.6
LG 52.237.129.106:443/Memory Used					
2	37.6	81	38	37.7	17.1
LG 52.237.129.106:443/Throughput					
0	51.3	177	46.2	49.6	30.9
LG 52.237.129.106:443/User Load					
0	170	263	208	173.2	77.1
LG 52.237.129.106:443/Thread Count					
39	385.7	586	454	391.5	160.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.106:443/Http client/Thread Pool used					
0.1	0.438	0.72	0.475	0.441	0.21
LG 52.237.129.106:443/Http client/Task Pool used					
0	0.015	0.85	0	0.006	0.061
LG 52.237.129.106:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.106:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.106:443/Controller Connection/Ping Duration (ms)					
63	92.9	163	76	90.7	27.1
LG 52.237.129.106:443/Network/Segments sent/sec.					
9.8	3,351	10,123	3,087	3,265	1,945
LG 52.237.129.106:443/Network/Segments retransmitted/sec.					
0	34.8	98.5	33.9	34	24.8
LG 52.237.129.106:443/Network/eth0 (eth0)/Megabits received/sec.					
0.013	56.1	189	50.8	54.3	33.4
LG 52.237.129.106:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.93	11.8	3.72	3.83	2.21

LG 52.237.129.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.116:443/CPU Load					
0	29.3	95	24.5	28.1	18.2
LG 52.237.129.116:443/Memory Used					
2	38.3	83	38.5	38.3	16.9
LG 52.237.129.116:443/Throughput					
0	51.8	181	42.9	49.6	35.6
LG 52.237.129.116:443/User Load					
0	170.5	264	208.5	173.8	77.1
LG 52.237.129.116:443/Thread Count					
39	409.9	604	499.5	417.3	169.5
LG 52.237.129.116:443/Http client/Thread Pool used					
0.1	0.55	0.805	0.69	0.56	0.258
LG 52.237.129.116:443/Http client/Task Pool used					
0	0.014	0.633	0	0.006	0.049
LG 52.237.129.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.116:443/Controller Connection/Ping Duration (ms)					
69	100.2	145	111	99.8	21
LG 52.237.129.116:443/Network/Segments sent/sec.					
14.4	3,391	11,770	2,899	3,254	2,246
LG 52.237.129.116:443/Network/Segments retransmitted/sec.					
0	34.8	91.7	35.5	34.2	24.5
LG 52.237.129.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.6	195.5	47.5	54.3	38.7
LG 52.237.129.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.98	12.9	3.47	3.84	2.49

LG 52.237.129.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.18:443/CPU Load					
0	29	96	26	28.3	16.7
LG 52.237.129.18:443/Memory Used					
2	37.6	78	39	37.7	16.7
LG 52.237.129.18:443/Throughput					
0	51.7	201	43.7	49.9	34.1
LG 52.237.129.18:443/User Load					
0	170	263	209	173.2	76.7
LG 52.237.129.18:443/Thread Count					
39	440.5	671	523.5	447.6	190.6
LG 52.237.129.18:443/Http client/Thread Pool used					
0.1	0.69	1.21	0.77	0.693	0.36
LG 52.237.129.18:443/Http client/Task Pool used					
0	0.028	0.717	0	0.013	0.086
LG 52.237.129.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.18:443/Controller Connection/Ping Duration (ms)					
60	125.7	157	149	127.3	34.2
LG 52.237.129.18:443/Network/Segments sent/sec.					
12.6	3,380	10,399	3,050	3,296	2,093
LG 52.237.129.18:443/Network/Segments retransmitted/sec.					
0	34.8	106.7	34.4	34.1	25
LG 52.237.129.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.038	56.5	213	48	54.6	36.9
LG 52.237.129.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	3.96	12.2	3.63	3.87	2.36

LG 52.237.129.204:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.204:443/CPU Load					
0	28.4	83	28	27.7	14.2
LG 52.237.129.204:443/Memory Used					
2	37.6	76	40	37.9	16.2
LG 52.237.129.204:443/Throughput					
0	51.5	174.3	51.8	50.9	27.5
LG 52.237.129.204:443/User Load					
0	170.5	263	209	173.7	76.7
LG 52.237.129.204:443/Thread Count					
39	361.4	541	427.5	366.9	146.9
LG 52.237.129.204:443/Http client/Thread Pool used					
0.1	0.332	0.53	0.368	0.334	0.148
LG 52.237.129.204:443/Http client/Task Pool used					
0	0.017	0.417	0	0.007	0.052
LG 52.237.129.204:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.204:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.204:443/Controller Connection/Ping Duration (ms)					
79	132	155	149	133.3	22.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.204:443/Network/Segments sent/sec.					
11.5	3,344	10,256	3,374	3,297	1,802
LG 52.237.129.204:443/Network/Segments retransmitted/sec.					
0	34.5	84.5	34.1	33.8	24.2
LG 52.237.129.204:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	56.3	189.7	56.4	55.7	30
LG 52.237.129.204:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.022	3.94	11.7	4.02	3.89	2.04

LG 52.237.129.226:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.226:443/CPU Load					
0	29.5	88	26	28.5	18.3
LG 52.237.129.226:443/Memory Used					
2	38.4	80	39	38.3	17.4
LG 52.237.129.226:443/Throughput					
0	51.7	180.4	43.9	49.6	36
LG 52.237.129.226:443/User Load					
0	170.3	263	210	173.5	76.7
LG 52.237.129.226:443/Thread Count					
39	392	561	492	399.8	157.8
LG 52.237.129.226:443/Http client/Thread Pool used					
0.1	0.465	0.695	0.53	0.472	0.206
LG 52.237.129.226:443/Http client/Task Pool used					
0	0.014	0.383	0	0.006	0.044
LG 52.237.129.226:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.226:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.226:443/Controller Connection/Ping Duration (ms)					
61	84.4	148	76	82.7	19.5
LG 52.237.129.226:443/Network/Segments sent/sec.					
13.4	3,380	11,583	3,003	3,231	2,319
LG 52.237.129.226:443/Network/Segments retransmitted/sec.					
0	34.7	84	34.6	34.2	24.4
LG 52.237.129.226:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.5	196.2	48.3	54.2	39.2
LG 52.237.129.226:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.97	13.2	3.64	3.82	2.55

LG 52.237.129.230:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.230:443/CPU Load					
0	28.8	94	25	28	17.2
LG 52.237.129.230:443/Memory Used					
1	37.1	81	38	37.1	17.4
LG 52.237.129.230:443/Throughput					
0	51.6	205.1	45.4	49.8	34.2
LG 52.237.129.230:443/User Load					
0	169.7	263	207	172.9	77.1
LG 52.237.129.230:443/Thread Count					
39	410	601	508	417.6	168

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.230:443/Http client/Thread Pool used					
0.1	0.543	0.78	0.685	0.554	0.248
LG 52.237.129.230:443/Http client/Task Pool used					
0	0.019	0.617	0	0.009	0.061
LG 52.237.129.230:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.230:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.230:443/Controller Connection/Ping Duration (ms)					
65	108.1	155	110	107.7	32.3
LG 52.237.129.230:443/Network/Segments sent/sec.					
13.3	3,390	11,821	2,982	3,261	2,243
LG 52.237.129.230:443/Network/Segments retransmitted/sec.					
0	34.6	90.9	34.2	33.9	24.8
LG 52.237.129.230:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.4	222.2	49.7	54.5	37.1
LG 52.237.129.230:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.96	14.9	3.6	3.83	2.49

LG 52.237.129.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.24:443/CPU Load					
0	29	90	29	28.4	14.2
LG 52.237.129.24:443/Memory Used					
2	38.2	83	40	38.3	16.6
LG 52.237.129.24:443/Throughput					
0	51.4	155.8	53.9	50.7	26.6
LG 52.237.129.24:443/User Load					
0	169.6	263	208	172.8	77.1
LG 52.237.129.24:443/Thread Count					
39	344.3	530	401	348.6	136.7
LG 52.237.129.24:443/Http client/Thread Pool used					
0.1	0.275	0.51	0.275	0.272	0.118
LG 52.237.129.24:443/Http client/Task Pool used					
0	0.018	0.633	0	0.006	0.065
LG 52.237.129.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.24:443/Controller Connection/Ping Duration (ms)					
71	104.6	149	111	104.5	17.7
LG 52.237.129.24:443/Network/Segments sent/sec.					
15.7	3,337	11,564	3,531	3,289	1,724
LG 52.237.129.24:443/Network/Segments retransmitted/sec.					
0	34.8	85.4	34.9	34.3	24.5
LG 52.237.129.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0.058	56.2	166.7	59	55.5	28.9
LG 52.237.129.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.026	3.94	12.8	4.13	3.88	1.99

LG 52.237.129.30:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.30:443/CPU Load					
0	27.7	71	27	27.1	13.3
LG 52.237.129.30:443/Memory Used					
2	37.2	74	38	37.3	16.5
LG 52.237.129.30:443/Throughput					
0	51.2	119.7	51.2	50.8	25.8
LG 52.237.129.30:443/User Load					
0	170.1	263	207	173.3	76.8
LG 52.237.129.30:443/Thread Count					
39	335.5	512	390	339.9	131.7
LG 52.237.129.30:443/Http client/Thread Pool used					
0.1	0.228	0.39	0.225	0.227	0.083
LG 52.237.129.30:443/Http client/Task Pool used					
0	0.015	0.35	0	0.008	0.04
LG 52.237.129.30:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.30:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.30:443/Controller Connection/Ping Duration (ms)					
61	75.4	114	72	74	11.9
LG 52.237.129.30:443/Network/Segments sent/sec.					
8.95	3,316	7,296	3,322	3,295	1,677
LG 52.237.129.30:443/Network/Segments retransmitted/sec.					
0	34.6	85.4	33.6	34	24.3
LG 52.237.129.30:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56	130.8	56.1	55.6	28.2
LG 52.237.129.30:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.92	8.9	3.91	3.89	1.93

LG 52.237.129.43:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.43:443/CPU Load					
0	29.1	82	27	28.2	17
LG 52.237.129.43:443/Memory Used					
1	36.8	76	37	36.9	16.6
LG 52.237.129.43:443/Throughput					
0	51.6	156.1	45.9	49.5	34.3
LG 52.237.129.43:443/User Load					
0	170.1	263	207	173.3	76.8
LG 52.237.129.43:443/Thread Count					
39	403.7	593	490	411	165
LG 52.237.129.43:443/Http client/Thread Pool used					
0.1	0.51	0.765	0.61	0.518	0.231
LG 52.237.129.43:443/Http client/Task Pool used					
0	0.021	1.37	0	0.007	0.087
LG 52.237.129.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.43:443/Controller Connection/Ping Duration (ms)					
72	110.9	123	112	112.1	8.68

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.43:443/Network/Segments sent/sec.					
7.51	3,383	10,911	3,015	3,245	2,202
LG 52.237.129.43:443/Network/Segments retransmitted/sec.					
0	34.4	92.1	35.3	33.8	24.3
LG 52.237.129.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56.4	169.2	50.4	54.1	37.3
LG 52.237.129.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.96	12.2	3.73	3.83	2.42

LG 52.237.129.54:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.129.54:443/CPU Load					
0	29	98	23	27.7	20.3
LG 52.237.129.54:443/Memory Used					
2	37.9	77	38	38.1	16.6
LG 52.237.129.54:443/Throughput					
0	52.3	244.2	42.2	49.1	41.7
LG 52.237.129.54:443/User Load					
0	170.8	263	207.5	174	76.6
LG 52.237.129.54:443/Thread Count					
39	417.2	624	506	423.9	174.1
LG 52.237.129.54:443/Http client/Thread Pool used					
0.1	0.557	0.825	0.692	0.566	0.264
LG 52.237.129.54:443/Http client/Task Pool used					
0	0.023	1.48	0	0.005	0.128
LG 52.237.129.54:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.129.54:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.129.54:443/Controller Connection/Ping Duration (ms)					
73	121.7	291	115.5	117.1	45.7
LG 52.237.129.54:443/Network/Segments sent/sec.					
6	3,448	13,910	2,905	3,237	2,584
LG 52.237.129.54:443/Network/Segments retransmitted/sec.					
0	35.1	92.8	35.3	34.4	25.1
LG 52.237.129.54:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	57.1	239	46.5	53.8	44.8
LG 52.237.129.54:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	4.02	15.9	3.4	3.82	2.85

LG 52.237.130.30:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.130.30:443/CPU Load					
0	29.3	78	29	28.7	13.8
LG 52.237.130.30:443/Memory Used					
2	37.8	80	39	37.8	16.7
LG 52.237.130.30:443/Throughput					
0	51.3	132.9	49.5	51.1	25.2
LG 52.237.130.30:443/User Load					
0	170.8	264	208.5	173.9	76.7
LG 52.237.130.30:443/Thread Count					
39	332.9	510	395.5	337.1	130.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.130.30:443/Http client/Thread Pool used					
0.1	0.218	0.395	0.23	0.214	0.082
LG 52.237.130.30:443/Http client/Task Pool used					
0	0.018	0.45	0	0.008	0.051
LG 52.237.130.30:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.130.30:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.130.30:443/Controller Connection/Ping Duration (ms)					
62	108.1	204	113	106	28.3
LG 52.237.130.30:443/Network/Segments sent/sec.					
14.4	3,337	8,471	3,366	3,326	1,623
LG 52.237.130.30:443/Network/Segments retransmitted/sec.					
0	35	90.3	35	34.4	24.7
LG 52.237.130.30:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.2	144	54.4	55.9	27.4
LG 52.237.130.30:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.94	9.74	4.02	3.92	1.87

LG 52.237.130.78:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.130.78:443/CPU Load					
0	28.7	81	28	28.2	13.1
LG 52.237.130.78:443/Memory Used					
2	37.6	79	38	37.6	16.7
LG 52.237.130.78:443/Throughput					
0	51.2	118.3	54.3	51.2	24.4
LG 52.237.130.78:443/User Load					
0	169.9	263	207	173.1	77.2
LG 52.237.130.78:443/Thread Count					
39	327.1	512	392	330.8	129.7
LG 52.237.130.78:443/Http client/Thread Pool used					
0.1	0.198	0.415	0.19	0.192	0.079
LG 52.237.130.78:443/Http client/Task Pool used					
0	0.017	0.433	0	0.008	0.049
LG 52.237.130.78:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.130.78:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.130.78:443/Controller Connection/Ping Duration (ms)					
71	94.8	150	90	93.6	21.7
LG 52.237.130.78:443/Network/Segments sent/sec.					
15.2	3,306	7,330	3,474	3,299	1,579
LG 52.237.130.78:443/Network/Segments retransmitted/sec.					
0	34.7	91	34.6	34	24.6
LG 52.237.130.78:443/Network/eth0 (eth0)/Megabits received/sec.					
0.045	56	128.7	59.6	55.9	26.6
LG 52.237.130.78:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.022	3.92	8.8	4.04	3.91	1.83

LG 52.237.131.147:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.131.147:443/CPU Load					
0	29.6	75	30	29	14.4
LG 52.237.131.147:443/Memory Used					
2	37.4	73	38	37.5	16.5
LG 52.237.131.147:443/Throughput					
0	51.4	142.5	51.5	51	26.5
LG 52.237.131.147:443/User Load					
0	170.4	263	210	173.6	76.6
LG 52.237.131.147:443/Thread Count					
39	363.1	537	434	368.9	141.4
LG 52.237.131.147:443/Http client/Thread Pool used					
0.1	0.351	0.515	0.415	0.355	0.135
LG 52.237.131.147:443/Http client/Task Pool used					
0	0.026	0.483	0	0.014	0.068
LG 52.237.131.147:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.131.147:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.131.147:443/Controller Connection/Ping Duration (ms)					
60	86.9	115	77	86.8	18.4
LG 52.237.131.147:443/Network/Segments sent/sec.					
17.2	3,335	9,247	3,457	3,312	1,681
LG 52.237.131.147:443/Network/Segments retransmitted/sec.					
0	34.9	89	34.5	34.4	24.4
LG 52.237.131.147:443/Network/eth0 (eth0)/Megabits received/sec.					
0.046	56.2	155.6	56.1	55.8	28.8
LG 52.237.131.147:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.026	3.94	11.1	4.05	3.91	1.96

LG 52.237.131.190:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.131.190:443/CPU Load					
0	27.9	81	26	27.2	15.1
LG 52.237.131.190:443/Memory Used					
1	37.6	74	39	37.7	16.6
LG 52.237.131.190:443/Throughput					
0	51.3	127.7	49.7	50.7	28.6
LG 52.237.131.190:443/User Load					
0	170.1	263	209	173.3	76.7
LG 52.237.131.190:443/Thread Count					
39	361.9	524	447.5	368.3	143.6
LG 52.237.131.190:443/Http client/Thread Pool used					
0.1	0.329	0.48	0.415	0.334	0.135
LG 52.237.131.190:443/Http client/Task Pool used					
0	0.018	0.55	0	0.007	0.055
LG 52.237.131.190:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.131.190:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.131.190:443/Controller Connection/Ping Duration (ms)					
63	111.4	162	112	111.1	18.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.131.190:443/Network/Segments sent/sec.					
15.2	3,327	8,345	3,159	3,281	1,867
LG 52.237.131.190:443/Network/Segments retransmitted/sec.					
0	34.4	84	34.6	33.8	24.3
LG 52.237.131.190:443/Network/eth0 (eth0)/Megabits received/sec.					
0.045	56.1	140	54.2	55.5	31.2
LG 52.237.131.190:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.022	3.92	10.4	3.81	3.88	2.11

LG 52.237.131.201:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.131.201:443/CPU Load					
0	28.6	73	29	28	13.7
LG 52.237.131.201:443/Memory Used					
1	37.7	79	39	37.8	16.8
LG 52.237.131.201:443/Throughput					
0	50.9	148.8	52.6	50.8	25.2
LG 52.237.131.201:443/User Load					
0	169.8	263	208.5	173	77.1
LG 52.237.131.201:443/Thread Count					
39	339.2	505	405.5	344.5	132.9
LG 52.237.131.201:443/Http client/Thread Pool used					
0.1	0.246	0.405	0.275	0.246	0.085
LG 52.237.131.201:443/Http client/Task Pool used					
0	0.02	0.45	0	0.011	0.049
LG 52.237.131.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.131.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.131.201:443/Controller Connection/Ping Duration (ms)					
61	91.6	119	76	91.5	21.2
LG 52.237.131.201:443/Network/Segments sent/sec.					
6.12	3,311	9,508	3,388	3,292	1,669
LG 52.237.131.201:443/Network/Segments retransmitted/sec.					
0	34.6	88.9	35.4	34	24.3
LG 52.237.131.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	55.7	162.3	57.6	55.6	27.5
LG 52.237.131.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.91	10.86	4.08	3.89	1.91

LG 52.237.131.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.131.6:443/CPU Load					
0	29	78	27	28.3	14.5
LG 52.237.131.6:443/Memory Used					
2	37.7	81	38	37.7	17.3
LG 52.237.131.6:443/Throughput					
0	51.3	152.1	47	50.2	28.7
LG 52.237.131.6:443/User Load					
0	169.9	263	208.5	173.2	77
LG 52.237.131.6:443/Thread Count					
39	359.2	542	431.5	364.6	141.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.131.6:443/Http client/Thread Pool used					
0.1	0.332	0.545	0.375	0.333	0.132
LG 52.237.131.6:443/Http client/Task Pool used					
0	0.027	0.667	0	0.015	0.074
LG 52.237.131.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.131.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.131.6:443/Controller Connection/Ping Duration (ms)					
70	99.4	152	112	98.1	23
LG 52.237.131.6:443/Network/Segments sent/sec.					
14.4	3,330	10,143	3,205	3,275	1,789
LG 52.237.131.6:443/Network/Segments retransmitted/sec.					
0	34.4	87.3	33.8	33.9	24.2
LG 52.237.131.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56	165.8	51.3	54.8	31.1
LG 52.237.131.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.93	11.8	3.79	3.86	2.05

LG 52.237.132.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.132.166:443/CPU Load					
0	29.3	79	27	28.5	15.1
LG 52.237.132.166:443/Memory Used					
2	37.5	83	40	37.5	16.7
LG 52.237.132.166:443/Throughput					
0	51	128.7	50.2	49.9	28
LG 52.237.132.166:443/User Load					
0	170.3	263	207	173.5	76.9
LG 52.237.132.166:443/Thread Count					
39	365	538	435	371.2	147.5
LG 52.237.132.166:443/Http client/Thread Pool used					
0.1	0.362	0.565	0.415	0.365	0.158
LG 52.237.132.166:443/Http client/Task Pool used					
0	0.027	1.17	0	0.011	0.094
LG 52.237.132.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.132.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.132.166:443/Controller Connection/Ping Duration (ms)					
63	100.1	176	112	98.2	26.2
LG 52.237.132.166:443/Network/Segments sent/sec.					
9.71	3,316	7,999	3,223	3,266	1,736
LG 52.237.132.166:443/Network/Segments retransmitted/sec.					
0	34.6	89	33.9	33.9	24.3
LG 52.237.132.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.015	55.8	139.7	55	54.7	30.3
LG 52.237.132.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.023	3.91	9.47	3.85	3.85	2.01

LG 52.237.133.230:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.133.230:443/CPU Load					
0	29	93	26	27.7	18.3
LG 52.237.133.230:443/Memory Used					
1	37.9	83	39	37.9	17.2
LG 52.237.133.230:443/Throughput					
0	51.5	202.3	44.2	48.2	38.4
LG 52.237.133.230:443/User Load					
0	170.2	263	209	173.4	76.7
LG 52.237.133.230:443/Thread Count					
39	427.2	644	521	434.2	180.6
LG 52.237.133.230:443/Http client/Thread Pool used					
0.1	0.618	0.975	0.76	0.626	0.303
LG 52.237.133.230:443/Http client/Task Pool used					
0	0.044	2	0	0.014	0.179
LG 52.237.133.230:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.133.230:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.133.230:443/Controller Connection/Ping Duration (ms)					
63	104.7	237	111	100.1	37.1
LG 52.237.133.230:443/Network/Segments sent/sec.					
11.4	3,391	11,650	3,035	3,219	2,257
LG 52.237.133.230:443/Network/Segments retransmitted/sec.					
0	34.8	91	33.5	34.1	24.8
LG 52.237.133.230:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	56.3	218.3	48.5	52.9	41
LG 52.237.133.230:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.024	3.96	13.5	3.6	3.77	2.58

LG 52.237.133.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.133.41:443/CPU Load					
0	29.5	78	29	28.8	13.5
LG 52.237.133.41:443/Memory Used					
2	37.9	78	39	38	17.1
LG 52.237.133.41:443/Throughput					
0	51.2	117.1	52.5	50.9	24.5
LG 52.237.133.41:443/User Load					
0	170.5	263	209	173.7	76.7
LG 52.237.133.41:443/Thread Count					
39	330.4	546	383	332.8	133.7
LG 52.237.133.41:443/Http client/Thread Pool used					
0.1	0.207	0.57	0.165	0.195	0.113
LG 52.237.133.41:443/Http client/Task Pool used					
0	0.026	0.95	0	0.011	0.084
LG 52.237.133.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.133.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.133.41:443/Controller Connection/Ping Duration (ms)					
92	111.6	120	112	112	4.36

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.133.41:443/Network/Segments sent/sec.					
11.5	3,327	7,831	3,341	3,315	1,583
LG 52.237.133.41:443/Network/Segments retransmitted/sec.					
0	34.8	92	33.4	34.1	24.6
LG 52.237.133.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	56.1	127.2	57.1	55.7	26.7
LG 52.237.133.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.024	3.93	9.3	3.93	3.91	1.84

LG 52.237.134.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.134.10:443/CPU Load					
0	29.1	92	27	28.1	17.5
LG 52.237.134.10:443/Memory Used					
2	37.2	73	39	37.4	16.6
LG 52.237.134.10:443/Throughput					
0	51.8	210.2	45.1	49.6	35.1
LG 52.237.134.10:443/User Load					
0	169.8	263	209	173	77.1
LG 52.237.134.10:443/Thread Count					
39	409.5	622	497	415.9	175.5
LG 52.237.134.10:443/Http client/Thread Pool used					
0.1	0.541	0.93	0.645	0.543	0.277
LG 52.237.134.10:443/Http client/Task Pool used					
0	0.013	0.483	0	0.005	0.048
LG 52.237.134.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.134.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.134.10:443/Controller Connection/Ping Duration (ms)					
69	89.8	128	76	89.1	20.1
LG 52.237.134.10:443/Network/Segments sent/sec.					
15.2	3,384	11,411	3,038	3,238	2,252
LG 52.237.134.10:443/Network/Segments retransmitted/sec.					
0	34.6	84.9	34.7	34	24.6
LG 52.237.134.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.045	56.6	222.7	49.4	54.2	38.1
LG 52.237.134.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.022	3.97	13.5	3.69	3.83	2.49

LG 52.237.134.118:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.134.118:443/CPU Load					
0	29.5	77	30	29	14.8
LG 52.237.134.118:443/Memory Used					
1	37	76	37	37.1	16.7
LG 52.237.134.118:443/Throughput					
0	51.2	138.2	51.3	50.5	27.8
LG 52.237.134.118:443/User Load					
0	170	263	209	173.2	76.6
LG 52.237.134.118:443/Thread Count					
39	368.2	553	436	373.9	146.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.134.118:443/Http client/Thread Pool used					
0.1	0.376	0.56	0.407	0.381	0.154
LG 52.237.134.118:443/Http client/Task Pool used					
0	0.03	0.95	0	0.014	0.09
LG 52.237.134.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.134.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.134.118:443/Controller Connection/Ping Duration (ms)					
60	93	152	80	91.8	22.4
LG 52.237.134.118:443/Network/Segments sent/sec.					
15.7	3,340	9,544	3,506	3,286	1,784
LG 52.237.134.118:443/Network/Segments retransmitted/sec.					
0	34.6	90.4	34.3	34	24.6
LG 52.237.134.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.045	56	149	57.1	55.3	30.1
LG 52.237.134.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.025	3.93	10.95	4.08	3.87	2.08

LG 52.237.134.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.134.142:443/CPU Load					
0	28.1	93	25	27.1	16
LG 52.237.134.142:443/Memory Used					
2	37.4	78	39	37.5	16.7
LG 52.237.134.142:443/Throughput					
0	51.7	187.5	46.8	49.4	33.3
LG 52.237.134.142:443/User Load					
0	170.7	263	210	173.9	76.7
LG 52.237.134.142:443/Thread Count					
39	384.8	573	459	391	154.4
LG 52.237.134.142:443/Http client/Thread Pool used					
0.1	0.431	0.69	0.48	0.435	0.187
LG 52.237.134.142:443/Http client/Task Pool used					
0	0.021	0.483	0	0.011	0.06
LG 52.237.134.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.134.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.134.142:443/Controller Connection/Ping Duration (ms)					
76	114	157	112	113.1	13.7
LG 52.237.134.142:443/Network/Segments sent/sec.					
9.11	3,359	12,487	3,164	3,263	1,960
LG 52.237.134.142:443/Network/Segments retransmitted/sec.					
0	34.8	82	34.2	34.3	24.4
LG 52.237.134.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56.3	203.8	51.2	54	35.5
LG 52.237.134.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.96	14.1	3.76	3.84	2.28

LG 52.237.134.147:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.134.147:443/CPU Load					
0	28.3	72	28	27.8	13.5
LG 52.237.134.147:443/Memory Used					
2	38.2	74	39	38.4	16.4
LG 52.237.134.147:443/Throughput					
0	51.1	123.1	51.8	50.6	25.6
LG 52.237.134.147:443/User Load					
0	170.4	263	208	173.6	76.7
LG 52.237.134.147:443/Thread Count					
39	339.2	528	399.5	342.9	134.3
LG 52.237.134.147:443/Http client/Thread Pool used					
0.1	0.246	0.465	0.255	0.242	0.097
LG 52.237.134.147:443/Http client/Task Pool used					
0	0.016	0.45	0	0.007	0.049
LG 52.237.134.147:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.134.147:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.134.147:443/Controller Connection/Ping Duration (ms)					
72	103.3	213	111	100.4	27.8
LG 52.237.134.147:443/Network/Segments sent/sec.					
13.6	3,311	8,074	3,316	3,272	1,690
LG 52.237.134.147:443/Network/Segments retransmitted/sec.					
0	35.1	88.6	34.3	34.4	24.8
LG 52.237.134.147:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	55.7	134.3	56.5	55.2	27.9
LG 52.237.134.147:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.91	9.54	3.93	3.87	1.93

LG 52.237.134.1:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.134.1:443/CPU Load					
0	28.1	92	23	26.7	19.1
LG 52.237.134.1:443/Memory Used					
2	38.1	78	37	38.1	17.5
LG 52.237.134.1:443/Throughput					
0	51.5	199	38.2	47.9	42.3
LG 52.237.134.1:443/User Load					
0	170	263	208	173.2	76.8
LG 52.237.134.1:443/Thread Count					
39	425.2	637	531	432.4	183
LG 52.237.134.1:443/Http client/Thread Pool used					
0.1	0.602	0.93	0.805	0.611	0.306
LG 52.237.134.1:443/Http client/Task Pool used					
0	0.072	2.33	0	0.024	0.26
LG 52.237.134.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.134.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.134.1:443/Controller Connection/Ping Duration (ms)					
70	129	897	111	104.3	142.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.134.1:443/Network/Segments sent/sec.					
13.4	3,400	11,862	2,795	3,217	2,424
LG 52.237.134.1:443/Network/Segments retransmitted/sec.					
0	34.6	88	34.1	34	24.5
LG 52.237.134.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.3	215.2	43.2	52.5	44.9
LG 52.237.134.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.97	13.6	3.33	3.77	2.75

LG 52.237.135.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.135.110:443/CPU Load					
0	29.7	95	26	28.8	17.6
LG 52.237.135.110:443/Memory Used					
2	38.9	79	40	39	17
LG 52.237.135.110:443/Throughput					
0	51.9	210.6	45.9	50.2	34.1
LG 52.237.135.110:443/User Load					
0	170.3	263	210	173.5	76.7
LG 52.237.135.110:443/Thread Count					
39	422.9	652	488	429.1	181.8
LG 52.237.135.110:443/Http client/Thread Pool used					
0.1	0.6	1.04	0.59	0.602	0.314
LG 52.237.135.110:443/Http client/Task Pool used					
0	0.029	0.533	0	0.014	0.078
LG 52.237.135.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.135.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.135.110:443/Controller Connection/Ping Duration (ms)					
68	110.6	151	110	110.8	11.2
LG 52.237.135.110:443/Network/Segments sent/sec.					
11.4	3,411	11,708	3,007	3,292	2,249
LG 52.237.135.110:443/Network/Segments retransmitted/sec.					
0	34.8	95.4	35.4	34.1	24.6
LG 52.237.135.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	56.7	225.5	50.2	55	37.2
LG 52.237.135.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.99	13.1	3.71	3.88	2.45

LG 52.237.135.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.135.159:443/CPU Load					
0	29.4	74	28.5	28.7	13.5
LG 52.237.135.159:443/Memory Used					
1	38	79	39	38	17.3
LG 52.237.135.159:443/Throughput					
0	51.8	137	52.5	51	26
LG 52.237.135.159:443/User Load					
0	170	263	208	173.2	76.7
LG 52.237.135.159:443/Thread Count					
39	333.1	521	379	336.6	136.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.135.159:443/Http client/Thread Pool used					
0.1	0.221	0.445	0.165	0.215	0.118
LG 52.237.135.159:443/Http client/Task Pool used					
0	0.024	0.633	0	0.011	0.074
LG 52.237.135.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.135.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.135.159:443/Controller Connection/Ping Duration (ms)					
61	79.3	150	71	76.5	19.5
LG 52.237.135.159:443/Network/Segments sent/sec.					
11.5	3,357	8,482	3,392	3,316	1,662
LG 52.237.135.159:443/Network/Segments retransmitted/sec.					
0	35.1	89.2	34.2	34.4	24.7
LG 52.237.135.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.016	56.6	148.7	57.7	55.8	28.3
LG 52.237.135.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.024	3.96	9.89	3.96	3.92	1.93

LG 52.237.135.163:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.135.163:443/CPU Load					
0	28.2	73	29	27.9	12.8
LG 52.237.135.163:443/Memory Used					
2	36.7	75	39	36.7	17.3
LG 52.237.135.163:443/Throughput					
0	51.2	131.3	54.3	51.1	25.1
LG 52.237.135.163:443/User Load					
0	170.1	263	208.5	173.3	76.7
LG 52.237.135.163:443/Thread Count					
39	345.1	519	402	350.2	138.9
LG 52.237.135.163:443/Http client/Thread Pool used					
0.1	0.276	0.445	0.278	0.276	0.117
LG 52.237.135.163:443/Http client/Task Pool used					
0	0.018	1.28	0	0.007	0.08
LG 52.237.135.163:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.135.163:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.135.163:443/Controller Connection/Ping Duration (ms)					
71	88.3	152	74	86	22.9
LG 52.237.135.163:443/Network/Segments sent/sec.					
13.4	3,322	7,678	3,427	3,319	1,645
LG 52.237.135.163:443/Network/Segments retransmitted/sec.					
0	34.9	87	34.7	34.4	24.4
LG 52.237.135.163:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56	141.3	59.1	55.9	27.4
LG 52.237.135.163:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.92	9.18	4	3.91	1.89

LG 52.237.152.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.152.117:443/CPU Load					
0	28.2	76	27	27.5	13.9
LG 52.237.152.117:443/Memory Used					
2	38.1	76	39	38.1	17.5
LG 52.237.152.117:443/Throughput					
0	51.9	162.3	50.3	50.8	29
LG 52.237.152.117:443/User Load					
0	171	263	208	174.2	76.7
LG 52.237.152.117:443/Thread Count					
39	382.5	543	483	390.2	152.4
LG 52.237.152.117:443/Http client/Thread Pool used					
0.1	0.428	0.68	0.51	0.432	0.187
LG 52.237.152.117:443/Http client/Task Pool used					
0	0.024	0.5	0	0.013	0.064
LG 52.237.152.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.152.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.152.117:443/Controller Connection/Ping Duration (ms)					
66	87.7	203	72	84	29.8
LG 52.237.152.117:443/Network/Segments sent/sec.					
14.9	3,346	9,064	3,329	3,306	1,771
LG 52.237.152.117:443/Network/Segments retransmitted/sec.					
0	34.9	90.4	34.2	34.2	24.7
LG 52.237.152.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.6	175.2	54.8	55.5	31.5
LG 52.237.152.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.024	3.95	10.81	3.95	3.89	2.07

LG 52.237.152.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.152.205:443/CPU Load					
0	29.2	95	25	28	18.3
LG 52.237.152.205:443/Memory Used					
2	37.7	80	39	37.6	17
LG 52.237.152.205:443/Throughput					
0	52.4	197	46.3	49.7	37
LG 52.237.152.205:443/User Load					
0	171	263	210	174.3	76.7
LG 52.237.152.205:443/Thread Count					
39	398.8	591	477	405.4	162
LG 52.237.152.205:443/Http client/Thread Pool used					
0.1	0.486	0.77	0.545	0.491	0.221
LG 52.237.152.205:443/Http client/Task Pool used					
0	0.013	0.25	0	0.006	0.037
LG 52.237.152.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.152.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.152.205:443/Controller Connection/Ping Duration (ms)					
60	99	182	110	96.9	29

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.152.205:443/Network/Segments sent/sec.					
6	3,427	13,752	2,972	3,235	2,412
LG 52.237.152.205:443/Network/Segments retransmitted/sec.					
0	35.3	85.6	35.4	34.8	24.7
LG 52.237.152.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	57.3	215.5	50.4	54.3	40.2
LG 52.237.152.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	4.02	15.1	3.55	3.83	2.65

LG 52.237.153.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.153.108:443/CPU Load					
0	28	82	27	27.4	14.3
LG 52.237.153.108:443/Memory Used					
2	37.9	75	39	38.1	16.5
LG 52.237.153.108:443/Throughput					
0	51.8	199.2	51.6	50.8	29.2
LG 52.237.153.108:443/User Load					
0	170.6	263	210	173.9	76.8
LG 52.237.153.108:443/Thread Count					
39	379.4	563	454.5	385.6	157.9
LG 52.237.153.108:443/Http client/Thread Pool used					
0.1	0.41	0.695	0.452	0.411	0.198
LG 52.237.153.108:443/Http client/Task Pool used					
0	0.02	0.45	0	0.01	0.052
LG 52.237.153.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.153.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.153.108:443/Controller Connection/Ping Duration (ms)					
68	92.3	118	80.5	92.1	19.5
LG 52.237.153.108:443/Network/Segments sent/sec.					
5.98	3,356	11,384	3,312	3,312	1,867
LG 52.237.153.108:443/Network/Segments retransmitted/sec.					
0	35	88.8	35.2	34.4	24.4
LG 52.237.153.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.6	211.9	56.4	55.6	31.7
LG 52.237.153.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.96	12.9	3.93	3.91	2.11

LG 52.237.153.222:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.153.222:443/CPU Load					
0	28.7	98	27	27.7	17
LG 52.237.153.222:443/Memory Used					
2	37.5	85	39	37.6	17.1
LG 52.237.153.222:443/Throughput					
0	51.5	203.1	44.8	48.7	35.9
LG 52.237.153.222:443/User Load					
0	170	263	208	173.2	77.1
LG 52.237.153.222:443/Thread Count					
39	441.8	668	524	449.4	189.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.153.222:443/Http client/Thread Pool used					
0.1	0.686	1.08	0.78	0.697	0.345
LG 52.237.153.222:443/Http client/Task Pool used					
0	0.05	3.88	0	0.017	0.248
LG 52.237.153.222:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.153.222:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.153.222:443/Controller Connection/Ping Duration (ms)					
73	116.1	152	112	116.1	17
LG 52.237.153.222:443/Network/Segments sent/sec.					
14.4	3,400	13,595	3,266	3,297	2,125
LG 52.237.153.222:443/Network/Segments retransmitted/sec.					
0	34.8	101.8	34.4	34	25.1
LG 52.237.153.222:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.4	217.1	50.6	53.6	38.3
LG 52.237.153.222:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.97	15.1	3.75	3.84	2.41

LG 52.237.153.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.153.39:443/CPU Load					
0	29	87	26	28.1	16.6
LG 52.237.153.39:443/Memory Used					
2	37.9	82	39	37.9	17.3
LG 52.237.153.39:443/Throughput					
0	51.3	150.6	47.3	49.9	31.5
LG 52.237.153.39:443/User Load					
0	170.6	263	209	173.9	76.8
LG 52.237.153.39:443/Thread Count					
39	380.9	554	454	387.9	149.1
LG 52.237.153.39:443/Http client/Thread Pool used					
0.1	0.42	0.62	0.49	0.427	0.172
LG 52.237.153.39:443/Http client/Task Pool used					
0	0.02	0.583	0	0.007	0.067
LG 52.237.153.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.153.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.153.39:443/Controller Connection/Ping Duration (ms)					
68	90.4	152	76	88.7	22.5
LG 52.237.153.39:443/Network/Segments sent/sec.					
16	3,341	10,864	3,040	3,249	2,025
LG 52.237.153.39:443/Network/Segments retransmitted/sec.					
0	34.6	90.8	33.9	33.9	24.3
LG 52.237.153.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0.044	56.1	161.1	51.7	54.6	34.3
LG 52.237.153.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.023	3.93	11.4	3.66	3.84	2.25

LG 52.237.153.62:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.153.62:443/CPU Load					
0	29	83	29	28.5	13.7
LG 52.237.153.62:443/Memory Used					
2	38.2	80	39	38.1	17.1
LG 52.237.153.62:443/Throughput					
0	51.4	118.1	52.1	51.4	24.8
LG 52.237.153.62:443/User Load					
0	170.6	263	208.5	173.8	76.6
LG 52.237.153.62:443/Thread Count					
39	343	518	406	347.8	134.1
LG 52.237.153.62:443/Http client/Thread Pool used					
0.1	0.261	0.455	0.275	0.259	0.1
LG 52.237.153.62:443/Http client/Task Pool used					
0	0.015	0.333	0	0.008	0.042
LG 52.237.153.62:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.153.62:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.153.62:443/Controller Connection/Ping Duration (ms)					
84	141.8	154	149	144.1	20
LG 52.237.153.62:443/Network/Segments sent/sec.					
14.4	3,331	7,563	3,357	3,330	1,640
LG 52.237.153.62:443/Network/Segments retransmitted/sec.					
0	34.6	84.1	34.4	34	24.3
LG 52.237.153.62:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.2	129.4	57.2	56.2	27.2
LG 52.237.153.62:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.93	9.15	3.95	3.92	1.88

LG 52.237.154.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.154.159:443/CPU Load					
0	29.7	79	29	29.1	13.8
LG 52.237.154.159:443/Memory Used					
2	37.3	72	38	37.5	16.3
LG 52.237.154.159:443/Throughput					
0	51.5	130	53.5	51.4	24.6
LG 52.237.154.159:443/User Load					
0	170.3	263	208	173.5	77
LG 52.237.154.159:443/Thread Count					
39	327.4	516	382	330.7	130.8
LG 52.237.154.159:443/Http client/Thread Pool used					
0.1	0.197	0.44	0.175	0.189	0.089
LG 52.237.154.159:443/Http client/Task Pool used					
0	0.018	0.417	0	0.01	0.048
LG 52.237.154.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.154.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.154.159:443/Controller Connection/Ping Duration (ms)					
66	94.4	174	80	91.6	28.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.154.159:443/Network/Segments sent/sec.					
14.4	3,333	10,717	3,441	3,313	1,632
LG 52.237.154.159:443/Network/Segments retransmitted/sec.					
0	34.7	88.3	34.2	34.1	24.5
LG 52.237.154.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.4	142.2	58.9	56.2	26.9
LG 52.237.154.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.94	10.67	4.11	3.92	1.88

LG 52.237.154.69:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.154.69:443/CPU Load					
0	27.9	83	25	27	15.3
LG 52.237.154.69:443/Memory Used					
2	37.9	81	38	37.8	17.1
LG 52.237.154.69:443/Throughput					
0	51.2	138	47	49.7	31.2
LG 52.237.154.69:443/User Load					
0	170.1	263	208.5	173.3	76.7
LG 52.237.154.69:443/Thread Count					
39	397.4	586	493	404.4	163.9
LG 52.237.154.69:443/Http client/Thread Pool used					
0.1	0.501	0.735	0.64	0.51	0.235
LG 52.237.154.69:443/Http client/Task Pool used					
0	0.045	1.33	0	0.015	0.152
LG 52.237.154.69:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.154.69:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.154.69:443/Controller Connection/Ping Duration (ms)					
71	109.8	117	113	111.2	9.26
LG 52.237.154.69:443/Network/Segments sent/sec.					
14.2	3,326	8,274	3,102	3,283	1,815
LG 52.237.154.69:443/Network/Segments retransmitted/sec.					
0	34.6	90.7	34.7	33.8	24.5
LG 52.237.154.69:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	55.8	149	51.4	54.3	33.1
LG 52.237.154.69:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.92	10.26	3.67	3.85	2.13

LG 52.237.155.40:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.155.40:443/CPU Load					
0	28.6	85	26	27.8	16.8
LG 52.237.155.40:443/Memory Used					
2	38.2	84	39.5	38.2	17.9
LG 52.237.155.40:443/Throughput					
0	51.6	182.2	45.8	49.6	34.5
LG 52.237.155.40:443/User Load					
0	170.3	263	208	173.5	76.7
LG 52.237.155.40:443/Thread Count					
39	414.8	601	513	422.7	171.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.155.40:443/Http client/Thread Pool used					
0.1	0.557	0.815	0.695	0.568	0.262
LG 52.237.155.40:443/Http client/Task Pool used					
0	0.019	0.6	0	0.009	0.056
LG 52.237.155.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.155.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.155.40:443/Controller Connection/Ping Duration (ms)					
68	98.2	151	74	96.9	33.1
LG 52.237.155.40:443/Network/Segments sent/sec.					
13	3,376	10,051	3,045	3,243	2,213
LG 52.237.155.40:443/Network/Segments retransmitted/sec.					
0	34.4	87.3	34.2	33.8	24.3
LG 52.237.155.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0.018	56.4	196.7	50	54.2	37.5
LG 52.237.155.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.96	12.4	3.64	3.83	2.44

LG 52.237.158.149:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.158.149:443/CPU Load					
0	29.8	85	30	29.3	14.3
LG 52.237.158.149:443/Memory Used					
2	38.2	79	39	38.2	16.5
LG 52.237.158.149:443/Throughput					
0	51.3	121.7	52.7	51	25.9
LG 52.237.158.149:443/User Load					
0	170.3	263	208	173.5	77
LG 52.237.158.149:443/Thread Count					
39	340	505	409	345	132.9
LG 52.237.158.149:443/Http client/Thread Pool used					
0.1	0.246	0.39	0.28	0.246	0.088
LG 52.237.158.149:443/Http client/Task Pool used					
0	0.028	0.967	0	0.01	0.097
LG 52.237.158.149:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.158.149:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.158.149:443/Controller Connection/Ping Duration (ms)					
57	98.8	182	110	96.8	29
LG 52.237.158.149:443/Network/Segments sent/sec.					
5.99	3,324	8,503	3,487	3,311	1,636
LG 52.237.158.149:443/Network/Segments retransmitted/sec.					
0	35.2	91.3	35.5	34.5	24.9
LG 52.237.158.149:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.1	131.8	57.5	55.8	28.2
LG 52.237.158.149:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.92	9.97	4.12	3.91	1.9

LG 52.237.159.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.159.0:443/CPU Load					
0	29.4	97	28	28.6	15
LG 52.237.159.0:443/Memory Used					
2	38.3	81	38	38.2	17.9
LG 52.237.159.0:443/Throughput					
0	51.9	192.4	48.1	50.7	29.4
LG 52.237.159.0:443/User Load					
0	171.1	263	208	174.3	76.7
LG 52.237.159.0:443/Thread Count					
39	380	525	468	388.5	144.5
LG 52.237.159.0:443/Http client/Thread Pool used					
0.1	0.416	0.605	0.495	0.423	0.169
LG 52.237.159.0:443/Http client/Task Pool used					
0	0.027	0.883	0	0.014	0.075
LG 52.237.159.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.159.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.159.0:443/Controller Connection/Ping Duration (ms)					
71	120.8	210	115	118.8	38
LG 52.237.159.0:443/Network/Segments sent/sec.					
14.4	3,363	12,293	3,379	3,318	1,798
LG 52.237.159.0:443/Network/Segments retransmitted/sec.					
0	35	85.3	34	34.3	24.6
LG 52.237.159.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.7	208.5	52.7	55.4	31.8
LG 52.237.159.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.96	14.1	3.88	3.9	2.1

LG 52.237.159.104:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.159.104:443/CPU Load					
0	28.2	71	28	27.6	12.8
LG 52.237.159.104:443/Memory Used					
2	37.7	75	39	37.8	16.6
LG 52.237.159.104:443/Throughput					
0	51.5	125.9	53.2	51.5	24.6
LG 52.237.159.104:443/User Load					
0	170.1	263	208	173.3	76.8
LG 52.237.159.104:443/Thread Count					
39	326.5	496	385	330.8	128.8
LG 52.237.159.104:443/Http client/Thread Pool used					
0.1	0.19	0.33	0.19	0.188	0.068
LG 52.237.159.104:443/Http client/Task Pool used					
0	0.019	0.5	0	0.009	0.059
LG 52.237.159.104:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.159.104:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.159.104:443/Controller Connection/Ping Duration (ms)					
65	100.3	149	110	99.6	21.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.159.104:443/Network/Segments sent/sec.					
18	3,329	8,165	3,441	3,321	1,591
LG 52.237.159.104:443/Network/Segments retransmitted/sec.					
0	34.9	92.4	35.2	34.4	24.4
LG 52.237.159.104:443/Network/eth0 (eth0)/Megabits received/sec.					
0.02	56.3	137.3	58.3	56.3	26.8
LG 52.237.159.104:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.025	3.94	10.07	4.08	3.93	1.84

LG 52.237.159.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.159.195:443/CPU Load					
0	29.1	75	29.5	28.5	13.1
LG 52.237.159.195:443/Memory Used					
1	37.4	82	37	37.2	17.4
LG 52.237.159.195:443/Throughput					
0	51.2	117.8	54.5	51.1	24.3
LG 52.237.159.195:443/User Load					
0	169.7	263	208	172.9	77.1
LG 52.237.159.195:443/Thread Count					
39	326.3	502	377	330.2	132
LG 52.237.159.195:443/Http client/Thread Pool used					
0.1	0.194	0.37	0.168	0.19	0.084
LG 52.237.159.195:443/Http client/Task Pool used					
0	0.022	0.467	0	0.013	0.054
LG 52.237.159.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.159.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.159.195:443/Controller Connection/Ping Duration (ms)					
60	133.6	1,272	111	95.9	210.4
LG 52.237.159.195:443/Network/Segments sent/sec.					
11.6	3,315	8,049	3,470	3,302	1,588
LG 52.237.159.195:443/Network/Segments retransmitted/sec.					
0	34.5	92.6	33.4	33.8	24.5
LG 52.237.159.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	56.1	128	59.8	55.9	26.5
LG 52.237.159.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.92	8.93	4.08	3.9	1.84

LG 52.237.159.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.159.224:443/CPU Load					
0	29.2	77	29	28.6	14.1
LG 52.237.159.224:443/Memory Used					
2	37.7	82	39	37.6	16.9
LG 52.237.159.224:443/Throughput					
0	51.4	139.7	52.5	50.6	26.8
LG 52.237.159.224:443/User Load					
0	170.9	263	210	174.2	76.5
LG 52.237.159.224:443/Thread Count					
39	368.1	572	440	372.5	150

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.159.224:443/Http client/Thread Pool used					
0.1	0.358	0.67	0.405	0.355	0.172
LG 52.237.159.224:443/Http client/Task Pool used					
0	0.018	0.8	0	0.006	0.065
LG 52.237.159.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.159.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.159.224:443/Controller Connection/Ping Duration (ms)					
65	86.3	152	74	84	24.7
LG 52.237.159.224:443/Network/Segments sent/sec.					
8.99	3,328	8,886	3,385	3,295	1,691
LG 52.237.159.224:443/Network/Segments retransmitted/sec.					
0	34.9	92.6	34.4	34.2	24.6
LG 52.237.159.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56.2	152.2	57.3	55.3	29.1
LG 52.237.159.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.93	10.41	3.95	3.89	1.95

LG 52.237.159.96:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.237.159.96:443/CPU Load					
0	29.3	81	29	28.7	13.8
LG 52.237.159.96:443/Memory Used					
2	37.6	81	39	37.6	17.3
LG 52.237.159.96:443/Throughput					
0	51.3	157.1	52.5	50.7	25.4
LG 52.237.159.96:443/User Load					
0	170.2	263	208.5	173.5	77.2
LG 52.237.159.96:443/Thread Count					
39	337.9	517	388.5	342.4	137.3
LG 52.237.159.96:443/Http client/Thread Pool used					
0.1	0.244	0.445	0.2	0.24	0.111
LG 52.237.159.96:443/Http client/Task Pool used					
0	0.021	0.683	0	0.011	0.057
LG 52.237.159.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.237.159.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.237.159.96:443/Controller Connection/Ping Duration (ms)					
61	111.7	154	112	111.8	33.8
LG 52.237.159.96:443/Network/Segments sent/sec.					
10.22	3,324	9,908	3,471	3,294	1,633
LG 52.237.159.96:443/Network/Segments retransmitted/sec.					
0	34.9	93	34.4	34.2	24.6
LG 52.237.159.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0.013	56.1	170.3	57.4	55.5	27.6
LG 52.237.159.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.022	3.92	10.88	4.06	3.89	1.89

LG 52.240.142.118:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.240.142.118:443/CPU Load					
0	28.3	66	29	27.9	12.6
LG 52.240.142.118:443/Memory Used					
2	37.6	79	39	37.7	16.6
LG 52.240.142.118:443/Throughput					
0	51.3	129.8	50.7	51.1	25.4
LG 52.240.142.118:443/User Load					
0	170.3	263	210	173.5	76.7
LG 52.240.142.118:443/Thread Count					
39	345.8	535	398	350	139.6
LG 52.240.142.118:443/Http client/Thread Pool used					
0.1	0.271	0.5	0.235	0.268	0.121
LG 52.240.142.118:443/Http client/Task Pool used					
0	0.016	0.283	0	0.008	0.043
LG 52.240.142.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.240.142.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.240.142.118:443/Controller Connection/Ping Duration (ms)					
58	79.3	121	73	77.9	16.8
LG 52.240.142.118:443/Network/Segments sent/sec.					
14.9	3,312	8,354	3,391	3,296	1,640
LG 52.240.142.118:443/Network/Segments retransmitted/sec.					
0	34.8	88.6	33.9	34	24.5
LG 52.240.142.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56	140.2	55.8	55.8	27.6
LG 52.240.142.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.022	3.92	9.52	3.91	3.9	1.89

LG 52.240.142.96:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.240.142.96:443/CPU Load					
0	29	93	28	28.4	15.1
LG 52.240.142.96:443/Memory Used					
2	38.1	79	39	38.1	17.1
LG 52.240.142.96:443/Throughput					
0	51.2	128.3	48.2	50.8	28.5
LG 52.240.142.96:443/User Load					
0	170.7	263	210	173.9	76.8
LG 52.240.142.96:443/Thread Count					
39	375.7	583	442	380.3	155.2
LG 52.240.142.96:443/Http client/Thread Pool used					
0.1	0.405	0.725	0.435	0.403	0.196
LG 52.240.142.96:443/Http client/Task Pool used					
0	0.021	0.817	0	0.007	0.079
LG 52.240.142.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.240.142.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.240.142.96:443/Controller Connection/Ping Duration (ms)					
74	123.9	219	114	122	28

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.240.142.96:443/Network/Segments sent/sec.					
15.2	3,345	8,531	3,193	3,316	1,858
LG 52.240.142.96:443/Network/Segments retransmitted/sec.					
0	34.8	94.1	35.3	34.1	24.7
LG 52.240.142.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56	139.8	52.9	55.6	31.1
LG 52.240.142.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.93	9.5	3.83	3.9	2.1

LG 65.52.192.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.192.45:443/CPU Load					
0	28.6	92	25	27.6	18
LG 65.52.192.45:443/Memory Used					
1	37.8	79	38	37.8	17.1
LG 65.52.192.45:443/Throughput					
0	51.8	187.7	42.6	48.8	38.1
LG 65.52.192.45:443/User Load					
0	169.9	263	208	173.1	76.8
LG 65.52.192.45:443/Thread Count					
39	417.2	604	516	425.3	174.3
LG 65.52.192.45:443/Http client/Thread Pool used					
0.1	0.581	0.88	0.75	0.591	0.283
LG 65.52.192.45:443/Http client/Task Pool used					
0	0.063	2.08	0	0.02	0.228
LG 65.52.192.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.192.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.192.45:443/Controller Connection/Ping Duration (ms)					
67	94.1	169	75	91.6	27.2
LG 65.52.192.45:443/Network/Segments sent/sec.					
4.23	3,366	11,095	2,994	3,250	2,162
LG 65.52.192.45:443/Network/Segments retransmitted/sec.					
0	34.8	86.7	34.5	34.2	25
LG 65.52.192.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	56.2	196.7	46.8	53.3	39.8
LG 65.52.192.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	3.95	12.1	3.52	3.81	2.51

LG 65.52.197.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.197.175:443/CPU Load					
0	28.6	80	28	28.1	14.1
LG 65.52.197.175:443/Memory Used					
2	37.3	78	38	37.3	16.9
LG 65.52.197.175:443/Throughput					
0	51.1	145.8	51.3	50.6	27
LG 65.52.197.175:443/User Load					
0	169.7	263	208	172.9	77.1
LG 65.52.197.175:443/Thread Count					
39	361	534	433.5	367	145.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.197.175:443/Http client/Thread Pool used					
0.1	0.337	0.51	0.405	0.34	0.139
LG 65.52.197.175:443/Http client/Task Pool used					
0	0.018	0.45	0	0.007	0.054
LG 65.52.197.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.197.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.197.175:443/Controller Connection/Ping Duration (ms)					
63	94.1	292	73	87.2	42.6
LG 65.52.197.175:443/Network/Segments sent/sec.					
8.96	3,305	8,883	3,402	3,282	1,723
LG 65.52.197.175:443/Network/Segments retransmitted/sec.					
0	34.4	94.8	33.7	33.7	24.6
LG 65.52.197.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	55.7	157.1	56.3	55.3	29.2
LG 65.52.197.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	3.91	10.49	3.96	3.88	1.99

LG 65.52.203.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.203.249:443/CPU Load					
0	29.4	86	29	28.9	15.3
LG 65.52.203.249:443/Memory Used					
2	38.3	73	40	38.4	16.6
LG 65.52.203.249:443/Throughput					
0	51.3	148.6	49.8	50.3	29.1
LG 65.52.203.249:443/User Load					
0	170.1	263	207	173.3	76.8
LG 65.52.203.249:443/Thread Count					
39	371.6	553	445	377.9	145.9
LG 65.52.203.249:443/Http client/Thread Pool used					
0.1	0.372	0.555	0.435	0.378	0.147
LG 65.52.203.249:443/Http client/Task Pool used					
0	0.014	0.4	0	0.006	0.043
LG 65.52.203.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.203.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.203.249:443/Controller Connection/Ping Duration (ms)					
66	99.8	172	110	97.9	26.4
LG 65.52.203.249:443/Network/Segments sent/sec.					
13.4	3,339	8,490	3,322	3,298	1,845
LG 65.52.203.249:443/Network/Segments retransmitted/sec.					
0	34.6	94.5	34.9	34	24.6
LG 65.52.203.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.042	56.1	160.6	54.7	55.1	31.6
LG 65.52.203.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.93	10.26	3.99	3.89	2.09

LG 65.52.206.199:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.206.199:443/CPU Load					
0	29	77	30	28.6	13.2
LG 65.52.206.199:443/Memory Used					
2	38.2	74	38	38.4	16.8
LG 65.52.206.199:443/Throughput					
0	51.3	136.7	53.3	51	25.3
LG 65.52.206.199:443/User Load					
0	169.8	264	207.5	173.1	77.5
LG 65.52.206.199:443/Thread Count					
39	342.8	526	400.5	347.1	134.7
LG 65.52.206.199:443/Http client/Thread Pool used					
0.1	0.253	0.44	0.255	0.252	0.092
LG 65.52.206.199:443/Http client/Task Pool used					
0	0.014	0.483	0	0.006	0.044
LG 65.52.206.199:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.206.199:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.206.199:443/Controller Connection/Ping Duration (ms)					
66	86.2	155	74	83.4	26.1
LG 65.52.206.199:443/Network/Segments sent/sec.					
5.98	3,338	8,765	3,444	3,318	1,648
LG 65.52.206.199:443/Network/Segments retransmitted/sec.					
0	35.1	86.5	34.5	34.6	24.6
LG 65.52.206.199:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.1	148.2	57.9	55.8	27.5
LG 65.52.206.199:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.94	9.95	4.13	3.92	1.89

LG 65.52.240.155:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.240.155:443/CPU Load					
0	28.3	82	28	27.8	13.2
LG 65.52.240.155:443/Memory Used					
2	37.6	80	37	37.5	16.9
LG 65.52.240.155:443/Throughput					
0	50.9	119.7	50.1	50.3	25.8
LG 65.52.240.155:443/User Load					
0	169.7	263	208	172.9	77.1
LG 65.52.240.155:443/Thread Count					
39	333.5	516	381	337.3	130.6
LG 65.52.240.155:443/Http client/Thread Pool used					
0.1	0.223	0.435	0.2	0.218	0.09
LG 65.52.240.155:443/Http client/Task Pool used					
0	0.026	1.58	0	0.008	0.111
LG 65.52.240.155:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.240.155:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.240.155:443/Controller Connection/Ping Duration (ms)					
65	124.4	188	150	124.5	35.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.240.155:443/Network/Segments sent/sec.					
16.4	3,306	7,731	3,317	3,277	1,646
LG 65.52.240.155:443/Network/Segments retransmitted/sec.					
0	35	98.7	34.1	34.2	24.6
LG 65.52.240.155:443/Network/eth0 (eth0)/Megabits received/sec.					
0.056	55.6	129.1	54.9	55	28.1
LG 65.52.240.155:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.026	3.9	8.6	3.93	3.87	1.91

LG 65.52.241.152:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.241.152:443/CPU Load					
0	27.8	93	25	26.6	17.3
LG 65.52.241.152:443/Memory Used					
2	37.7	82	39	37.6	17.9
LG 65.52.241.152:443/Throughput					
0	51.3	180.1	44	48.5	37.1
LG 65.52.241.152:443/User Load					
0	170.6	264	209	173.8	77.1
LG 65.52.241.152:443/Thread Count					
39	425.4	640	506.5	432.5	181
LG 65.52.241.152:443/Http client/Thread Pool used					
0.1	0.606	0.945	0.75	0.614	0.304
LG 65.52.241.152:443/Http client/Task Pool used					
0	0.024	1.9	0	0.007	0.117
LG 65.52.241.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.241.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.241.152:443/Controller Connection/Ping Duration (ms)					
73	121.8	157	114	122.5	21.9
LG 65.52.241.152:443/Network/Segments sent/sec.					
14.4	3,381	11,876	3,160	3,226	2,240
LG 65.52.241.152:443/Network/Segments retransmitted/sec.					
0	34.9	89.7	34.9	34.2	24.7
LG 65.52.241.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.1	193.5	48.3	53.1	40
LG 65.52.241.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.95	12.6	3.62	3.8	2.5

LG 65.52.244.167:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.244.167:443/CPU Load					
0	30.2	81	30	29.8	13.5
LG 65.52.244.167:443/Memory Used					
2	37.7	78	38	37.8	16.7
LG 65.52.244.167:443/Throughput					
0	51.6	108.1	54.4	51.7	24.5
LG 65.52.244.167:443/User Load					
0	170.5	263	207	173.7	76.8
LG 65.52.244.167:443/Thread Count					
39	342.6	558	390	345.3	142

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.244.167:443/Http client/Thread Pool used					
0.1	0.261	0.625	0.23	0.25	0.15
LG 65.52.244.167:443/Http client/Task Pool used					
0	0.03	0.817	0	0.015	0.084
LG 65.52.244.167:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.244.167:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.244.167:443/Controller Connection/Ping Duration (ms)					
61	92.3	156	77	90.5	23.7
LG 65.52.244.167:443/Network/Segments sent/sec.					
14.4	3,354	7,156	3,563	3,358	1,598
LG 65.52.244.167:443/Network/Segments retransmitted/sec.					
0	34.9	93.1	33.8	34.2	24.6
LG 65.52.244.167:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56.5	117.8	59.7	56.5	26.7
LG 65.52.244.167:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.021	3.95	8.39	4.13	3.95	1.86

LG 65.52.245.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.245.203:443/CPU Load					
0	28.3	83	25	27.5	16.6
LG 65.52.245.203:443/Memory Used					
2	38.7	79	40	38.6	17.3
LG 65.52.245.203:443/Throughput					
0	52.1	196.2	45.5	50.2	33.6
LG 65.52.245.203:443/User Load					
0	170.8	263	207.5	174.1	76.7
LG 65.52.245.203:443/Thread Count					
39	391.5	624	447	395.8	160.2
LG 65.52.245.203:443/Http client/Thread Pool used					
0.1	0.463	0.875	0.493	0.46	0.224
LG 65.52.245.203:443/Http client/Task Pool used					
0	0.012	0.367	0	0.005	0.039
LG 65.52.245.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.245.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.245.203:443/Controller Connection/Ping Duration (ms)					
58	106.4	154	112	106.7	19.3
LG 65.52.245.203:443/Network/Segments sent/sec.					
19.3	3,411	11,153	3,062	3,293	2,174
LG 65.52.245.203:443/Network/Segments retransmitted/sec.					
0	35.2	90.5	33.6	34.4	24.9
LG 65.52.245.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.047	56.9	212.1	50	54.9	36.4
LG 65.52.245.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.026	4	13.6	3.68	3.88	2.4

LG 65.52.245.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.245.44:443/CPU Load					
0	30.7	70	30	30.2	13.7
LG 65.52.245.44:443/Memory Used					
2	37.3	80	39	37.3	17
LG 65.52.245.44:443/Throughput					
0	51.6	139.1	52.1	51.1	25.5
LG 65.52.245.44:443/User Load					
0	171	264	208	174.3	76.9
LG 65.52.245.44:443/Thread Count					
39	328.7	496	376	333.2	129.7
LG 65.52.245.44:443/Http client/Thread Pool used					
0.1	0.195	0.34	0.15	0.192	0.082
LG 65.52.245.44:443/Http client/Task Pool used					
0	0.015	0.317	0	0.006	0.045
LG 65.52.245.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.245.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.245.44:443/Controller Connection/Ping Duration (ms)					
63	87	121	75	86.4	17.8
LG 65.52.245.44:443/Network/Segments sent/sec.					
8.94	3,339	8,593	3,423	3,309	1,635
LG 65.52.245.44:443/Network/Segments retransmitted/sec.					
0	34.8	87.5	34	34.2	24.5
LG 65.52.245.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	56.4	151.3	57.2	55.9	27.8
LG 65.52.245.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	3.94	9.99	4.04	3.91	1.9

LG 65.52.245.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.245.5:443/CPU Load					
0	28.9	90	28	28.2	16.1
LG 65.52.245.5:443/Memory Used					
2	37.2	71	38	37.3	17.1
LG 65.52.245.5:443/Throughput					
0	51.6	202.6	46.4	49.4	34
LG 65.52.245.5:443/User Load					
0	170.6	263	208.5	173.9	76.8
LG 65.52.245.5:443/Thread Count					
39	407.9	645	462.5	412.8	174
LG 65.52.245.5:443/Http client/Thread Pool used					
0.1	0.525	1	0.502	0.522	0.277
LG 65.52.245.5:443/Http client/Task Pool used					
0	0.036	2.1	0	0.019	0.128
LG 65.52.245.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.245.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.245.5:443/Controller Connection/Ping Duration (ms)					
68	155.6	1,526	111	110.6	252.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.245.5:443/Network/Segments sent/sec.					
5.97	3,391	11,783	3,384	3,298	2,056
LG 65.52.245.5:443/Network/Segments retransmitted/sec.					
0	34.5	89.2	33.8	33.8	24.4
LG 65.52.245.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.4	216.3	51.1	54.1	36.9
LG 65.52.245.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.97	14.1	3.82	3.85	2.36

LG 65.52.245.74:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.245.74:443/CPU Load					
0	30.2	95	27	28.9	18.3
LG 65.52.245.74:443/Memory Used					
2	37.9	77	38	38.1	16.4
LG 65.52.245.74:443/Throughput					
0	51.6	183.4	43.4	49.7	34.3
LG 65.52.245.74:443/User Load					
0	170.7	263	210	173.9	76.8
LG 65.52.245.74:443/Thread Count					
39	433.7	636	532.5	441.9	179.9
LG 65.52.245.74:443/Http client/Thread Pool used					
0.1	0.649	0.96	0.82	0.662	0.308
LG 65.52.245.74:443/Http client/Task Pool used					
0	0.027	0.8	0	0.014	0.081
LG 65.52.245.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.245.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.245.74:443/Controller Connection/Ping Duration (ms)					
69	130.4	569	113	115.5	85.7
LG 65.52.245.74:443/Network/Segments sent/sec.					
5.99	3,401	11,127	3,035	3,310	2,121
LG 65.52.245.74:443/Network/Segments retransmitted/sec.					
0	35.1	94.4	34.6	34.5	24.7
LG 65.52.245.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	56.5	200.2	47.9	54.5	37.3
LG 65.52.245.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	3.97	13.4	3.65	3.86	2.41

LG 65.52.246.193:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.246.193:443/CPU Load					
0	26.6	82	24	25.6	16.6
LG 65.52.246.193:443/Memory Used					
2	37.6	71	37	37.8	16.4
LG 65.52.246.193:443/Throughput					
0	51.4	163.9	43.4	49.1	34.8
LG 65.52.246.193:443/User Load					
0	169.5	263	208	172.7	77.1
LG 65.52.246.193:443/Thread Count					
39	421.5	642	499	428.1	183.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.246.193:443/Http client/Thread Pool used					
0.1	0.61	1.03	0.675	0.614	0.325
LG 65.52.246.193:443/Http client/Task Pool used					
0	0.013	0.667	0	0.005	0.051
LG 65.52.246.193:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.246.193:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.246.193:443/Controller Connection/Ping Duration (ms)					
60	117.8	217	110	115.9	34.9
LG 65.52.246.193:443/Network/Segments sent/sec.					
14.9	3,349	11,344	2,940	3,207	2,211
LG 65.52.246.193:443/Network/Segments retransmitted/sec.					
0	34.6	84.9	33.9	34.1	24.5
LG 65.52.246.193:443/Network/eth0 (eth0)/Megabits received/sec.					
0.043	56	176.4	47.5	53.5	37.6
LG 65.52.246.193:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.022	3.94	12.1	3.49	3.8	2.46

LG 65.52.246.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.246.51:443/CPU Load					
0	29.5	87	28	28.8	14.6
LG 65.52.246.51:443/Memory Used					
2	37.1	75	39	37.2	16.9
LG 65.52.246.51:443/Throughput					
0	51.2	126.2	50.1	50.5	26.5
LG 65.52.246.51:443/User Load					
0	170.3	263	208.5	173.5	76.8
LG 65.52.246.51:443/Thread Count					
39	333.5	516	385.5	337.4	133.3
LG 65.52.246.51:443/Http client/Thread Pool used					
0.1	0.213	0.405	0.2	0.209	0.087
LG 65.52.246.51:443/Http client/Task Pool used					
0	0.02	0.383	0	0.009	0.056
LG 65.52.246.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.246.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.246.51:443/Controller Connection/Ping Duration (ms)					
69	132.9	186	150	133.9	27.2
LG 65.52.246.51:443/Network/Segments sent/sec.					
12.7	3,320	7,982	3,257	3,286	1,681
LG 65.52.246.51:443/Network/Segments retransmitted/sec.					
0	34.5	93.9	34.2	33.8	24.4
LG 65.52.246.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	56	137.5	55.1	55.3	28.8
LG 65.52.246.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.024	3.92	9.58	3.85	3.87	1.96

LG 162.209.11.152:443[Alerts](#)

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 162.209.11.152:443/CPU Load >= 80.0%	1	00:26:20.437	1.3
Load generator CPU high.				

LG 162.209.11.154:443[Alerts](#)

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 162.209.11.154:443/CPU Load >= 80.0%	2	00:23:45.448	2.7
Load generator CPU high.				

LG 166.78.121.36:443[Alerts](#)

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 166.78.121.36:443/CPU Load >= 80.0%	1	00:24:34.429	1.1
Load generator CPU high.				

LG 166.78.121.58:443[Alerts](#)

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 166.78.121.58:443/CPU Load >= 90.0%	1	00:27:25.447	1.1
Load generator CPU high.				

LG 166.78.121.63:443[Alerts](#)

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 166.78.121.63:443/CPU Load >= 80.0%	1	00:28:20.257	1
Load generator CPU high.				

LG 166.78.241.37:443[Alerts](#)

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 166.78.241.37:443/CPU Load >= 80.0%	2	00:24:43.447	2.7
Load generator CPU high.				
	LG 166.78.241.37:443/CPU Load >= 90.0%	2	00:28:19.451	2.5
Load generator CPU high.				

LG 166.78.241.42:443[Alerts](#)

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 166.78.241.42:443/CPU Load >= 80.0%	3	00:26:40.448	2.6
Load generator CPU high.				
	LG 166.78.241.42:443/CPU Load >= 90.0%	1	00:29:18.451	1.1
Load generator CPU high.				

LG 166.78.241.69:443[Alerts](#)

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 166.78.241.69:443/CPU Load >= 80.0%	1	00:25:10.294	1.3

Sev.	Alert	Occurrences	First Occurrence	Duration %
	Load generator CPU high.			

LG 198.61.181.5:443

Alerts

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 198.61.181.5:443/CPU Load >= 80.0%	1	00:21:29.264	1.4
	Load generator CPU high.			

LG 198.61.181.6:443

Alerts


Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 198.61.181.6:443/CPU Load >= 80.0%	2	00:23:49.448	2.3
	Load generator CPU high.			

LG 67.207.157.35:443

Alerts

Sev.	Alert	Occurrences	First Occurrence	Duration %
	LG 67.207.157.35:443/CPU Load >= 80.0%	1	00:27:25.447	1.1
	Load generator CPU high.			


Average page response time



Min	Average	Max
0.097	0.823	3.732

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.054	0.365	63.122

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
1.695	14.79	38.747	14.927	14.732	3.119

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



Min	Average	Max
0	42,562.5	76,508.3

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	2,001	5,085

Notes: Displays the number of errors per sampling interval.

Throughput



Min	Average	Max
0	9,226.54	16,676

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.096	0.705	2.034


Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

Top 10 First Alerts



Notes: Displays the list of alerts on the monitored counters during the test.