

10-29-Retail Holiday Readiness PDP LT



Date	Oct 30, 2019 1:23:55 AM
Project	HP_GRID_PDP
Scenario	PDP_N
Comment	0821_PDP_LT
Notes	10-29-Retail Holiday Readiness PDP LT

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	8
Hot spots.....	9
Errors.....	9
Alerts.....	9
General statistics.....	9
Transaction statistics.....	9
Execution context.....	17
Scenario	11
Servers.....	23
Populations.....	24
User Paths.....	25
Transactions.....	26
Pages.....	28
Requests.....	31
Media Contents.....	45
Push messages.....	27
Monitors.....	46
Main graphs.....	167
Average page response time.....	167
Average request response time.....	168
Average response time (Transactions).....	169
Requests per second.....	170
Errors.....	171
Throughput.....	172
Response time against load.....	173
Distribution of Transaction Durations.....	174
Overall.....	175
HomePage - Average duration.....	175
HomePage - Elements/s.....	176
HomePage - Error rate.....	177
HomePage_OverallStats.....	178

Summary

Results summary

Name	01:22 - 30 Oct 2019_PDP_CacheEnabled_LT3	Project	HP_GRID_PDP
Description	0821_PDP_LT	Scenario	PDP_N
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population PDP_N is customized
Start date	Oct 30, 2019 1:23:55 AM		
End date	Oct 30, 2019 1:56:12 AM	Stop Policy	<ul style="list-style-type: none"> Population PDP_N: immediate.
Duration	00:32:17		
Termination reason	Manual action	Filters	None
LG Hosts	35.236.210.26:443	Debug	Disabled
	,		
	35.245.227.8:443		
	,		
	35.245.233.108:443		
	,		
	35.194.75.146:443		
	,		
	35.245.216.76:443		
	,		
	35.245.26.165:443		
	,		
	35.245.54.0:443		
	,		
	35.199.61.29:443		
	,		
	35.221.24.161:443		
	,		
	35.236.213.255:443		
	,		
	35.245.203.69:443		
	,		
	35.186.178.99:443		
	,		
	35.245.141.133:443		
	,		
	35.186.178.201:443		
	,		
	35.199.46.96:443		
	,		
	35.230.163.18:443		
	,		
	35.245.236.21:443		
	,		
	35.245.144.149:443		
	,		
	35.221.49.227:443		
	,		
	35.186.179.38:443		
	,		
	35.199.56.38:443		
	,		
	35.245.247.84:443		
	,		
	35.245.183.42:443		
	,		
	35.245.126.64:443		
	,		
	35.245.78.52:443		
	,		
	35.186.168.38:443		
	,		
	35.221.28.181:443		
	,		
	35.199.63.175:443		
	,		
	35.186.162.184:443		
	,		
	35.245.82.0:443		
	,		
	35.186.161.169:443		
	,		

35.245.255.226:443		
,		
35.199.29.75:443		
,		
35.221.42.223:443		
,		
35.236.197.68:443		
,		
35.188.244.46:443		
,		
35.236.210.48:443		
,		
35.186.178.221:443		
,		
35.194.93.220:443		
,		
35.245.184.9:443		
,		
35.230.166.42:443		
,		
35.236.252.232:443		
,		
35.245.17.42:443		
,		
35.245.176.166:443		
,		
35.236.205.249:443		
,		
35.245.90.3:443		
,		
35.230.181.78:443		
,		
35.245.29.125:443		
,		
35.245.152.215:443		
,		
35.236.234.100:443		
,		
35.194.87.156:443		
,		
35.199.44.0:443		
,		
35.245.214.48:443		
,		
35.245.55.228:443		
,		
35.199.2.21:443		
,		
35.245.92.143:443		
,		
35.236.229.13:443		
,		
35.236.220.177:443		
,		
35.236.215.162:443		
,		
35.188.236.242:443		
,		
35.188.232.211:443		
,		
35.236.227.147:443		
,		
35.245.79.19:443		
,		
35.245.176.32:443		
,		
35.245.173.139:443		
,		
35.245.128.178:443		
,		
35.188.224.6:443		
,		
35.188.245.114:443		
,		
35.245.215.107:443		
,		
35.245.100.133:443		
,		

35.245.188.150:443		
,		
35.236.194.179:443		
,		
35.236.225.201:443		
,		
35.186.174.0:443		
,		
35.245.7.106:443		
,		
35.245.63.50:443		
,		
35.245.17.118:443		
,		
35.236.222.187:443		
,		
35.245.227.148:443		
,		
35.221.61.112:443		
,		
35.245.0.237:443		
,		
35.245.44.22:443		
,		
35.221.51.136:443		
,		
35.245.151.213:443		
,		
35.194.66.38:443		
,		
35.245.211.57:443		
,		
35.230.178.121:443		
,		
35.199.4.28:443		
,		
35.188.238.119:443		
,		
35.245.121.224:443		
,		
35.245.74.95:443		
,		
35.245.18.168:443		
,		
35.245.80.84:443		
,		
35.245.140.249:443		
,		
35.230.162.45:443		
,		
35.221.22.190:443		
,		
35.188.236.89:443		
,		
35.245.194.146:443		
,		
35.245.91.93:443		
,		
35.245.105.142:443		
,		
35.238.98.5:443		
,		
35.223.5.210:443		
,		
35.223.226.249:443		
,		
35.194.37.119:443		
,		
34.69.143.222:443		
,		
35.224.85.242:443		
,		
35.224.231.215:443		
,		
35.202.154.215:443		
,		
35.222.103.24:443		
,		

34.69.97.224:443		
,		
35.202.244.38:443		
,		
35.193.174.211:443		
,		
35.222.197.154:443		
,		
35.225.198.188:443		
,		
35.223.124.202:443		
,		
35.223.138.40:443		
,		
35.223.176.196:443		
,		
35.222.14.105:443		
,		
34.66.179.247:443		
,		
35.224.243.23:443		
,		
35.225.150.141:443		
,		
104.154.130.10:443		
,		
34.66.63.156:443		
,		
35.225.19.236:443		
,		
130.211.194.223:443		
,		
34.69.184.44:443		
,		
35.226.109.51:443		
,		
34.70.22.241:443		
,		
34.67.17.118:443		
,		
34.67.220.173:443		
,		
104.197.28.242:443		
,		
35.188.122.132:443		
,		
34.67.43.72:443		
,		
35.224.86.144:443		
,		
35.223.133.203:443		
,		
34.67.74.146:443		
,		
35.223.119.32:443		
,		
35.222.82.161:443		
,		
35.223.33.202:443		
,		
35.193.228.46:443		
,		
34.67.83.64:443		
,		
104.198.231.108:443		
,		
34.70.89.70:443		
,		
35.222.230.195:443		
,		
34.68.180.99:443		
,		
34.69.161.134:443		
,		
35.184.48.189:443		
,		
35.224.246.237:443		
,		

35.223.247.206:443		
,		
104.154.255.144:443		
,		
104.198.248.77:443		
,		
35.223.196.186:443		
,		
35.223.7.220:443		
,		
34.69.198.157:443		
,		
35.223.129.210:443		
,		
35.232.140.142:443		
,		
35.222.141.126:443		
,		
35.202.202.7:443		
,		
34.70.147.33:443		
,		
34.69.140.154:443		
,		
34.68.187.135:443		
,		
35.222.122.86:443		
,		
35.223.244.109:443		
,		
34.66.229.186:443		
,		
35.222.155.98:443		
,		
35.202.143.210:443		
,		
104.154.194.78:443		
,		
34.70.206.137:443		
,		
35.232.145.157:443		
,		
104.197.212.44:443		
,		
104.154.240.238:443		
,		
34.67.127.16:443		
,		
34.69.193.168:443		
,		
104.197.109.241:443		
,		
104.154.143.176:443		
,		
34.67.79.224:443		
,		
34.69.103.208:443		
,		
34.69.247.127:443		
,		
104.198.138.139:443		
,		
35.225.76.83:443		
,		
35.222.168.83:443		
,		
104.197.228.255:443		
,		
35.239.9.212:443		
,		
35.223.24.113:443		
,		
35.226.11.189:443		
,		
34.70.137.17:443		
,		
104.197.237.248:443		
,		

35.224.223.194:443		
,		
35.222.195.56:443		
,		
35.222.128.79:443		
,		
35.226.39.113:443		
,		
35.223.172.188:443		
,		
104.197.225.204:443		
,		
35.225.184.194:443		
,		
35.232.99.244:443		
,		
104.198.179.205:443		
,		
35.202.13.3:443		
,		
35.192.109.160:443		
,		
35.193.129.51:443		
,		
35.222.19.13:443		

Statistics Summary

Total pages	4835138	—	Average pages/s	2,494.9	—
Total requests	16030013	—	Average requests/s	8,271.4	—
Total users launched	15000	—	Average Request response time	1.02 s	—
Total iterations completed	226626	—	Average Page response time	3.1 s	—
Total throughput	459,777 MB	—	Average throughput	1,897.94 Mb/s	—
Total request errors	238167	—	Error rate	1.5 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA

☀ = Passed

☁ = Warning

☄ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
PDP-D_1023	PDP-Desktop	/wdcus/8838/resources/image/155...feedback_tab_min.png	51461
PDP-M_1023	PDP_Mobile	/wdcus/8838/onsite/generic1571670842717.js	47498
PDP-D_1023	PDP-Desktop	/pagead/viewthroughconversion/1030624533/	44714
PDP-D_1023	PDP-Desktop	/tbproxy/af/query	34834
PDP-M_1023	PDP_Mobile	/wizard/track.html	33597

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
PDP-M_1023	PDP_Mobile	/wdcus/8838/onsite/generic1571670842717.js	26.6
PDP-D_1023	PDP-Desktop	/wdcus/8838/resources/image/155...feedback_tab_min.png	23
PDP-M_1023	PDP_Mobile	/wizard/track.html	17.9
PDP-D_1023	PDP-Desktop	/pagead/viewthroughconversion/1030624533/	17.7
PDP-M_1023	PDP_Mobile	/sid.gif	11.2

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
PDP-M_1023	PDP_Mobile	/wizard/track.html	621.4
PDP-M_1023	PDP_Mobile	/wdcus/8838/onsite/generic1571670842717.js	619.1
PDP-M_1023	PDP_Mobile	/sid.gif	582.2
PDP-D_1023	PDP-Desktop	/pagead/viewthroughconversion/1030624533/	563.4
PDP-D_1023	PDP-Desktop	/tapestry/1	552

Errors

Request errors

Error Type	Count	Description
NL-NETWORK-01	92,246	Miscellaneous I/O error when connecting to the server.
500	75,159	Internal Server Error
502	70,137	Bad Gateway
NL-NETWORK-03	617	Error when connecting to the server. Indicates a server-side error occurring when attempting to bind a socket.
504	8	Gateway Timeout
Total	238,167	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
1.31	1,080	1,897	14,987	14,844	99	-
All pages						
0	3.1	621.4	4,835,138	233,546	4.8	-
All requests						
0	1.02	621.4	16,030,013	238,167	1.5	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
1.15	63	833.6	226,626	146,721	64.7	30.5	242.5	349.5	76.5	52.8	-

Scenario

Summary

Name	01:22 - 30 Oct 2019_PDP_CacheEnabled_LT3	Project	HP_GRID_PDP
Description	0821_PDP_LT	Scenario	PDP_N
Status	✓ Passed	Load Policy	• The population PDP_N is customized
Start date	Oct 30, 2019 1:23:55 AM		
End date	Oct 30, 2019 1:56:12 AM	Stop Policy	• Population PDP_N: immediate.
Duration	00:32:17		
Termination reason	Manual action	Filters	None
LG Hosts	35.236.210.26:443 , 35.245.227.8:443 , 35.245.233.108:443 , 35.194.75.146:443 , 35.245.216.76:443 , 35.245.26.165:443 , 35.245.54.0:443 , 35.199.61.29:443 , 35.221.24.161:443 , 35.236.213.255:443 , 35.245.203.69:443 , 35.186.178.99:443 , 35.245.141.133:443 , 35.186.178.201:443 , 35.199.46.96:443 , 35.230.163.18:443 , 35.245.236.21:443 , 35.245.144.149:443 , 35.221.49.227:443 , 35.186.179.38:443 , 35.199.56.38:443 , 35.245.247.84:443 , 35.245.183.42:443 , 35.245.126.64:443 , 35.245.78.52:443 , 35.186.168.38:443 , 35.221.28.181:443 , 35.199.63.175:443 , 35.186.162.184:443 , 35.245.82.0:443 ,	Debug	Disabled

35.186.161.169:443
,
35.245.255.226:443
,
35.199.29.75:443
,
35.221.42.223:443
,
35.236.197.68:443
,
35.188.244.46:443
,
35.236.210.48:443
,
35.186.178.221:443
,
35.194.93.220:443
,
35.245.184.9:443
,
35.230.166.42:443
,
35.236.252.232:443
,
35.245.17.42:443
,
35.245.176.166:443
,
35.236.205.249:443
,
35.245.90.3:443
,
35.230.181.78:443
,
35.245.29.125:443
,
35.245.152.215:443
,
35.236.234.100:443
,
35.194.87.156:443
,
35.199.44.0:443
,
35.245.214.48:443
,
35.245.55.228:443
,
35.199.2.21:443
,
35.245.92.143:443
,
35.236.229.13:443
,
35.236.220.177:443
,
35.236.215.162:443
,
35.188.236.242:443
,
35.188.232.211:443
,
35.236.227.147:443
,
35.245.79.19:443
,
35.245.176.32:443
,
35.245.173.139:443
,
35.245.128.178:443
,
35.188.224.6:443
,
35.188.245.114:443
,
35.245.215.107:443
,

35.245.100.133:443
,
35.245.188.150:443
,
35.236.194.179:443
,
35.236.225.201:443
,
35.186.174.0:443
,
35.245.7.106:443
,
35.245.63.50:443
,
35.245.17.118:443
,
35.236.222.187:443
,
35.245.227.148:443
,
35.221.61.112:443
,
35.245.0.237:443
,
35.245.44.22:443
,
35.221.51.136:443
,
35.245.151.213:443
,
35.194.66.38:443
,
35.245.211.57:443
,
35.230.178.121:443
,
35.199.4.28:443
,
35.188.238.119:443
,
35.245.121.224:443
,
35.245.74.95:443
,
35.245.18.168:443
,
35.245.80.84:443
,
35.245.140.249:443
,
35.230.162.45:443
,
35.221.22.190:443
,
35.188.236.89:443
,
35.245.194.146:443
,
35.245.91.93:443
,
35.245.105.142:443
,
35.238.98.5:443
,
35.223.5.210:443
,
35.223.226.249:443
,
35.194.37.119:443
,
34.69.143.222:443
,
35.224.85.242:443
,
35.224.231.215:443
,
35.202.154.215:443
,

35.222.103.24:443		
,		
34.69.97.224:443		
,		
35.202.244.38:443		
,		
35.193.174.211:443		
,		
35.222.197.154:443		
,		
35.225.198.188:443		
,		
35.223.124.202:443		
,		
35.223.138.40:443		
,		
35.223.176.196:443		
,		
35.222.14.105:443		
,		
34.66.179.247:443		
,		
35.224.243.23:443		
,		
35.225.150.141:443		
,		
104.154.130.10:443		
,		
34.66.63.156:443		
,		
35.225.19.236:443		
,		
130.211.194.223:443		
,		
34.69.184.44:443		
,		
35.226.109.51:443		
,		
34.70.22.241:443		
,		
34.67.17.118:443		
,		
34.67.220.173:443		
,		
104.197.28.242:443		
,		
35.188.122.132:443		
,		
34.67.43.72:443		
,		
35.224.86.144:443		
,		
35.223.133.203:443		
,		
34.67.74.146:443		
,		
35.223.119.32:443		
,		
35.222.82.161:443		
,		
35.223.33.202:443		
,		
35.193.228.46:443		
,		
34.67.83.64:443		
,		
104.198.231.108:443		
,		
34.70.89.70:443		
,		
35.222.230.195:443		
,		
34.68.180.99:443		
,		
34.69.161.134:443		
,		
35.184.48.189:443		
,		

35.224.246.237:443
,
35.223.247.206:443
,
104.154.255.144:443
,
104.198.248.77:443
,
35.223.196.186:443
,
35.223.7.220:443
,
34.69.198.157:443
,
35.223.129.210:443
,
35.232.140.142:443
,
35.222.141.126:443
,
35.202.202.7:443
,
34.70.147.33:443
,
34.69.140.154:443
,
34.68.187.135:443
,
35.222.122.86:443
,
35.223.244.109:443
,
34.66.229.186:443
,
35.222.155.98:443
,
35.202.143.210:443
,
104.154.194.78:443
,
34.70.206.137:443
,
35.232.145.157:443
,
104.197.212.44:443
,
104.154.240.238:443
,
34.67.127.16:443
,
34.69.193.168:443
,
104.197.109.241:443
,
104.154.143.176:443
,
34.67.79.224:443
,
34.69.103.208:443
,
34.69.247.127:443
,
104.198.138.139:443
,
35.225.76.83:443
,
35.222.168.83:443
,
104.197.228.255:443
,
35.239.9.212:443
,
35.223.24.113:443
,
35.226.11.189:443
,
34.70.137.17:443
,

104.197.237.248:443		
,		
35.224.223.194:443		
,		
35.222.195.56:443		
,		
35.222.128.79:443		
,		
35.226.39.113:443		
,		
35.223.172.188:443		
,		
104.197.225.204:443		
,		
35.225.184.194:443		
,		
35.232.99.244:443		
,		
104.198.179.205:443		
,		
35.202.13.3:443		
,		
35.192.109.160:443		
,		
35.193.129.51:443		
,		
35.222.19.13:443		

Populations

PDP_N

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
PDP-D_1023	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user
PDP-M_1023	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
PDP-D_1023		Go to the next iteration	Do nothing	0ms	0%
PDP-M_1023		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	01:22 - 30 Oct 2019_PDP_CacheEnabled_LT3	Project	HP_GRID_PDP
Description	0821_PDP_LT	Scenario	PDP_N
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population PDP_N is customized
Start date	Oct 30, 2019 1:23:55 AM	Stop Policy	<ul style="list-style-type: none"> Population PDP_N: immediate.
End date	Oct 30, 2019 1:56:12 AM		
Duration	00:32:17	Filters	None
Termination reason	Manual action		
LG Hosts	35.236.210.26:443	Debug	Disabled
	,		
	35.245.227.8:443		
	,		
	35.245.233.108:443		
	,		
	35.194.75.146:443		
	,		
	35.245.216.76:443		
	,		
	35.245.26.165:443		
	,		
	35.245.54.0:443		
	,		
	35.199.61.29:443		
	,		
	35.221.24.161:443		
	,		
	35.236.213.255:443		
	,		
	35.245.203.69:443		
	,		
	35.186.178.99:443		
	,		
	35.245.141.133:443		
	,		
	35.186.178.201:443		
	,		
	35.199.46.96:443		
	,		
	35.230.163.18:443		
	,		
	35.245.236.21:443		
	,		
	35.245.144.149:443		
	,		
	35.221.49.227:443		
	,		
	35.186.179.38:443		
	,		
	35.199.56.38:443		
	,		
	35.245.247.84:443		
	,		
	35.245.183.42:443		
	,		
	35.245.126.64:443		
	,		
	35.245.78.52:443		
	,		
	35.186.168.38:443		
	,		
	35.221.28.181:443		
	,		
	35.199.63.175:443		
	,		
	35.186.162.184:443		
	,		
	35.245.82.0:443		
	,		
	35.186.161.169:443		
	,		
	35.245.255.226:443		

	35.199.29.75:443	
,		
	35.221.42.223:443	
,		
	35.236.197.68:443	
,		
	35.188.244.46:443	
,		
	35.236.210.48:443	
,		
	35.186.178.221:443	
,		
	35.194.93.220:443	
,		
	35.245.184.9:443	
,		
	35.230.166.42:443	
,		
	35.236.252.232:443	
,		
	35.245.17.42:443	
,		
	35.245.176.166:443	
,		
	35.236.205.249:443	
,		
	35.245.90.3:443	
,		
	35.230.181.78:443	
,		
	35.245.29.125:443	
,		
	35.245.152.215:443	
,		
	35.236.234.100:443	
,		
	35.194.87.156:443	
,		
	35.199.44.0:443	
,		
	35.245.214.48:443	
,		
	35.245.55.228:443	
,		
	35.199.2.21:443	
,		
	35.245.92.143:443	
,		
	35.236.229.13:443	
,		
	35.236.220.177:443	
,		
	35.236.215.162:443	
,		
	35.188.236.242:443	
,		
	35.188.232.211:443	
,		
	35.236.227.147:443	
,		
	35.245.79.19:443	
,		
	35.245.176.32:443	
,		
	35.245.173.139:443	
,		
	35.245.128.178:443	
,		
	35.188.224.6:443	
,		
	35.188.245.114:443	
,		
	35.245.215.107:443	
,		
	35.245.100.133:443	
,		
	35.245.188.150:443	

,
35.236.194.179:443
,
35.236.225.201:443
,
35.186.174.0:443
,
35.245.7.106:443
,
35.245.63.50:443
,
35.245.17.118:443
,
35.236.222.187:443
,
35.245.227.148:443
,
35.221.61.112:443
,
35.245.0.237:443
,
35.245.44.22:443
,
35.221.51.136:443
,
35.245.151.213:443
,
35.194.66.38:443
,
35.245.211.57:443
,
35.230.178.121:443
,
35.199.4.28:443
,
35.188.238.119:443
,
35.245.121.224:443
,
35.245.74.95:443
,
35.245.18.168:443
,
35.245.80.84:443
,
35.245.140.249:443
,
35.230.162.45:443
,
35.221.22.190:443
,
35.188.236.89:443
,
35.245.194.146:443
,
35.245.91.93:443
,
35.245.105.142:443
,
35.238.98.5:443
,
35.223.5.210:443
,
35.223.226.249:443
,
35.194.37.119:443
,
34.69.143.222:443
,
35.224.85.242:443
,
35.224.231.215:443
,
35.202.154.215:443
,
35.222.103.24:443
,
34.69.97.224:443

,	35.202.244.38:443		
,			
	35.193.174.211:443		
,			
	35.222.197.154:443		
,			
	35.225.198.188:443		
,			
	35.223.124.202:443		
,			
	35.223.138.40:443		
,			
	35.223.176.196:443		
,			
	35.222.14.105:443		
,			
	34.66.179.247:443		
,			
	35.224.243.23:443		
,			
	35.225.150.141:443		
,			
	104.154.130.10:443		
,			
	34.66.63.156:443		
,			
	35.225.19.236:443		
,			
	130.211.194.223:443		
,			
	34.69.184.44:443		
,			
	35.226.109.51:443		
,			
	34.70.22.241:443		
,			
	34.67.17.118:443		
,			
	34.67.220.173:443		
,			
	104.197.28.242:443		
,			
	35.188.122.132:443		
,			
	34.67.43.72:443		
,			
	35.224.86.144:443		
,			
	35.223.133.203:443		
,			
	34.67.74.146:443		
,			
	35.223.119.32:443		
,			
	35.222.82.161:443		
,			
	35.223.33.202:443		
,			
	35.193.228.46:443		
,			
	34.67.83.64:443		
,			
	104.198.231.108:443		
,			
	34.70.89.70:443		
,			
	35.222.230.195:443		
,			
	34.68.180.99:443		
,			
	34.69.161.134:443		
,			
	35.184.48.189:443		
,			
	35.224.246.237:443		
,			
	35.223.247.206:443		

,
104.154.255.144:443
,
104.198.248.77:443
,
35.223.196.186:443
,
35.223.7.220:443
,
34.69.198.157:443
,
35.223.129.210:443
,
35.232.140.142:443
,
35.222.141.126:443
,
35.202.202.7:443
,
34.70.147.33:443
,
34.69.140.154:443
,
34.68.187.135:443
,
35.222.122.86:443
,
35.223.244.109:443
,
34.66.229.186:443
,
35.222.155.98:443
,
35.202.143.210:443
,
104.154.194.78:443
,
34.70.206.137:443
,
35.232.145.157:443
,
104.197.212.44:443
,
104.154.240.238:443
,
34.67.127.16:443
,
34.69.193.168:443
,
104.197.109.241:443
,
104.154.143.176:443
,
34.67.79.224:443
,
34.69.103.208:443
,
34.69.247.127:443
,
104.198.138.139:443
,
35.225.76.83:443
,
35.222.168.83:443
,
104.197.228.255:443
,
35.239.9.212:443
,
35.223.24.113:443
,
35.226.11.189:443
,
34.70.137.17:443
,
104.197.237.248:443
,
35.224.223.194:443

,	35.222.195.56:443		
,	35.222.128.79:443		
,	35.226.39.113:443		
,	35.223.172.188:443		
,	104.197.225.204:443		
,	35.225.184.194:443		
,	35.232.99.244:443		
,	104.198.179.205:443		
,	35.202.13.3:443		
,	35.192.109.160:443		
,	35.193.129.51:443		
,	35.222.19.13:443		

NeoLoad version 6.6.0;build=20180904-56
Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

PDP-D_1023	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
PDP-M_1023	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
media.ascend.ai	443	Yes	Yes
gateway.verizonwireless.com	443	No	No
www.google-analytics.com	443	Yes	Yes
network.bazaarvoice.com	443	No	No
sp.analytics.yahoo.com	443	Yes	Yes
sanalytics.verizonwireless.com	443	No	No
vzw.15gifts.com	443	No	No
vt.myvisualiq.net	443	No	No
scache2.vzw.com	443	Yes	Yes
2761768.flis.doubleclick.net	443	Yes	No
685973.flis.doubleclick.net	443	Yes	Yes
www.verizonwireless.com	443	No	No
pt.ispot.tv	443	Yes	Yes
scache1.vzw.com	443	Yes	No
t.myvisualiq.net	443	No	No
ss7.vzw.com	443	Yes	Yes
verizon.inq.com	443	Yes	Yes
scache.vzw.com	443	Yes	No
mobile.vzw.com	443	No	No
ct.pinterest.com	443	Yes	Yes



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
PDP_N	16030013 (100%)	8,271.4	3.1s (0%)	1.5% (0%)
Global	16030013 (100%)	8,271.4	3.1s	1.5%






User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-D_1023						
323.5	1,087	1,897	7,487	7,470	99.8	-
 PDP-M_1023						
1.31	1,073	1,884	7,500	7,374	98.3	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

PDP-D_1023

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 PDP-D_1023											
323.5	1,087	1,897	7,487	7,470	99.8	-	-	-	-	-	-
 Init											
0	0	0.001	7,500	0	0	-	-	-	-	-	-
 Actions											
1.15	60	665.4	119,763	82,274	68.7	-	-	-	-	-	-
 PDP-Desktop											
1.15	60	665.4	119,763	82,274	68.7	29.5	223.9	329.8	72.7	50.2	-
 End											
0	0	0.001	7,487	0	0	-	-	-	-	-	-

PDP-M_1023

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 PDP-M_1023											
1.31	1,073	1,884	7,500	7,374	98.3	-	-	-	-	-	-
 Init											
0	0	0.001	7,500	0	0	-	-	-	-	-	-
 Actions											
1.75	66.4	833.6	106,863	64,447	60.3	-	-	-	-	-	-
 PDP_Mobile											
1.75	66.4	833.6	106,863	64,447	60.3	31.9	249.9	367.4	80.3	55.8	-
 End											
0	0	0.006	7,500	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

PDP-D_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




















PDP-M_1023




Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers



















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						








PDP-D_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-D_1023						
323.5	1,087	1,897	7,487	7,470	99.8	-
 Actions						
1.15	60	665.4	119,763	82,274	68.7	-
 PDP-Desktop						
1.15	60	665.4	119,763	82,274	68.7	-
 /smartphones/apple-iphone-11-pro/						
0.222	0.519	19.3	127,183	0	0	-
 /is/image/VerizonWireless/Apl...night_Green_09102019						
0.04	0.168	1.06	127,182	0	0	-
 /id						
0.01	0.073	3.04	127,179	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.003	0.014	0.555	127,179	0	0	-
 /rest/v1/delivery_1						
0.005	0.025	0.538	127,178	0	0	-
 /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js						
0.074	0.124	3.34	127,177	0	0	-
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2						
0.01	0.027	1.01	127,177	0	0	-
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F						
0.003	0.015	0.611	127,177	0	0	-
 /activityi;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r						
0.003	0.014	0.468	127,177	0	0	-
 /activityi;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re						
0.024	0.105	0.731	127,176	0	0	-
 /tbproxy/af/query						
0.002	9.21	331	125,990	34,834	27.6	-
 /pagead/viewthroughconversion/1030624533/						
0.009	17.7	563.4	123,997	44,714	36.1	-
 /activityi;src=685973;type=vzw...f697bc3dcc906146ac;u						
0.01	0.029	1.68	123,995	0	0	-
 /activityi;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12=						
0.004	0.016	0.455	123,994	0	0	-
 /spp.pl						
0.104	0.148	1.7	123,993	0	0	-
 /inqchat.html						
0.077	0.189	3.36	123,969	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /tapestry/1						
0.004	9.76	552	122,259	10,744	8.8	-
 /wdcus/8838/resources/image/15...feedback_tab_min.png						
0	23	515.8	119,797	51,461	43	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.04	0.073	60.1	119,792	63	0.1	-

PDP-M_1023




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-M_1023						
1.31	1,073	1,884	7,500	7,374	98.3	-
 Actions						
1.75	66.4	833.6	106,863	64,447	60.3	-
 PDP_Mobile						
1.75	66.4	833.6	106,863	64,447	60.3	-
 /smartphones/apple-iphone-11-pro/						
0.193	0.32	1.79	114,250	0	0	-
 /hybridClient/is/image/Verizon...t_Green_09102019-mms						
0.049	0.253	1.71	114,250	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.193	0.246	3.9	114,250	0	0	-
 /is/image/VerizonWireless/Apl...night_Green_09102019						
0.034	0.12	1.04	114,250	0	0	-
 /sid.gif						
0.03	11.2	582.2	112,781	5,083	4.5	-
 /wdcus/8838/onsite/embed.js						
0.012	0.051	6.44	112,778	0	0	-
 /inqchat.html						
0.076	0.086	3.13	112,772	0	0	-
 /rest/v1/delivery						
0.005	0.02	0.524	112,770	0	0	-
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2F						
0.011	0.028	0.778	112,766	0	0	-
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F						
0.003	0.016	0.519	112,764	0	0	-
 /activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r						
0.003	0.014	0.513	112,764	0	0	-
 /activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26re						
0.02	0.043	0.563	112,760	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.101	0.17	52.7	112,752	2	0	-
 /rest/v1/delivery_1						
0.014	0.132	0.912	112,748	0	0	-
 /tapestry/1						
0.001	0.014	0.497	112,748	0	0	-










Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /media/launch/site_10004593_default.js						
0.006	10.64	547.2	111,234	5,370	4.8	-
 /wdcus/8838/onsite/generic1571670842717.js						
0.003	26.6	619.1	108,776	47,498	43.7	-
 /resources/onsite/js/cool-2.1.15.min.js						
0.092	0.137	3.37	108,770	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.012	0.072	60	108,769	65	0.1	-
 /wizard/track.html						
0	17.9	621.4	106,876	33,597	31.4	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131						
0.064	0.108	2.87	106,873	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report_1						
0.06	0.111	60.1	106,866	115	0.1	-
























Shared Containers
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




PDP-D_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-D_1023						
323.5	1,087	1,897	7,487	7,470	99.8	-
 Actions						
1.15	60	665.4	119,763	82,274	68.7	-
 PDP-Desktop						
1.15	60	665.4	119,763	82,274	68.7	-
 /smartphones/apple-iphone-11-pro/						
0.222	0.519	19.3	127,183	0	0	-
 /smartphones/apple-iphone-11-pro/						
0.167	0.26	1.66	127,183	0	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.008	0.03	0.548	127,183	0	0	-
 /t/onedigital/uf/build/pdp/bundle.pdp.js						
0.021	0.099	19.1	127,183	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.008	0.03	0.531	127,183	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.035	6.85	127,183	0	0	-
 /t/onedigital/uf/build/assets/css/pdp.min.css						
0.009	0.035	1.01	127,183	0	0	-
 /hybridClient/is/image/Veriz...t_Green_09102019-mms						
0.048	0.253	1.32	127,183	0	0	-
 /is/image/VerizonWireless/Appl...night_Green_09102019						
0.04	0.168	1.06	127,182	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.01	0.039	0.615	127,183	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_b						
0.002	0.012	0.494	127,183	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_c						
0.002	0.007	0.505	127,183	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_d						
0.003	0.018	0.593	127,183	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_e						
0.004	0.022	0.616	127,182	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_f						
0.002	0.012	0.506	127,182	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.004	0.024	0.689	127,182	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-iset						
0.001	0.006	0.432	127,182	0	0	-
 /is/image/VerizonWireless/za...-zag200103912-v-iset						
0.001	0.005	0.461	127,182	0	0	-
 /is/image/VerizonWireless/ot...a-blue-77-62935-iset						
0.001	0.006	0.471	127,182	0	0	-
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset						
0.001	0.006	0.465	127,182	0	0	-
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019						
0.001	0.007	0.754	127,182	0	0	-
 /id						
0.01	0.073	3.04	127,179	0	0	-
 /id						
0.01	0.073	3.04	127,182	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.003	0.014	0.555	127,179	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.008	0.552	127,179	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.005	0.516	127,179	0	0	-
 /rest/v1/delivery_1						
0.005	0.025	0.538	127,178	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.002	0.007	0.498	127,179	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2						
0.002	0.012	0.453	127,178	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.001	0.005	0.418	127,178	0	0	-
 /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js						
0.074	0.124	3.34	127,177	0	0	-
 /analytics.js						
0.008	0.015	0.728	127,178	0	0	-
 /collect						
0	0.001	0.557	127,178	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s72713003712110						
0.064	0.108	3.33	127,178	0	0	-
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2						
0.01	0.027	1.01	127,177	0	0	-
 /activityi;src=2761768;type=...um=5181792881850.382						
0.01	0.027	1.01	127,177	0	0	-
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F						
0.003	0.015	0.611	127,177	0	0	-
 /activityi;src=2761768;type=...rd=3167406900299.841						
0.003	0.015	0.611	127,177	0	0	-
 /activityi;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r						
0.003	0.014	0.468	127,177	0	0	-










Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;dc_pre=CleR6N21se...um=5181792881850.382						
0.003	0.014	0.468	127,177	0	0	-
 /activityi;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re						
0.024	0.105	0.731	127,176	0	0	-
 /activityi;dc_pre=CMOQ6N21se...rd=3167406900299.841						
0.003	0.015	0.485	127,177	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.025	0.598	127,177	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.011	0.574	127,177	0	0	-
 /activity_pixel						
0.009	0.061	0.661	127,177	0	0	-
 /ul_cb/activity_pixel						
0.005	0.088	0.724	127,176	0	0	-
 /tbproxy/af/query						
0.002	9.21	331	125,990	34,834	27.6	-
 /public/evo/wizard/core.js						
0.002	9.54	331	127,176	35,456	27.9	-
 /v2/TC-3477-1.gif						
0.008	0.03	0.569	91,163	0	0	-
 /c/263109848-1/ascend.js						
0.014	0.06	1.08	91,161	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.193	0.245	3.3	91,158	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.01	0.039	52.5	91,162	2	0	-
 /v3/						
0.012	0.058	2.26	91,162	0	0	-
 /pagead/viewthroughconversion/1030624533/						
0.009	17.7	563.4	123,997	44,714	36.1	-
 /sync						
0.001	0.017	0.561	125,990	0	0	-
 /impression_pixel						
0.001	0.014	0.517	125,990	0	0	-
 /sync						
0.001	0.014	0.639	125,990	0	0	-
 /sync						
0.001	0.014	0.521	125,989	0	0	-
 /sync						
0.001	0.014	0.516	125,989	0	0	-
 /wizard/ready_to_open.html						
0.002	18.7	563.2	125,989	45,480	36.1	-
 /activityi;src=685973;type=vzw...f697bc3dcc906146ac;u						
0.01	0.029	1.68	123,995	0	0	-
 /activityi;src=685973;type=v...um=9457106703877.947						
0.01	0.029	1.68	123,997	0	0	-








Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12=						
0.004	0.016	0.455	123,994	0	0	-
 /activityi;dc_pre=COXKjuC1se...um=9457106703877.947						
0.004	0.016	0.455	123,995	0	0	-
 /spp.pl						
0.104	0.148	1.7	123,993	0	0	-
 /spp.pl						
0.068	0.096	1.64	123,994	0	0	-
 /sp.pl						
0.017	0.025	0.488	123,993	0	0	-
 /sp.pl						
0.017	0.026	1.53	123,993	0	0	-
 /inqchat.html						
0.077	0.189	3.36	123,969	0	0	-
 /inqchat.html						
0.013	0.025	0.475	123,993	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.047	0.118	3.34	123,982	0	0	-
 /sid.gif						
0.01	0.071	63	123,992	13	0	-
 /sid.gif						
0.012	0.091	1.19	123,979	0	0	-
 /id.json						
0.008	0.084	1.15	123,979	0	0	-
 /id.json						
0.001	0.015	0.553	123,979	0	0	-
 /st.gif						
0.009	0.089	1.15	123,978	0	0	-
 /st.gif						
0.011	0.088	1.15	123,979	0	0	-
 /st.gif						
0.009	0.086	1.15	123,979	0	0	-
 /tapestry/1						
0.004	9.76	552	122,259	10,744	8.8	-
 /sync						
0.001	0.019	0.458	123,969	0	0	-
 /public/leap/web/partner.js						
0.003	10.72	581.8	123,969	10,921	8.8	-
 /wdcus/8838/resources/image/15...feedback_tab_min.png						
0	23	515.8	119,797	51,461	43	-
 /wizard/track.html						
0	15.1	515.8	122,259	36,957	30.2	-
 /wizard/track.html						
0.001	13.7	487.3	84,556	15,861	18.8	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s72971234187508						
0.063	0.109	2.2	84,556	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /st.gif						
0.002	0.02	0.508	84,554	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.04	0.073	60.1	119,792	63	0.1	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.04	0.073	60.1	119,797	63	0.1	-







PDP-M_1023

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 PDP-M_1023						
1.31	1,073	1,884	7,500	7,374	98.3	-
 Actions						
1.75	66.4	833.6	106,863	64,447	60.3	-
 PDP_Mobile						
1.75	66.4	833.6	106,863	64,447	60.3	-
 /smartphones/apple-iphone-11-pro/						
0.193	0.32	1.79	114,250	0	0	-
 /smartphones/apple-iphone-11-pro/						
0.169	0.258	1.68	114,250	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.009	0.03	0.677	114,250	0	0	-
 /t/onedigital/uf/build/match...bundle.matchMedia.js						
0.009	0.03	0.674	114,250	0	0	-
 /t/onedigital/uf/build/pdp/bundle.pdp.js						
0.02	0.061	0.72	114,250	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.01	0.036	0.676	114,250	0	0	-
 /t/onedigital/uf/build/assets/css/pdp.min.css						
0.011	0.036	0.675	114,250	0	0	-
 /hybridClient/is/image/Verizon...t_Green_09102019-mms						
0.049	0.253	1.71	114,250	0	0	-
 /hybridClient/is/image/Veriz...t_Green_09102019-mms						
0.049	0.253	1.71	114,250	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.193	0.246	3.9	114,250	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.193	0.246	3.9	114,250	0	0	-
 /is/image/VerizonWireless/Appl...night_Green_09102019						
0.034	0.12	1.04	114,250	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.01	0.036	1.01	114,250	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_b						
0.002	0.011	0.485	114,250	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_c						
0.001	0.006	0.509	114,250	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/Ap...ght_Green_09102019_d						
0.003	0.008	0.555	114,250	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_e						
0.003	0.009	0.556	114,250	0	0	-
 /is/image/VerizonWireless/Ap...ght_Green_09102019_f						
0.002	0.007	0.524	114,250	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.003	0.009	0.508	114,250	0	0	-
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-iset						
0.001	0.005	0.474	114,250	0	0	-
 /is/image/VerizonWireless/za...-zag200103912-v-iset						
0.001	0.005	0.488	114,250	0	0	-
 /is/image/VerizonWireless/ot...a-blue-77-62935-iset						
0.001	0.006	0.472	114,250	0	0	-
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset						
0.001	0.005	0.548	114,250	0	0	-
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019						
0.001	0.006	0.81	114,250	0	0	-
 /sid.gif						
0.03	11.2	582.2	112,781	5,083	4.5	-
 /sid.gif						
0.009	0.063	63.1	114,250	0	0	-
 /sid.gif						
0.001	0.015	0.495	114,247	0	0	-
 /id.json						
0.001	0.014	0.652	114,247	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.018	0.583	114,246	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.005	0.56	114,246	0	0	-
 /id.json						
0.002	0.041	0.619	114,246	0	0	-
 /st.gif						
0.002	0.015	0.56	114,246	0	0	-
 /public/evo/wizard/core.js						
0.004	11.1	582	112,781	5,083	4.5	-
 /st.gif						
0.003	0.042	0.912	114,246	0	0	-
 /st.gif						
0.002	0.042	1.04	114,246	0	0	-
 /wdcus/8838/onsite/embed.js						
0.012	0.051	6.44	112,778	0	0	-
 /c/263109848-1/ascend.js						
0.012	0.051	6.44	112,781	0	0	-
 /inqchat.html						
0.076	0.086	3.13	112,772	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /inqchat.html						
0.013	0.024	1.04	112,778	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.047	0.062	3.11	112,772	0	0	-
 /rest/v1/delivery						
0.005	0.02	0.524	112,770	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.002	0.007	0.501	112,772	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2						
0.002	0.007	0.487	112,772	0	0	-
 /ui-one-digital/global-head...ct.globalheader.json						
0.001	0.005	0.484	112,771	0	0	-
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2						
0.011	0.028	0.778	112,766	0	0	-
 /activityi;src=2761768;type=...um=2410568859122.968						
0.011	0.028	0.778	112,770	0	0	-
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F						
0.003	0.016	0.519	112,764	0	0	-
 /activityi;src=2761768;type=...d=1673673671780.3247						
0.003	0.016	0.519	112,766	0	0	-
 /activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r						
0.003	0.014	0.513	112,764	0	0	-
 /activityi;dc_pre=COa0o7a0se...um=2410568859122.968						
0.003	0.014	0.513	112,764	0	0	-
 /activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26re						
0.02	0.043	0.563	112,760	0	0	-
 /activityi;dc_pre=CNO3o7a0se...d=1673673671780.3247						
0.003	0.016	0.508	112,764	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.007	0.529	112,764	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.006	0.502	112,764	0	0	-
 /v2/TC-3477-1.gif						
0.008	0.026	0.556	112,760	0	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.101	0.17	52.7	112,752	2	0	-
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js						
0.009	0.035	52.6	112,760	0	0	-
 /v3/						
0.011	0.053	9.9	112,755	0	0	-
 /spp.pl						
0.067	0.092	1.73	112,753	2	0	-
 /sp.pl						
0.069	0.101	1.49	112,758	0	0	-
 /sp.pl						
0.018	0.026	1.48	112,758	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /rest/v1/delivery_1						
0.014	0.132	0.912	112,748	0	0	-
 /activity_pixel						
0.009	0.059	0.518	112,752	0	0	-
 /impression_pixel						
0.001	0.014	0.425	112,751	0	0	-
 /sync						
0.001	0.025	0.553	112,749	0	0	-
 /sync						
0.001	0.025	0.576	112,749	0	0	-
 /sync						
0.001	0.025	0.552	112,749	0	0	-
 /ul_cb/activity_pixel						
0.001	0.025	0.552	112,749	0	0	-
 /ul_cb/sync						
0.001	0.025	0.609	112,749	0	0	-
 /sync						
0.001	0.021	0.513	112,749	0	0	-
 /tapestry/1						
0.001	0.014	0.497	112,748	0	0	-
 /sync						
0.001	0.014	0.497	112,748	0	0	-
 /media/launch/site_10004593_default.js						
0.006	10.64	547.2	111,234	5,370	4.8	-
 /public/leap/web/partner.js						
0.006	11.4	547.2	112,748	5,434	4.8	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s76074404245613						
0.099	0.163	3.46	105,874	0	0	-
 /wdcus/8838/onsite/generic1571670842717.js						
0.003	26.6	619.1	108,776	47,498	43.7	-
 /wizard/ready_to_open.html						
0.003	19	607.1	111,234	32,962	29.6	-
 /wizard/track.html						
0	13.5	544.2	77,107	15,553	20.2	-
 /resources/onsite/js/cool-2.1.15.min.js						
0.092	0.137	3.37	108,770	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s73401496713216						
0.063	0.109	3.34	108,776	0	0	-
 /st.gif						
0.002	0.027	0.525	108,770	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.012	0.072	60	108,769	65	0.1	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.012	0.072	60	108,770	65	0.1	-
 /wizard/track.html						
0	17.9	621.4	106,876	33,597	31.4	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /wizard/track.html						
0	19.3	621.4	108,769	34,200	31.4	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131						
0.064	0.108	2.87	106,873	0	0	-
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131						
0.064	0.108	2.87	106,876	0	0	-
 /glassbox/VZW/SHOP/reporting/cls_report_1						
0.06	0.111	60.1	106,866	115	0.1	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.029	0.057	60.1	106,873	62	0.1	-
 /glassbox/VZW/SHOP/reporting/cls_report						
0.036	0.054	60	106,804	53	0	-















Shared Containers

SLA	Value	Severity
Empty list		




















PDP-D_1023

SLA	Value	Severity
 PDP-D_1023		
 Actions		
 PDP-Desktop		
 /smartphones/apple-iphone-11-pro/		
 /smartphones/apple-iphone-11-pro/		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/pdp/bundle.pdp.js		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/assets/css/pdp.min.css		
 /hybridClient/is/image/Veriz...t_Green_09102019-mms		
 /is/image/VerizonWireless/Appl...night_Green_09102019		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_b		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_c		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_d		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_e		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_f		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-isct		
 /is/image/VerizonWireless/za...-zag200103912-v-isct		
 /is/image/VerizonWireless/ot...a-blue-77-62935-isct		
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-isct		
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019		
 /id		
 /id		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /rest/v1/delivery_1		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2		
 /ui-one-digital/global-heade...ct.globalheader.json		

SLA	Value	Severity
 /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js		
 /analytics.js		
 /collect		
 /b/ss/vzwitestenv/10/JS-2.17.0/s72713003712110		
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2		
 /activityi;src=2761768;type=...um=5181792881850.382		
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F		
 /activityi;src=2761768;type=...rd=3167406900299.841		
 /activityi;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r		
 /activityi;dc_pre=CleR6N21se...um=5181792881850.382		
 /activityi;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re		
 /activityi;dc_pre=CMOQ6N21se...rd=3167406900299.841		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /activity_pixel		
 /ul_cb/activity_pixel		
 /tbproxy/af/query		
 /public/evo/wizard/core.js		
 /v2/TC-3477-1.gif		
 /c/263109848-1/ascend.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /v3/		
 /pagead/viewthroughconversion/1030624533/		
 /sync		
 /impression_pixel		
 /sync		
 /sync		
 /sync		
 /wizard/ready_to_open.html		
 /activityi;src=685973;type=vzw...f697bc3dcc906146ac;u		
 /activityi;src=685973;type=v...um=9457106703877.947		
 /activityi;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12=		
 /activityi;dc_pre=COXKjuC1se...um=9457106703877.947		
 /spp.pl		
 /spp.pl		
 /sp.pl		
 /sp.pl		
 /inqchat.html		
 /inqchat.html		

SLA	Value	Severity
 /chatskins/launch/inqChatLaunch10004593.js		
 /sid.gif		
 /sid.gif		
 /id.json		
 /id.json		
 /st.gif		
 /st.gif		
 /st.gif		
 /tapestry/1		
 /sync		
 /public/leap/web/partner.js		
 /wdcus/8838/resources/image/15...feedback_tab_min.png		
 /wizard/track.html		
 /wizard/track.html		
 /b/ss/vzwitestenv/10/JS-2.17.0/s72971234187508		
 /st.gif		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		

PDP-M_1023

SLA	Value	Severity
 PDP-M_1023		
 Actions		
 PDP_Mobile		
 /smartphones/apple-iphone-11-pro/		
 /smartphones/apple-iphone-11-pro/		
 /ui-one-digital/gn/build/gnav.css		
 /t/onedigital/uf/build/match...bundle.matchMedia.js		
 /t/onedigital/uf/build/pdp/bundle.pdp.js		
 /ui-one-digital/gn/build/gnav.js		
 /t/onedigital/uf/build/assets/css/pdp.min.css		
 /hybridClient/is/image/Verizon...t_Green_09102019-mms		
 /hybridClient/is/image/Veriz...t_Green_09102019-mms		
 /chatskins/launch/inqChatLaunch10004593.js		
 /chatskins/launch/inqChatLaunch10004593.js		
 /is/image/VerizonWireless/Appl...night_Green_09102019		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_b		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_c		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_d		

SLA	Value	Severity
 /is/image/VerizonWireless/Ap...ght_Green_09102019_e		
 /is/image/VerizonWireless/Ap...ght_Green_09102019_f		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-isct		
 /is/image/VerizonWireless/za...-zag200103912-v-isct		
 /is/image/VerizonWireless/ot...a-blue-77-62935-isct		
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-isct		
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019		
 /sid.gif		
 /sid.gif		
 /sid.gif		
 /id.json		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /id.json		
 /st.gif		
 /public/evo/wizard/core.js		
 /st.gif		
 /st.gif		
 /wdcus/8838/onsite/embed.js		
 /c/263109848-1/ascend.js		
 /inqchat.html		
 /inqchat.html		
 /chatskins/launch/inqChatLaunch10004593.js		
 /rest/v1/delivery		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2F		
 /activityi;src=2761768;type=...um=2410568859122.968		
 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F		
 /activityi;src=2761768;type=...d=1673673671780.3247		
 /activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r		
 /activityi;dc_pre=COa0o7a0se...um=2410568859122.968		
 /activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26r		
 /activityi;dc_pre=CNO3o7a0se...d=1673673671780.3247		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /v2/TC-3477-1.gif		
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		

SLA	Value	Severity
 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js		
 /v3/		
 /spp.pl		
 /sp.pl		
 /sp.pl		
 /rest/v1/delivery_1		
 /activity_pixel		
 /impression_pixel		
 /sync		
 /sync		
 /sync		
 /ul_cb/activity_pixel		
 /ul_cb/sync		
 /sync		
 /tapestry/1		
 /sync		
 /media/launch/site_10004593_default.js		
 /public/leap/web/partner.js		
 /b/ss/vzwitestenv/10/JS-2.17.0/s76074404245613		
 /wdcus/8838/onsite/generic1571670842717.js		
 /wizard/ready_to_open.html		
 /wizard/track.html		
 /resources/onsite/js/cool-2.1.15.min.js		
 /b/ss/vzwitestenv/10/JS-2.17.0/s73401496713216		
 /st.gif		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /wizard/track.html		
 /wizard/track.html		
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131		
 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131		
 /glassbox/VZW/SHOP/reporting/cls_report_1		
 /glassbox/VZW/SHOP/reporting/cls_report		
 /glassbox/VZW/SHOP/reporting/cls_report		

PDP-D_1023

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

PDP-M_1023

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	8,504	15,000	9,440	8,566	4,564
Controller/Throughput					
0	1,894	2,612	2,019	1,963	550.5
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
4	13.3	58	10	12.1	8.89
Controller/Memory Used					
17	50.6	71	51	51.1	10.48
Controller/Thread Count					
1,289	1,537	2,590	1,448	1,503	210.3
Controller/Connected					
200	200	200	200	200	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,247	15,059	637.9	1,043	1,584
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - Virginia (Ashburn 3)/User Load					
0	4,172	7,500	4,298	4,194	2,240
Controller/USA East - Virginia (Ashburn 3)/PDP_N/User Load					
0	4,172	7,500	4,298	4,194	2,240
Controller/USA East - Virginia (Ashburn 3)/PDP_N/PDP-D_1023/User Load					
0	2,091	3,757	2,150	2,102	1,121
Controller/USA East - Virginia (Ashburn 3)/PDP_N/PDP-M_1023/User Load					
0	2,081	3,743	2,137	2,092	1,120
Controller/USA Central - Iowa (Council Bluffs)/User Load					
0	4,176	7,500	4,298	4,198	2,243
Controller/USA Central - Iowa (Council Bluffs)/PDP_N/User Load					
0	4,176	7,500	4,298	4,198	2,243
Controller/USA Central - Iowa (Council Bluffs)/PDP_N/PDP-D_1023/User Load					
0	2,092	3,743	2,162	2,103	1,118
Controller/USA Central - Iowa (Council Bluffs)/PDP_N/PDP-M_1023/User Load					
0	2,084	3,757	2,148	2,095	1,126

LG 104.154.130.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.130.10:443/CPU Load					
0	4.65	23	4	4.24	3.67
LG 104.154.130.10:443/Memory Used					
3	20.4	39	21	20.4	8.29
LG 104.154.130.10:443/Throughput					
0	7.46	24.5	7.33	7.33	4.4
LG 104.154.130.10:443/User Load					
0	42	75	44	42.2	22.6
LG 104.154.130.10:443/Thread Count					
39	109.3	143	112	110.1	24.3
LG 104.154.130.10:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.154.130.10:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 104.154.130.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.130.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.130.10:443/Controller Connection/Ping Duration (ms)					
56	98.4	148	109	97.6	22.5
LG 104.154.130.10:443/Network/Segments sent/sec.					
3.07	416.1	1,205	413.2	411.4	216.9
LG 104.154.130.10:443/Network/Segments retransmitted/sec.					
0	5.29	14.1	5.6	5.2	3.8
LG 104.154.130.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	7.77	25.6	7.57	7.63	4.57
LG 104.154.130.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.813	10.83	0.692	0.722	0.909

LG 104.154.143.176:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.143.176:443/CPU Load					
0	4.46	39	4	4.09	3.54
LG 104.154.143.176:443/Memory Used					
3	18.1	36	18	18	7.93
LG 104.154.143.176:443/Throughput					
0	7.71	21.7	7.63	7.54	4.49
LG 104.154.143.176:443/User Load					
0	41.6	75	43	41.9	22.7
LG 104.154.143.176:443/Thread Count					
39	109	148	109	109.7	25.6
LG 104.154.143.176:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.154.143.176:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 104.154.143.176:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.143.176:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.143.176:443/Controller Connection/Ping Duration (ms)					
58	103	170	105	101.7	24.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.143.176:443/Network/Segments sent/sec.					
2.4	427.8	1,058	425.5	423.3	213.2
LG 104.154.143.176:443/Network/Segments retransmitted/sec.					
0	5.64	15.4	6.12	5.51	4.16
LG 104.154.143.176:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.02	22.5	7.93	7.85	4.65
LG 104.154.143.176:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.793	8.71	0.723	0.74	0.628

LG 104.154.194.78:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.194.78:443/CPU Load					
0	4.37	30	4	4.01	3.35
LG 104.154.194.78:443/Memory Used					
3	17.2	36	17	17	6.59
LG 104.154.194.78:443/Throughput					
0	7.87	22.1	7.67	7.78	4.31
LG 104.154.194.78:443/User Load					
0	44.2	75	50	44.7	23
LG 104.154.194.78:443/Thread Count					
39	111.2	148	120	112	26.2
LG 104.154.194.78:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.154.194.78:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 104.154.194.78:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.194.78:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.194.78:443/Controller Connection/Ping Duration (ms)					
66	95.5	156	108	93.7	22.8
LG 104.154.194.78:443/Network/Segments sent/sec.					
2.4	439.6	1,052	424	438.1	205.7
LG 104.154.194.78:443/Network/Segments retransmitted/sec.					
0	6.23	16.6	6.68	6.06	4.55
LG 104.154.194.78:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.2	23	8.02	8.1	4.47
LG 104.154.194.78:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.834	8.72	0.752	0.772	0.653

LG 104.154.240.238:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.240.238:443/CPU Load					
0	4.62	22	4	4.27	3.49
LG 104.154.240.238:443/Memory Used					
3	18.5	38	18	18.4	7.94
LG 104.154.240.238:443/Throughput					
0	7.85	24.2	7.83	7.68	4.61
LG 104.154.240.238:443/User Load					
0	41.7	75	43	41.9	22.4
LG 104.154.240.238:443/Thread Count					
39	109.1	147	112	109.7	24.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.240.238:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 104.154.240.238:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.154.240.238:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.240.238:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.240.238:443/Controller Connection/Ping Duration (ms)					
68	109.4	149	109	108.9	12.1
LG 104.154.240.238:443/Network/Segments sent/sec.					
1.6	435.4	1,143	428.5	431.3	219
LG 104.154.240.238:443/Network/Segments retransmitted/sec.					
0	5.46	16.7	5.4	5.26	4.19
LG 104.154.240.238:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.17	25.1	8.12	8	4.77
LG 104.154.240.238:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.826	10.62	0.738	0.757	0.783

LG 104.154.255.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.255.144:443/CPU Load					
0	4.65	26	4	4.26	3.67
LG 104.154.255.144:443/Memory Used					
2	19.3	38	19	19.2	8.23
LG 104.154.255.144:443/Throughput					
0	7.53	23.2	7.18	7.34	4.4
LG 104.154.255.144:443/User Load					
0	42.2	75	44	42.4	22.2
LG 104.154.255.144:443/Thread Count					
39	108.5	142	111	109.3	24
LG 104.154.255.144:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 104.154.255.144:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.154.255.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.255.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.255.144:443/Controller Connection/Ping Duration (ms)					
56	90.7	155	75	88.7	30.3
LG 104.154.255.144:443/Network/Segments sent/sec.					
1.6	416.9	1,137	392.8	410	213
LG 104.154.255.144:443/Network/Segments retransmitted/sec.					
0	5.39	15.4	5.82	5.24	4.13
LG 104.154.255.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	7.84	24	7.47	7.65	4.56
LG 104.154.255.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.793	10.18	0.727	0.736	0.734

LG 104.197.109.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.109.241:443/CPU Load					
0	4.62	25	4	4.22	3.54
LG 104.197.109.241:443/Memory Used					
3	18.2	39	17	18	7.81
LG 104.197.109.241:443/Throughput					
0	7.76	20.6	7.66	7.65	4.38
LG 104.197.109.241:443/User Load					
0	41.7	75	43	41.9	22.4
LG 104.197.109.241:443/Thread Count					
39	110	148	109	110.6	24.9
LG 104.197.109.241:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 104.197.109.241:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.197.109.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.109.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.109.241:443/Controller Connection/Ping Duration (ms)					
66	95.2	135	106	94.8	19.4
LG 104.197.109.241:443/Network/Segments sent/sec.					
2.39	431.6	1,028	429.9	430	208.1
LG 104.197.109.241:443/Network/Segments retransmitted/sec.					
0	5.6	16.8	5.99	5.45	4.18
LG 104.197.109.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.08	21.4	7.99	7.97	4.54
LG 104.197.109.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.807	8.26	0.742	0.745	0.667

LG 104.197.212.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.212.44:443/CPU Load					
0	4.69	28	4	4.32	3.5
LG 104.197.212.44:443/Memory Used					
3	18.5	39	18	18.3	8.25
LG 104.197.212.44:443/Throughput					
0	7.64	23	7.43	7.51	4.32
LG 104.197.212.44:443/User Load					
0	42.1	75	43	42.3	22.3
LG 104.197.212.44:443/Thread Count					
39	111.9	150	116.5	112.6	26
LG 104.197.212.44:443/Http client/Thread Pool used					
0.1	0.101	0.145	0.1	0.1	0.006
LG 104.197.212.44:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 104.197.212.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.212.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.212.44:443/Controller Connection/Ping Duration (ms)					
78	106.4	144	107	106.2	8.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.212.44:443/Network/Segments sent/sec.					
2.4	422.3	1,034	430.4	420.6	201.1
LG 104.197.212.44:443/Network/Segments retransmitted/sec.					
0	5.47	16.7	5.61	5.26	4.21
LG 104.197.212.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.96	23.7	7.77	7.82	4.48
LG 104.197.212.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.789	5.1	0.743	0.746	0.525

LG 104.197.225.204:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.225.204:443/CPU Load					
0	4.73	31	4	4.38	3.61
LG 104.197.225.204:443/Memory Used					
3	19.4	39	19	19.3	8.08
LG 104.197.225.204:443/Throughput					
0	8.12	23.4	7.81	7.91	4.89
LG 104.197.225.204:443/User Load					
0	41.7	75	43	42	22.6
LG 104.197.225.204:443/Thread Count					
39	107.3	143	108	107.9	24.4
LG 104.197.225.204:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 104.197.225.204:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 104.197.225.204:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.225.204:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.225.204:443/Controller Connection/Ping Duration (ms)					
60	111.6	155	113	112.7	13.6
LG 104.197.225.204:443/Network/Segments sent/sec.					
1.6	451.8	1,135	441.5	444.6	235.4
LG 104.197.225.204:443/Network/Segments retransmitted/sec.					
0	5.52	18.8	5.96	5.38	4.18
LG 104.197.225.204:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.44	24.3	8.07	8.23	5.07
LG 104.197.225.204:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.85	5.49	0.78	0.793	0.602

LG 104.197.228.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.228.255:443/CPU Load					
0	4.69	35	4	4.32	3.63
LG 104.197.228.255:443/Memory Used					
3	19.1	35	19	19.2	7.34
LG 104.197.228.255:443/Throughput					
0	8.01	21	7.73	7.87	4.71
LG 104.197.228.255:443/User Load					
0	41.8	75	43.5	42.1	22.6
LG 104.197.228.255:443/Thread Count					
39	108.4	144	107.5	108.9	24.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.228.255:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.228.255:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 104.197.228.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.228.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.228.255:443/Controller Connection/Ping Duration (ms)					
56	76.7	134	68	74.9	19.3
LG 104.197.228.255:443/Network/Segments sent/sec.					
1.8	443.9	1,110	434	439.1	228.4
LG 104.197.228.255:443/Network/Segments retransmitted/sec.					
0	5.6	17.7	5.99	5.45	4.24
LG 104.197.228.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.33	21.7	8.06	8.19	4.88
LG 104.197.228.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.86	14.3	0.747	0.776	0.911

LG 104.197.237.248:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.237.248:443/CPU Load					
0	4.93	39	4	4.57	3.67
LG 104.197.237.248:443/Memory Used					
3	19.4	40	19	19.2	8
LG 104.197.237.248:443/Throughput					
0	8.38	26.8	8.06	8.22	4.69
LG 104.197.237.248:443/User Load					
0	42	75	44	42.3	22.6
LG 104.197.237.248:443/Thread Count					
39	110	145	112	110.7	24.7
LG 104.197.237.248:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.237.248:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 104.197.237.248:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.237.248:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.237.248:443/Controller Connection/Ping Duration (ms)					
62	94.3	146	69	93.1	32.9
LG 104.197.237.248:443/Network/Segments sent/sec.					
2.59	465.5	1,411	458	459.5	231.2
LG 104.197.237.248:443/Network/Segments retransmitted/sec.					
0	5.85	19.6	6.4	5.69	4.32
LG 104.197.237.248:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.72	27.7	8.34	8.55	4.86
LG 104.197.237.248:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.889	16.3	0.801	0.815	0.949

LG 104.197.28.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.28.242:443/CPU Load					
0	4.44	29	4	4.1	3.46
LG 104.197.28.242:443/Memory Used					
3	19.6	40	20	19.5	7.49
LG 104.197.28.242:443/Throughput					
0	7.67	22.3	7.2	7.53	4.48
LG 104.197.28.242:443/User Load					
0	45.2	75	50	45.9	23.3
LG 104.197.28.242:443/Thread Count					
39	111.6	141	118	112.8	24.3
LG 104.197.28.242:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.197.28.242:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 104.197.28.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.28.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.28.242:443/Controller Connection/Ping Duration (ms)					
56	129.7	946	112	106.7	143.9
LG 104.197.28.242:443/Network/Segments sent/sec.					
2.02	423.7	1,097	407.3	420.4	214.6
LG 104.197.28.242:443/Network/Segments retransmitted/sec.					
0	5.82	18.9	6.25	5.67	4.09
LG 104.197.28.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.98	23.2	7.6	7.84	4.63
LG 104.197.28.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.799	5.49	0.73	0.751	0.561

LG 104.198.138.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.138.139:443/CPU Load					
0	4.7	25	4	4.39	3.32
LG 104.198.138.139:443/Memory Used					
2	18.6	39	18	18.4	7.82
LG 104.198.138.139:443/Throughput					
0	7.72	26.3	7.72	7.56	4.46
LG 104.198.138.139:443/User Load					
0	42.1	75	44	42.4	22.4
LG 104.198.138.139:443/Thread Count					
39	109.8	147	111	110.5	25.2
LG 104.198.138.139:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 104.198.138.139:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 104.198.138.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.138.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.138.139:443/Controller Connection/Ping Duration (ms)					
61	125.6	219	145	124.9	35

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.138.139:443/Network/Segments sent/sec.					
1.61	427.1	1,241	432.5	421.9	213.4
LG 104.198.138.139:443/Network/Segments retransmitted/sec.					
0	5.58	14.8	5.67	5.45	4.18
LG 104.198.138.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.03	27.3	7.93	7.86	4.62
LG 104.198.138.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.8	7.15	0.719	0.735	0.65

LG 104.198.179.205:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.179.205:443/CPU Load					
0	4.29	29	4	3.9	3.44
LG 104.198.179.205:443/Memory Used					
3	18.8	41	19	18.6	7.57
LG 104.198.179.205:443/Throughput					
0	7.62	22.5	7.34	7.48	4.42
LG 104.198.179.205:443/User Load					
0	44.2	75	50	44.7	23
LG 104.198.179.205:443/Thread Count					
39	112.5	149	119	113.5	25.4
LG 104.198.179.205:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.198.179.205:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 104.198.179.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.179.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.179.205:443/Controller Connection/Ping Duration (ms)					
66	104.9	148	108	104.7	17.5
LG 104.198.179.205:443/Network/Segments sent/sec.					
2.6	426.2	1,242	409.2	420.2	219.4
LG 104.198.179.205:443/Network/Segments retransmitted/sec.					
0	5.85	15	6.52	5.77	3.99
LG 104.198.179.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	7.93	23.4	7.61	7.79	4.58
LG 104.198.179.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.812	12.5	0.713	0.731	0.861

LG 104.198.231.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.231.108:443/CPU Load					
0	4.23	24	4	3.87	3.31
LG 104.198.231.108:443/Memory Used					
2	18.9	38	18	18.7	8.12
LG 104.198.231.108:443/Throughput					
0	7.69	21.8	7.47	7.57	4.39
LG 104.198.231.108:443/User Load					
0	42	75	44	42.2	22.3
LG 104.198.231.108:443/Thread Count					
39	109.4	146	114	110	25.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.231.108:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 104.198.231.108:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 104.198.231.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.231.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.231.108:443/Controller Connection/Ping Duration (ms)					
63	105.2	146	107	105.7	11.9
LG 104.198.231.108:443/Network/Segments sent/sec.					
1.6	428.4	1,088	417.9	423.9	215.2
LG 104.198.231.108:443/Network/Segments retransmitted/sec.					
0	5.32	16.9	5.01	5.12	4.16
LG 104.198.231.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.02	22.6	7.8	7.9	4.56
LG 104.198.231.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.825	8.36	0.715	0.744	0.763

LG 104.198.248.77:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.198.248.77:443/CPU Load					
0	4.19	32	4	3.86	3.2
LG 104.198.248.77:443/Memory Used					
3	18.8	39	19	18.6	7.67
LG 104.198.248.77:443/Throughput					
0	7.84	21.6	7.98	7.67	4.44
LG 104.198.248.77:443/User Load					
0	42.1	75	44	42.4	22.4
LG 104.198.248.77:443/Thread Count					
39	109.8	144	112	110.6	24.1
LG 104.198.248.77:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 104.198.248.77:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 104.198.248.77:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.198.248.77:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.198.248.77:443/Controller Connection/Ping Duration (ms)					
79	122.8	146	107	123.6	21.2
LG 104.198.248.77:443/Network/Segments sent/sec.					
3.07	437.2	1,065	432.8	432.9	212
LG 104.198.248.77:443/Network/Segments retransmitted/sec.					
0	5.73	17	6	5.58	4.39
LG 104.198.248.77:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.16	22.5	8.3	7.99	4.61
LG 104.198.248.77:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.827	12.8	0.769	0.767	0.75

LG 130.211.194.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 130.211.194.223:443/CPU Load					
0	4.84	26	4	4.48	3.44
LG 130.211.194.223:443/Memory Used					
3	17.9	38	17	17.6	7.45
LG 130.211.194.223:443/Throughput					
0	8.59	21.4	8.35	8.51	4.64
LG 130.211.194.223:443/User Load					
0	41.9	75	43	42.1	22.5
LG 130.211.194.223:443/Thread Count					
39	110.6	147	114	111.3	25.5
LG 130.211.194.223:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 130.211.194.223:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 130.211.194.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 130.211.194.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 130.211.194.223:443/Controller Connection/Ping Duration (ms)					
67	102	149	114	102	20.4
LG 130.211.194.223:443/Network/Segments sent/sec.					
4.29	475.9	1,188	466.7	475.6	220.8
LG 130.211.194.223:443/Network/Segments retransmitted/sec.					
0	6.06	17.2	6.38	5.94	4.48
LG 130.211.194.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	8.94	22.5	8.75	8.86	4.8
LG 130.211.194.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	0.91	7.02	0.824	0.849	0.684

LG 34.66.179.247:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.179.247:443/CPU Load					
0	4.83	30	4	4.44	3.78
LG 34.66.179.247:443/Memory Used					
2	17.3	38	17	17	6.74
LG 34.66.179.247:443/Throughput					
0	8.25	27.2	8.14	8.11	4.8
LG 34.66.179.247:443/User Load					
0	44.4	75	50	44.9	23
LG 34.66.179.247:443/Thread Count					
39	111.6	144	119	112.6	24.9
LG 34.66.179.247:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.179.247:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.66.179.247:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.179.247:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.179.247:443/Controller Connection/Ping Duration (ms)					
60	94.3	116	106	94.8	19

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.179.247:443/Network/Segments sent/sec.					
2	455.4	1,297	460	452	230.4
LG 34.66.179.247:443/Network/Segments retransmitted/sec.					
0	6.21	16.4	6.96	6.12	4.34
LG 34.66.179.247:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.61	28.3	8.48	8.46	4.99
LG 34.66.179.247:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.858	9.33	0.788	0.788	0.772

LG 34.66.229.186:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.229.186:443/CPU Load					
0	4.45	31	4	4.01	3.78
LG 34.66.229.186:443/Memory Used					
3	18	38	17	17.8	7.58
LG 34.66.229.186:443/Throughput					
0	8.17	28.3	7.96	7.98	4.81
LG 34.66.229.186:443/User Load					
0	42.3	75	44	42.5	22.3
LG 34.66.229.186:443/Thread Count					
39	110.1	147	110	110.7	25.5
LG 34.66.229.186:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.66.229.186:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 34.66.229.186:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.229.186:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.229.186:443/Controller Connection/Ping Duration (ms)					
65	90.2	147	104	89.3	21.5
LG 34.66.229.186:443/Network/Segments sent/sec.					
1.8	457.2	1,461	457.3	449.7	234.2
LG 34.66.229.186:443/Network/Segments retransmitted/sec.					
0	5.5	17.3	5.6	5.33	4.14
LG 34.66.229.186:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.51	29.2	8.29	8.31	4.98
LG 34.66.229.186:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.847	9.68	0.769	0.781	0.709

LG 34.66.63.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.63.156:443/CPU Load					
0	4.47	31	4	4.14	3.32
LG 34.66.63.156:443/Memory Used					
2	17.3	37	17	17.1	6.86
LG 34.66.63.156:443/Throughput					
0	7.95	24.7	7.85	7.81	4.5
LG 34.66.63.156:443/User Load					
0	42.1	75	44	42.3	22.5
LG 34.66.63.156:443/Thread Count					
39	109.9	146	112	110.6	25.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.66.63.156:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.66.63.156:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 34.66.63.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.66.63.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.66.63.156:443/Controller Connection/Ping Duration (ms)					
64	96.1	146	110	95.5	21.7
LG 34.66.63.156:443/Network/Segments sent/sec.					
2.8	441.1	1,188	442.4	437.7	214
LG 34.66.63.156:443/Network/Segments retransmitted/sec.					
0	5.74	16.5	6.2	5.57	4.45
LG 34.66.63.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.28	25.8	8.12	8.13	4.67
LG 34.66.63.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.828	11	0.788	0.772	0.727

LG 34.67.127.16:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.127.16:443/CPU Load					
0	4.26	33	4	3.96	3.17
LG 34.67.127.16:443/Memory Used					
3	19.5	40	20	19.4	8.08
LG 34.67.127.16:443/Throughput					
0	7.47	18.2	7.5	7.38	4.16
LG 34.67.127.16:443/User Load					
0	41.6	75	43	41.9	22.7
LG 34.67.127.16:443/Thread Count					
39	109.1	145	112	109.8	25
LG 34.67.127.16:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.127.16:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 34.67.127.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.127.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.127.16:443/Controller Connection/Ping Duration (ms)					
85	105.8	118	106	106.2	5.34
LG 34.67.127.16:443/Network/Segments sent/sec.					
2.36	416.6	1,005	412.2	414.4	200.1
LG 34.67.127.16:443/Network/Segments retransmitted/sec.					
0	5.56	15.7	5.8	5.4	4.36
LG 34.67.127.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.8	19.1	7.8	7.7	4.31
LG 34.67.127.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.794	7.71	0.726	0.732	0.656

LG 34.67.17.118:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.17.118:443/CPU Load					
0	4.75	23	4	4.4	3.54
LG 34.67.17.118:443/Memory Used					
2	18.5	39	18	18.4	7.78
LG 34.67.17.118:443/Throughput					
0	8.3	25.2	7.78	8.13	4.88
LG 34.67.17.118:443/User Load					
0	42.1	75	44	42.3	22.4
LG 34.67.17.118:443/Thread Count					
39	109.6	145	112	110.2	24.2
LG 34.67.17.118:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.17.118:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 34.67.17.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.17.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.17.118:443/Controller Connection/Ping Duration (ms)					
64	132.5	957	109	107.6	149
LG 34.67.17.118:443/Network/Segments sent/sec.					
3.39	459.6	1,174	452.7	455.1	229.7
LG 34.67.17.118:443/Network/Segments retransmitted/sec.					
0	5.72	16.9	6	5.56	4.31
LG 34.67.17.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.63	26	8.1	8.45	5.05
LG 34.67.17.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	0.879	9.1	0.789	0.807	0.76

LG 34.67.220.173:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.220.173:443/CPU Load					
0	4.36	34	4	3.94	3.61
LG 34.67.220.173:443/Memory Used					
3	18.7	35	18	18.7	7.72
LG 34.67.220.173:443/Throughput					
0	7.7	25.7	7.25	7.48	4.7
LG 34.67.220.173:443/User Load					
0	41.6	75	43	41.8	22.5
LG 34.67.220.173:443/Thread Count					
38	108.3	145	109	108.9	25.3
LG 34.67.220.173:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.220.173:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.67.220.173:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.220.173:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.220.173:443/Controller Connection/Ping Duration (ms)					
73	105.4	145	108	105.6	13.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.220.173:443/Network/Segments sent/sec.					
3.07	430	1,388	416.7	421.9	227.6
LG 34.67.220.173:443/Network/Segments retransmitted/sec.					
0	5.63	18	5.69	5.47	4.3
LG 34.67.220.173:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.01	26.5	7.57	7.79	4.86
LG 34.67.220.173:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.815	7.79	0.735	0.739	0.731

LG 34.67.43.72:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.43.72:443/CPU Load					
0	4.82	23	4	4.46	3.59
LG 34.67.43.72:443/Memory Used					
2	18.4	38	18	18.3	7.47
LG 34.67.43.72:443/Throughput					
0	7.83	23.4	7.74	7.67	4.59
LG 34.67.43.72:443/User Load					
0	42.1	75	44	42.3	22.5
LG 34.67.43.72:443/Thread Count					
39	109.1	146	112	109.7	25.2
LG 34.67.43.72:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.43.72:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.67.43.72:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.43.72:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.43.72:443/Controller Connection/Ping Duration (ms)					
70	125.1	671	108	108.5	99.6
LG 34.67.43.72:443/Network/Segments sent/sec.					
3.4	432.5	1,196	428.8	427.7	220.9
LG 34.67.43.72:443/Network/Segments retransmitted/sec.					
0	5.6	15.6	6.34	5.5	4.02
LG 34.67.43.72:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.15	24.2	8.05	7.99	4.75
LG 34.67.43.72:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.84	8.61	0.735	0.753	0.766

LG 34.67.74.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.74.146:443/CPU Load					
0	4.75	38	4	4.36	3.71
LG 34.67.74.146:443/Memory Used					
3	19.5	39	20	19.4	7.74
LG 34.67.74.146:443/Throughput					
0	7.94	23.3	7.82	7.8	4.46
LG 34.67.74.146:443/User Load					
0	41.9	75	43	42.1	22.3
LG 34.67.74.146:443/Thread Count					
39	109.7	149	113	110.2	24

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.74.146:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.67.74.146:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.67.74.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.74.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.74.146:443/Controller Connection/Ping Duration (ms)					
57	114.7	440	106	105.7	60.4
LG 34.67.74.146:443/Network/Segments sent/sec.					
3.4	439.2	1,224	435.2	435	212.5
LG 34.67.74.146:443/Network/Segments retransmitted/sec.					
0	5.59	18.9	5.4	5.35	4.43
LG 34.67.74.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.26	24	8.14	8.12	4.62
LG 34.67.74.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.84	12.6	0.758	0.767	0.831

LG 34.67.79.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.79.224:443/CPU Load					
0	4.77	36	4	4.4	3.62
LG 34.67.79.224:443/Memory Used					
3	18.1	37	17	18	7.51
LG 34.67.79.224:443/Throughput					
0	8.04	23.5	7.77	7.9	4.64
LG 34.67.79.224:443/User Load					
0	41.9	75	43	42.1	22.4
LG 34.67.79.224:443/Thread Count					
39	108.3	142	110	109.1	24.1
LG 34.67.79.224:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.79.224:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 34.67.79.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.79.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.79.224:443/Controller Connection/Ping Duration (ms)					
64	77.7	149	68	74.4	23.8
LG 34.67.79.224:443/Network/Segments sent/sec.					
2.4	445.7	1,148	439.5	442.6	221.6
LG 34.67.79.224:443/Network/Segments retransmitted/sec.					
0	5.43	16.4	5.8	5.25	4.15
LG 34.67.79.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.37	24.5	8.07	8.22	4.81
LG 34.67.79.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.835	9.13	0.758	0.768	0.718

LG 34.67.83.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.83.64:443/CPU Load					
0	4.31	23	4	3.97	3.31
LG 34.67.83.64:443/Memory Used					
3	18	38	18	17.8	7.07
LG 34.67.83.64:443/Throughput					
0	7.82	22.8	7.38	7.66	4.65
LG 34.67.83.64:443/User Load					
0	44.3	75	50	44.8	23.2
LG 34.67.83.64:443/Thread Count					
39	111.8	147	119	112.7	25.6
LG 34.67.83.64:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.67.83.64:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.67.83.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.83.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.83.64:443/Controller Connection/Ping Duration (ms)					
92	109.6	140	109	109	8.28
LG 34.67.83.64:443/Network/Segments sent/sec.					
2	436.6	1,159	418.4	432	223.5
LG 34.67.83.64:443/Network/Segments retransmitted/sec.					
0	5.91	23	6.76	5.75	4.31
LG 34.67.83.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.14	23.6	7.76	7.98	4.82
LG 34.67.83.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.814	9.09	0.746	0.74	0.782

LG 34.68.180.99:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.180.99:443/CPU Load					
0	4.1	34	4	3.78	3.15
LG 34.68.180.99:443/Memory Used					
3	16.1	37	15	15.9	6.72
LG 34.68.180.99:443/Throughput					
0	7.1	20.5	6.9	7.01	3.99
LG 34.68.180.99:443/User Load					
0	44.9	75	50	45.6	23.5
LG 34.68.180.99:443/Thread Count					
39	112.1	146	118	113.1	26.5
LG 34.68.180.99:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.180.99:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.68.180.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.180.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.180.99:443/Controller Connection/Ping Duration (ms)					
56	123.7	154	146	125.6	27.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.180.99:443/Network/Segments sent/sec.					
3.4	396.1	999.4	390.6	394.2	190.5
LG 34.68.180.99:443/Network/Segments retransmitted/sec.					
0	5.93	17	6.78	5.84	4.25
LG 34.68.180.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	7.4	21.2	7.21	7.3	4.13
LG 34.68.180.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.75	6.42	0.669	0.692	0.584

LG 34.68.187.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.187.135:443/CPU Load					
0	4.74	27	4	4.41	3.42
LG 34.68.187.135:443/Memory Used					
2	17.3	36	16	17.1	6.79
LG 34.68.187.135:443/Throughput					
0	7.72	22.3	7.68	7.63	4.29
LG 34.68.187.135:443/User Load					
0	42.1	75	44	42.4	22.4
LG 34.68.187.135:443/Thread Count					
39	109.3	143	114	110	23.7
LG 34.68.187.135:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.68.187.135:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.68.187.135:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.187.135:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.187.135:443/Controller Connection/Ping Duration (ms)					
65	87.7	145	94	86.6	20.8
LG 34.68.187.135:443/Network/Segments sent/sec.					
1.98	429.2	1,067	421.4	426.1	209.1
LG 34.68.187.135:443/Network/Segments retransmitted/sec.					
0	5.48	18	5.8	5.3	4.18
LG 34.68.187.135:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.04	23.2	8	7.94	4.44
LG 34.68.187.135:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.83	6.05	0.738	0.759	0.685

LG 34.69.103.208:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.103.208:443/CPU Load					
0	4.38	25	4	3.94	3.63
LG 34.69.103.208:443/Memory Used					
3	18.2	40	18	17.9	7.32
LG 34.69.103.208:443/Throughput					
0	8.17	29.1	7.85	7.97	4.97
LG 34.69.103.208:443/User Load					
0	44.7	75	50	45.2	22.9
LG 34.69.103.208:443/Thread Count					
39	113.3	147	119	114.3	26.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.103.208:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.103.208:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 34.69.103.208:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.103.208:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.103.208:443/Controller Connection/Ping Duration (ms)					
70	111.3	149	112	111.1	12.5
LG 34.69.103.208:443/Network/Segments sent/sec.					
3.81	456.7	1,291	436.4	449.9	240.2
LG 34.69.103.208:443/Network/Segments retransmitted/sec.					
0	6.06	17	6.61	5.92	4.38
LG 34.69.103.208:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.52	29.9	8.08	8.32	5.16
LG 34.69.103.208:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.853	8.4	0.738	0.783	0.725

LG 34.69.140.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.140.154:443/CPU Load					
0	4.42	33	4	4.12	3.2
LG 34.69.140.154:443/Memory Used					
3	16.7	37	16	16.5	7.42
LG 34.69.140.154:443/Throughput					
0	8.14	25.9	8.12	7.99	4.57
LG 34.69.140.154:443/User Load					
0	41.6	75	43	41.8	22.6
LG 34.69.140.154:443/Thread Count					
39	110.3	150	113	110.9	26.2
LG 34.69.140.154:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.140.154:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.69.140.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.140.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.140.154:443/Controller Connection/Ping Duration (ms)					
58	88.3	146	86	86.9	23
LG 34.69.140.154:443/Network/Segments sent/sec.					
2.4	453	1,311	446.5	448	225.1
LG 34.69.140.154:443/Network/Segments retransmitted/sec.					
0	5.66	15.8	5.96	5.5	4.33
LG 34.69.140.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.49	27	8.52	8.33	4.75
LG 34.69.140.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.817	5.41	0.759	0.772	0.567

LG 34.69.143.222:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.143.222:443/CPU Load					
0	4.33	30	4	3.91	3.59
LG 34.69.143.222:443/Memory Used					
2	16.5	35	16	16.3	6.81
LG 34.69.143.222:443/Throughput					
0	7.65	23.4	7.52	7.51	4.44
LG 34.69.143.222:443/User Load					
0	41.6	75	43	41.8	22.5
LG 34.69.143.222:443/Thread Count					
38	109.5	145	112	110.4	24.9
LG 34.69.143.222:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.143.222:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 34.69.143.222:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.143.222:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.143.222:443/Controller Connection/Ping Duration (ms)					
66	103.5	135	108	103.7	15
LG 34.69.143.222:443/Network/Segments sent/sec.					
2.81	425.9	1,204	424.5	422	214.2
LG 34.69.143.222:443/Network/Segments retransmitted/sec.					
0	5.2	15	5.4	5.04	3.91
LG 34.69.143.222:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	7.96	24.2	7.8	7.82	4.59
LG 34.69.143.222:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.801	8.92	0.74	0.737	0.695

LG 34.69.161.134:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.161.134:443/CPU Load					
0	4.66	29	4	4.33	3.38
LG 34.69.161.134:443/Memory Used					
3	18.6	39	18	18.4	7.47
LG 34.69.161.134:443/Throughput					
0	8.16	21.4	8.1	8.03	4.56
LG 34.69.161.134:443/User Load					
0	42	75	44	42.3	22.5
LG 34.69.161.134:443/Thread Count					
39	109	144	110	109.7	24.9
LG 34.69.161.134:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.69.161.134:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.69.161.134:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.161.134:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.161.134:443/Controller Connection/Ping Duration (ms)					
65	83.4	170	74	80.2	21.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.161.134:443/Network/Segments sent/sec.					
2.38	453.6	1,087	448.7	451.1	216.6
LG 34.69.161.134:443/Network/Segments retransmitted/sec.					
0	5.61	17.6	5.77	5.44	4.19
LG 34.69.161.134:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.49	22.4	8.37	8.36	4.72
LG 34.69.161.134:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.85	9.46	0.787	0.785	0.735

LG 34.69.184.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.184.44:443/CPU Load					
0	3.98	21	3	3.66	3.09
LG 34.69.184.44:443/Memory Used					
2	18.5	38	17.5	18.4	7.81
LG 34.69.184.44:443/Throughput					
0	7.38	23.2	7.1	7.23	4.39
LG 34.69.184.44:443/User Load					
0	41.9	75	43	42.1	22.4
LG 34.69.184.44:443/Thread Count					
39	108.6	144	111	109.4	23.9
LG 34.69.184.44:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.184.44:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.69.184.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.184.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.184.44:443/Controller Connection/Ping Duration (ms)					
67	106.1	180	107	104.9	18.8
LG 34.69.184.44:443/Network/Segments sent/sec.					
2.01	414.3	1,206	407.7	410.5	212.8
LG 34.69.184.44:443/Network/Segments retransmitted/sec.					
0	5.27	17.6	5.56	5.1	4.01
LG 34.69.184.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.68	23.9	7.46	7.53	4.55
LG 34.69.184.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.791	7.52	0.703	0.723	0.646

LG 34.69.193.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.193.168:443/CPU Load					
0	4.29	28	4	3.93	3.35
LG 34.69.193.168:443/Memory Used					
2	18.7	38	19	18.6	7.51
LG 34.69.193.168:443/Throughput					
0	8.34	23.8	8.45	8.27	4.55
LG 34.69.193.168:443/User Load					
0	41.9	75	43	42.1	22.5
LG 34.69.193.168:443/Thread Count					
39	108.2	145	108	108.9	25.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.193.168:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.193.168:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.69.193.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.193.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.193.168:443/Controller Connection/Ping Duration (ms)					
69	109	178	111	108.8	15.7
LG 34.69.193.168:443/Network/Segments sent/sec.					
1.6	465.8	1,120	470.1	464.8	221.3
LG 34.69.193.168:443/Network/Segments retransmitted/sec.					
0	5.77	16.6	6.12	5.64	4.3
LG 34.69.193.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.7	24.9	8.8	8.63	4.73
LG 34.69.193.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.878	10.11	0.822	0.817	0.748

LG 34.69.198.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.198.157:443/CPU Load					
0	4.35	32	4	3.95	3.52
LG 34.69.198.157:443/Memory Used					
3	18.6	40	18	18.3	8.02
LG 34.69.198.157:443/Throughput					
0	7.42	23.5	7.14	7.27	4.47
LG 34.69.198.157:443/User Load					
0	42	75	44	42.3	22.6
LG 34.69.198.157:443/Thread Count					
39	108.8	144	112	109.4	24.6
LG 34.69.198.157:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.69.198.157:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.006
LG 34.69.198.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.198.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.198.157:443/Controller Connection/Ping Duration (ms)					
68	92.4	109	106	92.8	17.8
LG 34.69.198.157:443/Network/Segments sent/sec.					
2	412.8	1,167	405.5	408.7	211.2
LG 34.69.198.157:443/Network/Segments retransmitted/sec.					
0	5.52	17.2	5.72	5.34	4.21
LG 34.69.198.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.73	24.4	7.39	7.57	4.64
LG 34.69.198.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.778	8.51	0.693	0.711	0.663

LG 34.69.247.127:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.247.127:443/CPU Load					
0	4.45	39	4	4	3.91
LG 34.69.247.127:443/Memory Used					
3	18.2	38	17	18.1	6.94
LG 34.69.247.127:443/Throughput					
0	7.82	25.8	7.61	7.7	4.63
LG 34.69.247.127:443/User Load					
0	42.2	75	44.5	42.5	22.4
LG 34.69.247.127:443/Thread Count					
39	108.4	144	111.5	109.1	24.2
LG 34.69.247.127:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.247.127:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.69.247.127:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.247.127:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.247.127:443/Controller Connection/Ping Duration (ms)					
68	106	153	111	105.3	20
LG 34.69.247.127:443/Network/Segments sent/sec.					
4.27	434.6	1,201	429.8	430.8	225.1
LG 34.69.247.127:443/Network/Segments retransmitted/sec.					
0	5.6	17.2	6.18	5.46	4.18
LG 34.69.247.127:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	8.16	27	7.94	8.04	4.81
LG 34.69.247.127:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	0.835	15.8	0.749	0.761	0.938

LG 34.69.97.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.97.224:443/CPU Load					
0	4.64	35	4	4.24	3.7
LG 34.69.97.224:443/Memory Used					
3	19	39	19	18.9	7.76
LG 34.69.97.224:443/Throughput					
0	7.3	21.2	7.22	7.16	4.17
LG 34.69.97.224:443/User Load					
0	42.2	75	44	42.5	22.3
LG 34.69.97.224:443/Thread Count					
39	110.3	147	112	110.9	24.6
LG 34.69.97.224:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.69.97.224:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.69.97.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.97.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.97.224:443/Controller Connection/Ping Duration (ms)					
67	108.3	241	107	105	28.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.97.224:443/Network/Segments sent/sec.					
3.03	407.2	1,224	400.4	402.3	202.6
LG 34.69.97.224:443/Network/Segments retransmitted/sec.					
0	5.47	15.4	5.74	5.33	4.09
LG 34.69.97.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	7.6	21.9	7.53	7.46	4.32
LG 34.69.97.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.769	8.15	0.683	0.691	0.709

LG 34.70.137.17:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.137.17:443/CPU Load					
0	4.42	33	4	4.07	3.34
LG 34.70.137.17:443/Memory Used					
3	18.7	39	18	18.5	8.33
LG 34.70.137.17:443/Throughput					
0	7.57	25	7.29	7.46	4.2
LG 34.70.137.17:443/User Load					
0	41.9	75	43	42.1	22.5
LG 34.70.137.17:443/Thread Count					
39	108.9	146	109.5	109.5	25.2
LG 34.70.137.17:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.137.17:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 34.70.137.17:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.137.17:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.137.17:443/Controller Connection/Ping Duration (ms)					
75	137	155	152	139.1	23.9
LG 34.70.137.17:443/Network/Segments sent/sec.					
1.6	420.1	1,104	404	417.2	200.2
LG 34.70.137.17:443/Network/Segments retransmitted/sec.					
0	5.85	19.6	5.96	5.62	4.6
LG 34.70.137.17:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	7.87	25.9	7.58	7.76	4.35
LG 34.70.137.17:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.789	9.04	0.7	0.74	0.622

LG 34.70.147.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.147.33:443/CPU Load					
0	4.45	28	4	4.08	3.36
LG 34.70.147.33:443/Memory Used					
3	18.1	38	17	18	7.5
LG 34.70.147.33:443/Throughput					
0	7.74	18.5	7.51	7.65	4.34
LG 34.70.147.33:443/User Load					
0	42	75	44	42.3	22.6
LG 34.70.147.33:443/Thread Count					
39	108.8	146	111	109.4	25.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.147.33:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.147.33:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.70.147.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.147.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.147.33:443/Controller Connection/Ping Duration (ms)					
60	104.1	160	107	103.3	18.8
LG 34.70.147.33:443/Network/Segments sent/sec.					
1.8	431.3	998.6	428.5	428.1	210.2
LG 34.70.147.33:443/Network/Segments retransmitted/sec.					
0	5.32	19	5.45	5.16	4.08
LG 34.70.147.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.06	19.2	7.87	7.96	4.5
LG 34.70.147.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.814	8.92	0.732	0.746	0.697

LG 34.70.206.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.206.137:443/CPU Load					
0	3.97	27	3	3.68	2.97
LG 34.70.206.137:443/Memory Used					
3	18.7	38	18	18.6	7.39
LG 34.70.206.137:443/Throughput					
0	7.54	24.7	7.27	7.33	4.63
LG 34.70.206.137:443/User Load					
0	44.1	75	50	44.6	23.1
LG 34.70.206.137:443/Thread Count					
39	112.4	149	117	113.2	26.4
LG 34.70.206.137:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.206.137:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 34.70.206.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.206.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.206.137:443/Controller Connection/Ping Duration (ms)					
56	117.5	149	147	119	36.5
LG 34.70.206.137:443/Network/Segments sent/sec.					
2.4	424.9	1,191	409	416.7	223.1
LG 34.70.206.137:443/Network/Segments retransmitted/sec.					
0	5.99	16.3	6.88	5.88	4.33
LG 34.70.206.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.86	25.6	7.51	7.65	4.8
LG 34.70.206.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.79	11.3	0.688	0.718	0.747

LG 34.70.22.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.22.241:443/CPU Load					
0	4.61	35	4	4.18	3.68
LG 34.70.22.241:443/Memory Used					
3	20.1	39	19	19.9	8.11
LG 34.70.22.241:443/Throughput					
0	7.88	20.3	7.95	7.82	4.28
LG 34.70.22.241:443/User Load					
0	42.1	75	44	42.4	22.4
LG 34.70.22.241:443/Thread Count					
39	109.4	147	112	109.9	25.2
LG 34.70.22.241:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.22.241:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.70.22.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.22.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.22.241:443/Controller Connection/Ping Duration (ms)					
58	101.3	148	108	100.8	22.1
LG 34.70.22.241:443/Network/Segments sent/sec.					
2.6	437.5	1,101	432.1	436.5	205.7
LG 34.70.22.241:443/Network/Segments retransmitted/sec.					
0	5.7	17	5.91	5.54	4.37
LG 34.70.22.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.22	21.2	8.26	8.16	4.45
LG 34.70.22.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.826	8.97	0.759	0.763	0.711

LG 34.70.89.70:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.89.70:443/CPU Load					
0	4.11	32	4	3.78	3.28
LG 34.70.89.70:443/Memory Used					
3	18.5	39	18	18.3	7.69
LG 34.70.89.70:443/Throughput					
0	7.04	21.7	7.24	6.96	3.99
LG 34.70.89.70:443/User Load					
0	45.5	75	50	46.2	23.2
LG 34.70.89.70:443/Thread Count					
39	114.5	152	119	115.3	26.5
LG 34.70.89.70:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.70.89.70:443/Http client/Task Pool used					
0	0.001	0.017	0	0	0.003
LG 34.70.89.70:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.89.70:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.89.70:443/Controller Connection/Ping Duration (ms)					
67	107	147	106	106.4	13.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.89.70:443/Network/Segments sent/sec.					
3.4	392.3	994.8	396.9	391.7	189.7
LG 34.70.89.70:443/Network/Segments retransmitted/sec.					
0	5.8	16	6.14	5.65	4.24
LG 34.70.89.70:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	7.33	22.3	7.53	7.25	4.12
LG 34.70.89.70:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	0.743	9.91	0.68	0.694	0.636

LG 35.184.48.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.48.189:443/CPU Load					
0	4.43	26	4	4.06	3.37
LG 35.184.48.189:443/Memory Used					
2	16.2	36	16	16	6.36
LG 35.184.48.189:443/Throughput					
0	7.86	24.8	7.32	7.66	4.65
LG 35.184.48.189:443/User Load					
0	44.4	75	50	45	23.2
LG 35.184.48.189:443/Thread Count					
39	111.6	146	117	112.4	25.8
LG 35.184.48.189:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.184.48.189:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.184.48.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.48.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.48.189:443/Controller Connection/Ping Duration (ms)					
89	130	148	145	130.9	19.9
LG 35.184.48.189:443/Network/Segments sent/sec.					
3.22	437.7	1,196	406.3	432.2	224.7
LG 35.184.48.189:443/Network/Segments retransmitted/sec.					
0	6.02	17.2	6	5.84	4.44
LG 35.184.48.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.18	25.5	7.62	7.98	4.82
LG 35.184.48.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.832	12.5	0.719	0.754	0.908

LG 35.188.122.132:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.122.132:443/CPU Load					
0	4.93	29	4	4.46	3.9
LG 35.188.122.132:443/Memory Used					
3	19.3	36	20	19.4	7.41
LG 35.188.122.132:443/Throughput					
0	8.16	21.9	8.17	8.08	4.39
LG 35.188.122.132:443/User Load					
0	44.9	75	50	45.5	23.5
LG 35.188.122.132:443/Thread Count					
38	112.6	148	118	113.6	26.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.122.132:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.188.122.132:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.188.122.132:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.122.132:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.122.132:443/Controller Connection/Ping Duration (ms)					
65	128.3	867	109	106.8	130.3
LG 35.188.122.132:443/Network/Segments sent/sec.					
3.07	450.5	1,170	457.5	448.8	212.6
LG 35.188.122.132:443/Network/Segments retransmitted/sec.					
0	6.49	16.1	7.23	6.37	4.66
LG 35.188.122.132:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.49	22.6	8.52	8.41	4.54
LG 35.188.122.132:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.847	14.5	0.777	0.788	0.823

LG 35.192.109.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.109.160:443/CPU Load					
0	4.18	24	4	3.84	3.19
LG 35.192.109.160:443/Memory Used					
3	18.8	39	19	18.6	7.76
LG 35.192.109.160:443/Throughput					
0	7.87	25.3	7.79	7.68	4.72
LG 35.192.109.160:443/User Load					
0	41.7	75	43	41.9	22.6
LG 35.192.109.160:443/Thread Count					
39	108.3	148	109	108.8	25.8
LG 35.192.109.160:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.192.109.160:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.192.109.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.109.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.109.160:443/Controller Connection/Ping Duration (ms)					
58	77.7	147	68	76.1	19.6
LG 35.192.109.160:443/Network/Segments sent/sec.					
1.6	441	1,236	442.2	435.2	229.3
LG 35.192.109.160:443/Network/Segments retransmitted/sec.					
0	5.68	16.4	6.35	5.54	4.28
LG 35.192.109.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.2	26.1	8.1	8	4.89
LG 35.192.109.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.827	6.96	0.775	0.776	0.636

LG 35.193.129.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.129.51:443/CPU Load					
0	4.3	22	4	3.98	3.15
LG 35.193.129.51:443/Memory Used					
3	19.4	38	19	19.3	7.7
LG 35.193.129.51:443/Throughput					
0	8.05	24.5	7.91	7.88	4.58
LG 35.193.129.51:443/User Load					
0	41.9	75	43	42.2	22.5
LG 35.193.129.51:443/Thread Count					
39	110.2	148	112	110.9	25.7
LG 35.193.129.51:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.129.51:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.193.129.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.129.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.129.51:443/Controller Connection/Ping Duration (ms)					
55	78	146	69	76.6	19.8
LG 35.193.129.51:443/Network/Segments sent/sec.					
1.6	451.2	1,120	443.9	445.6	222.7
LG 35.193.129.51:443/Network/Segments retransmitted/sec.					
0	5.62	19.7	6.15	5.48	4.14
LG 35.193.129.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.39	25.8	8.18	8.22	4.76
LG 35.193.129.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.841	7.95	0.769	0.782	0.633

LG 35.193.174.211:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.174.211:443/CPU Load					
0	4.1	38	4	3.68	3.61
LG 35.193.174.211:443/Memory Used					
3	18.2	39	18	18	7.92
LG 35.193.174.211:443/Throughput					
0	7.46	22.1	7.35	7.29	4.39
LG 35.193.174.211:443/User Load					
0	44	75	50	44.5	23.3
LG 35.193.174.211:443/Thread Count					
38	111.2	143	117	112.4	24.9
LG 35.193.174.211:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.174.211:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.193.174.211:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.174.211:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.174.211:443/Controller Connection/Ping Duration (ms)					
94	107.5	144	107	107	7.37

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.174.211:443/Network/Segments sent/sec.					
3	417.6	1,132	411.2	411.9	214.1
LG 35.193.174.211:443/Network/Segments retransmitted/sec.					
0	5.75	16.4	6.02	5.58	4.27
LG 35.193.174.211:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	7.76	23	7.62	7.59	4.54
LG 35.193.174.211:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.795	8.44	0.718	0.726	0.695

LG 35.193.228.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.193.228.46:443/CPU Load					
0	4.57	31	4	4.16	3.65
LG 35.193.228.46:443/Memory Used					
3	18.6	40	17	18.4	8.19
LG 35.193.228.46:443/Throughput					
0	8.22	19.8	8.42	8.14	4.46
LG 35.193.228.46:443/User Load					
0	41.8	75	43	42.1	22.5
LG 35.193.228.46:443/Thread Count					
38	109.8	148	115	110.5	26.1
LG 35.193.228.46:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.193.228.46:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.193.228.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.193.228.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.193.228.46:443/Controller Connection/Ping Duration (ms)					
74	109.2	153	107	108.6	14.3
LG 35.193.228.46:443/Network/Segments sent/sec.					
3.88	454.2	1,301	462	452.5	219.2
LG 35.193.228.46:443/Network/Segments retransmitted/sec.					
0	5.8	19.4	5.77	5.62	4.48
LG 35.193.228.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.57	20.5	8.8	8.49	4.63
LG 35.193.228.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.853	8.31	0.78	0.787	0.732

LG 35.194.37.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.37.119:443/CPU Load					
0	4.62	23	4	4.21	3.55
LG 35.194.37.119:443/Memory Used					
3	19.7	39	20	19.6	7.6
LG 35.194.37.119:443/Throughput					
0	7.96	29.2	7.63	7.82	4.42
LG 35.194.37.119:443/User Load					
0	42.1	75	44	42.3	22.6
LG 35.194.37.119:443/Thread Count					
39	108.1	145	112	108.6	25

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.37.119:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.194.37.119:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.194.37.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.37.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.37.119:443/Controller Connection/Ping Duration (ms)					
91	107.4	146	106	106.5	7.77
LG 35.194.37.119:443/Network/Segments sent/sec.					
3	441.9	1,236	423.6	439.6	208.1
LG 35.194.37.119:443/Network/Segments retransmitted/sec.					
0	5.8	15.4	6.4	5.66	4.41
LG 35.194.37.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.27	29.2	7.91	8.14	4.55
LG 35.194.37.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.842	11.3	0.735	0.781	0.738

LG 35.202.13.3:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.13.3:443/CPU Load					
0	4.34	35	4	3.96	3.55
LG 35.202.13.3:443/Memory Used					
3	18.7	36	18.5	18.6	7.64
LG 35.202.13.3:443/Throughput					
0	7.79	20.7	7.36	7.64	4.59
LG 35.202.13.3:443/User Load					
0	42	75	43	42.2	22.1
LG 35.202.13.3:443/Thread Count					
39	110.3	151	113	110.8	25.6
LG 35.202.13.3:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.202.13.3:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.202.13.3:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.13.3:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.13.3:443/Controller Connection/Ping Duration (ms)					
93	110.3	146	109	109	10.14
LG 35.202.13.3:443/Network/Segments sent/sec.					
1.59	433.2	1,130	420.9	428.3	219.8
LG 35.202.13.3:443/Network/Segments retransmitted/sec.					
0	5.55	15.9	5.56	5.36	4.26
LG 35.202.13.3:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.12	21.6	7.75	7.97	4.77
LG 35.202.13.3:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.831	6.69	0.743	0.767	0.628

LG 35.202.143.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.143.210:443/CPU Load					
0	4.46	23	4	4	3.71
LG 35.202.143.210:443/Memory Used					
3	17.5	37	17	17.4	6.86
LG 35.202.143.210:443/Throughput					
0	7.95	21	7.45	7.82	4.69
LG 35.202.143.210:443/User Load					
0	42	75	44	42.3	22.5
LG 35.202.143.210:443/Thread Count					
39	109	144	114	109.7	24.2
LG 35.202.143.210:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.202.143.210:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.202.143.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.143.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.143.210:443/Controller Connection/Ping Duration (ms)					
65	81.1	153	71	78.1	23.2
LG 35.202.143.210:443/Network/Segments sent/sec.					
1.6	443.4	1,014	424.9	440.8	220.6
LG 35.202.143.210:443/Network/Segments retransmitted/sec.					
0	5.75	19.1	6.09	5.57	4.44
LG 35.202.143.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.27	21.9	7.77	8.14	4.86
LG 35.202.143.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.822	8.04	0.74	0.771	0.633

LG 35.202.154.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.154.215:443/CPU Load					
0	4.19	26	4	3.78	3.51
LG 35.202.154.215:443/Memory Used					
3	20.7	38	21	20.7	8.16
LG 35.202.154.215:443/Throughput					
0	7.71	25.5	7.51	7.51	4.65
LG 35.202.154.215:443/User Load					
0	41.9	75	43.5	42.2	22.4
LG 35.202.154.215:443/Thread Count					
39	108.9	144	111	109.5	24.3
LG 35.202.154.215:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.202.154.215:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.202.154.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.154.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.154.215:443/Controller Connection/Ping Duration (ms)					
78	111.9	166	112	110.7	14

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.154.215:443/Network/Segments sent/sec.					
1.62	431.2	1,146	414.9	423.8	228.3
LG 35.202.154.215:443/Network/Segments retransmitted/sec.					
0	5.4	16.9	5.78	5.2	4.3
LG 35.202.154.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.03	26.4	7.82	7.83	4.83
LG 35.202.154.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.784	6.21	0.701	0.723	0.625

LG 35.202.202.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.202.7:443/CPU Load					
0	5.15	33	5	4.73	3.95
LG 35.202.202.7:443/Memory Used					
3	17.4	36	17	17.2	6.95
LG 35.202.202.7:443/Throughput					
0	7.91	21.8	8.09	7.8	4.49
LG 35.202.202.7:443/User Load					
0	41.6	75	43	41.9	22.7
LG 35.202.202.7:443/Thread Count					
39	109.5	146	112	110.2	25.4
LG 35.202.202.7:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.202.202.7:443/Http client/Task Pool used					
0	0.001	0.017	0	0	0.003
LG 35.202.202.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.202.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.202.7:443/Controller Connection/Ping Duration (ms)					
55	103.4	148	106.5	103.4	36.9
LG 35.202.202.7:443/Network/Segments sent/sec.					
1.98	436.8	1,080	457.8	434.8	217.3
LG 35.202.202.7:443/Network/Segments retransmitted/sec.					
0	5.47	16.5	5.86	5.33	4
LG 35.202.202.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.22	22.5	8.44	8.11	4.65
LG 35.202.202.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.833	9.99	0.778	0.767	0.769

LG 35.202.244.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.244.38:443/CPU Load					
0	4.95	32	4	4.55	3.75
LG 35.202.244.38:443/Memory Used					
2	18.5	40	18	18.3	7.85
LG 35.202.244.38:443/Throughput					
0	7.71	23.7	7.42	7.56	4.39
LG 35.202.244.38:443/User Load					
0	41.7	75	44	42	22.8
LG 35.202.244.38:443/Thread Count					
39	109.4	145	112	110.1	25.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.244.38:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.202.244.38:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.202.244.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.244.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.244.38:443/Controller Connection/Ping Duration (ms)					
67	104.5	167	107	103.5	20.1
LG 35.202.244.38:443/Network/Segments sent/sec.					
2.78	424.5	1,103	425.8	420.4	208.9
LG 35.202.244.38:443/Network/Segments retransmitted/sec.					
0	5.75	20.3	6	5.54	4.43
LG 35.202.244.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.02	24.5	7.72	7.87	4.54
LG 35.202.244.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.799	5.93	0.734	0.743	0.6

LG 35.222.103.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.103.24:443/CPU Load					
0	6.16	38	5	5.61	4.86
LG 35.222.103.24:443/Memory Used					
3	18.9	40	18	18.7	8.71
LG 35.222.103.24:443/Throughput					
0	8.07	26.8	8.09	7.98	4.4
LG 35.222.103.24:443/User Load					
0	41.5	75	43	41.7	22.6
LG 35.222.103.24:443/Thread Count					
38	109.3	147	112	110	26
LG 35.222.103.24:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.222.103.24:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.005
LG 35.222.103.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.103.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.103.24:443/Controller Connection/Ping Duration (ms)					
66	93.8	148	107	93	21
LG 35.222.103.24:443/Network/Segments sent/sec.					
3.07	444.1	1,346	446.3	440.3	215.9
LG 35.222.103.24:443/Network/Segments retransmitted/sec.					
0	5.63	16.8	5.84	5.48	4.32
LG 35.222.103.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.39	27.6	8.4	8.29	4.55
LG 35.222.103.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.862	11.8	0.788	0.785	0.822

LG 35.222.122.86:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.122.86:443/CPU Load					
0	4.27	29	4	3.95	3.14
LG 35.222.122.86:443/Memory Used					
2	15.7	33	15	15.5	6.3
LG 35.222.122.86:443/Throughput					
0	7.56	25.1	7.47	7.4	4.28
LG 35.222.122.86:443/User Load					
0	41.8	75	43	42.1	22.4
LG 35.222.122.86:443/Thread Count					
39	109	148	112	109.5	24.3
LG 35.222.122.86:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.122.86:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.222.122.86:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.122.86:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.122.86:443/Controller Connection/Ping Duration (ms)					
61	92.6	154	104	90.8	25.2
LG 35.222.122.86:443/Network/Segments sent/sec.					
3.75	421.7	1,159	427.9	418.2	201
LG 35.222.122.86:443/Network/Segments retransmitted/sec.					
0	5.61	18.2	5.8	5.41	4.29
LG 35.222.122.86:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	7.87	25.9	7.82	7.7	4.43
LG 35.222.122.86:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	0.788	7.92	0.707	0.736	0.618

LG 35.222.128.79:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.128.79:443/CPU Load					
0	4.9	24	4	4.52	3.56
LG 35.222.128.79:443/Memory Used					
2	18.2	39	18	17.9	7.67
LG 35.222.128.79:443/Throughput					
0	8.36	31.3	8.14	8.19	4.64
LG 35.222.128.79:443/User Load					
0	42	75	44	42.3	22.4
LG 35.222.128.79:443/Thread Count					
39	109.1	147	112	109.6	23.8
LG 35.222.128.79:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.128.79:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.222.128.79:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.128.79:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.128.79:443/Controller Connection/Ping Duration (ms)					
65	132.7	204	145	133.4	28.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.128.79:443/Network/Segments sent/sec.					
1.62	461.8	1,497	446.8	456.5	227.1
LG 35.222.128.79:443/Network/Segments retransmitted/sec.					
0	5.66	16.2	6.38	5.56	3.97
LG 35.222.128.79:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.7	32.4	8.5	8.52	4.8
LG 35.222.128.79:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.887	8.77	0.778	0.808	0.786

LG 35.222.14.105:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.14.105:443/CPU Load					
0	4.58	25	4	4.2	3.5
LG 35.222.14.105:443/Memory Used					
3	17.3	37	16	17.1	6.88
LG 35.222.14.105:443/Throughput					
0	7.79	21.6	7.68	7.62	4.66
LG 35.222.14.105:443/User Load					
0	41.9	75	43	42.2	22.5
LG 35.222.14.105:443/Thread Count					
38	108.8	147	109.5	109.5	25
LG 35.222.14.105:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.14.105:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.222.14.105:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.14.105:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.14.105:443/Controller Connection/Ping Duration (ms)					
66	101.2	163	108	100.8	18.5
LG 35.222.14.105:443/Network/Segments sent/sec.					
1.59	430.6	1,003	428.8	427	216.6
LG 35.222.14.105:443/Network/Segments retransmitted/sec.					
0	5.47	15.6	5.67	5.32	4.09
LG 35.222.14.105:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.11	22.4	7.95	7.94	4.82
LG 35.222.14.105:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.79	6.22	0.728	0.736	0.611

LG 35.222.141.126:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.141.126:443/CPU Load					
0	4.58	34	4	4.19	3.66
LG 35.222.141.126:443/Memory Used					
2	18.2	39	17	18	7.64
LG 35.222.141.126:443/Throughput					
0	7.41	22.8	6.93	7.19	4.71
LG 35.222.141.126:443/User Load					
0	44.1	75	50	44.6	23.3
LG 35.222.141.126:443/Thread Count					
39	110.9	143	118	111.9	25.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.141.126:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.141.126:443/Http client/Task Pool used					
0	0	0.083	0	0	0.005
LG 35.222.141.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.141.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.141.126:443/Controller Connection/Ping Duration (ms)					
66	89.1	148	78	87.9	22.1
LG 35.222.141.126:443/Network/Segments sent/sec.					
1.97	410.4	1,142	397.4	402.9	224.4
LG 35.222.141.126:443/Network/Segments retransmitted/sec.					
0	5.86	16.3	6.7	5.73	4.2
LG 35.222.141.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.71	23.6	7.17	7.48	4.87
LG 35.222.141.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.777	5.83	0.696	0.719	0.613

LG 35.222.155.98:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.155.98:443/CPU Load					
0	4.38	22	4	4.06	3.23
LG 35.222.155.98:443/Memory Used					
3	15.7	34	15	15.5	6.27
LG 35.222.155.98:443/Throughput					
0	7.98	21.5	8.01	7.88	4.55
LG 35.222.155.98:443/User Load					
0	42	75	43	42.2	22.4
LG 35.222.155.98:443/Thread Count					
39	108.8	144	112	109.5	25.1
LG 35.222.155.98:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.155.98:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.222.155.98:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.155.98:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.155.98:443/Controller Connection/Ping Duration (ms)					
66	108.5	146	107	108.1	12.9
LG 35.222.155.98:443/Network/Segments sent/sec.					
2.4	440.6	1,100	433.2	437.4	222.5
LG 35.222.155.98:443/Network/Segments retransmitted/sec.					
0	5.69	15.8	6.21	5.54	4.26
LG 35.222.155.98:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.33	22.2	8.35	8.22	4.73
LG 35.222.155.98:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.838	8.04	0.766	0.775	0.686

LG 35.222.168.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.168.83:443/CPU Load					
0	4.67	27	4	4.23	3.81
LG 35.222.168.83:443/Memory Used					
3	17.3	37	16	17	7.25
LG 35.222.168.83:443/Throughput					
0	8.18	25.4	7.7	7.96	5
LG 35.222.168.83:443/User Load					
0	42.4	75	44.5	42.7	22.2
LG 35.222.168.83:443/Thread Count					
39	109.3	145	109.5	109.8	24.3
LG 35.222.168.83:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.004
LG 35.222.168.83:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.222.168.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.168.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.168.83:443/Controller Connection/Ping Duration (ms)					
58	106.2	153	106	106.3	15.1
LG 35.222.168.83:443/Network/Segments sent/sec.					
1.6	449.5	1,372	433.4	440.3	240.2
LG 35.222.168.83:443/Network/Segments retransmitted/sec.					
0	5.6	16.4	5.51	5.45	4.18
LG 35.222.168.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.52	26.4	8.04	8.3	5.19
LG 35.222.168.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.848	10.67	0.752	0.789	0.709

LG 35.222.19.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.19.13:443/CPU Load					
0	4.58	33	4	4.17	3.64
LG 35.222.19.13:443/Memory Used					
3	19.1	38	18	19	8.46
LG 35.222.19.13:443/Throughput					
0	8.44	23.5	7.95	8.26	4.77
LG 35.222.19.13:443/User Load					
0	41.7	75	42.5	41.9	22.4
LG 35.222.19.13:443/Thread Count					
39	109.2	145	112.5	109.9	25
LG 35.222.19.13:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.19.13:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.222.19.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.19.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.19.13:443/Controller Connection/Ping Duration (ms)					
71	106.1	145	105	105.6	10.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.19.13:443/Network/Segments sent/sec.					
1.6	468.8	1,165	446.7	463.1	231.8
LG 35.222.19.13:443/Network/Segments retransmitted/sec.					
0	5.78	17.2	6.13	5.64	4.42
LG 35.222.19.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.8	24.5	8.39	8.62	4.95
LG 35.222.19.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.887	8.27	0.795	0.821	0.726

LG 35.222.195.56:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.195.56:443/CPU Load					
0	4.49	39	4	4.05	3.79
LG 35.222.195.56:443/Memory Used					
3	18.8	39	18	18.6	7.84
LG 35.222.195.56:443/Throughput					
0	8.27	30.4	8.23	8.11	4.79
LG 35.222.195.56:443/User Load					
0	41.9	75	44	42.1	22.7
LG 35.222.195.56:443/Thread Count					
39	110.5	149	113	111.1	25.1
LG 35.222.195.56:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.222.195.56:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.222.195.56:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.195.56:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.195.56:443/Controller Connection/Ping Duration (ms)					
69	106.5	148	107	106.6	12.6
LG 35.222.195.56:443/Network/Segments sent/sec.					
1.62	457.7	1,578	452.7	450.9	232.2
LG 35.222.195.56:443/Network/Segments retransmitted/sec.					
0	5.66	15.6	5.74	5.5	4.26
LG 35.222.195.56:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.61	31.5	8.61	8.44	4.95
LG 35.222.195.56:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	0.866	9.3	0.785	0.804	0.689

LG 35.222.197.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.197.154:443/CPU Load					
0	4.16	23	4	3.79	3.26
LG 35.222.197.154:443/Memory Used					
2	17.7	37	17	17.6	7.15
LG 35.222.197.154:443/Throughput					
0	7.68	19.6	7.84	7.56	4.36
LG 35.222.197.154:443/User Load					
0	41.7	75	43	42	22.8
LG 35.222.197.154:443/Thread Count					
39	109.3	147	109	109.9	25.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.197.154:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.197.154:443/Http client/Task Pool used					
0	0	0.083	0	0	0.005
LG 35.222.197.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.197.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.197.154:443/Controller Connection/Ping Duration (ms)					
64	111.4	154	116	111.5	39.2
LG 35.222.197.154:443/Network/Segments sent/sec.					
3.4	428.8	978	432.7	426.4	209.9
LG 35.222.197.154:443/Network/Segments retransmitted/sec.					
0	5.57	16.1	5.79	5.36	4.38
LG 35.222.197.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.02	20.3	8.15	7.9	4.53
LG 35.222.197.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.803	9.14	0.748	0.744	0.669

LG 35.222.230.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.230.195:443/CPU Load					
0	4.4	35	4	4.04	3.42
LG 35.222.230.195:443/Memory Used					
3	17.3	37	17	17.1	7.07
LG 35.222.230.195:443/Throughput					
0	7.95	20.2	7.89	7.87	4.44
LG 35.222.230.195:443/User Load					
0	42.1	75	43.5	42.3	22.4
LG 35.222.230.195:443/Thread Count					
39	108.9	145	111	109.5	24.7
LG 35.222.230.195:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.230.195:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.222.230.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.230.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.230.195:443/Controller Connection/Ping Duration (ms)					
69	91.2	154	73	88.8	29.2
LG 35.222.230.195:443/Network/Segments sent/sec.					
2.18	442.9	1,042	436.1	442.4	211.8
LG 35.222.230.195:443/Network/Segments retransmitted/sec.					
0	5.73	18.6	5.91	5.53	4.51
LG 35.222.230.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.3	21	8.24	8.22	4.6
LG 35.222.230.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.826	9.04	0.75	0.765	0.726

LG 35.222.82.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.82.161:443/CPU Load					
0	4.74	25	4	4.43	3.35
LG 35.222.82.161:443/Memory Used					
2	18.2	38	17	18	7.9
LG 35.222.82.161:443/Throughput					
0	7.79	25.6	7.72	7.63	4.53
LG 35.222.82.161:443/User Load					
0	41.7	75	43	42	22.6
LG 35.222.82.161:443/Thread Count					
39	109.8	148	113	110.5	25.4
LG 35.222.82.161:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.222.82.161:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.222.82.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.82.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.82.161:443/Controller Connection/Ping Duration (ms)					
56	117.3	378	113	111	49.4
LG 35.222.82.161:443/Network/Segments sent/sec.					
3.41	431	1,193	432.7	427.8	211.3
LG 35.222.82.161:443/Network/Segments retransmitted/sec.					
0	5.57	18.4	5.86	5.38	4.33
LG 35.222.82.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.11	26.5	8.05	7.94	4.69
LG 35.222.82.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.831	7.38	0.762	0.755	0.741

LG 35.223.119.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.119.32:443/CPU Load					
0	4.4	32	4	4.1	3.32
LG 35.223.119.32:443/Memory Used					
2	16.9	37	17	16.7	6.72
LG 35.223.119.32:443/Throughput					
0	7.58	23.6	7.13	7.32	4.73
LG 35.223.119.32:443/User Load					
0	41.9	75	43	42.1	22.2
LG 35.223.119.32:443/Thread Count					
39	108	146	109	108.6	24.2
LG 35.223.119.32:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.119.32:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.223.119.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.119.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.119.32:443/Controller Connection/Ping Duration (ms)					
57	119.7	610	106	104.8	90

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.119.32:443/Network/Segments sent/sec.					
2.78	418.6	1,183	406.4	408.5	226
LG 35.223.119.32:443/Network/Segments retransmitted/sec.					
0	5.33	16.4	5.6	5.12	4.13
LG 35.223.119.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	7.88	24.6	7.39	7.61	4.9
LG 35.223.119.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.808	9.17	0.711	0.74	0.738

LG 35.223.124.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.124.202:443/CPU Load					
0	4.02	30	3	3.68	3.26
LG 35.223.124.202:443/Memory Used					
3	18.9	39	18	18.8	7.68
LG 35.223.124.202:443/Throughput					
0	7.19	27.4	6.97	7.06	4.18
LG 35.223.124.202:443/User Load					
0	44.8	75	50	45.6	23.6
LG 35.223.124.202:443/Thread Count					
38	112.6	147	119	113.8	26.4
LG 35.223.124.202:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.124.202:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.223.124.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.124.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.124.202:443/Controller Connection/Ping Duration (ms)					
65	103.8	230	107	101.4	25.5
LG 35.223.124.202:443/Network/Segments sent/sec.					
3.08	401.7	1,119	398.9	397.3	200.7
LG 35.223.124.202:443/Network/Segments retransmitted/sec.					
0	6.01	15.7	6.47	5.91	4.3
LG 35.223.124.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	7.49	28.3	7.27	7.35	4.34
LG 35.223.124.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.748	6.1	0.703	0.704	0.54

LG 35.223.129.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.129.210:443/CPU Load					
0	4.99	37	4	4.56	3.99
LG 35.223.129.210:443/Memory Used					
3	18.8	40	18	18.6	7.68
LG 35.223.129.210:443/Throughput					
0	7.97	22.5	7.93	7.84	4.49
LG 35.223.129.210:443/User Load					
0	42.1	75	44	42.4	22.5
LG 35.223.129.210:443/Thread Count					
39	109.7	144	110	110.4	24

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.129.210:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.223.129.210:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.223.129.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.129.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.129.210:443/Controller Connection/Ping Duration (ms)					
68	121.5	703	108	105	101.8
LG 35.223.129.210:443/Network/Segments sent/sec.					
1.6	441.3	1,145	446	437.1	213.8
LG 35.223.129.210:443/Network/Segments retransmitted/sec.					
0	5.73	16.4	5.8	5.58	4.4
LG 35.223.129.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.29	23.3	8.28	8.16	4.65
LG 35.223.129.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.823	5.97	0.759	0.765	0.631

LG 35.223.133.203:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.133.203:443/CPU Load					
0	4.29	32	4	3.91	3.46
LG 35.223.133.203:443/Memory Used					
3	18.2	39	17	17.9	7.7
LG 35.223.133.203:443/Throughput					
0	8.24	32.3	8.11	8.06	4.57
LG 35.223.133.203:443/User Load					
0	41.9	75	44	42.1	22.5
LG 35.223.133.203:443/Thread Count					
39	110.4	146	114	111	24.7
LG 35.223.133.203:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.223.133.203:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 35.223.133.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.133.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.133.203:443/Controller Connection/Ping Duration (ms)					
72	143.2	655	145	128.7	96.1
LG 35.223.133.203:443/Network/Segments sent/sec.					
3.4	459.7	1,243	463	455	216.1
LG 35.223.133.203:443/Network/Segments retransmitted/sec.					
0	5.82	17.4	6.14	5.64	4.49
LG 35.223.133.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.6	33	8.48	8.41	4.75
LG 35.223.133.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	0.851	7.2	0.799	0.799	0.625

LG 35.223.138.40:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.138.40:443/CPU Load					
0	4.75	24	4	4.33	3.71
LG 35.223.138.40:443/Memory Used					
3	18.4	40	17	18.1	8.01
LG 35.223.138.40:443/Throughput					
0	8.01	20	7.89	7.89	4.5
LG 35.223.138.40:443/User Load					
0	41.9	75	43	42.1	22.4
LG 35.223.138.40:443/Thread Count					
39	109.6	145	113	110.4	24.9
LG 35.223.138.40:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.138.40:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.223.138.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.138.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.138.40:443/Controller Connection/Ping Duration (ms)					
66	92.9	145	108	91.9	21.5
LG 35.223.138.40:443/Network/Segments sent/sec.					
3.09	442.5	1,079	448.5	439.1	216.4
LG 35.223.138.40:443/Network/Segments retransmitted/sec.					
0	5.66	19.5	5.98	5.51	4.3
LG 35.223.138.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.35	20.6	8.23	8.23	4.66
LG 35.223.138.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.834	7.61	0.769	0.776	0.677

LG 35.223.172.188:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.172.188:443/CPU Load					
0	4.54	29	4	4.19	3.39
LG 35.223.172.188:443/Memory Used					
2	19.2	41	18	19	7.6
LG 35.223.172.188:443/Throughput					
0	7.71	20.5	7.69	7.61	4.35
LG 35.223.172.188:443/User Load					
0	44.3	75	50	44.9	23.1
LG 35.223.172.188:443/Thread Count					
39	112.5	147	120	113.4	26.6
LG 35.223.172.188:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.172.188:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.223.172.188:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.172.188:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.172.188:443/Controller Connection/Ping Duration (ms)					
69	130.8	148	145	132.9	23.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.172.188:443/Network/Segments sent/sec.					
2.61	430.3	1,084	432.5	428.1	207
LG 35.223.172.188:443/Network/Segments retransmitted/sec.					
0	6.2	17.8	6.94	6.08	4.39
LG 35.223.172.188:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.03	21.3	8.01	7.93	4.5
LG 35.223.172.188:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.805	9.96	0.721	0.73	0.796

LG 35.223.176.196:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.176.196:443/CPU Load					
0	4.24	26	4	3.88	3.3
LG 35.223.176.196:443/Memory Used					
3	18.8	33	19	18.9	7.37
LG 35.223.176.196:443/Throughput					
0	7.96	20.7	7.69	7.81	4.62
LG 35.223.176.196:443/User Load					
0	42.1	75	44	42.3	22.4
LG 35.223.176.196:443/Thread Count					
39	109.9	146	116	110.6	25.3
LG 35.223.176.196:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.176.196:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.223.176.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.176.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.176.196:443/Controller Connection/Ping Duration (ms)					
70	105.8	114	106	106.9	8.51
LG 35.223.176.196:443/Network/Segments sent/sec.					
4.21	445.1	1,068	442.2	440.6	220.4
LG 35.223.176.196:443/Network/Segments retransmitted/sec.					
0	5.51	16.3	5.32	5.36	4.17
LG 35.223.176.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.27	21.4	7.96	8.12	4.77
LG 35.223.176.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.84	9.5	0.75	0.776	0.739

LG 35.223.196.186:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.196.186:443/CPU Load					
0	5.44	28	4	5.03	4.05
LG 35.223.196.186:443/Memory Used					
3	19.1	39	18	18.9	8.07
LG 35.223.196.186:443/Throughput					
0	8.12	25.4	7.94	7.93	4.68
LG 35.223.196.186:443/User Load					
0	41.8	75	43	42	22.5
LG 35.223.196.186:443/Thread Count					
39	108.6	144	109	109.2	24.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.196.186:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.223.196.186:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.223.196.186:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.196.186:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.196.186:443/Controller Connection/Ping Duration (ms)					
65	106.1	149	108	105.9	36.6
LG 35.223.196.186:443/Network/Segments sent/sec.					
3.01	448.6	1,430	439.9	442	225.7
LG 35.223.196.186:443/Network/Segments retransmitted/sec.					
0	5.77	20.9	6.2	5.59	4.32
LG 35.223.196.186:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.45	26.9	8.27	8.26	4.84
LG 35.223.196.186:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.864	10.65	0.766	0.781	0.849

LG 35.223.226.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.226.249:443/CPU Load					
0	4.37	21	4	3.99	3.46
LG 35.223.226.249:443/Memory Used					
3	18.3	39	18	18.1	7.84
LG 35.223.226.249:443/Throughput					
0	7.46	21.7	7.32	7.3	4.54
LG 35.223.226.249:443/User Load					
0	41.7	75	43	41.9	22.7
LG 35.223.226.249:443/Thread Count					
38	108.7	145	110.5	109.5	25
LG 35.223.226.249:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.223.226.249:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.223.226.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.226.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.226.249:443/Controller Connection/Ping Duration (ms)					
62	102	464	105	89.2	72.8
LG 35.223.226.249:443/Network/Segments sent/sec.					
1.6	416.1	1,136	405.4	409.3	222
LG 35.223.226.249:443/Network/Segments retransmitted/sec.					
0	5.31	17.2	5.6	5.1	4.18
LG 35.223.226.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	7.77	22.2	7.66	7.61	4.7
LG 35.223.226.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.785	11	0.703	0.713	0.747

LG 35.223.24.113:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.24.113:443/CPU Load					
0	4.14	36	4	3.77	3.45
LG 35.223.24.113:443/Memory Used					
2	19.3	39	19	19	8.58
LG 35.223.24.113:443/Throughput					
0	7.08	19	7.04	6.97	4.07
LG 35.223.24.113:443/User Load					
0	41.9	75	43	42.2	22.4
LG 35.223.24.113:443/Thread Count					
39	111	150	111.5	111.6	25.4
LG 35.223.24.113:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.24.113:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.223.24.113:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.24.113:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.24.113:443/Controller Connection/Ping Duration (ms)					
71	90.9	153	75	88.4	27.2
LG 35.223.24.113:443/Network/Segments sent/sec.					
3.81	394.3	925.5	399.6	392.2	189.6
LG 35.223.24.113:443/Network/Segments retransmitted/sec.					
0	5.52	15.7	5.7	5.35	4.31
LG 35.223.24.113:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	7.37	19.7	7.38	7.26	4.21
LG 35.223.24.113:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.731	3.35	0.697	0.7	0.433

LG 35.223.244.109:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.244.109:443/CPU Load					
0	4.54	25	4	4.1	3.71
LG 35.223.244.109:443/Memory Used					
3	18	36	18	17.8	7.29
LG 35.223.244.109:443/Throughput					
0	8.38	24.5	7.9	8.12	5.06
LG 35.223.244.109:443/User Load					
0	41.9	75	43	42.1	22.6
LG 35.223.244.109:443/Thread Count					
39	110.2	147	110	111	25.5
LG 35.223.244.109:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.223.244.109:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.223.244.109:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.244.109:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.244.109:443/Controller Connection/Ping Duration (ms)					
65	99.3	162	105	98	23.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.244.109:443/Network/Segments sent/sec.					
3.81	467.6	1,368	456.6	458.1	244
LG 35.223.244.109:443/Network/Segments retransmitted/sec.					
0	5.8	17.7	5.91	5.61	4.57
LG 35.223.244.109:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.75	25.5	8.25	8.48	5.25
LG 35.223.244.109:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.856	5.43	0.777	0.809	0.578

LG 35.223.247.206:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.247.206:443/CPU Load					
0	4.71	31	4	4.33	3.49
LG 35.223.247.206:443/Memory Used					
2	17.2	37	16	17	6.84
LG 35.223.247.206:443/Throughput					
0	8.62	26.1	8.78	8.51	4.59
LG 35.223.247.206:443/User Load					
0	42.1	75	44	42.3	22.5
LG 35.223.247.206:443/Thread Count					
39	109.4	148	111	109.8	24.5
LG 35.223.247.206:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.247.206:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.223.247.206:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.247.206:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.247.206:443/Controller Connection/Ping Duration (ms)					
59	78.9	152	68	76.7	20.2
LG 35.223.247.206:443/Network/Segments sent/sec.					
1.99	480.2	1,346	502.9	478.4	225.1
LG 35.223.247.206:443/Network/Segments retransmitted/sec.					
0	5.68	19.2	6.02	5.54	4.08
LG 35.223.247.206:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.99	27.2	9.2	8.89	4.76
LG 35.223.247.206:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.896	7.13	0.829	0.832	0.709

LG 35.223.33.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.33.202:443/CPU Load					
0	4.61	35	4	4.28	3.38
LG 35.223.33.202:443/Memory Used					
3	16.9	36	17	16.8	6.67
LG 35.223.33.202:443/Throughput					
0	8.04	21.8	7.93	7.93	4.49
LG 35.223.33.202:443/User Load					
0	42.1	75	44	42.4	22.6
LG 35.223.33.202:443/Thread Count					
39	110.2	147	112	110.8	25.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.33.202:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.223.33.202:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.223.33.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.33.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.33.202:443/Controller Connection/Ping Duration (ms)					
72	109.7	140	112	110.4	11.7
LG 35.223.33.202:443/Network/Segments sent/sec.					
3.39	444	1,081	446.8	442.4	209.2
LG 35.223.33.202:443/Network/Segments retransmitted/sec.					
0	5.73	17.6	6	5.51	4.5
LG 35.223.33.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.36	22.6	8.22	8.25	4.65
LG 35.223.33.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.848	8.2	0.779	0.788	0.679

LG 35.223.5.210:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.5.210:443/CPU Load					
0	4.7	26	4	4.36	3.44
LG 35.223.5.210:443/Memory Used					
2	16.8	36	16	16.6	6.59
LG 35.223.5.210:443/Throughput					
0	8.1	24.2	8.03	7.98	4.67
LG 35.223.5.210:443/User Load					
0	41.8	75	44	42.1	22.6
LG 35.223.5.210:443/Thread Count					
39	108.9	150	109	109.2	25.4
LG 35.223.5.210:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.223.5.210:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.223.5.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.5.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.5.210:443/Controller Connection/Ping Duration (ms)					
68	105.7	188	106	104.9	18.2
LG 35.223.5.210:443/Network/Segments sent/sec.					
1.6	448.7	1,284	442.9	445.6	223
LG 35.223.5.210:443/Network/Segments retransmitted/sec.					
0	5.81	17.2	6.29	5.65	4.28
LG 35.223.5.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.44	25.2	8.36	8.32	4.84
LG 35.223.5.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.831	10.11	0.747	0.761	0.775

LG 35.223.7.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.7.220:443/CPU Load					
0	4.57	33	4	4.16	3.7
LG 35.223.7.220:443/Memory Used					
2	19.2	37	18	19.1	7.69
LG 35.223.7.220:443/Throughput					
0	7.82	23.5	7.71	7.68	4.45
LG 35.223.7.220:443/User Load					
0	42.1	75	44	42.4	22.5
LG 35.223.7.220:443/Thread Count					
39	108.1	143	109	108.6	24.1
LG 35.223.7.220:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.223.7.220:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.223.7.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.7.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.7.220:443/Controller Connection/Ping Duration (ms)					
86	108.5	157	107	107.1	11.3
LG 35.223.7.220:443/Network/Segments sent/sec.					
2.6	435.8	1,216	430.2	432.2	212.4
LG 35.223.7.220:443/Network/Segments retransmitted/sec.					
0	5.38	15.4	5.96	5.26	4.03
LG 35.223.7.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.16	24.4	8.07	8.01	4.62
LG 35.223.7.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.828	10.22	0.746	0.754	0.757

LG 35.224.223.194:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.223.194:443/CPU Load					
0	4.6	34	4	4.24	3.57
LG 35.224.223.194:443/Memory Used					
3	18.6	38	19	18.5	7.1
LG 35.224.223.194:443/Throughput					
0	8.34	23.2	8.32	8.28	4.58
LG 35.224.223.194:443/User Load					
0	45.5	75	50	46.2	23.2
LG 35.224.223.194:443/Thread Count					
39	114.2	147	121	115.3	25.6
LG 35.224.223.194:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.223.194:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.224.223.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.223.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.223.194:443/Controller Connection/Ping Duration (ms)					
88	109.4	148	108	108.3	10.64

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.223.194:443/Network/Segments sent/sec.					
1.61	462.9	1,194	458.6	461.6	221.9
LG 35.224.223.194:443/Network/Segments retransmitted/sec.					
0	6.4	19.3	7.16	6.3	4.45
LG 35.224.223.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.69	24	8.63	8.63	4.75
LG 35.224.223.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.874	10.29	0.82	0.815	0.724

LG 35.224.231.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.231.215:443/CPU Load					
0	5	39	4	4.63	3.65
LG 35.224.231.215:443/Memory Used					
3	18.8	40	18	18.7	7.72
LG 35.224.231.215:443/Throughput					
0	8.33	22.1	8.68	8.25	4.41
LG 35.224.231.215:443/User Load					
0	41.9	75	44	42.2	22.6
LG 35.224.231.215:443/Thread Count					
39	109.8	146	113	110.4	24.9
LG 35.224.231.215:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.231.215:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.224.231.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.231.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.231.215:443/Controller Connection/Ping Duration (ms)					
69	105.5	189	107	104.5	18.7
LG 35.224.231.215:443/Network/Segments sent/sec.					
1.6	462.5	1,132	467.4	462	211.4
LG 35.224.231.215:443/Network/Segments retransmitted/sec.					
0	5.89	18.2	5.8	5.7	4.53
LG 35.224.231.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.66	23	9.06	8.59	4.57
LG 35.224.231.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.866	9.76	0.781	0.795	0.763

LG 35.224.243.23:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.243.23:443/CPU Load					
0	4.65	35	4	4.24	3.75
LG 35.224.243.23:443/Memory Used					
3	19.5	39	20	19.5	7.84
LG 35.224.243.23:443/Throughput					
0	8.07	26.1	7.93	7.92	4.59
LG 35.224.243.23:443/User Load					
0	44.8	75	50	45.5	23.8
LG 35.224.243.23:443/Thread Count					
39	112.6	146	120	113.8	27

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.243.23:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.224.243.23:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.008
LG 35.224.243.23:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.243.23:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.243.23:443/Controller Connection/Ping Duration (ms)					
65	76.9	147	69	74.3	18.9
LG 35.224.243.23:443/Network/Segments sent/sec.					
3.07	444.7	1,344	438.3	439.8	219.1
LG 35.224.243.23:443/Network/Segments retransmitted/sec.					
0	6.28	16.3	7	6.18	4.4
LG 35.224.243.23:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.42	26.8	8.25	8.26	4.77
LG 35.224.243.23:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.853	7.59	0.774	0.796	0.649

LG 35.224.246.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.246.237:443/CPU Load					
0	4.35	35	4	3.94	3.66
LG 35.224.246.237:443/Memory Used					
3	19.4	39	19	19.2	7.48
LG 35.224.246.237:443/Throughput					
0	7.85	22.9	7.55	7.73	4.56
LG 35.224.246.237:443/User Load					
0	42	75	44	42.2	22.5
LG 35.224.246.237:443/Thread Count					
39	110.5	150	113	111.1	25.5
LG 35.224.246.237:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.246.237:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 35.224.246.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.246.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.246.237:443/Controller Connection/Ping Duration (ms)					
67	85.7	146	69	83.3	27.2
LG 35.224.246.237:443/Network/Segments sent/sec.					
1.98	439.7	1,146	415.2	436.8	218.8
LG 35.224.246.237:443/Network/Segments retransmitted/sec.					
0	5.77	20	5.89	5.62	4.33
LG 35.224.246.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.19	23.6	7.89	8.07	4.74
LG 35.224.246.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.828	11.5	0.721	0.763	0.763

LG 35.224.85.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.85.242:443/CPU Load					
0	4.58	28	4	4.19	3.59
LG 35.224.85.242:443/Memory Used					
3	19	41	19	18.8	7.42
LG 35.224.85.242:443/Throughput					
0	7.78	21.5	7.5	7.61	4.51
LG 35.224.85.242:443/User Load					
0	44.8	75	50	45.5	23.7
LG 35.224.85.242:443/Thread Count					
38	114.1	152	116	115	27.3
LG 35.224.85.242:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.85.242:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.224.85.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.85.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.85.242:443/Controller Connection/Ping Duration (ms)					
56	115.3	148	135	116.5	34.3
LG 35.224.85.242:443/Network/Segments sent/sec.					
1.6	433	1,129	423.1	427.9	218.2
LG 35.224.85.242:443/Network/Segments retransmitted/sec.					
0	6.55	19.5	7.4	6.4	4.7
LG 35.224.85.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.1	22.5	7.82	7.92	4.68
LG 35.224.85.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.807	11.9	0.741	0.751	0.738

LG 35.224.86.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.86.144:443/CPU Load					
0	4.94	31	4	4.47	3.89
LG 35.224.86.144:443/Memory Used					
3	19.9	41	19	19.6	8.22
LG 35.224.86.144:443/Throughput					
0	8.37	21.3	8.06	8.28	4.59
LG 35.224.86.144:443/User Load					
0	41.8	75	43	42	22.4
LG 35.224.86.144:443/Thread Count					
39	110	148	111	110.6	25.1
LG 35.224.86.144:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.224.86.144:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.224.86.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.224.86.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.224.86.144:443/Controller Connection/Ping Duration (ms)					
72	125.1	722	108	106.7	108.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.224.86.144:443/Network/Segments sent/sec.					
2.79	464.7	1,304	460.6	462.6	222.7
LG 35.224.86.144:443/Network/Segments retransmitted/sec.					
0	5.82	16.6	5.9	5.68	4.33
LG 35.224.86.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.7	22	8.47	8.62	4.76
LG 35.224.86.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.886	13.3	0.797	0.805	0.907

LG 35.225.150.141:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.150.141:443/CPU Load					
0	4.54	31	4	4.18	3.39
LG 35.225.150.141:443/Memory Used					
3	17.7	38	17	17.5	7.18
LG 35.225.150.141:443/Throughput					
0	8.47	21	8.26	8.38	4.61
LG 35.225.150.141:443/User Load					
0	42.2	75	44	42.4	22.3
LG 35.225.150.141:443/Thread Count					
39	109.8	147	114	110.4	25.3
LG 35.225.150.141:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.150.141:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.225.150.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.150.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.150.141:443/Controller Connection/Ping Duration (ms)					
62	103.9	114	107	105.5	11.6
LG 35.225.150.141:443/Network/Segments sent/sec.					
3	474.5	1,067	464.9	474.3	220
LG 35.225.150.141:443/Network/Segments retransmitted/sec.					
0	6.07	18.6	6.23	5.92	4.47
LG 35.225.150.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.81	22	8.6	8.71	4.77
LG 35.225.150.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	0.901	8.03	0.852	0.848	0.681

LG 35.225.184.194:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.184.194:443/CPU Load					
0	4.62	35	4	4.23	3.68
LG 35.225.184.194:443/Memory Used					
3	19.1	37	19	19	8.04
LG 35.225.184.194:443/Throughput					
0	8.15	29.1	8.11	8	4.58
LG 35.225.184.194:443/User Load					
0	42.1	75	43	42.3	22.3
LG 35.225.184.194:443/Thread Count					
39	109.8	145	112	110.5	24.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.184.194:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.184.194:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.225.184.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.184.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.184.194:443/Controller Connection/Ping Duration (ms)					
65	79.2	113	69	78.1	18
LG 35.225.184.194:443/Network/Segments sent/sec.					
1.6	452.5	1,226	457.3	449.4	216.3
LG 35.225.184.194:443/Network/Segments retransmitted/sec.					
0	5.77	16.5	6	5.62	4.33
LG 35.225.184.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.48	30.4	8.46	8.32	4.75
LG 35.225.184.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.844	4.34	0.791	0.791	0.561

LG 35.225.19.236:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.19.236:443/CPU Load					
0	4.09	31	3	3.7	3.31
LG 35.225.19.236:443/Memory Used					
3	17.4	38	16	17.1	7.56
LG 35.225.19.236:443/Throughput					
0	7.5	21.6	7.1	7.38	4.25
LG 35.225.19.236:443/User Load					
0	41.7	75	43	41.9	22.7
LG 35.225.19.236:443/Thread Count					
39	110.2	147	113	110.9	26.7
LG 35.225.19.236:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.225.19.236:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.225.19.236:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.19.236:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.19.236:443/Controller Connection/Ping Duration (ms)					
72	76.7	114	75	75.3	8.41
LG 35.225.19.236:443/Network/Segments sent/sec.					
3.08	419.1	1,077	409	416.4	204.4
LG 35.225.19.236:443/Network/Segments retransmitted/sec.					
0	5.63	20.3	5.6	5.45	4.49
LG 35.225.19.236:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	7.83	22.5	7.42	7.7	4.41
LG 35.225.19.236:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.793	6.85	0.735	0.743	0.604

LG 35.225.198.188:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.198.188:443/CPU Load					
0	4.47	32	4	4.09	3.48
LG 35.225.198.188:443/Memory Used					
3	18.6	39	18	18.3	7.89
LG 35.225.198.188:443/Throughput					
0	8.19	27.6	7.92	7.97	4.87
LG 35.225.198.188:443/User Load					
0	42.1	75	44	42.3	22.4
LG 35.225.198.188:443/Thread Count					
39	109.6	146	112	110.3	24.7
LG 35.225.198.188:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.225.198.188:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.225.198.188:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.198.188:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.198.188:443/Controller Connection/Ping Duration (ms)					
65	104	207	107	102.3	24.8
LG 35.225.198.188:443/Network/Segments sent/sec.					
2.3	457.4	1,381	443.3	449.5	235.2
LG 35.225.198.188:443/Network/Segments retransmitted/sec.					
0	5.56	17.5	5.65	5.41	4.15
LG 35.225.198.188:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.52	28.4	8.21	8.3	5.04
LG 35.225.198.188:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.862	9.61	0.752	0.786	0.824

LG 35.225.76.83:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.76.83:443/CPU Load					
0	4.94	30	4	4.56	3.6
LG 35.225.76.83:443/Memory Used					
2	18.6	38	18	18.5	7.76
LG 35.225.76.83:443/Throughput					
0	8.33	20	8.33	8.25	4.47
LG 35.225.76.83:443/User Load					
0	41.8	75	43	42.1	22.5
LG 35.225.76.83:443/Thread Count					
39	109.5	150	109	109.8	26.2
LG 35.225.76.83:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.225.76.83:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.225.76.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.76.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.76.83:443/Controller Connection/Ping Duration (ms)					
59	103.5	153	79	102.9	34.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.76.83:443/Network/Segments sent/sec.					
1.6	461.7	1,343	473.3	461	213.9
LG 35.225.76.83:443/Network/Segments retransmitted/sec.					
0	5.89	18.4	6.19	5.72	4.45
LG 35.225.76.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.69	20.7	8.76	8.62	4.64
LG 35.225.76.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.879	9.76	0.82	0.802	0.808

LG 35.226.109.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.109.51:443/CPU Load					
0	5.12	35	5	4.77	3.66
LG 35.226.109.51:443/Memory Used					
3	18.7	40	18	18.5	7.58
LG 35.226.109.51:443/Throughput					
0	8.22	22.2	8.17	8.11	4.53
LG 35.226.109.51:443/User Load					
0	41.9	75	43.5	42.1	22.6
LG 35.226.109.51:443/Thread Count					
39	109.7	147	112	110.3	25.3
LG 35.226.109.51:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.226.109.51:443/Http client/Task Pool used					
0	0.001	0.017	0	0	0.003
LG 35.226.109.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.109.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.109.51:443/Controller Connection/Ping Duration (ms)					
59	106.3	196	106	104.1	26.5
LG 35.226.109.51:443/Network/Segments sent/sec.					
3.08	453.7	1,137	450.3	451.8	216.5
LG 35.226.109.51:443/Network/Segments retransmitted/sec.					
0	5.76	18.1	5.78	5.58	4.4
LG 35.226.109.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.54	22.9	8.49	8.44	4.68
LG 35.226.109.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.871	12.4	0.799	0.808	0.784

LG 35.226.11.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.11.189:443/CPU Load					
0	4.9	36	4	4.51	3.74
LG 35.226.11.189:443/Memory Used					
3	19.1	38	19	19	7.94
LG 35.226.11.189:443/Throughput					
0	8.45	23.5	8.15	8.28	4.87
LG 35.226.11.189:443/User Load					
0	41.6	75	43	41.8	22.6
LG 35.226.11.189:443/Thread Count					
39	108.7	144	110	109.5	24.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.11.189:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.226.11.189:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.226.11.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.11.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.11.189:443/Controller Connection/Ping Duration (ms)					
62	80.1	150	71	77.1	21.3
LG 35.226.11.189:443/Network/Segments sent/sec.					
2.36	469.3	1,255	460.7	464.2	232.9
LG 35.226.11.189:443/Network/Segments retransmitted/sec.					
0	5.96	20.9	6.05	5.75	4.66
LG 35.226.11.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.8	24.3	8.46	8.63	5.03
LG 35.226.11.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.891	8.95	0.785	0.809	0.784

LG 35.226.39.113:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.39.113:443/CPU Load					
0	4.8	22	4	4.46	3.37
LG 35.226.39.113:443/Memory Used					
2	18.3	39	17	18	7.66
LG 35.226.39.113:443/Throughput					
0	8.15	30.2	8.14	7.96	4.56
LG 35.226.39.113:443/User Load					
0	45.1	75	50	45.7	23.6
LG 35.226.39.113:443/Thread Count					
39	113.2	146	118	114.1	25.9
LG 35.226.39.113:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.226.39.113:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.226.39.113:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.39.113:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.39.113:443/Controller Connection/Ping Duration (ms)					
55	116.7	148	145	118	33.6
LG 35.226.39.113:443/Network/Segments sent/sec.					
3.01	451.7	1,314	458.8	445.8	216.1
LG 35.226.39.113:443/Network/Segments retransmitted/sec.					
0	6.64	17.2	7.25	6.51	4.77
LG 35.226.39.113:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.49	31	8.53	8.3	4.72
LG 35.226.39.113:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.847	9.96	0.771	0.783	0.696

LG 35.232.140.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.140.142:443/CPU Load					
0	4.33	29	4	4	3.22
LG 35.232.140.142:443/Memory Used					
3	18.7	38	18	18.6	7.43
LG 35.232.140.142:443/Throughput					
0	7.93	26.9	7.37	7.73	4.7
LG 35.232.140.142:443/User Load					
0	44.4	75	50	44.9	23.2
LG 35.232.140.142:443/Thread Count					
39	111.6	144	120	112.5	24.9
LG 35.232.140.142:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.232.140.142:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.232.140.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.140.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.140.142:443/Controller Connection/Ping Duration (ms)					
67	89	145	90	87.1	22.6
LG 35.232.140.142:443/Network/Segments sent/sec.					
4.21	443.2	1,224	419	437.8	224.4
LG 35.232.140.142:443/Network/Segments retransmitted/sec.					
0	5.79	18.9	6.41	5.68	4.08
LG 35.232.140.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.26	28	7.72	8.06	4.87
LG 35.232.140.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	0.816	8.48	0.734	0.754	0.708

LG 35.232.145.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.145.157:443/CPU Load					
0	5.57	31	5	5.19	4.01
LG 35.232.145.157:443/Memory Used					
3	19.3	40	19	19.1	8.14
LG 35.232.145.157:443/Throughput					
0	8.34	23.1	8.23	8.16	4.8
LG 35.232.145.157:443/User Load					
0	41.9	75	43	42.1	22.3
LG 35.232.145.157:443/Thread Count					
39	109.7	146	110	110.3	24.9
LG 35.232.145.157:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.232.145.157:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.232.145.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.145.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.145.157:443/Controller Connection/Ping Duration (ms)					
57	109.5	148	107	110	36.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.145.157:443/Network/Segments sent/sec.					
3.4	460.1	1,187	452.2	454.3	231.5
LG 35.232.145.157:443/Network/Segments retransmitted/sec.					
0	5.82	15.8	6.6	5.66	4.31
LG 35.232.145.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.68	23.9	8.57	8.49	4.98
LG 35.232.145.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	0.879	10.85	0.808	0.814	0.74

LG 35.232.99.244:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.99.244:443/CPU Load					
0	4.78	27	4	4.32	3.83
LG 35.232.99.244:443/Memory Used					
3	19.2	40	18	18.9	8.08
LG 35.232.99.244:443/Throughput					
0	7.51	19.6	7.34	7.38	4.38
LG 35.232.99.244:443/User Load					
0	44.4	75	50	45	23.2
LG 35.232.99.244:443/Thread Count					
39	112	144	117	113	25.5
LG 35.232.99.244:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.232.99.244:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.232.99.244:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.99.244:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.99.244:443/Controller Connection/Ping Duration (ms)					
56	86.2	148	67	84.2	25.6
LG 35.232.99.244:443/Network/Segments sent/sec.					
1.6	417	1,186	407	411.9	210.4
LG 35.232.99.244:443/Network/Segments retransmitted/sec.					
0	5.88	16.8	6.41	5.69	4.3
LG 35.232.99.244:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	7.82	20.6	7.64	7.69	4.54
LG 35.232.99.244:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.779	7.59	0.689	0.717	0.681

LG 35.238.98.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.98.5:443/CPU Load					
0	4.21	30	4	3.8	3.49
LG 35.238.98.5:443/Memory Used					
3	19.5	40	20	19.4	7.73
LG 35.238.98.5:443/Throughput					
0	8.19	33.3	7.64	8.04	4.8
LG 35.238.98.5:443/User Load					
0	41.7	75	43	41.9	22.5
LG 35.238.98.5:443/Thread Count					
38	109.2	142	112	110.1	24

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.238.98.5:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.238.98.5:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.238.98.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.238.98.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.238.98.5:443/Controller Connection/Ping Duration (ms)					
95	110.9	154	108	109.2	10.64
LG 35.238.98.5:443/Network/Segments sent/sec.					
3	458.3	1,272	450	453.9	231.3
LG 35.238.98.5:443/Network/Segments retransmitted/sec.					
0	5.72	15	6	5.58	4.28
LG 35.238.98.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.53	34.2	7.93	8.37	4.97
LG 35.238.98.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.859	7.39	0.779	0.813	0.608

LG 35.239.9.212:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.9.212:443/CPU Load					
0	4.58	29	4	4.28	3.24
LG 35.239.9.212:443/Memory Used					
3	18.1	39	18	17.9	7.61
LG 35.239.9.212:443/Throughput					
0	8.12	21	7.99	8	4.51
LG 35.239.9.212:443/User Load					
0	41.9	75	43	42.1	22.4
LG 35.239.9.212:443/Thread Count					
39	108.7	145	110	109.3	23.6
LG 35.239.9.212:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.239.9.212:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.239.9.212:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.9.212:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.9.212:443/Controller Connection/Ping Duration (ms)					
57	100.6	148	106	100.3	23.8
LG 35.239.9.212:443/Network/Segments sent/sec.					
2.01	450.6	1,116	442.8	447.3	216.1
LG 35.239.9.212:443/Network/Segments retransmitted/sec.					
0	5.73	17.3	5.93	5.54	4.34
LG 35.239.9.212:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.45	21.8	8.3	8.32	4.67
LG 35.239.9.212:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	0.839	12	0.773	0.784	0.75

LG 35.186.161.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.161.169:443/CPU Load					
0	4.59	21	4	4.29	3.31
LG 35.186.161.169:443/Memory Used					
2	17	37	16	16.7	7.89
LG 35.186.161.169:443/Throughput					
0	10.7	29.9	11.1	10.68	5.56
LG 35.186.161.169:443/User Load					
0	41.9	75	43.5	42.1	22.5
LG 35.186.161.169:443/Thread Count					
38	110.9	149	113	111.6	26.3
LG 35.186.161.169:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.186.161.169:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.186.161.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.161.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.161.169:443/Controller Connection/Ping Duration (ms)					
89	110.5	156	110	109.5	12.8
LG 35.186.161.169:443/Network/Segments sent/sec.					
1.6	533.5	1,253	559.6	534.7	245.4
LG 35.186.161.169:443/Network/Segments retransmitted/sec.					
0	4.03	12.4	4	3.9	3.28
LG 35.186.161.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.1	31	11.6	11.1	5.76
LG 35.186.161.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.06	9.3	0.975	1	0.761

LG 35.186.162.184:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.162.184:443/CPU Load					
0	4.57	22	4	4.24	3.26
LG 35.186.162.184:443/Memory Used					
2	16.1	39	14	15.8	7.55
LG 35.186.162.184:443/Throughput					
0	11.1	27.1	10.8	11	5.61
LG 35.186.162.184:443/User Load					
0	44.5	75	50	45	23
LG 35.186.162.184:443/Thread Count					
38	113.2	148	119	114.1	26
LG 35.186.162.184:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.186.162.184:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.186.162.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.162.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.162.184:443/Controller Connection/Ping Duration (ms)					
98	154.9	222	160	154.5	24

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.162.184:443/Network/Segments sent/sec.					
1.6	554.8	1,316	556.8	554.3	250.8
LG 35.186.162.184:443/Network/Segments retransmitted/sec.					
0	4.45	13.5	4.59	4.34	3.44
LG 35.186.162.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	28.3	11.3	11.5	5.82
LG 35.186.162.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.11	9.49	1.06	1.05	0.782

LG 35.186.168.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.168.38:443/CPU Load					
0	4.25	25	4	3.89	3.32
LG 35.186.168.38:443/Memory Used					
2	14.8	36	13	14.4	7.03
LG 35.186.168.38:443/Throughput					
0	11.1	28.3	11.1	10.99	5.82
LG 35.186.168.38:443/User Load					
0	44.7	75	50	45.2	22.7
LG 35.186.168.38:443/Thread Count					
38	114	148	118	115	25.1
LG 35.186.168.38:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.186.168.38:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.186.168.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.168.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.168.38:443/Controller Connection/Ping Duration (ms)					
91	116.6	163	119	115.7	14.5
LG 35.186.168.38:443/Network/Segments sent/sec.					
1.6	552.9	1,320	561.3	553.1	258.1
LG 35.186.168.38:443/Network/Segments retransmitted/sec.					
0	4.5	12.6	5	4.36	3.48
LG 35.186.168.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	29.4	11.5	11.4	6.03
LG 35.186.168.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	7.81	1.04	1.05	0.706

LG 35.186.174.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.174.0:443/CPU Load					
0	4.79	24	4	4.42	3.59
LG 35.186.174.0:443/Memory Used					
1	16.4	38	15	16.1	7.86
LG 35.186.174.0:443/Throughput					
0	10.6	29.4	10.45	10.49	5.68
LG 35.186.174.0:443/User Load					
0	41.7	75	43	41.9	22.7
LG 35.186.174.0:443/Thread Count					
38	110.8	147	112	111.6	24.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.174.0:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.186.174.0:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.186.174.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.174.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.174.0:443/Controller Connection/Ping Duration (ms)					
98	129.7	157	116	129.9	23.1
LG 35.186.174.0:443/Network/Segments sent/sec.					
1.61	528.3	1,370	532.5	525.5	253.1
LG 35.186.174.0:443/Network/Segments retransmitted/sec.					
0	4.08	12	4	3.94	3.37
LG 35.186.174.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11	30.5	10.85	10.9	5.89
LG 35.186.174.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.04	8.97	0.983	0.981	0.785

LG 35.186.178.201:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.178.201:443/CPU Load					
0	4.83	24	4	4.51	3.5
LG 35.186.178.201:443/Memory Used					
2	17.2	37	15	17	7.55
LG 35.186.178.201:443/Throughput					
0	11.4	28.4	11.5	11.3	6.27
LG 35.186.178.201:443/User Load					
0	42	75	43	42.3	22.4
LG 35.186.178.201:443/Thread Count					
38	110.4	148	112	111	25.6
LG 35.186.178.201:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.186.178.201:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.186.178.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.178.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.178.201:443/Controller Connection/Ping Duration (ms)					
80	114.9	181	116	113.4	20.1
LG 35.186.178.201:443/Network/Segments sent/sec.					
1.6	570.7	1,340	571.4	567.5	282.5
LG 35.186.178.201:443/Network/Segments retransmitted/sec.					
0	4.33	14.2	4	4.12	3.79
LG 35.186.178.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.9	29.5	11.9	11.7	6.49
LG 35.186.178.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.13	8.57	1.05	1.06	0.849

LG 35.186.178.221:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.178.221:443/CPU Load					
0	4.67	28	4	4.32	3.4
LG 35.186.178.221:443/Memory Used					
3	16.6	37	15	16.3	7.76
LG 35.186.178.221:443/Throughput					
0	11.3	29.6	11.4	11.1	5.88
LG 35.186.178.221:443/User Load					
0	42.2	75	44	42.5	22.3
LG 35.186.178.221:443/Thread Count					
38	111.2	149	114	111.8	25.5
LG 35.186.178.221:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.186.178.221:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.186.178.221:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.178.221:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.178.221:443/Controller Connection/Ping Duration (ms)					
90	129.8	200	121	128.7	26.8
LG 35.186.178.221:443/Network/Segments sent/sec.					
1.8	563.1	1,428	568.6	560.6	261.1
LG 35.186.178.221:443/Network/Segments retransmitted/sec.					
0	4.28	13.8	4	4.09	3.65
LG 35.186.178.221:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.7	31.1	11.9	11.6	6.1
LG 35.186.178.221:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	7.63	1.04	1.05	0.728

LG 35.186.178.99:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.178.99:443/CPU Load					
0	4.34	22	4	4.01	3.34
LG 35.186.178.99:443/Memory Used					
2	17.2	38	16	16.8	8.26
LG 35.186.178.99:443/Throughput					
0	10.34	31.3	10.03	10.18	5.84
LG 35.186.178.99:443/User Load					
0	41.7	75	43	42	22.4
LG 35.186.178.99:443/Thread Count					
38	108.6	147	110	109.3	25.3
LG 35.186.178.99:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.186.178.99:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.186.178.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.178.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.178.99:443/Controller Connection/Ping Duration (ms)					
90	117	197	117	113.9	24.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.178.99:443/Network/Segments sent/sec.					
2	513.1	1,293	518.2	510.5	253.9
LG 35.186.178.99:443/Network/Segments retransmitted/sec.					
0	4	13.8	4.2	3.83	3.36
LG 35.186.178.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.74	32.7	10.36	10.58	6.05
LG 35.186.178.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.03	9.32	0.968	0.97	0.759

LG 35.186.179.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.179.38:443/CPU Load					
0	5.08	25	4	4.64	3.85
LG 35.186.179.38:443/Memory Used					
2	16.4	40	15	16	8.03
LG 35.186.179.38:443/Throughput					
0	11.1	32	11.4	11	5.88
LG 35.186.179.38:443/User Load					
0	44.5	75	50	45.1	23
LG 35.186.179.38:443/Thread Count					
38	113	149	118	113.8	26.7
LG 35.186.179.38:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.186.179.38:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.186.179.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.179.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.179.38:443/Controller Connection/Ping Duration (ms)					
80	129	176	117	129	28.7
LG 35.186.179.38:443/Network/Segments sent/sec.					
1.59	552.4	1,345	559.4	551.1	260.8
LG 35.186.179.38:443/Network/Segments retransmitted/sec.					
0	4.42	12.8	4.6	4.28	3.39
LG 35.186.179.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.6	33.3	11.8	11.5	6.1
LG 35.186.179.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.09	8.95	1.05	1.05	0.742

LG 35.188.224.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.224.6:443/CPU Load					
0	4.88	21	4	4.57	3.41
LG 35.188.224.6:443/Memory Used					
2	15.9	37	14	15.4	7.89
LG 35.188.224.6:443/Throughput					
0	10.7	25.7	10.46	10.6	5.6
LG 35.188.224.6:443/User Load					
0	41.8	75	43	42	22.4
LG 35.188.224.6:443/Thread Count					
38	110	146	113	110.8	25.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.224.6:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.188.224.6:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.188.224.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.224.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.224.6:443/Controller Connection/Ping Duration (ms)					
88	110.4	162	112	109.2	13.8
LG 35.188.224.6:443/Network/Segments sent/sec.					
2	530.8	1,149	526.6	530	248.4
LG 35.188.224.6:443/Network/Segments retransmitted/sec.					
0	4.02	13.1	3.8	3.86	3.26
LG 35.188.224.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.1	26.8	10.93	11	5.8
LG 35.188.224.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	9.94	1.02	1.02	0.797

LG 35.188.232.211:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.232.211:443/CPU Load					
0	5.15	31	5	4.79	3.68
LG 35.188.232.211:443/Memory Used					
2	16.7	40	15	16.3	8.51
LG 35.188.232.211:443/Throughput					
0	11.8	32.1	12	11.7	5.96
LG 35.188.232.211:443/User Load					
0	41.5	75	43	41.8	22.5
LG 35.188.232.211:443/Thread Count					
38	110.9	154	112	111.4	27.4
LG 35.188.232.211:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.188.232.211:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.188.232.211:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.232.211:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.232.211:443/Controller Connection/Ping Duration (ms)					
87	115.8	197	116	112.9	24.7
LG 35.188.232.211:443/Network/Segments sent/sec.					
1.6	585.4	1,454	599	585.6	265.2
LG 35.188.232.211:443/Network/Segments retransmitted/sec.					
0	4.45	13	4.61	4.3	3.57
LG 35.188.232.211:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	12.3	33.2	12.4	12.2	6.17
LG 35.188.232.211:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.16	8.88	1.14	1.12	0.745

LG 35.188.236.242:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.236.242:443/CPU Load					
0	4.78	36	4	4.42	3.65
LG 35.188.236.242:443/Memory Used					
1	17.6	38	16	17.3	7.76
LG 35.188.236.242:443/Throughput					
0	10.8	26.2	11.1	10.74	5.53
LG 35.188.236.242:443/User Load					
0	44.3	75	50	44.8	23
LG 35.188.236.242:443/Thread Count					
38	112.9	153	119	113.7	27.4
LG 35.188.236.242:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.188.236.242:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.188.236.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.236.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.236.242:443/Controller Connection/Ping Duration (ms)					
88	110.2	155	109	109.4	12.9
LG 35.188.236.242:443/Network/Segments sent/sec.					
1.82	537.7	1,186	537.3	536.9	249.2
LG 35.188.236.242:443/Network/Segments retransmitted/sec.					
0	4.33	14	4.41	4.18	3.42
LG 35.188.236.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.2	27	11.6	11.2	5.73
LG 35.188.236.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	8.29	1.01	1.01	0.747

LG 35.188.236.89:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.236.89:443/CPU Load					
0	4.8	29	4	4.48	3.51
LG 35.188.236.89:443/Memory Used					
3	14.9	37	13	14.5	6.77
LG 35.188.236.89:443/Throughput					
0	11.5	32.5	11.5	11.3	6.22
LG 35.188.236.89:443/User Load					
0	44.1	75	50	44.6	23
LG 35.188.236.89:443/Thread Count					
38	113.5	151	121	114.5	25.9
LG 35.188.236.89:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.188.236.89:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.188.236.89:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.236.89:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.236.89:443/Controller Connection/Ping Duration (ms)					
89	131.2	160	124	131.8	22.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.236.89:443/Network/Segments sent/sec.					
3.4	569.8	1,440	575.7	567	274.7
LG 35.188.236.89:443/Network/Segments retransmitted/sec.					
0	4.67	12.8	5.2	4.56	3.51
LG 35.188.236.89:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	11.9	33.5	11.9	11.8	6.44
LG 35.188.236.89:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	9.91	1.04	1.08	0.766

LG 35.188.238.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.238.119:443/CPU Load					
0	4.76	21	4	4.44	3.55
LG 35.188.238.119:443/Memory Used					
3	14.2	33	12	13.8	6.23
LG 35.188.238.119:443/Throughput					
0	11.1	31	10.73	10.88	6.18
LG 35.188.238.119:443/User Load					
0	41.9	75	43.5	42.1	22.5
LG 35.188.238.119:443/Thread Count					
39	110.7	149	113	111.3	26.8
LG 35.188.238.119:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.188.238.119:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.188.238.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.238.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.238.119:443/Controller Connection/Ping Duration (ms)					
82	118.6	197	114	116.8	25
LG 35.188.238.119:443/Network/Segments sent/sec.					
1.6	551	1,384	542.7	546.7	274.4
LG 35.188.238.119:443/Network/Segments retransmitted/sec.					
0	4.26	12.4	4.5	4.11	3.52
LG 35.188.238.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	32.2	11.1	11.3	6.41
LG 35.188.238.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	12.8	1.02	1.02	0.829

LG 35.188.244.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.244.46:443/CPU Load					
0	4.72	25	4	4.32	3.64
LG 35.188.244.46:443/Memory Used					
2	16.2	38	14	15.8	7.96
LG 35.188.244.46:443/Throughput					
0	10.86	28.6	11	10.77	5.83
LG 35.188.244.46:443/User Load					
0	41.8	75	43.5	42.1	22.5
LG 35.188.244.46:443/Thread Count					
38	110.1	147	113	110.9	26

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.244.46:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.188.244.46:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.188.244.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.244.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.244.46:443/Controller Connection/Ping Duration (ms)					
92	126.9	200	121	124.4	23.3
LG 35.188.244.46:443/Network/Segments sent/sec.					
1.6	540.4	1,255	549.7	539.9	253.6
LG 35.188.244.46:443/Network/Segments retransmitted/sec.					
0	4.19	14.3	3.91	4.03	3.46
LG 35.188.244.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.3	29	11.5	11.2	6.04
LG 35.188.244.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.05	5.46	0.99	1	0.661

LG 35.188.245.114:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.245.114:443/CPU Load					
0	5.22	31	4.5	4.86	3.79
LG 35.188.245.114:443/Memory Used					
2	16	38	15	15.6	7.53
LG 35.188.245.114:443/Throughput					
0	10.56	28.7	10.69	10.45	5.67
LG 35.188.245.114:443/User Load					
0	41.8	75	43	42.1	22.5
LG 35.188.245.114:443/Thread Count					
38	110.6	150	113	111.2	25.3
LG 35.188.245.114:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.188.245.114:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.188.245.114:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.245.114:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.245.114:443/Controller Connection/Ping Duration (ms)					
87	108.5	154	115	108.2	11.6
LG 35.188.245.114:443/Network/Segments sent/sec.					
1.6	521.7	1,273	519.7	519.3	252
LG 35.188.245.114:443/Network/Segments retransmitted/sec.					
0	4.09	12.2	4.21	3.93	3.35
LG 35.188.245.114:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.97	29.7	11.1	10.85	5.88
LG 35.188.245.114:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.05	10.45	0.985	1.01	0.733

LG 35.194.66.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.66.38:443/CPU Load					
0	4.58	31	4	4.23	3.51
LG 35.194.66.38:443/Memory Used					
3	16.6	38	15	16.3	7.73
LG 35.194.66.38:443/Throughput					
0	10.82	29.1	10.47	10.74	5.81
LG 35.194.66.38:443/User Load					
0	42.3	75	44	42.6	22.3
LG 35.194.66.38:443/Thread Count					
39	110.7	147	115	111.3	25.2
LG 35.194.66.38:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.194.66.38:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.194.66.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.66.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.66.38:443/Controller Connection/Ping Duration (ms)					
86	107.6	143	112	107	12
LG 35.194.66.38:443/Network/Segments sent/sec.					
1.6	539.5	1,341	536.9	538.4	253.9
LG 35.194.66.38:443/Network/Segments retransmitted/sec.					
0	4.27	12.3	4.4	4.13	3.56
LG 35.194.66.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.2	30.5	10.95	11.2	6.02
LG 35.194.66.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	10.5	1.02	1.02	0.839

LG 35.194.75.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.75.146:443/CPU Load					
0	4.94	31	4	4.56	3.72
LG 35.194.75.146:443/Memory Used					
2	16.8	37	16	16.5	7.64
LG 35.194.75.146:443/Throughput					
0	11	26.1	11.3	10.97	5.77
LG 35.194.75.146:443/User Load					
0	41.8	75	43.5	42	22.6
LG 35.194.75.146:443/Thread Count					
38	110	151	111.5	110.4	26.1
LG 35.194.75.146:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.194.75.146:443/Http client/Task Pool used					
0	0.001	0.017	0	0	0.003
LG 35.194.75.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.75.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.75.146:443/Controller Connection/Ping Duration (ms)					
87	110.8	155	113	109.7	15.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.75.146:443/Network/Segments sent/sec.					
1.6	548	1,207	574.1	549.5	252.7
LG 35.194.75.146:443/Network/Segments retransmitted/sec.					
0	4.12	12.8	4	3.98	3.34
LG 35.194.75.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.4	27.2	11.8	11.4	5.97
LG 35.194.75.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	8.5	1.03	1.03	0.78

LG 35.194.87.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.87.156:443/CPU Load					
0	4.47	27	4	4.1	3.37
LG 35.194.87.156:443/Memory Used					
2	15	34	14	14.6	7.09
LG 35.194.87.156:443/Throughput					
0	10.22	27.5	10.07	10.11	5.42
LG 35.194.87.156:443/User Load					
0	41.8	75	43	42.1	22.2
LG 35.194.87.156:443/Thread Count					
38	111.1	151	111	111.6	26.4
LG 35.194.87.156:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.194.87.156:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.194.87.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.87.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.87.156:443/Controller Connection/Ping Duration (ms)					
90	117.5	199	115	114.9	24.3
LG 35.194.87.156:443/Network/Segments sent/sec.					
1.6	507.4	1,199	500	504.7	239.1
LG 35.194.87.156:443/Network/Segments retransmitted/sec.					
0	3.95	13.5	4	3.79	3.22
LG 35.194.87.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.62	28.5	10.38	10.5	5.61
LG 35.194.87.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	1.06	5.39	0.975	1	0.677

LG 35.194.93.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.93.220:443/CPU Load					
0	4.68	30	4	4.34	3.37
LG 35.194.93.220:443/Memory Used					
3	15.1	36	13	14.7	7.22
LG 35.194.93.220:443/Throughput					
0	11.6	29.9	11.7	11.6	5.66
LG 35.194.93.220:443/User Load					
0	44.5	75	50	45	23
LG 35.194.93.220:443/Thread Count					
38	112.9	148	119	113.9	26.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.93.220:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.194.93.220:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.194.93.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.93.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.93.220:443/Controller Connection/Ping Duration (ms)					
98	142.1	157	156	143.6	21.8
LG 35.194.93.220:443/Network/Segments sent/sec.					
2.2	574.8	1,321	592.5	577.2	250.4
LG 35.194.93.220:443/Network/Segments retransmitted/sec.					
0	4.73	12.2	5	4.61	3.59
LG 35.194.93.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12	31.1	12.1	12	5.87
LG 35.194.93.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	9.6	1.08	1.09	0.768

LG 35.199.2.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.2.21:443/CPU Load					
0	4.55	32	4	4.16	3.59
LG 35.199.2.21:443/Memory Used					
2	15.3	37	13	14.8	7.38
LG 35.199.2.21:443/Throughput					
0	11.1	39.3	11	11	6.01
LG 35.199.2.21:443/User Load					
0	42.1	75	44	42.3	22.2
LG 35.199.2.21:443/Thread Count					
38	111.6	150	113	112.2	25.7
LG 35.199.2.21:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.199.2.21:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.199.2.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.2.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.2.21:443/Controller Connection/Ping Duration (ms)					
84	107	148	113	106	15
LG 35.199.2.21:443/Network/Segments sent/sec.					
2	554.8	1,513	555.5	552.7	263.2
LG 35.199.2.21:443/Network/Segments retransmitted/sec.					
0	4.21	13.2	4	4.04	3.48
LG 35.199.2.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	40.3	11.4	11.4	6.22
LG 35.199.2.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	6.72	1.04	1.05	0.707

LG 35.199.29.75:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.29.75:443/CPU Load					
0	4.67	29	4	4.3	3.59
LG 35.199.29.75:443/Memory Used					
2	17	41	16	16.6	8.33
LG 35.199.29.75:443/Throughput					
0	11	32.6	10.61	10.8	6.01
LG 35.199.29.75:443/User Load					
0	41.5	75	42	41.7	22.8
LG 35.199.29.75:443/Thread Count					
38	110.1	150	113	110.7	26.2
LG 35.199.29.75:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.199.29.75:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.199.29.75:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.29.75:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.29.75:443/Controller Connection/Ping Duration (ms)					
121	185.9	202	196	188.2	21.9
LG 35.199.29.75:443/Network/Segments sent/sec.					
2.2	544.8	1,349	544.4	540.2	265.7
LG 35.199.29.75:443/Network/Segments retransmitted/sec.					
0	4.11	14.2	4	3.93	3.51
LG 35.199.29.75:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.4	33.7	10.97	11.2	6.23
LG 35.199.29.75:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	6.78	1.01	1.04	0.67

LG 35.199.4.28:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.4.28:443/CPU Load					
0	4.5	22	4	4.16	3.38
LG 35.199.4.28:443/Memory Used					
3	16.6	39	15	16.3	7.72
LG 35.199.4.28:443/Throughput					
0	11.1	27	10.96	10.96	6.05
LG 35.199.4.28:443/User Load					
0	41.9	75	43.5	42.2	22.5
LG 35.199.4.28:443/Thread Count					
39	109.8	149	111	110.3	24.9
LG 35.199.4.28:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.199.4.28:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.199.4.28:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.4.28:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.4.28:443/Controller Connection/Ping Duration (ms)					
89	111.7	197	110	109.2	18

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.4.28:443/Network/Segments sent/sec.					
1.62	553.8	1,361	549	550.3	270.1
LG 35.199.4.28:443/Network/Segments retransmitted/sec.					
0	4.25	13.2	4.03	4.1	3.48
LG 35.199.4.28:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.6	27.7	11.4	11.4	6.27
LG 35.199.4.28:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	6.21	1.03	1.05	0.701

LG 35.199.44.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.44.0:443/CPU Load					
0	4.71	35	4	4.34	3.71
LG 35.199.44.0:443/Memory Used					
3	16.2	38	14	15.8	7.4
LG 35.199.44.0:443/Throughput					
0	10.82	35.5	10.61	10.63	6.04
LG 35.199.44.0:443/User Load					
0	41.8	75	43	42	22.4
LG 35.199.44.0:443/Thread Count					
38	111.3	149	114	112.1	25
LG 35.199.44.0:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.199.44.0:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.199.44.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.44.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.44.0:443/Controller Connection/Ping Duration (ms)					
88	112	162	115	112.3	12.2
LG 35.199.44.0:443/Network/Segments sent/sec.					
2.2	541.2	1,563	543.5	534.6	270.3
LG 35.199.44.0:443/Network/Segments retransmitted/sec.					
0	4.24	15	4	4.02	3.65
LG 35.199.44.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.2	36.9	10.99	11	6.26
LG 35.199.44.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	7.64	1.01	1.02	0.681

LG 35.199.46.96:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.46.96:443/CPU Load					
0	4.23	22	4	3.91	3.19
LG 35.199.46.96:443/Memory Used					
2	18.2	39	17	17.9	8.4
LG 35.199.46.96:443/Throughput					
0	9.88	27.6	9.4	9.78	5.24
LG 35.199.46.96:443/User Load					
0	41.8	75	43	42	22.4
LG 35.199.46.96:443/Thread Count					
38	109.8	149	108.5	110.5	25.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.46.96:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.199.46.96:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.199.46.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.46.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.46.96:443/Controller Connection/Ping Duration (ms)					
80	140.3	195	155	140.1	29.8
LG 35.199.46.96:443/Network/Segments sent/sec.					
2.2	492.5	1,177	489.2	489.6	236.5
LG 35.199.46.96:443/Network/Segments retransmitted/sec.					
0	3.88	12.8	3.8	3.69	3.4
LG 35.199.46.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.26	28.4	9.85	10.16	5.42
LG 35.199.46.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	0.999	11.1	0.901	0.937	0.793

LG 35.199.56.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.56.38:443/CPU Load					
0	4.87	26	4	4.49	3.69
LG 35.199.56.38:443/Memory Used					
2	16.1	40	14	15.6	7.71
LG 35.199.56.38:443/Throughput					
0	11.3	29.1	11.4	11.2	5.95
LG 35.199.56.38:443/User Load					
0	41.7	75	43	41.9	22.6
LG 35.199.56.38:443/Thread Count					
38	109.7	148	112	110.2	25.8
LG 35.199.56.38:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.199.56.38:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.199.56.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.56.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.56.38:443/Controller Connection/Ping Duration (ms)					
86	113.6	194	113	110.5	24
LG 35.199.56.38:443/Network/Segments sent/sec.					
1.6	561.1	1,315	563.4	560.4	262.1
LG 35.199.56.38:443/Network/Segments retransmitted/sec.					
0	4.26	12.8	4.2	4.1	3.55
LG 35.199.56.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.7	30.2	11.9	11.6	6.16
LG 35.199.56.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	6.77	1.01	1.05	0.68

LG 35.199.61.29:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.61.29:443/CPU Load					
0	4.67	29	4	4.29	3.57
LG 35.199.61.29:443/Memory Used					
2	15.7	40	14	15.3	7.7
LG 35.199.61.29:443/Throughput					
0	10.89	26.9	11.4	10.8	5.64
LG 35.199.61.29:443/User Load					
0	41.4	75	42.5	41.6	22.5
LG 35.199.61.29:443/Thread Count					
38	108.8	146	109.5	109.4	24.3
LG 35.199.61.29:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.199.61.29:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.199.61.29:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.61.29:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.61.29:443/Controller Connection/Ping Duration (ms)					
85	113.6	194	113	111.5	22
LG 35.199.61.29:443/Network/Segments sent/sec.					
1.6	540.4	1,256	556.3	538.3	255.1
LG 35.199.61.29:443/Network/Segments retransmitted/sec.					
0	4.14	13.6	3.8	3.96	3.48
LG 35.199.61.29:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.3	28.1	11.8	11.2	5.84
LG 35.199.61.29:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.09	12.2	1.02	1.03	0.848

LG 35.199.63.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.63.175:443/CPU Load					
0	4.57	27	4	4.28	3.27
LG 35.199.63.175:443/Memory Used					
3	16.7	40	15	16.3	7.74
LG 35.199.63.175:443/Throughput					
0	10.9	28.8	11.2	10.79	5.7
LG 35.199.63.175:443/User Load					
0	41.9	75	43	42.1	22.4
LG 35.199.63.175:443/Thread Count					
38	109	149	111.5	109.5	25.2
LG 35.199.63.175:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.199.63.175:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.013
LG 35.199.63.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.63.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.63.175:443/Controller Connection/Ping Duration (ms)					
91	129.5	199	121	127.5	26.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.63.175:443/Network/Segments sent/sec.					
2.4	542.4	1,318	549.1	540.3	255.7
LG 35.199.63.175:443/Network/Segments retransmitted/sec.					
0	4.17	13	4	4.01	3.5
LG 35.199.63.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.3	29.9	11.6	11.2	5.9
LG 35.199.63.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	5.45	1.02	1.04	0.593

LG 35.221.22.190:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.22.190:443/CPU Load					
0	4.85	31	4	4.5	3.7
LG 35.221.22.190:443/Memory Used					
4	17.8	40	16	17.4	8.8
LG 35.221.22.190:443/Throughput					
0	11.2	31.7	11.5	11.1	6.07
LG 35.221.22.190:443/User Load					
0	42	75	43.5	42.2	22.6
LG 35.221.22.190:443/Thread Count					
39	110.4	148	111	111	26.2
LG 35.221.22.190:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.221.22.190:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.221.22.190:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.22.190:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.22.190:443/Controller Connection/Ping Duration (ms)					
80	123.6	195	116	121.9	31
LG 35.221.22.190:443/Network/Segments sent/sec.					
2.38	558.7	1,388	566.2	555.2	268.8
LG 35.221.22.190:443/Network/Segments retransmitted/sec.					
0	4.34	14.2	4.4	4.19	3.57
LG 35.221.22.190:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.7	32.4	11.9	11.5	6.28
LG 35.221.22.190:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.12	11.3	1.07	1.06	0.853

LG 35.221.24.161:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.24.161:443/CPU Load					
0	4.36	27	4	4.1	3.1
LG 35.221.24.161:443/Memory Used					
2	16.3	36	14	15.9	7.58
LG 35.221.24.161:443/Throughput					
0	10.44	26.6	10.49	10.32	5.66
LG 35.221.24.161:443/User Load					
0	42	75	44	42.3	22.5
LG 35.221.24.161:443/Thread Count					
38	111	148	113	111.6	25.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.24.161:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.221.24.161:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.221.24.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.24.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.24.161:443/Controller Connection/Ping Duration (ms)					
86	111.7	193	112	109	21.7
LG 35.221.24.161:443/Network/Segments sent/sec.					
1.6	519.4	1,216	519.9	515.8	250.9
LG 35.221.24.161:443/Network/Segments retransmitted/sec.					
0	4.12	14	3.7	3.95	3.52
LG 35.221.24.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.84	27.7	10.85	10.72	5.86
LG 35.221.24.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.03	6.68	0.982	1	0.616

LG 35.221.28.181:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.28.181:443/CPU Load					
0	4.95	29	4	4.65	3.47
LG 35.221.28.181:443/Memory Used					
2	16.4	38	15	16.1	7.93
LG 35.221.28.181:443/Throughput					
0	10.91	31.8	10.84	10.75	5.8
LG 35.221.28.181:443/User Load					
0	41.9	75	44	42.1	22.5
LG 35.221.28.181:443/Thread Count					
38	108.6	145	109	109.2	24.9
LG 35.221.28.181:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.221.28.181:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.221.28.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.28.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.28.181:443/Controller Connection/Ping Duration (ms)					
89	111.3	163	113	110.1	13.4
LG 35.221.28.181:443/Network/Segments sent/sec.					
1.6	542.7	1,433	546.5	537.7	253.9
LG 35.221.28.181:443/Network/Segments retransmitted/sec.					
0	4.16	13.4	3.98	3.98	3.53
LG 35.221.28.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.3	33	11.2	11.2	6
LG 35.221.28.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.09	11.9	1.04	1.03	0.851

LG 35.221.42.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.42.223:443/CPU Load					
0	4.87	28	4	4.56	3.38
LG 35.221.42.223:443/Memory Used					
2	16	39	14	15.6	8.04
LG 35.221.42.223:443/Throughput					
0	11.5	29.2	11.2	11.4	5.93
LG 35.221.42.223:443/User Load					
0	42	75	44	42.3	22.5
LG 35.221.42.223:443/Thread Count					
38	111	149	113	111.5	25.6
LG 35.221.42.223:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.221.42.223:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.221.42.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.42.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.42.223:443/Controller Connection/Ping Duration (ms)					
97	119.5	195	115	116.5	25.1
LG 35.221.42.223:443/Network/Segments sent/sec.					
2.4	571	1,289	579.4	571.2	263.3
LG 35.221.42.223:443/Network/Segments retransmitted/sec.					
0	4.34	13	4.2	4.18	3.52
LG 35.221.42.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.9	30.1	11.6	11.8	6.14
LG 35.221.42.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.12	8.18	1.03	1.07	0.742

LG 35.221.49.227:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.49.227:443/CPU Load					
0	4.41	31	4	4.07	3.35
LG 35.221.49.227:443/Memory Used					
2	15.9	38	14	15.5	7.7
LG 35.221.49.227:443/Throughput					
0	11.1	27.4	11.5	11	6.06
LG 35.221.49.227:443/User Load					
0	41.5	75	43	41.8	22.5
LG 35.221.49.227:443/Thread Count					
38	110.7	151	112	111.5	26.7
LG 35.221.49.227:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.221.49.227:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.221.49.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.49.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.49.227:443/Controller Connection/Ping Duration (ms)					
88	113.4	156	115	112.3	17

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.49.227:443/Network/Segments sent/sec.					
2.4	555.5	1,214	567.7	553.7	270.5
LG 35.221.49.227:443/Network/Segments retransmitted/sec.					
0	4.25	12	4.6	4.13	3.37
LG 35.221.49.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	28.5	12	11.5	6.28
LG 35.221.49.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	8.53	1.01	1.05	0.746

LG 35.221.51.136:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.51.136:443/CPU Load					
0	4.68	33	4	4.31	3.56
LG 35.221.51.136:443/Memory Used					
3	15.5	37	14	15.1	7.6
LG 35.221.51.136:443/Throughput					
0	10.7	28.2	10.99	10.66	5.4
LG 35.221.51.136:443/User Load					
0	42	75	43	42.2	22.3
LG 35.221.51.136:443/Thread Count					
39	112.7	153	114	113.3	26.9
LG 35.221.51.136:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.221.51.136:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.221.51.136:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.51.136:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.51.136:443/Controller Connection/Ping Duration (ms)					
140	163.2	203	163	162	10.27
LG 35.221.51.136:443/Network/Segments sent/sec.					
1.8	531.9	1,249	549.4	533.1	236
LG 35.221.51.136:443/Network/Segments retransmitted/sec.					
0	4	11.6	4.19	3.87	3.14
LG 35.221.51.136:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.1	29.5	11.4	11.1	5.59
LG 35.221.51.136:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	8.51	1.03	1.03	0.701

LG 35.221.61.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.61.112:443/CPU Load					
0	4.64	29	4	4.32	3.41
LG 35.221.61.112:443/Memory Used					
3	16.9	38	15	16.6	8.02
LG 35.221.61.112:443/Throughput					
0	10.74	27.4	10.81	10.6	5.91
LG 35.221.61.112:443/User Load					
0	42.3	75	44.5	42.6	22.4
LG 35.221.61.112:443/Thread Count					
39	111	147	111.5	111.7	25.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.61.112:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.221.61.112:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.221.61.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.61.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.61.112:443/Controller Connection/Ping Duration (ms)					
104	148.5	203	162	148.7	23.1
LG 35.221.61.112:443/Network/Segments sent/sec.					
2.39	536.2	1,263	537.2	532.8	263.4
LG 35.221.61.112:443/Network/Segments retransmitted/sec.					
0	4.23	15.4	4.28	4.02	3.57
LG 35.221.61.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.2	28.3	11.2	11	6.13
LG 35.221.61.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	14.5	1.01	1.02	0.886

LG 35.230.162.45:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.162.45:443/CPU Load					
0	5.29	27	5	4.97	3.67
LG 35.230.162.45:443/Memory Used					
3	16.5	37	15	16.1	7.88
LG 35.230.162.45:443/Throughput					
0	11.6	28.2	11.5	11.5	5.9
LG 35.230.162.45:443/User Load					
0	42	75	44	42.2	22.5
LG 35.230.162.45:443/Thread Count					
39	110.7	148	113	111.2	25.3
LG 35.230.162.45:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.162.45:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.230.162.45:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.162.45:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.162.45:443/Controller Connection/Ping Duration (ms)					
85	151.4	201	155	151.9	36.6
LG 35.230.162.45:443/Network/Segments sent/sec.					
2.59	575.8	1,305	573.7	575.4	263.5
LG 35.230.162.45:443/Network/Segments retransmitted/sec.					
0	4.43	13	4.2	4.27	3.65
LG 35.230.162.45:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12.1	29.4	12	12	6.11
LG 35.230.162.45:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.12	13.1	1.1	1.08	0.817

LG 35.230.163.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.163.18:443/CPU Load					
0	4.15	31	4	3.8	3.37
LG 35.230.163.18:443/Memory Used					
3	15.5	36	14	15.1	7.38
LG 35.230.163.18:443/Throughput					
0	10.33	26	10.23	10.22	5.8
LG 35.230.163.18:443/User Load					
0	41.7	75	43	41.9	22.6
LG 35.230.163.18:443/Thread Count					
38	111.3	152	110.5	111.8	27.4
LG 35.230.163.18:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.163.18:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.230.163.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.163.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.163.18:443/Controller Connection/Ping Duration (ms)					
96	181.1	197	194	184.4	24.7
LG 35.230.163.18:443/Network/Segments sent/sec.					
1.6	515.9	1,209	515.8	513.9	259.2
LG 35.230.163.18:443/Network/Segments retransmitted/sec.					
0	4.15	13.6	4.4	3.98	3.53
LG 35.230.163.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.73	26.9	10.61	10.62	6.02
LG 35.230.163.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.04	7.89	0.964	0.983	0.723

LG 35.230.166.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.166.42:443/CPU Load					
0	4.55	34	4	4.23	3.45
LG 35.230.166.42:443/Memory Used					
2	16.7	38	15	16.4	8.27
LG 35.230.166.42:443/Throughput					
0	10.54	30.1	10.95	10.41	5.69
LG 35.230.166.42:443/User Load					
0	41.5	75	42	41.7	22.4
LG 35.230.166.42:443/Thread Count					
38	110.7	150	110	111.4	26.5
LG 35.230.166.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.166.42:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.230.166.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.166.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.166.42:443/Controller Connection/Ping Duration (ms)					
122	179.2	196	194	181.4	22.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.166.42:443/Network/Segments sent/sec.					
2.4	523.7	1,298	533.1	520.4	251.8
LG 35.230.166.42:443/Network/Segments retransmitted/sec.					
0	4.08	12	4	3.93	3.3
LG 35.230.166.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.94	31.2	11.4	10.8	5.89
LG 35.230.166.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.05	7.09	0.997	0.999	0.677

LG 35.230.178.121:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.178.121:443/CPU Load					
0	4.46	24	4	4.14	3.28
LG 35.230.178.121:443/Memory Used					
2	16.2	39	14	15.7	7.81
LG 35.230.178.121:443/Throughput					
0	11.4	30	11.1	11.2	5.98
LG 35.230.178.121:443/User Load					
0	41.8	75	43	42	22.6
LG 35.230.178.121:443/Thread Count					
39	110.6	147	112	111.4	25.5
LG 35.230.178.121:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.230.178.121:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.230.178.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.178.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.178.121:443/Controller Connection/Ping Duration (ms)					
83	119.8	196	115	117.9	24.9
LG 35.230.178.121:443/Network/Segments sent/sec.					
2	567.3	1,384	559.9	564	266.2
LG 35.230.178.121:443/Network/Segments retransmitted/sec.					
0	4.25	13.4	4.18	4.08	3.5
LG 35.230.178.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	31	11.5	11.7	6.2
LG 35.230.178.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.12	6.5	1.03	1.07	0.721

LG 35.230.181.78:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.181.78:443/CPU Load					
0	5.1	30	4.5	4.81	3.57
LG 35.230.181.78:443/Memory Used					
2	14.4	38	12	14	6.86
LG 35.230.181.78:443/Throughput					
0	12.1	38.5	12.1	12	6.3
LG 35.230.181.78:443/User Load					
0	45.3	75	50	45.9	23.3
LG 35.230.181.78:443/Thread Count					
38	115.1	148	121	116.3	26.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.181.78:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.230.181.78:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.230.181.78:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.181.78:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.181.78:443/Controller Connection/Ping Duration (ms)					
98	162.6	203	194	163.8	40.8
LG 35.230.181.78:443/Network/Segments sent/sec.					
2.4	598.8	1,505	606.9	598.4	278.2
LG 35.230.181.78:443/Network/Segments retransmitted/sec.					
0	4.77	13.2	5.35	4.68	3.51
LG 35.230.181.78:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12.6	39.5	12.6	12.5	6.51
LG 35.230.181.78:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.17	14.1	1.12	1.12	0.845

LG 35.236.194.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.194.179:443/CPU Load					
0	4.27	23	4	3.99	3.07
LG 35.236.194.179:443/Memory Used					
2	16.9	39	15	16.6	7.74
LG 35.236.194.179:443/Throughput					
0	10.64	30.3	10.88	10.51	5.74
LG 35.236.194.179:443/User Load					
0	42.1	75	43	42.4	22.4
LG 35.236.194.179:443/Thread Count					
38	111	151	112	111.5	25.8
LG 35.236.194.179:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.194.179:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.236.194.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.194.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.194.179:443/Controller Connection/Ping Duration (ms)					
93	124.2	185	123	122.6	20.4
LG 35.236.194.179:443/Network/Segments sent/sec.					
2	527.7	1,336	532.8	525.2	253.3
LG 35.236.194.179:443/Network/Segments retransmitted/sec.					
0	4.17	13.2	4.2	4	3.51
LG 35.236.194.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.1	31.2	11.3	10.92	5.94
LG 35.236.194.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.05	6.97	1.02	1.01	0.671

LG 35.236.197.68:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.197.68:443/CPU Load					
0	4.76	35	4	4.48	3.4
LG 35.236.197.68:443/Memory Used					
2	16.1	40	14.5	15.7	7.86
LG 35.236.197.68:443/Throughput					
0	11.1	28	11.2	11.1	5.56
LG 35.236.197.68:443/User Load					
0	44.9	75	50	45.6	23.8
LG 35.236.197.68:443/Thread Count					
38	113.5	145	120.5	114.7	25.7
LG 35.236.197.68:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.197.68:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.236.197.68:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.197.68:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.197.68:443/Controller Connection/Ping Duration (ms)					
98	114.4	161	112	112.9	12.3
LG 35.236.197.68:443/Network/Segments sent/sec.					
2.4	553.7	1,411	559	555.8	246.3
LG 35.236.197.68:443/Network/Segments retransmitted/sec.					
0	4.74	12.6	5	4.63	3.64
LG 35.236.197.68:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.5	29.4	11.6	11.5	5.76
LG 35.236.197.68:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	9.85	1.06	1.06	0.78

LG 35.236.205.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.205.249:443/CPU Load					
0	4.55	29	4	4.16	3.55
LG 35.236.205.249:443/Memory Used					
2	15.5	38	13	15	7.62
LG 35.236.205.249:443/Throughput					
0	11.2	29.5	11	11.1	5.91
LG 35.236.205.249:443/User Load					
0	41.9	75	43	42.2	22.3
LG 35.236.205.249:443/Thread Count					
38	109.8	149	111	110.3	26.1
LG 35.236.205.249:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.205.249:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.236.205.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.205.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.205.249:443/Controller Connection/Ping Duration (ms)					
87	113	184	114	110.6	18.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.205.249:443/Network/Segments sent/sec.					
1.6	558.5	1,330	567.8	556.9	259.1
LG 35.236.205.249:443/Network/Segments retransmitted/sec.					
0	4.21	15.6	4.2	4.04	3.51
LG 35.236.205.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.7	30.8	11.5	11.5	6.12
LG 35.236.205.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	8.49	1.05	1.06	0.733

LG 35.236.210.26:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.210.26:443/CPU Load					
0	4.54	23	4	4.14	3.58
LG 35.236.210.26:443/Memory Used					
4	17.6	40	16	17.2	8.3
LG 35.236.210.26:443/Throughput					
0	10.65	31.7	10.79	10.54	5.79
LG 35.236.210.26:443/User Load					
0	41.9	75	43	42.1	22.5
LG 35.236.210.26:443/Thread Count					
38	110.2	147	112	111	25.7
LG 35.236.210.26:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.210.26:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.236.210.26:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.210.26:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.210.26:443/Controller Connection/Ping Duration (ms)					
89	112.7	153	113	112.2	11.7
LG 35.236.210.26:443/Network/Segments sent/sec.					
2	529.9	1,324	538.5	528.1	256.3
LG 35.236.210.26:443/Network/Segments retransmitted/sec.					
0	4.3	13.6	4.4	4.15	3.54
LG 35.236.210.26:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.1	32.8	11.2	10.94	5.99
LG 35.236.210.26:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	12.9	0.984	1	0.895

LG 35.236.210.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.210.48:443/CPU Load					
0	4.68	23	4	4.34	3.36
LG 35.236.210.48:443/Memory Used					
2	16.2	37	14	15.9	7.84
LG 35.236.210.48:443/Throughput					
0	10.71	30.7	11.3	10.6	5.57
LG 35.236.210.48:443/User Load					
0	41.6	75	42.5	41.8	22.5
LG 35.236.210.48:443/Thread Count					
38	109.7	148	109.5	110.4	26

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.210.48:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.210.48:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.007
LG 35.236.210.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.210.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.210.48:443/Controller Connection/Ping Duration (ms)					
85	110.1	157	117	109.2	13.9
LG 35.236.210.48:443/Network/Segments sent/sec.					
1.6	532.4	1,423	566.3	532	245.3
LG 35.236.210.48:443/Network/Segments retransmitted/sec.					
0	4.19	14	4.19	4	3.53
LG 35.236.210.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.1	32.1	11.7	11	5.78
LG 35.236.210.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	1.07	7.95	1.04	1.02	0.692

LG 35.236.213.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.213.255:443/CPU Load					
0	4.75	28	4	4.45	3.45
LG 35.236.213.255:443/Memory Used					
2	16.1	38	14	15.7	7.87
LG 35.236.213.255:443/Throughput					
0	11.4	30.9	11.2	11.3	6.16
LG 35.236.213.255:443/User Load					
0	41.7	75	43	41.9	22.6
LG 35.236.213.255:443/Thread Count					
38	109.4	149	112	110	26.4
LG 35.236.213.255:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.213.255:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.236.213.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.213.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.213.255:443/Controller Connection/Ping Duration (ms)					
89	110.8	196	113	109	17.9
LG 35.236.213.255:443/Network/Segments sent/sec.					
2.4	570.1	1,418	566.3	566.2	278.7
LG 35.236.213.255:443/Network/Segments retransmitted/sec.					
0	4.38	14.6	4.2	4.18	3.69
LG 35.236.213.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	32.2	11.6	11.7	6.39
LG 35.236.213.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.12	9.12	1.08	1.07	0.775

LG 35.236.215.162:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.215.162:443/CPU Load					
0	4.74	18	4	4.44	3.21
LG 35.236.215.162:443/Memory Used					
1	15.6	38	14	15.2	7.7
LG 35.236.215.162:443/Throughput					
0	11.2	27.1	11.4	11.1	5.71
LG 35.236.215.162:443/User Load					
0	44.9	75	50	45.6	23.7
LG 35.236.215.162:443/Thread Count					
38	115	151	120	115.9	28.1
LG 35.236.215.162:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.236.215.162:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.236.215.162:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.215.162:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.215.162:443/Controller Connection/Ping Duration (ms)					
88	107.8	133	112	107.6	10.33
LG 35.236.215.162:443/Network/Segments sent/sec.					
2	556.8	1,354	565.7	556.2	255.4
LG 35.236.215.162:443/Network/Segments retransmitted/sec.					
0	4.75	15	5	4.61	3.7
LG 35.236.215.162:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	28.4	11.8	11.5	5.92
LG 35.236.215.162:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	8.12	1.06	1.06	0.699

LG 35.236.220.177:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.220.177:443/CPU Load					
0	4.88	27	4	4.55	3.55
LG 35.236.220.177:443/Memory Used					
2	16.4	38	15	16	8.05
LG 35.236.220.177:443/Throughput					
0	11.5	30.7	11.6	11.4	6.03
LG 35.236.220.177:443/User Load					
0	41.8	75	43	42.1	22.6
LG 35.236.220.177:443/Thread Count					
38	111.5	150	114	112.1	25.8
LG 35.236.220.177:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.220.177:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 35.236.220.177:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.220.177:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.220.177:443/Controller Connection/Ping Duration (ms)					
84	111.5	157	115	110.5	15.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.220.177:443/Network/Segments sent/sec.					
2	569.6	1,340	586.1	568.9	264.2
LG 35.236.220.177:443/Network/Segments retransmitted/sec.					
0	4.34	14.1	4.4	4.18	3.61
LG 35.236.220.177:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.9	31.8	12	11.8	6.24
LG 35.236.220.177:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	8.67	1.1	1.08	0.795

LG 35.236.222.187:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.222.187:443/CPU Load					
0	4.89	34	5	4.57	3.53
LG 35.236.222.187:443/Memory Used					
3	16.1	38	14	15.7	8.06
LG 35.236.222.187:443/Throughput					
0	11.2	35.4	10.72	11	6.13
LG 35.236.222.187:443/User Load					
0	41.2	75	42	41.4	22.8
LG 35.236.222.187:443/Thread Count					
38	109.3	151	110	109.9	26.1
LG 35.236.222.187:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.222.187:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.236.222.187:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.222.187:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.222.187:443/Controller Connection/Ping Duration (ms)					
85	143.5	201	130	143.3	39.4
LG 35.236.222.187:443/Network/Segments sent/sec.					
1.62	554.1	1,502	556.5	551.2	271
LG 35.236.222.187:443/Network/Segments retransmitted/sec.					
0	4.21	13.2	4.23	4.04	3.53
LG 35.236.222.187:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.6	36.6	11.1	11.5	6.34
LG 35.236.222.187:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	6.84	1.02	1.04	0.672

LG 35.236.225.201:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.225.201:443/CPU Load					
0	4.81	33	4	4.53	3.39
LG 35.236.225.201:443/Memory Used					
2	17.7	40	16	17.4	8.39
LG 35.236.225.201:443/Throughput					
0	11.2	25.8	11.2	11.2	5.69
LG 35.236.225.201:443/User Load					
0	41.6	75	43	41.9	22.4
LG 35.236.225.201:443/Thread Count					
38	110.8	148	113	111.5	26

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.225.201:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.225.201:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.236.225.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.225.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.225.201:443/Controller Connection/Ping Duration (ms)					
93	112.6	157	117	112.6	11.5
LG 35.236.225.201:443/Network/Segments sent/sec.					
2.2	555.8	1,171	561.7	557.5	252.6
LG 35.236.225.201:443/Network/Segments retransmitted/sec.					
0	4.2	12.1	4.37	4.07	3.42
LG 35.236.225.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.7	26.8	11.7	11.7	5.89
LG 35.236.225.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	8.33	1.06	1.06	0.734

LG 35.236.227.147:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.227.147:443/CPU Load					
0	4.96	30	4	4.66	3.49
LG 35.236.227.147:443/Memory Used					
2	15.3	37	13	14.9	7.66
LG 35.236.227.147:443/Throughput					
0	11.3	30.1	11.4	11.2	5.96
LG 35.236.227.147:443/User Load					
0	44.4	75	50	44.9	22.8
LG 35.236.227.147:443/Thread Count					
38	112.7	152	119.5	113.6	26.2
LG 35.236.227.147:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.236.227.147:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.236.227.147:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.227.147:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.227.147:443/Controller Connection/Ping Duration (ms)					
83	108.1	194	110	107.6	13.3
LG 35.236.227.147:443/Network/Segments sent/sec.					
1.6	567.2	1,348	570.3	565	263.9
LG 35.236.227.147:443/Network/Segments retransmitted/sec.					
0	4.59	14	4.8	4.43	3.66
LG 35.236.227.147:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.8	31.3	11.8	11.7	6.17
LG 35.236.227.147:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.11	7.71	1.01	1.05	0.748

LG 35.236.229.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.229.13:443/CPU Load					
0	5.04	29	4	4.72	3.54
LG 35.236.229.13:443/Memory Used					
3	15.8	37	14	15.5	7.45
LG 35.236.229.13:443/Throughput					
0	11.6	30.7	11.6	11.5	5.94
LG 35.236.229.13:443/User Load					
0	41.6	75	43	41.8	22.6
LG 35.236.229.13:443/Thread Count					
38	110.5	148	114	111.2	25.9
LG 35.236.229.13:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.229.13:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.236.229.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.229.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.229.13:443/Controller Connection/Ping Duration (ms)					
87	144.2	196	119	144.1	40.5
LG 35.236.229.13:443/Network/Segments sent/sec.					
2	578.2	1,598	591	575.1	268.9
LG 35.236.229.13:443/Network/Segments retransmitted/sec.					
0	4.26	13.8	4.45	4.09	3.46
LG 35.236.229.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12.1	31.9	12.2	11.9	6.15
LG 35.236.229.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.17	9.93	1.11	1.09	0.92

LG 35.236.234.100:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.234.100:443/CPU Load					
0	4.81	30	4	4.45	3.58
LG 35.236.234.100:443/Memory Used					
2	15.9	38	14	15.5	7.41
LG 35.236.234.100:443/Throughput					
0	10.86	31	10.76	10.75	5.72
LG 35.236.234.100:443/User Load					
0	44.9	75	50	45.5	23.6
LG 35.236.234.100:443/Thread Count					
38	113.8	147	119	114.9	26.4
LG 35.236.234.100:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.234.100:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.236.234.100:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.234.100:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.234.100:443/Controller Connection/Ping Duration (ms)					
90	156	203	158	156.8	41.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.234.100:443/Network/Segments sent/sec.					
2.17	541.2	1,311	545.2	538.4	255.5
LG 35.236.234.100:443/Network/Segments retransmitted/sec.					
0	4.65	11.2	5.04	4.56	3.53
LG 35.236.234.100:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.3	32.2	11.3	11.2	5.92
LG 35.236.234.100:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.05	10.68	0.991	1.01	0.734

LG 35.236.252.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.252.232:443/CPU Load					
0	5	36	4	4.65	3.79
LG 35.236.252.232:443/Memory Used					
2	16.6	40	15	16.2	7.95
LG 35.236.252.232:443/Throughput					
0	10.76	28.6	10.73	10.64	5.95
LG 35.236.252.232:443/User Load					
0	41.5	75	43	41.7	22.6
LG 35.236.252.232:443/Thread Count					
38	111	150	114	111.7	25.9
LG 35.236.252.232:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.252.232:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.236.252.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.252.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.252.232:443/Controller Connection/Ping Duration (ms)					
91	164.6	204	157	166.3	26.4
LG 35.236.252.232:443/Network/Segments sent/sec.					
3.4	532.5	1,285	533.3	530	261.8
LG 35.236.252.232:443/Network/Segments retransmitted/sec.					
0	4.04	13.2	4.4	3.9	3.33
LG 35.236.252.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	11.2	29.7	11.2	11	6.15
LG 35.236.252.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.09	10.48	1.02	1.02	0.859

LG 35.245.0.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.0.237:443/CPU Load					
0	5.06	33	4	4.65	3.98
LG 35.245.0.237:443/Memory Used					
4	16.8	40	15	16.4	7.68
LG 35.245.0.237:443/Throughput					
0	11.1	26.1	11.6	11.1	5.71
LG 35.245.0.237:443/User Load					
0	45.2	75	50	45.8	23.3
LG 35.245.0.237:443/Thread Count					
39	114.5	152	122	115.5	26.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.0.237:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.0.237:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.245.0.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.0.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.0.237:443/Controller Connection/Ping Duration (ms)					
97	151.7	198	157	152	40.7
LG 35.245.0.237:443/Network/Segments sent/sec.					
2.4	549.3	1,211	569.1	551.9	249.2
LG 35.245.0.237:443/Network/Segments retransmitted/sec.					
0	4.48	12.4	4.51	4.37	3.43
LG 35.245.0.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.5	26.8	12.1	11.5	5.91
LG 35.245.0.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.09	8.16	1.01	1.04	0.751

LG 35.245.100.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.100.133:443/CPU Load					
0	5.03	23	5	4.66	3.65
LG 35.245.100.133:443/Memory Used					
1	16.3	38	14	15.9	8.01
LG 35.245.100.133:443/Throughput					
0	10.95	28.9	10.92	10.88	5.68
LG 35.245.100.133:443/User Load					
0	41.7	75	43	41.9	22.3
LG 35.245.100.133:443/Thread Count					
38	110	148	110	110.7	25.8
LG 35.245.100.133:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.245.100.133:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.100.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.100.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.100.133:443/Controller Connection/Ping Duration (ms)					
98	118.1	157	118	117.3	12.6
LG 35.245.100.133:443/Network/Segments sent/sec.					
1.62	543.4	1,254	540.6	543.8	248.3
LG 35.245.100.133:443/Network/Segments retransmitted/sec.					
0	4.22	16	4	4.01	3.66
LG 35.245.100.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.4	29.7	11.4	11.3	5.88
LG 35.245.100.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	7.56	1.06	1.05	0.722

LG 35.245.105.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.105.142:443/CPU Load					
0	4.65	29	4	4.3	3.52
LG 35.245.105.142:443/Memory Used					
3	15.7	38	14	15.3	7.48
LG 35.245.105.142:443/Throughput					
0	11.1	28.3	10.75	10.94	6.03
LG 35.245.105.142:443/User Load					
0	41.9	75	44	42.2	22.5
LG 35.245.105.142:443/Thread Count					
39	110.2	147	113	110.8	25.8
LG 35.245.105.142:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.105.142:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 35.245.105.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.105.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.105.142:443/Controller Connection/Ping Duration (ms)					
97	158.7	201	161	159.7	37.1
LG 35.245.105.142:443/Network/Segments sent/sec.					
3.4	552	1,361	545.7	547.7	270
LG 35.245.105.142:443/Network/Segments retransmitted/sec.					
0	4.25	13.2	4.2	4.1	3.49
LG 35.245.105.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	11.5	29.4	11.2	11.4	6.25
LG 35.245.105.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.13	9.93	1.05	1.06	0.863

LG 35.245.121.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.121.224:443/CPU Load					
0	4.52	27	4	4.18	3.44
LG 35.245.121.224:443/Memory Used					
3	13.2	31	12	12.9	5.74
LG 35.245.121.224:443/Throughput					
0	10.69	27.6	10.7	10.58	5.7
LG 35.245.121.224:443/User Load					
0	41.6	75	43	41.9	22.6
LG 35.245.121.224:443/Thread Count					
39	110.2	145	116	111	24.4
LG 35.245.121.224:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.121.224:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.245.121.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.121.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.121.224:443/Controller Connection/Ping Duration (ms)					
86	110.2	157	111	109.4	12.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.121.224:443/Network/Segments sent/sec.					
1.62	532.3	1,338	526.5	529.5	254
LG 35.245.121.224:443/Network/Segments retransmitted/sec.					
0	4.03	11.9	3.85	3.88	3.31
LG 35.245.121.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.1	28.7	11.2	10.99	5.91
LG 35.245.121.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	7.09	1	1.02	0.698

LG 35.245.126.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.126.64:443/CPU Load					
0	4.76	31	4	4.45	3.37
LG 35.245.126.64:443/Memory Used					
1	15.8	38	14	15.5	7.27
LG 35.245.126.64:443/Throughput					
0	11.4	31.6	11.3	11.3	5.59
LG 35.245.126.64:443/User Load					
0	41.8	75	43	42	22.5
LG 35.245.126.64:443/Thread Count					
38	110.6	151	109	111.1	25.8
LG 35.245.126.64:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.126.64:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.245.126.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.126.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.126.64:443/Controller Connection/Ping Duration (ms)					
88	118	179	118	116.4	18.1
LG 35.245.126.64:443/Network/Segments sent/sec.					
1.8	566.3	1,376	575.5	566.2	251.3
LG 35.245.126.64:443/Network/Segments retransmitted/sec.					
0	4.08	13.1	4	3.91	3.38
LG 35.245.126.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	32.7	11.8	11.8	5.8
LG 35.245.126.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	8.8	1.03	1.06	0.738

LG 35.245.128.178:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.128.178:443/CPU Load					
0	4.81	24	4	4.47	3.46
LG 35.245.128.178:443/Memory Used					
2	16	38	14	15.6	7.88
LG 35.245.128.178:443/Throughput					
0	11.5	27.3	11.6	11.5	5.74
LG 35.245.128.178:443/User Load					
0	41.7	75	43	41.9	22.6
LG 35.245.128.178:443/Thread Count					
38	109.7	148	112	110.4	26.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.128.178:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.245.128.178:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.007
LG 35.245.128.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.128.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.128.178:443/Controller Connection/Ping Duration (ms)					
99	150.4	197	155	150.5	39.7
LG 35.245.128.178:443/Network/Segments sent/sec.					
1.8	576.6	1,247	580.9	578.8	257.4
LG 35.245.128.178:443/Network/Segments retransmitted/sec.					
0	4.31	13.4	3.9	4.14	3.64
LG 35.245.128.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12	28.5	12.1	11.9	5.95
LG 35.245.128.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.17	9.37	1.07	1.08	0.953

LG 35.245.140.249:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.140.249:443/CPU Load					
0	4.86	34	4	4.48	3.84
LG 35.245.140.249:443/Memory Used					
3	16.2	37	15	15.8	7.59
LG 35.245.140.249:443/Throughput					
0	10.71	29.6	10.52	10.58	5.89
LG 35.245.140.249:443/User Load					
0	42	75	44	42.2	22.4
LG 35.245.140.249:443/Thread Count					
39	110.6	147	115	111.4	25.7
LG 35.245.140.249:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.140.249:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.245.140.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.140.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.140.249:443/Controller Connection/Ping Duration (ms)					
90	113.6	158	117	112.5	14.3
LG 35.245.140.249:443/Network/Segments sent/sec.					
2.4	533.5	1,315	527	530.1	263.1
LG 35.245.140.249:443/Network/Segments retransmitted/sec.					
0	4.06	14	3.8	3.87	3.49
LG 35.245.140.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.1	30.7	10.97	10.99	6.1
LG 35.245.140.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.07	11.9	0.985	1	0.863

LG 35.245.141.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.141.133:443/CPU Load					
0	4.66	22	4	4.34	3.29
LG 35.245.141.133:443/Memory Used					
2	16.6	38	15	16.2	8.17
LG 35.245.141.133:443/Throughput					
0	11.1	28.8	11.2	11.1	5.45
LG 35.245.141.133:443/User Load					
0	41.8	75	43	42	22.2
LG 35.245.141.133:443/Thread Count					
38	110.4	148	110	111.1	26.3
LG 35.245.141.133:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.141.133:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.245.141.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.141.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.141.133:443/Controller Connection/Ping Duration (ms)					
138	176.1	517	157	163.7	69.1
LG 35.245.141.133:443/Network/Segments sent/sec.					
1.6	552	1,318	565.6	553.9	246.4
LG 35.245.141.133:443/Network/Segments retransmitted/sec.					
0	4.06	12.4	4.19	3.92	3.32
LG 35.245.141.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	29.9	11.6	11.5	5.64
LG 35.245.141.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.09	11.5	1.05	1.03	0.83

LG 35.245.144.149:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.144.149:443/CPU Load					
0	5.07	23	4	4.74	3.6
LG 35.245.144.149:443/Memory Used					
2	15.1	36	14	14.8	6.9
LG 35.245.144.149:443/Throughput					
0	11.8	28.7	11.5	11.7	6.25
LG 35.245.144.149:443/User Load					
0	45.3	75	50	45.9	23.3
LG 35.245.144.149:443/Thread Count					
38	114.1	151	120	115	26.5
LG 35.245.144.149:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.144.149:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.245.144.149:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.144.149:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.144.149:443/Controller Connection/Ping Duration (ms)					
90	116.6	148	120	116.6	12.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.144.149:443/Network/Segments sent/sec.					
1.6	587.4	1,381	586.1	584	282.1
LG 35.245.144.149:443/Network/Segments retransmitted/sec.					
0	4.98	14.6	5	4.83	3.93
LG 35.245.144.149:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	12.3	29.9	11.9	12.1	6.48
LG 35.245.144.149:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.19	12.4	1.11	1.12	0.927

LG 35.245.151.213:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.151.213:443/CPU Load					
0	4.83	19	4	4.56	3.3
LG 35.245.151.213:443/Memory Used					
2	15.5	38	14	15.1	7.32
LG 35.245.151.213:443/Throughput					
0	11.1	30.3	10.68	10.98	6.07
LG 35.245.151.213:443/User Load					
0	41.9	75	43	42.2	22.3
LG 35.245.151.213:443/Thread Count					
39	111.8	152	110	112.4	26.4
LG 35.245.151.213:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.151.213:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.151.213:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.151.213:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.151.213:443/Controller Connection/Ping Duration (ms)					
89	108.4	130	113	108.5	9.49
LG 35.245.151.213:443/Network/Segments sent/sec.					
2	552.6	1,389	554.1	549.7	270.1
LG 35.245.151.213:443/Network/Segments retransmitted/sec.					
0	4.24	12.4	4.01	4.08	3.55
LG 35.245.151.213:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	31.4	11.1	11.4	6.28
LG 35.245.151.213:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	7.44	1.04	1.05	0.703

LG 35.245.152.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.152.215:443/CPU Load					
0	4.84	32	4	4.53	3.43
LG 35.245.152.215:443/Memory Used					
3	16.3	39	14	15.9	7.46
LG 35.245.152.215:443/Throughput					
0	11.6	28.8	11.8	11.6	5.97
LG 35.245.152.215:443/User Load					
0	45.3	75	50	45.9	23.4
LG 35.245.152.215:443/Thread Count					
38	115.4	153	119	116.2	28

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.152.215:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.152.215:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.245.152.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.152.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.152.215:443/Controller Connection/Ping Duration (ms)					
98	154.9	203	155	155.4	37.9
LG 35.245.152.215:443/Network/Segments sent/sec.					
2.2	579.3	1,200	597.6	581.9	258.9
LG 35.245.152.215:443/Network/Segments retransmitted/sec.					
0	4.83	13.4	5.39	4.71	3.68
LG 35.245.152.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12.1	29.7	12.3	12.1	6.18
LG 35.245.152.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.15	8.59	1.07	1.09	0.784

LG 35.245.17.118:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.17.118:443/CPU Load					
0	4.21	22	4	3.94	2.97
LG 35.245.17.118:443/Memory Used					
2	19	37	18	19	7.23
LG 35.245.17.118:443/Throughput					
0	10.81	29.6	10.74	10.65	5.99
LG 35.245.17.118:443/User Load					
0	41.8	75	43	42	22.5
LG 35.245.17.118:443/Thread Count					
39	110.7	147	110	111.3	25.4
LG 35.245.17.118:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.245.17.118:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.17.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.17.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.17.118:443/Controller Connection/Ping Duration (ms)					
90	183.2	203	196	186.8	30.1
LG 35.245.17.118:443/Network/Segments sent/sec.					
1.59	538.7	1,341	537.3	536	265.4
LG 35.245.17.118:443/Network/Segments retransmitted/sec.					
0	4.21	12.6	3.6	4.04	3.6
LG 35.245.17.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.2	30.5	11.1	11.1	6.2
LG 35.245.17.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	7.65	1.02	1.02	0.674

LG 35.245.17.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.17.42:443/CPU Load					
0	4.59	31	4	4.24	3.39
LG 35.245.17.42:443/Memory Used					
2	16	36	14	15.6	7.84
LG 35.245.17.42:443/Throughput					
0	11.3	30.9	11.3	11.2	5.73
LG 35.245.17.42:443/User Load					
0	42.2	75	44	42.5	22.2
LG 35.245.17.42:443/Thread Count					
38	110.2	147	111	110.9	24.5
LG 35.245.17.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.17.42:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.245.17.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.17.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.17.42:443/Controller Connection/Ping Duration (ms)					
113	185.7	201	195	188.1	21.3
LG 35.245.17.42:443/Network/Segments sent/sec.					
1.6	560.5	1,363	564.1	561.7	253.1
LG 35.245.17.42:443/Network/Segments retransmitted/sec.					
0	4.26	12.2	4.3	4.11	3.42
LG 35.245.17.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.7	32.1	11.7	11.7	5.93
LG 35.245.17.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	9.02	1.07	1.06	0.717

LG 35.245.173.139:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.173.139:443/CPU Load					
0	4.16	25	3	3.78	3.35
LG 35.245.173.139:443/Memory Used					
2	15.4	37	14	15.1	6.67
LG 35.245.173.139:443/Throughput					
0	10.92	33.3	10.2	10.78	5.88
LG 35.245.173.139:443/User Load					
0	41.8	75	44	42.1	22.4
LG 35.245.173.139:443/Thread Count					
38	110.1	148	113	110.6	25.8
LG 35.245.173.139:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.245.173.139:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.245.173.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.173.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.173.139:443/Controller Connection/Ping Duration (ms)					
88	121.3	196	116	119.4	26.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.173.139:443/Network/Segments sent/sec.					
1.6	542.6	1,434	526.5	538.6	263.1
LG 35.245.173.139:443/Network/Segments retransmitted/sec.					
0	4.17	12.6	4	4.02	3.46
LG 35.245.173.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.3	34.4	10.6	11.2	6.09
LG 35.245.173.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	9.69	1.04	1.04	0.827

LG 35.245.176.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.176.166:443/CPU Load					
0	5.25	30	5	4.87	3.86
LG 35.245.176.166:443/Memory Used					
1	17.1	40	16	16.8	7.8
LG 35.245.176.166:443/Throughput					
0	10.86	29.5	10.94	10.71	5.94
LG 35.245.176.166:443/User Load					
0	41.9	75	43	42.2	22.3
LG 35.245.176.166:443/Thread Count					
38	110.3	148	111	110.9	25.8
LG 35.245.176.166:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.176.166:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.245.176.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.176.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.176.166:443/Controller Connection/Ping Duration (ms)					
99	148	197	156	147.9	38.6
LG 35.245.176.166:443/Network/Segments sent/sec.					
1.6	538.5	1,239	545	535.6	257.4
LG 35.245.176.166:443/Network/Segments retransmitted/sec.					
0	4.11	12.4	4	3.95	3.4
LG 35.245.176.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.3	30.5	11.3	11.1	6.15
LG 35.245.176.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.09	11	1.03	1.03	0.798

LG 35.245.176.32:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.176.32:443/CPU Load					
0	4.78	29	4	4.45	3.53
LG 35.245.176.32:443/Memory Used					
2	16.6	38	15	16.2	7.91
LG 35.245.176.32:443/Throughput					
0	11.3	28.5	11.3	11.2	5.97
LG 35.245.176.32:443/User Load					
0	41.9	75	43.5	42.1	22.4
LG 35.245.176.32:443/Thread Count					
38	110.9	150	112	111.5	26

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.176.32:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.176.32:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 35.245.176.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.176.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.176.32:443/Controller Connection/Ping Duration (ms)					
93	117	182	120	115.6	15.7
LG 35.245.176.32:443/Network/Segments sent/sec.					
2	562.7	1,295	576.3	561.4	261.9
LG 35.245.176.32:443/Network/Segments retransmitted/sec.					
0	4.23	12.7	3.86	4.07	3.48
LG 35.245.176.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	29.3	11.7	11.6	6.18
LG 35.245.176.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	7.04	1.06	1.06	0.696

LG 35.245.18.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.18.168:443/CPU Load					
0	4.93	23	4	4.65	3.35
LG 35.245.18.168:443/Memory Used					
2	16.3	38	15	16	7.63
LG 35.245.18.168:443/Throughput					
0	11.4	28.1	11.6	11.3	5.73
LG 35.245.18.168:443/User Load					
0	41.8	75	43	42	22.6
LG 35.245.18.168:443/Thread Count					
38	111	150	113	111.6	26.4
LG 35.245.18.168:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.18.168:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.245.18.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.18.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.18.168:443/Controller Connection/Ping Duration (ms)					
88	114.8	158	115	113.6	18.5
LG 35.245.18.168:443/Network/Segments sent/sec.					
2.4	565.9	1,295	567.3	565.4	257.2
LG 35.245.18.168:443/Network/Segments retransmitted/sec.					
0	4.19	13	4	4.04	3.42
LG 35.245.18.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	29	12	11.7	5.93
LG 35.245.18.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	1.13	11.5	1.07	1.07	0.811

LG 35.245.183.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.183.42:443/CPU Load					
0	4.77	26	4	4.41	3.57
LG 35.245.183.42:443/Memory Used					
3	15.6	37	14	15.2	6.89
LG 35.245.183.42:443/Throughput					
0	11	28.6	11.1	10.97	5.8
LG 35.245.183.42:443/User Load					
0	44.3	75	50	44.8	23.1
LG 35.245.183.42:443/Thread Count					
38	112.7	149	120	113.6	26.1
LG 35.245.183.42:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.183.42:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 35.245.183.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.183.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.183.42:443/Controller Connection/Ping Duration (ms)					
89	118	169	119	116.7	16.5
LG 35.245.183.42:443/Network/Segments sent/sec.					
1.6	547.5	1,298	557.5	546.4	257.2
LG 35.245.183.42:443/Network/Segments retransmitted/sec.					
0	4.47	12.8	4.6	4.34	3.44
LG 35.245.183.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	29.5	11.5	11.4	6.01
LG 35.245.183.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	10.86	1.06	1.04	0.792

LG 35.245.184.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.184.9:443/CPU Load					
0	4.81	27	4	4.45	3.58
LG 35.245.184.9:443/Memory Used					
2	15.9	39	15	15.6	7.86
LG 35.245.184.9:443/Throughput					
0	10.87	34	10.9	10.76	5.86
LG 35.245.184.9:443/User Load					
0	41.9	75	43	42.2	22.3
LG 35.245.184.9:443/Thread Count					
38	109.4	147	109	110.1	25.9
LG 35.245.184.9:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.184.9:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.184.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.184.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.184.9:443/Controller Connection/Ping Duration (ms)					
102	123.7	201	117	120.4	25.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.184.9:443/Network/Segments sent/sec.					
1.6	540.4	1,553	554.9	538.2	261.3
LG 35.245.184.9:443/Network/Segments retransmitted/sec.					
0	4.13	13.2	4.35	4.01	3.32
LG 35.245.184.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.3	35.1	11.3	11.2	6.07
LG 35.245.184.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	7.88	1.08	1.03	0.708

LG 35.245.188.150:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.188.150:443/CPU Load					
0	4.53	31	4	4.15	3.61
LG 35.245.188.150:443/Memory Used					
2	16.6	38	16	16.3	7.38
LG 35.245.188.150:443/Throughput					
0	10.56	35	10.37	10.44	5.74
LG 35.245.188.150:443/User Load					
0	44	75	50	44.4	22.9
LG 35.245.188.150:443/Thread Count					
38	112.6	147	117	113.5	25.6
LG 35.245.188.150:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.188.150:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.245.188.150:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.188.150:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.188.150:443/Controller Connection/Ping Duration (ms)					
98	149.7	204	155	149.4	40.9
LG 35.245.188.150:443/Network/Segments sent/sec.					
3	524.3	1,372	517.7	521.2	255.2
LG 35.245.188.150:443/Network/Segments retransmitted/sec.					
0	4.4	14.3	4.58	4.22	3.69
LG 35.245.188.150:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	10.97	36.2	10.79	10.84	5.94
LG 35.245.188.150:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.06	16.7	1.02	0.999	1.02

LG 35.245.194.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.194.146:443/CPU Load					
0	5.21	33	5	4.85	3.81
LG 35.245.194.146:443/Memory Used					
2	17.4	40	16	17	8.18
LG 35.245.194.146:443/Throughput					
0	11.3	26.5	11.8	11.3	5.81
LG 35.245.194.146:443/User Load					
0	41.6	75	43	41.8	22.5
LG 35.245.194.146:443/Thread Count					
39	110.4	153	110	110.9	26.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.194.146:443/Http client/Thread Pool used					
0.1	0.1	0.125	0.1	0.1	0.003
LG 35.245.194.146:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.245.194.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.194.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.194.146:443/Controller Connection/Ping Duration (ms)					
86	115	193	114	112.9	23.3
LG 35.245.194.146:443/Network/Segments sent/sec.					
2.38	565.5	1,228	599	567.2	255.6
LG 35.245.194.146:443/Network/Segments retransmitted/sec.					
0	4.26	12.5	4.39	4.13	3.43
LG 35.245.194.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	27.6	12.3	11.7	6.01
LG 35.245.194.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	6.94	1.09	1.05	0.739

LG 35.245.203.69:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.203.69:443/CPU Load					
0	4.55	16	4	4.25	3.2
LG 35.245.203.69:443/Memory Used					
2	16.2	38	14.5	15.8	7.92
LG 35.245.203.69:443/Throughput					
0	10.61	27.6	10.78	10.49	5.7
LG 35.245.203.69:443/User Load					
0	41.9	75	43	42.1	22.4
LG 35.245.203.69:443/Thread Count					
38	109.5	148	111.5	110.1	25.6
LG 35.245.203.69:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.203.69:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.245.203.69:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.203.69:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.203.69:443/Controller Connection/Ping Duration (ms)					
117	184.1	203	200	186.7	27.1
LG 35.245.203.69:443/Network/Segments sent/sec.					
1.6	529.9	1,274	540.4	526.5	255.3
LG 35.245.203.69:443/Network/Segments retransmitted/sec.					
0	4.11	15.2	4	3.91	3.57
LG 35.245.203.69:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11	28.8	11.2	10.9	5.9
LG 35.245.203.69:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	6.24	0.991	1	0.745

LG 35.245.211.57:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.211.57:443/CPU Load					
0	5.31	35	5	4.98	3.72
LG 35.245.211.57:443/Memory Used					
3	16.9	39	15	16.6	7.95
LG 35.245.211.57:443/Throughput					
0	10.8	27.4	10.79	10.74	5.49
LG 35.245.211.57:443/User Load					
0	41.5	75	42	41.8	22.4
LG 35.245.211.57:443/Thread Count					
38	109.6	151	112	110.2	26.8
LG 35.245.211.57:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.211.57:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.245.211.57:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.211.57:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.211.57:443/Controller Connection/Ping Duration (ms)					
89	120	195	117	118.2	23.2
LG 35.245.211.57:443/Network/Segments sent/sec.					
1.6	535.6	1,150	535.3	535.4	242.6
LG 35.245.211.57:443/Network/Segments retransmitted/sec.					
0	4.07	11.8	3.8	3.92	3.43
LG 35.245.211.57:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.2	28.4	11.2	11.2	5.68
LG 35.245.211.57:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.09	6.76	1.04	1.04	0.706

LG 35.245.214.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.214.48:443/CPU Load					
0	5.15	37	4	4.76	3.99
LG 35.245.214.48:443/Memory Used					
1	16.7	39	15	16.3	8.01
LG 35.245.214.48:443/Throughput					
0	11.1	35.8	10.89	10.95	6.1
LG 35.245.214.48:443/User Load					
0	42.3	75	44	42.5	22.3
LG 35.245.214.48:443/Thread Count					
38	110.9	147	113	111.6	24.8
LG 35.245.214.48:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.214.48:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.006
LG 35.245.214.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.214.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.214.48:443/Controller Connection/Ping Duration (ms)					
87	138.6	200	150	137.9	34.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.214.48:443/Network/Segments sent/sec.					
2	553	1,533	552.9	548.6	270.8
LG 35.245.214.48:443/Network/Segments retransmitted/sec.					
0	4.33	14.4	4.6	4.17	3.54
LG 35.245.214.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	37.2	11.3	11.4	6.33
LG 35.245.214.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	8.68	1.04	1.03	0.725

LG 35.245.215.107:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.215.107:443/CPU Load					
0	5.02	26	4	4.63	3.81
LG 35.245.215.107:443/Memory Used					
2	16	38	14	15.6	7.78
LG 35.245.215.107:443/Throughput					
0	11.2	31.6	11.1	11	5.96
LG 35.245.215.107:443/User Load					
0	44.1	75	50	44.6	23.1
LG 35.245.215.107:443/Thread Count					
38	113.1	150	119	114	27.1
LG 35.245.215.107:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.215.107:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.245.215.107:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.215.107:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.215.107:443/Controller Connection/Ping Duration (ms)					
89	116	197	117	112.9	23.9
LG 35.245.215.107:443/Network/Segments sent/sec.					
2.2	554.1	1,461	555.4	551.1	263
LG 35.245.215.107:443/Network/Segments retransmitted/sec.					
0	4.67	13.2	5.2	4.55	3.63
LG 35.245.215.107:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	32.7	11.6	11.5	6.18
LG 35.245.215.107:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	1.11	5.74	1.05	1.06	0.693

LG 35.245.216.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.216.76:443/CPU Load					
0	4.68	23	4	4.31	3.53
LG 35.245.216.76:443/Memory Used					
1	16.3	39	14	15.9	7.9
LG 35.245.216.76:443/Throughput					
0	10.91	29.9	10.86	10.83	5.79
LG 35.245.216.76:443/User Load					
0	41.8	75	44	42.1	22.7
LG 35.245.216.76:443/Thread Count					
38	109.3	146	112	109.8	24.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.216.76:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.216.76:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.216.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.216.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.216.76:443/Controller Connection/Ping Duration (ms)					
92	116.7	197	119	114.4	18.3
LG 35.245.216.76:443/Network/Segments sent/sec.					
2.4	541.7	1,292	551.2	541.1	252.6
LG 35.245.216.76:443/Network/Segments retransmitted/sec.					
0	4.31	13.6	4.21	4.14	3.58
LG 35.245.216.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.3	31.1	11.2	11.2	5.98
LG 35.245.216.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.1	6.66	1.04	1.05	0.715

LG 35.245.227.148:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.227.148:443/CPU Load					
0	4.63	29	4	4.27	3.44
LG 35.245.227.148:443/Memory Used					
3	15.9	36	14	15.6	7.1
LG 35.245.227.148:443/Throughput					
0	11.1	27.7	11.2	11.1	5.6
LG 35.245.227.148:443/User Load					
0	44.3	75	50	44.8	23.1
LG 35.245.227.148:443/Thread Count					
39	113.2	148	119	114.1	26
LG 35.245.227.148:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.227.148:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.245.227.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.227.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.227.148:443/Controller Connection/Ping Duration (ms)					
88	120.6	160	121	120.4	12.9
LG 35.245.227.148:443/Network/Segments sent/sec.					
1.8	556.3	1,229	575.6	558	248.5
LG 35.245.227.148:443/Network/Segments retransmitted/sec.					
0	4.57	13.1	4.6	4.43	3.62
LG 35.245.227.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	28.8	11.6	11.6	5.8
LG 35.245.227.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.09	6.48	1.07	1.05	0.647

LG 35.245.227.8:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.227.8:443/CPU Load					
0	3.99	20	3	3.71	2.91
LG 35.245.227.8:443/Memory Used					
1	15.3	38	13	14.9	7.4
LG 35.245.227.8:443/Throughput					
0	11.7	29.4	11.7	11.6	5.98
LG 35.245.227.8:443/User Load					
0	44.5	75	50	45	22.8
LG 35.245.227.8:443/Thread Count					
38	113.5	148	119	114.6	26.3
LG 35.245.227.8:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.245.227.8:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.227.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.227.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.227.8:443/Controller Connection/Ping Duration (ms)					
88	114.1	196	115	110.9	25.5
LG 35.245.227.8:443/Network/Segments sent/sec.					
2	588.2	1,318	593.4	587.3	274.6
LG 35.245.227.8:443/Network/Segments retransmitted/sec.					
0	4.9	14.6	4.6	4.72	3.93
LG 35.245.227.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12.2	30.6	12.2	12.1	6.21
LG 35.245.227.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.16	9.42	1.13	1.12	0.791

LG 35.245.233.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.233.108:443/CPU Load					
0	4.85	32	4	4.47	3.73
LG 35.245.233.108:443/Memory Used					
2	16.8	37	15	16.5	7.83
LG 35.245.233.108:443/Throughput					
0	10.43	31.4	9.9	10.2	5.93
LG 35.245.233.108:443/User Load					
0	42	75	43	42.2	22.2
LG 35.245.233.108:443/Thread Count					
38	111	152	108.5	111.6	27.1
LG 35.245.233.108:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.245.233.108:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.245.233.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.233.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.233.108:443/Controller Connection/Ping Duration (ms)					
87	126.1	163	118	126.2	23.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.233.108:443/Network/Segments sent/sec.					
1.6	521.8	1,353	512.4	516.4	261.4
LG 35.245.233.108:443/Network/Segments retransmitted/sec.					
0	4.21	13.8	4	4.04	3.55
LG 35.245.233.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	10.83	32.7	10.25	10.6	6.15
LG 35.245.233.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	1.1	12	1	0.998	1.02

LG 35.245.236.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.236.21:443/CPU Load					
0	4.93	33	4	4.58	3.68
LG 35.245.236.21:443/Memory Used					
2	15.4	37	14	15.1	7.42
LG 35.245.236.21:443/Throughput					
0	11.1	36	10.75	10.98	6.08
LG 35.245.236.21:443/User Load					
0	41.8	75	43	42.1	22.4
LG 35.245.236.21:443/Thread Count					
38	109.5	146	111	110.3	26.1
LG 35.245.236.21:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.236.21:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.245.236.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.236.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.236.21:443/Controller Connection/Ping Duration (ms)					
98	148.9	201	154	148.7	40.6
LG 35.245.236.21:443/Network/Segments sent/sec.					
2.2	551.4	1,757	548.1	547.6	270.3
LG 35.245.236.21:443/Network/Segments retransmitted/sec.					
0	4.28	14	4.43	4.11	3.46
LG 35.245.236.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	37	11.2	11.4	6.29
LG 35.245.236.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.12	13.7	1.04	1.04	0.95

LG 35.245.247.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.247.84:443/CPU Load					
0	4.68	27	4	4.33	3.46
LG 35.245.247.84:443/Memory Used					
2	16.7	40	15	16.3	7.86
LG 35.245.247.84:443/Throughput					
0	11.1	28.6	11	11	5.81
LG 35.245.247.84:443/User Load					
0	43.8	75	50	44.3	22.9
LG 35.245.247.84:443/Thread Count					
38	113.3	148	120	114.3	25.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.247.84:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.247.84:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.245.247.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.247.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.247.84:443/Controller Connection/Ping Duration (ms)					
91	124.2	160	123	124	14.4
LG 35.245.247.84:443/Network/Segments sent/sec.					
1.6	551.3	1,312	571	551.1	255.2
LG 35.245.247.84:443/Network/Segments retransmitted/sec.					
0	4.42	13	4.4	4.31	3.44
LG 35.245.247.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	29.8	11.4	11.4	6.01
LG 35.245.247.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.12	7.05	1.07	1.05	0.772

LG 35.245.255.226:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.255.226:443/CPU Load					
0	4.84	29	4	4.5	3.59
LG 35.245.255.226:443/Memory Used					
2	16.2	39	14	15.8	7.88
LG 35.245.255.226:443/Throughput					
0	11.2	31.4	10.92	11.1	6.22
LG 35.245.255.226:443/User Load					
0	41.7	75	43.5	42	22.8
LG 35.245.255.226:443/Thread Count					
38	109.6	148	111	110.2	25
LG 35.245.255.226:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.255.226:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.245.255.226:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.255.226:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.255.226:443/Controller Connection/Ping Duration (ms)					
99	152.3	201	157	152.5	36.3
LG 35.245.255.226:443/Network/Segments sent/sec.					
1.6	556.5	1,395	561.5	552.2	272.4
LG 35.245.255.226:443/Network/Segments retransmitted/sec.					
0	4.34	13	4.4	4.19	3.54
LG 35.245.255.226:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.6	32.6	11.4	11.5	6.44
LG 35.245.255.226:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	6	1.06	1.06	0.661

LG 35.245.26.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.26.165:443/CPU Load					
0	5.02	21	4	4.77	3.39
LG 35.245.26.165:443/Memory Used					
1	16.5	39	15	16.2	8.23
LG 35.245.26.165:443/Throughput					
0	11.6	29	11.2	11.5	6.1
LG 35.245.26.165:443/User Load					
0	42.1	75	43.5	42.3	22.4
LG 35.245.26.165:443/Thread Count					
38	110.3	147	111	111	25.8
LG 35.245.26.165:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.26.165:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.245.26.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.26.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.26.165:443/Controller Connection/Ping Duration (ms)					
92	136.9	200	124	135.5	28.5
LG 35.245.26.165:443/Network/Segments sent/sec.					
2.2	574.2	1,363	579.4	573.6	266.1
LG 35.245.26.165:443/Network/Segments retransmitted/sec.					
0	4.26	12.6	3.9	4.11	3.42
LG 35.245.26.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12	29.6	11.6	11.9	6.3
LG 35.245.26.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	14.1	1.08	1.09	0.899

LG 35.245.29.125:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.29.125:443/CPU Load					
0	5.01	34	4	4.69	3.64
LG 35.245.29.125:443/Memory Used					
1	14.1	34	12	13.8	6.35
LG 35.245.29.125:443/Throughput					
0	11.2	31.3	10.79	11	5.86
LG 35.245.29.125:443/User Load					
0	41.6	75	43.5	41.8	22.8
LG 35.245.29.125:443/Thread Count					
38	110.5	148	115.5	111.2	26.2
LG 35.245.29.125:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.29.125:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.245.29.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.29.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.29.125:443/Controller Connection/Ping Duration (ms)					
88	113.7	160	116	112.5	17.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.29.125:443/Network/Segments sent/sec.					
2.2	556.1	1,381	554.1	554.1	263
LG 35.245.29.125:443/Network/Segments retransmitted/sec.					
0	4.33	12.8	4.4	4.17	3.47
LG 35.245.29.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.6	32.5	11.3	11.5	6.07
LG 35.245.29.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	10.86	1.05	1.06	0.773

LG 35.245.44.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.44.22:443/CPU Load					
0	4.98	33	4	4.64	3.71
LG 35.245.44.22:443/Memory Used					
3	16.6	37	15	16.2	7.91
LG 35.245.44.22:443/Throughput					
0	11.1	30.3	11.3	11	5.94
LG 35.245.44.22:443/User Load					
0	41.9	75	43	42.2	22.4
LG 35.245.44.22:443/Thread Count					
38	109.6	148	112	110.4	25.4
LG 35.245.44.22:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.44.22:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.245.44.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.44.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.44.22:443/Controller Connection/Ping Duration (ms)					
90	127	196	118	124.9	27.5
LG 35.245.44.22:443/Network/Segments sent/sec.					
1.6	551	1,319	560.6	549.3	266.8
LG 35.245.44.22:443/Network/Segments retransmitted/sec.					
0	4.16	13.2	4.24	4	3.47
LG 35.245.44.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	31.6	11.7	11.4	6.15
LG 35.245.44.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	10.65	1.04	1.05	0.787

LG 35.245.54.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.54.0:443/CPU Load					
0	4.92	33	4	4.49	3.93
LG 35.245.54.0:443/Memory Used					
2	17.7	39	17	17.5	7.54
LG 35.245.54.0:443/Throughput					
0	10.84	27.2	11	10.81	5.52
LG 35.245.54.0:443/User Load					
0	44.1	75	50	44.6	23
LG 35.245.54.0:443/Thread Count					
38	112.4	147	119	113.4	25.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.54.0:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.54.0:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.245.54.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.54.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.54.0:443/Controller Connection/Ping Duration (ms)					
89	111.8	163	116	110.4	17.7
LG 35.245.54.0:443/Network/Segments sent/sec.					
2.4	540.6	1,292	545.8	541.9	244.8
LG 35.245.54.0:443/Network/Segments retransmitted/sec.					
0	4.54	13	5	4.39	3.5
LG 35.245.54.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.3	28.2	11.5	11.2	5.72
LG 35.245.54.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	1.08	6.51	1.02	1.04	0.651

LG 35.245.55.228:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.55.228:443/CPU Load					
0	5.27	29	4	4.9	3.8
LG 35.245.55.228:443/Memory Used					
2	17	39	15	16.7	8.32
LG 35.245.55.228:443/Throughput					
0	11.1	28.5	11.2	10.93	5.69
LG 35.245.55.228:443/User Load					
0	41.9	75	43	42.1	22.2
LG 35.245.55.228:443/Thread Count					
38	109.1	149	110	109.7	25
LG 35.245.55.228:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.55.228:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 35.245.55.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.55.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.55.228:443/Controller Connection/Ping Duration (ms)					
85	115.2	203	115	112.7	20.5
LG 35.245.55.228:443/Network/Segments sent/sec.					
1.8	550.2	1,303	554.1	547.9	249.8
LG 35.245.55.228:443/Network/Segments retransmitted/sec.					
0	4.19	11.8	3.8	4.02	3.53
LG 35.245.55.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.5	29.5	11.6	11.4	5.89
LG 35.245.55.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.08	11.2	1.02	1.03	0.768

LG 35.245.63.50:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.63.50:443/CPU Load					
0	4.5	24	4	4.16	3.35
LG 35.245.63.50:443/Memory Used					
3	16.7	38	15	16.4	7.84
LG 35.245.63.50:443/Throughput					
0	11	27.8	10.84	10.87	5.84
LG 35.245.63.50:443/User Load					
0	41.6	75	43	41.9	22.7
LG 35.245.63.50:443/Thread Count					
38	108.7	146	109	109.3	25.3
LG 35.245.63.50:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.245.63.50:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 35.245.63.50:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.63.50:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.63.50:443/Controller Connection/Ping Duration (ms)					
87	113.3	202	115	109.9	23.6
LG 35.245.63.50:443/Network/Segments sent/sec.					
1.6	547.2	1,440	548.1	545.3	259.5
LG 35.245.63.50:443/Network/Segments retransmitted/sec.					
0	4.12	11.8	3.8	3.97	3.31
LG 35.245.63.50:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.4	29	11.3	11.3	6.05
LG 35.245.63.50:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.12	12.7	1.04	1.04	0.923

LG 35.245.7.106:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.7.106:443/CPU Load					
0	4.8	23	4	4.46	3.51
LG 35.245.7.106:443/Memory Used					
3	15.2	40	13	14.7	7.32
LG 35.245.7.106:443/Throughput					
0	11.2	32.4	11.4	11.1	5.79
LG 35.245.7.106:443/User Load					
0	45.1	75	50	45.9	23.5
LG 35.245.7.106:443/Thread Count					
38	113.2	146	119	114.3	26.3
LG 35.245.7.106:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.7.106:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.245.7.106:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.7.106:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.7.106:443/Controller Connection/Ping Duration (ms)					
105	182	204	196	184.9	28

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.7.106:443/Network/Segments sent/sec.					
1.6	552.7	1,478	565.2	554.3	253.6
LG 35.245.7.106:443/Network/Segments retransmitted/sec.					
0	4.67	13.1	4.6	4.57	3.6
LG 35.245.7.106:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.6	33.1	11.9	11.6	5.98
LG 35.245.7.106:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.1	11	1.08	1.06	0.752

LG 35.245.74.95:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.74.95:443/CPU Load					
0	4.9	33	4	4.58	3.61
LG 35.245.74.95:443/Memory Used					
2	15.3	35	14	15	7.19
LG 35.245.74.95:443/Throughput					
0	10.71	29.7	10.64	10.59	5.87
LG 35.245.74.95:443/User Load					
0	41.8	75	43	42.1	22.5
LG 35.245.74.95:443/Thread Count					
39	110.6	151	113	111.2	25.6
LG 35.245.74.95:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.245.74.95:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.245.74.95:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.74.95:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.74.95:443/Controller Connection/Ping Duration (ms)					
99	158.5	331	157	154.9	33.5
LG 35.245.74.95:443/Network/Segments sent/sec.					
1.6	529.4	1,340	529.8	526.4	259.3
LG 35.245.74.95:443/Network/Segments retransmitted/sec.					
0	4.19	12.6	3.79	4.03	3.56
LG 35.245.74.95:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.1	30.9	11.1	10.99	6.07
LG 35.245.74.95:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	1.1	12.4	1.01	1.04	0.841

LG 35.245.78.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.78.52:443/CPU Load					
0	5.23	21	5	4.94	3.48
LG 35.245.78.52:443/Memory Used					
2	15.4	37	14	14.9	7.68
LG 35.245.78.52:443/Throughput					
0	11.3	28.7	11.3	11.2	5.78
LG 35.245.78.52:443/User Load					
0	41.6	75	43	41.8	22.5
LG 35.245.78.52:443/Thread Count					
38	109.8	148	110	110.4	25.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.78.52:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.245.78.52:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.011
LG 35.245.78.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.78.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.78.52:443/Controller Connection/Ping Duration (ms)					
98	147.4	205	153	147.1	39.5
LG 35.245.78.52:443/Network/Segments sent/sec.					
1.6	561.5	1,313	570.9	561.7	254.3
LG 35.245.78.52:443/Network/Segments retransmitted/sec.					
0	4.24	13.6	4	4.06	3.52
LG 35.245.78.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.7	29.3	11.7	11.6	5.98
LG 35.245.78.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	1.13	11.6	1.08	1.08	0.83

LG 35.245.79.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.79.19:443/CPU Load					
0	4.7	33	4	4.32	3.65
LG 35.245.79.19:443/Memory Used					
2	12.5	29	11	12.2	5.48
LG 35.245.79.19:443/Throughput					
0	10.66	28.1	10.57	10.59	5.56
LG 35.245.79.19:443/User Load					
0	41.6	75	43	41.9	22.6
LG 35.245.79.19:443/Thread Count					
38	109.6	149	114	110.3	25.5
LG 35.245.79.19:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.79.19:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.245.79.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.79.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.79.19:443/Controller Connection/Ping Duration (ms)					
102	178.9	199	197	181.4	26
LG 35.245.79.19:443/Network/Segments sent/sec.					
1.6	530.1	1,257	538.8	531.1	243.6
LG 35.245.79.19:443/Network/Segments retransmitted/sec.					
0	4.18	13.3	4.4	4.05	3.26
LG 35.245.79.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.1	29.3	11	11	5.76
LG 35.245.79.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.06	7.06	1.02	1.02	0.682

LG 35.245.80.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.80.84:443/CPU Load					
0	4.86	28	4	4.53	3.61
LG 35.245.80.84:443/Memory Used					
3	15.3	38	13	14.9	7.46
LG 35.245.80.84:443/Throughput					
0	11.5	31.2	12	11.5	5.94
LG 35.245.80.84:443/User Load					
0	45.2	75	50	45.9	23.3
LG 35.245.80.84:443/Thread Count					
39	114.6	151	118	115.7	27.3
LG 35.245.80.84:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.245.80.84:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.245.80.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.80.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.80.84:443/Controller Connection/Ping Duration (ms)					
121	159.3	263	156	156.6	23.3
LG 35.245.80.84:443/Network/Segments sent/sec.					
2	571.4	1,400	590.8	570.7	269.2
LG 35.245.80.84:443/Network/Segments retransmitted/sec.					
0	4.75	14.2	5.4	4.67	3.53
LG 35.245.80.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	12	32.5	12.5	11.9	6.15
LG 35.245.80.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.13	8.64	1.09	1.08	0.779

LG 35.245.82.0:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.82.0:443/CPU Load					
0	4.74	25	4	4.37	3.55
LG 35.245.82.0:443/Memory Used					
2	13.9	33	13	13.6	6.09
LG 35.245.82.0:443/Throughput					
0	11.3	31.3	11.1	11.2	6.12
LG 35.245.82.0:443/User Load					
0	41.7	75	42.5	41.9	22.4
LG 35.245.82.0:443/Thread Count					
38	110.3	147	113	111.1	24.7
LG 35.245.82.0:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.82.0:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.245.82.0:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.82.0:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.82.0:443/Controller Connection/Ping Duration (ms)					
89	113.5	188	113	111.2	18.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.82.0:443/Network/Segments sent/sec.					
1.8	562.9	1,397	548.9	561.3	270.1
LG 35.245.82.0:443/Network/Segments retransmitted/sec.					
0	4.29	13.6	4.5	4.14	3.46
LG 35.245.82.0:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.8	32.5	11.6	11.7	6.34
LG 35.245.82.0:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.12	9.51	1.07	1.06	0.811

LG 35.245.90.3:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.90.3:443/CPU Load					
0	4.59	29	4	4.27	3.42
LG 35.245.90.3:443/Memory Used					
3	16.3	37	14	15.9	7.86
LG 35.245.90.3:443/Throughput					
0	10.71	28.5	10.29	10.57	5.79
LG 35.245.90.3:443/User Load					
0	41.9	75	44	42.2	22.6
LG 35.245.90.3:443/Thread Count					
38	110.8	150	111	111.4	26.7
LG 35.245.90.3:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.90.3:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.245.90.3:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.90.3:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.90.3:443/Controller Connection/Ping Duration (ms)					
86	110.3	185	115	108.5	17.3
LG 35.245.90.3:443/Network/Segments sent/sec.					
1.6	530.6	1,293	521.9	526.6	257.2
LG 35.245.90.3:443/Network/Segments retransmitted/sec.					
0	4	12.2	4	3.84	3.34
LG 35.245.90.3:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	11.1	29.3	10.62	10.98	6
LG 35.245.90.3:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.06	8.07	0.973	1.01	0.725

LG 35.245.91.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.91.93:443/CPU Load					
0	4.26	21	4	3.98	2.95
LG 35.245.91.93:443/Memory Used					
2	16.6	38	15	16.3	7.74
LG 35.245.91.93:443/Throughput					
0	10.58	27.3	10.4	10.48	5.52
LG 35.245.91.93:443/User Load					
0	42	75	44	42.2	22.5
LG 35.245.91.93:443/Thread Count					
39	110.3	151	112	110.7	26.5


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.91.93:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.91.93:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.245.91.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.91.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.91.93:443/Controller Connection/Ping Duration (ms)					
90	151.7	202	156	152.2	39
LG 35.245.91.93:443/Network/Segments sent/sec.					
1.81	527.9	1,479	536.7	526.5	243.5
LG 35.245.91.93:443/Network/Segments retransmitted/sec.					
0	4.16	13.6	4.21	4.02	3.31
LG 35.245.91.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	10.99	28.4	10.81	10.89	5.71
LG 35.245.91.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.07	11	1.02	1.01	0.79

LG 35.245.92.143:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.92.143:443/CPU Load					
0	4.42	28	4	4.09	3.26
LG 35.245.92.143:443/Memory Used					
4	18.4	40	17	18	8.31
LG 35.245.92.143:443/Throughput					
0	11.2	31.3	11.4	11.1	6.24
LG 35.245.92.143:443/User Load					
0	42.2	75	44	42.5	22.3
LG 35.245.92.143:443/Thread Count					
38	110.9	146	111	111.7	24.9
LG 35.245.92.143:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.245.92.143:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.245.92.143:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.92.143:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.92.143:443/Controller Connection/Ping Duration (ms)					
93	142.8	199	134	142.2	34.4
LG 35.245.92.143:443/Network/Segments sent/sec.					
2.4	560.1	1,496	551.4	558.7	278.3
LG 35.245.92.143:443/Network/Segments retransmitted/sec.					
0	4.2	13.6	4.6	4.05	3.38
LG 35.245.92.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.7	32.6	11.8	11.6	6.47
LG 35.245.92.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.11	8.75	1.07	1.06	0.722


Average page response time



Min	Average	Max
0.143	3.097	5.955

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.058	1.021	177.538

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
2.862	63.005	116.743	65.387	63.033	29.725

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
19.9	8,178.6	10,750.4

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	1,215.1	3,166

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	1,867.11	2,559.61

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.141	2.39	5.286

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations




Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

Overall

Notes:

HomePage - Average duration




Scale 1 **Test** 00:43 - 30 Oct 2019_HP_CacheEnabled_LT2

Unit s **Statistic** Average duration

Color	Name	Avg
	HomePage_Desktop - Average duration	2.227
	HomePage_Mobile - Average duration	1.385

Name	Min	Average	Max
HomePage_Desktop - Average duration	1.67	2.23	64.6
HomePage_Mobile - Average duration	1.21	1.38	1.74

HomePage - Elements/s




Scale 0.01 **Test** 00:43 - 30 Oct 2019_HP_CacheEnabled_LT2

Unit /s **Statistic** Elements/s

Color	Name	Avg
	HomePage_Desktop - Elements/s	537.584
	HomePage_Mobile - Elements/s	545.665

Name	Min	Average	Max
HomePage_Desktop - Elements/s	0	537.58	861.4
HomePage_Mobile - Elements/s	1.2	545.66	851.9

HomePage - Error rate




Scale 1 **Test** 00:43 - 30 Oct 2019_HP_CacheEnabled_LT2

Unit % **Statistic** Error rate

Color	Name	Avg
■	HomePage_Desktop - Error rate	0.586
■	HomePage_Mobile - Error rate	0.001

Name	Min	Average	Max
HomePage_Desktop - Error rate	0	0.59	100
HomePage_Mobile - Error rate	0	0	0.05

HomePage_OverallStats



Test 00:43 - 30 Oct 2019_HP_CacheEnabled_LT2

Color	Scale	Name	Unit	Statistic	Avg
	0.1	HomePage_Desktop - Average duration	s	Average duration	2.227
	0.01	HomePage_Desktop - Elements/s	/s	Elements/s	537.584
	0.1	HomePage_Desktop - Error rate	%	Error rate	0.586
	0.1	HomePage_Mobile - Average duration	s	Average duration	1.385
	0.01	HomePage_Mobile - Elements/s	/s	Elements/s	545.665
	0.1	HomePage_Mobile - Error rate	%	Error rate	0.001
	0.0001	Controller/User Load	-		28,134.621

Name	Min	Average	Max
HomePage_Desktop - Average duration	1.67	2.23	64.6
HomePage_Desktop - Elements/s	0	537.58	861.4
HomePage_Desktop - Error rate	0	0.59	100
HomePage_Mobile - Average duration	1.21	1.38	1.74
HomePage_Mobile - Elements/s	1.2	545.66	851.9
HomePage_Mobile - Error rate	0	0	0.05
Controller/User Load	0	28,134.62	50,000