

EnterPrise Gnav-SDC-0622



Date	Jun 23, 2020 12:46:23 AM
Project	EPGNavigation
Scenario	Gnav Scenario
Comment	
Notes	EnterPrise Gnav-SDC-0622

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	7
Hot spots.....	8
Errors.....	8
Alerts.....	8
General statistics.....	8
Transaction statistics.....	8
Execution context.....	15
Scenario	10
Servers.....	20
Cloud.....	21
Populations.....	22
User Paths.....	23
Transactions.....	24
Pages.....	26
Requests.....	27
Media Contents.....	32
Push messages.....	25
Monitors.....	33
Main graphs.....	130
Average page response time.....	130
Average request response time.....	131
Average response time (Transactions).....	132
Requests per second.....	133
Errors.....	134
Throughput.....	135
Response time against load.....	136
Distribution of Transaction Durations.....	137

Summary

Results summary

Name	00:45 - 23 Jun 2020_noToken.json_Gnav_mail	Project	EPGNavigation
Description		Scenario	Gnav Scenario
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population Gnav_062020 is customized
Start date	Jun 23, 2020 12:46:23 AM		
End date	Jun 23, 2020 1:13:58 AM	Stop Policy	<ul style="list-style-type: none"> Population Gnav_062020: immediate.
Duration	00:27:34		
Termination reason	Manual action	Filters	None
LG Hosts	35.236.79.192:443	Debug	Disabled
	,		
	34.94.24.230:443		
	,		
	35.236.102.221:443		
	,		
	35.236.81.42:443		
	,		
	34.94.132.235:443		
	,		
	35.235.74.170:443		
	,		
	35.236.119.140:443		
	,		
	35.235.89.216:443		
	,		
	35.235.97.241:443		
	,		
	35.236.56.174:443		
	,		
	35.235.74.239:443		
	,		
	35.236.33.116:443		
	,		
	35.236.98.142:443		
	,		
	34.94.177.181:443		
	,		
	34.94.158.237:443		
	,		
	35.236.81.160:443		
	,		
	34.94.40.147:443		
	,		
	35.236.54.143:443		
	,		
	34.94.110.52:443		
	,		
	35.236.105.217:443		
	,		
	34.94.7.52:443		
	,		
	34.94.6.231:443		
	,		
	34.94.237.4:443		
	,		
	34.94.15.3:443		
	,		
	35.236.126.38:443		
	,		
	34.94.149.243:443		
	,		
	34.94.64.195:443		
	,		
	34.94.13.71:443		
	,		
	34.94.71.179:443		
	,		
	35.236.7.228:443		
	,		
	34.94.179.5:443		
	,		

34.94.42.39:443		
,		
35.235.102.15:443		
,		
35.235.88.187:443		
,		
34.94.140.239:443		
,		
35.236.3.138:443		
,		
34.94.184.9:443		
,		
35.235.80.255:443		
,		
34.94.127.18:443		
,		
35.236.88.137:443		
,		
34.94.43.110:443		
,		
34.94.202.35:443		
,		
34.94.37.74:443		
,		
34.94.70.9:443		
,		
34.94.131.164:443		
,		
34.94.248.157:443		
,		
35.235.104.18:443		
,		
34.94.170.168:443		
,		
34.94.55.33:443		
,		
34.94.180.76:443		
,		
34.94.252.51:443		
,		
34.94.244.119:443		
,		
34.94.84.165:443		
,		
34.94.240.172:443		
,		
34.94.211.198:443		
,		
35.236.38.138:443		
,		
34.94.219.120:443		
,		
35.236.112.59:443		
,		
34.94.76.227:443		
,		
34.94.28.224:443		
,		
35.235.98.140:443		
,		
34.94.73.247:443		
,		
35.235.72.43:443		
,		
34.94.223.119:443		
,		
34.94.167.240:443		
,		
35.235.110.41:443		
,		
35.236.72.252:443		
,		
35.236.24.136:443		
,		
35.236.63.163:443		
,		
34.94.51.1:443		
,		

35.236.125.115:443		
,		
35.235.73.159:443		
,		
34.94.20.2:443		
,		
35.235.109.105:443		
,		
35.236.59.46:443		
,		
34.94.53.240:443		
,		
35.235.65.166:443		
,		
35.236.5.86:443		
,		
34.94.228.14:443		
,		
35.236.116.154:443		
,		
34.83.26.84:443		
,		
34.83.148.22:443		
,		
35.197.106.152:443		
,		
35.199.171.241:443		
,		
35.233.161.130:443		
,		
35.247.117.206:443		
,		
34.105.121.137:443		
,		
34.82.64.135:443		
,		
34.105.39.169:443		
,		
34.82.130.232:443		
,		
34.82.25.133:443		
,		
34.105.81.226:443		
,		
34.105.125.103:443		
,		
35.247.89.35:443		
,		
34.82.72.159:443		
,		
35.197.51.134:443		
,		
34.83.104.47:443		
,		
34.83.184.164:443		
,		
35.230.52.146:443		
,		
34.83.51.86:443		
,		
35.197.85.156:443		
,		
34.82.132.10:443		
,		
34.105.119.101:443		
,		
35.233.224.175:443		
,		
35.233.167.41:443		
,		
34.105.127.251:443		
,		
35.233.241.233:443		
,		
34.82.83.13:443		
,		
34.83.161.129:443		
,		


35.230.31.124:443		
,		
34.82.15.46:443		
,		
35.247.98.159:443		
,		
35.247.43.162:443		
,		
34.83.72.93:443		
,		
35.247.24.41:443		
,		
35.230.104.18:443		
,		
35.233.241.19:443		
,		
34.82.16.239:443		
,		
104.199.122.148:443		
,		
34.105.49.240:443		
,		
35.227.173.88:443		
,		
34.105.32.103:443		
,		
34.83.182.105:443		
,		
35.230.87.220:443		
,		
34.82.33.146:443		
,		
34.83.141.19:443		
,		
35.247.55.37:443		
,		
34.83.190.31:443		
,		
35.247.16.252:443		
,		
35.197.69.55:443		
,		
35.247.57.207:443		
,		
34.105.30.31:443		
,		
34.82.132.48:443		
,		
34.83.126.221:443		
,		
34.105.74.4:443		
,		
34.83.67.253:443		
,		
35.227.164.85:443		
,		
34.105.12.212:443		
,		
35.199.176.231:443		
,		
35.185.223.223:443		
,		
35.199.157.115:443		
,		
34.82.79.140:443		
,		
34.83.73.144:443		
,		
104.196.227.61:443		
,		
34.105.69.33:443		
,		
34.105.70.235:443		
,		
35.247.109.98:443		
,		
34.83.224.76:443		
,		

35.233.210.189:443		
34.82.201.189:443		
34.83.22.84:443		
34.83.26.215:443		
34.83.240.44:443		
35.230.116.80:443		
34.82.184.48:443		
34.83.184.2:443		
34.83.184.87:443		
34.105.28.82:443		
34.82.139.140:443		
34.105.90.252:443		

Statistics Summary

Total pages	1720689	—	Average pages/s	1,039.7	—
Total requests	12701239	—	Average requests/s	7,674.5	—
Total users launched	30000	—	Average Request response time	0.299 s	—
Total iterations completed	852978	—	Average Page response time	1.4 s	—
Total throughput	288,190 MB	—	Average throughput	1,393.06 Mb/s	—
Total request errors	1058	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ☄ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
dc_d_ HomePage Gnav -- (Imageurl)	dc_d_ HomePage Gnav -- (Imageurl)	/featured/personal-home/	826

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
dc_d_ HomePage Gnav -- (Imageurl)	dc_d_ HomePage Gnav -- (Imageurl)	/featured/personal-home/	5.18
dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)	dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)	/one-digital/gnav/header/enterprisepect.html	0.389
dc_d_ HomePage Gnav -- (Imageurl)	dc_d_ HomePage Gnav -- (Imageurl)	/tagserver/init/initFramework	0.029
dc_d_ HomePage Gnav -- (Imageurl)	dc_d_ HomePage Gnav -- (Imageurl)	/is/image/VerizonWireless/uhp-promo-3-phone-prospect-d	0.028

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
dc_d_ HomePage Gnav -- (Imageurl)	dc_d_ HomePage Gnav -- (Imageurl)	/featured/personal-home/	135.3
dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)	dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)	/one-digital/gnav/header/enterprisepect.html	16.1
dc_d_ HomePage Gnav -- (Imageurl)	dc_d_ HomePage Gnav -- (Imageurl)	/is/image/VerizonWireless/uhp-promo-3-phone-prospect-d	2.19
dc_d_ HomePage Gnav -- (Imageurl)	dc_d_ HomePage Gnav -- (Imageurl)	/tagserver/init/initFramework	1.54

Errors

Request errors

Error Type	Count	Description
504	547	Gateway Timeout
NL-NETWORK-01	242	Miscellaneous I/O error when connecting to the server.
NL-REDIRECT-04	221	NeoLoad could not follow the sendRedirect directive for the previous request. The previous request contains an error.
502	48	Bad Gateway
Total	1,058	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
0.168	87.6	268.4	30,000	827	2.8	-
All pages						
0.008	1.4	135.3	1,720,689	826	0	-
All requests						
0	0.299	113.9	12,701,239	1,058	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.025	2.76	135.3	852,978	824	0.1	0.246	18.7	41.8	7.96	1.24	-

Scenario

Summary

Name	00:45 - 23 Jun 2020_noToken.json_Gnav_mail	Project	EPGNavigation
Description		Scenario	Gnav Scenario
Status	✓ Passed	Load Policy	• The population Gnav_062020 is customized
Start date	Jun 23, 2020 12:46:23 AM	Stop Policy	• Population Gnav_062020: immediate.
End date	Jun 23, 2020 1:13:58 AM		
Duration	00:27:34		
Termination reason	Manual action	Filters	None
LG Hosts	35.236.79.192:443 , 34.94.24.230:443 , 35.236.102.221:443 , 35.236.81.42:443 , 34.94.132.235:443 , 35.235.74.170:443 , 35.236.119.140:443 , 35.235.89.216:443 , 35.235.97.241:443 , 35.236.56.174:443 , 35.235.74.239:443 , 35.236.33.116:443 , 35.236.98.142:443 , 34.94.177.181:443 , 34.94.158.237:443 , 35.236.81.160:443 , 34.94.40.147:443 , 35.236.54.143:443 , 34.94.110.52:443 , 35.236.105.217:443 , 34.94.7.52:443 , 34.94.6.231:443 , 34.94.237.4:443 , 34.94.15.3:443 , 35.236.126.38:443 , 34.94.149.243:443 , 34.94.64.195:443 , 34.94.13.71:443 , 34.94.71.179:443 , 35.236.7.228:443 ,	Debug	Disabled

34.94.179.5:443		
,		
34.94.42.39:443		
,		
35.235.102.15:443		
,		
35.235.88.187:443		
,		
34.94.140.239:443		
,		
35.236.3.138:443		
,		
34.94.184.9:443		
,		
35.235.80.255:443		
,		
34.94.127.18:443		
,		
35.236.88.137:443		
,		
34.94.43.110:443		
,		
34.94.202.35:443		
,		
34.94.37.74:443		
,		
34.94.70.9:443		
,		
34.94.131.164:443		
,		
34.94.248.157:443		
,		
35.235.104.18:443		
,		
34.94.170.168:443		
,		
34.94.55.33:443		
,		
34.94.180.76:443		
,		
34.94.252.51:443		
,		
34.94.244.119:443		
,		
34.94.84.165:443		
,		
34.94.240.172:443		
,		
34.94.211.198:443		
,		
35.236.38.138:443		
,		
34.94.219.120:443		
,		
35.236.112.59:443		
,		
34.94.76.227:443		
,		
34.94.28.224:443		
,		
35.235.98.140:443		
,		
34.94.73.247:443		
,		
35.235.72.43:443		
,		
34.94.223.119:443		
,		
34.94.167.240:443		
,		
35.235.110.41:443		
,		
35.236.72.252:443		
,		
35.236.24.136:443		
,		
35.236.63.163:443		
,		

34.94.51.1:443		
,		
35.236.125.115:443		
,		
35.235.73.159:443		
,		
34.94.20.2:443		
,		
35.235.109.105:443		
,		
35.236.59.46:443		
,		
34.94.53.240:443		
,		
35.235.65.166:443		
,		
35.236.5.86:443		
,		
34.94.228.14:443		
,		
35.236.116.154:443		
,		
34.83.26.84:443		
,		
34.83.148.22:443		
,		
35.197.106.152:443		
,		
35.199.171.241:443		
,		
35.233.161.130:443		
,		
35.247.117.206:443		
,		
34.105.121.137:443		
,		
34.82.64.135:443		
,		
34.105.39.169:443		
,		
34.82.130.232:443		
,		
34.82.25.133:443		
,		
34.105.81.226:443		
,		
34.105.125.103:443		
,		
35.247.89.35:443		
,		
34.82.72.159:443		
,		
35.197.51.134:443		
,		
34.83.104.47:443		
,		
34.83.184.164:443		
,		
35.230.52.146:443		
,		
34.83.51.86:443		
,		
35.197.85.156:443		
,		
34.82.132.10:443		
,		
34.105.119.101:443		
,		
35.233.224.175:443		
,		
35.233.167.41:443		
,		
34.105.127.251:443		
,		
35.233.241.233:443		
,		
34.82.83.13:443		
,		

34.83.161.129:443
,
35.230.31.124:443
,
34.82.15.46:443
,
35.247.98.159:443
,
35.247.43.162:443
,
34.83.72.93:443
,
35.247.24.41:443
,
35.230.104.18:443
,
35.233.241.19:443
,
34.82.16.239:443
,
104.199.122.148:443
,
34.105.49.240:443
,
35.227.173.88:443
,
34.105.32.103:443
,
34.83.182.105:443
,
35.230.87.220:443
,
34.82.33.146:443
,
34.83.141.19:443
,
35.247.55.37:443
,
34.83.190.31:443
,
35.247.16.252:443
,
35.197.69.55:443
,
35.247.57.207:443
,
34.105.30.31:443
,
34.82.132.48:443
,
34.83.126.221:443
,
34.105.74.4:443
,
34.83.67.253:443
,
35.227.164.85:443
,
34.105.12.212:443
,
35.199.176.231:443
,
35.185.223.223:443
,
35.199.157.115:443
,
34.82.79.140:443
,
34.83.73.144:443
,
104.196.227.61:443
,
34.105.69.33:443
,
34.105.70.235:443
,
35.247.109.98:443
,

34.83.224.76:443		
,		
35.233.210.189:443		
,		
34.82.201.189:443		
,		
34.83.22.84:443		
,		
34.83.26.215:443		
,		
34.83.240.44:443		
,		
35.230.116.80:443		
,		
34.82.184.48:443		
,		
34.83.184.2:443		
,		
34.83.184.87:443		
,		
34.105.28.82:443		
,		
34.82.139.140:443		
,		
34.105.90.252:443		

Populations

Gnav_062020

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
dc_d_ HomePage Gnav_HeaderURL -- (Imageurl)	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
dc_d_ HomePage Gnav -- (Imageurl)	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
dc_d_ HomePage Gnav_HeaderURL -- (Imageurl)		Go to the next iteration	Do nothing	0ms	0%
dc_d_ HomePage Gnav -- (Imageurl)		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	00:45 - 23 Jun 2020_noToken.json_Gnav_mai	Project	EPGNavigation
Description		Scenario	Gnav Scenario
Status	✓ Passed	Load Policy	• The population Gnav_062020 is customized
Start date	Jun 23, 2020 12:46:23 AM		
End date	Jun 23, 2020 1:13:58 AM	Stop Policy	• Population Gnav_062020: immediate.
Duration	00:27:34		
Termination reason	Manual action	Filters	None
LG Hosts	35.236.79.192:443 , 34.94.24.230:443 , 35.236.102.221:443 , 35.236.81.42:443 , 34.94.132.235:443 , 35.235.74.170:443 , 35.236.119.140:443 , 35.235.89.216:443 , 35.235.97.241:443 , 35.236.56.174:443 , 35.235.74.239:443 , 35.236.33.116:443 , 35.236.98.142:443 , 34.94.177.181:443 , 34.94.158.237:443 , 35.236.81.160:443 , 34.94.40.147:443 , 35.236.54.143:443 , 34.94.110.52:443 , 35.236.105.217:443 , 34.94.7.52:443 , 34.94.6.231:443 , 34.94.237.4:443 , 34.94.15.3:443 , 35.236.126.38:443 , 34.94.149.243:443 , 34.94.64.195:443 , 34.94.13.71:443 , 34.94.71.179:443 , 35.236.7.228:443 , 34.94.179.5:443 , 34.94.42.39:443	Debug	Disabled

,	35.235.102.15:443	
,	35.235.88.187:443	
,	34.94.140.239:443	
,	35.236.3.138:443	
,	34.94.184.9:443	
,	35.235.80.255:443	
,	34.94.127.18:443	
,	35.236.88.137:443	
,	34.94.43.110:443	
,	34.94.202.35:443	
,	34.94.37.74:443	
,	34.94.70.9:443	
,	34.94.131.164:443	
,	34.94.248.157:443	
,	35.235.104.18:443	
,	34.94.170.168:443	
,	34.94.55.33:443	
,	34.94.180.76:443	
,	34.94.252.51:443	
,	34.94.244.119:443	
,	34.94.84.165:443	
,	34.94.240.172:443	
,	34.94.211.198:443	
,	35.236.38.138:443	
,	34.94.219.120:443	
,	35.236.112.59:443	
,	34.94.76.227:443	
,	34.94.28.224:443	
,	35.235.98.140:443	
,	34.94.73.247:443	
,	35.235.72.43:443	
,	34.94.223.119:443	
,	34.94.167.240:443	
,	35.235.110.41:443	
,	35.236.72.252:443	
,	35.236.24.136:443	
,	35.236.63.163:443	
,	34.94.51.1:443	
,	35.236.125.115:443	

,
35.235.73.159:443
,
34.94.20.2:443
,
35.235.109.105:443
,
35.236.59.46:443
,
34.94.53.240:443
,
35.235.65.166:443
,
35.236.5.86:443
,
34.94.228.14:443
,
35.236.116.154:443
,
34.83.26.84:443
,
34.83.148.22:443
,
35.197.106.152:443
,
35.199.171.241:443
,
35.233.161.130:443
,
35.247.117.206:443
,
34.105.121.137:443
,
34.82.64.135:443
,
34.105.39.169:443
,
34.82.130.232:443
,
34.82.25.133:443
,
34.105.81.226:443
,
34.105.125.103:443
,
35.247.89.35:443
,
34.82.72.159:443
,
35.197.51.134:443
,
34.83.104.47:443
,
34.83.184.164:443
,
35.230.52.146:443
,
34.83.51.86:443
,
35.197.85.156:443
,
34.82.132.10:443
,
34.105.119.101:443
,
35.233.224.175:443
,
35.233.167.41:443
,
34.105.127.251:443
,
35.233.241.233:443
,
34.82.83.13:443
,
34.83.161.129:443
,
35.230.31.124:443

,	34.82.15.46:443		
,	35.247.98.159:443		
,	35.247.43.162:443		
,	34.83.72.93:443		
,	35.247.24.41:443		
,	35.230.104.18:443		
,	35.233.241.19:443		
,	34.82.16.239:443		
,	104.199.122.148:443		
,	34.105.49.240:443		
,	35.227.173.88:443		
,	34.105.32.103:443		
,	34.83.182.105:443		
,	35.230.87.220:443		
,	34.82.33.146:443		
,	34.83.141.19:443		
,	35.247.55.37:443		
,	34.83.190.31:443		
,	35.247.16.252:443		
,	35.197.69.55:443		
,	35.247.57.207:443		
,	34.105.30.31:443		
,	34.82.132.48:443		
,	34.83.126.221:443		
,	34.105.74.4:443		
,	34.83.67.253:443		
,	35.227.164.85:443		
,	34.105.12.212:443		
,	35.199.176.231:443		
,	35.185.223.223:443		
,	35.199.157.115:443		
,	34.82.79.140:443		
,	34.83.73.144:443		
,	104.196.227.61:443		
,	34.105.69.33:443		
,	34.105.70.235:443		
,	35.247.109.98:443		
,	34.83.224.76:443		
,	35.233.210.189:443		

,	34.82.201.189:443		
,	34.83.22.84:443		
,	34.83.26.215:443		
,	34.83.240.44:443		
,	35.230.116.80:443		
,	34.82.184.48:443		
,	34.83.184.2:443		
,	34.83.184.87:443		
,	34.105.28.82:443		
,	34.82.139.140:443		
,	34.105.90.252:443		

NeoLoad version 6.8.0;build=20190103-16
 Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		



User Paths settings

dc_d_HomePage Gnav _HeaderURL -- (Imageurl)	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
dc_d_HomePage Gnav -- (Imageurl)	
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443		No
ss7.vzw.com	443		No
scache.vzw.com	443		No
www.verizon.com	443		No



Graphs



Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA West - California (Los Angeles 2)	Google Compute Engine	80	6389428 (50.3%)	3,860.7	1.57s (+12.8%)	0% (+16.7%)
USA West - Oregon (The Dalles)	Google Compute Engine	80	6311811 (49.7%)	3,813.8	1.22s (-12.89%)	0% (-16.88%)
Global		160	12701239 (100%)	7,674.5	1.4s	0%



Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
Gnav_062020	12701239 (100%)	7,674.5	1.4s (0%)	0% (0%)
Global	12701239 (100%)	7,674.5	1.4s	0%






User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 dc_d_ HomePage Gnav -- (Imageurl)						
56	163.5	268.4	15,000	827	5.5	-
 dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)						
0.168	11.6	46.4	15,000	0	0	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

dc_d_HomePage Gnav -- (Imageurl)

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 dc_d_HomePage Gnav -- (Imageurl)											
56	163.5	268.4	15,000	827	5.5	-	-	-	-	-	-
 Init											
0	0	0.001	15,000	0	0	-	-	-	-	-	-
 Actions											
0.175	5.17	135.3	421,931	824	0.2	-	-	-	-	-	-
 dc_d_HomePage Gnav -- (Imageurl)											
0.175	5.17	135.3	421,931	824	0.2	0.45	29.4	50.4	10.73	3.39	-
 End											
0	0	0.001	15,000	0	0	-	-	-	-	-	-

dc_d_HomePage Gnav _HeaderURL -- (Imageurl)

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 dc_d_HomePage Gnav _HeaderURL -- (Imageurl)											
0.168	11.6	46.4	15,000	0	0	-	-	-	-	-	-
 Init											
0	0	0.001	15,000	0	0	-	-	-	-	-	-
 Actions											
0.025	0.4	16.1	431,047	0	0	-	-	-	-	-	-
 dc_d_HomePage Gnav _HeaderURL -- (Imageurl)											
0.025	0.4	16.1	431,047	0	0	0.097	2.38	6.56	1.21	0.16	-
 End											
0	0	0.001	15,000	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

dc_d_HomePage Gnav -- (Imageurl)

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						







dc_d_HomePage Gnav _HeaderURL -- (Imageurl)

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						





Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

dc_d_ HomePage Gnav -- (Imageurl)

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 dc_d_ HomePage Gnav -- (Imageurl)						
56	163.5	268.4	15,000	827	5.5	-
 Actions						
0.175	5.17	135.3	421,931	824	0.2	-
 dc_d_ HomePage Gnav -- (Imageurl)						
0.175	5.17	135.3	421,931	824	0.2	-
 /featured/personal-home/						
0.152	5.18	135.3	425,002	826	0.2	-
 /tagserver/init/initFramework						
0.009	0.029	1.54	424,987	0	0	-
 /is/image/VerizonWireless/uhp-promo-3-phone-prospect-d						
0.008	0.028	2.19	424,974	0	0	-



















dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)


Min	Avg	Max	Count	Err	% of Err	SLA Profile
 dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)						
0.168	11.6	46.4	15,000	0	0	-
 Actions						
0.025	0.4	16.1	431,047	0	0	-
 dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)						
0.025	0.4	16.1	431,047	0	0	-
 /one-digital/gnav/header/enterpriseprospect.html						
0.025	0.389	16.1	445,726	0	0	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						


dc_d_ HomePage Gnav -- (Imageurl)

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 dc_d_ HomePage Gnav -- (Imageurl)						
56	163.5	268.4	15,000	827	5.5	-
 Actions						
0.175	5.17	135.3	421,931	824	0.2	-
 dc_d_ HomePage Gnav -- (Imageurl)						
0.175	5.17	135.3	421,931	824	0.2	-
 /featured/personal-home/						
0.152	5.18	135.3	425,002	826	0.2	-
 /featured/personal-home/						
0.029	2.09	113.9	436,105	374	0.1	-
 /etc/designs/vzwcom/vzrf/cli...lib-base/css/app.css						
0.091	1.38	69.9	427,348	71	0	-
 /etc/designs/vzwcom/onedigit...gory/js/analytics.js						
0.001	0.007	0.363	430,189	0	0	-
 /content/dam/vzwcom/css/personal-home/components.css						
0.018	0.76	20.4	430,202	0	0	-
 /content/dam/vzwcom/js/personal-home/app.js						
0.018	0.963	22.2	430,202	221	0.1	-
 /dam/vzwcom/css/personal-home/components.css						
0.015	1.18	74.5	430,202	75	0	-
 /dam/vzwcom/js/personal-home/app.js						
0	1.54	77.8	430,202	317	0.1	-
 /ui-one-digital/gn/build/gnav.js						
0.008	0.03	1.04	430,165	0	0	-
 /tagserver/init/initFramework						
0.009	0.029	1.54	424,987	0	0	-
 /is/image/VerizonWireless/uhp-winningsummer-static-d						
0.009	0.029	1.54	425,002	0	0	-
 /is/image/VerizonWireless/uhp-promo-3-phone-prospect-d						
0.008	0.028	2.19	424,974	0	0	-
 /is/image/VerizonWireless/uh...o-3-phone-prospect-d						
0.002	0.006	0.372	424,987	0	0	-
 /is/image/VerizonWireless/uhp-promo-1-phone-d						
0.001	0.006	1.53	424,984	0	0	-
 /is/image/VerizonWireless/uhp-promo-2-phone-d						
0.002	0.008	1.25	424,982	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/uhp-mod3-d						
0.001	0.006	2.18	424,978	0	0	-

dc_d_HomePage Gnav_HeaderURL -- (Imageurl)




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 dc_d_HomePage Gnav_HeaderURL -- (Imageurl)						
0.168	11.6	46.4	15,000	0	0	-
 Actions						
0.025	0.4	16.1	431,047	0	0	-
 dc_d_HomePage Gnav_HeaderURL -- (Imageurl)						
0.025	0.4	16.1	431,047	0	0	-
 /one-digital/gnav/header/enterpriseprospect.html						
0.025	0.389	16.1	445,726	0	0	-
 /one-digital/gnav/header/enterpriseprospect.html						
0.008	0.025	0.793	445,731	0	0	-
 /etc.clientlibs/foundation/clientlibs/main.css						
0.001	0.006	0.382	445,731	0	0	-
 /etc.clientlibs/clientlibs/granite/jquery.js						
0.004	0.036	0.728	445,731	0	0	-
 /etc.clientlibs/clientlibs/granite/utlis.js						
0.003	0.028	0.73	445,731	0	0	-
 /etc.clientlibs/foundation/clientlibs/jquery.js						
0.002	0.027	0.707	445,731	0	0	-
 /etc.clientlibs/foundation/clientlibs/shared.js						
0.003	0.028	0.735	445,731	0	0	-
 /etc.clientlibs/clientlibs/granite/jquery/granite.js						
0.002	0.026	0.731	445,731	0	0	-
 /etc/designs/vzwcom/gnav20.css						
0.002	0.019	0.713	445,731	0	0	-
 /etc.clientlibs/cq/testandta...target/parameters.js						
0.002	0.02	0.708	445,731	0	0	-
 /etc.clientlibs/cq/personali...egrations/commons.js						
0.002	0.026	0.711	445,731	0	0	-
 /etc.clientlibs/cq/testandta...estandtarget/atjs.js						
0.003	0.033	0.72	445,731	0	0	-
 /etc/designs/vzwcom/localization.js						
0.002	0.357	16.1	445,726	0	0	-
 /etc.clientlibs/foundation/clientlibs/main.js						
0.002	0.033	0.732	445,731	0	0	-
 /etc.clientlibs/cq/testandta...atjs-integration.js						
0.002	0.034	0.727	445,731	0	0	-
 /etc/designs/vzwcom/gnav20.js						
0.002	0.036	0.729	445,731	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /etc/clientlibs/verizon-atom...ges/verizon-logo.svg						
0.002	0.037	0.729	445,731	0	0	-












Shared Containers










SLA	Value	Severity
Empty list		

dc_d_ HomePage Gnav -- (Imageurl)

SLA	Value	Severity
 dc_d_ HomePage Gnav -- (Imageurl)		
 Actions		
 dc_d_ HomePage Gnav -- (Imageurl)		
 /featured/personal-home/		
 /featured/personal-home/		
 /etc/designs/vzwcom/vzrf/cli...lib-base/css/app.css		
 /etc/designs/vzwcom/onedigit...gory/js/analytics.js		
 /content/dam/vzwcom/css/personal-home/components.css		
 /content/dam/vzwcom/js/personal-home/app.js		
 /dam/vzwcom/css/personal-home/components.css		
 /dam/vzwcom/js/personal-home/app.js		
 /ui-one-digital/gn/build/gnav.js		
 /tagserver/init/initFramework		
 /is/image/VerizonWireless/uhp-winningsummer-static-d		
 /is/image/VerizonWireless/uhp-promo-3-phone-prospect-d		
 /is/image/VerizonWireless/uh...o-3-phone-prospect-d		
 /is/image/VerizonWireless/uhp-promo-1-phone-d		
 /is/image/VerizonWireless/uhp-promo-2-phone-d		
 /is/image/VerizonWireless/uhp-mod3-d		

dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)

SLA	Value	Severity
 dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)		
 Actions		
 dc_d_ HomePage Gnav _HeaderURL -- (Imageurl)		
 /one-digital/gnav/header/enterpriseprospect.html		
 /one-digital/gnav/header/enterpriseprospect.html		
 /etc.clientlibs/foundation/clientlibs/main.css		
 /etc.clientlibs/clientlibs/granite/jquery.js		
 /etc.clientlibs/clientlibs/granite/utls.js		
 /etc.clientlibs/foundation/clientlibs/jquery.js		
 /etc.clientlibs/foundation/clientlibs/shared.js		
 /etc.clientlibs/clientlibs/granite/jquery/granite.js		

SLA	Value	Severity
 /etc/designs/vzwcom/gnav20.css		
 /etc.clientlibs/cq/testandta...target/parameters.js		
 /etc.clientlibs/cq/personali...egrations/commons.js		
 /etc.clientlibs/cq/testandta...estandtarget/atjs.js		
 /etc/designs/vzwcom/localization.js		
 /etc.clientlibs/foundation/clientlibs/main.js		
 /etc.clientlibs/cq/testandta.../atjs-integration.js		
 /etc/designs/vzwcom/gnav20.js		
 /etc/clientlibs/verizon-atom...ges/verizon-logo.svg		

dc_d_HomePage Gnav -- (Imageurl)

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

dc_d_HomePage Gnav _HeaderURL -- (Imageurl)

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	15,892	30,000	16,592	15,903	8,371
Controller/Throughput					
0	1,364	3,118	1,478	1,364	674.8
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
1	27	79	26	26.9	8.73
Controller/Memory Used					
4	15.5	28	15	15.4	6.56
Controller/Thread Count					
1,112	1,329	5,768	1,262	1,264	528.2
Controller/Connected					
159	159	159	159	159	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
2,804	15,452	22,234	15,628	15,552	2,614
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA West - California (Los Angeles 2)/User Load					
0	7,996	15,101	8,308	8,005	4,247
Controller/USA West - California (Los Angeles 2)/Gnav_062020/User Load					
0	7,996	15,101	8,308	8,005	4,247
Controller/USA West - California (Los Angeles 2)/Gnav_06...(Imageurl)/User Load					
0	3,990	7,548	4,153	3,996	2,136
Controller/USA West - California (Los Angeles 2)/Gnav_06...(Imageurl)/User Load					
0	4,007	7,553	4,155	4,012	2,118
Controller/USA West - Oregon (The Dalles)/User Load					
0	7,891	14,899	8,202	7,899	4,194
Controller/USA West - Oregon (The Dalles)/Gnav_062020/User Load					
0	7,891	14,899	8,202	7,899	4,194
Controller/USA West - Oregon (The Dalles)/Gnav_062020/dc...(Imageurl)/User Load					
0	3,939	7,452	4,102	3,945	2,108
Controller/USA West - Oregon (The Dalles)/Gnav_062020/dc...(Imageurl)/User Load					
0	3,952	7,447	4,100	3,956	2,091

LG 34.94.110.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.110.52:443/CPU Load					
0	4.96	17	5	4.81	2.54
LG 34.94.110.52:443/Memory Used					
1	16.6	37	15	16.2	9.77
LG 34.94.110.52:443/Throughput					
0	8.56	24.2	9.06	8.46	4.48
LG 34.94.110.52:443/User Load					
0	100.4	189	104	100.5	53.6
LG 34.94.110.52:443/Thread Count					
40	179.7	337	169	176.9	77.7
LG 34.94.110.52:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.94.110.52:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 34.94.110.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.110.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.110.52:443/Controller Connection/Ping Duration (ms)					
80	104.4	158	118	103.3	20.6
LG 34.94.110.52:443/Network/Segments sent/sec.					
2.4	609.8	1,285	670.8	608.3	298.5
LG 34.94.110.52:443/Network/Segments retransmitted/sec.					
0	0.013	1.57	0	0	0.093
LG 34.94.110.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.95	24.9	9.49	8.85	4.67
LG 34.94.110.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.45	1.19	1.13	0.563

LG 34.94.127.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.127.18:443/CPU Load					
0	4.96	20	5	4.79	2.52
LG 34.94.127.18:443/Memory Used					
2	16.3	37	15	16	10.06
LG 34.94.127.18:443/Throughput					
0	8.57	27.6	8.98	8.48	4.44
LG 34.94.127.18:443/User Load					
0	100.3	188	104.5	100.5	53.4
LG 34.94.127.18:443/Thread Count					
40	179.8	330	168.5	177.4	75.9
LG 34.94.127.18:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.127.18:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 34.94.127.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.127.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.127.18:443/Controller Connection/Ping Duration (ms)					
62	83.5	131	80	82.2	13.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.127.18:443/Network/Segments sent/sec.					
2.6	608.9	1,471	668.1	607.9	296.7
LG 34.94.127.18:443/Network/Segments retransmitted/sec.					
0	0.009	0.202	0	0	0.042
LG 34.94.127.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.96	28.3	9.45	8.87	4.62
LG 34.94.127.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.35	1.21	1.13	0.562

LG 34.94.13.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.13.71:443/CPU Load					
0	4.95	18	5	4.79	2.6
LG 34.94.13.71:443/Memory Used					
1	15.1	35	13.5	14.7	9.1
LG 34.94.13.71:443/Throughput					
0	8.53	27.3	8.83	8.4	4.48
LG 34.94.13.71:443/User Load					
0	99.6	188	102.5	99.8	53
LG 34.94.13.71:443/Thread Count					
40	179.1	339	168.5	176.3	77.2
LG 34.94.13.71:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 34.94.13.71:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.94.13.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.13.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.13.71:443/Controller Connection/Ping Duration (ms)					
65	85.7	144	83	83.8	14.8
LG 34.94.13.71:443/Network/Segments sent/sec.					
2.4	608.5	1,396	656.4	605	300.3
LG 34.94.13.71:443/Network/Segments retransmitted/sec.					
0	0.01	2.17	0	0	0.121
LG 34.94.13.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.92	28.1	9.25	8.79	4.66
LG 34.94.13.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.49	1.21	1.12	0.573

LG 34.94.131.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.131.164:443/CPU Load					
0	4.91	14	5	4.78	2.41
LG 34.94.131.164:443/Memory Used					
2	11.5	24	11	11.3	6
LG 34.94.131.164:443/Throughput					
0	8.58	25.7	9.12	8.49	4.46
LG 34.94.131.164:443/User Load					
0	100.7	189	105	100.8	53.6
LG 34.94.131.164:443/Thread Count					
40	180	346	169	176.9	77

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.131.164:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.94.131.164:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.94.131.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.131.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.131.164:443/Controller Connection/Ping Duration (ms)					
78	87.3	160	81	83.8	19.6
LG 34.94.131.164:443/Network/Segments sent/sec.					
3.8	612	1,360	671.3	610.4	298.3
LG 34.94.131.164:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.024
LG 34.94.131.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.98	26.4	9.53	8.88	4.64
LG 34.94.131.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.45	1.16	1.14	0.571

LG 34.94.132.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.132.235:443/CPU Load					
0	4.67	16	5	4.53	2.3
LG 34.94.132.235:443/Memory Used					
2	16.2	36	15	15.9	9.73
LG 34.94.132.235:443/Throughput					
0	8.6	26.2	8.97	8.48	4.51
LG 34.94.132.235:443/User Load					
0	100.8	189	105.5	101	53.6
LG 34.94.132.235:443/Thread Count					
40	181.3	341	169.5	178.6	78.6
LG 34.94.132.235:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 34.94.132.235:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.132.235:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.132.235:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.132.235:443/Controller Connection/Ping Duration (ms)					
63	91.1	162	81	88.5	25.8
LG 34.94.132.235:443/Network/Segments sent/sec.					
5.2	615.1	1,380	676.1	615	300.2
LG 34.94.132.235:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.026
LG 34.94.132.235:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	9	26.9	9.41	8.89	4.7
LG 34.94.132.235:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.14	2.36	1.19	1.14	0.571

LG 34.94.140.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.140.239:443/CPU Load					
0	5	22	5	4.88	2.46
LG 34.94.140.239:443/Memory Used					
1	15.8	37	14	15.4	9.62
LG 34.94.140.239:443/Throughput					
0	8.53	23.2	8.82	8.4	4.46
LG 34.94.140.239:443/User Load					
0	99.7	189	103	99.7	52.7
LG 34.94.140.239:443/Thread Count					
40	178.5	347	167	175.2	76.9
LG 34.94.140.239:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.140.239:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 34.94.140.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.140.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.140.239:443/Controller Connection/Ping Duration (ms)					
69	96.9	159	81	94.8	26.6
LG 34.94.140.239:443/Network/Segments sent/sec.					
2.4	607.2	1,409	649.6	605.3	295.9
LG 34.94.140.239:443/Network/Segments retransmitted/sec.					
0	0.015	2.98	0	0	0.166
LG 34.94.140.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.92	23.9	9.22	8.79	4.64
LG 34.94.140.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.41	1.18	1.12	0.56

LG 34.94.149.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.149.243:443/CPU Load					
0	5.05	19	5	4.91	2.54
LG 34.94.149.243:443/Memory Used					
1	15.7	38	14	15.3	9.55
LG 34.94.149.243:443/Throughput					
0	8.61	22.7	9.15	8.49	4.44
LG 34.94.149.243:443/User Load					
0	101.5	189	106.5	101.7	54
LG 34.94.149.243:443/Thread Count					
40	180.3	332	169.5	178.1	76.5
LG 34.94.149.243:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.149.243:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.94.149.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.149.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.149.243:443/Controller Connection/Ping Duration (ms)					
63	82.5	119	80	81.5	11.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.149.243:443/Network/Segments sent/sec.					
2.4	615.5	1,321	676.1	613.8	300.2
LG 34.94.149.243:443/Network/Segments retransmitted/sec.					
0	0.01	0.2	0	0	0.043
LG 34.94.149.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.01	23.4	9.62	8.89	4.63
LG 34.94.149.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.43	1.24	1.14	0.574

LG 34.94.15.3:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.15.3:443/CPU Load					
0	5.52	18	5	5.4	2.6
LG 34.94.15.3:443/Memory Used					
1	16.7	37	15	16.3	9.8
LG 34.94.15.3:443/Throughput					
0	8.59	22.1	9.11	8.52	4.42
LG 34.94.15.3:443/User Load					
0	101.4	189	106	101.6	53.7
LG 34.94.15.3:443/Thread Count					
40	182.4	347	171	179.4	81
LG 34.94.15.3:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.15.3:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.009
LG 34.94.15.3:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.15.3:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.15.3:443/Controller Connection/Ping Duration (ms)					
66	115	121	119	117.2	13.7
LG 34.94.15.3:443/Network/Segments sent/sec.					
2.4	613.2	1,299	678.3	612.6	297.1
LG 34.94.15.3:443/Network/Segments retransmitted/sec.					
0	0.008	0.201	0	0	0.04
LG 34.94.15.3:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.99	22.8	9.51	8.91	4.61
LG 34.94.15.3:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.34	1.21	1.14	0.566

LG 34.94.158.237:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.158.237:443/CPU Load					
0	4.79	13	5	4.65	2.37
LG 34.94.158.237:443/Memory Used					
1	15.3	37	13.5	14.9	9.45
LG 34.94.158.237:443/Throughput					
0	8.54	24.8	8.87	8.42	4.44
LG 34.94.158.237:443/User Load					
0	100.2	189	104.5	100.3	52.9
LG 34.94.158.237:443/Thread Count					
40	182	342	168.5	179.3	78.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.158.237:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.158.237:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.94.158.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.158.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.158.237:443/Controller Connection/Ping Duration (ms)					
64	85.4	122	84	84.6	10.52
LG 34.94.158.237:443/Network/Segments sent/sec.					
2.4	609.2	1,316	657	607.5	294.8
LG 34.94.158.237:443/Network/Segments retransmitted/sec.					
0	0.014	2.6	0	0	0.147
LG 34.94.158.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.93	25.5	9.33	8.81	4.62
LG 34.94.158.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.45	1.19	1.13	0.56

LG 34.94.167.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.167.240:443/CPU Load					
0	5.14	18	5	5	2.52
LG 34.94.167.240:443/Memory Used					
1	15.7	37	14	15.4	9.74
LG 34.94.167.240:443/Throughput					
0	8.53	24.6	9.03	8.39	4.48
LG 34.94.167.240:443/User Load					
0	100	188	104	100.2	53.3
LG 34.94.167.240:443/Thread Count					
40	179.6	333	170	177.1	75.8
LG 34.94.167.240:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.167.240:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.009
LG 34.94.167.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.167.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.167.240:443/Controller Connection/Ping Duration (ms)					
71	122.3	165	122	122.6	37.4
LG 34.94.167.240:443/Network/Segments sent/sec.					
2.63	607.8	1,508	653.4	604.2	300.4
LG 34.94.167.240:443/Network/Segments retransmitted/sec.					
0	0.008	0.4	0	0	0.043
LG 34.94.167.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.92	25.2	9.46	8.79	4.66
LG 34.94.167.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.46	1.18	1.12	0.574

LG 34.94.170.168:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.170.168:443/CPU Load					
0	4.96	19	5	4.79	2.49
LG 34.94.170.168:443/Memory Used					
1	10.92	23	10	10.78	5.54
LG 34.94.170.168:443/Throughput					
0	8.53	27.7	8.98	8.38	4.48
LG 34.94.170.168:443/User Load					
0	100.1	189	103.5	100.1	53
LG 34.94.170.168:443/Thread Count					
40	180.8	340	169.5	178.1	78
LG 34.94.170.168:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.170.168:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 34.94.170.168:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.170.168:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.170.168:443/Controller Connection/Ping Duration (ms)					
64	83.7	137	83	82.3	12.9
LG 34.94.170.168:443/Network/Segments sent/sec.					
2.4	610.1	1,357	666.4	608	297.8
LG 34.94.170.168:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.94.170.168:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.92	28.4	9.44	8.78	4.66
LG 34.94.170.168:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.92	1.15	1.13	0.57

LG 34.94.177.181:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.177.181:443/CPU Load					
0	5.12	17	5	4.94	2.66
LG 34.94.177.181:443/Memory Used					
2	15.6	37	14	15.2	9.42
LG 34.94.177.181:443/Throughput					
0	8.54	23.8	8.91	8.39	4.47
LG 34.94.177.181:443/User Load					
0	100	189	103	100	52.9
LG 34.94.177.181:443/Thread Count					
40	179.6	337	168	177	77
LG 34.94.177.181:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.177.181:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.94.177.181:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.177.181:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.177.181:443/Controller Connection/Ping Duration (ms)					
81	120.2	157	124	120.7	14

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.177.181:443/Network/Segments sent/sec.					
2.4	609.2	1,403	660.7	606.4	296.6
LG 34.94.177.181:443/Network/Segments retransmitted/sec.					
0	0.014	0.801	0	0.001	0.065
LG 34.94.177.181:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.93	24.5	9.41	8.79	4.65
LG 34.94.177.181:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.13	2.29	1.19	1.13	0.561

LG 34.94.179.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.179.5:443/CPU Load					
0	5.22	20	5	5.03	2.73
LG 34.94.179.5:443/Memory Used					
2	15.2	36	13.5	14.8	9.44
LG 34.94.179.5:443/Throughput					
0	8.55	23.8	9.05	8.43	4.44
LG 34.94.179.5:443/User Load					
0	100.1	188	104.5	100.3	52.7
LG 34.94.179.5:443/Thread Count					
40	178.9	333	169.5	176.4	76.1
LG 34.94.179.5:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.179.5:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.94.179.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.179.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.179.5:443/Controller Connection/Ping Duration (ms)					
63	82.4	122	82	81.5	9.79
LG 34.94.179.5:443/Network/Segments sent/sec.					
2.6	609.6	1,431	664.1	607.1	296.3
LG 34.94.179.5:443/Network/Segments retransmitted/sec.					
0	0.009	0.79	0	0	0.063
LG 34.94.179.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.94	24.6	9.48	8.83	4.62
LG 34.94.179.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.47	1.22	1.13	0.562

LG 34.94.180.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.180.76:443/CPU Load					
0	4.74	14	5	4.63	2.27
LG 34.94.180.76:443/Memory Used					
1	15.6	36	14	15.3	9.45
LG 34.94.180.76:443/Throughput					
0	8.54	26.1	8.75	8.43	4.43
LG 34.94.180.76:443/User Load					
0	100	189	103.5	100.1	53.1
LG 34.94.180.76:443/Thread Count					
40	178.8	333	169.5	176.2	75.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.180.76:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.180.76:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.94.180.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.180.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.180.76:443/Controller Connection/Ping Duration (ms)					
65	89.5	157	81	87.5	20.1
LG 34.94.180.76:443/Network/Segments sent/sec.					
2.4	610.6	1,420	651.8	607.9	299.5
LG 34.94.180.76:443/Network/Segments retransmitted/sec.					
0	0.005	0.985	0	0	0.057
LG 34.94.180.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.93	26.7	9.16	8.82	4.62
LG 34.94.180.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.56	1.19	1.13	0.567

LG 34.94.184.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.184.9:443/CPU Load					
0	4.74	25	5	4.6	2.39
LG 34.94.184.9:443/Memory Used					
2	15.9	37	14	15.6	9.69
LG 34.94.184.9:443/Throughput					
0	8.61	23.8	9.44	8.51	4.46
LG 34.94.184.9:443/User Load					
0	101.4	189	106	101.6	54.1
LG 34.94.184.9:443/Thread Count					
40	182.6	339	170	180	78.2
LG 34.94.184.9:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.184.9:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.009
LG 34.94.184.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.184.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.184.9:443/Controller Connection/Ping Duration (ms)					
62	119	123	122	120	6.49
LG 34.94.184.9:443/Network/Segments sent/sec.					
2.4	616.8	1,389	683.5	614.3	302.9
LG 34.94.184.9:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.94.184.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.01	24.4	9.91	8.91	4.65
LG 34.94.184.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.54	1.22	1.14	0.574

LG 34.94.20.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.20.2:443/CPU Load					
0	4.92	16	5	4.75	2.55
LG 34.94.20.2:443/Memory Used					
2	15.9	38	14	15.6	9.57
LG 34.94.20.2:443/Throughput					
0	8.63	24.2	8.77	8.5	4.54
LG 34.94.20.2:443/User Load					
0	100.9	189	105.5	101.1	53.7
LG 34.94.20.2:443/Thread Count					
40	181.3	348	171.5	178.2	79
LG 34.94.20.2:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.94.20.2:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 34.94.20.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.20.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.20.2:443/Controller Connection/Ping Duration (ms)					
63	83	119	80	82	11.7
LG 34.94.20.2:443/Network/Segments sent/sec.					
3.8	615.1	1,333	663.5	612.6	302.5
LG 34.94.20.2:443/Network/Segments retransmitted/sec.					
0	0.005	1.57	0	0	0.086
LG 34.94.20.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.03	24.9	9.25	8.9	4.73
LG 34.94.20.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.54	1.23	1.14	0.569

LG 34.94.202.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.202.35:443/CPU Load					
0	4.77	25	5	4.62	2.54
LG 34.94.202.35:443/Memory Used					
1	16.1	37	14	15.7	9.69
LG 34.94.202.35:443/Throughput					
0	8.52	25.4	8.86	8.4	4.48
LG 34.94.202.35:443/User Load					
0	99.9	189	104	100	53.2
LG 34.94.202.35:443/Thread Count					
40	180.8	339	171	178.1	76.4
LG 34.94.202.35:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.202.35:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 34.94.202.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.202.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.202.35:443/Controller Connection/Ping Duration (ms)					
78	119.5	161	121	119.4	34.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.202.35:443/Network/Segments sent/sec.					
2.4	607.6	1,250	668.1	606.3	297.1
LG 34.94.202.35:443/Network/Segments retransmitted/sec.					
0	0.013	2.57	0	0	0.144
LG 34.94.202.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.91	26.2	9.29	8.79	4.67
LG 34.94.202.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.46	1.2	1.13	0.564

LG 34.94.211.198:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.211.198:443/CPU Load					
0	4.71	15	5	4.58	2.29
LG 34.94.211.198:443/Memory Used					
2	15.6	37	14	15.2	9.28
LG 34.94.211.198:443/Throughput					
0	8.52	23.7	9.12	8.4	4.41
LG 34.94.211.198:443/User Load					
0	99.7	189	103	99.7	52.9
LG 34.94.211.198:443/Thread Count					
40	180.2	341	168	177.3	78.2
LG 34.94.211.198:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 34.94.211.198:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.011
LG 34.94.211.198:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.211.198:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.211.198:443/Controller Connection/Ping Duration (ms)					
62	90.5	158	81	88.5	21.9
LG 34.94.211.198:443/Network/Segments sent/sec.					
2.6	608.3	1,489	669.1	605.9	298.1
LG 34.94.211.198:443/Network/Segments retransmitted/sec.					
0	0.007	1.38	0	0	0.078
LG 34.94.211.198:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.91	24.4	9.55	8.8	4.6
LG 34.94.211.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.52	1.23	1.13	0.562

LG 34.94.219.120:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.219.120:443/CPU Load					
0	4.45	19	4	4.31	2.25
LG 34.94.219.120:443/Memory Used					
2	17.2	37	16	16.9	10.33
LG 34.94.219.120:443/Throughput					
0	8.53	23.6	8.72	8.42	4.48
LG 34.94.219.120:443/User Load					
0	100.1	188	104	100.2	53.6
LG 34.94.219.120:443/Thread Count					
40	179.8	343	172	176.6	78.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.219.120:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.219.120:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.94.219.120:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.219.120:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.219.120:443/Controller Connection/Ping Duration (ms)					
62	80.5	119	79	79.6	10.04
LG 34.94.219.120:443/Network/Segments sent/sec.					
2.4	611.4	1,373	663.2	608.7	302.4
LG 34.94.219.120:443/Network/Segments retransmitted/sec.					
0	0.005	0.784	0	0	0.049
LG 34.94.219.120:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.93	24.3	9.14	8.83	4.66
LG 34.94.219.120:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.57	1.13	1.12	0.585

LG 34.94.223.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.223.119:443/CPU Load					
0	5.28	16	5	5.16	2.54
LG 34.94.223.119:443/Memory Used					
2	15.6	35	14	15.2	9.38
LG 34.94.223.119:443/Throughput					
0	8.57	23.7	8.81	8.46	4.44
LG 34.94.223.119:443/User Load					
0	100.3	189	104.5	100.4	52.9
LG 34.94.223.119:443/Thread Count					
40	178.3	342	168.5	175.4	75.8
LG 34.94.223.119:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.223.119:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 34.94.223.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.223.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.223.119:443/Controller Connection/Ping Duration (ms)					
62	80.7	101	81	80.7	6.48
LG 34.94.223.119:443/Network/Segments sent/sec.					
2.44	610.7	1,362	657.9	608.9	297.3
LG 34.94.223.119:443/Network/Segments retransmitted/sec.					
0	0.022	3.15	0	0.003	0.178
LG 34.94.223.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.96	24.4	9.4	8.85	4.62
LG 34.94.223.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.35	1.23	1.14	0.557

LG 34.94.228.14:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.228.14:443/CPU Load					
0	5.04	18	5	4.88	2.6
LG 34.94.228.14:443/Memory Used					
2	16.5	38	15	16.2	9.95
LG 34.94.228.14:443/Throughput					
0	8.61	24.1	8.96	8.5	4.48
LG 34.94.228.14:443/User Load					
0	100.8	188	105.5	101	53.6
LG 34.94.228.14:443/Thread Count					
40	181.3	334	170.5	178.9	77.9
LG 34.94.228.14:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.228.14:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 34.94.228.14:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.228.14:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.228.14:443/Controller Connection/Ping Duration (ms)					
76	94.7	160	82	92.2	21.6
LG 34.94.228.14:443/Network/Segments sent/sec.					
3.83	612.3	1,362	662.9	610.9	300.3
LG 34.94.228.14:443/Network/Segments retransmitted/sec.					
0	0.015	4.51	0	0	0.244
LG 34.94.228.14:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9	24.8	9.44	8.9	4.67
LG 34.94.228.14:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.44	1.21	1.13	0.571

LG 34.94.237.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.237.4:443/CPU Load					
0	5.17	19	5	4.99	2.65
LG 34.94.237.4:443/Memory Used					
2	16.1	37	14	15.7	9.7
LG 34.94.237.4:443/Throughput					
0	8.6	24.8	9.11	8.5	4.47
LG 34.94.237.4:443/User Load					
0	100.9	189	105	101	53.6
LG 34.94.237.4:443/Thread Count					
40	182.8	351	171	179.6	81.2
LG 34.94.237.4:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.237.4:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 34.94.237.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.237.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.237.4:443/Controller Connection/Ping Duration (ms)					
62	84	121	82	83.1	12

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.237.4:443/Network/Segments sent/sec.					
2.6	610.8	1,278	670.1	610.5	298.4
LG 34.94.237.4:443/Network/Segments retransmitted/sec.					
0	0.008	1.6	0	0	0.089
LG 34.94.237.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.99	25.4	9.5	8.9	4.65
LG 34.94.237.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.43	1.21	1.14	0.567

LG 34.94.24.230:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.24.230:443/CPU Load					
0	4.72	19	5	4.57	2.41
LG 34.94.24.230:443/Memory Used					
1	15.6	36	15	15.3	9.28
LG 34.94.24.230:443/Throughput					
0	8.54	26.1	9	8.39	4.51
LG 34.94.24.230:443/User Load					
0	100.3	189	104	100.5	53.3
LG 34.94.24.230:443/Thread Count					
40	180.1	337	168	177.3	77.8
LG 34.94.24.230:443/Http client/Thread Pool used					
0.1	0.1	0.125	0.1	0.1	0.003
LG 34.94.24.230:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.012
LG 34.94.24.230:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.24.230:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.24.230:443/Controller Connection/Ping Duration (ms)					
63	126	160	132	127.3	35.2
LG 34.94.24.230:443/Network/Segments sent/sec.					
2.4	610.8	1,494	649.6	607.5	299.7
LG 34.94.24.230:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.022
LG 34.94.24.230:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.94	26.8	9.45	8.79	4.69
LG 34.94.24.230:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.63	1.15	1.13	0.571

LG 34.94.240.172:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.240.172:443/CPU Load					
0	5.19	17	5	5.1	2.46
LG 34.94.240.172:443/Memory Used					
2	16.5	37	15	16.2	9.92
LG 34.94.240.172:443/Throughput					
0	8.6	27.2	8.98	8.48	4.49
LG 34.94.240.172:443/User Load					
0	100.8	189	105	101	53.6
LG 34.94.240.172:443/Thread Count					
40	180.8	353	170	177.4	78.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.240.172:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.240.172:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.94.240.172:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.240.172:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.240.172:443/Controller Connection/Ping Duration (ms)					
78	106.4	127	118	106.9	17.9
LG 34.94.240.172:443/Network/Segments sent/sec.					
2.2	613.9	1,339	671.8	611.9	300.9
LG 34.94.240.172:443/Network/Segments retransmitted/sec.					
0	0.018	0.4	0	0.007	0.059
LG 34.94.240.172:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9	27.9	9.4	8.88	4.67
LG 34.94.240.172:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.37	1.21	1.14	0.572

LG 34.94.244.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.244.119:443/CPU Load					
0	4.6	15	5	4.49	2.12
LG 34.94.244.119:443/Memory Used					
1	16.6	37	15	16.2	9.77
LG 34.94.244.119:443/Throughput					
0	8.55	26.4	9.11	8.43	4.45
LG 34.94.244.119:443/User Load					
0	100.6	189	104.5	100.8	53.5
LG 34.94.244.119:443/Thread Count					
40	180.2	341	168.5	177.3	78.3
LG 34.94.244.119:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.244.119:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.94.244.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.244.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.244.119:443/Controller Connection/Ping Duration (ms)					
62	82.3	152	81	80.3	15.4
LG 34.94.244.119:443/Network/Segments sent/sec.					
2.6	613	1,302	666.5	612.2	297.1
LG 34.94.244.119:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.011
LG 34.94.244.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.95	27.2	9.53	8.83	4.63
LG 34.94.244.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.52	1.23	1.13	0.569

LG 34.94.248.157:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.248.157:443/CPU Load					
0	4.86	17	5	4.7	2.46
LG 34.94.248.157:443/Memory Used					
2	15.9	35	14	15.5	9.42
LG 34.94.248.157:443/Throughput					
0	8.57	24	9.05	8.42	4.47
LG 34.94.248.157:443/User Load					
0	100.6	189	104.5	100.7	53
LG 34.94.248.157:443/Thread Count					
40	179.4	338	170	176.6	77.1
LG 34.94.248.157:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.248.157:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 34.94.248.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.248.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.248.157:443/Controller Connection/Ping Duration (ms)					
76	107.7	135	119	108	19.1
LG 34.94.248.157:443/Network/Segments sent/sec.					
3.6	612.8	1,407	670.4	609.5	297.3
LG 34.94.248.157:443/Network/Segments retransmitted/sec.					
0	0.012	3.54	0	0	0.193
LG 34.94.248.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.97	24.7	9.63	8.82	4.65
LG 34.94.248.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.64	1.23	1.13	0.565

LG 34.94.252.51:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.252.51:443/CPU Load					
0	5	15	5	4.85	2.5
LG 34.94.252.51:443/Memory Used					
2	15.8	37	14	15.4	9.62
LG 34.94.252.51:443/Throughput					
0	8.53	25.7	8.96	8.4	4.42
LG 34.94.252.51:443/User Load					
0	100.3	188	105	100.4	52.9
LG 34.94.252.51:443/Thread Count					
40	179.6	340	169	176.8	77.5
LG 34.94.252.51:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.252.51:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 34.94.252.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.252.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.252.51:443/Controller Connection/Ping Duration (ms)					
68	102.6	153	105	101.8	22.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.252.51:443/Network/Segments sent/sec.					
2.4	610.2	1,510	667.3	606.8	296.8
LG 34.94.252.51:443/Network/Segments retransmitted/sec.					
0	0.009	0.784	0	0	0.059
LG 34.94.252.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.92	26.5	9.39	8.8	4.6
LG 34.94.252.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.62	1.2	1.12	0.573

LG 34.94.28.224:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.28.224:443/CPU Load					
0	4.7	16	5	4.57	2.31
LG 34.94.28.224:443/Memory Used					
1	15.6	37	14	15.3	9.44
LG 34.94.28.224:443/Throughput					
0	8.53	23.5	8.84	8.4	4.48
LG 34.94.28.224:443/User Load					
0	99.5	188	102	99.6	52.6
LG 34.94.28.224:443/Thread Count					
40	177.7	339	168	174.8	75.3
LG 34.94.28.224:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.94.28.224:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.28.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.28.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.28.224:443/Controller Connection/Ping Duration (ms)					
63	117.7	151	121	119.1	15.1
LG 34.94.28.224:443/Network/Segments sent/sec.					
2.6	609	1,339	658.5	605.3	300.2
LG 34.94.28.224:443/Network/Segments retransmitted/sec.					
0	0.015	3.73	0	0	0.205
LG 34.94.28.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.92	24.2	9.25	8.79	4.67
LG 34.94.28.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.5	1.18	1.12	0.563

LG 34.94.37.74:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.37.74:443/CPU Load					
0	5.74	19	5	5.57	2.86
LG 34.94.37.74:443/Memory Used					
1	16.6	37	15	16.2	9.95
LG 34.94.37.74:443/Throughput					
0	8.55	23.1	8.95	8.43	4.43
LG 34.94.37.74:443/User Load					
0	100.2	189	104	100.3	53.1
LG 34.94.37.74:443/Thread Count					
40	179.4	340	168	176.6	77.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.37.74:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.37.74:443/Http client/Task Pool used					
0	0	0.033	0	0	0.004
LG 34.94.37.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.37.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.37.74:443/Controller Connection/Ping Duration (ms)					
80	114.8	165	99	113.8	35.5
LG 34.94.37.74:443/Network/Segments sent/sec.					
2.4	606.1	1,353	663.5	604.6	294.1
LG 34.94.37.74:443/Network/Segments retransmitted/sec.					
0	0.014	2.38	0	0	0.136
LG 34.94.37.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.94	23.8	9.36	8.82	4.61
LG 34.94.37.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.23	1.21	1.13	0.557

LG 34.94.40.147:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.40.147:443/CPU Load					
0	4.78	18	5	4.65	2.32
LG 34.94.40.147:443/Memory Used					
2	15.3	36	13	14.9	9.47
LG 34.94.40.147:443/Throughput					
0	8.5	29.6	9.07	8.36	4.48
LG 34.94.40.147:443/User Load					
0	99.4	188	102.5	99.5	52.9
LG 34.94.40.147:443/Thread Count					
40	178.6	336	167	176	76.3
LG 34.94.40.147:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.40.147:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.40.147:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.40.147:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.40.147:443/Controller Connection/Ping Duration (ms)					
78	104.7	158	118	103.8	20.7
LG 34.94.40.147:443/Network/Segments sent/sec.					
6.4	607	1,378	656.8	603.8	297.3
LG 34.94.40.147:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.027
LG 34.94.40.147:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	8.89	30.2	9.5	8.75	4.66
LG 34.94.40.147:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.13	2.45	1.18	1.12	0.567

LG 34.94.42.39:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.42.39:443/CPU Load					
0	5.19	19	5	5.02	2.62
LG 34.94.42.39:443/Memory Used					
2	16.6	38	15	16.3	10.04
LG 34.94.42.39:443/Throughput					
0	8.66	24.6	9.39	8.55	4.46
LG 34.94.42.39:443/User Load					
0	102.1	189	108	102.4	54.2
LG 34.94.42.39:443/Thread Count					
40	182.6	340	173	179.9	78.3
LG 34.94.42.39:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.94.42.39:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.94.42.39:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.42.39:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.42.39:443/Controller Connection/Ping Duration (ms)					
65	85.7	123	83	84.8	12.9
LG 34.94.42.39:443/Network/Segments sent/sec.					
4	617.8	1,394	683.9	616.4	300.8
LG 34.94.42.39:443/Network/Segments retransmitted/sec.					
0	0.012	0.4	0	0.001	0.049
LG 34.94.42.39:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	9.05	25.3	9.83	8.95	4.64
LG 34.94.42.39:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.15	2.48	1.24	1.15	0.582

LG 34.94.43.110:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.43.110:443/CPU Load					
0	4.86	16	5	4.74	2.33
LG 34.94.43.110:443/Memory Used					
2	15.8	38	14	15.4	9.69
LG 34.94.43.110:443/Throughput					
0	8.57	23.5	9.12	8.47	4.39
LG 34.94.43.110:443/User Load					
0	101.7	189	107	101.9	54
LG 34.94.43.110:443/Thread Count					
40	181.4	337	175	178.8	78.4
LG 34.94.43.110:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 34.94.43.110:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.94.43.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.43.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.43.110:443/Controller Connection/Ping Duration (ms)					
62	84.8	120	81	83.8	11.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.43.110:443/Network/Segments sent/sec.					
2.4	612.9	1,338	674.5	611.6	296.8
LG 34.94.43.110:443/Network/Segments retransmitted/sec.					
0	0.007	1.58	0	0	0.087
LG 34.94.43.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.96	24.2	9.58	8.87	4.58
LG 34.94.43.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.44	1.25	1.14	0.569

LG 34.94.51.1:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.51.1:443/CPU Load					
0	4.8	18	5	4.64	2.42
LG 34.94.51.1:443/Memory Used					
1	14.8	35	13	14.5	9.01
LG 34.94.51.1:443/Throughput					
0	8.54	24.4	9.07	8.42	4.4
LG 34.94.51.1:443/User Load					
0	99.8	188	104	99.9	52.7
LG 34.94.51.1:443/Thread Count					
40	177.8	335	168	175	75.9
LG 34.94.51.1:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.51.1:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.94.51.1:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.51.1:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.51.1:443/Controller Connection/Ping Duration (ms)					
66	88.1	125	84	87.1	14.3
LG 34.94.51.1:443/Network/Segments sent/sec.					
3.8	608.9	1,373	667.9	607.4	295.3
LG 34.94.51.1:443/Network/Segments retransmitted/sec.					
0	0.013	2.75	0	0	0.153
LG 34.94.51.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.93	25.1	9.55	8.82	4.58
LG 34.94.51.1:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	1.13	2.5	1.23	1.13	0.563

LG 34.94.53.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.53.240:443/CPU Load					
0	5.2	20	5	5.01	2.72
LG 34.94.53.240:443/Memory Used					
2	15.8	37	14	15.5	9.52
LG 34.94.53.240:443/Throughput					
0	8.59	23.2	9.13	8.48	4.42
LG 34.94.53.240:443/User Load					
0	100.5	189	104.5	100.6	53
LG 34.94.53.240:443/Thread Count					
40	181.2	348	173.5	178.2	78

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.53.240:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.94.53.240:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 34.94.53.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.53.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.53.240:443/Controller Connection/Ping Duration (ms)					
64	90.2	162	82	87.6	25.6
LG 34.94.53.240:443/Network/Segments sent/sec.					
4.2	612	1,294	668.3	611.2	296.1
LG 34.94.53.240:443/Network/Segments retransmitted/sec.					
0	0.012	0.582	0	0.001	0.055
LG 34.94.53.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	8.99	23.8	9.65	8.88	4.6
LG 34.94.53.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.31	1.23	1.13	0.563

LG 34.94.55.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.55.33:443/CPU Load					
0	4.93	18	5	4.79	2.46
LG 34.94.55.33:443/Memory Used					
2	16.5	37	15	16.1	9.97
LG 34.94.55.33:443/Throughput					
0	8.58	26.9	8.9	8.45	4.59
LG 34.94.55.33:443/User Load					
0	100.9	189	105.5	101.1	53.6
LG 34.94.55.33:443/Thread Count					
40	181.7	339	170.5	179	79.1
LG 34.94.55.33:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.55.33:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 34.94.55.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.55.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.55.33:443/Controller Connection/Ping Duration (ms)					
72	113.1	162	88	112.5	36
LG 34.94.55.33:443/Network/Segments sent/sec.					
3.6	612	1,301	667.9	609.2	303.3
LG 34.94.55.33:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.024
LG 34.94.55.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.97	27.5	9.29	8.84	4.78
LG 34.94.55.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.4	1.19	1.13	0.579

LG 34.94.6.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.6.231:443/CPU Load					
0	4.93	16	5	4.81	2.31
LG 34.94.6.231:443/Memory Used					
2	15.6	38	14	15.2	9.33
LG 34.94.6.231:443/Throughput					
0	8.55	25.7	9.09	8.4	4.48
LG 34.94.6.231:443/User Load					
0	100.1	188	104	100.2	52.9
LG 34.94.6.231:443/Thread Count					
40	180.6	340	169	178	77.6
LG 34.94.6.231:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.94.6.231:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 34.94.6.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.6.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.6.231:443/Controller Connection/Ping Duration (ms)					
62	80.5	101	80	80.3	7.49
LG 34.94.6.231:443/Network/Segments sent/sec.					
2.4	610.1	1,497	669.3	606.3	298.1
LG 34.94.6.231:443/Network/Segments retransmitted/sec.					
0	0.014	1.79	0	0	0.105
LG 34.94.6.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.95	26.3	9.48	8.79	4.66
LG 34.94.6.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.55	1.18	1.13	0.573

LG 34.94.64.195:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.64.195:443/CPU Load					
0	4.85	14	5	4.71	2.35
LG 34.94.64.195:443/Memory Used					
2	16	37	14	15.6	9.64
LG 34.94.64.195:443/Throughput					
0	8.59	27.7	8.99	8.46	4.51
LG 34.94.64.195:443/User Load					
0	100.6	189	105	100.8	53.5
LG 34.94.64.195:443/Thread Count					
40	179.8	336	169	177	76.7
LG 34.94.64.195:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.64.195:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.94.64.195:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.64.195:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.64.195:443/Controller Connection/Ping Duration (ms)					
61	89.2	161	81	86.8	20.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.64.195:443/Network/Segments sent/sec.					
2.4	612.6	1,273	671.1	611.8	299.1
LG 34.94.64.195:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 34.94.64.195:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.98	28.3	9.51	8.87	4.7
LG 34.94.64.195:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.44	1.2	1.13	0.575

LG 34.94.7.52:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.7.52:443/CPU Load					
0	4.85	17	5	4.7	2.41
LG 34.94.7.52:443/Memory Used					
2	15.6	37	14	15.2	9.41
LG 34.94.7.52:443/Throughput					
0	8.58	26.3	8.98	8.45	4.52
LG 34.94.7.52:443/User Load					
0	100.5	188	105	100.7	53.4
LG 34.94.7.52:443/Thread Count					
40	179.1	334	171	176.5	76.2
LG 34.94.7.52:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.7.52:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.94.7.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.7.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.7.52:443/Controller Connection/Ping Duration (ms)					
83	121.2	157	122	121.2	11.7
LG 34.94.7.52:443/Network/Segments sent/sec.					
2.4	611.9	1,307	667.3	609.7	300.5
LG 34.94.7.52:443/Network/Segments retransmitted/sec.					
0	0.013	4.37	0	0	0.237
LG 34.94.7.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.97	27.1	9.41	8.85	4.71
LG 34.94.7.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.43	1.19	1.13	0.572

LG 34.94.70.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.70.9:443/CPU Load					
0	4.96	19	5	4.84	2.41
LG 34.94.70.9:443/Memory Used					
1	15.6	36	14	15.3	9.45
LG 34.94.70.9:443/Throughput					
0	8.58	26.1	9.14	8.46	4.41
LG 34.94.70.9:443/User Load					
0	100.6	189	104.5	100.8	53
LG 34.94.70.9:443/Thread Count					
40	181	347	170.5	177.9	79.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.70.9:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.70.9:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.94.70.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.70.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.70.9:443/Controller Connection/Ping Duration (ms)					
71	83.2	119	81	82	10
LG 34.94.70.9:443/Network/Segments sent/sec.					
2.4	612.7	1,285	662.3	612.1	296.2
LG 34.94.70.9:443/Network/Segments retransmitted/sec.					
0	0.012	2.36	0	0	0.132
LG 34.94.70.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.98	26.8	9.61	8.86	4.6
LG 34.94.70.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.37	1.2	1.14	0.565

LG 34.94.71.179:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.71.179:443/CPU Load					
0	5.32	15	5	5.18	2.58
LG 34.94.71.179:443/Memory Used					
1	15.6	37	14	15.2	9.54
LG 34.94.71.179:443/Throughput					
0	8.59	28.6	8.9	8.47	4.48
LG 34.94.71.179:443/User Load					
0	100.5	189	104.5	100.6	52.9
LG 34.94.71.179:443/Thread Count					
40	179.8	339	168.5	177	77.1
LG 34.94.71.179:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.71.179:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.94.71.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.71.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.71.179:443/Controller Connection/Ping Duration (ms)					
79	107.1	159	119	106.1	20
LG 34.94.71.179:443/Network/Segments sent/sec.					
2.4	613.8	1,328	680.6	611.2	297.7
LG 34.94.71.179:443/Network/Segments retransmitted/sec.					
0	0.025	3.75	0	0.004	0.21
LG 34.94.71.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.99	29.4	9.31	8.87	4.66
LG 34.94.71.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.39	1.12	1.13	0.579

LG 34.94.73.247:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.73.247:443/CPU Load					
0	4.91	15	5	4.79	2.36
LG 34.94.73.247:443/Memory Used					
1	11.2	25	10.5	11.1	5.9
LG 34.94.73.247:443/Throughput					
0	8.62	26.4	9.37	8.56	4.42
LG 34.94.73.247:443/User Load					
0	100.9	189	105.5	101.4	53.5
LG 34.94.73.247:443/Thread Count					
40	179.2	331	171.5	177.2	75.2
LG 34.94.73.247:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.94.73.247:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.94.73.247:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.73.247:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.73.247:443/Controller Connection/Ping Duration (ms)					
64	85.3	160	82	82.8	17.9
LG 34.94.73.247:443/Network/Segments sent/sec.					
3	614.4	1,476	676.6	616.3	297.6
LG 34.94.73.247:443/Network/Segments retransmitted/sec.					
0	0.008	0.406	0	0	0.043
LG 34.94.73.247:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.01	27	9.78	8.96	4.6
LG 34.94.73.247:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.19	1.23	1.14	0.562

LG 34.94.76.227:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.76.227:443/CPU Load					
0	5.18	16	5	5.05	2.54
LG 34.94.76.227:443/Memory Used					
2	11.1	24	10	10.86	5.79
LG 34.94.76.227:443/Throughput					
0	8.53	25.2	9.01	8.42	4.41
LG 34.94.76.227:443/User Load					
0	99.9	189	103.5	100	53
LG 34.94.76.227:443/Thread Count					
40	178.9	338	169.5	176.2	76.2
LG 34.94.76.227:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.94.76.227:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.94.76.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.76.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.76.227:443/Controller Connection/Ping Duration (ms)					
61	80.2	102	82	80.2	7.32

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.76.227:443/Network/Segments sent/sec.					
3.6	608.8	1,334	655.8	607.3	296.2
LG 34.94.76.227:443/Network/Segments retransmitted/sec.					
0	0.023	4.49	0	0.001	0.247
LG 34.94.76.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.92	25.9	9.46	8.82	4.59
LG 34.94.76.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.13	2.61	1.22	1.13	0.563

LG 34.94.84.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.94.84.165:443/CPU Load					
0	5.01	15	5	4.9	2.46
LG 34.94.84.165:443/Memory Used					
1	16.3	37	15	16	9.83
LG 34.94.84.165:443/Throughput					
0	8.65	24.4	9.28	8.55	4.44
LG 34.94.84.165:443/User Load					
0	101.9	189	107.5	102.3	54.3
LG 34.94.84.165:443/Thread Count					
40	183.1	344	171.5	180.5	79.7
LG 34.94.84.165:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 34.94.84.165:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.009
LG 34.94.84.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.94.84.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.94.84.165:443/Controller Connection/Ping Duration (ms)					
79	112.4	161	90	111.4	33.8
LG 34.94.84.165:443/Network/Segments sent/sec.					
2.6	617.2	1,513	679.5	615	301.7
LG 34.94.84.165:443/Network/Segments retransmitted/sec.					
0	0.013	0.4	0	0.001	0.053
LG 34.94.84.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.04	25.1	9.69	8.94	4.62
LG 34.94.84.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.15	2.38	1.22	1.15	0.576

LG 35.235.102.15:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.102.15:443/CPU Load					
0	4	13	4	3.91	1.84
LG 35.235.102.15:443/Memory Used					
2	15.4	36	14	15.1	9.36
LG 35.235.102.15:443/Throughput					
0	8.56	24.7	8.97	8.46	4.39
LG 35.235.102.15:443/User Load					
0	100.3	189	104	100.4	53
LG 35.235.102.15:443/Thread Count					
40	180	349	172	176.8	78.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.102.15:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.235.102.15:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.235.102.15:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.102.15:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.102.15:443/Controller Connection/Ping Duration (ms)					
60	81.6	158	80	79.4	16.6
LG 35.235.102.15:443/Network/Segments sent/sec.					
2.6	620.6	1,335	657.1	619	301.5
LG 35.235.102.15:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.027
LG 35.235.102.15:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.98	25.5	9.43	8.87	4.59
LG 35.235.102.15:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.29	1.23	1.14	0.566

LG 35.235.104.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.104.18:443/CPU Load					
0	4.91	21	5	4.73	2.58
LG 35.235.104.18:443/Memory Used					
1	15.4	36	14	15	9.33
LG 35.235.104.18:443/Throughput					
0	8.54	23.7	8.91	8.44	4.37
LG 35.235.104.18:443/User Load					
0	99.9	189	103.5	99.9	52.7
LG 35.235.104.18:443/Thread Count					
40	180.4	350	169.5	177.2	77.6
LG 35.235.104.18:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.1	0.007
LG 35.235.104.18:443/Http client/Task Pool used					
0	0.002	0.267	0	0	0.016
LG 35.235.104.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.104.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.104.18:443/Controller Connection/Ping Duration (ms)					
63	85.9	146	82	84.3	14.3
LG 35.235.104.18:443/Network/Segments sent/sec.					
3.6	609.6	1,386	657.6	607.3	296.3
LG 35.235.104.18:443/Network/Segments retransmitted/sec.					
0	0.07	7.2	0	0.001	0.533
LG 35.235.104.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.93	24.4	9.35	8.84	4.55
LG 35.235.104.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.13	2.36	1.2	1.13	0.563

LG 35.235.109.105:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.109.105:443/CPU Load					
0	4.75	19	5	4.57	2.48
LG 35.235.109.105:443/Memory Used					
2	15.6	38	14	15.2	9.42
LG 35.235.109.105:443/Throughput					
0	8.6	23.1	8.85	8.46	4.48
LG 35.235.109.105:443/User Load					
0	100.8	189	105	100.9	53.4
LG 35.235.109.105:443/Thread Count					
40	183.5	350	170	180.5	81.6
LG 35.235.109.105:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.235.109.105:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 35.235.109.105:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.109.105:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.109.105:443/Controller Connection/Ping Duration (ms)					
71	117.4	161	117	117.3	37.1
LG 35.235.109.105:443/Network/Segments sent/sec.					
3.8	615.6	1,285	669.5	613	299.5
LG 35.235.109.105:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.235.109.105:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9	23.9	9.3	8.86	4.67
LG 35.235.109.105:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.45	1.21	1.13	0.575

LG 35.235.110.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.110.41:443/CPU Load					
0	4.74	14	5	4.63	2.21
LG 35.235.110.41:443/Memory Used					
1	15.4	36	14	15	9.5
LG 35.235.110.41:443/Throughput					
0	8.51	27.1	8.56	8.37	4.53
LG 35.235.110.41:443/User Load					
0	99.3	188	102.5	99.3	52.7
LG 35.235.110.41:443/Thread Count					
40	178.1	342	166.5	175	78.1
LG 35.235.110.41:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.110.41:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.235.110.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.110.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.110.41:443/Controller Connection/Ping Duration (ms)					
61	83.9	122	82	83.1	12.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.110.41:443/Network/Segments sent/sec.					
3.8	607.6	1,388	651.5	603.6	299.6
LG 35.235.110.41:443/Network/Segments retransmitted/sec.					
0	0.004	0.202	0	0	0.029
LG 35.235.110.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.9	27.9	8.98	8.76	4.71
LG 35.235.110.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	1.13	2.61	1.2	1.11	0.569

LG 35.235.65.166:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.65.166:443/CPU Load					
0	5.01	22	5	4.91	2.41
LG 35.235.65.166:443/Memory Used					
2	15.7	38	14	15.4	9.44
LG 35.235.65.166:443/Throughput					
0	8.55	23.6	9.02	8.45	4.37
LG 35.235.65.166:443/User Load					
0	100.4	189	104	100.5	53
LG 35.235.65.166:443/Thread Count					
40	180.1	343	171	177.1	77.4
LG 35.235.65.166:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.65.166:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.235.65.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.65.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.65.166:443/Controller Connection/Ping Duration (ms)					
64	92.7	164	83	90.7	22.2
LG 35.235.65.166:443/Network/Segments sent/sec.					
5	610.1	1,352	650.9	609	294
LG 35.235.65.166:443/Network/Segments retransmitted/sec.					
0	0.011	0.98	0	0	0.065
LG 35.235.65.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	8.95	24.2	9.54	8.85	4.55
LG 35.235.65.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.14	2.44	1.2	1.13	0.57

LG 35.235.72.43:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.72.43:443/CPU Load					
0	5.55	18	5	5.41	2.73
LG 35.235.72.43:443/Memory Used					
1	15.3	36	13	14.9	9.35
LG 35.235.72.43:443/Throughput					
0	8.6	25.8	9.01	8.5	4.41
LG 35.235.72.43:443/User Load					
0	101.8	189	107	102.1	54
LG 35.235.72.43:443/Thread Count					
40	181.6	344	173	178.9	78.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.72.43:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.235.72.43:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.235.72.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.72.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.72.43:443/Controller Connection/Ping Duration (ms)					
77	122.4	162	122	122.7	34.3
LG 35.235.72.43:443/Network/Segments sent/sec.					
2.61	616.7	1,404	682	615.1	299.2
LG 35.235.72.43:443/Network/Segments retransmitted/sec.					
0	0.015	0.59	0	0.003	0.061
LG 35.235.72.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9	26.5	9.44	8.89	4.6
LG 35.235.72.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.15	2.47	1.23	1.15	0.566

LG 35.235.73.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.73.159:443/CPU Load					
0	5.02	18	5	4.82	2.6
LG 35.235.73.159:443/Memory Used					
2	16.4	36	15	16.1	9.82
LG 35.235.73.159:443/Throughput					
0	8.64	26.7	8.89	8.53	4.51
LG 35.235.73.159:443/User Load					
0	101.1	189	105.5	101.3	53.7
LG 35.235.73.159:443/Thread Count					
40	180.6	338	169.5	177.8	77.3
LG 35.235.73.159:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.235.73.159:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.235.73.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.73.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.73.159:443/Controller Connection/Ping Duration (ms)					
61	82.4	122	80	81.3	12.3
LG 35.235.73.159:443/Network/Segments sent/sec.					
3.6	616.5	1,328	669.1	615.3	302.4
LG 35.235.73.159:443/Network/Segments retransmitted/sec.					
0	0.007	0.401	0	0	0.04
LG 35.235.73.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.03	27.5	9.36	8.93	4.69
LG 35.235.73.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.43	1.22	1.14	0.573

LG 35.235.74.170:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.74.170:443/CPU Load					
0	5.4	17	5	5.28	2.69
LG 35.235.74.170:443/Memory Used					
2	15.8	37	14	15.5	9.74
LG 35.235.74.170:443/Throughput					
0	8.52	23.3	9.22	8.4	4.43
LG 35.235.74.170:443/User Load					
0	99.8	189	103.5	99.9	53.1
LG 35.235.74.170:443/Thread Count					
40	177.9	331	167.5	175.4	75.4
LG 35.235.74.170:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.74.170:443/Http client/Task Pool used					
0	0.002	0.083	0	0	0.01
LG 35.235.74.170:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.74.170:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.74.170:443/Controller Connection/Ping Duration (ms)					
62	84.4	158	80	81.9	17
LG 35.235.74.170:443/Network/Segments sent/sec.					
2.4	608.3	1,458	663.5	604.5	298.5
LG 35.235.74.170:443/Network/Segments retransmitted/sec.					
0	0.015	1.4	0	0.001	0.089
LG 35.235.74.170:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.91	24.1	9.61	8.79	4.62
LG 35.235.74.170:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.39	1.22	1.13	0.562

LG 35.235.74.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.74.239:443/CPU Load					
0	5.09	20	5	4.92	2.63
LG 35.235.74.239:443/Memory Used					
1	16.4	37	15	16.1	9.76
LG 35.235.74.239:443/Throughput					
0	8.56	25	8.95	8.44	4.48
LG 35.235.74.239:443/User Load					
0	100	189	104	100.1	53.2
LG 35.235.74.239:443/Thread Count					
40	180.6	349	169	177.5	78.1
LG 35.235.74.239:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 35.235.74.239:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.235.74.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.74.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.74.239:443/Controller Connection/Ping Duration (ms)					
61	85	139	81	83.5	15.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.74.239:443/Network/Segments sent/sec.					
2.4	611.5	1,315	665.1	609.9	298.3
LG 35.235.74.239:443/Network/Segments retransmitted/sec.					
0	0.023	4.17	0	0.001	0.231
LG 35.235.74.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.95	25.7	9.35	8.84	4.67
LG 35.235.74.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.51	1.19	1.13	0.563

LG 35.235.80.255:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.80.255:443/CPU Load					
0	5.15	19	5	4.96	2.77
LG 35.235.80.255:443/Memory Used					
2	11.6	26	11	11.3	6.42
LG 35.235.80.255:443/Throughput					
0	8.61	23.9	9.13	8.48	4.53
LG 35.235.80.255:443/User Load					
0	100.6	189	104.5	100.8	53.5
LG 35.235.80.255:443/Thread Count					
40	180.1	333	167.5	177.5	77
LG 35.235.80.255:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.235.80.255:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.235.80.255:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.80.255:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.80.255:443/Controller Connection/Ping Duration (ms)					
83	125.9	166	121	126	34
LG 35.235.80.255:443/Network/Segments sent/sec.					
2.6	614.3	1,348	673.7	611.6	302.9
LG 35.235.80.255:443/Network/Segments retransmitted/sec.					
0	0.019	3.54	0	0	0.195
LG 35.235.80.255:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.01	24.5	9.56	8.87	4.71
LG 35.235.80.255:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.43	1.22	1.13	0.569

LG 35.235.88.187:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.88.187:443/CPU Load					
0	4.61	16	5	4.47	2.3
LG 35.235.88.187:443/Memory Used					
2	15.4	36	14	15	9.29
LG 35.235.88.187:443/Throughput					
0	8.57	25.2	9.03	8.49	4.41
LG 35.235.88.187:443/User Load					
0	100.3	189	104	100.3	53
LG 35.235.88.187:443/Thread Count					
40	179.6	337	171	177	77

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.88.187:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.235.88.187:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.235.88.187:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.88.187:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.88.187:443/Controller Connection/Ping Duration (ms)					
62	81.3	119	79	80.3	9.31
LG 35.235.88.187:443/Network/Segments sent/sec.					
2.4	613.9	1,413	669.9	612.1	298.8
LG 35.235.88.187:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.022
LG 35.235.88.187:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.97	25.9	9.45	8.89	4.6
LG 35.235.88.187:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.38	1.23	1.14	0.562

LG 35.235.89.216:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.89.216:443/CPU Load					
0	4.39	13	4	4.26	2.23
LG 35.235.89.216:443/Memory Used					
1	15.6	37	14	15.3	9.38
LG 35.235.89.216:443/Throughput					
0	8.58	22.9	9.28	8.45	4.49
LG 35.235.89.216:443/User Load					
0	100.2	188	104	100.4	53.3
LG 35.235.89.216:443/Thread Count					
40	180.6	341	169	177.7	79.2
LG 35.235.89.216:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.235.89.216:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.235.89.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.89.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.89.216:443/Controller Connection/Ping Duration (ms)					
63	86.6	157	81	84.4	18.5
LG 35.235.89.216:443/Network/Segments sent/sec.					
3.2	616.2	1,421	675.3	611.8	303.3
LG 35.235.89.216:443/Network/Segments retransmitted/sec.					
0	0.006	2	0	0	0.109
LG 35.235.89.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.99	23.5	9.8	8.86	4.68
LG 35.235.89.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.56	1.19	1.13	0.581

LG 35.235.97.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.97.241:443/CPU Load					
0	5.09	17	5	4.97	2.52
LG 35.235.97.241:443/Memory Used					
1	16.1	36	15	15.8	9.69
LG 35.235.97.241:443/Throughput					
0	8.52	23.6	8.79	8.39	4.5
LG 35.235.97.241:443/User Load					
0	100.2	188	104.5	100.4	53.6
LG 35.235.97.241:443/Thread Count					
40	180.5	344	168.5	177.8	78.9
LG 35.235.97.241:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.005
LG 35.235.97.241:443/Http client/Task Pool used					
0	0.003	0.1	0	0	0.011
LG 35.235.97.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.97.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.97.241:443/Controller Connection/Ping Duration (ms)					
79	113.7	161	120	113.5	17.4
LG 35.235.97.241:443/Network/Segments sent/sec.					
2.4	607.6	1,389	675.3	605.4	297.2
LG 35.235.97.241:443/Network/Segments retransmitted/sec.					
0	0.007	0.204	0	0	0.037
LG 35.235.97.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.92	24.2	9.37	8.78	4.68
LG 35.235.97.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.13	2.4	1.17	1.13	0.566

LG 35.235.98.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.98.140:443/CPU Load					
0	4.6	12	5	4.52	2.12
LG 35.235.98.140:443/Memory Used					
2	15.8	36	14	15.3	9.71
LG 35.235.98.140:443/Throughput					
0	8.58	24.4	9.05	8.44	4.48
LG 35.235.98.140:443/User Load					
0	100.7	189	105	100.9	53.5
LG 35.235.98.140:443/Thread Count					
40	182.3	345	171	179.3	79.2
LG 35.235.98.140:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.235.98.140:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.235.98.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.235.98.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.235.98.140:443/Controller Connection/Ping Duration (ms)					
78	111.9	162	93.5	110.9	33.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.235.98.140:443/Network/Segments sent/sec.					
2.6	613.1	1,420	665.5	611.8	298.4
LG 35.235.98.140:443/Network/Segments retransmitted/sec.					
0	0.005	0.591	0	0	0.041
LG 35.235.98.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.98	25	9.5	8.84	4.66
LG 35.235.98.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.33	1.2	1.14	0.566

LG 35.236.102.221:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.102.221:443/CPU Load					
0	5.3	23	5	5.08	2.89
LG 35.236.102.221:443/Memory Used					
1	15.7	37	14	15.4	9.44
LG 35.236.102.221:443/Throughput					
0	8.63	25.6	9.01	8.46	4.58
LG 35.236.102.221:443/User Load					
0	100.7	189	105	100.9	53.5
LG 35.236.102.221:443/Thread Count					
40	181.6	346	172	178.5	80.2
LG 35.236.102.221:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.102.221:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.236.102.221:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.102.221:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.102.221:443/Controller Connection/Ping Duration (ms)					
62	81.3	117	80	80.4	11
LG 35.236.102.221:443/Network/Segments sent/sec.					
2.4	613.7	1,372	670.7	608.8	303.7
LG 35.236.102.221:443/Network/Segments retransmitted/sec.					
0	0.011	0.799	0	0	0.059
LG 35.236.102.221:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.02	26.3	9.45	8.86	4.77
LG 35.236.102.221:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.69	1.23	1.13	0.592

LG 35.236.105.217:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.105.217:443/CPU Load					
0	4.78	26	5	4.61	2.61
LG 35.236.105.217:443/Memory Used					
2	15.5	36	14	15.1	9.65
LG 35.236.105.217:443/Throughput					
0	8.55	23	9.23	8.42	4.48
LG 35.236.105.217:443/User Load					
0	100.2	188	104	100.4	53.3
LG 35.236.105.217:443/Thread Count					
40	180.1	336	170	177.5	75.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.105.217:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 35.236.105.217:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.236.105.217:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.105.217:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.105.217:443/Controller Connection/Ping Duration (ms)					
78	89	158	80	86.3	19.2
LG 35.236.105.217:443/Network/Segments sent/sec.					
2.6	612.1	1,346	675.7	609.4	299.9
LG 35.236.105.217:443/Network/Segments retransmitted/sec.					
0	0.01	3.36	0	0	0.182
LG 35.236.105.217:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.95	23.8	9.62	8.82	4.67
LG 35.236.105.217:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.34	1.2	1.13	0.565

LG 35.236.112.59:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.112.59:443/CPU Load					
0	4.83	16	5	4.7	2.3
LG 35.236.112.59:443/Memory Used					
1	15.8	36	14	15.5	9.51
LG 35.236.112.59:443/Throughput					
0	8.57	24.7	8.78	8.45	4.43
LG 35.236.112.59:443/User Load					
0	100.4	189	104	100.5	53.1
LG 35.236.112.59:443/Thread Count					
40	180.9	342	170	178	78.3
LG 35.236.112.59:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.112.59:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.009
LG 35.236.112.59:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.112.59:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.112.59:443/Controller Connection/Ping Duration (ms)					
77	113.3	158	118	112.7	19.5
LG 35.236.112.59:443/Network/Segments sent/sec.					
2.4	612.2	1,415	662.9	610.4	296.9
LG 35.236.112.59:443/Network/Segments retransmitted/sec.					
0	0.001	0.392	0	0	0.021
LG 35.236.112.59:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.97	25.3	9.24	8.85	4.61
LG 35.236.112.59:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.69	1.24	1.13	0.568

LG 35.236.116.154:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.116.154:443/CPU Load					
0	5.15	17	5	4.98	2.63
LG 35.236.116.154:443/Memory Used					
1	15.8	38	14	15.4	9.43
LG 35.236.116.154:443/Throughput					
0	8.56	21.5	8.88	8.45	4.45
LG 35.236.116.154:443/User Load					
0	100.1	189	103.5	100.1	52.7
LG 35.236.116.154:443/Thread Count					
40	179.2	332	169.5	176.7	75.2
LG 35.236.116.154:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.116.154:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.236.116.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.116.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.116.154:443/Controller Connection/Ping Duration (ms)					
76	99.9	156	83	98.3	22.3
LG 35.236.116.154:443/Network/Segments sent/sec.					
3.85	611.1	1,487	655.5	607.9	297.8
LG 35.236.116.154:443/Network/Segments retransmitted/sec.					
0	0.011	0.203	0	0.001	0.045
LG 35.236.116.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.96	22.1	9.28	8.85	4.63
LG 35.236.116.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.6	1.18	1.12	0.574

LG 35.236.119.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.119.140:443/CPU Load					
0	4.77	16	5	4.64	2.31
LG 35.236.119.140:443/Memory Used					
1	15.3	36	14	14.9	9.35
LG 35.236.119.140:443/Throughput					
0	8.51	23.9	8.88	8.41	4.41
LG 35.236.119.140:443/User Load					
0	99.8	189	103	99.9	53
LG 35.236.119.140:443/Thread Count					
40	178	333	168	175.4	74.5
LG 35.236.119.140:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.119.140:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.236.119.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.119.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.119.140:443/Controller Connection/Ping Duration (ms)					
78	105.1	129	119	105.3	18.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.119.140:443/Network/Segments sent/sec.					
2.4	608.5	1,272	664.8	607.3	295.7
LG 35.236.119.140:443/Network/Segments retransmitted/sec.					
0	0.005	0.201	0	0	0.032
LG 35.236.119.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.91	24.6	9.26	8.81	4.59
LG 35.236.119.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.43	1.2	1.13	0.561

LG 35.236.125.115:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.125.115:443/CPU Load					
0	4.76	18	5	4.63	2.36
LG 35.236.125.115:443/Memory Used					
2	16.1	37	15	15.8	9.28
LG 35.236.125.115:443/Throughput					
0	8.64	25	9.13	8.53	4.48
LG 35.236.125.115:443/User Load					
0	102.1	189	107.5	102.5	54.3
LG 35.236.125.115:443/Thread Count					
40	182.7	336	171.5	180.4	78.8
LG 35.236.125.115:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.125.115:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.236.125.115:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.125.115:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.125.115:443/Controller Connection/Ping Duration (ms)					
61	86.5	150	80	84.5	18
LG 35.236.125.115:443/Network/Segments sent/sec.					
3.8	620.5	1,556	684	619.1	303.2
LG 35.236.125.115:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 35.236.125.115:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.04	25.8	9.55	8.93	4.67
LG 35.236.125.115:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.16	2.45	1.22	1.15	0.575

LG 35.236.126.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.126.38:443/CPU Load					
0	4.84	16	5	4.71	2.4
LG 35.236.126.38:443/Memory Used					
2	15.6	36	14	15.2	9.4
LG 35.236.126.38:443/Throughput					
0	8.57	27.2	9.26	8.4	4.56
LG 35.236.126.38:443/User Load					
0	100.6	189	105	100.8	53.5
LG 35.236.126.38:443/Thread Count					
40	181.5	343	170	178.6	79.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.126.38:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.126.38:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.009
LG 35.236.126.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.126.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.126.38:443/Controller Connection/Ping Duration (ms)					
61	81.3	156	79	79.1	15.9
LG 35.236.126.38:443/Network/Segments sent/sec.					
2.6	611.6	1,355	674.1	608.9	300.9
LG 35.236.126.38:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.03
LG 35.236.126.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.96	27.9	9.66	8.79	4.75
LG 35.236.126.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	1.14	2.62	1.16	1.13	0.577

LG 35.236.24.136:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.24.136:443/CPU Load					
0	4.02	13	4	3.92	2.04
LG 35.236.24.136:443/Memory Used					
1	15.6	37	14	15.2	9.43
LG 35.236.24.136:443/Throughput					
0	8.57	22.5	8.97	8.45	4.45
LG 35.236.24.136:443/User Load					
0	100.1	189	103.5	100.2	53
LG 35.236.24.136:443/Thread Count					
40	179.6	337	170.5	177	76.9
LG 35.236.24.136:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.24.136:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.236.24.136:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.24.136:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.24.136:443/Controller Connection/Ping Duration (ms)					
62	111.5	160	108	111.2	34.6
LG 35.236.24.136:443/Network/Segments sent/sec.					
3.8	618.3	1,420	672.8	616.7	301
LG 35.236.24.136:443/Network/Segments retransmitted/sec.					
0	0.005	0.784	0	0	0.048
LG 35.236.24.136:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.98	23.1	9.48	8.87	4.63
LG 35.236.24.136:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.4	1.23	1.13	0.565

LG 35.236.3.138:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.3.138:443/CPU Load					
0	4.61	16	5	4.49	2.22
LG 35.236.3.138:443/Memory Used					
2	16.5	37	15	16.2	9.72
LG 35.236.3.138:443/Throughput					
0	8.57	25.6	9.22	8.48	4.41
LG 35.236.3.138:443/User Load					
0	101.3	189	106	101.5	54.1
LG 35.236.3.138:443/Thread Count					
40	181.8	341	171	179.1	80.2
LG 35.236.3.138:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.3.138:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.236.3.138:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.3.138:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.3.138:443/Controller Connection/Ping Duration (ms)					
64	86.7	131	82	85.4	14.9
LG 35.236.3.138:443/Network/Segments sent/sec.					
3.4	615.5	1,351	687.8	614.5	300.1
LG 35.236.3.138:443/Network/Segments retransmitted/sec.					
0	0.005	0.2	0	0	0.032
LG 35.236.3.138:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.97	26.2	9.72	8.88	4.59
LG 35.236.3.138:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.45	1.15	1.14	0.577

LG 35.236.33.116:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.33.116:443/CPU Load					
0	4.84	13	5	4.71	2.34
LG 35.236.33.116:443/Memory Used					
1	16.4	37	15	16.1	9.79
LG 35.236.33.116:443/Throughput					
0	8.56	24.1	9.14	8.45	4.44
LG 35.236.33.116:443/User Load					
0	100.5	188	105	100.7	53.7
LG 35.236.33.116:443/Thread Count					
40	180.2	335	171	177.6	76.6
LG 35.236.33.116:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.236.33.116:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.236.33.116:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.33.116:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.33.116:443/Controller Connection/Ping Duration (ms)					
63	85.5	161	81	83.1	19.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.33.116:443/Network/Segments sent/sec.					
2.4	611.7	1,281	676.4	609.8	298.1
LG 35.236.33.116:443/Network/Segments retransmitted/sec.					
0	0.009	0.4	0	0	0.046
LG 35.236.33.116:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.95	24.8	9.65	8.85	4.62
LG 35.236.33.116:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.35	1.24	1.13	0.565

LG 35.236.38.138:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.38.138:443/CPU Load					
0	5.02	17	5	4.88	2.52
LG 35.236.38.138:443/Memory Used					
1	16.1	37	15	15.8	9.55
LG 35.236.38.138:443/Throughput					
0	8.63	27.2	8.95	8.51	4.51
LG 35.236.38.138:443/User Load					
0	101	189	106	101.2	53.6
LG 35.236.38.138:443/Thread Count					
40	181	341	173	178.3	78.5
LG 35.236.38.138:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.38.138:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.236.38.138:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.38.138:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.38.138:443/Controller Connection/Ping Duration (ms)					
66	86	125	84	85.1	10.67
LG 35.236.38.138:443/Network/Segments sent/sec.					
2.4	615.8	1,339	676.3	612.7	303.4
LG 35.236.38.138:443/Network/Segments retransmitted/sec.					
0	0.019	1.18	0	0.004	0.088
LG 35.236.38.138:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.03	27.9	9.42	8.91	4.69
LG 35.236.38.138:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.59	1.24	1.14	0.58

LG 35.236.5.86:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.5.86:443/CPU Load					
0	5.38	19	5	5.18	2.79
LG 35.236.5.86:443/Memory Used					
1	16.6	37	15	16.3	9.86
LG 35.236.5.86:443/Throughput					
0	8.57	26.5	8.89	8.43	4.48
LG 35.236.5.86:443/User Load					
0	100.2	189	103.5	100.3	52.9
LG 35.236.5.86:443/Thread Count					
40	178.2	339	167.5	175.5	74.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.5.86:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.5.86:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 35.236.5.86:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.5.86:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.5.86:443/Controller Connection/Ping Duration (ms)					
79	94.2	156	83	91.7	21
LG 35.236.5.86:443/Network/Segments sent/sec.					
3.82	611.4	1,357	667.7	608.5	297.4
LG 35.236.5.86:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.026
LG 35.236.5.86:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.97	27.1	9.3	8.83	4.66
LG 35.236.5.86:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.59	1.21	1.13	0.563

LG 35.236.54.143:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.54.143:443/CPU Load					
0	4.88	15	5	4.77	2.3
LG 35.236.54.143:443/Memory Used					
1	16.6	36	15	16.3	9.83
LG 35.236.54.143:443/Throughput					
0	8.57	23.1	8.98	8.48	4.45
LG 35.236.54.143:443/User Load					
0	100.5	189	105	100.7	53.4
LG 35.236.54.143:443/Thread Count					
40	180.6	338	171	178	77.3
LG 35.236.54.143:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.54.143:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 35.236.54.143:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.54.143:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.54.143:443/Controller Connection/Ping Duration (ms)					
62	98	131	93	98.2	21.8
LG 35.236.54.143:443/Network/Segments sent/sec.					
3.8	613.4	1,385	673.2	611.7	298.9
LG 35.236.54.143:443/Network/Segments retransmitted/sec.					
0	0.011	1.6	0	0	0.093
LG 35.236.54.143:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	8.97	23.7	9.42	8.87	4.64
LG 35.236.54.143:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.14	2.37	1.21	1.13	0.564

LG 35.236.56.174:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.56.174:443/CPU Load					
0	5.36	16	5	5.22	2.57
LG 35.236.56.174:443/Memory Used					
2	15.3	36	14	15	9.23
LG 35.236.56.174:443/Throughput					
0	8.58	25	8.99	8.49	4.42
LG 35.236.56.174:443/User Load					
0	100.6	189	104.5	100.7	53.5
LG 35.236.56.174:443/Thread Count					
40	178.6	328	172.5	176.4	73.4
LG 35.236.56.174:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.56.174:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.236.56.174:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.56.174:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.56.174:443/Controller Connection/Ping Duration (ms)					
67	123	163	123	123.6	20
LG 35.236.56.174:443/Network/Segments sent/sec.					
5.4	612.5	1,298	659	611.2	297.5
LG 35.236.56.174:443/Network/Segments retransmitted/sec.					
0	0.016	0.999	0	0.003	0.075
LG 35.236.56.174:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	8.97	25.7	9.43	8.89	4.61
LG 35.236.56.174:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.29	1.16	1.14	0.564

LG 35.236.59.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.59.46:443/CPU Load					
0	5.09	24	5	4.95	2.6
LG 35.236.59.46:443/Memory Used					
1	13.4	30	12	13.1	7.83
LG 35.236.59.46:443/Throughput					
0	8.55	24.9	8.85	8.43	4.44
LG 35.236.59.46:443/User Load					
0	100.2	189	104	100.3	53.1
LG 35.236.59.46:443/Thread Count					
40	180.3	344	171	177.4	77.2
LG 35.236.59.46:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.59.46:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.236.59.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.59.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.59.46:443/Controller Connection/Ping Duration (ms)					
62	84	142	81	82.2	14.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.59.46:443/Network/Segments sent/sec.					
3.8	610.1	1,325	661.7	606.6	300.5
LG 35.236.59.46:443/Network/Segments retransmitted/sec.					
0	0.015	1.77	0	0	0.106
LG 35.236.59.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.94	25.6	9.33	8.83	4.62
LG 35.236.59.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.13	2.53	1.11	1.12	0.586

LG 35.236.63.163:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.63.163:443/CPU Load					
0	4.98	16	5	4.81	2.54
LG 35.236.63.163:443/Memory Used					
1	15.7	37	14	15.4	9.43
LG 35.236.63.163:443/Throughput					
0	8.63	25	8.97	8.48	4.57
LG 35.236.63.163:443/User Load					
0	100.8	189	105	101	53.6
LG 35.236.63.163:443/Thread Count					
40	181.3	343	169	178.4	78.9
LG 35.236.63.163:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.63.163:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.011
LG 35.236.63.163:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.63.163:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.63.163:443/Controller Connection/Ping Duration (ms)					
78	101.3	157	99	99.6	23.2
LG 35.236.63.163:443/Network/Segments sent/sec.					
4	614.6	1,436	669.5	610.2	304
LG 35.236.63.163:443/Network/Segments retransmitted/sec.					
0	0.007	0.401	0	0	0.04
LG 35.236.63.163:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.03	25.8	9.52	8.87	4.75
LG 35.236.63.163:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.65	1.22	1.13	0.586

LG 35.236.7.228:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.7.228:443/CPU Load					
0	4.91	17	5	4.75	2.47
LG 35.236.7.228:443/Memory Used					
2	16.9	37	16	16.6	10.01
LG 35.236.7.228:443/Throughput					
0	8.59	26.3	8.91	8.45	4.49
LG 35.236.7.228:443/User Load					
0	100.4	189	104.5	100.5	52.9
LG 35.236.7.228:443/Thread Count					
40	180.3	346	169.5	177.4	77

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.7.228:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.7.228:443/Http client/Task Pool used					
0	0.003	0.167	0	0	0.019
LG 35.236.7.228:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.7.228:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.7.228:443/Controller Connection/Ping Duration (ms)					
62	86.2	159	81	83.8	19.7
LG 35.236.7.228:443/Network/Segments sent/sec.					
2.4	613.6	1,422	663.5	610.6	297.3
LG 35.236.7.228:443/Network/Segments retransmitted/sec.					
0	0.004	0.592	0	0	0.039
LG 35.236.7.228:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.99	26.9	9.4	8.85	4.67
LG 35.236.7.228:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.46	1.14	1.14	0.566

LG 35.236.72.252:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.72.252:443/CPU Load					
0	4.94	21	5	4.82	2.43
LG 35.236.72.252:443/Memory Used					
1	16.3	38	15	16	9.71
LG 35.236.72.252:443/Throughput					
0	8.5	22.7	8.82	8.4	4.42
LG 35.236.72.252:443/User Load					
0	99.8	189	103	99.9	53.2
LG 35.236.72.252:443/Thread Count					
40	178.4	335	169	175.8	75.7
LG 35.236.72.252:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.72.252:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.013
LG 35.236.72.252:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.72.252:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.72.252:443/Controller Connection/Ping Duration (ms)					
70	119.9	162	122	120	36.9
LG 35.236.72.252:443/Network/Segments sent/sec.					
3.6	607.3	1,295	652.2	606.2	295.7
LG 35.236.72.252:443/Network/Segments retransmitted/sec.					
0	0.004	0.392	0	0	0.032
LG 35.236.72.252:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.89	23.3	9.25	8.8	4.61
LG 35.236.72.252:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	1.13	2.51	1.18	1.12	0.568

LG 35.236.79.192:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.79.192:443/CPU Load					
0	4.96	18	5	4.83	2.49
LG 35.236.79.192:443/Memory Used					
2	16	37	14	15.6	9.89
LG 35.236.79.192:443/Throughput					
0	8.53	24	8.88	8.4	4.44
LG 35.236.79.192:443/User Load					
0	99.9	189	103.5	99.9	52.8
LG 35.236.79.192:443/Thread Count					
40	179.4	343	169.5	176.4	78
LG 35.236.79.192:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.236.79.192:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.236.79.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.79.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.79.192:443/Controller Connection/Ping Duration (ms)					
80	131	168	160	131.7	35.8
LG 35.236.79.192:443/Network/Segments sent/sec.					
2.4	609.8	1,336	661	608	295.7
LG 35.236.79.192:443/Network/Segments retransmitted/sec.					
0	0.007	0.2	0	0	0.037
LG 35.236.79.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.92	24.6	9.27	8.8	4.62
LG 35.236.79.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.13	2.44	1.18	1.13	0.563

LG 35.236.81.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.81.160:443/CPU Load					
0	4.88	15	5	4.76	2.41
LG 35.236.81.160:443/Memory Used					
2	16.4	38	15	16.1	9.63
LG 35.236.81.160:443/Throughput					
0	8.5	24.4	9.22	8.41	4.39
LG 35.236.81.160:443/User Load					
0	100.2	188	104	100.4	53.3
LG 35.236.81.160:443/Thread Count					
40	178.3	326	170	176	75.1
LG 35.236.81.160:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.81.160:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 35.236.81.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.81.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.81.160:443/Controller Connection/Ping Duration (ms)					
79	106.6	162	84	104.9	31.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.81.160:443/Network/Segments sent/sec.					
1.6	608.4	1,252	665.7	608.1	296.7
LG 35.236.81.160:443/Network/Segments retransmitted/sec.					
0	0.012	2.19	0	0	0.123
LG 35.236.81.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	8.89	25.2	9.68	8.8	4.57
LG 35.236.81.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.14	2.7	1.14	1.13	0.581

LG 35.236.81.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.81.42:443/CPU Load					
0	4.79	17	5	4.68	2.47
LG 35.236.81.42:443/Memory Used					
1	16.2	37	15	15.9	9.7
LG 35.236.81.42:443/Throughput					
0	8.49	25.5	8.77	8.41	4.48
LG 35.236.81.42:443/User Load					
0	99.3	188	102.5	99.7	53.2
LG 35.236.81.42:443/Thread Count					
40	179.1	340	167	176.7	76.9
LG 35.236.81.42:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.81.42:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.236.81.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.81.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.81.42:443/Controller Connection/Ping Duration (ms)					
66	82.9	105	84	82.9	6.99
LG 35.236.81.42:443/Network/Segments sent/sec.					
2.4	605.3	1,365	644.6	604.8	298.4
LG 35.236.81.42:443/Network/Segments retransmitted/sec.					
0	0.003	0.2	0	0	0.024
LG 35.236.81.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.88	26.1	9.22	8.8	4.66
LG 35.236.81.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.13	2.29	1.18	1.13	0.565

LG 35.236.88.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.88.137:443/CPU Load					
0	5.01	17	5	4.86	2.51
LG 35.236.88.137:443/Memory Used					
2	16.1	37	15	15.8	9.7
LG 35.236.88.137:443/Throughput					
0	8.59	25.8	9.02	8.48	4.46
LG 35.236.88.137:443/User Load					
0	100.4	189	104.5	100.5	53.1
LG 35.236.88.137:443/Thread Count					
40	178.9	337	168.5	176.2	76.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.88.137:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.88.137:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.013
LG 35.236.88.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.88.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.88.137:443/Controller Connection/Ping Duration (ms)					
63	85.6	160	81	83.2	17.5
LG 35.236.88.137:443/Network/Segments sent/sec.					
2.4	613.6	1,364	661.1	611.7	299.6
LG 35.236.88.137:443/Network/Segments retransmitted/sec.					
0	0.002	0.399	0	0	0.027
LG 35.236.88.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.99	26.5	9.44	8.89	4.65
LG 35.236.88.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.46	1.15	1.13	0.576

LG 35.236.98.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.98.142:443/CPU Load					
0	5	19	5	4.84	2.51
LG 35.236.98.142:443/Memory Used					
1	15.7	37	14	15.4	9.36
LG 35.236.98.142:443/Throughput					
0	8.56	25.2	8.93	8.45	4.42
LG 35.236.98.142:443/User Load					
0	99.9	189	103	100	52.7
LG 35.236.98.142:443/Thread Count					
40	177.8	340	169	174.9	75.2
LG 35.236.98.142:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.236.98.142:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.01
LG 35.236.98.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.98.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.98.142:443/Controller Connection/Ping Duration (ms)					
78	100.8	123	118	100.8	19.6
LG 35.236.98.142:443/Network/Segments sent/sec.					
3.8	612.2	1,436	666.2	609.1	297.4
LG 35.236.98.142:443/Network/Segments retransmitted/sec.					
0	0.005	0.2	0	0	0.03
LG 35.236.98.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	8.95	26	9.4	8.84	4.6
LG 35.236.98.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.13	2.43	1.21	1.13	0.564

LG 104.196.227.61:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.227.61:443/CPU Load					
0	4.59	19	5	4.43	2.34
LG 104.196.227.61:443/Memory Used					
2	15.4	36	14	15.1	9.34
LG 104.196.227.61:443/Throughput					
0	8.61	19.7	9.02	8.55	4.39
LG 104.196.227.61:443/User Load					
0	99.9	189	103	100	52.8
LG 104.196.227.61:443/Thread Count					
40	175.5	345	169	171.9	73.7
LG 104.196.227.61:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 104.196.227.61:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 104.196.227.61:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.227.61:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.227.61:443/Controller Connection/Ping Duration (ms)					
72	130.2	173	134	131.4	17.4
LG 104.196.227.61:443/Network/Segments sent/sec.					
4.39	636.5	1,398	680.1	634.9	312.6
LG 104.196.227.61:443/Network/Segments retransmitted/sec.					
0	0.014	1.77	0	0	0.104
LG 104.196.227.61:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.04	20.5	9.51	8.98	4.6
LG 104.196.227.61:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.15	2.62	1.2	1.14	0.574

LG 104.199.122.148:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.199.122.148:443/CPU Load					
0	4.82	16	5	4.65	2.62
LG 104.199.122.148:443/Memory Used					
2	15.7	37	14	15.4	9.54
LG 104.199.122.148:443/Throughput					
0	8.77	22.6	9.31	8.71	4.53
LG 104.199.122.148:443/User Load					
0	102	189	107	102.3	54
LG 104.199.122.148:443/Thread Count					
40	179.2	343	172	176	76.2
LG 104.199.122.148:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 104.199.122.148:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.011
LG 104.199.122.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.199.122.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.199.122.148:443/Controller Connection/Ping Duration (ms)					
67	86.4	110	87	86.4	7.38

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.199.122.148:443/Network/Segments sent/sec.					
3.82	648.3	1,400	716.5	646.6	320.5
LG 104.199.122.148:443/Network/Segments retransmitted/sec.					
0	0.02	2.33	0	0.003	0.135
LG 104.199.122.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.21	23.4	9.83	9.14	4.74
LG 104.199.122.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.17	2.61	1.24	1.16	0.594

LG 34.105.119.101:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.119.101:443/CPU Load					
0	4.81	16	5	4.7	2.36
LG 34.105.119.101:443/Memory Used					
1	17	37	16	16.7	9.98
LG 34.105.119.101:443/Throughput					
0	8.61	20.3	8.93	8.57	4.37
LG 34.105.119.101:443/User Load					
0	99.9	189	103.5	100	53.1
LG 34.105.119.101:443/Thread Count					
40	175.5	338	168.5	172.3	72.3
LG 34.105.119.101:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.105.119.101:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.105.119.101:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.119.101:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.119.101:443/Controller Connection/Ping Duration (ms)					
70	100.1	158	93	98.6	19.7
LG 34.105.119.101:443/Network/Segments sent/sec.					
3	634.2	1,454	681.6	634.5	312.1
LG 34.105.119.101:443/Network/Segments retransmitted/sec.					
0	0.025	2.93	0	0.005	0.17
LG 34.105.119.101:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.03	21.2	9.39	8.99	4.58
LG 34.105.119.101:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.42	1.22	1.14	0.573

LG 34.105.12.212:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.12.212:443/CPU Load					
0	4.71	18	5	4.56	2.35
LG 34.105.12.212:443/Memory Used					
1	10.91	24	10	10.73	5.81
LG 34.105.12.212:443/Throughput					
0	8.58	22.8	9.02	8.5	4.45
LG 34.105.12.212:443/User Load					
0	100	188	105	100.1	53.1
LG 34.105.12.212:443/Thread Count					
40	178.6	360	171.5	174.6	78.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.12.212:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.105.12.212:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.105.12.212:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.12.212:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.12.212:443/Controller Connection/Ping Duration (ms)					
66	92.6	134	88	91.5	15.1
LG 34.105.12.212:443/Network/Segments sent/sec.					
4.02	634.4	1,506	691.6	630.6	314.8
LG 34.105.12.212:443/Network/Segments retransmitted/sec.					
0	0.012	0.401	0	0.001	0.05
LG 34.105.12.212:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9	23.6	9.45	8.92	4.65
LG 34.105.12.212:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	3	1.16	1.13	0.601

LG 34.105.121.137:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.121.137:443/CPU Load					
0	5.54	16	5	5.36	3.17
LG 34.105.121.137:443/Memory Used					
2	15.6	37	14	15.2	9.57
LG 34.105.121.137:443/Throughput					
0	8.67	23.5	9.14	8.6	4.44
LG 34.105.121.137:443/User Load					
0	100.4	189	105	100.6	53.5
LG 34.105.121.137:443/Thread Count					
40	176.5	346	171	173.1	74.7
LG 34.105.121.137:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.105.121.137:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.105.121.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.121.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.121.137:443/Controller Connection/Ping Duration (ms)					
72	99.3	177	94	96.5	25.5
LG 34.105.121.137:443/Network/Segments sent/sec.					
3.21	633.3	1,572	696.8	632.8	310
LG 34.105.121.137:443/Network/Segments retransmitted/sec.					
0	0.011	0.202	0	0.001	0.046
LG 34.105.121.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.09	24.4	9.65	9.02	4.64
LG 34.105.121.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.44	1.24	1.15	0.574

LG 34.105.125.103:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.125.103:443/CPU Load					
0	4.83	17	5	4.67	2.44
LG 34.105.125.103:443/Memory Used					
2	16.2	36	15	15.9	9.65
LG 34.105.125.103:443/Throughput					
0	8.62	22.6	9.17	8.53	4.47
LG 34.105.125.103:443/User Load					
0	99.5	188	103	99.7	52.9
LG 34.105.125.103:443/Thread Count					
40	175.8	353	169	171.9	75.7
LG 34.105.125.103:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.105.125.103:443/Http client/Task Pool used					
0	0.002	0.233	0	0	0.017
LG 34.105.125.103:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.125.103:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.125.103:443/Controller Connection/Ping Duration (ms)					
67	86.9	168	87	84.3	18.2
LG 34.105.125.103:443/Network/Segments sent/sec.					
3	633.5	1,415	684.2	630.1	315.9
LG 34.105.125.103:443/Network/Segments retransmitted/sec.					
0	0.021	0.588	0	0.009	0.072
LG 34.105.125.103:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.04	23.4	9.65	8.96	4.68
LG 34.105.125.103:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.54	1.24	1.13	0.581

LG 34.105.127.251:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.127.251:443/CPU Load					
0	4.39	13	4	4.3	2.04
LG 34.105.127.251:443/Memory Used					
2	16.5	38	15	16.2	9.52
LG 34.105.127.251:443/Throughput					
0	8.64	22.1	8.83	8.56	4.46
LG 34.105.127.251:443/User Load					
0	99.8	188	104	100	53
LG 34.105.127.251:443/Thread Count					
40	175.6	343	170	172.2	73.7
LG 34.105.127.251:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.127.251:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.008
LG 34.105.127.251:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.127.251:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.127.251:443/Controller Connection/Ping Duration (ms)					
70	99.1	175	91	96.9	22.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.127.251:443/Network/Segments sent/sec.					
3.81	637.3	1,330	698.2	636	315.6
LG 34.105.127.251:443/Network/Segments retransmitted/sec.					
0	0.011	1.75	0	0	0.101
LG 34.105.127.251:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.08	22.8	9.34	9	4.67
LG 34.105.127.251:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.37	1.24	1.14	0.573

LG 34.105.28.82:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.28.82:443/CPU Load					
0	4.81	20	5	4.68	2.43
LG 34.105.28.82:443/Memory Used					
2	16.7	37	15	16.4	9.92
LG 34.105.28.82:443/Throughput					
0	8.7	20.9	9.14	8.63	4.44
LG 34.105.28.82:443/User Load					
0	100.3	188	105	100.5	52.9
LG 34.105.28.82:443/Thread Count					
40	176.7	344	170	173.4	74.6
LG 34.105.28.82:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.105.28.82:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.011
LG 34.105.28.82:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.28.82:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.28.82:443/Controller Connection/Ping Duration (ms)					
66	90.7	166	87	88.2	20
LG 34.105.28.82:443/Network/Segments sent/sec.					
2.61	640.3	1,283	698	638.9	315.3
LG 34.105.28.82:443/Network/Segments retransmitted/sec.					
0	0.032	1.56	0	0.017	0.113
LG 34.105.28.82:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.12	21.9	9.63	9.06	4.65
LG 34.105.28.82:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.15	2.35	1.24	1.15	0.58

LG 34.105.30.31:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.30.31:443/CPU Load					
0	4.36	13	4	4.24	2.12
LG 34.105.30.31:443/Memory Used					
2	15.7	36	14	15.4	9.5
LG 34.105.30.31:443/Throughput					
0	8.58	18.6	9.18	8.56	4.3
LG 34.105.30.31:443/User Load					
0	99.6	188	103	99.7	52.9
LG 34.105.30.31:443/Thread Count					
40	174.8	337	168	171.6	72.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.30.31:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.30.31:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.009
LG 34.105.30.31:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.30.31:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.30.31:443/Controller Connection/Ping Duration (ms)					
67	89.8	165	88	87.4	19.1
LG 34.105.30.31:443/Network/Segments sent/sec.					
4.41	634.6	1,481	679.5	635.8	310.1
LG 34.105.30.31:443/Network/Segments retransmitted/sec.					
0	0.016	3.69	0	0	0.203
LG 34.105.30.31:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.01	19.5	9.64	9	4.5
LG 34.105.30.31:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.43	1.25	1.14	0.572

LG 34.105.32.103:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.32.103:443/CPU Load					
0	4.49	16	4	4.33	2.32
LG 34.105.32.103:443/Memory Used					
1	16.6	37	15	16.3	9.79
LG 34.105.32.103:443/Throughput					
0	8.63	22.3	9.02	8.59	4.37
LG 34.105.32.103:443/User Load					
0	100.3	188	105	100.5	53.3
LG 34.105.32.103:443/Thread Count					
40	176.5	344	170	173	74.9
LG 34.105.32.103:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.105.32.103:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 34.105.32.103:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.32.103:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.32.103:443/Controller Connection/Ping Duration (ms)					
84	138.1	168	166	139.3	33.6
LG 34.105.32.103:443/Network/Segments sent/sec.					
4.01	638.1	1,413	688.2	637.5	313.3
LG 34.105.32.103:443/Network/Segments retransmitted/sec.					
0	0.01	0.4	0	0	0.046
LG 34.105.32.103:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.06	22.9	9.51	9.03	4.57
LG 34.105.32.103:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.88	1.19	1.14	0.586

LG 34.105.39.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.39.169:443/CPU Load					
0	4.9	17	5	4.75	2.39
LG 34.105.39.169:443/Memory Used					
1	15.1	35	14	14.8	9.23
LG 34.105.39.169:443/Throughput					
0	8.69	20.2	9.13	8.62	4.43
LG 34.105.39.169:443/User Load					
0	100.4	189	104	100.5	53
LG 34.105.39.169:443/Thread Count					
40	176.9	344	170	173.6	73.7
LG 34.105.39.169:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.105.39.169:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 34.105.39.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.39.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.39.169:443/Controller Connection/Ping Duration (ms)					
66	104.2	164	89	103.1	23.2
LG 34.105.39.169:443/Network/Segments sent/sec.					
4.44	639.1	1,409	681	637.9	314.1
LG 34.105.39.169:443/Network/Segments retransmitted/sec.					
0	0.021	2	0	0.006	0.121
LG 34.105.39.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.11	21.3	9.6	9.05	4.64
LG 34.105.39.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.16	2.6	1.22	1.15	0.578

LG 34.105.49.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.49.240:443/CPU Load					
0	5.18	18	5	5.02	2.71
LG 34.105.49.240:443/Memory Used					
2	15.8	36	15	15.4	9.31
LG 34.105.49.240:443/Throughput					
0	8.66	23.6	9.21	8.61	4.44
LG 34.105.49.240:443/User Load					
0	101.2	189	107	101.4	54.1
LG 34.105.49.240:443/Thread Count					
40	177.5	335	173	174.5	74.7
LG 34.105.49.240:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.105.49.240:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.105.49.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.49.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.49.240:443/Controller Connection/Ping Duration (ms)					
68	90.6	167	87	88.2	18.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.49.240:443/Network/Segments sent/sec.					
2.39	640.5	1,463	688.3	638.5	320.8
LG 34.105.49.240:443/Network/Segments retransmitted/sec.					
0	0.032	2.14	0	0.017	0.133
LG 34.105.49.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.08	24.3	9.6	9.04	4.65
LG 34.105.49.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	1.16	2.74	1.18	1.15	0.6

LG 34.105.69.33:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.69.33:443/CPU Load					
0	4.55	21	4	4.44	2.32
LG 34.105.69.33:443/Memory Used					
1	13.7	31	13	13.4	8.07
LG 34.105.69.33:443/Throughput					
0	8.72	21.8	9.13	8.69	4.45
LG 34.105.69.33:443/User Load					
0	101	189	105	101.2	53.6
LG 34.105.69.33:443/Thread Count					
40	177.3	334	170	174.3	73.1
LG 34.105.69.33:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.69.33:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.105.69.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.69.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.69.33:443/Controller Connection/Ping Duration (ms)					
85	134.7	169	128	135.3	33.1
LG 34.105.69.33:443/Network/Segments sent/sec.					
6.19	642.5	1,416	689.2	642.1	316.5
LG 34.105.69.33:443/Network/Segments retransmitted/sec.					
0	0.006	0.584	0	0	0.045
LG 34.105.69.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.16	22.5	9.67	9.13	4.66
LG 34.105.69.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.16	2.43	1.26	1.16	0.576

LG 34.105.70.235:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.70.235:443/CPU Load					
0	4.64	16	5	4.49	2.24
LG 34.105.70.235:443/Memory Used					
1	14.9	35	13	14.6	8.79
LG 34.105.70.235:443/Throughput					
0	8.64	20.1	9.06	8.61	4.33
LG 34.105.70.235:443/User Load					
0	100.4	188	105	100.6	52.9
LG 34.105.70.235:443/Thread Count					
40	177	348	172	173.6	75.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.70.235:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.105.70.235:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.105.70.235:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.70.235:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.70.235:443/Controller Connection/Ping Duration (ms)					
81	149.2	168	167	151.8	28.8
LG 34.105.70.235:443/Network/Segments sent/sec.					
5.99	638.5	1,379	695.9	638.6	313
LG 34.105.70.235:443/Network/Segments retransmitted/sec.					
0	0.019	2.93	0	0	0.167
LG 34.105.70.235:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.07	20.8	9.63	9.05	4.54
LG 34.105.70.235:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.16	2.53	1.22	1.15	0.582

LG 34.105.74.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.74.4:443/CPU Load					
0	4.34	18	4	4.22	2.13
LG 34.105.74.4:443/Memory Used					
1	12.1	27	11	11.9	6.49
LG 34.105.74.4:443/Throughput					
0	8.6	19.8	8.77	8.56	4.43
LG 34.105.74.4:443/User Load					
0	100.3	188	105	100.5	53.3
LG 34.105.74.4:443/Thread Count					
40	176.2	337	171	172.9	73.8
LG 34.105.74.4:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.105.74.4:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.105.74.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.74.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.74.4:443/Controller Connection/Ping Duration (ms)					
66	92.7	165	86	90	25.9
LG 34.105.74.4:443/Network/Segments sent/sec.					
3.81	637.3	1,338	686.1	638.4	311.2
LG 34.105.74.4:443/Network/Segments retransmitted/sec.					
0	0.013	1.94	0	0	0.112
LG 34.105.74.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.04	20.6	9.2	8.99	4.64
LG 34.105.74.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.41	1.21	1.15	0.57

LG 34.105.81.226:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.81.226:443/CPU Load					
0	4.38	11	4	4.29	2.03
LG 34.105.81.226:443/Memory Used					
2	16.4	37	15	16.1	9.9
LG 34.105.81.226:443/Throughput					
0	8.61	22.7	8.97	8.52	4.43
LG 34.105.81.226:443/User Load					
0	99.7	189	103	99.7	53
LG 34.105.81.226:443/Thread Count					
40	175.5	341	169	172.2	72.8
LG 34.105.81.226:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.105.81.226:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 34.105.81.226:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.81.226:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.81.226:443/Controller Connection/Ping Duration (ms)					
65	92.1	166	86	89.4	23
LG 34.105.81.226:443/Network/Segments sent/sec.					
3.2	637.1	1,476	685.5	633.3	317.7
LG 34.105.81.226:443/Network/Segments retransmitted/sec.					
0	0.005	0.2	0	0	0.03
LG 34.105.81.226:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.05	23.4	9.44	8.96	4.65
LG 34.105.81.226:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.84	1.22	1.13	0.588

LG 34.105.90.252:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.90.252:443/CPU Load					
0	5.07	17	5	4.91	2.64
LG 34.105.90.252:443/Memory Used					
2	15.6	35	14	15.3	9.35
LG 34.105.90.252:443/Throughput					
0	8.56	20.4	8.88	8.5	4.38
LG 34.105.90.252:443/User Load					
0	99.8	188	104	100	53.4
LG 34.105.90.252:443/Thread Count					
40	176.7	342	170	173.2	74.8
LG 34.105.90.252:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.105.90.252:443/Http client/Task Pool used					
0	0	0.067	0	0	0.005
LG 34.105.90.252:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.105.90.252:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.105.90.252:443/Controller Connection/Ping Duration (ms)					
111	130	181	126	128.4	13.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.105.90.252:443/Network/Segments sent/sec.					
2.42	631.7	1,330	672.6	630.4	312.5
LG 34.105.90.252:443/Network/Segments retransmitted/sec.					
0	0.04	0.6	0	0.026	0.096
LG 34.105.90.252:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.98	21.2	9.23	8.91	4.58
LG 34.105.90.252:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.002	1.15	2.53	1.21	1.14	0.578

LG 34.82.130.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.130.232:443/CPU Load					
0	4.85	15	5	4.69	2.41
LG 34.82.130.232:443/Memory Used					
1	16	37	15	15.7	9.4
LG 34.82.130.232:443/Throughput					
0	8.72	23.1	9.39	8.66	4.41
LG 34.82.130.232:443/User Load					
0	101.1	189	105.5	101.3	53.6
LG 34.82.130.232:443/Thread Count					
40	177.3	341	170.5	173.9	74.6
LG 34.82.130.232:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.82.130.232:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 34.82.130.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.130.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.130.232:443/Controller Connection/Ping Duration (ms)					
83	117.6	169	126	116.5	22.6
LG 34.82.130.232:443/Network/Segments sent/sec.					
3.02	642.8	1,510	696.1	641.2	317.1
LG 34.82.130.232:443/Network/Segments retransmitted/sec.					
0	0.013	0.402	0	0.002	0.051
LG 34.82.130.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.15	23.8	9.9	9.09	4.62
LG 34.82.130.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.73	1.23	1.16	0.586

LG 34.82.132.10:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.132.10:443/CPU Load					
0	4.97	12	5	4.88	2.19
LG 34.82.132.10:443/Memory Used					
2	15.9	37	14.5	15.6	9.45
LG 34.82.132.10:443/Throughput					
0	8.68	22.4	9.41	8.63	4.41
LG 34.82.132.10:443/User Load					
0	101	189	105.5	101.2	53.8
LG 34.82.132.10:443/Thread Count					
40	177.8	342	173.5	174.6	75.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.132.10:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.82.132.10:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 34.82.132.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.132.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.132.10:443/Controller Connection/Ping Duration (ms)					
66	90.7	173	87	87.9	21.3
LG 34.82.132.10:443/Network/Segments sent/sec.					
3	638.8	1,371	699.4	636.2	316
LG 34.82.132.10:443/Network/Segments retransmitted/sec.					
0	0.016	0.595	0	0.004	0.062
LG 34.82.132.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.1	23.1	9.79	9.05	4.62
LG 34.82.132.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.55	1.22	1.15	0.588

LG 34.82.132.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.132.48:443/CPU Load					
0	5.31	17	5	5.2	2.64
LG 34.82.132.48:443/Memory Used					
2	15.7	36	14	15.4	9.53
LG 34.82.132.48:443/Throughput					
0	8.79	21.6	9.21	8.76	4.43
LG 34.82.132.48:443/User Load					
0	102.2	189	107.5	102.6	54.3
LG 34.82.132.48:443/Thread Count					
40	178.5	332	172.5	175.8	74.1
LG 34.82.132.48:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.82.132.48:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.82.132.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.132.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.132.48:443/Controller Connection/Ping Duration (ms)					
85	132.7	166	126	133.1	20.8
LG 34.82.132.48:443/Network/Segments sent/sec.					
3.81	644.8	1,525	702.4	643.2	318.4
LG 34.82.132.48:443/Network/Segments retransmitted/sec.					
0	0.015	2.65	0	0	0.147
LG 34.82.132.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.22	22.4	9.61	9.2	4.65
LG 34.82.132.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.17	2.49	1.2	1.17	0.595

LG 34.82.139.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.139.140:443/CPU Load					
0	4.6	16	5	4.5	2.2
LG 34.82.139.140:443/Memory Used					
2	15.4	36	14	15.1	9.21
LG 34.82.139.140:443/Throughput					
0	8.59	20.7	9.15	8.56	4.34
LG 34.82.139.140:443/User Load					
0	100	189	103.5	100.1	53.1
LG 34.82.139.140:443/Thread Count					
40	176.9	354	168.5	173	76
LG 34.82.139.140:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.82.139.140:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.82.139.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.139.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.139.140:443/Controller Connection/Ping Duration (ms)					
73	97.3	135	95	96.4	14.8
LG 34.82.139.140:443/Network/Segments sent/sec.					
2.62	633.8	1,315	675.9	633.7	310.8
LG 34.82.139.140:443/Network/Segments retransmitted/sec.					
0	0.006	0.78	0	0	0.05
LG 34.82.139.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.02	21.5	9.64	8.99	4.55
LG 34.82.139.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.78	1.24	1.14	0.573

LG 34.82.15.46:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.15.46:443/CPU Load					
0	4.86	14	5	4.71	2.48
LG 34.82.15.46:443/Memory Used					
1	16.1	37	15	15.7	9.51
LG 34.82.15.46:443/Throughput					
0	8.66	20	9.28	8.63	4.4
LG 34.82.15.46:443/User Load					
0	100.2	188	105	100.4	53.4
LG 34.82.15.46:443/Thread Count					
40	176.4	341	169	173	74.2
LG 34.82.15.46:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.82.15.46:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.82.15.46:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.15.46:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.15.46:443/Controller Connection/Ping Duration (ms)					
65	142.9	169	165	145.4	30

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.15.46:443/Network/Segments sent/sec.					
4.81	637.2	1,364	689.4	638.5	314.4
LG 34.82.15.46:443/Network/Segments retransmitted/sec.					
0	0.005	0.201	0	0	0.03
LG 34.82.15.46:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.1	20.8	9.7	9.08	4.61
LG 34.82.15.46:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.15	2.4	1.21	1.15	0.579

LG 34.82.16.239:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.16.239:443/CPU Load					
0	4.84	15	5	4.71	2.34
LG 34.82.16.239:443/Memory Used					
1	16.7	36	16	16.4	9.8
LG 34.82.16.239:443/Throughput					
0	8.68	19.7	9.03	8.63	4.44
LG 34.82.16.239:443/User Load					
0	101	189	105	101.2	53.9
LG 34.82.16.239:443/Thread Count					
40	177.3	344	169	173.8	75.9
LG 34.82.16.239:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.82.16.239:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.82.16.239:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.16.239:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.16.239:443/Controller Connection/Ping Duration (ms)					
70	91.7	168	88	89.2	18.7
LG 34.82.16.239:443/Network/Segments sent/sec.					
4.4	639.9	1,414	684.3	638.5	317.4
LG 34.82.16.239:443/Network/Segments retransmitted/sec.					
0	0.027	0.601	0	0.013	0.085
LG 34.82.16.239:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.11	20.6	9.55	9.06	4.65
LG 34.82.16.239:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.16	2.6	1.22	1.15	0.583

LG 34.82.184.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.184.48:443/CPU Load					
0	5.11	16	5	4.99	2.46
LG 34.82.184.48:443/Memory Used					
2	16.3	37	15	16	9.56
LG 34.82.184.48:443/Throughput					
0	8.65	21.1	8.92	8.6	4.43
LG 34.82.184.48:443/User Load					
0	100.9	189	105.5	101.1	53.7
LG 34.82.184.48:443/Thread Count					
40	179.5	354	172.5	175.6	78.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.184.48:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.184.48:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.82.184.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.184.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.184.48:443/Controller Connection/Ping Duration (ms)					
69	100.8	167	88	98.6	26.1
LG 34.82.184.48:443/Network/Segments sent/sec.					
2.4	634.8	1,316	685.4	635.1	312.3
LG 34.82.184.48:443/Network/Segments retransmitted/sec.					
0	0.016	0.4	0	0.005	0.059
LG 34.82.184.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.07	21.9	9.37	9.02	4.63
LG 34.82.184.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.42	1.26	1.15	0.57

LG 34.82.201.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.201.189:443/CPU Load					
0	4.74	13	5	4.64	2.18
LG 34.82.201.189:443/Memory Used					
2	16.4	37	15	16.1	9.57
LG 34.82.201.189:443/Throughput					
0	8.6	22.9	9.17	8.54	4.42
LG 34.82.201.189:443/User Load					
0	100.3	188	105	100.5	53.7
LG 34.82.201.189:443/Thread Count					
40	177.7	350	170	174	77
LG 34.82.201.189:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.82.201.189:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 34.82.201.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.201.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.201.189:443/Controller Connection/Ping Duration (ms)					
71	103.4	168	90	101.9	22.5
LG 34.82.201.189:443/Network/Segments sent/sec.					
4.44	634.5	1,470	684.9	632	315.5
LG 34.82.201.189:443/Network/Segments retransmitted/sec.					
0	0.018	0.969	0	0.005	0.075
LG 34.82.201.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.02	23.6	9.62	8.96	4.63
LG 34.82.201.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.15	2.74	1.24	1.14	0.582

LG 34.82.25.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.25.133:443/CPU Load					
0	4.82	16	5	4.66	2.49
LG 34.82.25.133:443/Memory Used					
1	16	37	14	15.6	9.58
LG 34.82.25.133:443/Throughput					
0	8.55	20.1	8.82	8.48	4.43
LG 34.82.25.133:443/User Load					
0	99.1	188	102	99.2	53
LG 34.82.25.133:443/Thread Count					
40	173.6	331	167	170.7	70.9
LG 34.82.25.133:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.82.25.133:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 34.82.25.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.25.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.25.133:443/Controller Connection/Ping Duration (ms)					
113	130.6	166	127	129.5	12
LG 34.82.25.133:443/Network/Segments sent/sec.					
4	629.4	1,455	666.4	626.9	313.7
LG 34.82.25.133:443/Network/Segments retransmitted/sec.					
0	0.012	0.4	0	0.001	0.052
LG 34.82.25.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	8.97	20.9	9.28	8.9	4.63
LG 34.82.25.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.65	1.18	1.13	0.583

LG 34.82.33.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.33.146:443/CPU Load					
0	4.75	14	5	4.71	2.1
LG 34.82.33.146:443/Memory Used					
2	15.3	35	14	15	8.86
LG 34.82.33.146:443/Throughput					
0	8.59	20	8.95	8.55	4.34
LG 34.82.33.146:443/User Load					
0	100.1	188	104.5	100.3	53.3
LG 34.82.33.146:443/Thread Count					
40	176.3	341	170.5	172.9	74.2
LG 34.82.33.146:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.33.146:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 34.82.33.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.33.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.33.146:443/Controller Connection/Ping Duration (ms)					
66	87.5	128	87	86.5	9.88

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.33.146:443/Network/Segments sent/sec.					
4.19	631.5	1,299	681.2	631.8	310.6
LG 34.82.33.146:443/Network/Segments retransmitted/sec.					
0	0.017	2.72	0	0	0.152
LG 34.82.33.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.02	20.7	9.51	8.98	4.54
LG 34.82.33.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.15	2.39	1.19	1.14	0.578

LG 34.82.64.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.64.135:443/CPU Load					
0	4.87	20	5	4.66	2.64
LG 34.82.64.135:443/Memory Used					
1	16.1	38	15	15.8	9.41
LG 34.82.64.135:443/Throughput					
0	8.69	20.1	9.4	8.64	4.43
LG 34.82.64.135:443/User Load					
0	100.8	189	105	101	53.7
LG 34.82.64.135:443/Thread Count					
40	177.8	343	171	174.4	75.4
LG 34.82.64.135:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.82.64.135:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.82.64.135:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.64.135:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.64.135:443/Controller Connection/Ping Duration (ms)					
66	91.2	169	88	88.8	20.4
LG 34.82.64.135:443/Network/Segments sent/sec.					
3.02	640.7	1,411	688.1	639.2	317.5
LG 34.82.64.135:443/Network/Segments retransmitted/sec.					
0	0.012	0.402	0	0	0.055
LG 34.82.64.135:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.12	21	9.78	9.07	4.64
LG 34.82.64.135:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.64	1.23	1.15	0.591

LG 34.82.72.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.72.159:443/CPU Load					
0	4.76	13	5	4.6	2.38
LG 34.82.72.159:443/Memory Used					
2	16.1	36	15	15.7	9.4
LG 34.82.72.159:443/Throughput					
0	8.63	18.7	8.99	8.6	4.32
LG 34.82.72.159:443/User Load					
0	100.5	188	105	100.7	53.4
LG 34.82.72.159:443/Thread Count					
40	176.4	337	172	173.2	73.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.72.159:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 34.82.72.159:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.011
LG 34.82.72.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.72.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.72.159:443/Controller Connection/Ping Duration (ms)					
87	123.8	184	115	122.5	36.1
LG 34.82.72.159:443/Network/Segments sent/sec.					
3	637.5	1,375	699.9	637.4	312.2
LG 34.82.72.159:443/Network/Segments retransmitted/sec.					
0	0.016	0.4	0	0.005	0.056
LG 34.82.72.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.05	19.5	9.44	9.03	4.53
LG 34.82.72.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.47	1.25	1.15	0.578

LG 34.82.79.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.79.140:443/CPU Load					
0	4.42	14	4	4.3	2.22
LG 34.82.79.140:443/Memory Used					
2	15.9	36	15	15.6	9.42
LG 34.82.79.140:443/Throughput					
0	8.73	23	9.25	8.67	4.45
LG 34.82.79.140:443/User Load					
0	101.5	189	106.5	101.7	53.8
LG 34.82.79.140:443/Thread Count					
40	179.4	347	172.5	176	76.3
LG 34.82.79.140:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 34.82.79.140:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.82.79.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.79.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.79.140:443/Controller Connection/Ping Duration (ms)					
90	125.3	165	126	125.3	10.54
LG 34.82.79.140:443/Network/Segments sent/sec.					
3.61	647.6	1,356	700.9	647.1	317.3
LG 34.82.79.140:443/Network/Segments retransmitted/sec.					
0	0.012	0.783	0	0	0.06
LG 34.82.79.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.17	23.7	9.77	9.12	4.66
LG 34.82.79.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.17	2.71	1.25	1.16	0.589

LG 34.82.83.13:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.82.83.13:443/CPU Load					
0	4.92	17	5	4.82	2.32
LG 34.82.83.13:443/Memory Used					
2	15.3	35	14	15	9.16
LG 34.82.83.13:443/Throughput					
0	8.59	20.3	9.03	8.55	4.34
LG 34.82.83.13:443/User Load					
0	99.3	188	102	99.3	52.6
LG 34.82.83.13:443/Thread Count					
40	174.4	343	166	170.9	72.9
LG 34.82.83.13:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.82.83.13:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.009
LG 34.82.83.13:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.82.83.13:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.82.83.13:443/Controller Connection/Ping Duration (ms)					
71	96	175	95	93.3	19.5
LG 34.82.83.13:443/Network/Segments sent/sec.					
4.02	630.9	1,291	680	630.8	309
LG 34.82.83.13:443/Network/Segments retransmitted/sec.					
0	0.015	0.4	0	0.004	0.057
LG 34.82.83.13:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.01	21.2	9.41	8.97	4.54
LG 34.82.83.13:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.32	1.25	1.14	0.565

LG 34.83.104.47:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.104.47:443/CPU Load					
0	4.66	13	5	4.56	2.19
LG 34.83.104.47:443/Memory Used					
2	15.1	35	14	14.8	8.27
LG 34.83.104.47:443/Throughput					
0	8.67	20.3	9.27	8.61	4.38
LG 34.83.104.47:443/User Load					
0	100.8	189	105	100.9	53
LG 34.83.104.47:443/Thread Count					
40	178.3	347	173	174.9	74.8
LG 34.83.104.47:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.83.104.47:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.83.104.47:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.104.47:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.104.47:443/Controller Connection/Ping Duration (ms)					
67	89	138	87	87.5	14.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.104.47:443/Network/Segments sent/sec.					
3.02	639.7	1,506	699.1	639.4	311.8
LG 34.83.104.47:443/Network/Segments retransmitted/sec.					
0	0.026	4.67	0	0.003	0.258
LG 34.83.104.47:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.1	21.4	9.72	9.04	4.58
LG 34.83.104.47:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.78	1.23	1.15	0.579

LG 34.83.126.221:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.126.221:443/CPU Load					
0	4.49	19	4	4.34	2.27
LG 34.83.126.221:443/Memory Used					
2	10.99	24	10	10.79	5.91
LG 34.83.126.221:443/Throughput					
0	8.65	20.8	8.8	8.56	4.48
LG 34.83.126.221:443/User Load					
0	100.1	189	103.5	100.2	53.1
LG 34.83.126.221:443/Thread Count					
40	176.3	345	168.5	172.8	74.2
LG 34.83.126.221:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.126.221:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.83.126.221:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.126.221:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.126.221:443/Controller Connection/Ping Duration (ms)					
67	95.2	168	89	92.5	24.4
LG 34.83.126.221:443/Network/Segments sent/sec.					
3.81	639.5	1,381	690.6	637.6	315.8
LG 34.83.126.221:443/Network/Segments retransmitted/sec.					
0	0.01	0.966	0	0	0.064
LG 34.83.126.221:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.08	21.6	9.29	9	4.69
LG 34.83.126.221:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.49	1.22	1.15	0.58

LG 34.83.141.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.141.19:443/CPU Load					
0	4.96	19	5	4.79	2.53
LG 34.83.141.19:443/Memory Used					
2	16	38	14.5	15.7	9.46
LG 34.83.141.19:443/Throughput					
0	8.65	20.6	9.06	8.58	4.4
LG 34.83.141.19:443/User Load					
0	101.1	189	105.5	101.3	53.7
LG 34.83.141.19:443/Thread Count					
40	178	346	171	174.5	75.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.141.19:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.83.141.19:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.83.141.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.141.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.141.19:443/Controller Connection/Ping Duration (ms)					
70	94.4	166	88	91.9	23.3
LG 34.83.141.19:443/Network/Segments sent/sec.					
3.81	637.6	1,361	684.2	635.5	313.5
LG 34.83.141.19:443/Network/Segments retransmitted/sec.					
0	0.025	1.55	0	0.01	0.105
LG 34.83.141.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.07	21.3	9.49	9	4.6
LG 34.83.141.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.75	1.22	1.14	0.583

LG 34.83.148.22:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.148.22:443/CPU Load					
0	4.92	18	5	4.79	2.35
LG 34.83.148.22:443/Memory Used					
2	16	36	15	15.7	9.61
LG 34.83.148.22:443/Throughput					
0	8.64	21.8	9.17	8.6	4.33
LG 34.83.148.22:443/User Load					
0	100.3	189	104.5	100.3	52.9
LG 34.83.148.22:443/Thread Count					
40	176.5	354	168.5	172.7	74.7
LG 34.83.148.22:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.148.22:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 34.83.148.22:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.148.22:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.148.22:443/Controller Connection/Ping Duration (ms)					
72	110.6	166	89	109.3	30.9
LG 34.83.148.22:443/Network/Segments sent/sec.					
3	634.7	1,467	686.4	634.1	309.7
LG 34.83.148.22:443/Network/Segments retransmitted/sec.					
0	0.009	0.6	0	0	0.049
LG 34.83.148.22:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.06	22.7	9.63	9.03	4.53
LG 34.83.148.22:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.41	1.23	1.15	0.564

LG 34.83.161.129:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.161.129:443/CPU Load					
0	4.64	18	5	4.48	2.37
LG 34.83.161.129:443/Memory Used					
1	15.9	37	15	15.6	9.49
LG 34.83.161.129:443/Throughput					
0	8.68	21.9	8.97	8.64	4.38
LG 34.83.161.129:443/User Load					
0	100.7	189	105	100.9	53.4
LG 34.83.161.129:443/Thread Count					
40	177.2	343	170	173.8	74.5
LG 34.83.161.129:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.83.161.129:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.83.161.129:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.161.129:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.161.129:443/Controller Connection/Ping Duration (ms)					
67	117.2	169	91	116.9	38.7
LG 34.83.161.129:443/Network/Segments sent/sec.					
3.21	640.5	1,322	683.9	640.7	314
LG 34.83.161.129:443/Network/Segments retransmitted/sec.					
0	0.012	0.206	0	0.003	0.048
LG 34.83.161.129:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.11	22.8	9.46	9.08	4.59
LG 34.83.161.129:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.37	1.23	1.16	0.576

LG 34.83.182.105:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.182.105:443/CPU Load					
0	4.88	14	5	4.78	2.31
LG 34.83.182.105:443/Memory Used					
1	15.8	38	14	15.5	9.47
LG 34.83.182.105:443/Throughput					
0	8.58	20.5	9.08	8.53	4.39
LG 34.83.182.105:443/User Load					
0	99.6	188	103.5	99.7	52.9
LG 34.83.182.105:443/Thread Count					
40	174.5	341	167.5	171.2	73.2
LG 34.83.182.105:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 34.83.182.105:443/Http client/Task Pool used					
0	0.001	0.183	0	0	0.013
LG 34.83.182.105:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.182.105:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.182.105:443/Controller Connection/Ping Duration (ms)					
72	100.4	175	94	97.8	24.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.182.105:443/Network/Segments sent/sec.					
3.81	631.1	1,469	686	630.8	313.8
LG 34.83.182.105:443/Network/Segments retransmitted/sec.					
0	0.017	0.4	0	0.006	0.062
LG 34.83.182.105:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9	21.5	9.55	8.96	4.6
LG 34.83.182.105:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.4	1.22	1.14	0.569

LG 34.83.184.164:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.184.164:443/CPU Load					
0	4.36	17	4	4.23	2.16
LG 34.83.184.164:443/Memory Used					
1	15.8	37	15	15.4	9.46
LG 34.83.184.164:443/Throughput					
0	8.56	20.7	8.25	8.46	4.51
LG 34.83.184.164:443/User Load					
0	99.3	188	102.5	99.4	52.8
LG 34.83.184.164:443/Thread Count					
40	174.8	335	169.5	171.8	71.7
LG 34.83.184.164:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.83.184.164:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.83.184.164:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.184.164:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.184.164:443/Controller Connection/Ping Duration (ms)					
104	131.6	211	129	129.4	17.3
LG 34.83.184.164:443/Network/Segments sent/sec.					
3.02	633.3	1,417	667.2	630.2	316.6
LG 34.83.184.164:443/Network/Segments retransmitted/sec.					
0	0.014	3.11	0	0	0.172
LG 34.83.184.164:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	8.99	21.6	8.64	8.89	4.73
LG 34.83.184.164:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.14	2.68	1.21	1.13	0.586

LG 34.83.184.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.184.2:443/CPU Load					
0	4.57	17	5	4.42	2.31
LG 34.83.184.2:443/Memory Used					
2	15.5	36	14	15.1	9.42
LG 34.83.184.2:443/Throughput					
0	8.74	20.8	9.49	8.64	4.52
LG 34.83.184.2:443/User Load					
0	101.6	189	107	101.9	54.1
LG 34.83.184.2:443/Thread Count					
40	179	338	174	176.1	74.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.184.2:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.83.184.2:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.83.184.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.184.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.184.2:443/Controller Connection/Ping Duration (ms)					
66	94.1	166	88	91.9	19.8
LG 34.83.184.2:443/Network/Segments sent/sec.					
2.41	646.4	1,452	714.4	643.8	319.3
LG 34.83.184.2:443/Network/Segments retransmitted/sec.					
0	0.019	4.32	0	0	0.235
LG 34.83.184.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.17	21.4	9.91	9.08	4.72
LG 34.83.184.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.17	2.74	1.2	1.16	0.601

LG 34.83.184.87:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.184.87:443/CPU Load					
0	3.88	11	4	3.83	1.81
LG 34.83.184.87:443/Memory Used					
2	15.5	36	14	15.1	9.21
LG 34.83.184.87:443/Throughput					
0	8.67	22	9.12	8.63	4.41
LG 34.83.184.87:443/User Load					
0	100.5	188	105	100.7	53.4
LG 34.83.184.87:443/Thread Count					
40	177	343	171	173.5	74.8
LG 34.83.184.87:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.83.184.87:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 34.83.184.87:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.184.87:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.184.87:443/Controller Connection/Ping Duration (ms)					
64	112.3	168	125	111.8	27.2
LG 34.83.184.87:443/Network/Segments sent/sec.					
2.21	642.5	1,505	692	642.3	317.5
LG 34.83.184.87:443/Network/Segments retransmitted/sec.					
0	0.007	0.202	0	0	0.037
LG 34.83.184.87:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.13	22.9	9.64	9.09	4.62
LG 34.83.184.87:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.73	1.22	1.15	0.59

LG 34.83.190.31:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.190.31:443/CPU Load					
0	4.81	17	5	4.65	2.44
LG 34.83.190.31:443/Memory Used					
1	16.3	38	14.5	16	9.82
LG 34.83.190.31:443/Throughput					
0	8.65	20	9.02	8.6	4.38
LG 34.83.190.31:443/User Load					
0	100.2	189	103.5	100.3	52.8
LG 34.83.190.31:443/Thread Count					
40	175	334	169.5	172	70.9
LG 34.83.190.31:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.83.190.31:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.83.190.31:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.190.31:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.190.31:443/Controller Connection/Ping Duration (ms)					
68	96.1	171	88	93.2	23.5
LG 34.83.190.31:443/Network/Segments sent/sec.					
3.82	637.3	1,419	678.5	636.4	313
LG 34.83.190.31:443/Network/Segments retransmitted/sec.					
0	0.016	0.395	0	0.006	0.059
LG 34.83.190.31:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.07	21	9.54	9.03	4.58
LG 34.83.190.31:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.16	2.49	1.21	1.15	0.578

LG 34.83.22.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.22.84:443/CPU Load					
0	5.19	15	5	5.02	2.64
LG 34.83.22.84:443/Memory Used					
2	15.8	37	14	15.5	9.48
LG 34.83.22.84:443/Throughput					
0	8.58	19.8	9.02	8.54	4.38
LG 34.83.22.84:443/User Load					
0	99.5	188	103	99.6	53.2
LG 34.83.22.84:443/Thread Count					
40	175.5	343	169	172.2	74.1
LG 34.83.22.84:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.83.22.84:443/Http client/Task Pool used					
0	0	0.1	0	0	0.006
LG 34.83.22.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.22.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.22.84:443/Controller Connection/Ping Duration (ms)					
66	88.6	128	87	87.7	12.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.22.84:443/Network/Segments sent/sec.					
2.43	632.8	1,396	694.3	630.9	314.7
LG 34.83.22.84:443/Network/Segments retransmitted/sec.					
0	0.043	0.966	0	0.028	0.107
LG 34.83.22.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	8.99	20.7	9.43	8.96	4.58
LG 34.83.22.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.15	2.41	1.22	1.14	0.574

LG 34.83.224.76:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.224.76:443/CPU Load					
0	4.69	17	5	4.57	2.26
LG 34.83.224.76:443/Memory Used					
1	16.7	37	15	16.4	9.97
LG 34.83.224.76:443/Throughput					
0	8.62	18.2	8.86	8.59	4.37
LG 34.83.224.76:443/User Load					
0	100.1	188	104.5	100.2	52.8
LG 34.83.224.76:443/Thread Count					
40	176.2	345	168.5	172.6	74.6
LG 34.83.224.76:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.83.224.76:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.83.224.76:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.224.76:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.224.76:443/Controller Connection/Ping Duration (ms)					
70	97.3	172	89	94.5	24.4
LG 34.83.224.76:443/Network/Segments sent/sec.					
5.03	638.6	1,359	686.4	637.1	315.2
LG 34.83.224.76:443/Network/Segments retransmitted/sec.					
0	0.039	4.66	0	0.016	0.262
LG 34.83.224.76:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.05	19.1	9.34	9.02	4.58
LG 34.83.224.76:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.15	2.54	1.21	1.14	0.579

LG 34.83.240.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.240.44:443/CPU Load					
0	4.65	14	5	4.5	2.28
LG 34.83.240.44:443/Memory Used					
1	15.3	36	13.5	15	9.36
LG 34.83.240.44:443/Throughput					
0	8.63	25	8.99	8.54	4.41
LG 34.83.240.44:443/User Load					
0	100.4	189	104.5	100.5	52.9
LG 34.83.240.44:443/Thread Count					
40	178.4	363	171.5	174.5	76.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.240.44:443/Http client/Thread Pool used					
0.1	0.101	0.15	0.1	0.1	0.007
LG 34.83.240.44:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 34.83.240.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.240.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.240.44:443/Controller Connection/Ping Duration (ms)					
116	127.4	129	128	127.8	2.41
LG 34.83.240.44:443/Network/Segments sent/sec.					
3.61	636.7	1,525	684.8	632.7	312.8
LG 34.83.240.44:443/Network/Segments retransmitted/sec.					
0	0.017	1.38	0	0.003	0.091
LG 34.83.240.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.06	25.9	9.59	8.97	4.61
LG 34.83.240.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	1.15	2.8	1.18	1.14	0.589

LG 34.83.26.215:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.26.215:443/CPU Load					
0	5.04	15	5	4.92	2.46
LG 34.83.26.215:443/Memory Used					
2	17	37	16	16.7	9.83
LG 34.83.26.215:443/Throughput					
0	8.71	19.7	9.08	8.68	4.42
LG 34.83.26.215:443/User Load					
0	101.8	189	106.5	102.1	54.2
LG 34.83.26.215:443/Thread Count					
40	180.5	353	173	176.8	79.9
LG 34.83.26.215:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.83.26.215:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 34.83.26.215:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.26.215:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.26.215:443/Controller Connection/Ping Duration (ms)					
85	125.7	162	129	125.9	16.6
LG 34.83.26.215:443/Network/Segments sent/sec.					
2.6	641.7	1,361	695.1	640.9	315
LG 34.83.26.215:443/Network/Segments retransmitted/sec.					
0	0.022	0.602	0	0.01	0.073
LG 34.83.26.215:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.14	20.4	9.6	9.1	4.63
LG 34.83.26.215:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.17	2.42	1.26	1.16	0.578

LG 34.83.26.84:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.26.84:443/CPU Load					
0	4.86	15	5	4.7	2.39
LG 34.83.26.84:443/Memory Used					
1	16.7	37	15	16.4	9.97
LG 34.83.26.84:443/Throughput					
0	8.57	25.8	9.03	8.49	4.43
LG 34.83.26.84:443/User Load					
0	99.3	188	102.5	99.3	52.6
LG 34.83.26.84:443/Thread Count					
40	174.4	341	167.5	171	73
LG 34.83.26.84:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.83.26.84:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 34.83.26.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.26.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.26.84:443/Controller Connection/Ping Duration (ms)					
68	90.5	129	88	89.6	12.9
LG 34.83.26.84:443/Network/Segments sent/sec.					
4.41	629	1,541	676.1	624	314
LG 34.83.26.84:443/Network/Segments retransmitted/sec.					
0	0.018	3.15	0	0	0.177
LG 34.83.26.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	8.99	26.5	9.54	8.91	4.63
LG 34.83.26.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.97	1.14	1.13	0.597

LG 34.83.51.86:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.51.86:443/CPU Load					
0	4.82	17	5	4.65	2.48
LG 34.83.51.86:443/Memory Used					
2	16.6	38	15	16.2	9.74
LG 34.83.51.86:443/Throughput					
0	8.7	22.4	9.3	8.63	4.48
LG 34.83.51.86:443/User Load					
0	100.7	189	104.5	100.8	53.5
LG 34.83.51.86:443/Thread Count					
40	177.7	343	169.5	174.3	75.2
LG 34.83.51.86:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.83.51.86:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.83.51.86:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.51.86:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.51.86:443/Controller Connection/Ping Duration (ms)					
67	98.4	164	89	96.2	23.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.51.86:443/Network/Segments sent/sec.					
5.02	640.7	1,525	697.8	640	316.2
LG 34.83.51.86:443/Network/Segments retransmitted/sec.					
0	0.016	0.4	0	0.006	0.057
LG 34.83.51.86:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.13	23.2	9.77	9.06	4.69
LG 34.83.51.86:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.16	2.56	1.24	1.15	0.581

LG 34.83.67.253:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.67.253:443/CPU Load					
0	4.36	19	4	4.23	2.24
LG 34.83.67.253:443/Memory Used					
2	16.1	38	14	15.7	9.79
LG 34.83.67.253:443/Throughput					
0	8.58	19.4	9.01	8.54	4.37
LG 34.83.67.253:443/User Load					
0	100	188	104	100.2	53.4
LG 34.83.67.253:443/Thread Count					
40	178.1	350	172	174.4	76.5
LG 34.83.67.253:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 34.83.67.253:443/Http client/Task Pool used					
0	0	0.083	0	0	0.005
LG 34.83.67.253:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.67.253:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.67.253:443/Controller Connection/Ping Duration (ms)					
68	91	157	89	89.2	17.2
LG 34.83.67.253:443/Network/Segments sent/sec.					
4.01	634.9	1,322	690.5	635.6	310.4
LG 34.83.67.253:443/Network/Segments retransmitted/sec.					
0	0.02	4.65	0	0	0.254
LG 34.83.67.253:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.01	20.2	9.59	8.98	4.57
LG 34.83.67.253:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.48	1.23	1.14	0.571

LG 34.83.72.93:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.72.93:443/CPU Load					
0	0	0	0	0	-
LG 34.83.72.93:443/Memory Used					
0	0	0	0	0	-
LG 34.83.72.93:443/Throughput					
0	0	0	0	0	-
LG 34.83.72.93:443/User Load					
0	0	0	0	0	-
LG 34.83.72.93:443/Thread Count					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.72.93:443/Http client/Thread Pool used					
0	0	0	0	0	-
LG 34.83.72.93:443/Http client/Task Pool used					
0	0	0	0	0	-
LG 34.83.72.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.72.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.72.93:443/Controller Connection/Ping Duration (ms)					
0	0	0	0	0	-
LG 34.83.72.93:443/Network/Segments sent/sec.					
0	0	0	0	0	-
LG 34.83.72.93:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	-
LG 34.83.72.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0	0	0	0	0	-
LG 34.83.72.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0	0	0	0	-

LG 34.83.73.144:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.83.73.144:443/CPU Load					
0	4.87	19	5	4.7	2.56
LG 34.83.73.144:443/Memory Used					
2	16.3	37	15	16	9.71
LG 34.83.73.144:443/Throughput					
0	8.75	18.9	9.32	8.7	4.45
LG 34.83.73.144:443/User Load					
0	101.6	189	106.5	101.9	54.1
LG 34.83.73.144:443/Thread Count					
40	178.4	337	171.5	175.6	74.5
LG 34.83.73.144:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 34.83.73.144:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.83.73.144:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.83.73.144:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.83.73.144:443/Controller Connection/Ping Duration (ms)					
67	97.2	165	87	95	25.4
LG 34.83.73.144:443/Network/Segments sent/sec.					
3.81	644.8	1,506	703	645.1	317.6
LG 34.83.73.144:443/Network/Segments retransmitted/sec.					
0	0.009	0.4	0	0	0.046
LG 34.83.73.144:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.19	19.6	9.81	9.14	4.66
LG 34.83.73.144:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.17	2.34	1.26	1.17	0.584

LG 35.185.223.223:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.223.223:443/CPU Load					
0	4.63	15	5	4.53	2.16
LG 35.185.223.223:443/Memory Used					
2	15.8	36	14	15.4	9.57
LG 35.185.223.223:443/Throughput					
0	8.76	20.8	9.36	8.71	4.43
LG 35.185.223.223:443/User Load					
0	102.2	189	108	102.5	54.4
LG 35.185.223.223:443/Thread Count					
40	180.6	341	174	177.7	76.8
LG 35.185.223.223:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.223.223:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.185.223.223:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.223.223:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.223.223:443/Controller Connection/Ping Duration (ms)					
83	107.6	168	87	105.6	31.6
LG 35.185.223.223:443/Network/Segments sent/sec.					
3.84	650.2	1,452	714.8	649.2	321
LG 35.185.223.223:443/Network/Segments retransmitted/sec.					
0	0.016	0.404	0	0.003	0.062
LG 35.185.223.223:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.2	21.5	9.89	9.16	4.64
LG 35.185.223.223:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.18	2.61	1.22	1.17	0.593

LG 35.197.106.152:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.106.152:443/CPU Load					
0	4.53	18	5	4.41	2.17
LG 35.197.106.152:443/Memory Used					
2	13.5	30	12	13.3	7.79
LG 35.197.106.152:443/Throughput					
0	8.65	22	8.97	8.58	4.42
LG 35.197.106.152:443/User Load					
0	100.2	189	104	100.3	53.1
LG 35.197.106.152:443/Thread Count					
40	178.9	360	171	174.9	78.1
LG 35.197.106.152:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.197.106.152:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.197.106.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.106.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.106.152:443/Controller Connection/Ping Duration (ms)					
85	146.1	167	166	148	24.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.106.152:443/Network/Segments sent/sec.					
3	639.9	1,547	692.3	638.8	315.1
LG 35.197.106.152:443/Network/Segments retransmitted/sec.					
0	0.014	0.4	0	0.004	0.054
LG 35.197.106.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.08	22.7	9.55	9.02	4.63
LG 35.197.106.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.27	1.24	1.15	0.571

LG 35.197.51.134:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.51.134:443/CPU Load					
0	4.97	19	5	4.81	2.55
LG 35.197.51.134:443/Memory Used					
2	16.9	37	16	16.6	9.99
LG 35.197.51.134:443/Throughput					
0	8.58	22.1	8.89	8.54	4.38
LG 35.197.51.134:443/User Load					
0	99.8	188	103.5	99.9	52.9
LG 35.197.51.134:443/Thread Count					
40	176.9	352	168.5	173	75.9
LG 35.197.51.134:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.197.51.134:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.197.51.134:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.51.134:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.51.134:443/Controller Connection/Ping Duration (ms)					
112	133.4	169	128	132.3	14.8
LG 35.197.51.134:443/Network/Segments sent/sec.					
3	632.7	1,357	676.2	631.2	312.6
LG 35.197.51.134:443/Network/Segments retransmitted/sec.					
0	0.016	4.28	0	0	0.234
LG 35.197.51.134:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.01	23	9.37	8.97	4.59
LG 35.197.51.134:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.71	1.21	1.14	0.583

LG 35.197.69.55:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.69.55:443/CPU Load					
0	5.62	17	5	5.49	2.92
LG 35.197.69.55:443/Memory Used					
2	14.9	35	13	14.5	8.95
LG 35.197.69.55:443/Throughput					
0	8.68	20.2	9.06	8.63	4.4
LG 35.197.69.55:443/User Load					
0	100.9	189	105	101.1	53.5
LG 35.197.69.55:443/Thread Count					
40	177.3	342	170	173.9	74.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.69.55:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.197.69.55:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 35.197.69.55:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.69.55:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.69.55:443/Controller Connection/Ping Duration (ms)					
84	134.8	169	129	135.4	21.3
LG 35.197.69.55:443/Network/Segments sent/sec.					
4.04	635.4	1,423	685.7	634.9	311.9
LG 35.197.69.55:443/Network/Segments retransmitted/sec.					
0	0.017	3.88	0	0	0.212
LG 35.197.69.55:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.11	20.9	9.51	9.06	4.61
LG 35.197.69.55:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.37	1.23	1.15	0.574

LG 35.197.85.156:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.197.85.156:443/CPU Load					
0	4.51	15	5	4.37	2.24
LG 35.197.85.156:443/Memory Used					
2	16.9	37	16	16.6	9.84
LG 35.197.85.156:443/Throughput					
0	8.63	22.1	9	8.57	4.44
LG 35.197.85.156:443/User Load					
0	99.9	189	103.5	100	53.1
LG 35.197.85.156:443/Thread Count					
40	176.9	350	168.5	173.2	75.7
LG 35.197.85.156:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.197.85.156:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.197.85.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.197.85.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.197.85.156:443/Controller Connection/Ping Duration (ms)					
75	112	187	93	109.8	31.7
LG 35.197.85.156:443/Network/Segments sent/sec.					
3	639.6	1,394	695.5	637.6	317.6
LG 35.197.85.156:443/Network/Segments retransmitted/sec.					
0	0.011	1.57	0	0	0.093
LG 35.197.85.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.07	22.8	9.49	9.01	4.65
LG 35.197.85.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.55	1.22	1.14	0.586

LG 35.199.157.115:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.157.115:443/CPU Load					
0	5.13	16	5	4.99	2.51
LG 35.199.157.115:443/Memory Used					
1	16	36	15	15.7	9.41
LG 35.199.157.115:443/Throughput					
0	8.61	19.7	8.99	8.58	4.32
LG 35.199.157.115:443/User Load					
0	99.9	189	103	99.9	52.7
LG 35.199.157.115:443/Thread Count					
40	175	345	167	171.4	73.9
LG 35.199.157.115:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.199.157.115:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.199.157.115:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.157.115:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.157.115:443/Controller Connection/Ping Duration (ms)					
74	93.5	127	86	92.6	15.2
LG 35.199.157.115:443/Network/Segments sent/sec.					
3.58	635	1,370	672.1	635.6	309.5
LG 35.199.157.115:443/Network/Segments retransmitted/sec.					
0	0.033	1.36	0	0.017	0.109
LG 35.199.157.115:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.03	20.5	9.44	9.01	4.52
LG 35.199.157.115:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.93	1.23	1.15	0.573

LG 35.199.171.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.171.241:443/CPU Load					
0	4.46	12	4.5	4.38	2.01
LG 35.199.171.241:443/Memory Used					
2	15.3	36	14	14.9	9.24
LG 35.199.171.241:443/Throughput					
0	8.7	24.5	9.27	8.62	4.45
LG 35.199.171.241:443/User Load					
0	101.1	189	105.5	101.3	53.8
LG 35.199.171.241:443/Thread Count					
40	179.3	351	172.5	175.6	77.7
LG 35.199.171.241:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.199.171.241:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.199.171.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.171.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.171.241:443/Controller Connection/Ping Duration (ms)					
68	106.9	167	89	105.4	30.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.171.241:443/Network/Segments sent/sec.					
3	642.4	1,369	703.4	640.8	317.2
LG 35.199.171.241:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.035
LG 35.199.171.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.14	25.5	9.74	9.06	4.66
LG 35.199.171.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.4	1.24	1.16	0.58

LG 35.199.176.231:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.176.231:443/CPU Load					
0	4.76	17	4	4.58	2.6
LG 35.199.176.231:443/Memory Used					
1	15.4	36	14	15.1	9.29
LG 35.199.176.231:443/Throughput					
0	8.59	21.2	8.96	8.56	4.37
LG 35.199.176.231:443/User Load					
0	100	189	104	100.1	53.2
LG 35.199.176.231:443/Thread Count					
40	177.2	355	171	173.3	76.2
LG 35.199.176.231:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.199.176.231:443/Http client/Task Pool used					
0	0	0.033	0	0	0.004
LG 35.199.176.231:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.176.231:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.176.231:443/Controller Connection/Ping Duration (ms)					
66	88.4	138	87	87.1	13.2
LG 35.199.176.231:443/Network/Segments sent/sec.					
3.82	632.8	1,414	684.4	632.9	308.2
LG 35.199.176.231:443/Network/Segments retransmitted/sec.					
0	0.01	0.403	0	0	0.047
LG 35.199.176.231:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.02	21.8	9.4	8.99	4.58
LG 35.199.176.231:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.15	2.56	1.23	1.14	0.57

LG 35.227.164.85:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.164.85:443/CPU Load					
0	4.54	15	5	4.42	2.17
LG 35.227.164.85:443/Memory Used					
2	15.8	36	14	15.5	9.52
LG 35.227.164.85:443/Throughput					
0	8.52	21.2	8.93	8.47	4.35
LG 35.227.164.85:443/User Load					
0	99.1	188	102	99.1	52.9
LG 35.227.164.85:443/Thread Count					
40	174.8	342	169	171.3	73.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.164.85:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.227.164.85:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.008
LG 35.227.164.85:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.164.85:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.164.85:443/Controller Connection/Ping Duration (ms)					
72	92.8	166	87	90.1	20.7
LG 35.227.164.85:443/Network/Segments sent/sec.					
3.81	630.2	1,352	674.4	629.3	310.8
LG 35.227.164.85:443/Network/Segments retransmitted/sec.					
0	0.022	1.35	0	0.008	0.095
LG 35.227.164.85:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	8.95	22	9.38	8.9	4.56
LG 35.227.164.85:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.63	1.21	1.14	0.572

LG 35.227.173.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.173.88:443/CPU Load					
0	4.41	14	4	4.32	2.08
LG 35.227.173.88:443/Memory Used					
2	14.7	35	13	14.3	8.94
LG 35.227.173.88:443/Throughput					
0	8.63	20.5	9.01	8.59	4.36
LG 35.227.173.88:443/User Load					
0	100.4	189	105	100.6	52.9
LG 35.227.173.88:443/Thread Count					
40	176.6	344	170	173.3	73.6
LG 35.227.173.88:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.227.173.88:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.227.173.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.173.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.173.88:443/Controller Connection/Ping Duration (ms)					
75	130	167	126	130.7	36.6
LG 35.227.173.88:443/Network/Segments sent/sec.					
4.05	640.3	1,347	690.8	640.8	312
LG 35.227.173.88:443/Network/Segments retransmitted/sec.					
0	0.014	1.36	0	0	0.087
LG 35.227.173.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.07	21.4	9.47	9.03	4.57
LG 35.227.173.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.16	2.49	1.23	1.15	0.572

LG 35.230.104.18:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.104.18:443/CPU Load					
0	5.36	14	5	5.21	2.67
LG 35.230.104.18:443/Memory Used					
1	16	37	15	15.6	9.39
LG 35.230.104.18:443/Throughput					
0	8.62	18.6	9.03	8.57	4.4
LG 35.230.104.18:443/User Load					
0	100.4	189	104	100.5	53.6
LG 35.230.104.18:443/Thread Count					
40	176.9	338	168	173.7	73.9
LG 35.230.104.18:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.230.104.18:443/Http client/Task Pool used					
0	0.001	0.183	0	0	0.01
LG 35.230.104.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.104.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.104.18:443/Controller Connection/Ping Duration (ms)					
107	129.3	169	129	128.7	9
LG 35.230.104.18:443/Network/Segments sent/sec.					
4.4	631.8	1,307	682	631.6	312.7
LG 35.230.104.18:443/Network/Segments retransmitted/sec.					
0	0.038	5.66	0	0.011	0.311
LG 35.230.104.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.04	19.6	9.47	8.99	4.6
LG 35.230.104.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.15	2.32	1.17	1.15	0.582

LG 35.230.116.80:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.116.80:443/CPU Load					
0	4.64	13	5	4.5	2.26
LG 35.230.116.80:443/Memory Used					
2	17	37	16	16.7	9.9
LG 35.230.116.80:443/Throughput					
0	8.61	22.3	8.97	8.53	4.46
LG 35.230.116.80:443/User Load					
0	99.5	188	103.5	99.6	52.9
LG 35.230.116.80:443/Thread Count					
40	174.7	338	166.5	171.5	72.4
LG 35.230.116.80:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.116.80:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.230.116.80:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.116.80:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.116.80:443/Controller Connection/Ping Duration (ms)					
67	90.9	139	88	89.4	13.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.116.80:443/Network/Segments sent/sec.					
2.2	636	1,332	686.5	633.6	316.1
LG 35.230.116.80:443/Network/Segments retransmitted/sec.					
0	0.025	2.56	0	0.007	0.151
LG 35.230.116.80:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	9.03	23.1	9.41	8.95	4.66
LG 35.230.116.80:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.49	1.2	1.14	0.583

LG 35.230.31.124:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.31.124:443/CPU Load					
0	5	15	5	4.84	2.44
LG 35.230.31.124:443/Memory Used					
2	15.3	36	14	14.9	9.18
LG 35.230.31.124:443/Throughput					
0	8.59	22.6	8.86	8.53	4.37
LG 35.230.31.124:443/User Load					
0	99.8	189	103	99.9	52.7
LG 35.230.31.124:443/Thread Count					
40	175.7	344	170	172.3	73.5
LG 35.230.31.124:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 35.230.31.124:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 35.230.31.124:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.31.124:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.31.124:443/Controller Connection/Ping Duration (ms)					
67	86.2	110	87	86.2	8.02
LG 35.230.31.124:443/Network/Segments sent/sec.					
5.26	633.9	1,425	677.5	631.7	311.2
LG 35.230.31.124:443/Network/Segments retransmitted/sec.					
0	0.028	2.12	0	0.01	0.134
LG 35.230.31.124:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.01	23.4	9.28	8.95	4.58
LG 35.230.31.124:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.15	2.61	1.2	1.14	0.573

LG 35.230.52.146:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.52.146:443/CPU Load					
0	4.65	15	5	4.54	2.15
LG 35.230.52.146:443/Memory Used					
1	12.8	29	12	12.6	7.14
LG 35.230.52.146:443/Throughput					
0	8.66	22.3	9.16	8.62	4.38
LG 35.230.52.146:443/User Load					
0	100.3	189	104.5	100.5	53.1
LG 35.230.52.146:443/Thread Count					
40	177	344	171.5	173.5	74

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.52.146:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.52.146:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.230.52.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.52.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.52.146:443/Controller Connection/Ping Duration (ms)					
67	98.6	172	87	96.2	25.7
LG 35.230.52.146:443/Network/Segments sent/sec.					
4.04	638.3	1,451	691.6	638.3	313.6
LG 35.230.52.146:443/Network/Segments retransmitted/sec.					
0	0.009	0.402	0	0	0.049
LG 35.230.52.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.09	22.9	9.63	9.06	4.58
LG 35.230.52.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.15	2.4	1.22	1.15	0.574

LG 35.230.87.220:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.87.220:443/CPU Load					
0	5.11	14	5	5	2.46
LG 35.230.87.220:443/Memory Used					
1	16.2	37	15	16	9.58
LG 35.230.87.220:443/Throughput					
0	8.71	19.7	9.07	8.64	4.47
LG 35.230.87.220:443/User Load					
0	100.9	189	105	101.1	53.5
LG 35.230.87.220:443/Thread Count					
40	176	332	170	172.9	72.4
LG 35.230.87.220:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.230.87.220:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.230.87.220:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.87.220:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.87.220:443/Controller Connection/Ping Duration (ms)					
66	88.9	127	87	87.8	11.6
LG 35.230.87.220:443/Network/Segments sent/sec.					
3.81	640.1	1,373	686.7	639.3	316.2
LG 35.230.87.220:443/Network/Segments retransmitted/sec.					
0	0.027	3.11	0	0.008	0.178
LG 35.230.87.220:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.14	20.7	9.56	9.06	4.68
LG 35.230.87.220:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.16	2.43	1.23	1.16	0.572

LG 35.233.161.130:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.161.130:443/CPU Load					
0	5.19	17	5	4.98	2.98
LG 35.233.161.130:443/Memory Used					
2	15.9	37	14.5	15.6	9.38
LG 35.233.161.130:443/Throughput					
0	8.6	20	9.16	8.53	4.46
LG 35.233.161.130:443/User Load					
0	99.5	188	103.5	99.6	53.1
LG 35.233.161.130:443/Thread Count					
40	172.9	326	169.5	170.1	70.1
LG 35.233.161.130:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.233.161.130:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.233.161.130:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.161.130:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.161.130:443/Controller Connection/Ping Duration (ms)					
66	93.2	134	87	92.2	16.9
LG 35.233.161.130:443/Network/Segments sent/sec.					
3.2	630.7	1,406	672.6	627.1	314.4
LG 35.233.161.130:443/Network/Segments retransmitted/sec.					
0	0.022	3.53	0	0.002	0.198
LG 35.233.161.130:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.02	20.8	9.66	8.95	4.66
LG 35.233.161.130:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.15	2.76	1.19	1.13	0.603

LG 35.233.167.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.167.41:443/CPU Load					
0	4.7	15	5	4.58	2.23
LG 35.233.167.41:443/Memory Used					
2	17	37	16	16.7	9.97
LG 35.233.167.41:443/Throughput					
0	8.63	26.9	9.18	8.58	4.41
LG 35.233.167.41:443/User Load					
0	99.7	189	103	99.7	52.8
LG 35.233.167.41:443/Thread Count					
40	176.5	350	170	172.9	74.1
LG 35.233.167.41:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.233.167.41:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.233.167.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.167.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.167.41:443/Controller Connection/Ping Duration (ms)					
84	118.7	233	127	115.7	29

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.167.41:443/Network/Segments sent/sec.					
3.2	634.5	1,438	683.3	634.2	312
LG 35.233.167.41:443/Network/Segments retransmitted/sec.					
0	0.023	4.29	0	0	0.238
LG 35.233.167.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.06	27.7	9.67	9.01	4.62
LG 35.233.167.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.15	2.44	1.22	1.15	0.571

LG 35.233.210.189:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.210.189:443/CPU Load					
0	4.87	16	5	4.75	2.34
LG 35.233.210.189:443/Memory Used					
1	15.9	37	14	15.6	9.47
LG 35.233.210.189:443/Throughput					
0	8.58	24	8.92	8.51	4.39
LG 35.233.210.189:443/User Load					
0	99.6	188	103.5	99.7	52.7
LG 35.233.210.189:443/Thread Count					
40	175.4	344	172	171.8	74.3
LG 35.233.210.189:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.233.210.189:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.233.210.189:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.210.189:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.210.189:443/Controller Connection/Ping Duration (ms)					
85	148.1	172	168	150.1	27.6
LG 35.233.210.189:443/Network/Segments sent/sec.					
3.79	631.6	1,442	681.6	628.6	312.6
LG 35.233.210.189:443/Network/Segments retransmitted/sec.					
0	0.014	0.4	0	0.003	0.058
LG 35.233.210.189:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.01	24.8	9.34	8.93	4.6
LG 35.233.210.189:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.14	2.56	1.2	1.13	0.575

LG 35.233.224.175:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.224.175:443/CPU Load					
0	5.17	21	5	5.02	2.66
LG 35.233.224.175:443/Memory Used					
1	15.6	36	14	15.2	9.41
LG 35.233.224.175:443/Throughput					
0	8.55	25.9	8.95	8.48	4.42
LG 35.233.224.175:443/User Load					
0	99.4	188	103	99.5	53
LG 35.233.224.175:443/Thread Count					
40	174.4	338	167	171.1	73.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.224.175:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0
LG 35.233.224.175:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.01
LG 35.233.224.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.224.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.224.175:443/Controller Connection/Ping Duration (ms)					
66	95.3	171	87	93	22.7
LG 35.233.224.175:443/Network/Segments sent/sec.					
4.79	629.2	1,361	686.2	627.9	310.8
LG 35.233.224.175:443/Network/Segments retransmitted/sec.					
0	0.019	0.587	0	0.007	0.07
LG 35.233.224.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	8.97	26.4	9.42	8.9	4.62
LG 35.233.224.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.14	2.69	1.19	1.13	0.58

LG 35.233.241.19:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.241.19:443/CPU Load					
0	5.25	16	5	5.12	2.61
LG 35.233.241.19:443/Memory Used					
1	16.3	36	15	16.1	9.56
LG 35.233.241.19:443/Throughput					
0	8.73	24	9.17	8.65	4.56
LG 35.233.241.19:443/User Load					
0	100.7	189	105.5	101.2	53.6
LG 35.233.241.19:443/Thread Count					
40	177.6	343	171	174.8	74.6
LG 35.233.241.19:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.233.241.19:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.233.241.19:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.241.19:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.241.19:443/Controller Connection/Ping Duration (ms)					
72	129.5	137	133	131.8	13.3
LG 35.233.241.19:443/Network/Segments sent/sec.					
3.81	642	1,405	690.7	641.7	319.8
LG 35.233.241.19:443/Network/Segments retransmitted/sec.					
0	0.032	0.402	0	0.022	0.079
LG 35.233.241.19:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.16	24.9	9.64	9.08	4.76
LG 35.233.241.19:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.16	2.6	1.24	1.16	0.585

LG 35.233.241.233:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.233.241.233:443/CPU Load					
0	4.54	17	4	4.37	2.38
LG 35.233.241.233:443/Memory Used					
2	16.1	37	15	15.8	9.51
LG 35.233.241.233:443/Throughput					
0	8.7	20.7	9.24	8.66	4.42
LG 35.233.241.233:443/User Load					
0	101.6	188	107.5	102	53.9
LG 35.233.241.233:443/Thread Count					
40	181.4	352	174.5	178	78.9
LG 35.233.241.233:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.233.241.233:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.233.241.233:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.233.241.233:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.233.241.233:443/Controller Connection/Ping Duration (ms)					
86	118.3	176	94	116.8	34.5
LG 35.233.241.233:443/Network/Segments sent/sec.					
3.22	645.3	1,365	705.3	645.9	316.5
LG 35.233.241.233:443/Network/Segments retransmitted/sec.					
0	0.01	1.17	0	0	0.072
LG 35.233.241.233:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.14	21.5	9.67	9.1	4.64
LG 35.233.241.233:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.17	2.4	1.27	1.16	0.585

LG 35.247.109.98:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.109.98:443/CPU Load					
0	5.07	16	5	4.92	2.47
LG 35.247.109.98:443/Memory Used					
1	16.5	37	15	16.2	9.75
LG 35.247.109.98:443/Throughput					
0	8.66	19.1	9.26	8.61	4.38
LG 35.247.109.98:443/User Load					
0	100.7	189	104.5	100.8	53.6
LG 35.247.109.98:443/Thread Count					
40	178.1	345	170.5	174.7	75.3
LG 35.247.109.98:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.247.109.98:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.247.109.98:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.109.98:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.109.98:443/Controller Connection/Ping Duration (ms)					
91	125.7	180	126	125.1	12.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.109.98:443/Network/Segments sent/sec.					
4.19	636.4	1,376	684.7	636	313.3
LG 35.247.109.98:443/Network/Segments retransmitted/sec.					
0	0.034	3.71	0	0.014	0.21
LG 35.247.109.98:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.08	19.9	9.72	9.03	4.58
LG 35.247.109.98:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	1.15	2.52	1.24	1.15	0.574

LG 35.247.117.206:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.117.206:443/CPU Load					
0	4.29	17	4	4.12	2.27
LG 35.247.117.206:443/Memory Used					
2	16.4	37	15	16.1	9.89
LG 35.247.117.206:443/Throughput					
0	8.69	21.4	9.05	8.64	4.44
LG 35.247.117.206:443/User Load					
0	100.9	189	105	101	53.5
LG 35.247.117.206:443/Thread Count					
40	177	342	170	173.6	74.6
LG 35.247.117.206:443/Http client/Thread Pool used					
0.1	0.1	0.105	0.1	0.1	0.001
LG 35.247.117.206:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.247.117.206:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.117.206:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.117.206:443/Controller Connection/Ping Duration (ms)					
66	90.7	162	87	88.3	21
LG 35.247.117.206:443/Network/Segments sent/sec.					
3	643.7	1,442	689.5	643.2	317.9
LG 35.247.117.206:443/Network/Segments retransmitted/sec.					
0	0.008	1.36	0	0	0.078
LG 35.247.117.206:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.14	22.2	9.51	9.09	4.66
LG 35.247.117.206:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.61	1.25	1.16	0.576

LG 35.247.16.252:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.16.252:443/CPU Load					
0	3.99	14	4	3.88	1.97
LG 35.247.16.252:443/Memory Used					
2	15.8	36	14	15.5	9.45
LG 35.247.16.252:443/Throughput					
0	8.61	21.6	8.97	8.56	4.35
LG 35.247.16.252:443/User Load					
0	99.9	189	103	100	52.7
LG 35.247.16.252:443/Thread Count					
40	175.3	344	169	171.7	73.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.16.252:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.16.252:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.247.16.252:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.16.252:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.16.252:443/Controller Connection/Ping Duration (ms)					
68	93.7	168	89	91	22.8
LG 35.247.16.252:443/Network/Segments sent/sec.					
5.23	638	1,363	680.4	638.1	310.9
LG 35.247.16.252:443/Network/Segments retransmitted/sec.					
0	0.008	0.775	0	0	0.053
LG 35.247.16.252:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.05	22.5	9.48	9	4.56
LG 35.247.16.252:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.15	2.51	1.22	1.15	0.569

LG 35.247.24.41:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.24.41:443/CPU Load					
0	4.7	14	5	4.57	2.28
LG 35.247.24.41:443/Memory Used					
2	16.9	37	16	16.6	9.81
LG 35.247.24.41:443/Throughput					
0	8.66	22.4	9.14	8.63	4.36
LG 35.247.24.41:443/User Load					
0	100.8	189	104.5	100.9	53.5
LG 35.247.24.41:443/Thread Count					
40	177.4	347	171.5	173.7	75.6
LG 35.247.24.41:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.247.24.41:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.247.24.41:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.24.41:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.24.41:443/Controller Connection/Ping Duration (ms)					
97	154.4	168	164	156.6	20.3
LG 35.247.24.41:443/Network/Segments sent/sec.					
3.4	639	1,367	695.7	639.6	311.9
LG 35.247.24.41:443/Network/Segments retransmitted/sec.					
0	0.015	0.4	0	0.004	0.054
LG 35.247.24.41:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.09	23.2	9.58	9.06	4.56
LG 35.247.24.41:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.16	2.4	1.25	1.16	0.574

LG 35.247.43.162:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.43.162:443/CPU Load					
0	4.57	13	5	4.49	2.16
LG 35.247.43.162:443/Memory Used					
1	16.1	36	15	15.8	9.53
LG 35.247.43.162:443/Throughput					
0	8.66	23.8	9.02	8.63	4.37
LG 35.247.43.162:443/User Load					
0	101.3	188	107	101.6	53.8
LG 35.247.43.162:443/Thread Count					
40	178.7	345	173	175.4	77.4
LG 35.247.43.162:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.43.162:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.01
LG 35.247.43.162:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.43.162:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.43.162:443/Controller Connection/Ping Duration (ms)					
81	96.5	168	89	93.8	20.1
LG 35.247.43.162:443/Network/Segments sent/sec.					
3.22	641.6	1,399	694.5	642.5	313.6
LG 35.247.43.162:443/Network/Segments retransmitted/sec.					
0	0.01	0.202	0	0	0.043
LG 35.247.43.162:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.09	24.7	9.62	9.06	4.57
LG 35.247.43.162:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.16	2.29	1.25	1.16	0.573

LG 35.247.55.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.55.37:443/CPU Load					
0	4.5	13	4	4.38	2.24
LG 35.247.55.37:443/Memory Used					
2	16.1	37	15	15.8	9.52
LG 35.247.55.37:443/Throughput					
0	8.69	21	9.17	8.64	4.39
LG 35.247.55.37:443/User Load					
0	100.8	189	105	101	53
LG 35.247.55.37:443/Thread Count					
40	176.7	337	172	173.7	72.8
LG 35.247.55.37:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.55.37:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.247.55.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.55.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.55.37:443/Controller Connection/Ping Duration (ms)					
68	93.6	158	86	91.1	21.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.55.37:443/Network/Segments sent/sec.					
3.81	644.2	1,383	704.4	642.3	315.7
LG 35.247.55.37:443/Network/Segments retransmitted/sec.					
0	0.013	2.14	0	0	0.122
LG 35.247.55.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.13	21.8	9.65	9.08	4.6
LG 35.247.55.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.16	2.54	1.22	1.15	0.586

LG 35.247.57.207:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.57.207:443/CPU Load					
0	4.81	17	5	4.64	2.42
LG 35.247.57.207:443/Memory Used					
2	15.1	36	13	14.8	9.11
LG 35.247.57.207:443/Throughput					
0	8.67	22.2	9.03	8.63	4.44
LG 35.247.57.207:443/User Load					
0	100.5	189	104.5	100.7	53.5
LG 35.247.57.207:443/Thread Count					
40	177.5	350	169.5	173.7	76.8
LG 35.247.57.207:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.57.207:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.247.57.207:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.57.207:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.57.207:443/Controller Connection/Ping Duration (ms)					
68	95	143	89	93.7	18.6
LG 35.247.57.207:443/Network/Segments sent/sec.					
4.25	639.7	1,452	683.9	638.4	318.3
LG 35.247.57.207:443/Network/Segments retransmitted/sec.					
0	0.019	0.601	0	0.008	0.067
LG 35.247.57.207:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	9.1	23.2	9.49	9.06	4.65
LG 35.247.57.207:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.16	2.66	1.22	1.15	0.583

LG 35.247.89.35:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.89.35:443/CPU Load					
0	4.55	14	5	4.44	2.21
LG 35.247.89.35:443/Memory Used					
1	16.5	37	15	16.2	9.94
LG 35.247.89.35:443/Throughput					
0	8.58	22.5	8.98	8.54	4.43
LG 35.247.89.35:443/User Load					
0	99.1	188	102	99.1	52.9
LG 35.247.89.35:443/Thread Count					
40	173.8	338	166	170.5	72.9


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.89.35:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.247.89.35:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.247.89.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.89.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.89.35:443/Controller Connection/Ping Duration (ms)					
64	89.3	126	86	88.6	14.5
LG 35.247.89.35:443/Network/Segments sent/sec.					
3.79	633.1	1,614	671.2	630.9	321.1
LG 35.247.89.35:443/Network/Segments retransmitted/sec.					
0	0.016	3.13	0	0	0.174
LG 35.247.89.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	9.01	23.2	9.47	8.97	4.64
LG 35.247.89.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.14	2.4	1.16	1.14	0.59

LG 35.247.98.159:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.247.98.159:443/CPU Load					
0	4.84	15	5	4.7	2.39
LG 35.247.98.159:443/Memory Used					
2	16	37	14	15.7	9.64
LG 35.247.98.159:443/Throughput					
0	8.65	21.2	9.03	8.61	4.4
LG 35.247.98.159:443/User Load					
0	100.8	188	106.5	101.1	53.6
LG 35.247.98.159:443/Thread Count					
40	176.9	338	171.5	173.7	74.9
LG 35.247.98.159:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.247.98.159:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 35.247.98.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.247.98.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.247.98.159:443/Controller Connection/Ping Duration (ms)					
66	86.3	127	87	85.6	10.33
LG 35.247.98.159:443/Network/Segments sent/sec.					
4.87	637.6	1,499	684.1	637.7	313.8
LG 35.247.98.159:443/Network/Segments retransmitted/sec.					
0	0.022	0.6	0	0.01	0.072
LG 35.247.98.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	9.07	22	9.47	9.04	4.6
LG 35.247.98.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.009	1.16	2.47	1.27	1.16	0.579


Average page response time



Min	Average	Max
0.096	1.396	10.394

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.037	0.299	18.969

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.19	2.761	48.07	0.332	1.975	5.315

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
61.8	7,674.5	14,497.5

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	6.4	289

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	1,380.58	2,676.34

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.095	0.698	10.394

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.