

AEM 6.4 Upgrade TDC -LT on Feb 19 2020



Date	Feb 19, 2020 2:26:16 AM
Project	MVOPEGA
Scenario	AEM_MainLT
Comment	
Notes	AEM 6.4 Upgrade TDC -LT on Feb 19 2020

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	4
Hot spots.....	6
Errors.....	6
Alerts.....	6
General statistics.....	6
Transaction statistics.....	6
Execution context.....	10
Scenario	7
Servers.....	13
Cloud.....	14
Populations.....	15
User Paths.....	16
Transactions.....	17
Pages.....	20
Requests.....	22
Media Contents.....	28
Push messages.....	19
Monitors.....	29
Main graphs.....	67
Average page response time.....	67
Average request response time.....	68
Average response time (Transactions).....	69
Requests per second.....	70
Errors.....	71
Throughput.....	72
Response time against load.....	73
Distribution of Transaction Durations.....	74

Summary

Results summary

Name	02:25 - 19 Feb 2020_AEM_TDC_LT	Project	MVOPEGA
Description		Scenario	AEM_MainLT
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population AEM_pages is customized
Start date	Feb 19, 2020 2:26:16 AM	Stop Policy	<ul style="list-style-type: none"> Population AEM_pages: immediate.
End date	Feb 19, 2020 3:10:50 AM		
Duration	00:44:33	Filters	None
Termination reason	Manual action		
LG Hosts	35.194.91.229:443	Debug	Disabled
	,		
	35.236.230.64:443		
	,		
	35.245.36.185:443		
	,		
	35.245.229.85:443		
	,		
	35.230.173.240:443		
	,		
	35.245.157.6:443		
	,		
	35.194.85.193:443		
	,		
	35.186.184.49:443		
	,		
	35.199.1.43:443		
	,		
	35.199.53.188:443		
	,		
	35.194.82.198:443		
	,		
	35.245.160.171:443		
	,		
	35.236.203.4:443		
	,		
	35.245.121.5:443		
	,		
	35.245.201.243:443		
	,		
	35.186.183.222:443		
	,		
	35.245.54.246:443		
	,		
	35.236.254.117:443		
	,		
	35.245.100.119:443		
	,		
	35.245.64.246:443		
	,		
	35.245.35.123:443		
	,		
	35.199.56.108:443		
	,		
	35.236.205.129:443		
	,		
	35.199.50.48:443		
	,		
	35.236.207.252:443		
	,		
	35.245.230.44:443		
	,		
	35.245.151.30:443		
	,		
	35.245.33.152:443		
	,		
	35.199.42.117:443		
	,		
	35.186.191.126:443		
	,		
	146.148.85.87:443		
	,		

35.232.104.165:443		
,		
34.69.180.7:443		
,		
35.225.154.37:443		
,		
104.197.151.91:443		
,		
35.188.111.30:443		
,		
35.225.163.38:443		
,		
104.154.109.202:443		
,		
34.67.103.71:443		
,		
35.232.116.109:443		
,		
35.192.185.140:443		
,		
34.69.244.2:443		
,		
35.223.71.169:443		
,		
35.202.166.11:443		
,		
35.188.179.227:443		
,		
35.223.205.151:443		
,		
107.178.215.40:443		
,		
35.223.137.91:443		
,		
35.184.209.160:443		
,		
35.239.109.133:443		
,		
35.222.56.21:443		
,		
35.192.176.218:443		
,		
34.68.209.148:443		
,		
35.192.223.254:443		
,		
35.184.53.212:443		
,		
34.70.176.112:443		
,		
35.225.182.92:443		
,		
35.226.24.232:443		
,		
35.239.202.9:443		
,		
35.239.248.108:443		

Statistics Summary


Total pages	2743409	—	Average pages/s	1,026.0	—
Total requests	8786991	—	Average requests/s	3,286.1	—
Total users launched	12220	—	Average Request response time	0.086 s	—
Total iterations completed	1365308	—	Average Page response time	0.2 s	—
Total throughput	230,963 MB	—	Average throughput	690.99 Mb/s	—
Total request errors	2	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA

☀ = Passed

☁ = Warning

⚡ = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
0217_dDot_AEM_Deals	AEM_D_Deals	/utag/vzw/main/prod/utag.1199.js	1
0217_dDot_AEM_Plans	AEM_D_Plans	/plans/	1

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
0217_dDot_AEM_Plans	AEM_D_Plans	/plans/	0.553
0217_dDot_AEM_Deals	AEM_D_Deals	/deals/	0.514
0217_dDot_AEM_5GHome	AEM_D_5GHome	/5g/home/	0.268
0217_dDot_AEM_DisneyPI	AEM_D_DisneyPlus	/solutions-and-services/disneyplus/	0.236
0217_dDot_AEM_FamilyTe	AEM_D_FamilyTech	/family-tech/	0.23

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
0217_dDot_AEM_Plans	AEM_D_Plans	/plans/	37.9
0217_dDot_AEM_DisneyPI	AEM_D_DisneyPlus	/solutions-and-services/disneyplus/	34.2
0217_dDot_AEM_Deals	AEM_D_Deals	/deals/	30.5
0217_dDot_AEM_5GHome	AEM_D_5GHome	/5g/home/	22.2
0217_dDot_AEM_FamilyTe	AEM_D_FamilyTech	/family-tech/	22.1

Errors

Request errors

Error Type	Count	Description
404	1	Not Found - The server has not found anything matching the Request-URI.
NL-NETWORK-01	1	Miscellaneous I/O error when connecting to the server.
Total	2	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
0.135	47.1	179.7	12,220	2	0	-
All pages						
0.001	0.199	37.9	2,743,409	2	0	-
All requests						
0.001	0.085	34.1	8,786,991	2	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.074	0.387	37.9	1,365,308	2	0	0.217	0.681	3.56	0.928	0.271	-

Scenario

Summary

Name	02:25 - 19 Feb 2020_AEM_TDC_LT	Project	MVOPEGA
Description		Scenario	AEM_MainLT
Status	✓ Passed	Load Policy	• The population AEM_pages is customized
Start date	Feb 19, 2020 2:26:16 AM		
End date	Feb 19, 2020 3:10:50 AM	Stop Policy	• Population AEM_pages: immediate.
Duration	00:44:33		
Termination reason	Manual action	Filters	None
LG Hosts	35.194.91.229:443 , 35.236.230.64:443 , 35.245.36.185:443 , 35.245.229.85:443 , 35.230.173.240:443 , 35.245.157.6:443 , 35.194.85.193:443 , 35.186.184.49:443 , 35.199.1.43:443 , 35.199.53.188:443 , 35.194.82.198:443 , 35.245.160.171:443 , 35.236.203.4:443 , 35.245.121.5:443 , 35.245.201.243:443 , 35.186.183.222:443 , 35.245.54.246:443 , 35.236.254.117:443 , 35.245.100.119:443 , 35.245.64.246:443 , 35.245.35.123:443 , 35.199.56.108:443 , 35.236.205.129:443 , 35.199.50.48:443 , 35.236.207.252:443 , 35.245.230.44:443 , 35.245.151.30:443 , 35.245.33.152:443 , 35.199.42.117:443 , 35.186.191.126:443 ,	Debug	Disabled

146.148.85.87:443		
,		
35.232.104.165:443		
,		
34.69.180.7:443		
,		
35.225.154.37:443		
,		
104.197.151.91:443		
,		
35.188.111.30:443		
,		
35.225.163.38:443		
,		
104.154.109.202:443		
,		
34.67.103.71:443		
,		
35.232.116.109:443		
,		
35.192.185.140:443		
,		
34.69.244.2:443		
,		
35.223.71.169:443		
,		
35.202.166.11:443		
,		
35.188.179.227:443		
,		
35.223.205.151:443		
,		
107.178.215.40:443		
,		
35.223.137.91:443		
,		
35.184.209.160:443		
,		
35.239.109.133:443		
,		
35.222.56.21:443		
,		
35.192.176.218:443		
,		
34.68.209.148:443		
,		
35.192.223.254:443		
,		
35.184.53.212:443		
,		
34.70.176.112:443		
,		
35.225.182.92:443		
,		
35.226.24.232:443		
,		
35.239.202.9:443		
,		
35.239.248.108:443		

Populations

AEM_pages

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
0217_dDot_AEM_De	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0217_dDot_AEM_Fa	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0217_dDot_AEM_5C	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0217_dDot_AEM_Pli	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0217_dDot_AEM_Di	20.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
0217_dDot_AEM_Dea		Go to the next iteration	Go to the next iteration	0ms	0%
0217_dDot_AEM_Fanr		Go to the next iteration	Go to the next iteration	0ms	0%
0217_dDot_AEM_5Gf		Go to the next iteration	Go to the next iteration	0ms	0%

Name	Description	On failed assertion	On error	Think time	Thinktime range
0217_dDot_AEM_Plar		Go to the next iteration	Go to the next iteration	0ms	0%
0217_dDot_AEM_Disr		Go to the next iteration	Go to the next iteration	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	02:25 - 19 Feb 2020_AEM_TDC_LT	Project	MVOPEGA
Description		Scenario	AEM_MainLT
Status	✓ Passed	Load Policy	<ul style="list-style-type: none"> The population AEM_pages is customized
Start date	Feb 19, 2020 2:26:16 AM	Stop Policy	<ul style="list-style-type: none"> Population AEM_pages: immediate.
End date	Feb 19, 2020 3:10:50 AM		
Duration	00:44:33	Filters	None
Termination reason	Manual action		
LG Hosts	35.194.91.229:443	Debug	Disabled
	,		
	35.236.230.64:443		
	,		
	35.245.36.185:443		
	,		
	35.245.229.85:443		
	,		
	35.230.173.240:443		
	,		
	35.245.157.6:443		
	,		
	35.194.85.193:443		
	,		
	35.186.184.49:443		
	,		
	35.199.1.43:443		
	,		
	35.199.53.188:443		
	,		
	35.194.82.198:443		
	,		
	35.245.160.171:443		
	,		
	35.236.203.4:443		
	,		
	35.245.121.5:443		
	,		
	35.245.201.243:443		
	,		
	35.186.183.222:443		
	,		
	35.245.54.246:443		
	,		
	35.236.254.117:443		
	,		
	35.245.100.119:443		
	,		
	35.245.64.246:443		
	,		
	35.245.35.123:443		
	,		
	35.199.56.108:443		
	,		
	35.236.205.129:443		
	,		
	35.199.50.48:443		
	,		
	35.236.207.252:443		
	,		
	35.245.230.44:443		
	,		
	35.245.151.30:443		
	,		
	35.245.33.152:443		
	,		
	35.199.42.117:443		
	,		
	35.186.191.126:443		
	,		
	146.148.85.87:443		
	,		
	35.232.104.165:443		

,	34.69.180.7:443		
,	35.225.154.37:443		
,	104.197.151.91:443		
,	35.188.111.30:443		
,	35.225.163.38:443		
,	104.154.109.202:443		
,	34.67.103.71:443		
,	35.232.116.109:443		
,	35.192.185.140:443		
,	34.69.244.2:443		
,	35.223.71.169:443		
,	35.202.166.11:443		
,	35.188.179.227:443		
,	35.223.205.151:443		
,	107.178.215.40:443		
,	35.223.137.91:443		
,	35.184.209.160:443		
,	35.239.109.133:443		
,	35.222.56.21:443		
,	35.192.176.218:443		
,	34.68.209.148:443		
,	35.192.223.254:443		
,	35.184.53.212:443		
,	34.70.176.112:443		
,	35.225.182.92:443		
,	35.226.24.232:443		
,	35.239.202.9:443		
,	35.239.248.108:443		

NeoLoad version
Graphs granularity

6.8.0;build=20190103-16
Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		


User Paths settings

0217_dDot_AEM_Deals	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
0217_dDot_AEM_FamilyTech	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
0217_dDot_AEM_5GHome	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
0217_dDot_AEM_Plans	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing
0217_dDot_AEM_DisneyPlus	
Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443		No
stcache.vzw.com	443		No
scache1.vzw.com	443		No
scache.vzw.com	443		No
scache2.vzw.com	443		No



Graphs



Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA Central - Iowa (Council Bluffs)	Google Compute Engine	30	4389601 (50%)	1,641.6	0.24s (+20%)	0% (+100.2%)
USA East - Virginia (Ashburn 3)	Google Compute Engine	30	4397390 (50%)	1,644.5	0.16s (-20%)	0% (-100%)
Global		60	8786991 (100%)	3,286.1	0.2s	0%






Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
AEM_pages	8786991 (100%)	3,286.1	0.2s (0%)	0% (0%)
Global	8786991 (100%)	3,286.1	0.2s	0%






User Paths

	Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_5GHome							
	0.143	35.5	97.7	2,444	0	0	-
 0217_dDot_AEM_Deals							
	1.74	78.1	179.7	2,444	1	0	-
 0217_dDot_AEM_DisneyPlus							
	0.135	27.8	76.6	2,444	0	0	-
 0217_dDot_AEM_FamilyTech							
	0.228	27.1	74.1	2,444	0	0	-
 0217_dDot_AEM_Plans							
	1.65	66.8	134.1	2,444	1	0	-






Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											





0217_dDot_AEM_5GHome


Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_5GHome											
0.143	35.5	97.7	2,444	0	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,444	0	0	-	-	-	-	-	-
 Actions											
0.106	0.294	22.2	273,215	0	0	-	-	-	-	-	-
 AEM_D_5GHome											
0.106	0.294	22.2	273,215	0	0	0.287	0.396	1.53	0.589	0.232	-
 End											
0	0	0.001	2,444	0	0	-	-	-	-	-	-

0217_dDot_AEM_Deals






Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_Deals											
1.74	78.1	179.7	2,444	1	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,444	0	0	-	-	-	-	-	-
 Actions											
0.195	0.658	30.7	272,776	1	0	-	-	-	-	-	-
 AEM_D_Deals											
0.195	0.658	30.7	272,776	1	0	0.596	1.44	5.77	1.16	0.489	-
 End											
0	0	0.001	2,444	0	0	-	-	-	-	-	-

0217_dDot_AEM_DisneyPlus






Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_DisneyPlus											
0.135	27.8	76.6	2,444	0	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,444	0	0	-	-	-	-	-	-
 Actions											
0.076	0.224	34.2	273,212	0	0	-	-	-	-	-	-
 AEM_D_DisneyPlus											
0.076	0.224	34.2	273,212	0	0	0.192	0.275	1.42	0.621	0.161	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 End											
0	0	0.001	2,444	0	0	-	-	-	-	-	-

0217_dDot_AEM_FamilyTech

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_FamilyTech											
0.228	27.1	74.1	2,444	0	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,444	0	0	-	-	-	-	-	-
 Actions											
0.074	0.219	22.1	273,203	0	0	-	-	-	-	-	-
 AEM_D_FamilyTech											
0.074	0.219	22.1	273,203	0	0	0.191	0.257	1.37	0.593	0.159	-
 End											
0	0	0.001	2,444	0	0	-	-	-	-	-	-

0217_dDot_AEM_Plans

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0217_dDot_AEM_Plans											
1.65	66.8	134.1	2,444	1	0	-	-	-	-	-	-
 Init											
0	0	0.001	2,444	0	0	-	-	-	-	-	-
 Actions											
0.131	0.54	37.9	272,902	1	0	-	-	-	-	-	-
 AEM_D_Plans											
0.131	0.54	37.9	272,902	1	0	0.316	1.4	6.87	1.31	0.34	-
 End											
0	0	0.001	2,444	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_5GHome

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_Deals

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_DisneyPlus

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_FamilyTech

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						







0217_dDot_AEM_Plans

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						








Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						


0217_dDot_AEM_5GHome




Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_5GHome						
0.143	35.5	97.7	2,444	0	0	-
 Actions						
0.106	0.294	22.2	273,215	0	0	-
 AEM_D_5GHome						
0.106	0.294	22.2	273,215	0	0	-
 /5g/home/						
0.094	0.268	22.2	275,013	0	0	-
 /activityi;dc_pre=CNqSirHZ2OcC...bwi00;ord=1;num=3279						
0.008	0.03	15	275,008	0	0	-
 /activityi;dc_pre=CLXyubHZ2OcC...zwvp0;u9=desktop;u14						
0.001	0.006	0.32	275,008	0	0	-

0217_dDot_AEM_Deals





Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_Deals						
1.74	78.1	179.7	2,444	1	0	-
 Actions						
0.195	0.658	30.7	272,776	1	0	-
 AEM_D_Deals						
0.195	0.658	30.7	272,776	1	0	-
 /deals/						
0.148	0.514	30.5	273,711	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.036	15	273,702	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.017	0.067	15	273,689	0	0	-
 /utag/vzw/main/prod/utag.1199.js						
0.009	0.053	1.06	273,685	1	0	-

0217_dDot_AEM_DisneyPlus





Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_DisneyPlus						
0.135	27.8	76.6	2,444	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 Actions						
0.076	0.224	34.2	273,212	0	0	-
 AEM_D_DisneyPlus						
0.076	0.224	34.2	273,212	0	0	-
 /solutions-and-services/disneyplus/						
0.076	0.236	34.2	274,969	0	0	-

0217_dDot_AEM_FamilyTech

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_FamilyTech						
0.228	27.1	74.1	2,444	0	0	-
 Actions						
0.074	0.219	22.1	273,203	0	0	-
 AEM_D_FamilyTech						
0.074	0.219	22.1	273,203	0	0	-
 /family-tech/						
0.074	0.23	22.1	274,991	0	0	-














0217_dDot_AEM_Plans

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_Plans						
1.65	66.8	134.1	2,444	1	0	-
 Actions						
0.131	0.54	37.9	272,902	1	0	-
 AEM_D_Plans						
0.131	0.54	37.9	272,902	1	0	-
 /plans/						
0.131	0.553	37.9	273,633	1	0	-



Shared Containers


Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

0217_dDot_AEM_5GHome






Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_5GHome						
0.143	35.5	97.7	2,444	0	0	-
 Actions						
0.106	0.294	22.2	273,215	0	0	-
 AEM_D_5GHome						
0.106	0.294	22.2	273,215	0	0	-
 /5g/home/						
0.094	0.268	22.2	275,013	0	0	-
 /5g/home/						
0.076	0.232	22.1	275,453	0	0	-
 /ui-one-digital/5g/build/5g.css						
0.01	0.04	0.425	275,015	0	0	-
 /ui-one-digital/content/dam/vzwcom/vzrf/css/core.css						
0.009	0.034	0.467	275,017	0	0	-
 /ui-one-digital/content/dam/.../vzrf/css/shared.css						
0.009	0.035	0.389	275,016	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.01	0.041	0.891	275,014	0	0	-
 /ui-one-digital/hp/build/hp.js						
0.012	0.043	0.414	275,015	0	0	-
 /ui-one-digital/etc/designs/.../fiveg/main/js/5g.js						
0.006	0.042	0.742	275,013	0	0	-
 /activityi;dc_pre=CNqSirHZ2Oc...bwi00;ord=1;num=3279						
0.008	0.03	15	275,008	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.008	0.03	15	275,013	0	0	-
 /activityi;dc_pre=CLXyubHZ2Oc...zwvp0;u9=desktop;u14						
0.001	0.006	0.32	275,008	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.css						
0.001	0.006	0.32	275,008	0	0	-


0217_dDot_AEM_Deals

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_Deals						
1.74	78.1	179.7	2,444	1	0	-
 Actions						
0.195	0.658	30.7	272,776	1	0	-







Min	Avg	Max	Count	Err	% of Err	SLA Profile
 AEM_D_Deals						
0.195	0.658	30.7	272,776	1	0	-
 /deals/						
0.148	0.514	30.5	273,711	0	0	-
 /deals/						
0.075	0.229	23.6	275,169	0	0	-
 /etc/designs/vzwcom/vzrf/cli...lib-base/css/app.css						
0.037	0.194	23.3	273,969	0	0	-
 /etc/designs/vzwcom/vzrf/cli...ntlib-base/js/app.js						
0.07	0.252	21.5	274,015	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.036	15	273,702	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.036	15	273,711	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.017	0.067	15	273,689	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.001	0.006	0.178	273,702	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.008	0.03	15	273,700	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.008	0.03	15	273,700	0	0	-
 /utag/vzw/main/prod/utag.1199.js						
0.009	0.053	1.06	273,685	1	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.002	0.013	0.32	273,689	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.002	0.013	0.365	273,689	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.02	1	273,688	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.006	0.49	273,685	1	0	-

0217_dDot_AEM_DisneyPlus












Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_DisneyPlus						
0.135	27.8	76.6	2,444	0	0	-
 Actions						
0.076	0.224	34.2	273,212	0	0	-
 AEM_D_DisneyPlus						
0.076	0.224	34.2	273,212	0	0	-
 /solutions-and-services/disneyplus/						
0.076	0.236	34.2	274,969	0	0	-
 /solutions-and-services/disneyplus/						
0.065	0.21	34.1	275,477	0	0	-


Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui-one-digital/gn/build/gnav.js						
0.008	0.036	15	274,969	0	0	-

0217_dDot_AEM_FamilyTech

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_FamilyTech						
0.228	27.1	74.1	2,444	0	0	-
 Actions						
0.074	0.219	22.1	273,203	0	0	-
 AEM_D_FamilyTech						
0.074	0.219	22.1	273,203	0	0	-
 /family-tech/						
0.074	0.23	22.1	274,991	0	0	-
 /family-tech/						
0.065	0.203	23.9	275,513	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.008	0.036	15	274,991	0	0	-

0217_dDot_AEM_Plans
















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0217_dDot_AEM_Plans						
1.65	66.8	134.1	2,444	1	0	-
 Actions						
0.131	0.54	37.9	272,902	1	0	-
 AEM_D_Plans						
0.131	0.54	37.9	272,902	1	0	-
 /plans/						
0.131	0.553	37.9	273,633	1	0	-
 /plans/						
0.065	0.204	28.2	275,055	0	0	-
 /content/dam/vzwcom/js/plans/vendor.js						
0.011	0.052	1.12	274,673	0	0	-
 /content/dam/vzwcom/js/plans/manifest.js						
0.012	0.055	1.17	274,673	0	0	-
 /content/dam/vzwcom/js/plans/app.js						
0.012	0.053	1.1	274,673	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.008	0.037	15	274,667	0	0	-
 /dam/vzwcom/js/plans/vendor.js						
0.044	0.279	23.5	274,673	1	0	-
 /dam/vzwcom/js/plans/manifest.js						
0.015	0.106	22	274,673	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /dam/vzwcom/js/plans/app.js						
0.017	0.123	26.8	274,673	0	0	-
















Shared Containers




SLA	Value	Severity
Empty list		

0217_dDot_AEM_5GHome







SLA	Value	Severity
 0217_dDot_AEM_5GHome		
 Actions		
 AEM_D_5GHome		
 /5g/home/		
 /5g/home/		
 /ui-one-digital/5g/build/5g.css		
 /ui-one-digital/content/dam/vzwcom/vzrf/css/core.css		
 /ui-one-digital/content/dam/.../vzrf/css/shared.css		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/hp/build/hp.js		
 /ui-one-digital/etc/designs/.../fiveg/main/js/5g.js		
 /activityi;dc_pre=CNqSirHZ2OcC...bwi00;ord=1;num=3279		
 /omni/common/js/vendor/monotype/helveticaNeue.js		
 /activityi;dc_pre=CLXyubHZ2OcC...zwvp0;u9=desktop;u14		
 /omni/common/js/vendor/monotype/helveticaNeue.css		

0217_dDot_AEM_Deals







SLA	Value	Severity
 0217_dDot_AEM_Deals		
 Actions		
 AEM_D_Deals		
 /deals/		
 /deals/		
 /etc/designs/vzwcom/vzrf/cli...lib-base/css/app.css		
 /etc/designs/vzwcom/vzrf/cli...ntlib-base/js/app.js		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /utag/vzw/main/prod/utag.1199.js		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		

SLA	Value	Severity
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		













0217_dDot_AEM_DisneyPlus

SLA	Value	Severity
 0217_dDot_AEM_DisneyPlus		
 Actions		
 AEM_D_DisneyPlus		
 /solutions-and-services/disneyplus/		
 /solutions-and-services/disneyplus/		
 /ui-one-digital/gn/build/gnav.js		

0217_dDot_AEM_FamilyTech

SLA	Value	Severity
 0217_dDot_AEM_FamilyTech		
 Actions		
 AEM_D_FamilyTech		
 /family-tech/		
 /family-tech/		
 /ui-one-digital/gn/build/gnav.js		

0217_dDot_AEM_Plans

SLA	Value	Severity
 0217_dDot_AEM_Plans		
 Actions		
 AEM_D_Plans		
 /plans/		
 /plans/		
 /content/dam/vzwcom/js/plans/vendor.js		
 /content/dam/vzwcom/js/plans/manifest.js		
 /content/dam/vzwcom/js/plans/app.js		
 /ui-one-digital/gn/build/gnav.js		
 /dam/vzwcom/js/plans/vendor.js		
 /dam/vzwcom/js/plans/manifest.js		
 /dam/vzwcom/js/plans/app.js		

0217_dDot_AEM_5GHome

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

0217_dDot_AEM_Deals

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

0217_dDot_AEM_DisneyPlus

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

0217_dDot_AEM_FamilyTech

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

0217_dDot_AEM_Plans

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	6,151	12,189	6,064	6,147	3,227
Controller/Throughput					
0	688.7	1,300	682.6	690.9	356.9
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
20	26.3	47	26	26.2	2.04
Controller/Memory Used					
5	12.2	21	12	12.1	4.2
Controller/Thread Count					
817	835.1	1,762	829	832.4	41.9
Controller/Connected					
60	60	60	60	60	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
5,314	15,706	38,064	14,633	15,481	4,472
Controller/Network/Segments retransmitted/sec.					
0	54.3	4,541	0	12.8	259.3
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - Virginia (Ashburn 3)/User Load					
0	3,076	6,096	3,043	3,081	1,617
Controller/USA East - Virginia (Ashburn 3)/AEM_pages/User Load					
0	3,076	6,096	3,043	3,081	1,617
Controller/USA East - Virginia (Ashburn 3)/AEM_pages/021..._AEM_Deals/User Load					
0	616.4	1,220	608	617.3	323.3
Controller/USA East - Virginia (Ashburn 3)/AEM_pages/021...FamilyTech/User Load					
0	613.7	1,216	611	614.7	323.4
Controller/USA East - Virginia (Ashburn 3)/AEM_pages/021...AEM_5GHome/User Load					
0	614.7	1,219	606.5	615.6	323.9
Controller/USA East - Virginia (Ashburn 3)/AEM_pages/021..._AEM_Plans/User Load					
0	616.5	1,222	612	617.5	324.5
Controller/USA East - Virginia (Ashburn 3)/AEM_pages/021...DisneyPlus/User Load					
0	615.2	1,219	610	616.1	323.2
Controller/USA Central - Iowa (Council Bluffs)/User Load					
0	3,077	6,093	3,042	3,081	1,613
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages/User Load					
0	3,077	6,093	3,042	3,081	1,613

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages..._AEM_Deals/User Load					
0	613.5	1,217	608.5	614.2	323.6
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages...FamilyTech/User Load					
0	616.3	1,222	606	617	323.3
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages...AEM_5GHome/User Load					
0	615.2	1,219	610.5	615.9	322.8
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages..._AEM_Plans/User Load					
0	617.3	1,216	616.5	618.3	321.4
Controller/USA Central - Iowa (Council Bluffs)/AEM_pages...DisneyPlus/User Load					
0	614.9	1,219	607.5	615.6	323.3

LG 104.154.109.202:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.154.109.202:443/CPU Load					
0	7.62	16	7	7.58	3.66
LG 104.154.109.202:443/Memory Used					
1	12.2	30	12	12	6.66
LG 104.154.109.202:443/Throughput					
0	11.5	25	10.9	11.5	6.14
LG 104.154.109.202:443/User Load					
0	102.3	203	100	102.2	53.8
LG 104.154.109.202:443/Thread Count					
21	170.9	299	167	170.9	58.2
LG 104.154.109.202:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 104.154.109.202:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 104.154.109.202:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.154.109.202:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.154.109.202:443/Controller Connection/Ping Duration (ms)					
32	78	100	60	78.5	21.2
LG 104.154.109.202:443/Network/Segments sent/sec.					
0	944.9	1,970	912.1	944.3	499.6
LG 104.154.109.202:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.03
LG 104.154.109.202:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	25.6	11.2	11.8	6.31
LG 104.154.109.202:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.76	1.34	1.34	0.699

LG 104.197.151.91:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.151.91:443/CPU Load					
0	8.06	18	8	7.98	3.76
LG 104.197.151.91:443/Memory Used					
1	9.75	23	9	9.62	4.82
LG 104.197.151.91:443/Throughput					
0	11.5	27	11	11.5	6.21
LG 104.197.151.91:443/User Load					
0	102.5	203	101.5	102.6	53.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.197.151.91:443/Thread Count					
21	170.2	308	169.5	170.1	57.6
LG 104.197.151.91:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 104.197.151.91:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 104.197.151.91:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.197.151.91:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.197.151.91:443/Controller Connection/Ping Duration (ms)					
31	60.1	98	59	59.5	8.9
LG 104.197.151.91:443/Network/Segments sent/sec.					
0	942.3	2,165	898.2	937.7	502.4
LG 104.197.151.91:443/Network/Segments retransmitted/sec.					
0	0.004	0.2	0	0	0.027
LG 104.197.151.91:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.8	11.3	11.8	6.38
LG 104.197.151.91:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	3.23	1.26	1.34	0.709

LG 107.178.215.40:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 107.178.215.40:443/CPU Load					
1	8.1	18	8	8.03	3.63
LG 107.178.215.40:443/Memory Used					
1	9.15	24	9	8.96	4.55
LG 107.178.215.40:443/Throughput					
0	11.6	24.8	11.3	11.5	6.21
LG 107.178.215.40:443/User Load					
0	102.7	203	100.5	102.6	53.8
LG 107.178.215.40:443/Thread Count					
21	170.2	302	168.5	170.1	57.1
LG 107.178.215.40:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 107.178.215.40:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 107.178.215.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 107.178.215.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 107.178.215.40:443/Controller Connection/Ping Duration (ms)					
35	69.2	100	59	69.4	22.4
LG 107.178.215.40:443/Network/Segments sent/sec.					
0	940.7	2,200	908.3	935	496.9
LG 107.178.215.40:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.024
LG 107.178.215.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	25.4	11.7	11.8	6.38
LG 107.178.215.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	3	1.32	1.35	0.691

LG 146.148.85.87:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 146.148.85.87:443/CPU Load					
0	7.58	17	7	7.5	3.44
LG 146.148.85.87:443/Memory Used					
1	11.5	28	11	11.3	5.97
LG 146.148.85.87:443/Throughput					
0	11.5	26.9	10.78	11.4	6.17
LG 146.148.85.87:443/User Load					
0	103	204	101	102.9	53.7
LG 146.148.85.87:443/Thread Count					
21	170.7	302	170	170.4	57.4
LG 146.148.85.87:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 146.148.85.87:443/Http client/Task Pool used					
0	0.001	0.183	0	0	0.009
LG 146.148.85.87:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 146.148.85.87:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 146.148.85.87:443/Controller Connection/Ping Duration (ms)					
31	58.8	88	59	59.2	6.63
LG 146.148.85.87:443/Network/Segments sent/sec.					
0	945.4	2,066	886.5	940.5	501.4
LG 146.148.85.87:443/Network/Segments retransmitted/sec.					
0	0	0.2	0	0	0.009
LG 146.148.85.87:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.7	11.1	11.8	6.35
LG 146.148.85.87:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	2.91	1.28	1.34	0.699

LG 34.67.103.71:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.103.71:443/CPU Load					
0	7.99	19	8	7.9	3.67
LG 34.67.103.71:443/Memory Used					
1	9.54	25	9	9.35	4.79
LG 34.67.103.71:443/Throughput					
0	11.5	25.9	11.2	11.4	6.21
LG 34.67.103.71:443/User Load					
0	102.1	203	101	102.1	53.8
LG 34.67.103.71:443/Thread Count					
21	169.1	293	168	168.9	57.2
LG 34.67.103.71:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 34.67.103.71:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.67.103.71:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.67.103.71:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.67.103.71:443/Controller Connection/Ping Duration (ms)					
58	74.9	99	59	74.4	19.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.67.103.71:443/Network/Segments sent/sec.					
0	939.5	2,223	910	934.6	499.8
LG 34.67.103.71:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.033
LG 34.67.103.71:443/Network/eth0 (eth0)/Megabits received/sec.					
0.007	11.8	26.6	11.5	11.8	6.38
LG 34.67.103.71:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	1.34	2.93	1.31	1.34	0.696

LG 34.68.209.148:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.68.209.148:443/CPU Load					
0	8.43	21	8	8.38	3.85
LG 34.68.209.148:443/Memory Used					
1	11.5	27	11	11.3	6.01
LG 34.68.209.148:443/Throughput					
0	11.5	28.2	11.2	11.4	6.22
LG 34.68.209.148:443/User Load					
0	102.7	203	100.5	102.8	53.8
LG 34.68.209.148:443/Thread Count					
20	171.2	302	170.5	171.1	57.7
LG 34.68.209.148:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 34.68.209.148:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.008
LG 34.68.209.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.68.209.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.68.209.148:443/Controller Connection/Ping Duration (ms)					
48	77	102	60	76.8	20
LG 34.68.209.148:443/Network/Segments sent/sec.					
0	937	2,152	923.6	934.3	497.1
LG 34.68.209.148:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.015
LG 34.68.209.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0.012	11.8	29	11.5	11.8	6.39
LG 34.68.209.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.34	3.12	1.32	1.34	0.699

LG 34.69.180.7:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.180.7:443/CPU Load					
0	8.18	17	8	8.14	3.69
LG 34.69.180.7:443/Memory Used					
1	10.39	25	10	10.22	5.14
LG 34.69.180.7:443/Throughput					
0	11.5	25.3	11	11.5	6.26
LG 34.69.180.7:443/User Load					
0	102.6	203	100	102.5	53.8
LG 34.69.180.7:443/Thread Count					
21	169.6	303	165	169.3	57.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.180.7:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 34.69.180.7:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.01
LG 34.69.180.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.180.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.180.7:443/Controller Connection/Ping Duration (ms)					
58	77.5	101	60	77.3	19.6
LG 34.69.180.7:443/Network/Segments sent/sec.					
0	946.9	2,050	887	944.1	505.9
LG 34.69.180.7:443/Network/Segments retransmitted/sec.					
0	0.005	0.405	0	0	0.044
LG 34.69.180.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	26	11.3	11.8	6.43
LG 34.69.180.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	3.02	1.31	1.34	0.705

LG 34.69.244.2:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.69.244.2:443/CPU Load					
0	7.76	17	8	7.69	3.77
LG 34.69.244.2:443/Memory Used					
1	9.94	25	10	9.76	4.96
LG 34.69.244.2:443/Throughput					
0	11.5	25.4	12	11.4	6.23
LG 34.69.244.2:443/User Load					
0	102.4	203	100	102.3	53.8
LG 34.69.244.2:443/Thread Count					
21	170.2	299	167	170	57.4
LG 34.69.244.2:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 34.69.244.2:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 34.69.244.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.69.244.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.69.244.2:443/Controller Connection/Ping Duration (ms)					
41	75.6	99	59	75.9	20.7
LG 34.69.244.2:443/Network/Segments sent/sec.					
0	945.9	2,003	1,007	940.9	506
LG 34.69.244.2:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.023
LG 34.69.244.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.1	12.4	11.7	6.4
LG 34.69.244.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	2.9	1.38	1.34	0.706

LG 34.70.176.112:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.70.176.112:443/CPU Load					
0	8.17	17	8	8.12	3.68
LG 34.70.176.112:443/Memory Used					
1	10.35	27	10	10.16	5.29
LG 34.70.176.112:443/Throughput					
0	11.5	24.6	11.6	11.4	6.21
LG 34.70.176.112:443/User Load					
0	102.3	203	100	102.2	53.8
LG 34.70.176.112:443/Thread Count					
21	169.1	298	166	168.7	57.4
LG 34.70.176.112:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 34.70.176.112:443/Http client/Task Pool used					
0	0.001	0.183	0	0	0.011
LG 34.70.176.112:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.70.176.112:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.70.176.112:443/Controller Connection/Ping Duration (ms)					
45	70.7	100	59	70.2	18.8
LG 34.70.176.112:443/Network/Segments sent/sec.					
0	930.5	2,022	915.8	927.2	496.7
LG 34.70.176.112:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.028
LG 34.70.176.112:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	25.3	11.9	11.7	6.38
LG 34.70.176.112:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.87	1.31	1.33	0.698

LG 35.184.209.160:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.209.160:443/CPU Load					
0	8.53	19	8	8.49	3.85
LG 35.184.209.160:443/Memory Used					
1	12.1	31	11	11.8	6.52
LG 35.184.209.160:443/Throughput					
0	11.5	24.1	10.46	11.4	6.32
LG 35.184.209.160:443/User Load					
0	102.3	203	100	102.2	53.9
LG 35.184.209.160:443/Thread Count					
21	169.5	299	167	169.2	57.6
LG 35.184.209.160:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 35.184.209.160:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.009
LG 35.184.209.160:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.209.160:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.209.160:443/Controller Connection/Ping Duration (ms)					
58	61.7	100	59	59.8	10.12

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.209.160:443/Network/Segments sent/sec.					
0	935.9	2,011	868.6	931.1	506.5
LG 35.184.209.160:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.03
LG 35.184.209.160:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	24.8	10.79	11.7	6.49
LG 35.184.209.160:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.91	1.29	1.33	0.713

LG 35.184.53.212:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.184.53.212:443/CPU Load					
0	8.18	20	8	8.13	3.77
LG 35.184.53.212:443/Memory Used					
1	13.1	35	12	12.8	7.33
LG 35.184.53.212:443/Throughput					
0	11.6	24.6	11.4	11.5	6.24
LG 35.184.53.212:443/User Load					
0	102.7	203	101	102.8	53.8
LG 35.184.53.212:443/Thread Count					
21	169.6	299	167	169.5	57.1
LG 35.184.53.212:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 35.184.53.212:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 35.184.53.212:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.184.53.212:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.184.53.212:443/Controller Connection/Ping Duration (ms)					
58	76.3	98	59	76.1	19.7
LG 35.184.53.212:443/Network/Segments sent/sec.					
0	941.6	2,300	927	938.2	503.4
LG 35.184.53.212:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.023
LG 35.184.53.212:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	25.3	11.8	11.9	6.41
LG 35.184.53.212:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	3.17	1.32	1.34	0.702

LG 35.188.111.30:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.111.30:443/CPU Load					
0	8.18	18	8	8.1	3.82
LG 35.188.111.30:443/Memory Used					
1	11.5	29	11	11.3	6.03
LG 35.188.111.30:443/Throughput					
0	11.4	26.8	11.1	11.3	6.31
LG 35.188.111.30:443/User Load					
0	102.1	203	100	102	53.8
LG 35.188.111.30:443/Thread Count					
21	169.7	298	166	169.5	58.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.111.30:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.188.111.30:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.008
LG 35.188.111.30:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.111.30:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.111.30:443/Controller Connection/Ping Duration (ms)					
59	60.2	94	59	59.3	5.21
LG 35.188.111.30:443/Network/Segments sent/sec.					
0	931.7	2,112	916.4	926.4	499.4
LG 35.188.111.30:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.036
LG 35.188.111.30:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.7	27.5	11.4	11.7	6.47
LG 35.188.111.30:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	3.01	1.3	1.33	0.704

LG 35.188.179.227:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.179.227:443/CPU Load					
0	7.97	17	8	7.92	3.67
LG 35.188.179.227:443/Memory Used					
2	12.7	33	12	12.4	7
LG 35.188.179.227:443/Throughput					
0	11.5	24.9	11.4	11.4	6.26
LG 35.188.179.227:443/User Load					
0	102.4	203	100.5	102.5	53.8
LG 35.188.179.227:443/Thread Count					
21	170.2	300	166.5	170.3	57.9
LG 35.188.179.227:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 35.188.179.227:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.188.179.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.179.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.179.227:443/Controller Connection/Ping Duration (ms)					
31	75.5	100	59	76.5	21.8
LG 35.188.179.227:443/Network/Segments sent/sec.					
0	939.5	1,973	915.8	937.1	503.1
LG 35.188.179.227:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 35.188.179.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	11.8	25.5	11.7	11.8	6.43
LG 35.188.179.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	3.01	1.29	1.35	0.7

LG 35.192.176.218:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.176.218:443/CPU Load					
0	7.85	18	7	7.82	3.55
LG 35.192.176.218:443/Memory Used					
1	9.24	20	9	9.09	4.46
LG 35.192.176.218:443/Throughput					
0	11.6	27.7	11.2	11.5	6.13
LG 35.192.176.218:443/User Load					
0	102.9	204	101	102.8	53.8
LG 35.192.176.218:443/Thread Count					
21	170.3	305	170	170.1	57.6
LG 35.192.176.218:443/Http client/Thread Pool used					
0.1	0.101	0.11	0.1	0.1	0.002
LG 35.192.176.218:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.009
LG 35.192.176.218:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.176.218:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.176.218:443/Controller Connection/Ping Duration (ms)					
58	79.1	100	87	79.1	19.6
LG 35.192.176.218:443/Network/Segments sent/sec.					
0	937.5	2,222	921.2	935	494.2
LG 35.192.176.218:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.019
LG 35.192.176.218:443/Network/eth0 (eth0)/Megabits received/sec.					
0.015	11.9	28.4	11.6	11.9	6.3
LG 35.192.176.218:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.94	1.33	1.34	0.69

LG 35.192.185.140:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.185.140:443/CPU Load					
0	7.96	22	8	7.86	3.59
LG 35.192.185.140:443/Memory Used					
2	10.76	26	10	10.55	5.52
LG 35.192.185.140:443/Throughput					
0	11.4	24.4	10.76	11.4	6.15
LG 35.192.185.140:443/User Load					
0	101.9	203	101	101.8	53.9
LG 35.192.185.140:443/Thread Count					
21	169.6	299	167	169.5	57
LG 35.192.185.140:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.004
LG 35.192.185.140:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.01
LG 35.192.185.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.185.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.185.140:443/Controller Connection/Ping Duration (ms)					
50	60.1	101	58	58.5	8.74

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.185.140:443/Network/Segments sent/sec.					
0	934.8	2,038	904.4	931	497.4
LG 35.192.185.140:443/Network/Segments retransmitted/sec.					
0	0.002	0.6	0	0	0.029
LG 35.192.185.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.7	25.1	11	11.7	6.32
LG 35.192.185.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.9	1.3	1.33	0.693

LG 35.192.223.254:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.192.223.254:443/CPU Load					
0	8.27	18	8	8.21	3.86
LG 35.192.223.254:443/Memory Used					
1	9.9	26	9	9.69	5.1
LG 35.192.223.254:443/Throughput					
0	11.5	26.9	11.3	11.4	6.16
LG 35.192.223.254:443/User Load					
0	102.4	203	101	102.3	53.8
LG 35.192.223.254:443/Thread Count					
21	169.4	301	167	169.2	57.2
LG 35.192.223.254:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 35.192.223.254:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 35.192.223.254:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.192.223.254:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.192.223.254:443/Controller Connection/Ping Duration (ms)					
37	76.7	105	59	76.9	20.8
LG 35.192.223.254:443/Network/Segments sent/sec.					
0	945.7	2,080	923	941	500.6
LG 35.192.223.254:443/Network/Segments retransmitted/sec.					
0	0.001	0.4	0	0	0.021
LG 35.192.223.254:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.6	11.6	11.7	6.33
LG 35.192.223.254:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	2.99	1.32	1.34	0.694

LG 35.202.166.11:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.166.11:443/CPU Load					
0	7.97	18	8	7.93	3.66
LG 35.202.166.11:443/Memory Used					
1	9.25	23	9	9.1	4.59
LG 35.202.166.11:443/Throughput					
0	11.4	25	11.6	11.4	6.12
LG 35.202.166.11:443/User Load					
0	102.2	203	100.5	102.1	53.8
LG 35.202.166.11:443/Thread Count					
20	169.5	295	167.5	169.2	57.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.202.166.11:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 35.202.166.11:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.202.166.11:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.202.166.11:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.202.166.11:443/Controller Connection/Ping Duration (ms)					
39	59.1	98	58	58.4	8.49
LG 35.202.166.11:443/Network/Segments sent/sec.					
0	936.9	1,987	937.9	935.6	493.2
LG 35.202.166.11:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.031
LG 35.202.166.11:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	25.7	12	11.8	6.29
LG 35.202.166.11:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.63	1.3	1.34	0.687

LG 35.222.56.21:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.222.56.21:443/CPU Load					
0	7.83	17	8	7.78	3.51
LG 35.222.56.21:443/Memory Used					
2	11.9	28	11	11.7	6.35
LG 35.222.56.21:443/Throughput					
0	11.4	25.3	11.3	11.3	6.23
LG 35.222.56.21:443/User Load					
0	102.3	203	101	102.2	53.9
LG 35.222.56.21:443/Thread Count					
21	169.3	294	167	169.3	57.3
LG 35.222.56.21:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.222.56.21:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.222.56.21:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.222.56.21:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.222.56.21:443/Controller Connection/Ping Duration (ms)					
49	78.3	110	95	78.2	20.3
LG 35.222.56.21:443/Network/Segments sent/sec.					
2.4	938.5	2,056	916.4	931.5	500.9
LG 35.222.56.21:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.027
LG 35.222.56.21:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	11.7	26	11.6	11.7	6.4
LG 35.222.56.21:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.34	2.88	1.33	1.33	0.69

LG 35.223.137.91:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.137.91:443/CPU Load					
0	7.39	18	7	7.27	3.41
LG 35.223.137.91:443/Memory Used					
1	10.39	25	10	10.25	5.22
LG 35.223.137.91:443/Throughput					
0	11.6	27.1	11.3	11.4	6.21
LG 35.223.137.91:443/User Load					
0	102.6	203	101	102.5	53.8
LG 35.223.137.91:443/Thread Count					
21	170.3	302	168	170.1	57.3
LG 35.223.137.91:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 35.223.137.91:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.223.137.91:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.137.91:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.137.91:443/Controller Connection/Ping Duration (ms)					
57	78.9	99	98	78.9	20
LG 35.223.137.91:443/Network/Segments sent/sec.					
0	949.5	2,143	942.6	940.2	503
LG 35.223.137.91:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.03
LG 35.223.137.91:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.8	11.6	11.8	6.38
LG 35.223.137.91:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	2.92	1.33	1.34	0.7

LG 35.223.205.151:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.205.151:443/CPU Load					
0	7.29	16	7	7.23	3.44
LG 35.223.205.151:443/Memory Used					
2	8.87	22	9	8.72	4.24
LG 35.223.205.151:443/Throughput					
0	11.5	23.7	11.4	11.5	6.07
LG 35.223.205.151:443/User Load					
0	102.8	203	101	102.7	53.7
LG 35.223.205.151:443/Thread Count					
21	170	296	167	169.8	57.1
LG 35.223.205.151:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 35.223.205.151:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 35.223.205.151:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.205.151:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.205.151:443/Controller Connection/Ping Duration (ms)					
58	60.8	99	59	59.1	8.23

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.205.151:443/Network/Segments sent/sec.					
0	934.8	2,091	903.2	933.7	491.9
LG 35.223.205.151:443/Network/Segments retransmitted/sec.					
0	0.001	0.2	0	0	0.017
LG 35.223.205.151:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	24.4	11.7	11.9	6.26
LG 35.223.205.151:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	2.89	1.28	1.35	0.699

LG 35.223.71.169:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.223.71.169:443/CPU Load					
0	7.99	17	8	7.9	3.67
LG 35.223.71.169:443/Memory Used					
2	11.9	28	11	11.7	6.11
LG 35.223.71.169:443/Throughput					
0	11.5	25.5	11.3	11.4	6.25
LG 35.223.71.169:443/User Load					
0	102.1	203	101	102.1	53.8
LG 35.223.71.169:443/Thread Count					
21	169.5	300	169	169.4	57.1
LG 35.223.71.169:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.001
LG 35.223.71.169:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 35.223.71.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.223.71.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.223.71.169:443/Controller Connection/Ping Duration (ms)					
46	59.4	98	59	58.5	6.51
LG 35.223.71.169:443/Network/Segments sent/sec.					
0	936.5	2,078	932.6	928.5	508
LG 35.223.71.169:443/Network/Segments retransmitted/sec.					
0	0.007	0.4	0	0	0.047
LG 35.223.71.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.1	11.6	11.7	6.42
LG 35.223.71.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.88	1.32	1.33	0.712

LG 35.225.154.37:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.154.37:443/CPU Load					
0	8.48	20	9	8.41	3.94
LG 35.225.154.37:443/Memory Used					
1	12.3	30	12	12.1	6.67
LG 35.225.154.37:443/Throughput					
0	11.5	24.8	11.7	11.5	6.12
LG 35.225.154.37:443/User Load					
0	102.1	203	101	102.1	53.8
LG 35.225.154.37:443/Thread Count					
20	169.9	300	168	169.5	57.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.154.37:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.225.154.37:443/Http client/Task Pool used					
0	0.002	0.233	0	0	0.011
LG 35.225.154.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.154.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.154.37:443/Controller Connection/Ping Duration (ms)					
52	60.5	99	59	58.8	8.51
LG 35.225.154.37:443/Network/Segments sent/sec.					
0	939.9	2,069	943.4	936	494
LG 35.225.154.37:443/Network/Segments retransmitted/sec.					
0	0.001	0.4	0	0	0.021
LG 35.225.154.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	25.5	12.1	11.8	6.29
LG 35.225.154.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.94	1.32	1.34	0.692

LG 35.225.163.38:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.163.38:443/CPU Load					
0	8.28	19	8	8.23	3.74
LG 35.225.163.38:443/Memory Used					
2	9.96	24	9	9.76	5.02
LG 35.225.163.38:443/Throughput					
0	11.5	25.4	11.7	11.4	6.17
LG 35.225.163.38:443/User Load					
0	102.4	203	100	102.3	53.8
LG 35.225.163.38:443/Thread Count					
21	169.8	297	166	169.6	57.1
LG 35.225.163.38:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.225.163.38:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 35.225.163.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.163.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.163.38:443/Controller Connection/Ping Duration (ms)					
58	77.6	100	61	77.5	19.9
LG 35.225.163.38:443/Network/Segments sent/sec.					
0	942.1	2,051	937.3	938.4	498.6
LG 35.225.163.38:443/Network/Segments retransmitted/sec.					
0	0	0.2	0	0	0.009
LG 35.225.163.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26	12	11.7	6.33
LG 35.225.163.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	1.35	2.93	1.31	1.34	0.692

LG 35.225.182.92:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.225.182.92:443/CPU Load					
0	7.86	18	7	7.81	3.55
LG 35.225.182.92:443/Memory Used					
1	12	29	11	11.8	6.4
LG 35.225.182.92:443/Throughput					
0	11.5	25.3	10.89	11.5	6.2
LG 35.225.182.92:443/User Load					
0	102	203	101	102.1	53.8
LG 35.225.182.92:443/Thread Count					
21	169	297	168	169	57.7
LG 35.225.182.92:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 35.225.182.92:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.011
LG 35.225.182.92:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.225.182.92:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.225.182.92:443/Controller Connection/Ping Duration (ms)					
58	76.8	99	60	76.5	19.5
LG 35.225.182.92:443/Network/Segments sent/sec.					
0	940.8	2,142	904	940	500.7
LG 35.225.182.92:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.012
LG 35.225.182.92:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26	11.2	11.8	6.37
LG 35.225.182.92:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.87	1.31	1.34	0.698

LG 35.226.24.232:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.24.232:443/CPU Load					
0	8.03	24	7	7.93	3.94
LG 35.226.24.232:443/Memory Used					
1	8.4	23	8	8.18	4.21
LG 35.226.24.232:443/Throughput					
0	11.5	26.4	10.97	11.4	6.22
LG 35.226.24.232:443/User Load					
0	102.6	203	101	102.6	53.8
LG 35.226.24.232:443/Thread Count					
21	170.2	303	169	169.8	58
LG 35.226.24.232:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.101	0.005
LG 35.226.24.232:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 35.226.24.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.226.24.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.226.24.232:443/Controller Connection/Ping Duration (ms)					
33	76.3	100	59	76.6	20.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.226.24.232:443/Network/Segments sent/sec.					
0	941.7	2,173	915	936.5	500.2
LG 35.226.24.232:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.038
LG 35.226.24.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.2	11.3	11.7	6.39
LG 35.226.24.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	3.06	1.27	1.34	0.696

LG 35.232.104.165:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.104.165:443/CPU Load					
0	8.27	17	8	8.22	3.68
LG 35.232.104.165:443/Memory Used					
1	9.87	24	9	9.69	5.04
LG 35.232.104.165:443/Throughput					
0	11.5	25.5	11.2	11.5	6.05
LG 35.232.104.165:443/User Load					
0	102.6	203	101	102.6	53.8
LG 35.232.104.165:443/Thread Count					
21	170	304	167	169.7	57.4
LG 35.232.104.165:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 35.232.104.165:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.232.104.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.104.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.104.165:443/Controller Connection/Ping Duration (ms)					
43	75.7	101	60	76	21
LG 35.232.104.165:443/Network/Segments sent/sec.					
0	938.6	2,029	930.4	937.7	487
LG 35.232.104.165:443/Network/Segments retransmitted/sec.					
0	0.006	0.4	0	0	0.048
LG 35.232.104.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.2	11.6	11.8	6.21
LG 35.232.104.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	3.09	1.33	1.34	0.685

LG 35.232.116.109:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.116.109:443/CPU Load					
0	7.85	20	8	7.8	3.57
LG 35.232.116.109:443/Memory Used					
1	11.9	31	11	11.7	6.45
LG 35.232.116.109:443/Throughput					
0	11.5	26.6	11.5	11.5	6.29
LG 35.232.116.109:443/User Load					
0	102.8	204	101.5	102.9	53.7
LG 35.232.116.109:443/Thread Count					
21	170.7	305	168.5	170.6	58

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.232.116.109:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 35.232.116.109:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.232.116.109:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.232.116.109:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.232.116.109:443/Controller Connection/Ping Duration (ms)					
57	78.6	99	97	78.5	19.8
LG 35.232.116.109:443/Network/Segments sent/sec.					
2.4	943.2	2,131	945.2	938.7	499
LG 35.232.116.109:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.026
LG 35.232.116.109:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.3	11.8	11.8	6.46
LG 35.232.116.109:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.35	3.21	1.32	1.34	0.701

LG 35.239.109.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.109.133:443/CPU Load					
0	7.67	19	7	7.59	3.7
LG 35.239.109.133:443/Memory Used					
1	8.13	17	8	8.06	3.68
LG 35.239.109.133:443/Throughput					
0	11.5	25.6	11.8	11.4	6.17
LG 35.239.109.133:443/User Load					
0	102.1	203	100.5	102	53.8
LG 35.239.109.133:443/Thread Count					
21	169.1	300	166.5	168.8	57.4
LG 35.239.109.133:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.239.109.133:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 35.239.109.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.109.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.109.133:443/Controller Connection/Ping Duration (ms)					
31	58.6	64	59	59.1	4.3
LG 35.239.109.133:443/Network/Segments sent/sec.					
0	928.1	1,994	934.7	924	491.7
LG 35.239.109.133:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
LG 35.239.109.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.2	12.2	11.8	6.36
LG 35.239.109.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	2.96	1.31	1.33	0.691

LG 35.239.202.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.202.9:443/CPU Load					
0	7.96	22	8	7.89	3.64
LG 35.239.202.9:443/Memory Used					
2	9.29	24	9	9.13	4.59
LG 35.239.202.9:443/Throughput					
0	11.4	25.2	11.5	11.4	6.12
LG 35.239.202.9:443/User Load					
0	102.1	203	101	102	53.8
LG 35.239.202.9:443/Thread Count					
21	169.1	307	169	168.9	57.8
LG 35.239.202.9:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.239.202.9:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.239.202.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.202.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.202.9:443/Controller Connection/Ping Duration (ms)					
32	74.1	99	59	74.2	20.5
LG 35.239.202.9:443/Network/Segments sent/sec.					
0	939.2	2,081	948.9	935.9	495.6
LG 35.239.202.9:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.023
LG 35.239.202.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	25.8	11.8	11.7	6.29
LG 35.239.202.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	3	1.36	1.34	0.693

LG 35.239.248.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.248.108:443/CPU Load					
0	7.84	17	8	7.81	3.55
LG 35.239.248.108:443/Memory Used					
1	9.81	24	9	9.64	4.81
LG 35.239.248.108:443/Throughput					
0	11.4	24	11.5	11.4	6.1
LG 35.239.248.108:443/User Load					
0	102	203	101	101.9	53.8
LG 35.239.248.108:443/Thread Count					
20	168.7	301	168	168.4	56.9
LG 35.239.248.108:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.239.248.108:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.239.248.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.239.248.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.239.248.108:443/Controller Connection/Ping Duration (ms)					
58	76.8	100	59	76.5	19.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.239.248.108:443/Network/Segments sent/sec.					
0	940.1	1,957	938.6	938.9	495.8
LG 35.239.248.108:443/Network/Segments retransmitted/sec.					
0	0.002	0.4	0	0	0.023
LG 35.239.248.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	24.6	11.9	11.8	6.27
LG 35.239.248.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.34	3.01	1.33	1.34	0.697

LG 35.186.183.222:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.183.222:443/CPU Load					
0	6.9	16	6	6.84	3.59
LG 35.186.183.222:443/Memory Used					
1	8.53	23	8	8.35	4.15
LG 35.186.183.222:443/Throughput					
0	11.5	26.6	11.2	11.4	6.29
LG 35.186.183.222:443/User Load					
0	102.7	203	101	102.7	53.9
LG 35.186.183.222:443/Thread Count					
20	168.7	304	165	168.4	56.9
LG 35.186.183.222:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 35.186.183.222:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.01
LG 35.186.183.222:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.183.222:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.183.222:443/Controller Connection/Ping Duration (ms)					
3	4.5	32	4	3.87	4.24
LG 35.186.183.222:443/Network/Segments sent/sec.					
0	907.5	1,862	880.8	904.8	482.2
LG 35.186.183.222:443/Network/Segments retransmitted/sec.					
0	0.035	10	0	0	0.512
LG 35.186.183.222:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	27.2	11.5	11.8	6.45
LG 35.186.183.222:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.78	1.31	1.33	0.688

LG 35.186.184.49:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.184.49:443/CPU Load					
0	6.46	16	6	6.39	3.32
LG 35.186.184.49:443/Memory Used					
1	9.15	22	9	9.01	4.5
LG 35.186.184.49:443/Throughput					
0	11.5	25	11	11.5	6.24
LG 35.186.184.49:443/User Load					
0	102.7	203	101	102.7	53.9
LG 35.186.184.49:443/Thread Count					
20	169.1	301	167.5	168.8	56.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.184.49:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.186.184.49:443/Http client/Task Pool used					
0	0.001	0.267	0	0	0.013
LG 35.186.184.49:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.184.49:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.184.49:443/Controller Connection/Ping Duration (ms)					
3	4.64	33	4	3.95	4.41
LG 35.186.184.49:443/Network/Segments sent/sec.					
0	910.9	2,053	877.3	908.1	481.1
LG 35.186.184.49:443/Network/Segments retransmitted/sec.					
0	0.031	9.6	0	0	0.484
LG 35.186.184.49:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	25.7	11.3	11.8	6.41
LG 35.186.184.49:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.79	1.3	1.33	0.688

LG 35.186.191.126:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.191.126:443/CPU Load					
0	6.33	15	6	6.23	3.29
LG 35.186.191.126:443/Memory Used					
1	9.47	21	9	9.39	4.63
LG 35.186.191.126:443/Throughput					
0	11.4	26.1	11.5	11.4	6.16
LG 35.186.191.126:443/User Load					
0	101.9	203	100	101.9	53.9
LG 35.186.191.126:443/Thread Count					
20	168.7	301	166	168.3	57.4
LG 35.186.191.126:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.186.191.126:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.186.191.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.191.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.191.126:443/Controller Connection/Ping Duration (ms)					
3	4.64	34	4	3.92	4.53
LG 35.186.191.126:443/Network/Segments sent/sec.					
0	902.3	2,002	912.4	896.4	480.3
LG 35.186.191.126:443/Network/Segments retransmitted/sec.					
0	0.036	9.6	0	0	0.498
LG 35.186.191.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.8	11.8	11.7	6.33
LG 35.186.191.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	3.09	1.33	1.31	0.7

LG 35.194.82.198:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.82.198:443/CPU Load					
0	6.65	15	6	6.55	3.37
LG 35.194.82.198:443/Memory Used					
1	9.28	22	9	9.12	4.62
LG 35.194.82.198:443/Throughput					
0	11.5	25.8	11.5	11.4	6.14
LG 35.194.82.198:443/User Load					
0	102.3	203	100	102.3	54
LG 35.194.82.198:443/Thread Count					
21	168.4	301	167	168.2	56.9
LG 35.194.82.198:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 35.194.82.198:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.194.82.198:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.82.198:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.82.198:443/Controller Connection/Ping Duration (ms)					
3	6.2	23	4	5.4	5.89
LG 35.194.82.198:443/Network/Segments sent/sec.					
0	903.5	1,968	920.4	899	476.8
LG 35.194.82.198:443/Network/Segments retransmitted/sec.					
0	0.051	13.6	0	0	0.702
LG 35.194.82.198:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.4	11.8	11.7	6.3
LG 35.194.82.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	3.11	1.36	1.32	0.691

LG 35.194.85.193:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.85.193:443/CPU Load					
0	6.23	15	6	6.17	3.2
LG 35.194.85.193:443/Memory Used					
1	10.36	24	10	10.22	5.25
LG 35.194.85.193:443/Throughput					
0	11.5	24.1	11.4	11.5	6.14
LG 35.194.85.193:443/User Load					
0	102.4	203	100.5	102.4	53.9
LG 35.194.85.193:443/Thread Count					
20	168.5	300	165.5	168.2	57.7
LG 35.194.85.193:443/Http client/Thread Pool used					
0.1	0.102	0.155	0.1	0.1	0.007
LG 35.194.85.193:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.194.85.193:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.85.193:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.85.193:443/Controller Connection/Ping Duration (ms)					
3	4.43	34	4	3.62	4.65

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.85.193:443/Network/Segments sent/sec.					
0	908.9	1,959	879.5	908.7	475.6
LG 35.194.85.193:443/Network/Segments retransmitted/sec.					
0	0.027	8	0	0	0.408
LG 35.194.85.193:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	24.8	11.7	11.8	6.3
LG 35.194.85.193:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	3.03	1.27	1.32	0.683

LG 35.194.91.229:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.91.229:443/CPU Load					
0	6.33	15	6	6.22	3.33
LG 35.194.91.229:443/Memory Used					
2	11.8	27	11	11.6	6.09
LG 35.194.91.229:443/Throughput					
0	11.4	25.7	11.4	11.3	6.22
LG 35.194.91.229:443/User Load					
0	102.4	203	100.5	102.3	53.9
LG 35.194.91.229:443/Thread Count					
21	168.6	301	167.5	168.4	57
LG 35.194.91.229:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.004
LG 35.194.91.229:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 35.194.91.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.91.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.91.229:443/Controller Connection/Ping Duration (ms)					
3	4.73	34	4	4.04	4.51
LG 35.194.91.229:443/Network/Segments sent/sec.					
0	905.9	2,028	918.3	898.9	484.6
LG 35.194.91.229:443/Network/Segments retransmitted/sec.					
0	0.033	9.4	0	0	0.473
LG 35.194.91.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.3	11.7	11.7	6.39
LG 35.194.91.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.97	1.35	1.32	0.695

LG 35.199.1.43:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.1.43:443/CPU Load					
0	6.64	17	6	6.56	3.4
LG 35.199.1.43:443/Memory Used					
1	9.75	24	10	9.59	4.94
LG 35.199.1.43:443/Throughput					
0	11.5	25.1	11	11.5	6.17
LG 35.199.1.43:443/User Load					
0	102.9	204	102	102.8	53.9
LG 35.199.1.43:443/Thread Count					
20	169.4	294	168	169.2	57

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.1.43:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.199.1.43:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.199.1.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.1.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.1.43:443/Controller Connection/Ping Duration (ms)					
3	4.52	34	4	3.72	4.63
LG 35.199.1.43:443/Network/Segments sent/sec.					
0	910.2	1,972	871.9	907.4	477.4
LG 35.199.1.43:443/Network/Segments retransmitted/sec.					
0	0.029	8.4	0	0	0.424
LG 35.199.1.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	25.7	11.4	11.8	6.34
LG 35.199.1.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.94	1.3	1.33	0.681

LG 35.199.42.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.42.117:443/CPU Load					
0	6.47	16	6	6.41	3.37
LG 35.199.42.117:443/Memory Used					
2	12	30	11	11.7	6.41
LG 35.199.42.117:443/Throughput					
0	11.5	25.9	11.6	11.4	6.29
LG 35.199.42.117:443/User Load					
0	102.4	203	100	102.4	53.9
LG 35.199.42.117:443/Thread Count					
21	170.1	303	169	170.1	57
LG 35.199.42.117:443/Http client/Thread Pool used					
0.1	0.101	0.13	0.1	0.1	0.004
LG 35.199.42.117:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.009
LG 35.199.42.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.42.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.42.117:443/Controller Connection/Ping Duration (ms)					
3	5.82	24	4	4.97	5.54
LG 35.199.42.117:443/Network/Segments sent/sec.					
0	907.1	1,952	955.8	903.9	486.8
LG 35.199.42.117:443/Network/Segments retransmitted/sec.					
0	0.019	5	0	0	0.254
LG 35.199.42.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.7	11.9	11.8	6.46
LG 35.199.42.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.81	1.4	1.32	0.693

LG 35.199.50.48:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.50.48:443/CPU Load					
0	6.67	18	6	6.6	3.47
LG 35.199.50.48:443/Memory Used					
1	10.2	25	10	10.02	5.11
LG 35.199.50.48:443/Throughput					
0	11.5	27.9	11.5	11.5	6.26
LG 35.199.50.48:443/User Load					
0	102.8	204	101	102.8	53.9
LG 35.199.50.48:443/Thread Count					
20	169.1	298	166	168.8	57.7
LG 35.199.50.48:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.199.50.48:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.199.50.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.50.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.50.48:443/Controller Connection/Ping Duration (ms)					
3	4.59	33	4	3.88	4.41
LG 35.199.50.48:443/Network/Segments sent/sec.					
0	908.2	2,053	895.8	904.4	483.2
LG 35.199.50.48:443/Network/Segments retransmitted/sec.					
0	0.034	10	0	0	0.492
LG 35.199.50.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	28.7	11.8	11.8	6.43
LG 35.199.50.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.96	1.34	1.32	0.689

LG 35.199.53.188:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.53.188:443/CPU Load					
0	6.24	15	6	6.13	3.17
LG 35.199.53.188:443/Memory Used					
1	10.19	23	10	10.04	5.08
LG 35.199.53.188:443/Throughput					
0	11.5	25.5	11.9	11.4	6.27
LG 35.199.53.188:443/User Load					
0	102.4	203	100.5	102.3	53.9
LG 35.199.53.188:443/Thread Count					
21	168.6	302	168	168.3	57.5
LG 35.199.53.188:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.199.53.188:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.199.53.188:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.53.188:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.53.188:443/Controller Connection/Ping Duration (ms)					
3	4.32	33	4	3.59	4.47

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.53.188:443/Network/Segments sent/sec.					
0	908.7	1,948	938.2	903.3	483.3
LG 35.199.53.188:443/Network/Segments retransmitted/sec.					
0	0.045	14.8	0	0	0.734
LG 35.199.53.188:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	26.1	12.3	11.8	6.44
LG 35.199.53.188:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.87	1.32	1.32	0.688

LG 35.199.56.108:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.56.108:443/CPU Load					
0	6.2	17	6	6.1	3.14
LG 35.199.56.108:443/Memory Used					
1	9.51	22	9	9.33	4.71
LG 35.199.56.108:443/Throughput					
0	11.4	25.8	11.2	11.4	6.19
LG 35.199.56.108:443/User Load					
0	102.1	203	101	102.1	54.1
LG 35.199.56.108:443/Thread Count					
20	167.9	301	168	167.6	57.1
LG 35.199.56.108:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 35.199.56.108:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 35.199.56.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.56.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.56.108:443/Controller Connection/Ping Duration (ms)					
2	5.23	33	3	4.14	6.51
LG 35.199.56.108:443/Network/Segments sent/sec.					
0	907.3	2,041	895.1	903.6	479.8
LG 35.199.56.108:443/Network/Segments retransmitted/sec.					
0	0.039	9.6	0	0	0.502
LG 35.199.56.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.5	11.5	11.7	6.36
LG 35.199.56.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	2.82	1.33	1.32	0.681

LG 35.230.173.240:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.173.240:443/CPU Load					
0	6.58	17	6	6.5	3.43
LG 35.230.173.240:443/Memory Used					
1	10.23	24	10	10.08	5.09
LG 35.230.173.240:443/Throughput					
0	11.5	25.9	11.1	11.4	6.23
LG 35.230.173.240:443/User Load					
0	102.2	203	101	102.2	53.9
LG 35.230.173.240:443/Thread Count					
20	168.9	297	166	168.7	57.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.173.240:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.230.173.240:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.009
LG 35.230.173.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.173.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.173.240:443/Controller Connection/Ping Duration (ms)					
3	4.43	34	4	3.75	4.54
LG 35.230.173.240:443/Network/Segments sent/sec.					
0	906.1	2,082	885	903.3	480.5
LG 35.230.173.240:443/Network/Segments retransmitted/sec.					
0	0.048	12.2	0	0	0.647
LG 35.230.173.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.6	11.5	11.7	6.4
LG 35.230.173.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.84	1.33	1.32	0.686

LG 35.236.203.4:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.203.4:443/CPU Load					
0	6.65	16	6	6.56	3.41
LG 35.236.203.4:443/Memory Used					
1	10.17	25	10	9.99	5.07
LG 35.236.203.4:443/Throughput					
0	11.4	26.1	10.95	11.3	6.34
LG 35.236.203.4:443/User Load					
0	101.9	203	100	101.8	54
LG 35.236.203.4:443/Thread Count					
21	168.3	299	166	168	57.8
LG 35.236.203.4:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.203.4:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.236.203.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.203.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.203.4:443/Controller Connection/Ping Duration (ms)					
3	4.44	34	4	3.75	4.54
LG 35.236.203.4:443/Network/Segments sent/sec.					
0	900.5	1,918	876.3	895.1	483.4
LG 35.236.203.4:443/Network/Segments retransmitted/sec.					
0	0.038	12.2	0	0	0.606
LG 35.236.203.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.7	26.9	11.3	11.6	6.51
LG 35.236.203.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	2.75	1.28	1.31	0.696

LG 35.236.205.129:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.205.129:443/CPU Load					
0	6.31	16	6	6.21	3.33
LG 35.236.205.129:443/Memory Used					
1	8.96	24	9	8.85	4.41
LG 35.236.205.129:443/Throughput					
0	11.4	24.7	11.3	11.4	6.25
LG 35.236.205.129:443/User Load					
0	102	203	101	102.1	53.9
LG 35.236.205.129:443/Thread Count					
21	168.2	307	167	168.1	57.5
LG 35.236.205.129:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.205.129:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.009
LG 35.236.205.129:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.205.129:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.205.129:443/Controller Connection/Ping Duration (ms)					
3	4.73	34	4	4.07	4.48
LG 35.236.205.129:443/Network/Segments sent/sec.					
0	903.1	2,182	889.1	899.4	489.7
LG 35.236.205.129:443/Network/Segments retransmitted/sec.					
0	0.036	9.6	0	0	0.503
LG 35.236.205.129:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	25.5	11.6	11.7	6.42
LG 35.236.205.129:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	3	1.33	1.32	0.696

LG 35.236.207.252:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.207.252:443/CPU Load					
0	6.52	17	6	6.44	3.34
LG 35.236.207.252:443/Memory Used					
1	9.84	23	10	9.72	4.86
LG 35.236.207.252:443/Throughput					
0	11.5	24.1	11.3	11.5	6.16
LG 35.236.207.252:443/User Load					
0	102.6	204	101	102.6	53.9
LG 35.236.207.252:443/Thread Count					
21	170.1	301	168	169.8	57.2
LG 35.236.207.252:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.236.207.252:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.236.207.252:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.207.252:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.207.252:443/Controller Connection/Ping Duration (ms)					
3	4.48	35	4	3.72	4.71

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.207.252:443/Network/Segments sent/sec.					
0	909.5	1,956	901.4	907.8	480.8
LG 35.236.207.252:443/Network/Segments retransmitted/sec.					
0	0.03	9.4	0	0	0.457
LG 35.236.207.252:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	24.7	11.6	11.8	6.33
LG 35.236.207.252:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.86	1.35	1.32	0.687

LG 35.236.230.64:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.230.64:443/CPU Load					
0	6.32	17	6	6.25	3.3
LG 35.236.230.64:443/Memory Used					
1	8.24	18	8	8.16	3.67
LG 35.236.230.64:443/Throughput					
0	11.5	23.8	11.5	11.5	6.18
LG 35.236.230.64:443/User Load					
0	102.7	203	101	102.7	53.9
LG 35.236.230.64:443/Thread Count					
20	168.8	292	167	168.7	56.9
LG 35.236.230.64:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 35.236.230.64:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 35.236.230.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.230.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.230.64:443/Controller Connection/Ping Duration (ms)					
3	6.49	33	3	5.52	7.34
LG 35.236.230.64:443/Network/Segments sent/sec.					
0	910.2	2,144	895.6	909.4	480.8
LG 35.236.230.64:443/Network/Segments retransmitted/sec.					
0	0.04	11.2	0	0	0.561
LG 35.236.230.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	24.4	11.9	11.8	6.35
LG 35.236.230.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.98	1.3	1.32	0.689

LG 35.236.254.117:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.254.117:443/CPU Load					
0	6.18	16	6	6.09	3.27
LG 35.236.254.117:443/Memory Used					
2	8.46	18	8	8.37	3.86
LG 35.236.254.117:443/Throughput					
0	11.5	23.5	11.7	11.4	6.16
LG 35.236.254.117:443/User Load					
0	101.9	203	100	101.9	54
LG 35.236.254.117:443/Thread Count					
20	168.1	303	165	167.7	57.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.254.117:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.236.254.117:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.006
LG 35.236.254.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.254.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.254.117:443/Controller Connection/Ping Duration (ms)					
3	4.56	34	4	3.82	4.56
LG 35.236.254.117:443/Network/Segments sent/sec.					
0	906.7	2,061	918.4	905.3	479.1
LG 35.236.254.117:443/Network/Segments retransmitted/sec.					
0	0.03	9.2	0	0	0.451
LG 35.236.254.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	24.1	12	11.8	6.33
LG 35.236.254.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	2.9	1.3	1.32	0.686

LG 35.245.100.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.100.119:443/CPU Load					
0	6.41	15	6	6.34	3.27
LG 35.245.100.119:443/Memory Used					
1	9.5	23	9	9.36	4.66
LG 35.245.100.119:443/Throughput					
0	11.4	24	11.5	11.4	6.16
LG 35.245.100.119:443/User Load					
0	102.3	203	100	102.3	54
LG 35.245.100.119:443/Thread Count					
20	168.3	303	166	167.9	57.4
LG 35.245.100.119:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.003
LG 35.245.100.119:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 35.245.100.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.100.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.100.119:443/Controller Connection/Ping Duration (ms)					
3	5.07	34	4	4.02	5.19
LG 35.245.100.119:443/Network/Segments sent/sec.					
0	905.3	1,994	908	904.1	477.9
LG 35.245.100.119:443/Network/Segments retransmitted/sec.					
0	0.025	7.2	0	0	0.371
LG 35.245.100.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	24.7	11.8	11.8	6.33
LG 35.245.100.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	3.15	1.34	1.32	0.686

LG 35.245.121.5:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.121.5:443/CPU Load					
0	7.29	20	7	7.21	3.61
LG 35.245.121.5:443/Memory Used					
1	8.58	21	8	8.41	4.15
LG 35.245.121.5:443/Throughput					
0	11.6	24.3	11.6	11.5	6.15
LG 35.245.121.5:443/User Load					
0	102.7	203	101	102.7	53.9
LG 35.245.121.5:443/Thread Count					
21	168.7	294	166	168.4	56.7
LG 35.245.121.5:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 35.245.121.5:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.013
LG 35.245.121.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.121.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.121.5:443/Controller Connection/Ping Duration (ms)					
3	22.2	25	23	22.6	3.03
LG 35.245.121.5:443/Network/Segments sent/sec.					
0	907.3	1,927	921.2	904.5	475.5
LG 35.245.121.5:443/Network/Segments retransmitted/sec.					
0	0.036	9.4	0	0	0.486
LG 35.245.121.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	25	12	11.9	6.31
LG 35.245.121.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.98	1.37	1.32	0.681

LG 35.245.151.30:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.151.30:443/CPU Load					
0	6.36	17	6	6.28	3.32
LG 35.245.151.30:443/Memory Used					
1	8.64	20	8	8.5	4.13
LG 35.245.151.30:443/Throughput					
0	11.5	24.9	11.7	11.5	6.22
LG 35.245.151.30:443/User Load					
0	102.7	204	101	102.7	53.9
LG 35.245.151.30:443/Thread Count					
20	169	300	167.5	168.6	56.8
LG 35.245.151.30:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.245.151.30:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.245.151.30:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.151.30:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.151.30:443/Controller Connection/Ping Duration (ms)					
3	5.17	33	4	3.85	6.18

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.151.30:443/Network/Segments sent/sec.					
0	911	2,036	925.6	905	485.9
LG 35.245.151.30:443/Network/Segments retransmitted/sec.					
0	0.031	8.6	0	0	0.435
LG 35.245.151.30:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	25.7	12.1	11.8	6.39
LG 35.245.151.30:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.96	1.3	1.32	0.703

LG 35.245.157.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.157.6:443/CPU Load					
0	6.32	16	6	6.22	3.23
LG 35.245.157.6:443/Memory Used					
1	8.02	18	8	7.93	3.59
LG 35.245.157.6:443/Throughput					
0	11.5	25.4	11.4	11.5	6.08
LG 35.245.157.6:443/User Load					
0	102.8	204	102	102.8	53.9
LG 35.245.157.6:443/Thread Count					
20	168.7	300	167	168.3	57.1
LG 35.245.157.6:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.245.157.6:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.011
LG 35.245.157.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.157.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.157.6:443/Controller Connection/Ping Duration (ms)					
3	4.52	34	4	3.79	4.56
LG 35.245.157.6:443/Network/Segments sent/sec.					
0	909.7	1,952	927.6	906.4	477.4
LG 35.245.157.6:443/Network/Segments retransmitted/sec.					
0	0.026	5.8	0	0	0.336
LG 35.245.157.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.1	11.7	11.8	6.25
LG 35.245.157.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.92	1.36	1.33	0.684

LG 35.245.160.171:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.160.171:443/CPU Load					
0	6.2	15	6	6.1	3.24
LG 35.245.160.171:443/Memory Used					
1	11.6	28	11	11.4	6.01
LG 35.245.160.171:443/Throughput					
0	11.5	24.3	11.5	11.4	6.11
LG 35.245.160.171:443/User Load					
0	102.1	203	101	102.1	53.9
LG 35.245.160.171:443/Thread Count					
21	167.6	300	167	167.3	57

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.160.171:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.245.160.171:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 35.245.160.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.160.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.160.171:443/Controller Connection/Ping Duration (ms)					
3	4.66	34	3	3.53	5.41
LG 35.245.160.171:443/Network/Segments sent/sec.					
0	904.5	1,999	883	901.7	478.1
LG 35.245.160.171:443/Network/Segments retransmitted/sec.					
0	0.03	8.6	0	0	0.417
LG 35.245.160.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	24.9	11.9	11.8	6.28
LG 35.245.160.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	2.91	1.28	1.32	0.688

LG 35.245.201.243:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.201.243:443/CPU Load					
0	6.97	16	7	6.9	3.54
LG 35.245.201.243:443/Memory Used					
1	10.45	26	10	10.25	5.42
LG 35.245.201.243:443/Throughput					
0	11.5	24.7	11.4	11.4	6.24
LG 35.245.201.243:443/User Load					
0	102	203	100.5	101.9	53.9
LG 35.245.201.243:443/Thread Count					
21	168.8	305	166.5	168.6	57.4
LG 35.245.201.243:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.002
LG 35.245.201.243:443/Http client/Task Pool used					
0	0.002	0.183	0	0	0.011
LG 35.245.201.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.201.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.201.243:443/Controller Connection/Ping Duration (ms)					
4	22.2	25	23	22.9	4.04
LG 35.245.201.243:443/Network/Segments sent/sec.					
0	901.4	1,986	887.2	898.7	483
LG 35.245.201.243:443/Network/Segments retransmitted/sec.					
0	0.043	12.8	0	0	0.626
LG 35.245.201.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	25.3	11.7	11.8	6.41
LG 35.245.201.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	2.96	1.27	1.31	0.689

LG 35.245.229.85:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.229.85:443/CPU Load					
0	7.33	17	7	7.29	3.66
LG 35.245.229.85:443/Memory Used					
1	9.67	24	9.5	9.59	4.71
LG 35.245.229.85:443/Throughput					
0	11.4	25.5	11.3	11.4	6.19
LG 35.245.229.85:443/User Load					
0	102	203	100.5	102.1	53.9
LG 35.245.229.85:443/Thread Count					
21	168.4	301	167	168.3	57.7
LG 35.245.229.85:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.245.229.85:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 35.245.229.85:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.229.85:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.229.85:443/Controller Connection/Ping Duration (ms)					
4	5.13	36	4	4.4	4.74
LG 35.245.229.85:443/Network/Segments sent/sec.					
0	899.1	1,917	879.6	899	476.1
LG 35.245.229.85:443/Network/Segments retransmitted/sec.					
0	0.044	11.8	0	0	0.597
LG 35.245.229.85:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	26.2	11.7	11.7	6.35
LG 35.245.229.85:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	2.78	1.26	1.32	0.681

LG 35.245.230.44:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.230.44:443/CPU Load					
0	6.5	20	6	6.42	3.36
LG 35.245.230.44:443/Memory Used					
1	9.25	22	9	9.1	4.52
LG 35.245.230.44:443/Throughput					
0	11.5	24	11.3	11.5	6.25
LG 35.245.230.44:443/User Load					
0	102.7	203	101	102.7	53.9
LG 35.245.230.44:443/Thread Count					
20	169.2	302	167	169	57
LG 35.245.230.44:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.004
LG 35.245.230.44:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.245.230.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.230.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.230.44:443/Controller Connection/Ping Duration (ms)					
3	4.32	32	4	3.62	4.29

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.230.44:443/Network/Segments sent/sec.					
0	908.8	2,154	922.8	907.4	480.2
LG 35.245.230.44:443/Network/Segments retransmitted/sec.					
0	0.027	7.8	0	0	0.388
LG 35.245.230.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	24.7	11.6	11.9	6.42
LG 35.245.230.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	3.12	1.31	1.33	0.689

LG 35.245.33.152:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.33.152:443/CPU Load					
0	6.2	16	6	6.12	3.17
LG 35.245.33.152:443/Memory Used					
1	12.3	31	12	12	6.67
LG 35.245.33.152:443/Throughput					
0	11.5	26.3	11.6	11.5	6.12
LG 35.245.33.152:443/User Load					
0	102.4	203	101	102.4	53.9
LG 35.245.33.152:443/Thread Count					
20	168.4	297	168	168.2	57.5
LG 35.245.33.152:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 35.245.33.152:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.245.33.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.33.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.33.152:443/Controller Connection/Ping Duration (ms)					
3	4.65	34	4	3.98	4.51
LG 35.245.33.152:443/Network/Segments sent/sec.					
0	907.2	1,995	922.8	906.2	475.9
LG 35.245.33.152:443/Network/Segments retransmitted/sec.					
0	0.029	8.2	0	0	0.412
LG 35.245.33.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27	11.9	11.8	6.29
LG 35.245.33.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.81	1.33	1.32	0.682

LG 35.245.35.123:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.35.123:443/CPU Load					
0	6.74	16	6	6.68	3.42
LG 35.245.35.123:443/Memory Used					
1	9.71	25	9	9.56	4.86
LG 35.245.35.123:443/Throughput					
0	11.4	23.8	10.53	11.4	6.19
LG 35.245.35.123:443/User Load					
0	102.1	203	100.5	102	53.9
LG 35.245.35.123:443/Thread Count					
21	168.7	298	169.5	168.4	56.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.35.123:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 35.245.35.123:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 35.245.35.123:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.35.123:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.35.123:443/Controller Connection/Ping Duration (ms)					
21	22.3	24	22	22.3	0.68
LG 35.245.35.123:443/Network/Segments sent/sec.					
0	900	1,787	845.7	899.2	477
LG 35.245.35.123:443/Network/Segments retransmitted/sec.					
0	0.03	8.6	0	0	0.43
LG 35.245.35.123:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	24.4	10.86	11.7	6.35
LG 35.245.35.123:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	2.73	1.28	1.31	0.684

LG 35.245.36.185:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.36.185:443/CPU Load					
0	6.91	19	6	6.82	3.47
LG 35.245.36.185:443/Memory Used					
2	8.95	23	8	8.76	4.52
LG 35.245.36.185:443/Throughput					
0	11.5	26.7	11.4	11.4	6.21
LG 35.245.36.185:443/User Load					
0	102.4	203	100.5	102.5	53.9
LG 35.245.36.185:443/Thread Count					
21	168.6	302	167.5	168.5	57.2
LG 35.245.36.185:443/Http client/Thread Pool used					
0.1	0.1	0.115	0.1	0.1	0.002
LG 35.245.36.185:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.245.36.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.36.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.36.185:443/Controller Connection/Ping Duration (ms)					
3	4.66	33	4	4.02	4.35
LG 35.245.36.185:443/Network/Segments sent/sec.					
0	905.6	2,114	896.9	902.8	477.3
LG 35.245.36.185:443/Network/Segments retransmitted/sec.					
0	0.041	11.6	0	0	0.579
LG 35.245.36.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.8	27.4	11.7	11.7	6.38
LG 35.245.36.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	2.8	1.32	1.33	0.686

LG 35.245.54.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.54.246:443/CPU Load					
0	6.35	16	6	6.26	3.32
LG 35.245.54.246:443/Memory Used					
1	9.33	22	9	9.13	4.7
LG 35.245.54.246:443/Throughput					
0	11.4	24.9	11.8	11.4	6.19
LG 35.245.54.246:443/User Load					
0	102.1	203	101	102.1	53.9
LG 35.245.54.246:443/Thread Count					
20	168.6	295	167	168.4	56.2
LG 35.245.54.246:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.002
LG 35.245.54.246:443/Http client/Task Pool used					
0	0.002	0.183	0	0	0.01
LG 35.245.54.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.54.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.54.246:443/Controller Connection/Ping Duration (ms)					
3	5.3	23	4	4.42	4.75
LG 35.245.54.246:443/Network/Segments sent/sec.					
0	903.9	2,013	946.2	900	484
LG 35.245.54.246:443/Network/Segments retransmitted/sec.					
0	0.033	9	0	0	0.46
LG 35.245.54.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.7	25.5	12.2	11.7	6.36
LG 35.245.54.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.32	3.06	1.38	1.32	0.698


LG 35.245.64.246:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.64.246:443/CPU Load					
0	6.21	15	6	6.12	3.28
LG 35.245.64.246:443/Memory Used					
1	10.08	25	10	9.93	4.96
LG 35.245.64.246:443/Throughput					
0	11.6	30	11.7	11.5	6.37
LG 35.245.64.246:443/User Load					
0	102.8	204	101	102.8	53.9
LG 35.245.64.246:443/Thread Count					
21	169.3	307	168	169	56.9
LG 35.245.64.246:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 35.245.64.246:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.009
LG 35.245.64.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.64.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.64.246:443/Controller Connection/Ping Duration (ms)					
3	4.27	34	4	3.57	4.57

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.64.246:443/Network/Segments sent/sec.					
0	911.9	2,135	888.2	907.1	487
LG 35.245.64.246:443/Network/Segments retransmitted/sec.					
0	0.039	12	0	0	0.588
LG 35.245.64.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11.9	30.7	12.1	11.8	6.55
LG 35.245.64.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.33	3.16	1.31	1.32	0.693


Average page response time



Min	Average	Max
0.123	0.2	2.677

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.053	0.086	1.334

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.245	0.387	10.887	0.259	0.276	0.655

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
61.8	3,286.1	6,085.5

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	0	1

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	686.17	1,273.91

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.121	0.202	2.726

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.