

# SOE- EngageMigration- Pega - TDC LT - 02202020



Date	Feb 20, 2020 10:05:16 PM
Project	MVOPEGA
Scenario	Pega_FullLT
Comment	
Notes	SOE- EngageMigration- Pega - TDC LT - 02202020

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	4
Hot spots.....	6
Errors.....	6
Alerts.....	6
General statistics.....	6
Transaction statistics.....	6
Execution context.....	10
Scenario .....	7
Servers.....	13
Populations.....	14
User Paths.....	15
Transactions.....	16
Pages.....	19
Requests.....	22
Media Contents.....	41
Push messages.....	18
Monitors.....	42
Main graphs.....	79
Average page response time.....	79
Average request response time.....	80
Average response time (Transactions).....	81
Requests per second.....	82
Errors.....	83
Throughput.....	84
Response time against load.....	85
Distribution of Transaction Durations.....	86

## Summary

### Results summary

<b>Name</b>	22:04 - 20 Feb 2020_Pega_MainLT	<b>Project</b>	MVOPEGA
<b>Description</b>		<b>Scenario</b>	Pega_FullLT
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population MVO-Pega is customized
<b>Start date</b>	Feb 20, 2020 10:05:16 PM		
<b>End date</b>	Feb 20, 2020 10:35:52 PM	<b>Stop Policy</b>	• Population MVO-Pega: immediate.
<b>Duration</b>	00:30:36		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
<b>LG Hosts</b>	35.245.157.6:443	<b>Debug</b>	Disabled
	,		
	35.245.36.185:443		
	,		
	35.236.230.64:443		
	,		
	35.236.207.252:443		
	,		
	35.230.173.240:443		
	,		
	35.245.35.123:443		
	,		
	35.245.33.152:443		
	,		
	35.245.121.5:443		
	,		
	35.199.56.108:443		
	,		
	35.236.254.117:443		
	,		
	35.194.91.229:443		
	,		
	35.199.42.117:443		
	,		
	35.245.100.119:443		
	,		
	35.199.50.48:443		
	,		
	35.245.54.246:443		
	,		
	35.236.203.4:443		
	,		
	35.245.64.246:443		
	,		
	35.194.82.198:443		
	,		
	35.245.230.44:443		
	,		
	35.245.151.30:443		
	,		
	35.199.1.43:443		
	,		
	35.236.205.129:443		
	,		
	35.199.53.188:443		
	,		
	35.245.160.171:443		
	,		
	35.245.229.85:443		
	,		
	35.245.201.243:443		
	,		
	35.186.184.49:443		
	,		
	35.194.85.193:443		
	,		
	35.186.191.126:443		
	,		
	35.186.183.222:443		
	,		
	35.221.6.221:443		
	,		

35.236.207.101:443		
,		
35.245.169.16:443		
,		
35.245.229.51:443		
,		
35.188.252.88:443		
,		
35.194.93.192:443		
,		
35.245.115.157:443		
,		
35.245.47.52:443		
,		
35.236.226.178:443		
,		
35.245.15.175:443		
,		
35.245.85.57:443		
,		
35.245.58.146:443		
,		
35.245.17.179:443		
,		
35.245.91.211:443		
,		
35.245.169.148:443		
,		
35.245.26.250:443		
,		
35.245.236.75:443		
,		
35.245.36.78:443		
,		
35.245.76.42:443		
,		
35.245.23.40:443		
,		
35.245.70.150:443		
,		
35.245.191.215:443		
,		
35.245.135.244:443		
,		
35.188.247.110:443		
,		
35.221.16.58:443		
,		
35.221.44.205:443		
,		
35.245.112.210:443		
,		
35.236.249.58:443		
,		
35.236.204.43:443		
,		
35.221.61.18:443		

## Statistics Summary


<b>Total pages</b>	1071391	—	<b>Average pages/s</b>	583.2	—
<b>Total requests</b>	5601689	—	<b>Average requests/s</b>	3,049.4	—
<b>Total users launched</b>	2000	—	<b>Average Request response time</b>	0.103 s	—
<b>Total iterations completed</b>	55440	—	<b>Average Page response time</b>	0.513 s	—
<b>Total throughput</b>	190,872 MB	—	<b>Average throughput</b>	831.23 Mb/s	—
<b>Total request errors</b>	14	—	<b>Error rate</b>	0 %	—
<b>Total action errors</b>	0	—	<b>Alerts total duration</b>	0 %	—

— = No SLA

☀ = Passed

☁ = Warning

⚡ = Failed



## Hot spots

### Top 5 errors

User Path	Parent	Page	Count
0125_MVO_M_Pega_OverMVO_M_Pega_T03_SignIn	/vzauth/UI/Login_1		9
0122_MVO_D_Pega_OverMVO_D_Pega_T03_SignIn	/vzauth/UI/Login_1		4
0125_MVO_M_Pega_OverMVO_M_Pega_T02_clickac	/am/css/bootstrap.min.css.map		1

### Top 5 alerts

No alerts
-----------

### First critical alerts

No alerts
-----------

### Top 5 average response time (Pages)

User Path	Parent	Page	Duration
0122_MVO_D_Pega_OverMVO_D_Pega_T03_SignIn	/vzauth/UI/Login_1		4.75
0125_MVO_M_Pega_OverMVO_M_Pega_T03_SignIn	/vzauth/UI/Login_1		3.6
0125_MVO_M_Pega_OverMVO_M_Pega_T04_BillOve	/globalnav/fonts/NeueHaasGroteskDisplay.woff2		2.41
0122_MVO_D_Pega_OverMVO_D_Pega_T04_BillOve	/ui/bill/data/secure/viewbill_1D/get_ensighten_tags		1.96
0125_MVO_M_Pega_OverMVO_M_Pega_T03_SignIn	/support/1d/data/secure/recommendations		1.1

### Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
0125_MVO_M_Pega_OverMVO_M_Pega_T02_clickac	/am/css/bootstrap.min.css.map		300.1
0125_MVO_M_Pega_OverMVO_M_Pega_T03_SignIn	/vzauth/UI/Login_1		19.1
0122_MVO_D_Pega_OverMVO_D_Pega_T03_SignIn	/vzauth/UI/Login_1		17.9
0125_MVO_M_Pega_OverMVO_M_Pega_T04_BillOve	/globalnav/fonts/NeueHaasGroteskDisplay.woff2		16.7
0122_MVO_D_Pega_OverMVO_D_Pega_T04_BillOve	/ui/bill/ao/viewbill		15.6

## Errors

### Request errors

Error Type	Count	Description
500	7	Internal Server Error
Assertions	6	Validation of the response failed.
NL-NETWORK-01	1	Miscellaneous I/O error when connecting to the server.
Total	14	Total error count.

### Action errors

No errors
-----------

## Alerts

No alerts
-----------

## General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
169.7	275.6	537.9	2,000	14	0.7	-
All pages						
0.001	0.513	300.1	1,071,391	14	0	-
All requests						
0	0.103	300.1	5,601,689	14	0	-

## Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.128	2.07	300.2	280,497	14	0	0.577	5.63	7.71	2.29	1.9	-

## Scenario

### Summary

<b>Name</b>	22:04 - 20 Feb 2020_Pega_MainLT	<b>Project</b>	MVOPEGA
<b>Description</b>		<b>Scenario</b>	Pega_FullLT
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population MVO-Pega is customized
<b>Start date</b>	Feb 20, 2020 10:05:16 PM		
<b>End date</b>	Feb 20, 2020 10:35:52 PM	<b>Stop Policy</b>	• Population MVO-Pega: immediate.
<b>Duration</b>	00:30:36		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
	35.245.157.6:443 , 35.245.36.185:443 , 35.236.230.64:443 , 35.236.207.252:443 , 35.230.173.240:443 , 35.245.35.123:443 , 35.245.33.152:443 , 35.245.121.5:443 , 35.199.56.108:443 , 35.236.254.117:443 , 35.194.91.229:443 , 35.199.42.117:443 , 35.245.100.119:443 , 35.199.50.48:443 , 35.245.54.246:443 , 35.236.203.4:443 , 35.245.64.246:443 , 35.194.82.198:443 , 35.245.230.44:443 , 35.245.151.30:443 , 35.199.1.43:443 , 35.236.205.129:443 , 35.199.53.188:443 , 35.245.160.171:443 , 35.245.229.85:443 , 35.245.201.243:443 , 35.186.184.49:443 , 35.194.85.193:443 , 35.186.191.126:443 , 35.186.183.222:443 ,		
<b>LG Hosts</b>		<b>Debug</b>	Disabled

35.221.6.221:443		
,		
35.236.207.101:443		
,		
35.245.169.16:443		
,		
35.245.229.51:443		
,		
35.188.252.88:443		
,		
35.194.93.192:443		
,		
35.245.115.157:443		
,		
35.245.47.52:443		
,		
35.236.226.178:443		
,		
35.245.15.175:443		
,		
35.245.85.57:443		
,		
35.245.58.146:443		
,		
35.245.17.179:443		
,		
35.245.91.211:443		
,		
35.245.169.148:443		
,		
35.245.26.250:443		
,		
35.245.236.75:443		
,		
35.245.36.78:443		
,		
35.245.76.42:443		
,		
35.245.23.40:443		
,		
35.245.70.150:443		
,		
35.245.191.215:443		
,		
35.245.135.244:443		
,		
35.188.247.110:443		
,		
35.221.16.58:443		
,		
35.221.44.205:443		
,		
35.245.112.210:443		
,		
35.236.249.58:443		
,		
35.236.204.43:443		
,		
35.221.61.18:443		

## Populations

### MVO-Pega

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
0122_MVO_D_Pega	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0125_MVO_M_Pega	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

## User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
0122_MVO_D_Pega_		Go to the next iteration	Go to the next iteration	0ms	0%



Name	Description	On failed assertion	On error	Think time	Thinktime range
0125_MVO_M_Pega_		Go to the next iteration	Go to the next iteration	0ms	0%

## Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

## Execution context

<b>Name</b>	22:04 - 20 Feb 2020_Pega_MainLT	<b>Project</b>	MVOPEGA
<b>Description</b>		<b>Scenario</b>	Pega_FullLT
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population MVO-Pega is customized
<b>Start date</b>	Feb 20, 2020 10:05:16 PM	<b>Stop Policy</b>	• Population MVO-Pega: immediate.
<b>End date</b>	Feb 20, 2020 10:35:52 PM		
<b>Duration</b>	00:30:36	<b>Filters</b>	None
<b>Termination reason</b>	Manual action		
<b>LG Hosts</b>	35.245.157.6:443	<b>Debug</b>	Disabled
	,		
	35.245.36.185:443		
	,		
	35.236.230.64:443		
	,		
	35.236.207.252:443		
	,		
	35.230.173.240:443		
	,		
	35.245.35.123:443		
	,		
	35.245.33.152:443		
	,		
	35.245.121.5:443		
	,		
	35.199.56.108:443		
	,		
	35.236.254.117:443		
	,		
	35.194.91.229:443		
	,		
	35.199.42.117:443		
	,		
	35.245.100.119:443		
	,		
	35.199.50.48:443		
	,		
	35.245.54.246:443		
	,		
	35.236.203.4:443		
	,		
	35.245.64.246:443		
	,		
	35.194.82.198:443		
	,		
	35.245.230.44:443		
	,		
	35.245.151.30:443		
	,		
	35.199.1.43:443		
	,		
	35.236.205.129:443		
	,		
	35.199.53.188:443		
	,		
	35.245.160.171:443		
	,		
	35.245.229.85:443		
	,		
	35.245.201.243:443		
	,		
	35.186.184.49:443		
	,		
	35.194.85.193:443		
	,		
	35.186.191.126:443		
	,		
	35.186.183.222:443		
	,		
	35.221.6.221:443		
	,		
	35.236.207.101:443		

,	35.245.169.16:443		
,	35.245.229.51:443		
,	35.188.252.88:443		
,	35.194.93.192:443		
,	35.245.115.157:443		
,	35.245.47.52:443		
,	35.236.226.178:443		
,	35.245.15.175:443		
,	35.245.85.57:443		
,	35.245.58.146:443		
,	35.245.17.179:443		
,	35.245.91.211:443		
,	35.245.169.148:443		
,	35.245.26.250:443		
,	35.245.236.75:443		
,	35.245.36.78:443		
,	35.245.76.42:443		
,	35.245.23.40:443		
,	35.245.70.150:443		
,	35.245.191.215:443		
,	35.245.135.244:443		
,	35.188.247.110:443		
,	35.221.16.58:443		
,	35.221.44.205:443		
,	35.245.112.210:443		
,	35.236.249.58:443		
,	35.236.204.43:443		
,	35.221.61.18:443		

**NeoLoad version**  
**Graphs granularity**

6.8.0;build=20190103-16  
Standard

## Application proxy

Name	Description
proxy	Automatically detect settings

## Zone application proxies

Zone	Name	Description
Empty list		

## Constant variables

Name	Value	Description
Empty list		

## User Paths settings

### 0122\_MVO\_D\_Pega\_OverviewDisable

Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing


### 0125\_MVO\_M\_Pega\_OverviewDisable

Error policy:	Go to the next iteration
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

## Servers

Host	Port	HTTP/2 ready	HTTP/2 used
api.verizon.com	443		No
stcache.vzw.com	443		No
login.verizonwireless.com	443		No
s7.vzw.com	80		No
scache2.vzw.com	443		No
ecache.vzw.com	443		No
scache.verizonwireless.com	443		No
www.verizonwireless.com	443		No
verizonwireless.com	80		No
scache1.vzw.com	443		No
ss7.vzw.com	443		No
scache.vzw.com	443		No
myvpostpay.verizonwireless.cor	443		No



## Graphs



## Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
MVO-Pega	5601689 (100%)	3,049.4	0.513s (0%)	0% (0%)
Global	5601689 (100%)	3,049.4	0.513s	0%










## User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0122_MVO_D_Pega_OverviewDisable						
169.7	267.9	375.9	1,000	4	0.4	-
 0125_MVO_M_Pega_OverviewDisable						
177.2	283.2	537.9	1,000	10	1	-









## Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

## 0122\_MVO\_D\_Pega\_OverviewDisable

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0122_MVO_D_Pega_OverviewDisable											
169.7	267.9	375.9	1,000	4	0.4	-	-	-	-	-	-
 Init											
0	0	0.001	1,000	0	0	-	-	-	-	-	-
 Actions											
0.677	9.53	27.2	27,734	4	0	-	-	-	-	-	-
 MVO_D_Pega_T01_Launch											
0.167	0.299	15.2	28,495	0	0	0.295	0.389	0.426	0.193	0.291	-
 MVO_D_Pega_T02_clickaccount											
0.128	0.177	15.1	28,209	0	0	0.175	0.195	0.214	0.322	0.166	-
 MVO_D_Pega_T03_SignIn											
0.259	4.97	20.7	27,968	4	0	4.73	7.28	8.81	1.1	4.85	-
 MVO_D_Pega_T04_BillOverview											
2.85	4.08	19.2	27,730	0	0	3.9	5.9	7.35	0.828	3.96	-
 MVO_D_Pega_T04A_BillSupport											
0.426	0.579	4.14	27,885	0	0	0.564	0.631	0.994	0.201	0.563	-
 End											
0	0	0.002	1,000	0	0	-	-	-	-	-	-

## 0125\_MVO\_M\_Pega\_OverviewDisable

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 0125_MVO_M_Pega_OverviewDisable											
177.2	283.2	537.9	1,000	10	1	-	-	-	-	-	-
 Init											
0	0	0.001	1,000	0	0	-	-	-	-	-	-
 Actions											
0.967	10.08	300.6	27,706	10	0	-	-	-	-	-	-
 MVO_M_Pega_T01_Launch											
0.192	0.326	15.4	28,479	0	0	0.323	0.412	0.448	0.292	0.316	-
 MVO_M_Pega_T02_clickaccount											
0.19	0.263	300.2	28,209	1	0	0.247	0.268	0.311	1.81	0.234	-
 MVO_M_Pega_T03_Signin											
0.464	5.31	22.4	27,960	9	0	5.02	7.74	9.49	1.28	5.16	-
 MVO_M_Pega_T04_BillOverview											
2.97	4.18	19.9	27,696	0	0	4.01	5.75	7.53	0.856	4.06	-
 MVO_M_Pega_T04A_BillSupport											
0.457	0.607	3.71	27,866	0	0	0.593	0.662	0.873	0.192	0.592	-



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 End											
0	0	0.001	1,000	0	0	-	-	-	-	-	-

### Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### 0122\_MVO\_D\_Pega\_OverviewDisable

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




















### 0125\_MVO\_M\_Pega\_OverviewDisable







Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

## Shared Containers



Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						














## 0122\_MVO\_D\_Pega\_OverviewDisable

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0122_MVO_D_Pega_OverviewDisable						
169.7	267.9	375.9	1,000	4	0.4	-
 Actions						
0.677	9.53	27.2	27,734	4	0	-
 MVO_D_Pega_T01_Launch						
0.167	0.299	15.2	28,495	0	0	-
 /						
0.138	0.262	7.29	28,729	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.025	0.036	15	28,727	0	0	-
 MVO_D_Pega_T02_clickaccount						
0.128	0.177	15.1	28,209	0	0	-
 /event						
0.008	0.013	15	28,495	0	0	-
 /my-verizon/						
0.111	0.156	12.8	28,490	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2						
0.088	0.121	12.8	28,492	0	0	-
 /pagead/viewthroughconversion/970874113/						
0.005	0.008	0.641	28,490	0	0	-
 MVO_D_Pega_T03_SignIn						
0.259	4.97	20.7	27,968	4	0	-
 /vzauth/UI/Login						
0.028	0.06	12.8	28,207	0	0	-
 /vzauth/UI/Login_1						
0.225	4.75	17.9	28,102	4	0	-
 /rest/v1/delivery						
0.005	0.009	12.7	28,097	0	0	-
 /ui/hub/inqChat.html						
0.038	0.071	3.1	28,097	0	0	-
 /pagead/viewthroughconversion/732832628/						
0.049	0.072	6.22	28,093	0	0	-
 /pagead/viewthroughconversion/970874113/						
0.001	0.002	12.7	28,093	0	0	-
 MVO_D_Pega_T04_BillOverview						
2.85	4.08	19.2	27,730	0	0	-
 /ui/bill/ao/viewbill						
0.415	0.621	15.6	27,953	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui/bill/data/secure/viewbill_1D/get_ensighten_tags						
1.23	1.96	8.04	27,902	0	0	-
 /rest/v1/delivery						
0.538	0.848	12.8	27,891	0	0	-
 MVO_D_Pega_T04A_BillSupport						
0.426	0.579	4.14	27,885	0	0	-
 /rest/v1/delivery_1						
0.426	0.579	4.14	27,885	0	0	-
 /pagead/viewthroughconversion/1030624533/_2						
0.005	0.007	3.04	27,885	0	0	-
 /ui/hub/inqChat.html						
0.038	0.068	3.09	27,884	0	0	-

## 0125\_MVO\_M\_Pega\_OverviewDisable




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0125_MVO_M_Pega_OverviewDisable						
177.2	283.2	537.9	1,000	10	1	-
 Actions						
0.967	10.08	300.6	27,706	10	0	-
 MVO_M_Pega_T01_Launch						
0.192	0.326	15.4	28,479	0	0	-
 /						
0.137	0.257	15.1	28,702	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.036	0.054	15.1	28,701	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.008	0.013	15	28,701	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.css						
0.001	0.001	0.254	28,701	0	0	-
 MVO_M_Pega_T02_clickaccount						
0.19	0.263	300.2	28,209	1	0	-
 /vzauth/UI/Login						
0.101	0.157	12.9	28,477	0	0	-
 /am/css/bootstrap.min.css.map						
0.078	0.097	300.1	28,474	1	0	-
 /askverizon/js/askverizon.js						
0.005	0.008	0.638	28,473	0	0	-
 MVO_M_Pega_T03_Signin						
0.464	5.31	22.4	27,960	9	0	-
 /vzauth/UI/Login						
0.028	0.063	13.1	28,206	0	0	-
 /vzauth/UI/Login_1						
0.421	3.6	19.1	28,126	9	0	-
 /support/1d/data/secure/recommendations						
0.736	1.1	5.77	28,104	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /discover/gn_pzn						
0.082	0.171	12.9	28,097	0	0	-
 /vzwsvc/asc/GlobalNavServicesInfo.action						
0.003	0.008	12.9	28,097	0	0	-
 /is/image/VerizonWireless/vzw-...oto-razor-qu-12920-d						
0.008	0.015	1.75	28,096	0	0	-
 /askverizon/js/askverizon.js						
0.216	0.275	6.08	28,087	0	0	-
 /ui/hub/inqChat.html						
0.038	0.071	3.1	28,087	0	0	-
 MVO_M_Pega_T04_BillOverview						
2.97	4.18	19.9	27,696	0	0	-
 /ui/bill/ao/viewbill						
0.407	0.627	13.4	27,937	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
1.58	2.41	16.7	27,880	0	0	-
 MVO_M_Pega_T04A_BillSupport						
0.457	0.607	3.71	27,866	0	0	-
 /support/1d/data/secure/recommendations						
0.457	0.607	3.71	27,866	0	0	-
 /support/1d/data/secure/recommendations						
0.199	0.353	4.2	27,855	0	0	-
 /askverizon/js/askverizon.js						
0.01	0.018	12.7	27,855	0	0	-
 /feedback/feedbackloop						
0.124	0.166	1.31	27,849	0	0	-
























## Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						


## 0122\_MVO\_D\_Pega\_OverviewDisable

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0122_MVO_D_Pega_OverviewDisable						
169.7	267.9	375.9	1,000	4	0.4	-
 Actions						
0.677	9.53	27.2	27,734	4	0	-
 MVO_D_Pega_T01_Launch						
0.167	0.299	15.2	28,495	0	0	-
 /						
0.138	0.262	7.29	28,729	0	0	-
 /						
0.02	0.085	0.597	28,733	0	0	-
 /						
0.081	0.118	1.11	28,732	0	0	-
 /dam/vzwcom/utag/prod/utag.sync.js						
0.014	0.02	1.03	28,730	0	0	-
 /dam/vzwcom/utag/prod/utag.js						
0.017	0.052	0.386	28,729	0	0	-
 /ui-one-digital/hp/build/hp.css						
0.011	0.02	0.23	28,730	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.01	0.019	0.226	28,730	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.012	0.021	0.409	28,730	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.011	0.02	0.423	28,730	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.012	0.025	3.12	28,730	0	0	-
 /ui-one-digital/hp/build/hp.js						
0.013	0.022	0.552	28,730	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.003	0.018	1.66	28,730	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.001	0.007	1.73	28,730	0	0	-
 /is/image/VerizonWireless/vz...eals-hero-d-01132020						
0.003	0.013	7.01	28,730	0	0	-
 /chatskins/launch/inqChatLaunch10004593.js						
0.025	0.036	15	28,727	0	0	-
 /inqchat.html						
0.012	0.018	1.03	28,729	0	0	-





Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/vz...d-mixandmatch-d-0808						
0.011	0.017	15	28,727	0	0	-
 MVO_D_Pega_T02_clickaccount						
0.128	0.177	15.1	28,209	0	0	-
 /event						
0.008	0.013	15	28,495	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.008	0.013	15	28,495	0	0	-
 /my-verizon/						
0.111	0.156	12.8	28,490	0	0	-
 /my-verizon/						
0.016	0.023	0.246	28,495	0	0	-
 /etc/designs/vzwcom/fiveg/ma.../jquery-3.3.1.min.js						
0.022	0.044	0.382	28,492	0	0	-
 /dam/vzwcom/utag/prod/utag.sync.js						
0.014	0.022	1.03	28,492	0	0	-
 /is/image/VerizonWireless/my-verizon-sms-111518						
0.001	0.004	12.8	28,492	0	0	-
 /dam/vzwcom/utag/prod/utag.js						
0.025	0.053	0.408	28,491	0	0	-
 /omni/d/js/vendor/libs/jquery.js						
0.003	0.007	12.8	28,492	0	0	-
 /ui-one-digital/etc/designs/...site/js/analytics.js						
0.001	0.004	12.8	28,492	0	0	-
 /omni/d/js/vendor/libs/jquery.cookie.js						
0.001	0.003	12.7	28,492	0	0	-
 /omni/dt/js/libs/handlebars.js						
0.002	0.006	12.8	28,492	0	0	-
 /globalnav/gnav.js						
0.003	0.015	12.8	28,492	0	0	-
 /globalnav/omnifooter.js						
0.001	0.012	3.05	28,492	0	0	-
 /globalnav/css/globalnav-js.css						
0.002	0.005	0.052	28,492	0	0	-
 /ui-one-digital/etc/designs/...ing-site/css/app.css						
0.002	0.005	0.074	28,492	0	0	-
 /globalnav/css/omnifooter.css						
0.001	0.006	0.105	28,492	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.002	0.008	1.74	28,492	0	0	-
 /ui-one-digital/etc/designs/...nding-site/js/app.js						
0.002	0.007	0.072	28,492	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2						
0.088	0.121	12.8	28,492	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2						
0.003	0.009	0.22	28,492	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /vzauth/UI/Login						
0.075	0.104	1.2	28,492	0	0	-
 /am/css/bootstrap-3.3.7.min.css						
0.001	0.003	0.183	28,492	0	0	-
 /am/css/less-space.css						
0.001	0.002	0.076	28,492	0	0	-
 /am/css/style-2.0.css						
0.001	0.002	0.183	28,492	0	0	-
 /am/js/jquery-1.12.4.min.js						
0.002	0.003	0.184	28,492	0	0	-
 /am/js/bootstrap-3.3.7.min.js						
0.001	0.002	12.7	28,492	0	0	-
 /am/js/core.js						
0.001	0.002	12.7	28,492	0	0	-
 /search/staticContent/dist/js/autosuggest.js						
0.003	0.005	0.352	28,492	0	0	-
 /am/content/fonts/NHaasGroteskDSW02-75Bd.woff2						
0.003	0.005	0.353	28,492	0	0	-
 /am/content/fonts/NeueHaasGroteskText55Roman.woff						
0.003	0.005	0.342	28,492	0	0	-
 /pagead/viewthroughconversion/970874113/						
0.005	0.008	0.641	28,490	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.006	0.349	28,490	0	0	-
 /askverizon/content/images/svg/chatbubblelcon.svg						
0.001	0.001	0.617	28,490	0	0	-
 MVO_D_Pega_T03_SignIn						
0.259	4.97	20.7	27,968	4	0	-
 /vzauth/UI/Login						
0.028	0.06	12.8	28,207	0	0	-
 /vzauth/UI/Login						
0.025	0.048	3.2	28,209	0	0	-
 /am/css/global-phoenix.css						
0.001	0.004	12.7	28,207	0	0	-
 /am/d/css/global-phoenix.css						
0.001	0.004	12.7	28,207	0	0	-
 /am/css/style.css						
0.001	0.003	12.8	28,207	0	0	-
 /am/d/css/style.css						
0.001	0.003	6.26	28,207	0	0	-
 /am/content/fonts/NeueHaasGroteskText.woff						
0.002	0.006	12.8	28,207	0	0	-
 /vzauth/UI/Login_1						
0.225	4.75	17.9	28,102	4	0	-
 /vzauth/UI/Login						
0.032	0.052	3.05	28,207	0	0	-











































Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui/hub/secure/overview						
0.187	0.685	7.6	28,207	4	0	-
 /s7viewers/html5/VideoViewer.css						
0.002	0.005	6.26	28,194	0	0	-
 /s7viewers/html5/js/VideoViewer.js						
0.004	0.014	6.27	28,194	0	0	-
 /imageFiles/postpay-hub-msit.../overview/common.css						
0.009	0.024	4.54	28,194	0	0	-
 /imageFiles/postpay-hub-msit...overview/overview.js						
0.023	0.03	3.79	28,194	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.002	0.004	12.7	28,194	0	0	-
 /support/1d/data/secure/recommendations						
0.244	1.51	8.46	28,194	0	0	-
 /ui/hub/data/secure/overview/get_ensighten_tags						
0.076	0.133	3.17	28,194	0	0	-
 /ui/hub/data/secure/live-tiles						
0.467	0.655	3.9	28,194	0	0	-
 /ui/hub/data/secure/mydevices/devices-list						
0.638	1.4	7.52	28,194	0	0	-
 /ui/hub/data/secure/mydevices/tiles/support						
0.102	0.164	3.21	28,194	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff						
0.002	0.006	12.8	28,194	0	0	-
 /ui-one-digital/global-heade...ce.globalheader.json						
0.001	0.003	12.8	28,194	0	0	-
 /discover/gn_pzn						
0.067	0.15	4.06	28,194	0	0	-
 /ui-one-digital/global-foote...ce.globalfooter.json						
0.001	0.004	12.8	28,194	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff						
0.003	0.011	6.27	28,194	0	0	-
 /rest/v1/delivery						
0.005	0.009	12.7	28,097	0	0	-
 /is/image/VerizonWireless/bb_curve_pink						
0.001	0.004	12.7	28,098	0	0	-
 /is/image/VerizonWireless/vz...27-myverizon-1210-m1						
0.001	0.002	0.2	28,097	0	0	-
 /is/image/VerizonWireless/vz...27-myverizon-1210-d1						
0.002	0.003	0.178	28,097	0	0	-
 /ui/hub/inqChat.html						
0.038	0.071	3.1	28,097	0	0	-
 /ui/hub/inqChat.html						
0.038	0.071	3.1	28,097	0	0	-
 /pagead/viewthroughconversion/732832628/						
0.049	0.072	6.22	28,093	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /feedback/feedbackloop						
0.018	0.028	6.18	28,097	0	0	-
 /feedback/feedbackloop						
0.028	0.044	2.04	28,095	0	0	-
 /pagead/viewthroughconversion/970874113/						
0.001	0.002	12.7	28,093	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.002	12.7	28,093	0	0	-
 MVO_D_Pega_T04_BillOverview						
2.85	4.08	19.2	27,730	0	0	-
 /ui/bill/ao/viewbill						
0.415	0.621	15.6	27,953	0	0	-
 /ui/bill/ao/viewbill						
0.191	0.325	4.93	27,964	0	0	-
 /ui/bill/ao/viewbill						
0.172	0.269	3.5	27,957	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.01	0.016	15	27,954	0	0	-
 /imageFiles/postpay-bill-msi...ViewBill/ViewBill.js						
0.018	0.024	12.8	27,953	0	0	-
 /ui/bill/data/secure/viewbill_1D/get_ensighten_tags						
1.23	1.96	8.04	27,902	0	0	-
 /ui/bill/data/secure/viewbill_1D/get_ensighten_tags						
0.112	0.188	3.24	27,953	0	0	-
 /ui/bill/data/ao/digital/summary						
0.354	0.665	4.95	27,949	0	0	-
 /ui/bill/data/secure/live-tiles						
0.702	1.1	4.65	27,949	0	0	-
 /rest/v1/delivery						
0.538	0.848	12.8	27,891	0	0	-
 /feedback/feedbackloop						
0.029	0.044	1.53	27,902	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.009	12.7	27,902	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.003	12.7	27,902	0	0	-
 /ui/bill/data/secure/fp/activities						
0.255	0.445	3.62	27,902	0	0	-
 /ui/bill/data/ao/digital/details						
0.21	0.353	4.26	27,902	0	0	-
 MVO_D_Pega_T04A_BillSupport						
0.426	0.579	4.14	27,885	0	0	-
 /rest/v1/delivery_1						
0.426	0.579	4.14	27,885	0	0	-
 /support/1d/data/secure/recommendations						
0.426	0.579	4.14	27,891	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /pagead/viewthroughconversion/1030624533/_2						
0.005	0.007	3.04	27,885	0	0	-
 /is/image/VerizonWireless/bb_curve_pink						
0.005	0.007	3.04	27,885	0	0	-
 /ui/hub/inqChat.html						
0.038	0.068	3.09	27,884	0	0	-
 /ui/hub/inqChat.html						
0.038	0.068	3.09	27,885	0	0	-

## 0125\_MVO\_M\_Pega\_OverviewDisable
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 0125_MVO_M_Pega_OverviewDisable						
177.2	283.2	537.9	1,000	10	1	-
 Actions						
0.967	10.08	300.6	27,706	10	0	-
 MVO_M_Pega_T01_Launch						
0.192	0.326	15.4	28,479	0	0	-
 /						
0.137	0.257	15.1	28,702	0	0	-
 /						
0.02	0.085	0.597	28,704	0	0	-
 /						
0.081	0.117	1.29	28,704	0	0	-
 /dam/vzwcom/utag/prod/utag.sync.js						
0.014	0.02	0.237	28,702	0	0	-
 /ui-one-digital/hp/build/hp.css						
0.009	0.014	0.237	28,702	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.009	0.012	0.559	28,702	0	0	-
 /dam/vzwcom/utag/prod/utag.js						
0.025	0.051	1.06	28,702	0	0	-
 /is/image/VerizonWireless/vz...-preorder-d-01262020						
0.003	0.007	15	28,702	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.036	0.054	15.1	28,701	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.01	0.015	15	28,702	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.009	0.015	15	28,701	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.001	0.002	0.22	28,701	0	0	-
 /ui-one-digital/hp/build/hp.js						
0.003	0.004	0.264	28,701	0	0	-
 /ui-one-digital/global-head...ct.globalheader.json						
0.001	0.002	0.245	28,701	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.002	1.39	28,701	0	0	-
 /ui-one-digital/gn/build/gnav.js.map						
0.003	0.004	0.316	28,701	0	0	-
 /ui-one-digital/hp/build/hp.js.map						
0.005	0.007	0.348	28,701	0	0	-
 /is/image/VerizonWireless/vz...d-mixandmatch-d-0808						
0.012	0.019	7.02	28,701	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.008	0.013	15	28,701	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.js						
0.008	0.013	15	28,701	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.css						
0.001	0.001	0.254	28,701	0	0	-
 /omni/common/js/vendor/monotype/helveticaNeue.css						
0.001	0.001	0.254	28,701	0	0	-
 MVO_M_Pega_T02_clickaccount						
0.19	0.263	300.2	28,209	1	0	-
 /vzauth/UI/Login						
0.101	0.157	12.9	28,477	0	0	-
 /vzauth/UI/Login						
0.085	0.118	1.21	28,479	0	0	-
 /am/css/bootstrap-3.3.7.min.css						
0.001	0.005	12.7	28,477	0	0	-
 /am/css/less-space.css						
0.001	0.005	12.7	28,477	0	0	-
 /am/css/style-2.0.css						
0.002	0.013	12.7	28,477	0	0	-
 /am/css/smart-app-banner.css						
0.002	0.022	4.48	28,477	0	0	-
 /am/js/jquery-1.12.4.min.js						
0.003	0.015	0.248	28,477	0	0	-
 /am/js/smart-app-banner.js						
0.002	0.013	0.367	28,477	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.002	0.009	0.367	28,477	0	0	-
 /am/js/bootstrap-3.3.7.min.js						
0.003	0.008	0.228	28,477	0	0	-
 /am/js/core.js						
0.003	0.008	0.358	28,477	0	0	-
 /search/staticContent/dist/js/autosuggest.js						
0.005	0.011	0.365	28,477	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.006	0.012	0.361	28,477	0	0	-
 /am/images/myvzw-app-icon.jpg						
0.007	0.012	0.368	28,477	0	0	-





Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /am/content/fonts/NHaasGroteskDSW02-75Bd.woff2						
0.004	0.015	0.369	28,477	0	0	-
 /am/content/fonts/NeueHaasGroteskText55Roman.woff						
0.004	0.016	0.371	28,477	0	0	-
 /ui-one-digital/gn/build/gnav.js.map						
0.002	0.015	0.368	28,477	0	0	-
 /ui-one-digital/global-head...ct.globalheader.json						
0.001	0.001	0.209	28,477	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.001	0.002	1.46	28,477	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.001	0.003	12.8	28,477	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.001	0.003	6.29	28,477	0	0	-
 /am/css/bootstrap.min.css.map						
0.078	0.097	300.1	28,474	1	0	-
 /am/css/bootstrap.min.css.map						
0.078	0.097	300.1	28,477	1	0	-
 /askverizon/js/askverizon.js						
0.005	0.008	0.638	28,473	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.006	0.368	28,473	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.002	0.166	28,473	0	0	-
 /askverizon/content/images/svg/chatbubblelcon.svg						
0.001	0.002	0.632	28,473	0	0	-
 MVO_M_Pega_T03_Signin						
0.464	5.31	22.4	27,960	9	0	-
 /vzauth/UI/Login						
0.028	0.063	13.1	28,206	0	0	-
 /vzauth/UI/Login						
0.024	0.048	3.94	28,208	0	0	-
 /am/css/global-phoenix.css						
0.001	0.004	13	28,206	0	0	-
 /am/d/css/global-phoenix.css						
0.001	0.002	6.29	28,206	0	0	-
 /am/css/style.css						
0.001	0.003	12.7	28,206	0	0	-
 /am/d/css/style.css						
0.001	0.003	12.7	28,206	0	0	-
 /am/js/jquery-1.12.4.min.js						
0	0.005	12.8	28,206	0	0	-
 /am/content/fonts/NHaasGroteskDSW02-75Bd.woff2						
0.001	0.004	12.8	28,206	0	0	-
 /am/content/fonts/NeueHaasGroteskText.woff						
0.002	0.004	0.3	28,206	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /vzauth/UI/Login_1						
0.421	3.6	19.1	28,126	9	0	-
 /vzauth/UI/Login						
0.032	0.053	3.07	28,206	0	0	-
 /ui/hub/secure/overview						
0.355	0.691	8.34	28,204	2	0	-
 /s7viewers/html5/VideoViewer.css						
0.003	0.006	12.7	28,188	0	0	-
 /s7viewers/html5/js/VideoViewer.js						
0.004	0.013	0.353	28,188	0	0	-
 /imageFiles/postpay-hub-msit.../overview/common.css						
0.009	0.023	7.01	28,188	0	0	-
 /imageFiles/postpay-hub-msit...overview/overview.js						
0.022	0.029	7.03	28,188	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.001	0.002	12.7	28,188	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.001	0.002	0.06	28,188	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff						
0.002	0.006	12.7	28,188	0	0	-
 /ui/hub/data/secure/overview/get_ensighten_tags						
0.076	0.132	3.17	28,188	0	0	-
 /ui/hub/data/secure/live-tiles						
0.125	1.16	16.2	28,188	7	0	-
 /ui/hub/data/secure/mydevices/devices-list						
0.647	1.4	5.85	28,188	0	0	-
 /ui/hub/data/secure/mydevices/tiles/support						
0.103	0.163	3.2	28,188	0	0	-
 /support/1d/data/secure/recommendations						
0.736	1.1	5.77	28,104	0	0	-
 /support/1d/data/secure/recommendations						
0.736	1.1	5.77	28,117	0	0	-
 /discover/gn_pzn						
0.082	0.171	12.9	28,097	0	0	-
 /discover/gn_pzn						
0.067	0.153	7.9	28,104	0	0	-
 /ui-one-digital/global-heade...ce.globalheader.json						
0.001	0.013	1.35	28,097	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff						
0.003	0.005	12.7	28,097	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.001	0.012	0.417	28,097	0	0	-
 /globalnav/fonts/NeueHaasGroteskText.woff						
0.004	0.015	0.339	28,097	0	0	-
 /vzwsvc/asc/GlobalNavServicesInfo.action						
0.003	0.008	12.9	28,097	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui-one-digital/gn/build/gnav.js.map						
0.001	0.002	12.9	28,097	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.001	0.003	12.7	28,097	0	0	-
 /ui-one-digital/global-foote...ce.globalfooter.json						
0.001	0.001	0.088	28,097	0	0	-
 /is/image/VerizonWireless/vzw...oto-razor-qu-12920-d						
0.008	0.015	1.75	28,096	0	0	-
 /is/image/VerizonWireless/vz...oto-razor-qu-12920-d						
0.002	0.003	0.114	28,097	0	0	-
 /is/image/VerizonWireless/vz...oto-razor-qu-12920-m						
0.001	0.002	0.246	28,097	0	0	-
 /is/image/VerizonWireless/bb_curve_pink						
0.001	0.004	1.74	28,097	0	0	-
 /is/image/VerizonWireless/vz...27-myverizon-1210-d1						
0.002	0.003	0.35	28,097	0	0	-
 /is/image/VerizonWireless/vz...27-myverizon-1210-m1						
0.001	0.002	0.194	28,097	0	0	-
 /askverizon/js/askverizon.js						
0.216	0.275	6.08	28,087	0	0	-
 /askverizon/js/askverizon.js						
0.001	0.001	0.134	28,096	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.001	0.036	28,096	0	0	-
 /feedback/feedbackloop						
0.019	0.029	2.06	28,096	0	0	-
 /feedback/feedbackloop						
0.189	0.241	6.05	28,096	0	0	-
 /askverizon/content/images/svg/chatbubblelcon.svg						
0.001	0.002	0.659	28,087	0	0	-
 /ui/hub/inqChat.html						
0.038	0.071	3.1	28,087	0	0	-
 /ui/hub/inqChat.html						
0.038	0.071	3.1	28,087	0	0	-
 MVO_M_Pega_T04_BillOverview						
2.97	4.18	19.9	27,696	0	0	-
 /ui/bill/ao/viewbill						
0.407	0.627	13.4	27,937	0	0	-
 /ui/bill/ao/viewbill						
0.188	0.327	4.22	27,951	0	0	-
 /ui/bill/ao/viewbill						
0.174	0.266	3.9	27,945	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.009	0.015	0.359	27,938	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.009	0.016	0.349	27,938	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /ui-one-digital/gn/build/gnav.js.map						
0.012	0.018	0.387	27,938	0	0	-
 /ui-one-digital/global-foote...ce.globalfooter.json						
0.001	0.004	12.7	27,938	0	0	-
 /imageFiles/postpay-bill-msi...ViewBill/ViewBill.js						
0.018	0.027	12.8	27,937	0	0	-
 /ui-one-digital/global-heade...ce.globalheader.json						
0.001	0.003	12.8	27,938	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
1.58	2.41	16.7	27,880	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.001	0.001	0.136	27,937	0	0	-
 /globalnav/fonts/NeueHaasGroteskTextBold.woff						
0.001	0.001	0.042	27,937	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.001	0.001	0.046	27,937	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff						
0.001	0.001	0.096	27,937	0	0	-
 /ui/bill/data/ao/digital/summary						
0.358	0.662	6.71	27,937	0	0	-
 /ui/bill/data/secure/viewbill_1D/get_ensighten_tags						
0.111	0.185	3.24	27,916	0	0	-
 /ui/bill/data/secure/live-tiles						
0.702	1.11	6.49	27,916	0	0	-
 /globalnav/fonts/NeueHaasGroteskText.woff						
0.001	0.003	12.7	27,916	0	0	-
 /ui/bill/data/secure/fp/activities						
0.305	0.445	3.91	27,916	0	0	-
 MVO_M_Pega_T04A_BillSupport						
0.457	0.607	3.71	27,866	0	0	-
 /support/1d/data/secure/recommendations						
0.457	0.607	3.71	27,866	0	0	-
 /support/1d/data/secure/recommendations						
0.457	0.607	3.71	27,880	0	0	-
 /support/1d/data/secure/recommendations						
0.199	0.353	4.2	27,855	0	0	-
 /ui/bill/data/ao/digital/details						
0.199	0.353	4.2	27,866	0	0	-
 /askverizon/js/askverizon.js						
0.01	0.018	12.7	27,855	0	0	-
 /askverizon/js/askverizon.js						
0.004	0.007	12.7	27,855	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.001	0.002	0.402	27,855	0	0	-
 /is/image/VerizonWireless/bb_curve_pink						
0.004	0.008	12.7	27,855	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /askverizon/content/images/svg/chatbubblelcon.svg						
0.001	0.003	12.7	27,855	0	0	-
 /feedback/feedbackloop						
0.124	0.166	1.31	27,849	0	0	-
 /feedback/feedbackloop						
0.01	0.019	0.937	27,855	0	0	-
 /feedback/feedbackloop						
0.113	0.147	1.21	27,854	0	0	-

## Shared Containers



SLA	Value	Severity
Empty list		

## 0122\_MVO\_D\_Pega\_OverviewDisable

SLA	Value	Severity
 0122_MVO_D_Pega_OverviewDisable		
 Actions		
 MVO_D_Pega_T01_Launch		
 /		
 /		
 /		
 /dam/vzwcom/utag/prod/utag.sync.js		
 /dam/vzwcom/utag/prod/utag.js		
 /ui-one-digital/hp/build/hp.css		
 /ui-one-digital/gn/build/gnav.css		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/hp/build/hp.js		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /is/image/VerizonWireless/vz...eals-hero-d-01132020		
 /chatskins/launch/inqChatLaunch10004593.js		
 /inqchat.html		
 /is/image/VerizonWireless/vz...d-mixandmatch-d-0808		
 MVO_D_Pega_T02_clickaccount		
 /event		
 /omni/common/js/vendor/monotype/helveticaNeue.js		
 /my-verizon/		
 /my-verizon/		
 /etc/designs/vzwcom/fiveg/ma...jquery-3.3.1.min.js		
 /dam/vzwcom/utag/prod/utag.sync.js		
 /is/image/VerizonWireless/my-verizon-sms-111518		
 /dam/vzwcom/utag/prod/utag.js		
 /omni/d/js/vendor/libs/jquery.js		
 /ui-one-digital/etc/designs/...site/js/analytics.js		
 /omni/d/js/vendor/libs/jquery.cookie.js		
 /omni/dt/js/libs/handlebars.js		















SLA	Value	Severity
 /globalnav/gnav.js		
 /globalnav/omnifooter.js		
 /globalnav/css/globalnav-js.css		
 /ui-one-digital/etc/designs/...ing-site/css/app.css		
 /globalnav/css/omnifooter.css		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/etc/designs/...nding-site/js/app.js		
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2		
 /globalnav/fonts/NeueHaasGroteskTextBold.woff2		
 /vzauth/UI/Login		
 /am/css/bootstrap-3.3.7.min.css		
 /am/css/less-space.css		
 /am/css/style-2.0.css		
 /am/js/jquery-1.12.4.min.js		
 /am/js/bootstrap-3.3.7.min.js		
 /am/js/core.js		
 /search/staticContent/dist/js/autosuggest.js		
 /am/content/fonts/NHaasGroteskDSW02-75Bd.woff2		
 /am/content/fonts/NeueHaasGroteskText55Roman.woff		
 /pagead/viewthroughconversion/970874113/		
 /askverizon/js/askverizon.js		
 /askverizon/content/images/svg/chatbubblelcon.svg		
 MVO_D_Pega_T03_SignIn		
 /vzauth/UI/Login		
 /vzauth/UI/Login		
 /am/css/global-phoenix.css		
 /am/d/css/global-phoenix.css		
 /am/css/style.css		
 /am/d/css/style.css		
 /am/content/fonts/NeueHaasGroteskText.woff		
 /vzauth/UI/Login_1		
 /vzauth/UI/Login		
 /ui/hub/secure/overview		
 /s7viewers/html5/VideoViewer.css		
 /s7viewers/html5/js/VideoViewer.js		
 /imageFiles/postpay-hub-msit.../overview/common.css		
 /imageFiles/postpay-hub-msit...overview/overview.js		
 /ui-one-digital/gn/build/gnav.js		
 /support/1d/data/secure/recommendations		
 /ui/hub/data/secure/overview/get_ensighten_tags		



SLA	Value	Severity
 /ui/hub/data/secure/live-tiles		
 /ui/hub/data/secure/mydevices/devices-list		
 /ui/hub/data/secure/mydevices/tiles/support		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff		
 /ui-one-digital/global-head...ce.globalheader.json		
 /discover/gn_pzn		
 /ui-one-digital/global-foote...ce.globalfooter.json		
 /globalnav/fonts/NeueHaasGroteskTextBold.woff		
 /rest/v1/delivery		
 /is/image/VerizonWireless/bb_curve_pink		
 /is/image/VerizonWireless/vz...27-myverizon-1210-m1		
 /is/image/VerizonWireless/vz...27-myverizon-1210-d1		
 /ui/hub/inqChat.html		
 /ui/hub/inqChat.html		
 /pagead/viewthroughconversion/732832628/		
 /feedback/feedbackloop		
 /feedback/feedbackloop		
 /pagead/viewthroughconversion/970874113/		
 /support/etc/designs/support_rd/c2c.js		
 MVO_D_Pega_T04_BillOverview		
 /ui/bill/ao/viewbill		
 /ui/bill/ao/viewbill		
 /ui/bill/ao/viewbill		
 /ui-one-digital/gn/build/gnav.js		
 /imageFiles/postpay-bill-msi...ViewBill/ViewBill.js		
 /ui/bill/data/secure/viewbill_1D/get_ensighten_tags		
 /ui/bill/data/secure/viewbill_1D/get_ensighten_tags		
 /ui/bill/data/ao/digital/summary		
 /ui/bill/data/secure/live-tiles		
 /rest/v1/delivery		
 /feedback/feedbackloop		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /ui/bill/data/secure/fp/activities		
 /ui/bill/data/ao/digital/details		
 MVO_D_Pega_T04A_BillSupport		
 /rest/v1/delivery_1		
 /support/1d/data/secure/recommendations		
 /pagead/viewthroughconversion/1030624533/_2		
 /is/image/VerizonWireless/bb_curve_pink		





















SLA	Value	Severity
 /ui/hub/inqChat.html		
 /ui/hub/inqChat.html		

## 0125\_MVO\_M\_Pega\_OverviewDisable

SLA	Value	Severity
 0125_MVO_M_Pega_OverviewDisable		
 Actions		
 MVO_M_Pega_T01_Launch		
 /		
 /		
 /		
 /dam/vzwcom/utag/prod/utag.sync.js		
 /ui-one-digital/hp/build/hp.css		
 /ui-one-digital/gn/build/gnav.css		
 /dam/vzwcom/utag/prod/utag.js		
 /is/image/VerizonWireless/vz...-preorder-d-01262020		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/hp/build/hp.js		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /ui-one-digital/gn/build/gnav.js.map		
 /ui-one-digital/hp/build/hp.js.map		
 /is/image/VerizonWireless/vz...d-mixandmatch-d-0808		
 /omni/common/js/vendor/monotype/helveticaNeue.js		
 /omni/common/js/vendor/monotype/helveticaNeue.js		
 /omni/common/js/vendor/monotype/helveticaNeue.css		
 /omni/common/js/vendor/monotype/helveticaNeue.css		
 MVO_M_Pega_T02_clickaccount		
 /vzauth/UI/Login		
 /vzauth/UI/Login		
 /am/css/bootstrap-3.3.7.min.css		
 /am/css/less-space.css		
 /am/css/style-2.0.css		
 /am/css/smart-app-banner.css		
 /am/js/jquery-1.12.4.min.js		
 /am/js/smart-app-banner.js		
 /ui-one-digital/gn/build/gnav.css		

SLA	Value	Severity
 /am/js/bootstrap-3.3.7.min.js		
 /am/js/core.js		
 /search/staticContent/dist/js/autosuggest.js		
 /ui-one-digital/gn/build/gnav.js		
 /am/images/myvzw-app-icon.jpg		
 /am/content/fonts/NHaasGroteskDSW02-75Bd.woff2		
 /am/content/fonts/NeueHaasGroteskText55Roman.woff		
 /ui-one-digital/gn/build/gnav.js.map		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /am/css/bootstrap.min.css.map		
 /am/css/bootstrap.min.css.map		
 /askverizon/js/askverizon.js		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /askverizon/content/images/svg/chatbubblelcon.svg		
 MVO_M_Pega_T03_Signin		
 /vzauth/UI/Login		
 /vzauth/UI/Login		
 /am/css/global-phoenix.css		
 /am/d/css/global-phoenix.css		
 /am/css/style.css		
 /am/d/css/style.css		
 /am/js/jquery-1.12.4.min.js		
 /am/content/fonts/NHaasGroteskDSW02-75Bd.woff2		
 /am/content/fonts/NeueHaasGroteskText.woff		
 /vzauth/UI/Login_1		
 /vzauth/UI/Login		
 /ui/hub/secure/overview		
 /s7viewers/html5/VideoViewer.css		
 /s7viewers/html5/js/VideoViewer.js		
 /imageFiles/postpay-hub-msit.../overview/common.css		
 /imageFiles/postpay-hub-msit...overview/overview.js		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/gn/build/gnav.css		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff		
 /ui/hub/data/secure/overview/get_ensighten_tags		
 /ui/hub/data/secure/live-tiles		

SLA	Value	Severity
 /ui/hub/data/secure/mydevices/devices-list		
 /ui/hub/data/secure/mydevices/tiles/support		
 /support/1d/data/secure/recommendations		
 /support/1d/data/secure/recommendations		
 /discover/gn_pzn		
 /discover/gn_pzn		
 /ui-one-digital/global-heade...ce.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskTextBold.woff		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /globalnav/fonts/NeueHaasGroteskText.woff		
 /vzwsvc/asc/GlobalNavServicesInfo.action		
 /ui-one-digital/gn/build/gnav.js.map		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ce.globalfooter.json		
 /is/image/VerizonWireless/vzw-...oto-razor-qu-12920-d		
 /is/image/VerizonWireless/vz...oto-razor-qu-12920-d		
 /is/image/VerizonWireless/vz...oto-razor-qu-12920-m		
 /is/image/VerizonWireless/bb_curve_pink		
 /is/image/VerizonWireless/vz...27-myverizon-1210-d1		
 /is/image/VerizonWireless/vz...27-myverizon-1210-m1		
 /askverizon/js/askverizon.js		
 /askverizon/js/askverizon.js		
 /support/etc/designs/support_rd/c2c.js		
 /feedback/feedbackloop		
 /feedback/feedbackloop		
 /askverizon/content/images/svg/chatbubblelcon.svg		
 /ui/hub/inqChat.html		
 /ui/hub/inqChat.html		
 MVO_M_Pega_T04_BillOverview		
 /ui/bill/ao/viewbill		
 /ui/bill/ao/viewbill		
 /ui/bill/ao/viewbill		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /ui-one-digital/gn/build/gnav.js.map		
 /ui-one-digital/global-foote...ce.globalfooter.json		
 /imageFiles/postpay-bill-msi...ViewBill/ViewBill.js		
 /ui-one-digital/global-heade...ce.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		

SLA	Value	Severity
	/globalnav/fonts/NeueHaasGroteskTextBold.woff	
	/globalnav/fonts/NeueHaasGroteskDisplayBold.woff2	
	/globalnav/fonts/NeueHaasGroteskDisplayBold.woff	
	/ui/bill/data/ao/digital/summary	
	/ui/bill/data/secure/viewbill_1D/get_ensighten_tags	
	/ui/bill/data/secure/live-tiles	
	/globalnav/fonts/NeueHaasGroteskText.woff	
	/ui/bill/data/secure/fp/activities	
	MVO_M_Pega_T04A_BillSupport	
	/support/1d/data/secure/recommendations	
	/support/1d/data/secure/recommendations	
	/support/1d/data/secure/recommendations	
	/ui/bill/data/ao/digital/details	
	/askverizon/js/askverizon.js	
	/askverizon/js/askverizon.js	
	/support/etc/designs/support_rd/c2c.js	
	/is/image/VerizonWireless/bb_curve_pink	
	/askverizon/content/images/svg/chatbubblelcon.svg	
	/feedback/feedbackloop	
	/feedback/feedbackloop	
	/feedback/feedbackloop	



### 0122\_MVO\_D\_Pega\_OverviewDisable

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

### 0125\_MVO\_M\_Pega\_OverviewDisable

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

## Controller

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>Controller/User Load</b>					
0	1,474	2,000	1,638	1,507	602.4
<b>Controller/Throughput</b>					
0	824.7	1,201	911.1	840.9	338.1
<b>Controller/Alerts</b>					
0	0	0	0	0	-
<b>Controller/Critical Alerts</b>					
0	0	0	0	0	-
<b>Controller/Warning Alerts</b>					
0	0	0	0	0	-
<b>Controller/CPU Load</b>					
1	8.94	25	9	8.97	3.19
<b>Controller/Memory Used</b>					
10	15.1	23	15	15	3.06
<b>Controller/Thread Count</b>					
833	871.4	923	865.5	870	16.9
<b>Controller/Connected</b>					
60	60	60	60	60	0
<b>Controller/Total Disconnections</b>					
0	0	0	0	0	0
<b>Controller/Total Reconnections</b>					
0	0	0	0	0	0
<b>Controller/Network/Segments sent/sec.</b>					
10,769	16,744	37,274	15,851	16,525	3,383
<b>Controller/Network/Segments retransmitted/sec.</b>					
0	104.6	4,319	0	56.1	327.8
<b>Controller/NeoLoad Web/Megabits received/sec.</b>					
0	0	0	0	0	-
<b>Controller/NeoLoad Web/Megabits sent/sec.</b>					
0	0	0	0	0	-
<b>Controller/Default zone/User Load</b>					
0	0	0	0	0	-
<b>Controller/USA East - Virginia (Ashburn 3)/User Load</b>					
0	1,470	2,000	1,617	1,504	606.5
<b>Controller/USA East - Virginia (Ashburn 3)/MVO-Pega/User Load</b>					
0	1,474	2,000	1,638	1,507	602.4
<b>Controller/USA East - Virginia (Ashburn 3)/MVO-Pega/0122...iewDisable/User Load</b>					
0	737.2	1,000	819	753.7	301.2
<b>Controller/USA East - Virginia (Ashburn 3)/MVO-Pega/0125...iewDisable/User Load</b>					
0	737.2	1,000	818.5	753.7	301.2

## LG 35.186.183.222:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.186.183.222:443/CPU Load</b>					
0	3.88	16	4	3.79	1.71
<b>LG 35.186.183.222:443/Memory Used</b>					
0	9.7	21	9	9.58	4.84
<b>LG 35.186.183.222:443/Throughput</b>					
0	14	27.1	15	14	6.29

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.186.183.222:443/User Load</b>					
0	25	34	27	25.5	10.17
<b>LG 35.186.183.222:443/Thread Count</b>					
0	90	104	92	90.9	14.3
<b>LG 35.186.183.222:443/Http client/Thread Pool used</b>					
0	0.1	0.11	0.1	0.1	0.005
<b>LG 35.186.183.222:443/Http client/Task Pool used</b>					
0	0	0.083	0	0	0.005
<b>LG 35.186.183.222:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.186.183.222:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.186.183.222:443/Controller Connection/Ping Duration (ms)</b>					
3	6.44	33	4	5.33	7.59
<b>LG 35.186.183.222:443/Network/Segments sent/sec.</b>					
7.46	584.2	1,060	636.1	587.3	252.6
<b>LG 35.186.183.222:443/Network/Segments retransmitted/sec.</b>					
0	0.022	4.8	0	0	0.266
<b>LG 35.186.183.222:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.013	14.3	27.6	15.3	14.4	6.4
<b>LG 35.186.183.222:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.004	1.15	2.1	1.24	1.16	0.477

## LG 35.186.184.49:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.186.184.49:443/CPU Load</b>					
0	4.13	18	4	4.05	1.86
<b>LG 35.186.184.49:443/Memory Used</b>					
0	12	28	12	11.8	6.44
<b>LG 35.186.184.49:443/Throughput</b>					
0	14	25.3	15.4	14.1	6.21
<b>LG 35.186.184.49:443/User Load</b>					
0	25	34	27	25.5	10.17
<b>LG 35.186.184.49:443/Thread Count</b>					
0	89.9	102	93	90.9	14
<b>LG 35.186.184.49:443/Http client/Thread Pool used</b>					
0	0.1	0.115	0.1	0.1	0.005
<b>LG 35.186.184.49:443/Http client/Task Pool used</b>					
0	0.001	0.05	0	0	0.005
<b>LG 35.186.184.49:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.186.184.49:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.186.184.49:443/Controller Connection/Ping Duration (ms)</b>					
3	8.95	23	4	8.5	8.34
<b>LG 35.186.184.49:443/Network/Segments sent/sec.</b>					
0	583.6	1,105	635.4	586.7	252.5
<b>LG 35.186.184.49:443/Network/Segments retransmitted/sec.</b>					
0	0.034	4	0	0.002	0.292
<b>LG 35.186.184.49:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	14.3	25.8	15.7	14.4	6.31
<b>LG 35.186.184.49:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	1.15	2.01	1.28	1.16	0.48

## LG 35.186.191.126:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.186.191.126:443/CPU Load					
0	4.16	14	4	4.07	1.79
LG 35.186.191.126:443/Memory Used					
0	8.98	21	9	8.84	4.52
LG 35.186.191.126:443/Throughput					
0	13.5	27	14.3	13.5	6.29
LG 35.186.191.126:443/User Load					
0	24.2	33	27	24.7	10.14
LG 35.186.191.126:443/Thread Count					
0	88.5	101	92	89.5	14.2
LG 35.186.191.126:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.186.191.126:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.186.191.126:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.186.191.126:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.186.191.126:443/Controller Connection/Ping Duration (ms)					
4	6.94	24	4	6.15	6.41
LG 35.186.191.126:443/Network/Segments sent/sec.					
0	563.3	1,144	609.9	563.9	253.5
LG 35.186.191.126:443/Network/Segments retransmitted/sec.					
0	0.051	7	0	0	0.506
LG 35.186.191.126:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	27.5	14.6	13.8	6.39
LG 35.186.191.126:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.07	1.22	1.12	0.479

## LG 35.188.247.110:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.247.110:443/CPU Load					
0	4.01	16	4	3.95	1.81
LG 35.188.247.110:443/Memory Used					
0	12.2	30	12	11.9	6.76
LG 35.188.247.110:443/Throughput					
0	13.6	26.6	14.6	13.7	6.18
LG 35.188.247.110:443/User Load					
0	24.3	33	26.5	24.9	9.99
LG 35.188.247.110:443/Thread Count					
0	89.1	102	92.5	90	13.9
LG 35.188.247.110:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.188.247.110:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.188.247.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.247.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.247.110:443/Controller Connection/Ping Duration (ms)					
3	11.1	34	4	10.44	9.75

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.247.110:443/Network/Segments sent/sec.					
0	568.3	1,082	613.1	572.3	249.9
LG 35.188.247.110:443/Network/Segments retransmitted/sec.					
0	0.03	5.4	0	0	0.325
LG 35.188.247.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	27.2	14.9	14	6.28
LG 35.188.247.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	2.05	1.24	1.14	0.477

## LG 35.188.252.88:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.188.252.88:443/CPU Load					
0	4.02	12	4	3.98	1.61
LG 35.188.252.88:443/Memory Used					
0	9.19	21	9	9.04	4.64
LG 35.188.252.88:443/Throughput					
0	13.6	24.5	14.7	13.7	6.09
LG 35.188.252.88:443/User Load					
0	24.3	33	27	24.9	10.01
LG 35.188.252.88:443/Thread Count					
0	88.6	101	92	89.6	14.1
LG 35.188.252.88:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.188.252.88:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.188.252.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.188.252.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.188.252.88:443/Controller Connection/Ping Duration (ms)					
4	9.13	24	4	8.59	8.04
LG 35.188.252.88:443/Network/Segments sent/sec.					
0	569.2	1,052	626.9	573.5	247.2
LG 35.188.252.88:443/Network/Segments retransmitted/sec.					
0	0.057	8.2	0	0.005	0.487
LG 35.188.252.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	25	15.1	14.1	6.18
LG 35.188.252.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	2	1.25	1.14	0.468

## LG 35.194.82.198:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.82.198:443/CPU Load					
0	3.93	12	4	3.89	1.55
LG 35.194.82.198:443/Memory Used					
0	11	25	10	10.82	5.93
LG 35.194.82.198:443/Throughput					
0	13.6	26.3	14.9	13.7	6.12
LG 35.194.82.198:443/User Load					
0	24.4	33	27	24.9	10
LG 35.194.82.198:443/Thread Count					
0	88.7	102	92	89.6	14

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.82.198:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.194.82.198:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.194.82.198:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.82.198:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.82.198:443/Controller Connection/Ping Duration (ms)					
3	10.17	33	4	9.45	9.48
LG 35.194.82.198:443/Network/Segments sent/sec.					
0	568	990.8	626.6	571.9	247
LG 35.194.82.198:443/Network/Segments retransmitted/sec.					
0	0.048	6.6	0	0	0.466
LG 35.194.82.198:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	27.1	15.3	14	6.22
LG 35.194.82.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	1.96	1.27	1.14	0.474

## LG 35.194.85.193:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.85.193:443/CPU Load					
0	3.84	11	4	3.8	1.6
LG 35.194.85.193:443/Memory Used					
0	8.78	21	8.5	8.62	4.4
LG 35.194.85.193:443/Throughput					
0	13.6	26.4	14.6	13.7	6.24
LG 35.194.85.193:443/User Load					
0	24.3	33	26.5	24.9	9.99
LG 35.194.85.193:443/Thread Count					
0	88.8	102	92.5	89.7	13.9
LG 35.194.85.193:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.194.85.193:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.194.85.193:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.85.193:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.85.193:443/Controller Connection/Ping Duration (ms)					
3	9.87	35	4	8.89	10.04
LG 35.194.85.193:443/Network/Segments sent/sec.					
0	569.2	1,072	612.7	572.2	251.3
LG 35.194.85.193:443/Network/Segments retransmitted/sec.					
0	0.036	6.4	0	0	0.374
LG 35.194.85.193:443/Network/eth0 (eth0)/Megabits received/sec.					
0.011	14	26.9	15	14	6.34
LG 35.194.85.193:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.13	2.07	1.22	1.14	0.477

## LG 35.194.91.229:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.91.229:443/CPU Load					
0	3.72	11	4	3.66	1.51
LG 35.194.91.229:443/Memory Used					
0	11.9	28	11	11.7	6.49
LG 35.194.91.229:443/Throughput					
0	13.6	24.7	15	13.7	6.04
LG 35.194.91.229:443/User Load					
0	24.3	33	27	24.9	10.01
LG 35.194.91.229:443/Thread Count					
0	88.8	101	92	89.8	14.1
LG 35.194.91.229:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.194.91.229:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.194.91.229:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.91.229:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.91.229:443/Controller Connection/Ping Duration (ms)					
3	6.96	22	4	6.33	7.2
LG 35.194.91.229:443/Network/Segments sent/sec.					
0	570.1	1,018	622.1	576.2	244.7
LG 35.194.91.229:443/Network/Segments retransmitted/sec.					
0	0.079	19	0	0	1.04
LG 35.194.91.229:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	25.2	15.4	14.1	6.14
LG 35.194.91.229:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	1.95	1.25	1.14	0.468

## LG 35.194.93.192:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.93.192:443/CPU Load					
0	4.03	12	4	3.95	1.73
LG 35.194.93.192:443/Memory Used					
0	10.38	25	10	10.21	5.55
LG 35.194.93.192:443/Throughput					
0	13.5	26.1	14.6	13.6	6.19
LG 35.194.93.192:443/User Load					
0	24.1	33	26	24.7	10.15
LG 35.194.93.192:443/Thread Count					
0	88.7	102	91	89.6	14.5
LG 35.194.93.192:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.194.93.192:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 35.194.93.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.194.93.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.194.93.192:443/Controller Connection/Ping Duration (ms)					
3	8.48	28	4	7.77	8.26

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.93.192:443/Network/Segments sent/sec.					
0	565.6	1,148	610.2	567.5	252.6
LG 35.194.93.192:443/Network/Segments retransmitted/sec.					
0	0.044	7.8	0	0	0.465
LG 35.194.93.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	26.7	15	13.9	6.28
LG 35.194.93.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.05	1.23	1.13	0.48

## LG 35.199.1.43:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.1.43:443/CPU Load					
0	4.04	16	4	3.92	1.95
LG 35.199.1.43:443/Memory Used					
0	8.7	18	9	8.61	4.23
LG 35.199.1.43:443/Throughput					
0	14	30.7	14.2	13.9	6.7
LG 35.199.1.43:443/User Load					
0	25	34	27	25.6	10.16
LG 35.199.1.43:443/Thread Count					
0	90.6	104	92	91.5	14.5
LG 35.199.1.43:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.199.1.43:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 35.199.1.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.1.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.1.43:443/Controller Connection/Ping Duration (ms)					
3	8.82	24	4	8.3	8.12
LG 35.199.1.43:443/Network/Segments sent/sec.					
0	584.7	1,234	600.3	583.3	266.1
LG 35.199.1.43:443/Network/Segments retransmitted/sec.					
0	0.038	6	0	0	0.416
LG 35.199.1.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.4	31.3	14.7	14.3	6.81
LG 35.199.1.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	2.3	1.2	1.16	0.496

## LG 35.199.42.117:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.42.117:443/CPU Load					
0	4.01	13	4	3.92	1.78
LG 35.199.42.117:443/Memory Used					
0	11.5	27	11	11.4	6.07
LG 35.199.42.117:443/Throughput					
0	14	27.4	15.5	14	6.44
LG 35.199.42.117:443/User Load					
0	25	34	26.5	25.5	10.18
LG 35.199.42.117:443/Thread Count					
0	89.9	103	91.5	90.8	14.2



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.42.117:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.199.42.117:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.199.42.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.42.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.42.117:443/Controller Connection/Ping Duration (ms)					
3	9.56	50	4	8.32	10.33
LG 35.199.42.117:443/Network/Segments sent/sec.					
0	583.7	1,099	632.4	585.1	260.1
LG 35.199.42.117:443/Network/Segments retransmitted/sec.					
0	0.042	7.4	0	0	0.449
LG 35.199.42.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	28	15.9	14.4	6.54
LG 35.199.42.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.13	1.28	1.16	0.49

## LG 35.199.50.48:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.50.48:443/CPU Load					
0	3.88	19	4	3.79	1.81
LG 35.199.50.48:443/Memory Used					
0	11.9	26	11	11.8	6.39
LG 35.199.50.48:443/Throughput					
0	14	26.7	15.1	14	6.41
LG 35.199.50.48:443/User Load					
0	25	34	27	25.6	10.16
LG 35.199.50.48:443/Thread Count					
0	90.2	103	93.5	91.1	14.4
LG 35.199.50.48:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.199.50.48:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.199.50.48:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.50.48:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.50.48:443/Controller Connection/Ping Duration (ms)					
3	7.62	24	4	6.98	7.56
LG 35.199.50.48:443/Network/Segments sent/sec.					
0	584.1	1,071	621.2	586.9	260.6
LG 35.199.50.48:443/Network/Segments retransmitted/sec.					
0	0.024	4.2	0	0	0.292
LG 35.199.50.48:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	27.2	15.4	14.4	6.52
LG 35.199.50.48:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.15	1.24	1.16	0.491

## LG 35.199.53.188:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.53.188:443/CPU Load					
0	4.09	16	4	3.98	1.8
LG 35.199.53.188:443/Memory Used					
0	11.8	27	11	11.6	6.29
LG 35.199.53.188:443/Throughput					
0	13.6	25.9	15.1	13.7	6.05
LG 35.199.53.188:443/User Load					
0	24.3	33	27	24.9	10.01
LG 35.199.53.188:443/Thread Count					
0	88.7	104	93	89.5	13.8
LG 35.199.53.188:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.006
LG 35.199.53.188:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 35.199.53.188:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.53.188:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.53.188:443/Controller Connection/Ping Duration (ms)					
3	8.22	34	4	7.25	8.2
LG 35.199.53.188:443/Network/Segments sent/sec.					
4.65	568.8	1,065	635.7	573.2	243.8
LG 35.199.53.188:443/Network/Segments retransmitted/sec.					
0	0.047	10.2	0	0	0.576
LG 35.199.53.188:443/Network/eth0 (eth0)/Megabits received/sec.					
0.008	14	26.7	15.5	14.1	6.14
LG 35.199.53.188:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.008	1.13	2.03	1.25	1.14	0.466

## LG 35.199.56.108:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.56.108:443/CPU Load					
0	3.94	13	4	3.86	1.77
LG 35.199.56.108:443/Memory Used					
0	10.46	24	10	10.33	5.43
LG 35.199.56.108:443/Throughput					
0	13.5	28.2	14.4	13.5	6.68
LG 35.199.56.108:443/User Load					
0	24.2	33	27	24.7	10.15
LG 35.199.56.108:443/Thread Count					
0	88.8	101	93	89.8	14.5
LG 35.199.56.108:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.199.56.108:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.199.56.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.199.56.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.199.56.108:443/Controller Connection/Ping Duration (ms)					
3	9.84	24	4	9.41	8.61

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.56.108:443/Network/Segments sent/sec.					
0	565.1	1,144	596.7	564.9	265.2
LG 35.199.56.108:443/Network/Segments retransmitted/sec.					
0	0.016	3.6	0	0	0.193
LG 35.199.56.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	28.7	14.8	13.8	6.79
LG 35.199.56.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.15	1.22	1.12	0.499

## LG 35.221.16.58:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.16.58:443/CPU Load					
0	4	10	4	3.93	1.69
LG 35.221.16.58:443/Memory Used					
0	9.39	21	9	9.27	4.78
LG 35.221.16.58:443/Throughput					
0	13.6	29.2	13.8	13.6	6.52
LG 35.221.16.58:443/User Load					
0	24.3	33	26.5	24.9	10.01
LG 35.221.16.58:443/Thread Count					
0	89.3	104	94	90.2	14.2
LG 35.221.16.58:443/Http client/Thread Pool used					
0	0.1	0.125	0.1	0.1	0.006
LG 35.221.16.58:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.221.16.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.16.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.16.58:443/Controller Connection/Ping Duration (ms)					
3	10.74	24	4	10.43	8.84
LG 35.221.16.58:443/Network/Segments sent/sec.					
0	568.7	1,213	587.8	566.3	262
LG 35.221.16.58:443/Network/Segments retransmitted/sec.					
0	0.021	3	0	0	0.196
LG 35.221.16.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	29.8	14.2	13.9	6.62
LG 35.221.16.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.19	1.16	1.12	0.493

## LG 35.221.44.205:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.44.205:443/CPU Load					
0	4.12	16	4	4	1.78
LG 35.221.44.205:443/Memory Used					
0	11.3	26	11	11.1	5.95
LG 35.221.44.205:443/Throughput					
0	14	26.5	15.2	14	6.17
LG 35.221.44.205:443/User Load					
0	25	34	27	25.5	10.17
LG 35.221.44.205:443/Thread Count					
0	89.4	104	92	90.2	14.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.44.205:443/Http client/Thread Pool used					
0	0.1	0.12	0.1	0.1	0.006
LG 35.221.44.205:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 35.221.44.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.44.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.44.205:443/Controller Connection/Ping Duration (ms)					
3	11.9	33	4	11.2	10.22
LG 35.221.44.205:443/Network/Segments sent/sec.					
0	583.9	1,133	639.6	588.2	247.9
LG 35.221.44.205:443/Network/Segments retransmitted/sec.					
0	0.058	10.2	0	0	0.594
LG 35.221.44.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	26.9	15.7	14.4	6.26
LG 35.221.44.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	2.02	1.3	1.17	0.476

## LG 35.221.6.221:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.6.221:443/CPU Load					
0	4.43	15	4	4.3	1.96
LG 35.221.6.221:443/Memory Used					
0	10.76	25	10	10.58	5.6
LG 35.221.6.221:443/Throughput					
0	13.6	27.9	14.2	13.6	6.29
LG 35.221.6.221:443/User Load					
0	24.3	33	27	24.9	10.01
LG 35.221.6.221:443/Thread Count					
0	89.5	102	94	90.5	14.4
LG 35.221.6.221:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.221.6.221:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.221.6.221:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.6.221:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.6.221:443/Controller Connection/Ping Duration (ms)					
21	23.4	36	23	22.9	3.18
LG 35.221.6.221:443/Network/Segments sent/sec.					
0	568.6	1,210	602.7	567.9	254.2
LG 35.221.6.221:443/Network/Segments retransmitted/sec.					
0	0.048	8.6	0	0.001	0.479
LG 35.221.6.221:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	28.6	14.6	14	6.38
LG 35.221.6.221:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.01	1.2	1.13	0.478

## LG 35.221.61.18:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.61.18:443/CPU Load					
0	4.05	13	4	3.97	1.73
LG 35.221.61.18:443/Memory Used					
0	11.9	28	11	11.7	6.43
LG 35.221.61.18:443/Throughput					
0	13.5	27	14.9	13.6	6.19
LG 35.221.61.18:443/User Load					
0	24.2	33	26.5	24.7	10.13
LG 35.221.61.18:443/Thread Count					
0	88.4	103	92	89.3	14.2
LG 35.221.61.18:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.221.61.18:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.221.61.18:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.221.61.18:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.221.61.18:443/Controller Connection/Ping Duration (ms)					
4	6.37	26	4	5.46	5.93
LG 35.221.61.18:443/Network/Segments sent/sec.					
0	564.4	1,068	609.7	567.5	250.2
LG 35.221.61.18:443/Network/Segments retransmitted/sec.					
0	0.032	8.2	0	0	0.444
LG 35.221.61.18:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	27.6	15.2	13.9	6.29
LG 35.221.61.18:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	1.99	1.26	1.13	0.473

## LG 35.230.173.240:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.173.240:443/CPU Load					
0	3.88	14	4	3.79	1.84
LG 35.230.173.240:443/Memory Used					
0	9.76	22	10	9.6	5.09
LG 35.230.173.240:443/Throughput					
0	13.6	25.6	14.6	13.7	6.25
LG 35.230.173.240:443/User Load					
0	24.3	33	27	24.9	10.02
LG 35.230.173.240:443/Thread Count					
0	88.6	100	91	89.6	13.7
LG 35.230.173.240:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.230.173.240:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 35.230.173.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.230.173.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.230.173.240:443/Controller Connection/Ping Duration (ms)					
3	8.32	23	4	7.78	7.99

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.173.240:443/Network/Segments sent/sec.					
0	568.8	1,117	610.1	570.3	253.8
LG 35.230.173.240:443/Network/Segments retransmitted/sec.					
0	0.047	8.6	0	0	0.558
LG 35.230.173.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	26.2	15	14	6.35
LG 35.230.173.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	1.99	1.24	1.13	0.478

## LG 35.236.203.4:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.203.4:443/CPU Load					
0	4.05	16	4	3.96	1.8
LG 35.236.203.4:443/Memory Used					
0	10.02	23	10	9.87	5.23
LG 35.236.203.4:443/Throughput					
0	13.5	24.6	15.3	13.6	6.24
LG 35.236.203.4:443/User Load					
0	24.2	33	27	24.7	10.14
LG 35.236.203.4:443/Thread Count					
0	88.8	103	92	89.8	14.3
LG 35.236.203.4:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.006
LG 35.236.203.4:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.236.203.4:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.203.4:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.203.4:443/Controller Connection/Ping Duration (ms)					
21	22.6	24	23	22.6	0.617
LG 35.236.203.4:443/Network/Segments sent/sec.					
0	563.8	1,017	640	567.7	252.2
LG 35.236.203.4:443/Network/Segments retransmitted/sec.					
0	0.014	1.8	0	0	0.113
LG 35.236.203.4:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	25	15.6	14	6.34
LG 35.236.203.4:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	1.86	1.3	1.13	0.478

## LG 35.236.204.43:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.204.43:443/CPU Load					
0	4.33	20	4	4.16	2.07
LG 35.236.204.43:443/Memory Used					
0	9.71	22	9	9.58	4.89
LG 35.236.204.43:443/Throughput					
0	14	26.7	15	14	6.53
LG 35.236.204.43:443/User Load					
0	25	34	27	25.5	10.19
LG 35.236.204.43:443/Thread Count					
0	91.1	105	95	92	14.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.204.43:443/Http client/Thread Pool used					
0	0.1	0.12	0.1	0.1	0.006
LG 35.236.204.43:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.236.204.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.204.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.204.43:443/Controller Connection/Ping Duration (ms)					
21	23	24	23	23	0.876
LG 35.236.204.43:443/Network/Segments sent/sec.					
0	585.7	1,111	633.2	586.1	262.7
LG 35.236.204.43:443/Network/Segments retransmitted/sec.					
0	0.068	8.8	0	0.004	0.603
LG 35.236.204.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.4	27.3	15.4	14.4	6.63
LG 35.236.204.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.1	1.26	1.16	0.499

## LG 35.236.205.129:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.205.129:443/CPU Load					
0	4.11	15	4	4.01	1.93
LG 35.236.205.129:443/Memory Used					
0	11.5	26	11	11.4	6.18
LG 35.236.205.129:443/Throughput					
0	13.5	27.4	14.1	13.5	6.43
LG 35.236.205.129:443/User Load					
0	24.2	33	27	24.7	10.15
LG 35.236.205.129:443/Thread Count					
0	89.2	104	93	90.1	14.3
LG 35.236.205.129:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.236.205.129:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.236.205.129:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.205.129:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.205.129:443/Controller Connection/Ping Duration (ms)					
4	6.2	24	4	5.36	5.55
LG 35.236.205.129:443/Network/Segments sent/sec.					
0	565.2	1,100	596.7	565.4	260
LG 35.236.205.129:443/Network/Segments retransmitted/sec.					
0	0.048	10.2	0	0	0.562
LG 35.236.205.129:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	28	14.4	13.9	6.54
LG 35.236.205.129:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.05	1.2	1.12	0.488

## LG 35.236.207.101:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.207.101:443/CPU Load					
0	4.66	25	4	4.53	2.3
LG 35.236.207.101:443/Memory Used					
0	11.3	27	11	11.1	6.24
LG 35.236.207.101:443/Throughput					
0	13.5	26.1	14.3	13.5	6.28
LG 35.236.207.101:443/User Load					
0	24.1	33	26	24.7	10.15
LG 35.236.207.101:443/Thread Count					
0	88.6	104	90	89.6	14.5
LG 35.236.207.101:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.236.207.101:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.004
LG 35.236.207.101:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.207.101:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.207.101:443/Controller Connection/Ping Duration (ms)					
22	23.4	40	23	22.9	3.17
LG 35.236.207.101:443/Network/Segments sent/sec.					
0	562.6	1,141	593.4	562	256.2
LG 35.236.207.101:443/Network/Segments retransmitted/sec.					
0	0.026	4.6	0	0	0.257
LG 35.236.207.101:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	26.6	14.6	13.9	6.39
LG 35.236.207.101:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.11	2.03	1.22	1.12	0.479

## LG 35.236.207.252:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.207.252:443/CPU Load					
0	4.15	14	4	4.08	1.68
LG 35.236.207.252:443/Memory Used					
0	12.3	30	11	12.1	6.74
LG 35.236.207.252:443/Throughput					
0	14	25.7	14.9	14	6.17
LG 35.236.207.252:443/User Load					
0	25	34	27	25.6	10.18
LG 35.236.207.252:443/Thread Count					
0	89.3	103	92	90.2	14.2
LG 35.236.207.252:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.236.207.252:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.009
LG 35.236.207.252:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.207.252:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.207.252:443/Controller Connection/Ping Duration (ms)					
3	9.26	33	4	8.45	8.94



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.207.252:443/Network/Segments sent/sec.					
0	584.2	1,081	629.9	587	250.3
LG 35.236.207.252:443/Network/Segments retransmitted/sec.					
0	0.069	10.8	0	0	0.669
LG 35.236.207.252:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.4	26.1	15.3	14.4	6.27
LG 35.236.207.252:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.03	1.26	1.16	0.475

## LG 35.236.226.178:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.226.178:443/CPU Load					
0	3.78	14	4	3.7	1.73
LG 35.236.226.178:443/Memory Used					
0	8.62	20	8	8.46	4.31
LG 35.236.226.178:443/Throughput					
0	14	33.2	14.5	13.9	6.69
LG 35.236.226.178:443/User Load					
0	25	34	27	25.5	10.2
LG 35.236.226.178:443/Thread Count					
0	90.8	109	92	91.6	14.6
LG 35.236.226.178:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.236.226.178:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.236.226.178:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.226.178:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.226.178:443/Controller Connection/Ping Duration (ms)					
3	9.87	23	4	9.5	8.61
LG 35.236.226.178:443/Network/Segments sent/sec.					
0	584.7	1,375	609.9	581.5	269.6
LG 35.236.226.178:443/Network/Segments retransmitted/sec.					
0	0.045	7.2	0	0	0.482
LG 35.236.226.178:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	33.8	14.8	14.2	6.8
LG 35.236.226.178:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	2.51	1.23	1.16	0.502

## LG 35.236.230.64:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.230.64:443/CPU Load					
0	4.01	15	4	3.93	1.72
LG 35.236.230.64:443/Memory Used					
0	11.2	26	11	10.98	5.86
LG 35.236.230.64:443/Throughput					
0	14	25	15.5	14.1	6.2
LG 35.236.230.64:443/User Load					
0	25	34	27	25.5	10.19
LG 35.236.230.64:443/Thread Count					
0	89.9	103	93	90.8	13.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.230.64:443/Http client/Thread Pool used					
0	0.1	0.12	0.1	0.1	0.006
LG 35.236.230.64:443/Http client/Task Pool used					
0	0	0.117	0	0	0.006
LG 35.236.230.64:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.230.64:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.230.64:443/Controller Connection/Ping Duration (ms)					
3	8.22	24	4	7.63	7.85
LG 35.236.230.64:443/Network/Segments sent/sec.					
0	582.9	1,023	660.4	587.3	250.4
LG 35.236.230.64:443/Network/Segments retransmitted/sec.					
0	0.053	6.8	0	0	0.456
LG 35.236.230.64:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	25.5	15.9	14.4	6.3
LG 35.236.230.64:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	1.95	1.29	1.17	0.475

## LG 35.236.249.58:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.249.58:443/CPU Load					
0	3.91	13	4	3.86	1.61
LG 35.236.249.58:443/Memory Used					
0	8.62	20	8	8.46	4.29
LG 35.236.249.58:443/Throughput					
0	13.6	26.2	15.1	13.7	6.13
LG 35.236.249.58:443/User Load					
0	24.4	33	27	24.9	10
LG 35.236.249.58:443/Thread Count					
0	88.9	103	95	89.7	13.9
LG 35.236.249.58:443/Http client/Thread Pool used					
0	0.101	0.135	0.1	0.1	0.007
LG 35.236.249.58:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.236.249.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.249.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.249.58:443/Controller Connection/Ping Duration (ms)					
3	8.73	27	4	8.09	8.46
LG 35.236.249.58:443/Network/Segments sent/sec.					
0	569.6	1,027	629.7	573.7	247.3
LG 35.236.249.58:443/Network/Segments retransmitted/sec.					
0	0.026	4.4	0	0	0.295
LG 35.236.249.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	26.8	15.6	14.1	6.23
LG 35.236.249.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	1.91	1.26	1.14	0.469

## LG 35.236.254.117:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.254.117:443/CPU Load					
0	3.84	10	4	3.82	1.56
LG 35.236.254.117:443/Memory Used					
0	10.33	24	10	10.14	5.5
LG 35.236.254.117:443/Throughput					
0	13.5	25.4	14.4	13.5	6.18
LG 35.236.254.117:443/User Load					
0	24.2	33	26.5	24.7	10.13
LG 35.236.254.117:443/Thread Count					
0	88.5	102	90.5	89.4	14.2
LG 35.236.254.117:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.236.254.117:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.236.254.117:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.236.254.117:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.236.254.117:443/Controller Connection/Ping Duration (ms)					
3	10.18	34	4	9.44	9.56
LG 35.236.254.117:443/Network/Segments sent/sec.					
0	564	1,035	606.2	566.1	251.9
LG 35.236.254.117:443/Network/Segments retransmitted/sec.					
0	0.043	5.8	0	0	0.441
LG 35.236.254.117:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.8	25.9	14.9	13.9	6.29
LG 35.236.254.117:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	1.94	1.26	1.13	0.477

## LG 35.245.100.119:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.100.119:443/CPU Load					
0	4.25	18	4	4.14	1.99
LG 35.245.100.119:443/Memory Used					
0	11.3	26	11	11.1	6.07
LG 35.245.100.119:443/Throughput					
0	13.6	26.7	14.4	13.7	6.21
LG 35.245.100.119:443/User Load					
0	24.4	33	27	24.9	9.99
LG 35.245.100.119:443/Thread Count					
0	89.2	102	92	90	13.8
LG 35.245.100.119:443/Http client/Thread Pool used					
0	0.1	0.12	0.1	0.1	0.006
LG 35.245.100.119:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.245.100.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.100.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.100.119:443/Controller Connection/Ping Duration (ms)					
4	22.3	24	23	22.9	3.51

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.100.119:443/Network/Segments sent/sec.					
0	567.9	1,066	615.2	570.7	251.2
LG 35.245.100.119:443/Network/Segments retransmitted/sec.					
0	0.044	6.4	0	0	0.431
LG 35.245.100.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	27.3	14.8	14	6.31
LG 35.245.100.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	2.02	1.22	1.14	0.474

## LG 35.245.112.210:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.112.210:443/CPU Load					
0	4.03	16	4	3.97	1.69
LG 35.245.112.210:443/Memory Used					
0	11.4	26	11	11.2	6.07
LG 35.245.112.210:443/Throughput					
0	14	26.6	14.9	14.1	6.33
LG 35.245.112.210:443/User Load					
0	25	34	27	25.6	10.18
LG 35.245.112.210:443/Thread Count					
0	90.1	103	92	91	14.2
LG 35.245.112.210:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.245.112.210:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.112.210:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.112.210:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.112.210:443/Controller Connection/Ping Duration (ms)					
2	7.85	47	4	6.58	9.39
LG 35.245.112.210:443/Network/Segments sent/sec.					
0	584.2	1,085	637.5	587.1	257.1
LG 35.245.112.210:443/Network/Segments retransmitted/sec.					
0	0.059	13.6	0	0	0.752
LG 35.245.112.210:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.4	27.1	15.3	14.4	6.43
LG 35.245.112.210:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	2.09	1.26	1.16	0.491

## LG 35.245.115.157:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.115.157:443/CPU Load					
0	3.99	12	4	3.92	1.69
LG 35.245.115.157:443/Memory Used					
0	13.4	32	13	13.1	7.54
LG 35.245.115.157:443/Throughput					
0	13.5	26.4	14.7	13.6	6.27
LG 35.245.115.157:443/User Load					
0	24.2	33	27	24.8	10.13
LG 35.245.115.157:443/Thread Count					
0	88.7	104	92	89.7	14.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.115.157:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.245.115.157:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.245.115.157:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.115.157:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.115.157:443/Controller Connection/Ping Duration (ms)					
3	12.4	33	4	11.9	9.78
LG 35.245.115.157:443/Network/Segments sent/sec.					
0	565.2	1,040	613.6	568.2	253.5
LG 35.245.115.157:443/Network/Segments retransmitted/sec.					
0	0.027	3.8	0	0	0.25
LG 35.245.115.157:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	27	15.1	13.9	6.37
LG 35.245.115.157:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.03	1.24	1.13	0.486

## LG 35.245.121.5:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.121.5:443/CPU Load					
0	4.19	16	4	4.08	1.9
LG 35.245.121.5:443/Memory Used					
0	8.81	19	8.5	8.7	4.3
LG 35.245.121.5:443/Throughput					
0	14	26.7	14.7	14	6.42
LG 35.245.121.5:443/User Load					
0	25	34	27	25.5	10.17
LG 35.245.121.5:443/Thread Count					
0	89.8	103	92	90.7	14.3
LG 35.245.121.5:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.245.121.5:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.245.121.5:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.121.5:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.121.5:443/Controller Connection/Ping Duration (ms)					
3	10.62	23	4	10.33	8.75
LG 35.245.121.5:443/Network/Segments sent/sec.					
0	583.5	1,117	610.6	584.5	258.2
LG 35.245.121.5:443/Network/Segments retransmitted/sec.					
0	0.058	9.4	0	0.005	0.523
LG 35.245.121.5:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	27.3	15.1	14.4	6.52
LG 35.245.121.5:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	2.07	1.24	1.17	0.489

## LG 35.245.135.244:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.135.244:443/CPU Load					
0	4.05	17	4	3.97	1.85
LG 35.245.135.244:443/Memory Used					
0	11.8	27	11	11.7	6.23
LG 35.245.135.244:443/Throughput					
0	14	27.8	14.1	14	6.68
LG 35.245.135.244:443/User Load					
0	25	34	27	25.5	10.17
LG 35.245.135.244:443/Thread Count					
0	90	102	93	91	14.1
LG 35.245.135.244:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.006
LG 35.245.135.244:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 35.245.135.244:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.135.244:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.135.244:443/Controller Connection/Ping Duration (ms)					
3	9.68	64	4	7.56	13.2
LG 35.245.135.244:443/Network/Segments sent/sec.					
0	583.5	1,140	608.7	584.2	266.2
LG 35.245.135.244:443/Network/Segments retransmitted/sec.					
0	0.042	9	0	0	0.497
LG 35.245.135.244:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.4	28.4	14.4	14.3	6.79
LG 35.245.135.244:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.1	1.2	1.16	0.498

## LG 35.245.15.175:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.15.175:443/CPU Load					
0	3.92	15	4	3.83	1.73
LG 35.245.15.175:443/Memory Used					
0	12.1	27	12	11.9	6.58
LG 35.245.15.175:443/Throughput					
0	14	29.2	14.5	14	6.3
LG 35.245.15.175:443/User Load					
0	25	34	27	25.6	10.16
LG 35.245.15.175:443/Thread Count					
0	89	102	91	89.9	13.8
LG 35.245.15.175:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.245.15.175:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.245.15.175:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.15.175:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.15.175:443/Controller Connection/Ping Duration (ms)					
3	6.51	24	4	5.74	6.41

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.15.175:443/Network/Segments sent/sec.					
0	584.2	1,105	615.5	585.8	252.2
LG 35.245.15.175:443/Network/Segments retransmitted/sec.					
0	0.04	6	0	0	0.375
LG 35.245.15.175:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	30	14.9	14.3	6.41
LG 35.245.15.175:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.1	1.23	1.16	0.481

## LG 35.245.151.30:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.151.30:443/CPU Load					
0	3.96	14	4	3.88	1.76
LG 35.245.151.30:443/Memory Used					
0	13.5	30	13	13.3	7.47
LG 35.245.151.30:443/Throughput					
0	14	28.2	14.8	14	6.44
LG 35.245.151.30:443/User Load					
0	25	34	27	25.6	10.16
LG 35.245.151.30:443/Thread Count					
0	90	103	92	90.9	14.2
LG 35.245.151.30:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.245.151.30:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.009
LG 35.245.151.30:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.151.30:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.151.30:443/Controller Connection/Ping Duration (ms)					
4	13.7	36	4	13.2	9.96
LG 35.245.151.30:443/Network/Segments sent/sec.					
0	583.5	1,225	621.1	585.2	257.5
LG 35.245.151.30:443/Network/Segments retransmitted/sec.					
0	0.021	5.4	0	0	0.288
LG 35.245.151.30:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	28.9	15.1	14.4	6.55
LG 35.245.151.30:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.02	1.24	1.16	0.482

## LG 35.245.157.6:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.157.6:443/CPU Load					
0	4.13	13	4	4.04	1.73
LG 35.245.157.6:443/Memory Used					
0	10.87	24	10	10.74	5.57
LG 35.245.157.6:443/Throughput					
0	14	26.5	15.3	14	6.32
LG 35.245.157.6:443/User Load					
0	25	34	27	25.6	10.17
LG 35.245.157.6:443/Thread Count					
0	90.4	104	94	91.3	14.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.157.6:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.245.157.6:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.245.157.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.157.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.157.6:443/Controller Connection/Ping Duration (ms)					
4	7.22	23	4	6.53	6.66
LG 35.245.157.6:443/Network/Segments sent/sec.					
0	584.3	1,119	634.1	586.7	253.9
LG 35.245.157.6:443/Network/Segments retransmitted/sec.					
0	0.069	12	0	0	0.748
LG 35.245.157.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.4	27.1	15.7	14.4	6.42
LG 35.245.157.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.09	1.27	1.16	0.488

## LG 35.245.160.171:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.160.171:443/CPU Load					
0	4.03	16	4	3.93	1.8
LG 35.245.160.171:443/Memory Used					
0	9.35	21	9	9.2	4.84
LG 35.245.160.171:443/Throughput					
0	13.5	24.4	15.4	13.7	6.09
LG 35.245.160.171:443/User Load					
0	24.2	33	26.5	24.7	10.12
LG 35.245.160.171:443/Thread Count					
0	88.9	102	93.5	89.9	14.1
LG 35.245.160.171:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.245.160.171:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 35.245.160.171:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.160.171:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.160.171:443/Controller Connection/Ping Duration (ms)					
3	7.91	33	4	6.96	8.28
LG 35.245.160.171:443/Network/Segments sent/sec.					
0	566.1	1,060	640.5	571.4	249.2
LG 35.245.160.171:443/Network/Segments retransmitted/sec.					
0	0.047	4.8	0	0.001	0.354
LG 35.245.160.171:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	24.9	15.8	14	6.19
LG 35.245.160.171:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	1.93	1.27	1.13	0.474



## LG 35.245.169.148:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.169.148:443/CPU Load					
0	3.94	12	4	3.85	1.8
LG 35.245.169.148:443/Memory Used					
0	9.89	22	10	9.77	5.04
LG 35.245.169.148:443/Throughput					
0	13.5	28.9	14.1	13.5	6.38
LG 35.245.169.148:443/User Load					
0	24.2	33	26	24.7	10.15
LG 35.245.169.148:443/Thread Count					
0	88.5	101	92	89.5	14.4
LG 35.245.169.148:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.245.169.148:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.245.169.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.169.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.169.148:443/Controller Connection/Ping Duration (ms)					
3	6.61	23	4	5.88	6.37
LG 35.245.169.148:443/Network/Segments sent/sec.					
0	565	1,084	605.3	566.6	257
LG 35.245.169.148:443/Network/Segments retransmitted/sec.					
0	0.04	5.4	0	0	0.389
LG 35.245.169.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	29.4	14.5	13.8	6.49
LG 35.245.169.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.13	1.2	1.12	0.487

## LG 35.245.169.16:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.169.16:443/CPU Load					
0	4.14	15	4	4.08	1.7
LG 35.245.169.16:443/Memory Used					
0	9.95	22	9.5	9.83	5.11
LG 35.245.169.16:443/Throughput					
0	14	26.8	15.2	14.1	6.12
LG 35.245.169.16:443/User Load					
0	25	34	27	25.5	10.17
LG 35.245.169.16:443/Thread Count					
0	89.3	105	91.5	90.2	13.8
LG 35.245.169.16:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.006
LG 35.245.169.16:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.245.169.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.169.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.169.16:443/Controller Connection/Ping Duration (ms)					
3	9.15	36	4	8.23	9.28

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.169.16:443/Network/Segments sent/sec.					
0	583.5	1,079	643.8	588.6	246.7
LG 35.245.169.16:443/Network/Segments retransmitted/sec.					
0	0.033	5.4	0	0	0.32
LG 35.245.169.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	27.3	15.6	14.4	6.22
LG 35.245.169.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	1.97	1.31	1.17	0.472

## LG 35.245.17.179:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.17.179:443/CPU Load					
0	3.91	12	4	3.84	1.74
LG 35.245.17.179:443/Memory Used					
0	8.62	18	8	8.52	4.15
LG 35.245.17.179:443/Throughput					
0	13.5	26.1	14.8	13.5	6.29
LG 35.245.17.179:443/User Load					
0	24.3	33	27	24.9	10.02
LG 35.245.17.179:443/Thread Count					
0	88.8	101	93	89.8	13.9
LG 35.245.17.179:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.245.17.179:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.245.17.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.17.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.17.179:443/Controller Connection/Ping Duration (ms)					
4	9.06	23	4	8.55	8.07
LG 35.245.17.179:443/Network/Segments sent/sec.					
0	565.2	1,105	620.6	567.1	251.6
LG 35.245.17.179:443/Network/Segments retransmitted/sec.					
0	0.054	9	0	0	0.582
LG 35.245.17.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	26.7	15.2	13.9	6.39
LG 35.245.17.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.01	1.23	1.13	0.476

## LG 35.245.191.215:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.191.215:443/CPU Load					
0	4.01	12	4	3.94	1.71
LG 35.245.191.215:443/Memory Used					
0	10.15	23	10	10	5.2
LG 35.245.191.215:443/Throughput					
0	13.6	30.1	14.4	13.6	6.4
LG 35.245.191.215:443/User Load					
0	24.3	33	26.5	24.9	10.01
LG 35.245.191.215:443/Thread Count					
0	89.5	103	93.5	90.4	14.4

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.245.191.215:443/Http client/Thread Pool used</b>					
0	0.1	0.115	0.1	0.1	0.005
<b>LG 35.245.191.215:443/Http client/Task Pool used</b>					
0	0	0.083	0	0	0.005
<b>LG 35.245.191.215:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.245.191.215:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.245.191.215:443/Controller Connection/Ping Duration (ms)</b>					
4	9.89	27	4	9.32	8.86
<b>LG 35.245.191.215:443/Network/Segments sent/sec.</b>					
0	568.5	1,162	602	570.2	256.3
<b>LG 35.245.191.215:443/Network/Segments retransmitted/sec.</b>					
0	0.036	4.2	0	0.001	0.252
<b>LG 35.245.191.215:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	14	30.7	14.8	13.9	6.5
<b>LG 35.245.191.215:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	1.13	2.22	1.2	1.13	0.487

## LG 35.245.201.243:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.245.201.243:443/CPU Load</b>					
0	3.84	12	4	3.77	1.68
<b>LG 35.245.201.243:443/Memory Used</b>					
0	10.18	23	10	10.01	5.35
<b>LG 35.245.201.243:443/Throughput</b>					
0	13.5	26.8	14.5	13.6	6.46
<b>LG 35.245.201.243:443/User Load</b>					
0	24.2	33	27	24.7	10.15
<b>LG 35.245.201.243:443/Thread Count</b>					
0	88.9	101	93	89.9	14.4
<b>LG 35.245.201.243:443/Http client/Thread Pool used</b>					
0	0.1	0.125	0.1	0.1	0.006
<b>LG 35.245.201.243:443/Http client/Task Pool used</b>					
0	0.002	0.117	0	0	0.01
<b>LG 35.245.201.243:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.245.201.243:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.245.201.243:443/Controller Connection/Ping Duration (ms)</b>					
3	9.99	23	4	9.64	8.84
<b>LG 35.245.201.243:443/Network/Segments sent/sec.</b>					
0	566	1,092	613.4	568.1	258
<b>LG 35.245.201.243:443/Network/Segments retransmitted/sec.</b>					
0	0.028	4	0	0	0.262
<b>LG 35.245.201.243:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.007	13.9	27.2	15	13.9	6.57
<b>LG 35.245.201.243:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.01	1.12	2.04	1.23	1.13	0.492

## LG 35.245.229.51:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.229.51:443/CPU Load					
0	4.2	13	4	4.14	1.65
LG 35.245.229.51:443/Memory Used					
0	11.7	27	11	11.5	6.13
LG 35.245.229.51:443/Throughput					
0	13.7	28.3	14.7	13.7	6.19
LG 35.245.229.51:443/User Load					
0	24.4	33	27	24.9	10
LG 35.245.229.51:443/Thread Count					
0	89.7	105	91	90.6	14.6
LG 35.245.229.51:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.245.229.51:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.008
LG 35.245.229.51:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.229.51:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.229.51:443/Controller Connection/Ping Duration (ms)					
5	23.4	34	23	23.5	4.44
LG 35.245.229.51:443/Network/Segments sent/sec.					
0	570	1,160	615.7	572.3	249.9
LG 35.245.229.51:443/Network/Segments retransmitted/sec.					
0	0.044	5.8	0	0.003	0.376
LG 35.245.229.51:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	28.9	15	14.1	6.29
LG 35.245.229.51:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	2.09	1.23	1.13	0.475

## LG 35.245.229.85:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.229.85:443/CPU Load					
0	3.91	11	4	3.85	1.64
LG 35.245.229.85:443/Memory Used					
0	12.1	28	12	11.9	6.66
LG 35.245.229.85:443/Throughput					
0	13.5	27.3	14.7	13.6	6.18
LG 35.245.229.85:443/User Load					
0	24.2	33	26.5	24.7	10.13
LG 35.245.229.85:443/Thread Count					
0	88.3	103	92.5	89.2	14
LG 35.245.229.85:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.245.229.85:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.245.229.85:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.229.85:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.229.85:443/Controller Connection/Ping Duration (ms)					
3	8.75	27	4	8.14	8.49

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.229.85:443/Network/Segments sent/sec.					
0	566.3	1,063	616.1	568.7	252.1
LG 35.245.229.85:443/Network/Segments retransmitted/sec.					
0	0.033	4.4	0	0	0.279
LG 35.245.229.85:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	27.8	15	13.9	6.29
LG 35.245.229.85:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.11	1.22	1.12	0.475

## LG 35.245.23.40:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.23.40:443/CPU Load					
0	3.8	16	4	3.73	1.62
LG 35.245.23.40:443/Memory Used					
0	11.6	26	11	11.5	6.16
LG 35.245.23.40:443/Throughput					
0	13.5	25.3	15.2	13.6	6.15
LG 35.245.23.40:443/User Load					
0	24.2	33	27	24.7	10.14
LG 35.245.23.40:443/Thread Count					
0	88.6	102	92	89.5	14.1
LG 35.245.23.40:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.245.23.40:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.245.23.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.23.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.23.40:443/Controller Connection/Ping Duration (ms)					
3	6.08	33	4	4.91	6.99
LG 35.245.23.40:443/Network/Segments sent/sec.					
0	565.7	1,158	625.7	567.5	250.4
LG 35.245.23.40:443/Network/Segments retransmitted/sec.					
0	0.027	7	0	0	0.373
LG 35.245.23.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	25.9	15.6	14	6.25
LG 35.245.23.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	1.99	1.26	1.13	0.471

## LG 35.245.230.44:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.230.44:443/CPU Load					
0	4.16	16	4	4.08	1.8
LG 35.245.230.44:443/Memory Used					
0	9.79	21	10	9.67	4.98
LG 35.245.230.44:443/Throughput					
0	13.9	27	15.2	14	6.31
LG 35.245.230.44:443/User Load					
0	25	34	27	25.6	10.18
LG 35.245.230.44:443/Thread Count					
0	89.6	102	93	90.6	13.9

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.230.44:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.245.230.44:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.230.44:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.230.44:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.230.44:443/Controller Connection/Ping Duration (ms)					
4	7.59	24	5	6.88	6.59
LG 35.245.230.44:443/Network/Segments sent/sec.					
0	582.1	1,108	639.1	585	254.8
LG 35.245.230.44:443/Network/Segments retransmitted/sec.					
0	0.052	10.6	0	0	0.612
LG 35.245.230.44:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.3	27.6	15.6	14.4	6.41
LG 35.245.230.44:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.15	2.08	1.28	1.17	0.482

## LG 35.245.236.75:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.236.75:443/CPU Load					
0	3.95	12	4	3.89	1.65
LG 35.245.236.75:443/Memory Used					
0	9.76	23	9	9.55	5.13
LG 35.245.236.75:443/Throughput					
0	13.6	28.6	14.1	13.6	6.28
LG 35.245.236.75:443/User Load					
0	24.3	33	27	24.9	10.02
LG 35.245.236.75:443/Thread Count					
0	89.4	105	94	90.3	14.7
LG 35.245.236.75:443/Http client/Thread Pool used					
0	0.1	0.12	0.1	0.1	0.006
LG 35.245.236.75:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.245.236.75:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.236.75:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.236.75:443/Controller Connection/Ping Duration (ms)					
3	9.17	69	4	7.3	12.5
LG 35.245.236.75:443/Network/Segments sent/sec.					
0	568.4	1,099	592.9	569.5	253.1
LG 35.245.236.75:443/Network/Segments retransmitted/sec.					
0	0.04	6.2	0	0	0.418
LG 35.245.236.75:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	29.1	14.5	14	6.38
LG 35.245.236.75:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	2.01	1.21	1.14	0.48

## LG 35.245.26.250:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.26.250:443/CPU Load					
0	3.78	14	4	3.7	1.64
LG 35.245.26.250:443/Memory Used					
0	12.2	27	11	12	6.58
LG 35.245.26.250:443/Throughput					
0	13.6	25.9	14.7	13.7	6.1
LG 35.245.26.250:443/User Load					
0	24.4	33	26.5	24.9	9.99
LG 35.245.26.250:443/Thread Count					
0	89.3	103	91.5	90.2	14.3
LG 35.245.26.250:443/Http client/Thread Pool used					
0	0.1	0.12	0.1	0.1	0.006
LG 35.245.26.250:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.245.26.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.26.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.26.250:443/Controller Connection/Ping Duration (ms)					
3	8.84	33	4	7.98	8.9
LG 35.245.26.250:443/Network/Segments sent/sec.					
0	570.3	1,030	613.6	573.6	248.3
LG 35.245.26.250:443/Network/Segments retransmitted/sec.					
0	0.026	3.79	0	0	0.255
LG 35.245.26.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	26.4	15.1	14.1	6.2
LG 35.245.26.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	1.97	1.23	1.14	0.474

## LG 35.245.33.152:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.33.152:443/CPU Load					
0	4.17	15	4	4.06	1.88
LG 35.245.33.152:443/Memory Used					
0	11.7	28	11	11.5	6.36
LG 35.245.33.152:443/Throughput					
0	13.6	27	14.3	13.6	6.33
LG 35.245.33.152:443/User Load					
0	24.3	33	26.5	24.9	10
LG 35.245.33.152:443/Thread Count					
0	89.1	102	92.5	90.1	14.1
LG 35.245.33.152:443/Http client/Thread Pool used					
0	0.1	0.105	0.1	0.1	0.005
LG 35.245.33.152:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.009
LG 35.245.33.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.33.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.33.152:443/Controller Connection/Ping Duration (ms)					
4	22	26	23	22.6	3.92

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.33.152:443/Network/Segments sent/sec.					
0	566.8	1,106	605.9	568.4	255.1
LG 35.245.33.152:443/Network/Segments retransmitted/sec.					
0	0.043	7.2	0	0	0.476
LG 35.245.33.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	27.5	14.7	14	6.43
LG 35.245.33.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.04	1.21	1.13	0.483

## LG 35.245.35.123:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.35.123:443/CPU Load					
0	3.84	15	4	3.76	1.78
LG 35.245.35.123:443/Memory Used					
0	9.95	26	9	9.64	5.41
LG 35.245.35.123:443/Throughput					
0	13.5	28.4	14.3	13.6	6.31
LG 35.245.35.123:443/User Load					
0	24.2	33	27	24.8	10.14
LG 35.245.35.123:443/Thread Count					
0	88.4	101	91	89.3	14
LG 35.245.35.123:443/Http client/Thread Pool used					
0	0.1	0.12	0.1	0.1	0.006
LG 35.245.35.123:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.008
LG 35.245.35.123:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.35.123:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.35.123:443/Controller Connection/Ping Duration (ms)					
3	8.53	24	4	7.95	8.11
LG 35.245.35.123:443/Network/Segments sent/sec.					
0	566.5	1,084	602.2	567.8	253.4
LG 35.245.35.123:443/Network/Segments retransmitted/sec.					
0	0.046	9.8	0	0	0.552
LG 35.245.35.123:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	29	14.6	13.9	6.42
LG 35.245.35.123:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.07	1.23	1.13	0.482

## LG 35.245.36.185:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.36.185:443/CPU Load					
0	4.07	11	4	3.98	1.73
LG 35.245.36.185:443/Memory Used					
0	10.13	23	10	10	5.26
LG 35.245.36.185:443/Throughput					
0	13.7	30.4	13.9	13.6	6.57
LG 35.245.36.185:443/User Load					
0	24.4	33	27	24.9	10
LG 35.245.36.185:443/Thread Count					
0	89.1	103	92	90.1	14.1



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.36.185:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.245.36.185:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.245.36.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.36.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.36.185:443/Controller Connection/Ping Duration (ms)					
3	12.3	53	5	11.1	11.5
LG 35.245.36.185:443/Network/Segments sent/sec.					
0	571.2	1,198	584.5	569.7	262
LG 35.245.36.185:443/Network/Segments retransmitted/sec.					
0	0.034	4.4	0	0	0.318
LG 35.245.36.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	31	14.3	13.9	6.68
LG 35.245.36.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	2.27	1.18	1.13	0.489

## LG 35.245.36.78:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.36.78:443/CPU Load					
0	3.91	15	4	3.79	1.88
LG 35.245.36.78:443/Memory Used					
0	14.2	34	13	14	8.2
LG 35.245.36.78:443/Throughput					
0	13.5	30.7	14.3	13.4	6.61
LG 35.245.36.78:443/User Load					
0	24.2	33	26.5	24.7	10.13
LG 35.245.36.78:443/Thread Count					
0	89.5	104	93.5	90.5	14.3
LG 35.245.36.78:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.245.36.78:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.245.36.78:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.36.78:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.36.78:443/Controller Connection/Ping Duration (ms)					
3	9.82	24	4	9.39	8.58
LG 35.245.36.78:443/Network/Segments sent/sec.					
0	563.6	1,159	606.8	562.3	264.4
LG 35.245.36.78:443/Network/Segments retransmitted/sec.					
0	0.04	5.8	0	0	0.422
LG 35.245.36.78:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	31.3	14.6	13.8	6.72
LG 35.245.36.78:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.21	1.19	1.12	0.498

## LG 35.245.47.52:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.47.52:443/CPU Load					
0	4.01	15	4	3.94	1.68
LG 35.245.47.52:443/Memory Used					
0	11.2	26	11	11	5.99
LG 35.245.47.52:443/Throughput					
0	14	25.4	15	14.1	6.13
LG 35.245.47.52:443/User Load					
0	25	34	26.5	25.5	10.18
LG 35.245.47.52:443/Thread Count					
0	89.6	106	90.5	90.3	14.3
LG 35.245.47.52:443/Http client/Thread Pool used					
0	0.1	0.125	0.1	0.1	0.006
LG 35.245.47.52:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.245.47.52:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.47.52:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.47.52:443/Controller Connection/Ping Duration (ms)					
3	12.6	22	4	12.6	9.16
LG 35.245.47.52:443/Network/Segments sent/sec.					
0	585.2	1,034	624.5	589.1	249.4
LG 35.245.47.52:443/Network/Segments retransmitted/sec.					
0	0.047	7.2	0	0	0.466
LG 35.245.47.52:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.4	25.9	15.5	14.5	6.22
LG 35.245.47.52:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	1.95	1.27	1.17	0.473

## LG 35.245.54.246:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.54.246:443/CPU Load					
0	3.89	14	4	3.82	1.7
LG 35.245.54.246:443/Memory Used					
0	9.54	21	9	9.41	4.85
LG 35.245.54.246:443/Throughput					
0	13.5	24.8	15.3	13.7	5.98
LG 35.245.54.246:443/User Load					
0	24.2	33	26.5	24.7	10.13
LG 35.245.54.246:443/Thread Count					
0	88.7	104	91.5	89.7	14.1
LG 35.245.54.246:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.006
LG 35.245.54.246:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.01
LG 35.245.54.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.54.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.54.246:443/Controller Connection/Ping Duration (ms)					
3	7.71	23	4	7.1	7.61

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.54.246:443/Network/Segments sent/sec.					
0	564.6	1,020	635.9	569.7	243.6
LG 35.245.54.246:443/Network/Segments retransmitted/sec.					
0	0.057	10.8	0	0	0.635
LG 35.245.54.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	25.3	15.7	14	6.08
LG 35.245.54.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	1.88	1.26	1.14	0.468

## LG 35.245.58.146:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.58.146:443/CPU Load					
0	4.3	16	4	4.22	1.84
LG 35.245.58.146:443/Memory Used					
0	11.4	26	11	11.3	6.22
LG 35.245.58.146:443/Throughput					
0	13.6	25.9	15.5	13.7	6.15
LG 35.245.58.146:443/User Load					
0	24.3	33	27	24.9	10.01
LG 35.245.58.146:443/Thread Count					
0	89.5	101	93	90.5	14
LG 35.245.58.146:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.245.58.146:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.245.58.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.58.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.58.146:443/Controller Connection/Ping Duration (ms)					
4	9.6	34	4	8.7	9.04
LG 35.245.58.146:443/Network/Segments sent/sec.					
0	567.8	1,077	638.7	572.7	246.7
LG 35.245.58.146:443/Network/Segments retransmitted/sec.					
0	0.058	9.4	0	0	0.61
LG 35.245.58.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	26.5	15.9	14.1	6.24
LG 35.245.58.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.01	1.26	1.13	0.478

## LG 35.245.64.246:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.64.246:443/CPU Load					
0	3.97	13	4	3.89	1.7
LG 35.245.64.246:443/Memory Used					
0	11.1	26	11	10.9	5.77
LG 35.245.64.246:443/Throughput					
0	14	27.9	14.8	14	6.35
LG 35.245.64.246:443/User Load					
0	25	34	27	25.6	10.17
LG 35.245.64.246:443/Thread Count					
0	89.8	105	92	90.7	14.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.64.246:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.245.64.246:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.245.64.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.64.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.64.246:443/Controller Connection/Ping Duration (ms)					
3	8.43	24	4	7.87	8.15
LG 35.245.64.246:443/Network/Segments sent/sec.					
0	585.4	1,127	628.1	586.9	256.4
LG 35.245.64.246:443/Network/Segments retransmitted/sec.					
0	0.042	7.8	0	0	0.452
LG 35.245.64.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14.4	28.5	15.2	14.4	6.45
LG 35.245.64.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.16	2.13	1.25	1.16	0.483

## LG 35.245.70.150:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.70.150:443/CPU Load					
0	4.33	15	4	4.24	1.92
LG 35.245.70.150:443/Memory Used					
0	9.24	24	8	8.9	5.53
LG 35.245.70.150:443/Throughput					
0	13.5	26.7	14.7	13.6	6.27
LG 35.245.70.150:443/User Load					
0	24.2	33	26.5	24.7	10.12
LG 35.245.70.150:443/Thread Count					
0	88.7	104	92.5	89.6	14.3
LG 35.245.70.150:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.006
LG 35.245.70.150:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.245.70.150:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.70.150:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.70.150:443/Controller Connection/Ping Duration (ms)					
3	8.44	33	4	7.51	8.37
LG 35.245.70.150:443/Network/Segments sent/sec.					
0	566.5	1,107	606.7	567.4	253.9
LG 35.245.70.150:443/Network/Segments retransmitted/sec.					
0	0.058	8.6	0	0.005	0.493
LG 35.245.70.150:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	27.2	15.1	13.9	6.38
LG 35.245.70.150:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	1.97	1.2	1.13	0.475

## LG 35.245.76.42:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.76.42:443/CPU Load					
0	4.18	17	4	4.06	1.77
LG 35.245.76.42:443/Memory Used					
0	8.5	19	8	8.39	4.2
LG 35.245.76.42:443/Throughput					
0	13.6	26.7	14.3	13.7	6.12
LG 35.245.76.42:443/User Load					
0	24.4	33	26.5	24.9	9.98
LG 35.245.76.42:443/Thread Count					
0	89.1	104	91.5	90	14.1
LG 35.245.76.42:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.005
LG 35.245.76.42:443/Http client/Task Pool used					
0	0	0.083	0	0	0.005
LG 35.245.76.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.76.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.76.42:443/Controller Connection/Ping Duration (ms)					
3	7.24	24	4	6.53	7.12
LG 35.245.76.42:443/Network/Segments sent/sec.					
0	569.7	1,053	613.7	571.9	245.6
LG 35.245.76.42:443/Network/Segments retransmitted/sec.					
0	0.039	4.4	0	0	0.337
LG 35.245.76.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	14	27.3	14.7	14.1	6.22
LG 35.245.76.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.13	2.03	1.2	1.13	0.47

## LG 35.245.85.57:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.85.57:443/CPU Load					
0	3.89	14	4	3.8	1.75
LG 35.245.85.57:443/Memory Used					
0	12	26	11	11.9	6.57
LG 35.245.85.57:443/Throughput					
0	13.5	26.2	14	13.5	6.31
LG 35.245.85.57:443/User Load					
0	24.2	33	26.5	24.7	10.14
LG 35.245.85.57:443/Thread Count					
0	88.9	104	91.5	89.9	14.7
LG 35.245.85.57:443/Http client/Thread Pool used					
0	0.1	0.11	0.1	0.1	0.005
LG 35.245.85.57:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 35.245.85.57:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.85.57:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.85.57:443/Controller Connection/Ping Duration (ms)					
3	7.34	23	4	6.72	7.15


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.85.57:443/Network/Segments sent/sec.					
0	563.7	1,106	594.8	564.4	255
LG 35.245.85.57:443/Network/Segments retransmitted/sec.					
0	0.031	5.8	0	0	0.36
LG 35.245.85.57:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.8	26.7	14.3	13.9	6.41
LG 35.245.85.57:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.07	1.22	1.12	0.481

## LG 35.245.91.211:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.91.211:443/CPU Load					
0	3.89	14	4	3.8	1.74
LG 35.245.91.211:443/Memory Used					
0	11.7	26	11	11.5	6.28
LG 35.245.91.211:443/Throughput					
0	13.5	26.7	14.4	13.5	6.31
LG 35.245.91.211:443/User Load					
0	24.2	33	26.5	24.7	10.12
LG 35.245.91.211:443/Thread Count					
0	89.4	104	92.5	90.3	14.6
LG 35.245.91.211:443/Http client/Thread Pool used					
0	0.1	0.115	0.1	0.1	0.006
LG 35.245.91.211:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.245.91.211:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.245.91.211:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.245.91.211:443/Controller Connection/Ping Duration (ms)					
3	7.63	42	4	6.41	8.77
LG 35.245.91.211:443/Network/Segments sent/sec.					
0	565.1	1,139	600.1	566.3	253.2
LG 35.245.91.211:443/Network/Segments retransmitted/sec.					
0	0.024	4	0	0	0.238
LG 35.245.91.211:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.9	27.3	14.8	13.9	6.4
LG 35.245.91.211:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.12	2.09	1.22	1.13	0.479


## Average page response time



Min	Average	Max
0.105	0.513	0.781

**Notes:** Displays the average response time, in seconds, of all pages during the test.

## Average request response time




Min	Average	Max
0.029	0.103	0.877

**Notes:** Displays the average response time, in seconds, of all requests during the test.




## Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.309	2.067	2.783	2.091	2.071	0.211

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.

## Requests per second



Min	Average	Max
0.5	3,027.9	4,328.2

**Notes:** Displays the number of requests per second.


## Errors



Min	Average	Max
0	0.1	1

**Notes:** Displays the number of errors per sampling interval.


## Throughput



Min	Average	Max
0	820.95	1,171.89

**Notes:** Displays the number of megabits of data per second returned by the server.


## Response time against load



Min	Average	Max
0.094	0.417	0.537

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.