# SOE Migration MVO Engage LT - Feb132020



Date	Feb 12, 2020 11:26:08 PM
Project	MVOPEGA
Scenario	EngageFullLT
Comment	
Notes	SOE Migration MVO Engage LT - Feb132020

### Table of Contents

Table of Contents	2
Summary	3
Results summary	3
Statistics Summary	4
Hot spots	6
Errors	6
Alerts	6
General statistics	6
Transaction statistics	6
Execution context	11
Scenario	8
Servers	14
Populations	15
User Paths	16
Transactions	17
Pages	20
Requests	
Media Contents	41
Push messages	19
Monitors	
Main graphs	79
Average page response time	79
Average request response time	
Average response time (Transactions)	81
Requests per second	
Errors	83
Throughput	84
Response time against load	
Distribution of Transaction Durations	



# **Results summary**

Name	23:25 - 12 Feb 2020 MVO	Project	MVOPEGA
Description	Engage Main LT1	Scenario	EngageFullLT
Status	✓ Passed	Load Policy	The population MVO-Engage is customized
Start date	Feb 12, 2020 11:26:08 PM		
End date	Feb 12, 2020 11:53:04 PM	Stop Policy	Population MVO-Engage: immediate.
Duration	00:26:55	Filtono	None
Termination reason	Manual action	Filters	None
	35.245.32.176:443		
	35.199.56.131:443		
	35.245.94.136:443		
	35.194.80.119:443		
	35.245.11.70:443		
	35.245.95.1:443		
	35.245.224.151:443		
	35.245.219.91:443		
	35.236.202.126:443		
	35.245.20.198:443		
	35.245.148.193:443		
	35.245.160.46:443		
	35.236.254.203:443		
	35.236.245.109:443		
	35.221.47.58:443		
LG Hosts	35.186.165.222:443	Debug	Disabled
	35.245.28.122:443		
	35.245.66.178:443		
	35.245.229.139:443		
	35.199.38.55:443		
	35.236.192.74:443		
	35.199.15.169:443		
	35.188.239.59:443		
	35.245.249.145:443		
	, 35.245.114.42:443		
	, 35.221.48.246:443		
	, 35.245.39.127:443		
	35.188.230.219:443		
	35.245.94.201:443		
	35.199.60.126:443		
	, 35.188.230.153:443		
	,		

35.245.175.131:443 35.245.124.145:443 35.245.26.96:443 35.221.4.96:443 35.245.102.87:443 35.245.104.80:443 35.221.61.126:443 35.245.197.243:443 35.199.19.100:443 35.199.59.145:443 35.199.52.94:443 35.245.246.190:443 35.230.182.241:443 35.245.37.242:443 35.245.44.20:443 , 35.245.197.203:443 35.245.168.80:443 35.194.89.176:443 35.245.15.182:443 35.236.254.33:443 35.188.232.163:443 35.221.13.74:443 35.245.85.172:443 35.245.217.137:443 35.245.118.243:443 35.245.108.178:443 35.245.62.18:443 35.199.40.127:443 35.194.88.86:443

#### **Statistics Summary**

Total pages	981799	_	Average pages/s	607.5	_
Total requests	4214861	_	Average requests/s	2,608.2	_
Total users launched	2000	-	Average Request response time	0.181 s	
Total iterations completed	44466	-	Average Page response time	0.753 s	_
Total throughput	145,359 MB	-	Average throughput	719.60 Mb/s	
Total request errors	1407	-	Error rate	0 %	_
Total action errors	0	-	Alerts total duration	0 %	-

= No SLA











### **Hot spots**

### Top 5 errors

User Path	Parent	Page	Count
0122_MVO_D_Engage_Ov MV	O_D_Engage_T03_Sign/vz	auth/UI/Login_1	683
0125_MVO_M_Engage_OvMV	O_M_Engage_T03_Sigr/ui/	hub/data/secure/ntwkoutage/getOutageInfo	598
0125_MVO_M_Engage_OvMV	O_M_Engage_T03_Sigr/vz	auth/UI/Login_1	110
0122_MVO_D_Engage_Ov MV	O_D_Engage_T04A_Bill/res	st/v1/delivery_1	2
0125_MVO_M_Engage_OvMV	O_M_Engage_T04_BillC/glo	balnav/fonts/NeueHaasGroteskDisplay.woff2	1

### Top 5 alerts

No alerts

#### First critical alerts

No alerts

#### **Top 5 average response time (Pages)**

User Path	Parent	Page	Duration
0122_MVO_D_Engage_Ov M	IVO_D_Engage_T03_Sign/vz	auth/UI/Login_1	9.68
0125_MVO_M_Engage_OvM	IVO_M_Engage_T03_Sigr/ui/	hub/data/secure/ntwkoutage/getOutageInfo	5.43
0125_MVO_M_Engage_OvM	IVO_M_Engage_T04_BillC/glo	bbalnav/fonts/NeueHaasGroteskDisplay.woff2	3.94
0122_MVO_D_Engage_Ov M	IVO_D_Engage_T04_BillC/ui/	bill/ao/viewbill	3.19
0125_MVO_M_Engage_OvM	IVO_M_Engage_T03_Sigr/su	pport/1d/data/secure/recommendations	2.57

#### **Top 5 maximum response time (Pages)**

User Path	Parent	Page	Duration
0122_MVO_D_Engage_Ov	MVO_D_Engage_T03_Sign/vzau	nth/UI/Login_1	305.1
0125_MVO_M_Engage_OvI	MVO_M_Engage_T04_BillC/glob	alnav/fonts/NeueHaasGroteskDisplay.woff2	302.2
0125_MVO_M_Engage_OvI	//VO_M_Engage_T03_Sigr/ui/hι	ıb/data/secure/ntwkoutage/getOutageInfo	302
0122_MVO_D_Engage_Ov	MVO_D_Engage_T04A_Bill/rest/	v1/delivery_1	300
0125_MVO_M_Engage_OvM	MVO_M_Engage_T01_Lau/utag	/vzw/main/prod/utag.sync.js	300

#### **Errors**

#### **Request errors**

Error Type	Count	Description
500	836	Internal Server Error
503	319	Service Unavailable - The server is currently unable to handle the request due to a temporary overloading or maintenance of the server.
Assertions	224	Validation of the response failed.
400	17	Bad Request - The request could not be understood by the server due to malformed syntax.
NL-NETWORK-01	11	Miscellaneous I/O error when connecting to the server.
Total	1,407	Total error count.

#### **Action errors**

No errors

#### **Alerts**

No alerts

### **General statistics**

Min	Avg	Max	Count	Err	% of Err	SLA Profile		
All User Pa	aths							
221.7	371.9	706.1	2,000	972	48.6	-		
All pages								
0	0.753	305.1	981,799	1,395	0.1	-		
All requests								
0	0.18	300	4,214,861	1,407	0	-		

### **Transaction statistics**



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transa	ctions										
0.11	3.61	305.2	222,627	1,397	0.6	0.596	15.2	23.5	5.51	2.87	-



### **Summary**

Name	23:25 - 12 Feb 2020 MVO Engage Main LT1	Project	MVOPEGA
Description	Lingage Main LTT	Scenario	EngageFullLT
Status	✓ Passed	Load Policy	The population MVO-Engage is customized
Start date	Feb 12, 2020 11:26:08 PM		
End date	Feb 12, 2020 11:53:04 PM	Stop Policy	Population MVO-Engage: immediate.
Duration Termination	00:26:55	Filters	None
reason	Manual action	i iiters	Notice
	35.245.32.176:443		
	35.199.56.131:443		
	35.245.94.136:443		
	35.194.80.119:443		
	35.245.11.70:443 ,		
	35.245.95.1:443 ,		
	35.245.224.151:443 ,		
	35.245.219.91:443 ,		
	35.236.202.126:443 ,		
	35.245.20.198:443		
	35.245.148.193:443 ,		
	35.245.160.46:443		
	35.236.254.203:443		
	35.236.245.109:443		
LG Hosts	35.221.47.58:443 ,	Dahum	Disabled
LG HUSIS	35.186.165.222:443 ,	Debug	Disabled
	35.245.28.122:443		
	35.245.66.178:443		
	35.245.229.139:443		
	35.199.38.55:443		
	35.236.192.74:443		
	35.199.15.169:443		
	35.188.239.59:443		
	35.245.249.145:443		
	35.245.114.42:443		
	35.221.48.246:443		
	35.245.39.127:443		
	35.188.230.219:443		
	35.245.94.201:443		
	35.199.60.126:443		
	,		

```
35.188.230.153:443
35.245.175.131:443
35.245.124.145:443
35.245.26.96:443
35.221.4.96:443
35.245.102.87:443
35.245.104.80:443
35.221.61.126:443
35.245.197.243:443
35.199.19.100:443
35.199.59.145:443
35.199.52.94:443
35.245.246.190:443
35.230.182.241:443
35.245.37.242:443
35.245.44.20:443
35.245.197.203:443
35.245.168.80:443
35.194.89.176:443
35.245.15.182:443
35.236.254.33:443
35.188.232.163:443
35.221.13.74:443
35.245.85.172:443
35.245.217.137:443
35.245.118.243:443
35.245.108.178:443
35.245.62.18:443
35.199.40.127:443
35.194.88.86:443
```

#### **Populations**

#### **MVO-Engage**

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	nnectio	n Handle cache
0122_MVO_D_Enga	a 50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user
0125_MVO_M_Enga	50.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

#### **User Paths**

Name	Description	On failed assertion	On error	Think time	Thinktime range
0122_MVO_D_Engage		Go to the next iteration	Go to the next iteration	0ms	0%



Name	Description	On failed assertion	On error	Think time	Thinktime range
0125_MVO_M_Engag		Go to the next iteration	Go to the next iteration	0ms	0%

### Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				



### Execution context

Name	23:25 - 12 Feb 2020 MVO Engage Main LT1	Project	MVOPEGA
Description		Scenario	EngageFullLT
Status	✓ Passed	Load Policy	The population MVO-Engage is customized
Start date	Feb 12, 2020 11:26:08 PM		
End date Duration	Feb 12, 2020 11:53:04 PM 00:26:55	Stop Policy	Population MVO-Engage: immediate.
Termination reason	Manual action	Filters	None
reason	35.245.32.176:443		
	, 35.199.56.131:443		
	, 35.245.94.136:443		
	, 35.194.80.119:443		
	, 35.245.11.70:443		
	, 35.245.95.1:443		
	, 35.245.224.151:443		
	, 35.245.219.91:443		
	35.236.202.126:443		
	35.245.20.198:443		
	35.245.148.193:443		
	35.245.160.46:443		
	, 35.236.254.203:443		
	35.236.245.109:443		
	35.221.47.58:443		
LG Hosts	35.186.165.222:443	Debug	Disabled
20110313	35.245.28.122:443	Debug	Disabled
	, 35.245.66.178:443		
	, 35.245.229.139:443		
	, 35.199.38.55:443		
	, 35.236.192.74:443		
	, 35.199.15.169:443		
	, 35.188.239.59:443		
	, 35.245.249.145:443		
	, 35.245.114.42:443		
	, 35.221.48.246:443		
	, 35.245.39.127:443		
	, 35.188.230.219:443		
	, 35.245.94.201:443		
	, 35.199.60.126:443		
	, 35.188.230.153:443		
	, 35.245.175.131:443		



35.245.124.145:443 35.245.26.96:443 35.221.4.96:443 35.245.102.87:443 35.245.104.80:443 35.221.61.126:443 35.245.197.243:443 35.199.19.100:443 35.199.59.145:443 35.199.52.94:443 35.245.246.190:443 35.230.182.241:443 35.245.37.242:443 35.245.44.20:443 35.245.197.203:443 35.245.168.80:443 35.194.89.176:443 35.245.15.182:443 35.236.254.33:443 35.188.232.163:443 35.221.13.74:443 35.245.85.172:443 35.245.217.137:443 35.245.118.243:443 35.245.108.178:443 35.245.62.18:443 35.199.40.127:443 35.194.88.86:443

NeoLoad version Graphs granularity 6.8.0;build=20190103-16 Standard

### **Application proxy**

Name	Description
Empty list	

### **Zone application proxies**

Zone	Name	Description
Empty list		

#### **Constant variables**



Name Value Description
Empty list

### **User Paths settings**

0122\_MVO\_D\_Engage\_OverviewDisable\_gg

Error policy: Go to the next iteration
Assertion policy: Go to the next iteration
Thinktime policy: replaced by 0ms.
Pacing: No pacing

0125\_MVO\_M\_Engage\_OverviewDisable

Error policy:

Assertion policy:

Thinktime policy:

Pacing:

Go to the next iteration
Go to the next iteration
replaced by 0ms.
No pacing




### Servers

### **Servers**

Host		Port	HTTP/2 ready	HTTP/2 used
api.verizon.com	443			No
stcache.vzw.com	443			No
login.verizonwireless.com	443			No
s7.vzw.com	80			No
ecache.vzw.com	443			No
scache2.vzw.com	443			No
scache.verizonwireless.com	443			No
www.verizonwireless.com	443			No
verizonwireless.com	80			No
scache1.vzw.com	443			No
ss7.vzw.com	443			No
scache.vzw.com	443			No
myvpostpay.verizonwireless.co	or443			No



### **Graphs**



### **Statistics**

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
MVO-Engage	4214861 (100%)	2,608.2	0.753s (0%)	0% (0%)
Global	4214861 (100%)	2,608.2	0.753s	0%

### User Paths

### **User Paths**

Min	Avg	Max	Count	Err	% of Err	SLA Profile				
0122_M	VO_D_Enga	ge_Overvie	wDisable_g	g						
221.7	372	706.1	1,000	481	48.1	-				
□ 0125_MVO_M_Engage_OverviewDisable										
224.6	371.8	693.7	1,000	491	49.1	-				



### Transactions

### **Shared Containers**

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev Avg-90%	SLA Profile
Empty list										

# $0122\_MVO\_D\_Engage\_OverviewDisable\_gg$

Min	1	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
012	2_M	VO_D_Enga	ge_Overvie	wDisable_gg	]							
221.7		372	706.1	1,000	481	48.1	-	-	-	-	-	-
	Init											
0		0	0.001	1,000	0	0	-	-	-	-	-	-
	Acti	ons										
0.766		16.4	312.3	22,220	685	3.1	-	-	-	-	-	-
	<u>ا</u> (	MVO_D_Eng	gage_T01_La	aunch								
0.195		0.328	7.55	22,942	0	0	0.326	0.419	0.449	0.132	0.324	-
	<u></u>	MVO_D_Eng	gage_T02_cl	ickaccount								
0.118		0.158	12.7	22,662	0	0	0.149	0.182	0.195	0.163	0.153	-
	<u></u>	MVO_D_Eng	gage_T03_S	ignin								
0.277		9.91	305.2	22,480	683	3	7.29	21.7	29.1	5.71	9.22	-
	<u></u>	MVO_D_Eng	gage_T04_B	illOverview								
2.79		6.23	302.6	21,537	2	0	3.73	18.6	25.9	5.95	5.45	-
		MVO_D_	Engage_T0	4A_BillSupp	ort							
0.453		1.57	300	21,655	2	0	0.602	7.71	14.4	3.91	1.04	-
	End											
0		0	0.001	1,000	0	0	-	-	-	-	-	-

# $0125\_MVO\_M\_Engage\_OverviewDisable$

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
0125	_MVO_M_Eng	iage Overvi	ewDisable								
224.6	371.8	693.7	1,000	491	49.1	-	-	-	-	-	-
in 🗀 In	nit										
0	0	0.001	1,000	0	0	-	-	-	-	-	-
<u></u> Δ	ctions										
0.62	16.4	310	22,246	710	3.2	-	-	-	-	-	-
C	MVO_M_Er	ngage T01 l	aunch								
0.182	0.328	300.2	22,960	1	0	0.314	0.404	0.432	1.99	0.311	-
<b>@</b>	MVO_M_Er	ngage T02 o	clickaccount								
0.11	0.148	13	22,672	0	0	0.136	0.177	0.188	0.11	0.146	-
C	MVO_M_Er	ngage T03 \$	Signin								
0.279	9.97	303.4	22,511	708	3.1	7.45	21.3	28	5.55	9.32	-
<b>@</b>	MVO_M_Er	ngage_T04_l	BillOverview								
2.74	6.16	302.8	21,537	1	0	3.66	18.7	26	5.62	5.39	-
	MVO_N	/_Engage_T	04A_BillSup	port							
0.447	1.56	26.2	21,671	0	0	0.601	8.01	14.6	2.73	1.04	-



Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Enc	ı										
0	0	0	1,000	0	0	-	-	-	-	-	-

### **Shared Containers**

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

# $0122\_MVO\_D\_Engage\_OverviewDisable\_gg$

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### ${\bf 0125\_MVO\_M\_Engage\_OverviewDisable}$

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						



### **Shared Containers**

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

# $0122\_MVO\_D\_Engage\_OverviewDisable\_gg$

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
0122_	MVO_D_Eng	age_Overvi	ewDisable_g	g					
221.7	372	706.1	1,000	481	48.1	-			
△ Ac	tions								
0.766	16.4	312.3	22,220	685	3.1	-			
Œ	MVO_D_Er	ngage_T01_l	_aunch						
0.195	0.328	7.55	22,942	0	0	-			
	<u>i</u>								
0.143	0.269	7.5	23,213	0	0	-			
	/omni/c	ommon/js/v	endor/mono	type/helveti	caNeue.js				
0.009	0.011	7.01	23,213	0	0	-			
	<pre>/player</pre>	_api							
0.035	0.045	3.05	23,213	0	0	-			
	/yts/jsb	in/www-wid	getapi-vfleSr	T7y/www-w	ridgetapi.js				
0.001	0.001	0.091	23,213	0	0	-			
<u>~</u>	MVO_D_Er	ngage_T02_c	clickaccount						
0.118	0.158	12.7	22,662	0	0	-			
	☑ /my-verizon/								
0.11	0.147	12.7	22,939	0	0	-			
	🧕 /glo	balnav/fonts	s/NeueHaas(	GroteskText	Bold.woff2				
0.088	0.118	3.16	22,942	0	0	-			
	<pre>/rest/v1</pre>	/delivery							
0.002	0.003	6.26	22,939	0	0	-			
	<b>₫</b> /p								
0.005	0.007	0.373	22,939	0	0	-			
<u>~</u>	MVO_D_Er	ngage_T03_9	Signin						
0.277	9.91	305.2	22,480	683	3	-			
	/vzauth	/UI/Login							
0.029	0.051	12.7	22,661	0	0	-			
	/vzauth	/UI/Login_1							
0.24	9.68	305.1	22,507	683	3	-			
	/pixel								
0.005	0.008	6.24	21,823	0	0	-			
	/ui/hub/	/inqChat.htm	nl						
0.078	0.123	6.28	21,816	0	0	-			
	Ifavico	ı.ico							
0.031	0.047	0.438	21,816	0	0	-			
<u>~</u>	MVO_D_Er	ngage_T04 l	BillOverview						
2.79	6.23	302.6	21,537	2	0	-			

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
■ /ui/bill/ao/viewbill									
1.53	3.19	32.9	21,737	0	0	-			
	illing // // // // // // // // // // // // //	delivery							
0.587	1.34	14.6	21,685	0	0	-			
	MVO_D_Engage_T04A_BillSupport								
0.453	1.57	300	21,655	2	0	-			
	<pre>/rest/v1/delivery_1</pre>								
0.453	1.57	300	21,655	2	0	-			
	//activity	i;dc_pre=CJ1	f2w425I-cC	.zwvp0;u9=	desktop;u16				
0.029	0.04	3.07	21,653	0	0	-			
	/activity	i;dc_pre=CJ	Ojxl25l-cC	bwi00;ord=	l;num=3851				
0.005	0.008	3.02	21,653	0	0	-			
	il /ui/hub/i	inqChat.html							
0.039	0.074	5.2	21,651	0	0	-			
	/pagead	/viewthrough	nconversion	/970874113	1				
0.004	0.007	12.7	21,650	0	0	-			

# $0125\_MVO\_M\_Engage\_OverviewDisable$

Min	Avg	Max	Count	Err	% of Err	SLA Profile			
<b> </b>									
224.6	371.8	693.7	1,000	491	49.1	-			
<u></u> A₀	ctions								
0.62	16.4	310	22,246	710	3.2	-			
MVO_M_Engage_T01_Launch									
0.182	0.328	300.2	22,960	1	0	-			
	<u> </u> /								
0.139	0.266	3.56	23,244	0	0	-			
	Jutag/v	zw/main/pro	d/utag.sync.j	js					
0.024	0.047		23,243	1	0	-			
	i /omni/c	common/js/v	endor/monot	type/helvetic	caNeue.js				
0.008	0.012	15	23,242	0	0	-			
	<pre>/player</pre>	_api							
0.001	0.001	0.191	23,242	0	0	-			
C	MVO_M_E	ngage_T02_	clickaccount						
0.11	0.148	13	22,672	0	0	-			
	/vzauth	/UI/Login							
0.1	0.138	13	22,958	0	0	-			
	/gtag/js	<b>s</b>							
0.005	0.008	0.079	22,958	0	0	-			
	/pagead	d/viewthroug	ghconversior	n/970874113	·/_1				
0.001	0.001	0.619	22,958	0	0	-			
C	MVO_M_E	ngage_T03_	Signin						
0.279	9.97	303.4	22,511	708	3.1	-			
	/vzauth	/UI/Login							
0.027	0.049		22,670	0	0	-			



Min	Avg	Max	Count	Err	% of Err	SLA Profile				
	domair	nreliability/u	oload							
0.003	0.005	0.082	22,670	0	0	-				
	/vzauth	/UI/Login_1								
0.237	1.59	15.3	22,644	110	0.5	-				
	🤳 /globalr	Jglobalnav/fonts/NeueHaasGroteskDisplayBold.woff								
0.003	0.005	3.02	22,534	0	0	-				
	/ui/hub/	data/secure/	ntwkoutage	/getOutagel	nfo					
2.44	5.43	302	22,461	598	2.7	-				
	discov	er/gn_pzn								
0.094	0.157	12.9	21,860	0	0	-				
	i /suppor	rt/1d/data/se	cure/recomr	nendations						
1.23	2.57	28.5	21,833	0	0	-				
	/rest/v1	/delivery								
0.002	0.003	0.834	21,833	0	0	-				
	/activity	/i;src=27617	68;type=b2	.rd=9544376	5566009.193					
0.002	0.003	0.167	21,833	0	0	-				
	/activityi;src=685973;type=vzwsecure%2Foverview;u1									
0	0.001	0.678	21,832	0	0	-				
	delta language de la									
0.038	0.07	5.95	21,828	0	0	-				
	/feedba	ck/feedback	loop							
0.172	0.209	0.848	21,825	0	0	-				
	MVO_M_Er	ngage_T04_E	BillOverview							
2.74	6.16	302.8	21,537	1	0	-				
	ui/bill/a	o/viewbill								
0.43	0.64	13.2	21,784	0	0	-				
	🥑 /globalı	nav/fonts/Ne	ueHaasGrot	eskDisplay.	woff2					
1.75	3.94	302.2	21,687	1	0	-				
	MVO_N	I_Engage_T0	04A_BillSup	port						
0.447	1.56	26.2	21,671	0	0	-				
	₫ /sur	port/1d/data	/secure/rec	ommendatio	ons					
0.447	1.56	26.2	21,671	0	0	-				
	/rest/v1	/delivery								
0.004	0.006	6.27	21,671	0	0	-				
	/activity	/i;src=27617	68;type=b2	.rd=7189385	5949320.237					
0.005	0.008	6.24	21,671	0	0	-				
	/pagead	d/viewthroug	hconversio	n/753972102	1					
0.001	0.002	0.616	21,671	0	0	-				



### **Shared Containers**

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

# $0122\_MVO\_D\_Engage\_OverviewDisable\_gg$

MVO_D_Engage_T01_Launch  0.195	-
Actions  0.766	-
0.766	-
MVO_D_Engage_T01_Launch  0.195	-
0.195	-
0.195	-
0.143	-
0.02 0.096 7.36 23,217 0 0	-
0.02 0.096 7.36 23,217 0 0	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	-
<u> </u>	
0.083	-
dam/vzwcom/utag/prod/utag.sync.js	
0.014 0.021 0.377 23,213 0 0	-
dam/vzwcom/utag/prod/utag.js	
0.018	-
/ui-one-digital/hp/build/hp.css	
0.01 0.015 0.51 23,213 0 0	-
i /ui-one-digital/gn/build/gnav.css	
0.009	-
lui-one-digital/gn/build/gnav.js	
0.01 0.015 0.379 23,213 0 0	-
lui-one-digital/hp/build/hp.js	
	-
is/image/VerizonWireless/vzeals-hero-d-01132020	
0.004 0.01 7.01 23,213 0 0	-
//omni/common/js/vendor/monotype/helveticaNeue.js	
0.009 0.011 7.01 23,213 0 0	-
/omni/common/js/vendor/monotype/helveticaNeue.js	
0.009 0.011 7.01 23,213 0 0	-
<pre>/player_api</pre>	
0.035 0.045 3.05 23,213 0 0	-
[] /is/image/VerizonWireless/vzd-mixandmatch-d-0808	3
0.012 0.015 3.02 23,213 0 0	-
[] /globalnav/fonts/NeueHaasGroteskDisplay.woff	
	-
/ui-one-digital/global-footect.globalfooter.json	
0.001 0.001 0.177 23,213 0 0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
	<u></u>	globalnav/fonts/	/NeueHaasG	roteskDispl	ayBold.woff	
0.01	0.014	0.776	23,213	0	0	-
	<u> </u>	ui-one-digital/gl	obal-heade.	ct.globalhe	ader.json	
0.009	0.011	0.347	23,213	0	0	-
	Jyts/j	jsbin/www-widg	etapi-vfleSr	T7y/www-wi	dgetapi.js	
0.001	0.001	0.091	23,213	0	0	-
	<u></u>	omni/common/j	s/vendor/mo	notype/helv	eticaNeue.c	SS
0.001	0.001	0.091	23,213	0	0	-
<u></u>	MVO D	_Engage_T02_cl	ickaccount			
0.118	0.158	12.7	22,662	0	0	-
	Jmv-	verizon/				
0.11	0.147	12.7	22,939	0	0	-
	<u> </u>	my-verizon/	,	-		
0.017	0.024	my-verizon/ 2.83	22,942	0	0	-
5.617	-					
0.000		etc/designs/vzw		na/jquery-3		
0.023	0.045	1.46	22,941	-	0	-
		globalnav/css/g				
0.001	0.003	6.26	22,942	0	0	-
	<u> </u>	ui-one-digital/et				
0.001	0.003	12.7	22,942	0	0	-
	<u> </u>	globalnav/css/o	mnifooter.c	ss		
0.001	0.002	6.23	22,942	0	0	-
	<u> </u>	omni/d/js/vendo	r/libs/jquery	ı.js		
0.003	0.005	0.331	22,942	0	0	-
	<u></u>	omni/d/js/vendo	r/libs/jquery	.cookie.js		
0.001	0.012	2.23	22,942	0	0	-
	<u></u>	omni/dt/js/libs/h	andlebars.j	S		
0.003	0.014	12.7	22,942	0	0	-
	<u></u>	ui-one-digital/et	c/designs/	.site/is/analy	tics.is	
0.001	0.005	0.324	22,942	0	0	-
		globalnav/gnav.	ie			
0.003	0.006	0.33	22,942	0	0	-
		globalnav/omnif				
0.001	0.005	0.331	22,942	0	0	-
0.001						
0.003	0.007	ui-one-digital/gr 0.334	1/build/gnav 22,942	.js 0	0	
0.000			-			
0.004		is/image/Verizor		-		
0.001	0.003	3.03	22,942	0	0	-
0.055		ui-one-digital/et				
0.002	0.007	0.333	22,942	0	0	-
		globalnav/fonts/				
0.088	0.118	3.16	22,942	0	0	-
		dglobalnav/fo			extBold.woff	2
0.003	0.009	0.337	22,942	0	0	-
		/vzauth/UI/Lo	gin			
0.075	0.102	1.09	22,942	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	<u></u>	am/css/boot	strap-3.3.7.	min.css		
0.001	0.003	3.03	22,942	0	0	-
	<u></u>	am/css/less-	space.css			
0.001	0.002	3.03	22,942	0	0	-
		am/css/style	-2 0 css			
0.001	0.002	0.088	22,942	0	0	-
		search/statio	Content/dis	et/ie/autoeuo	inast is	
0.002	0.003	0.062	22,942	0	0	_
		/am/js/core.js		1		
0.001	0.002	0.782	22,942	0	0	_
0.001				1	· ·	
0.001	0.002	am/js/bootst	22,942	n.js 0	0	
0.001					U	-
0.000		am/js/jquery			0	
0.002	0.004	0.046	22,942	0	0	-
		globalnav/fo				voff2
0.002	0.004	3.02	22,942	0	0	-
	<pre>/rest/v1/</pre>	-				
0.002	0.003	6.26	22,939	0	0	-
	🚨 /glol	oalnav/fonts/	NeueHaas@	roteskDispl	ay.woff2	
0.002	0.003	6.26	22,939	0	0	-
	<pre>/p</pre>					
0.005	0.007	0.373	22,939	0	0	-
	] /am/	content/font	s/NHaasGro	teskDSW02	75Bd.woff2	
0.002	0.003	0.053	22,939	0	0	-
	] /am/	content/font	s/NeueHaas	GroteskText	55Roman.tt	f
0.003	0.004	0.37	22,939	0	0	-
<u></u>	MVO D End	gage_T03_Si	anin			
0.277	9.91	305.2	22,480	683	3	-
	/vzauth/	III/I ogin				
0.029	0.051	12.7	22,661	0	0	-
		uth/UI/Login				
0.025	0.043	5.47	22,662	0	0	-
0.020		css/global-p		-	-	
0.001	0.003	12.7	22,661	0	0	-
0.001					o .	
0.001	0.002	d/css/global- 6.23	-phoenix.cs 22,661	<b>s</b> 0	0	-
0.001				J	J	
0.004		css/style.css		0	0	
0.001	0.002	6.26	22,661	0	0	-
		d/css/style.c			-	
0.001	0.001	0.201	22,661	0	0	-
		content/font				
0.003	0.005	6.26	22,661	0	0	-
	/vzauth/	UI/Login_1				
0.24	9.68	305.1	22,507	683	3	-
	/vza	uth/UI/Login				
0.032	0.052	3.18	22,661	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	l /ui/h	ub/secure/o	verview			
0.193	1.5	15.2	22,659	114	0.5	-
	ima@	geFiles/post	pay-hub-ms	it/overviev	v/common.c	SS
0.009	0.014	1.01	22,521	0	0	-
	/ima	neFiles/nost	nav-huh-ms	itoverview	/overview is	
0.023	0.029	1.03	22,521	0	0	-
	le7vi	ewers/html5	://idoo//iow/	or oss		
0.002	0.005	3.03	22,521	0	0	_
0.002		17.77		1	· ·	
0.004	0.013	ewers/html5	22,521	ewer.js 0	0	-
0.004					U	
		ne-digital/gr			-	
0.002	0.004	3.03	22,521	0	0	-
	ui/h	ub/data/secu		//get_ensigh	ten_tags	
0.074	0.134	3.93	22,521	0	0	-
	l /ui/h	ub/data/secu	ure/live-tiles			
0.072	3.15	20.1	22,521	572	2.5	-
	l /ui/h	ub/data/secu	ure/mydevic	es/devices-l	ist	
0.896	2	300	22,521	4	0	-
	/ui/h	ub/data/secu	ıre/mydevic	es/tiles/supp	oort	
0.1	0.167	6.75	22,521	0	0	_
1.25	2.58	28.4	22,521	ommendation 0	0	_
1.20			,	U	U	
0.005		over/gn_pzi		0	0	
0.065	0.147	9.48	22,521	0	0	-
				ce.globalhe		
0.001	0.002	0.265	22,521	0	0	-
				ce.globalfoo	ter.json	
0.001	0.002	3.03	22,521	0	0	-
	💄 /glob	oalnav/fonts/	/NeueHaasG	roteskTextB	old.woff	
0.003	0.005	6.27	22,521	0	0	-
	[] /glok	alnav/fonts/	/NeueHaasG	roteskText.	woff	
0.002	0.005	1.41	22,521	0	0	-
	/pixel					
0.005	0.008	6.24	21,823	0	0	-
	/ack	verizon/js/as	kvorizon is			
0.004	0.006	6.24	21,824	0	0	_
	_					
0.001	0.001	port/etc/des 0.026	gns/suppor 21,823	t_rd/c2c.js 0	0	-
0.001				U	U	-
0.070		nqChat.html		0	0	
0.078	0.123	6.28	21,816	0	0	-
		ub/inqChat.l				
0.037	0.071	4.48	21,823	0	0	-
	/feed	lback/feedba	ackloop			
0.019	0.028	0.573	21,818	0	0	-
	is/in	nage/Verizor	nWireless/ar	pple_iphone	4	
0.001	0.003	6.23	21,819	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	/feed	dback/feedba	ckloop			
0.038	0.051	4.15	21,819	0	0	-
	/favicon	.ico				
0.031	0.047	0.438	21,816	0	0	-
	💄 /favi	con.ico				
0.031	0.047	0.438	21,816	0	0	-
<u></u>	MVO_D_En	gage_T04_Bi	IIOverview			
2.79	6.23	302.6	21,537	2	0	-
	/ui/bill/a	o/viewbill				
1.53	3.19	32.9	21,737	0	0	-
	ui/b	ill/ao/viewbil	I			
0.196	0.331	8.06	21,797	0	0	-
		ill/ao/viewbil	I			
0.179	0.277	4.46	21,784	0	0	-
	ima /ima	geFiles/post	pay-bill-msi	ViewBill/Vi	ewBill.js	
0.017	0.023	12.8	21,779	0	0	-
	ui-o	ne-digital/gn		.js		
0.01	0.014	0.337	21,779	0	0	-
	ui/b	ill/data/ao/di	gital/summa	ıry		
0.651	1.2	16	21,779	0	0	-
	ui/b	ill/data/secu		D/get_ensig	hten_tags	
0.113	0.199	4.56	21,779	0	0	-
	ui/b	ill/data/secu				
0.236	1.19	18.1	21,779	0	0	-
	/rest/v1/					
0.587	1.34		21,685	0	0	-
		ill/data/secu				
0.296	0.552	10.69	21,737	0	0	-
		ill/data/ao/di			1-	
0.209	0.786	11.4	21,712	0	0	-
		_Engage_T04			-	
0.453	1.57	300	21,655	2	0	-
		/v1/delivery_		_	_	
0.453	1.57	300	21,655	2	0	-
0.450		support/1d/c				
0.453	1.58	300	21,685	3	0	-
0.000		i;dc_pre=CJf			_	
0.029	0.04	3.07	21,653	0	0	-
0.000		dback/feedba	-	٥	0	
0.029	0.04	3.07	21,653	0	0	-
0.005		i;dc_pre=CJ				
0.005	0.008	3.02	21,653	0	0	-
0.004		verizon/js/as		0	0	
0.004	0.006	3.02	21,653	0	0	-
0.004		port/etc/desi			0	
0.001	0.001	0.039	21,653	0	0	



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	/ui/hub/i	nqChat.html				
0.039	0.074	5.2	21,651	0	0	-
	💄 /ui/h	ub/inqChat.l	ntml			
0.037	0.072	5.2	21,653	0	0	-
	lask	verizon/cont	ent/images/s	svg/chatbub	blelcon.svg	
0.001	0.002	0.636	21,651	0	0	-
	/pagead	/viewthrougl	hconversion	/970874113/		
0.004	0.007	12.7	21,650	0	0	-
	is/ir	nage/Verizo	nWireless/ap	ple_iphone	4	
0.004	0.007	12.7	21,651	0	0	-

# $0125\_MVO\_M\_Engage\_OverviewDisable$

Min	Avg	Max	Count	Err	% of Err	SLA Profile
0125_	MVO_M_Eng	gage_Overvi	ewDisable			
224.6	371.8	693.7	1,000	491	49.1	-
a Ac	ctions					
0.62	16.4	310	22,246	710	3.2	-
C	MVO_M_E	ngage_T01_	Launch			
0.182	0.328	300.2	22,960	1	0	-
	<u> </u>					
0.139	0.266	3.56	23,244	0	0	-
	<u> </u>					
0.02	0.096	3.37	23,244	0	0	-
	<u> </u>					
0.082	0.117	1.18	23,244	0	0	-
	🛅 /da	m/vzwcom/u	ıtag/prod/uta	g.sync.js		
0.014	0.02	0.218	23,244	0	0	-
	📋 /ui-	one-digital/h	p/build/hp.c	ss		
0.009	0.013	0.221	23,244	0	0	-
	💄 /ui-		n/build/gnav	css.		
0.009	0.012	0.122	23,244	0	0	-
		m/vzwcom/u	ıtag/prod/uta	g.js		
0.016	0.052	1.06	23,244	0	0	-
				zpreorde	r-d-01262020	
0.003	0.006	3.01	23,244	0	0	-
			d/utag.sync.	js		
0.024	0.047	300	23,243	1	0	-
			n/build/gnav			
0.002	0.002		23,244	0	0	-
			np/build/hp.js			
0.003	0.004	0.092	23,244	0	0	-
					layBold.woff	2
0.009	0.015	3.02	23,244	0	0	-
			s/NeueHaas@		lay.woff2	
0.01	0.015	3.02	23,244	0	0	-



	Min	Avg	Max	Count	Err	% of Err	SLA Profile
0.009		ui-oı	ne-digital/gl	obal-heade	.ct.globalhe	ader.json	
0.001	0.009						-
		💄 /ui-o	ne-digital/gl	obal-foote	ct.globalfoo	ter.json	
0.003	0.001	0.006	0.07	23,244	0	0	-
0.003		ui-oı	ne-digital/gr	/build/gnav.	js.map		
0.005	0.003					0	-
0.005		l /ui-o	ne-digital/hp	/build/hp.js.	.map		
0.008	0.005					0	-
0.008		Jomni/co	mmon/is/ve	ndor/monot	vpe/helvetic	aNeue.is	
0.008	0.008						-
0.008		[] /omn	i/common/is	s/vendor/mo	notype/hely	eticaNeue is	
0.001	0.008						-
0.001		/player s	ni	,			
/omni/common/js/vendor/monotype/helveticaNeue.css	0.001			23.242	0	0	-
0.001	0.00.			· '			
MVO_M_Engage_T02_clickaccount	0.001						SS
0.11					U	U	-
					0	0	
0.1	0.11			22,672	U	U	-
						1-	
0.084	0.1			22,958	0	0	-
/am/css/bootstrap-3.3.7.min.css			_				
0.001	0.084	0.116	1.5	22,959	0	0	-
/am/css/less-space.css		/am/d	css/bootstra	p-3.3.7.min.	css		
0.001	0.001	0.003	6.24	22,958	0	0	-
/am/css/style-2.0.css		] /am/d	css/less-spa	ce.css			
0.002	0.001	0.002	3.02	22,958	0	0	-
/am/css/smart-app-banner.css		] /am/d	css/style-2.0	.css			
0.002	0.002	0.012	0.339	22,958	0	0	-
0.002		] /am/d	css/smart-ap	p-banner.cs	ss		
0.001	0.002					0	-
0.001		/ui-o	ne-digital/gr	/build/gnav.	css		
0.003	0.001					0	-
0.003		/ui-o	ne-digital/gr	/build/gnav.	is		
0.002	0.003					0	-
0.002		] /am/i	e/emart-ann	-hanner is			
/am/js/core.js  0.002	0.002				0	0	-
0.002				,			
/am/js/jquery-1.12.4.min.js  0.003	0.002			22.958	0	0	-
0.003	J.002				-	-	
/am/js/bootstrap-3.3.7.min.js  0.003	0.003				0	0	-
0.003	0.003					J	
/search/staticContent/dist/js/autosuggest.js 0.004 0.013 0.341 22,958 0 0 -  /am/images/myvzw-app-icon.jpg	0.000					0	
0.004 0.013 0.341 22,958 0 0 / /am/images/myvzw-app-icon.jpg	0.003						-
/am/images/myvzw-app-icon.jpg	0.00:						
	0.004					U	-
0.003							
	0.003	0.012	0.341	22,958	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	lam	/content/fon	ts/NHaasGro	teskDSW02-	75Bd.woff2	
0.005	0.015	0.349	22,958	0	0	-
	lam	/content/fon	ts/NeueHaas	GroteskText	55Roman.w	off
0.006	0.016	0.349	22,958	0	0	-
	/	one-digital/g	n/huild/anav	is man		
0.001	0.014	0.347	22,958	0	0	-
			,	et elebellee		
0.001	0.001	one-digital/g	22,958	ct.globaine	ader.json 0	-
0.001			'	1	1	-
0.004		one-digital/g				
0.001	0.001	0.04	22,958	0	0	-
	🔲 /glo	balnav/fonts	/NeueHaasG	roteskDispl	ay.woff2	
0.001	0.001	0.103	22,958	0	0	-
	d /glo	balnav/fonts	/NeueHaasG	roteskDispl	ayBold.woff2	2
0.001	0.002	12.9	22,958	0	0	-
	Jgtag/js	}				
0.005	0.008	0.079	22,958	0	0	-
	lac!	kverizon/js/a	skverizon is			
0.004	0.006	0.07	22,958	0	0	-
			,			
0.004		pport/etc/des			0	
0.001	0.001	0.028	22,958	0	0	-
	/pagea	d/viewthroug	hconversion	/970874113/	_1	
0.001	0.001	0.619	22,958	0	0	-
	lasi	kverizon/con	tent/images/	svg/chatbub	blelcon.svg	
0.001	0.001	0.619	22,958	0	0	-
	MVO_M_E	ngage_T03_S	Signin			
0.279	9.97	303.4	22,511	708	3.1	-
	Jvzauth	/UI/Login				
0.027	0.049	12.8	22,670	0	0	-
	ha	auth/UI/Login				
0.024	0.043	3.05	22,672	0	0	-
0.021				· ·		
0.001	0.002	/css/global-p	22,670	0	0	
0.001					U	-
		/d/css/globa				
0.001	0.002	12.7	22,670	0	0	-
		/css/style.cs				
0.001	0.002	6.23	22,670	0	0	-
	lam	/d/css/style.	css			
0.001	0.002	12.7	22,670	0	0	-
	/am	/js/jquery-1.1	12.4.min.is			
0.001	0.002	3.03	22,670	0	0	-
	domaii	nreliability/u	nload			
0.003	0.005	0.082	22,670	0	0	-
	ГВ					
0.001	0.001	/content/fon 0.032	ts/NHaasGro 22,670	oteskDSW02- 0	75Bd.woff2	-
0.001						
0.055		/content/fon				
0.002	0.003	0.081	22,670	0	0	-



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	Jvzauth/	UI/Login_1				
0.237	1.59	15.3	22,644	110	0.5	-
	/vza	uth/UI/Login				
0.032	0.052	3.07	22,670	0	0	-
	💄 /ui/h	ub/secure/o	verview			
0.196	1.51	15.2	22,670	110	0.5	-
	ima /ima	geFiles/post	tpay-hub-ms	sit/overviev	v/common.c	ss
0.009	0.014	0.354	22,534	0	0	-
	ima/	geFiles/post	tpay-hub-ms	itoverview	/overview.js	
0.023	0.029	0.401	22,534	0	0	-
	l /s7vi	iewers/html	5/VideoView	er.css		
0.011	0.016	3.07	22,534	0	0	-
	ls7vi	iewers/html	5/js/VideoVie	ewer.js		
0.009	0.014	0.378	22,534	0	0	-
	l /ui-o	ne-digital/gı	n/build/gnav	.js		
0.001	0.002	0.033	22,535	0	0	-
	la /ui-o	ne-digital/gi	n/build/gnav	.css		
0.001	0.002		22,535	0	0	-
	🥑 /qlobaln	av/fonts/Ne	ueHaasGrote	eskDisplayB	old.woff	
0.003	0.005	3.02	22,534	0	0	-
	[] /alok	palnav/fonts	/NeueHaasG	roteskDispl	ayBold.woff	
0.002	0.003	3.02	22,534	0	0	-
	/ui-o	ne-digital/gl	obal-heade.	ce.globalhe	eader.ison	
0.001	0.001	0.04	22,534	0	0	-
	Jui/hub/d	data/secure/	ntwkoutage/	/getOutageIr	nfo	
2.44	5.43	302	22,461	598	2.7	-
	/ui/h	uh/data/sec	ure/overview	v/aet ensiah	iten tags	
0.074	0.131	4.25	22,534	0	0	-
	/ui/h	uh/data/sec	ure/live-tiles			
0.147	3.17	300	22,532	599	2.7	-
	/ui/b	ub/data/sec	ure/mydevic	es/devices-l	iet	
0.895	1.99	300	22,532	2	0	-
	/ui/h	uh/data/soc	ure/mydevic	as/tilas/sum	nort	
0.099	0.164	5.07	22,532	0	0	-
	discove					
0.094	0.157	12.9	21,860	0	0	-
	/disc	over/gn_pz	n			
0.086	0.149	6.89	21,863	0	0	-
	/ui-o	no-digital/gr	n/build/gnav	ie man		
0.001	0.002	12.8	21,860	.js.iiiap 0	0	-
	_		obal-foote			
0.001	0.002	0.054	21,860	0	0	-
			/NeueHaasG		-	
0.001	0.003	12.7	21,860	0	ay.wom2	-
	-					
0.002	0.004	6.27	/NeueHaasG 21,860	0	old.woff	-
3.002	J.007	J.L1	21,000	3	J	



Min	Avg	Max	Count	Err	% of Err	SLA Profile
	🛅 /gld	balnav/fonts	/NeueHaasG	roteskDisp	layBold.woff	2
0.001	0.002	6.23	21,860	0	0	-
	/suppo	rt/1d/data/se	cure/recomn	nendations		
1.23	2.57	28.5	21,833	0	0	-
	la /su	pport/1d/data	a/secure/reco	ommendatio	ns	
1.23	2.57	28.5	21,860	0	0	-
	/rest/v	I/delivery				
0.002	0.003	0.834	21,833	0	0	-
	] /ald	obalnav/fonts	:/NeueHaas@	roteskText	woff	
0.002	0.003	0.834	21,833	0	0	-
	/ootivit	yi;src=27617	60:tvno-b2	rd_0544276	E66000 102	
0.002	0.003	0.167	21,833	0	0	-
0.002			'	· ·		
0.001	0.001	kverizon/js/a	skverizon.js 21,833	0	0	_
0.001			•		U	
0.004		pport/etc/des			0	
0.001	0.001	0.025	21,833	0	0	-
		yi;src=68597				
0	0.001	0.678	21,832	0	0	-
	🚨 /as	kverizon/con	tent/images/	svg/chatbul	oblelcon.svg	
0	0.001	0.678	21,833	0	0	-
	d /chatsl	kins/launch/ir	nqChatLaund	:h10004593.	js	
0.038	0.07	5.95	21,828	0	0	-
	la /ui/	hub/inqChat.	html			
0.038	0.07	5.95	21,832	0	0	-
	i /feedba	ack/feedback	loop			
0.172	0.209	0.848	21,825	0	0	-
	lfee	edback/feedb	ackloon			
0.172	0.209	0.848	21,828	0	0	-
		ngage_T04_E				
2.74	6.16	302.8	21,537	1	0	-
		ao/viewbill	,,00.			
0.43	0.64	ao/viewbill 13.2	21,784	0	0	_
0.40				O .	U	
0.19	0.333	bill/ao/viewbi	21,803	0	0	
0.19				U	U	-
0.475		bill/ao/viewbi		۰	•	
0.175	0.277	6.68	21,796	0	0	-
		one-digital/g				
0.009	0.015	0.447	21,784	0	0	-
	🔲 /ui-	one-digital/g		.js		
0.009	0.016	0.441	21,784	0	0	-
	ui-	one-digital/g	n/build/gnav	.js.map		
0.006	0.018	0.449	21,784	0	0	-
	im/im	ageFiles/pos	tpay-bill-msi	ViewBill/V	iewBill.js	
0.018	0.025	6.25	21,784	0	0	-
	📋 /ui-	one-digital/g	lobal-heade.	ce.globalh	eader.ison	
0.001	0.002	12.7	21,784	0	0	-



	Min	Avg	Max	Count	Err	% of Err	SLA Profile
		💄 /ui-o	ne-digital/gl	obal-foote	ce.globalfoo	ter.json	
1.75	0.001	0.002	12.7	21,784	0	0	-
/globalnav/fonts/NeueHaasGroteskDisplay.woff2		🧕 /globaln	av/fonts/Neเ	ıeHaasGrote	eskDisplay.w	off2	
0.001	1.75	3.94	302.2	21,687	1	0	-
/globalnav/fonts/NeueHaasGroteskTextBold.woff		💄 /glok	oalnav/fonts/	/NeueHaasG	roteskDispla	ay.woff2	
0.001	0.001	0.001	0.042	21,784	0	0	-
/globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		📋 /glok	oalnav/fonts/	/NeueHaasG	roteskTextB	old.woff	
0.001 0.001 0.026 21,783 0 0	0.001	0.001	0.055	21,783	0	0	-
		🛅 /glok	oalnav/fonts/	/NeueHaasG	roteskDispla	ayBold.woff2	2
0.001 0.001 0.046 21,783 0 0	0.001	0.001	0.026	21,783	0	0	-
		📋 /glok	oalnav/fonts/	/NeueHaasG	roteskDispla	ayBold.woff	
0.641 1.2 14.7 21,783 0 0 0 -	0.001	0.001	0.046	21,783	0	0	-
		ui/b	ill/data/ao/di	gital/summa	ıry		
0.232	0.641	1.2	14.7	21,783	0	0	-
		ui/b	ill/data/secu	re/live-tiles			
0.113	0.232	1.2	300	21,753	1	0	-
/globalnav/fonts/NeueHaasGroteskText.woff		ui/b	ill/data/secu		D/get_ensig	hten_tags	
0.001	0.113	0.197	4.52	21,753	0	0	-
		📋 /glok	oalnav/fonts/	/NeueHaasG	roteskText.v	voff	
0.348	0.001	0.002	12.7	21,753	0	0	-
		ui/b	ill/data/secu	re/fp/activition	es		
0.205	0.348	0.55	11.8	21,753	0	0	-
MVO_M_Engage_T04A_BillSupport		ui/b					
0.447	0.205	0.805	300	21,753	1	0	-
			_Engage_T0	4A_BillSupp	ort		
0.447	0.447	1.56	26.2	21,671	0	0	-
		/sup			mmendatio	ns	
0.447	0.447	1.56	26.2	21,671	0	0	-
		<u></u> /	support/1d/d		recommenda	ations	
0.004	0.447	1.56	26.2	21,686	0	0	-
/is/image/VerizonWireless/apple_iphone4  0.004							
0.004	0.004						-
/activityi;src=2761768;type=b2rd=7189385949320.237  0.005  0.008  6.24  21,671  0  0  /askverizon/js/askverizon.js  0.004  0.006  6.24  21,671  0  0  - /support/etc/designs/support_rd/c2c.js  0.001  0.002  0.028  21,671  0  0  - /pagead/viewthroughconversion/753972102/  0.001  0.002  0.616  21,671  0  0  - /askverizon/content/images/svg/chatbubblelcon.svg							
0.005	0.004	0.006	6.27	21,671	0	0	-
/askverizon/js/askverizon.js  0.004							
0.004 0.006 6.24 21,671 0 0	0.005	0.008	6.24	21,671	0	0	-
/support/etc/designs/support_rd/c2c.js  0.001							
0.001 0.002 0.028 21,671 0 0	0.004	-	1			0	-
/pagead/viewthroughconversion/753972102/ 0.001 0.002 0.616 21,671 0 0 -  /askverizon/content/images/svg/chatbubblelcon.svg							
0.001 0.002 0.616 21,671 0 0 // /askverizon/content/images/svg/chatbubblelcon.svg	0.001	0.002	0.028	21,671	0	0	-
/askverizon/content/images/svg/chatbubblelcon.svg		/pagead/	/viewthrougl	nconversion	/753972102/		
	0.001	_		· ·			-
0.001 0.002 0.616 21,671 0 0 -		lask			svg/chatbub	blelcon.svg	
	0.001	0.002	0.616	21,671	0	0	-



### **Shared Containers**

SLA	Value	Severity
Empty list		

# $0122\_MVO\_D\_Engage\_OverviewDisable\_gg$

SLA	Value	Severity
0122_MVO_D_Engage_OverviewDis	sable_gg	
Actions		
MVO_D_Engage_T01_Launce	th	
<u> </u>		
/dam/vzwcom/utag/p	rod/utag.sync.js	
/dam/vzwcom/utag/p	rod/utag.js	
ui-one-digital/hp/bui	ld/hp.css	
ui-one-digital/gn/bui	ld/gnav.css	
ui-one-digital/gn/bui	ld/gnav.js	
ui-one-digital/hp/bui	ld/hp.js	
/is/image/VerizonWir	eless/vzeals-hero-d-01132020	
i /omni/common/js/vendo	r/monotype/helveticaNeue.js	
/omni/common/js/vei	ndor/monotype/helveticaNeue.js	
<pre>/player_api</pre>		
is/image/VerizonWir	eless/vzd-mixandmatch-d-0808	
/globalnav/fonts/Neu	eHaasGroteskDisplay.woff	
ui-one-digital/global	-footect.globalfooter.json	
/globalnav/fonts/Neu	eHaasGroteskDisplayBold.woff	
ui-one-digital/global	-headect.globalheader.json	
/yts/jsbin/www-widgetap	i-vfleSrT7y/www-widgetapi.js	
/omni/common/js/vei	ndor/monotype/helveticaNeue.css	
MVO_D_Engage_T02_clicka	ccount	
i /my-verizon/		
/my-verizon/		
letc/designs/vzwcom	/fiveg/ma/jquery-3.3.1.min.js	
/globalnav/css/globa	Inav-js.css	
/ui-one-digital/etc/de	signs/ing-site/css/app.css	
[] /globalnav/css/omnif	ooter.css	
/omni/d/js/vendor/lib	s/jquery.js	
/omni/d/js/vendor/lib	s/jquery.cookie.js	
omni/dt/js/libs/handl	lebars.js	



SLA	Value	Severity	
/ui-one-digital/etc/de	signs/site/js/analytics.js		
dglobalnav/gnav.js			
[] /globalnav/omnifoote	er.js		
/ui-one-digital/gn/bui	ld/gnav.js		
is/image/VerizonWir	eless/my-verizon-sms-111518		
/ui-one-digital/etc/de	signs/nding-site/js/app.js		
Jglobalnav/fonts/Neu	eHaasGroteskTextBold.woff2		
dglobalnav/fonts/l	NeueHaasGroteskTextBold.woff2		
/vzauth/UI/Login			
/am/css/bootstra	p-3.3.7.min.css		
/am/css/less-spa	ce.css		
am/css/style-2.0.	css		
/search/staticCor	ntent/dist/js/autosuggest.js		
am/js/core.js			
am/js/bootstrap-	3.3.7.min.js		
am/js/jquery-1.12	•		
_	NeueHaasGroteskDisplayBold.woff2		
lrest/v1/delivery			
	eHaasGroteskDisplay.woff2		
<u></u>			
/am/content/fonts/NH	laasGroteskDSW02-75Bd.woff2		
/am/content/fonts/Ne	ueHaasGroteskText55Roman.ttf		
MVO_D_Engage_T03_Signin			
/vzauth/UI/Login			
/vzauth/UI/Login			
/am/css/global-phoenix.css			
am/d/css/global-pho	enix.css		
/am/css/style.css			
/am/d/css/style.css			
/am/content/fonts/Ne	ueHaasGroteskText.ttf		
/vzauth/UI/Login_1			
/vzauth/UI/Login			
/ui/hub/secure/overvi	iew		
/imageFiles/postpay-	hub-msit/overview/common.css		
/imageFiles/postpay-	hub-msitoverview/overview.js		
/s7viewers/html5/Vid	eoViewer.css		
/s7viewers/html5/js/V	•		
/ui-one-digital/gn/build/gnav.js			
	verview/get_ensighten_tags		
i/ui/hub/data/secure/li	ive-tiles		



SLA	Value	Severity
/ui/hub/data/secure	e/mydevices/devices-list	
lui/hub/data/secure	e/mydevices/tiles/support	
lsupport/1d/data/s	ecure/recommendations	
discover/gn_pzn		
lui-one-digital/glob	pal-headece.globalheader.json	
lui-one-digital/glob	oal-footece.globalfooter.json	
lglobalnav/fonts/N	eueHaasGroteskTextBold.woff	
dglobalnav/fonts/N	eueHaasGroteskText.woff	
i /pixel		
laskverizon/js/askv	verizon.js	
l/support/etc/desig	ns/support_rd/c2c.js	
/ui/hub/inqChat.html		
l /ui/hub/inqChat.htm	nl	
[] /feedback/feedbac	kloop	
is/image/VerizonV	Vireless/apple_iphone4	
[] /feedback/feedbac	kloop	
Ifavicon.ico		
[] /favicon.ico		
MVO_D_Engage_T04_Bille	Overview	
ui/bill/ao/viewbill		
ui/bill/ao/viewbill		
ui/bill/ao/viewbill		
imageFiles/postpa	ay-bill-msiViewBill/ViewBill.js	
lui-one-digital/gn/b	ouild/gnav.js	
l /ui/bill/data/ao/digi	tal/summary	
lui/bill/data/secure	/viewbill_1D/get_ensighten_tags	
lui/bill/data/secure	/live-tiles	
<pre>/rest/v1/delivery</pre>		
ui/bill/data/secure	/fp/activities	
ui/bill/data/ao/digi	tal/details	
MVO_D_Engage_T04A	_BillSupport	
included in the second of the		
/support/1d/da	ta/secure/recommendations	
/activityi;dc_pre=CJf2	w425l-cCzwvp0;u9=desktop;u16	
/feedback/feedbac	kloop	
<pre>/activityi;dc_pre=CJOj</pre>	xI25I-cCbwi00;ord=1;num=3851	
askverizon/js/askv	verizon.js	
support/etc/design	ns/support_rd/c2c.js	
/ui/hub/inqChat.html		
lui/hub/inqChat.htm	nl	



SLA	Value	Severity		
/askverizon/content/im	ages/svg/chatbubblelcon.svg			
/pagead/viewthroughconversion/970874113/				
/is/image/VerizonWirele	ess/apple_iphone4			

## ${\bf 0125\_MVO\_M\_Engage\_OverviewDisable}$

SLA	Value	Severity
0125_MVO_M_Engage_Overview	Disable	
Actions		
MVO_M_Engage_T01_Lau	nch	
<u>•</u> 1		
<u> </u>		
<u> </u>		
dam/vzwcom/utag	/prod/utag.sync.js	
ui-one-digital/hp/b	uild/hp.css	
/ui-one-digital/gn/b	uild/gnav.css	
dam/vzwcom/utag	/prod/utag.js	
is/image/VerizonW	/ireless/vzpreorder-d-01262020	
Jutag/vzw/main/prod/ut	tag.sync.js	
ui-one-digital/gn/b	uild/gnav.js	
ui-one-digital/hp/b	uild/hp.js	
[] /globalnav/fonts/Ne	eueHaasGroteskDisplayBold.woff2	
[] /globalnav/fonts/Ne	eueHaasGroteskDisplay.woff2	
ui-one-digital/glob	al-headect.globalheader.json	
ui-one-digital/glob	al-footect.globalfooter.json	
ui-one-digital/gn/b	uild/gnav.js.map	
ui-one-digital/hp/b	uild/hp.js.map	
in /omni/common/js/vend	lor/monotype/helveticaNeue.js	
omni/common/js/v	vendor/monotype/helveticaNeue.js	
<pre>/player_api</pre>		
omni/common/js/v	vendor/monotype/helveticaNeue.css	
MVO_M_Engage_T02_clic	kaccount	
/vzauth/UI/Login		
/vzauth/UI/Login		
am/css/bootstrap-	3.3.7.min.css	
am/css/less-space	e.css	
/am/css/style-2.0.c	ss	
am/css/smart-app	-banner.css	
ui-one-digital/gn/b	uild/gnav.css	
ui-one-digital/gn/b	uild/gnav.js	
lam/js/smart-app-b	anner.js	

SLA	Value	Severity
lam/js/core.js		
am/js/jquery-1.12.4.n	nin.js	
am/js/bootstrap-3.3.7	'.min.js	
/search/staticContent	/dist/js/autosuggest.js	
lam/images/myvzw-a	op-icon.jpg	
am/content/fonts/NH	aasGroteskDSW02-75Bd.woff2	
am/content/fonts/Net	ueHaasGroteskText55Roman.woff	
lui-one-digital/gn/buil	d/gnav.js.map	
lui-one-digital/global-	headect.globalheader.json	
lui-one-digital/global-	footect.globalfooter.json	
[] /globalnav/fonts/Neue	eHaasGroteskDisplay.woff2	
[] /globalnav/fonts/Neue	eHaasGroteskDisplayBold.woff2	
₫ /gtag/js		
askverizon/js/askver	izon.js	
l/support/etc/designs/	support_rd/c2c.js	
/pagead/viewthroughcon	version/970874113/_1	
askverizon/content/ii	mages/svg/chatbubblelcon.svg	
MVO_M_Engage_T03_Signin		
/vzauth/Ul/Login		
/vzauth/UI/Login		
am/css/global-phoen	ix.css	
am/d/css/global-pho	enix.css	
am/css/style.css		
lam/d/css/style.css		
am/js/jquery-1.12.4.n	nin.js	
domainreliability/upload		
am/content/fonts/NH	aasGroteskDSW02-75Bd.woff2	
am/content/fonts/Net	ueHaasGroteskText.woff	
<pre>/vzauth/UI/Login_1</pre>		
/vzauth/UI/Login		
lui/hub/secure/overvi	ew	
imageFiles/postpay-l	nub-msit/overview/common.css	
imageFiles/postpay-l	nub-msitoverview/overview.js	
3/s7viewers/html5/Vide	eoViewer.css	
3/s7viewers/html5/js/V	ideoViewer.js	
lui-one-digital/gn/buil	d/gnav.js	
/ui-one-digital/gn/buil	d/gnav.css	
₫ /globalnav/fonts/NeueHaa	asGroteskDisplayBold.woff	
/globalnav/fonts/Neue	eHaasGroteskDisplayBold.woff	
l /ui-one-digital/global-	headece.globalheader.json	



SLA	Value	Severity
ui/hub/data/secure/ntwk	outage/getOutageInfo	
lui/hub/data/secure/o	verview/get_ensighten_tags	
lui/hub/data/secure/li	ve-tiles	
ui/hub/data/secure/n	nydevices/devices-list	
ui/hub/data/secure/n	nydevices/tiles/support	
discover/gn_pzn		
discover/gn_pzn		
ui-one-digital/gn/buil	ld/gnav.js.map	
ui-one-digital/global-	footece.globalfooter.json	
[] /globalnav/fonts/Neu	eHaasGroteskDisplay.woff2	
[] /globalnav/fonts/Neu	eHaasGroteskTextBold.woff	
lglobalnav/fonts/Neu	eHaasGroteskDisplayBold.woff2	
support/1d/data/secure/i	recommendations	
l /support/1d/data/secu	ure/recommendations	
<pre>/rest/v1/delivery</pre>		
Jglobalnav/fonts/Neu	eHaasGroteskText.woff	
/activityi;src=2761768;ty	pe=b2rd=9544376566009.193	
askverizon/js/askver	izon.js	
lsupport/etc/designs/	/support_rd/c2c.js	
/activityi;src=685973;type	e=vzwsecure%2Foverview;u1	
askverizon/content/i	mages/svg/chatbubblelcon.svg	
/chatskins/launch/inqCha	atLaunch10004593.js	
/ui/hub/inqChat.html		
/feedback/feedbackloop		
/feedback/feedbacklo	оор	
MVO_M_Engage_T04_BillOv	erview	
ui/bill/ao/viewbill		
ui/bill/ao/viewbill		
/ui/bill/ao/viewbill		
/ui-one-digital/gn/bui	ld/gnav.css	
/ui-one-digital/gn/buil	•	
/ui-one-digital/gn/buil		
	bill-msiViewBill/ViewBill.js	
	-headece.globalheader.json	
	-footece.globalfooter.json	
/globalnav/fonts/NeueHa		
	eHaasGroteskDisplay.woff2	
	eHaasGroteskTextBold.woff	
	eHaasGroteskDisplayBold.woff2	
☐ /globalnav/fonts/Neu	eHaasGroteskDisplayBold.woff	



SLA	Value	Severity
ui/bill/data/ao/digital	/summary	
ui/bill/data/secure/liv	ve-tiles	
ui/bill/data/secure/vi	ewbill_1D/get_ensighten_tags	
/globalnav/fonts/Neu	eHaasGroteskText.woff	
ui/bill/data/secure/fp	/activities	
ui/bill/data/ao/digital	/details	
MVO_M_Engage_T04A_	BillSupport	
/support/1d/data/sec	ure/recommendations	
l /support/1d/data/	secure/recommendations	
<pre>/rest/v1/delivery</pre>		
is/image/VerizonWir	eless/apple_iphone4	
// /activityi;src=2761768;ty	pe=b2rd=7189385949320.237	
askverizon/js/askve	rizon.js	
/support/etc/designs	/support_rd/c2c.js	
/pagead/viewthroughcor	oversion/753972102/	
askverizon/content/	mages/svg/chatbubblelcon.svg	



## Media Contents

## ${\bf 0122\_MVO\_D\_Engage\_OverviewDisable\_gg}$

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

## $0125\_MVO\_M\_Engage\_OverviewDisable$

	Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
E	mpty list						



## Controller

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Lo	ad				
0	1,400	2,000	1,500	1,426	608.3
Controller/Through	nput				
0	714.5	1,356	783.7	720	311.7
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical	Alerts				
0	0	0	0	0	-
Controller/Warning	g Alerts				
0	0	0	0	0	-
Controller/CPU Loa	ad				
2	24.2	74	24	23.7	11
Controller/Memory	Used				
4	13.8	24	14	13.8	5.96
Controller/Thread	Count				
848	864.1	927	858	862.2	15.1
Controller/Connec	ted				
60	60	60	60	60	0
Controller/Total Di	sconnections				
0	0	0	0	0	0
Controller/Total Re	econnections				
0	0	0	0	0	0
Controller/Network	d/Segments sent/sec				
2,283	15,409	37,629	14,924	15,284	4,129
Controller/Network	d/Segments retransn	nitted/sec.			
0	95.7	1,448	0	53.7	249
Controller/NeoLoa	d Web/Megabits rec	eived/sec.			
0	0	0	0	0	-
Controller/NeoLoa	d Web/Megabits sen	t/sec.			
0	0	0	0	0	-
Controller/Default	zone/User Load				
0	0	0	0	0	-
Controller/USA Eas	st - Virginia (Ashbur				
0	1,397	2,000	1,500	1,424	611
Controller/USA Eas	• ,	n 3)/MVO-Engage/U			
0	1,401	2,000	1,500	1,427	607
Controller/USA Eas		n 3)/MVO-Engage/01			
0	700.6	1,000	750	713.6	303.5
Controller/USA Eas	st - Virginia (Ashbur	n 3)/MVO-Engage/01	iewDisable/User L	.oad	
0	700.5	1,000	750	713.5	303.5
Controller/USA Ce	ntral - Iowa (Council	Bluffs)/User Load			
0	0	0	0	0	-

## LG 35.186.165.222:443

Min	Avg	Max	Med	Avg-90%	Std Dev	
LG 35.186.165.222:	443/CPU Load					
0	3.73	15	4	3.56	1.92	
LG 35.186.165.222:443/Memory Used						
0	10.33	24	10	10.12	5.75	



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.186.165.222:	443/Throughput							
0	11.7	24.2	12	11.7	5.69			
LG 35.186.165.222:4	443/User Load							
0	22.9	33	25	23.4	10.23			
LG 35.186.165.222:4	LG 35.186.165.222:443/Thread Count							
0	89.2	111	91	89.8	16.3			
LG 35.186.165.222:4	443/Http client/Threa	ad Pool used						
0	0.1	0.11	0.1	0.1	0.006			
LG 35.186.165.222:4	443/Http client/Task	Pool used						
0	0.001	0.067	0	0	0.005			
LG 35.186.165.222:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 35.186.165.222:4	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 35.186.165.222:	443/Controller Conn	ection/Ping Duration	n (ms)					
3	9.83	24	4	9.41	8.71			
LG 35.186.165.222:	443/Network/Segme	nts sent/sec.						
0	491.7	1,012	501.5	489.1	229.4			
LG 35.186.165.222:4	443/Network/Segme	nts retransmitted/se	c.					
0	0.023	1.2	0	0	0.12			
LG 35.186.165.222:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0	12	24.7	12.3	12	5.78			
LG 35.186.165.222:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0	0.952	2.09	0.978	0.947	0.434			

## LG 35.188.230.153:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.188.230.15	3:443/CPU Load						
0	3.46	14	3	3.32	1.81		
LG 35.188.230.15	3:443/Memory Used						
0	10.68	25	10	10.5	5.93		
LG 35.188.230.153:443/Throughput							
0	11.8	27.2	11.9	11.7	5.85		
LG 35.188.230.15	3:443/User Load						
0	23	33	25	23.4	10.21		
LG 35.188.230.15	3:443/Thread Count						
0	88.8	110	91	89.4	15.7		
LG 35.188.230.15	3:443/Http client/Thre	ead Pool used					
0	0.1	0.1	0.1	0.1	0.006		
LG 35.188.230.15	3:443/Http client/Tas	k Pool used					
0	0.001	0.067	0	0	0.006		
LG 35.188.230.15	3:443/Controller Con	nection/Disconnecti	ons				
0	0	0	0	0	-		
LG 35.188.230.15	3:443/Controller Con	nection/Reconnection	ons				
0	0	0	0	0	-		
LG 35.188.230.15	3:443/Controller Con	nection/Ping Duration	on (ms)				
3	9.73	33	4	8.92	8.99		
LG 35.188.230.15	3:443/Network/Segm	ents sent/sec.					
0	493.4	1,116	511.3	490.7	238.6		
LG 35.188.230.15	3:443/Network/Segm	ents retransmitted/s	ec.				
0	0.015	2.6	0	0	0.152		
LG 35.188.230.15	3:443/Network/eth0 (	eth0)/Megabits recei	ved/sec.				
0	12	27.8	12.2	12	5.94		
LG 35.188.230.15	3:443/Network/eth0 (	eth0)/Megabits sent/	sec.				
0	0.956	2.19	0.985	0.956	0.438		



## LG 35.188.230.219:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.188.230.219	:443/CPU Load						
0	3.45	10	3	3.37	1.59		
LG 35.188.230.219:443/Memory Used							
0	10.87	25	10	10.71	5.9		
LG 35.188.230.219	:443/Throughput						
0	11.7	26	12.2	11.6	5.78		
LG 35.188.230.219	:443/User Load						
0	23	33	25	23.4	10.23		
LG 35.188.230.219	:443/Thread Count						
0	89	113	89	89.4	16.3		
LG 35.188.230.219	:443/Http client/Thre	ad Pool used					
0	0.1	0.1	0.1	0.1	0.006		
LG 35.188.230.219	:443/Http client/Task	Pool used					
0	0	0.033	0	0	0.003		
LG 35.188.230.219	:443/Controller Conr	ection/Disconnection	ons				
0	0	0	0	0	-		
LG 35.188.230.219	:443/Controller Conr	ection/Reconnectio	ns				
0	0	0	0	0	-		
LG 35.188.230.219	:443/Controller Conr	ection/Ping Duration	n (ms)				
3	8.31	33	4	7.33	9		
LG 35.188.230.219	:443/Network/Segme	ents sent/sec.					
0	489.7	1,136	497.7	487.3	233.3		
LG 35.188.230.219	:443/Network/Segme	ents retransmitted/se	ec.				
0	0.029	3.82	0	0	0.256		
LG 35.188.230.219	LG 35.188.230.219:443/Network/eth0 (eth0)/Megabits received/sec.						
0	12	26.7	12.4	11.9	5.87		
LG 35.188.230.219	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.				
0	0.952	1.94	1.01	0.95	0.433		

## LG 35.188.232.163:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.188.232.163:443/CPU Load							
0	3.9	14	4	3.74	1.99		
LG 35.188.232.163:4	443/Memory Used						
0	11.1	25	11	10.89	6.01		
LG 35.188.232.163:4	443/Throughput						
0	11.8	24.4	12	11.7	5.8		
LG 35.188.232.163:4	443/User Load						
0	23	33	25	23.4	10.21		
LG 35.188.232.163:4	443/Thread Count						
0	88.9	112	90	89.3	15.8		
LG 35.188.232.163:4	443/Http client/Threa	ad Pool used					
0	0.1	0.11	0.1	0.1	0.006		
LG 35.188.232.163:4	443/Http client/Task	Pool used					
0	0.001	0.033	0	0	0.004		
LG 35.188.232.163:4	443/Controller Conn	ection/Disconnection	ons				
0	0	0	0	0	-		
LG 35.188.232.163:4	443/Controller Conn	ection/Reconnection	ns				
0	0	0	0	0	-		
LG 35.188.232.163:4	443/Controller Conn	ection/Ping Duration	n (ms)				
4	22.2	34	22	22.5	4.29		

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.188.232.163:	LG 35.188.232.163:443/Network/Segments sent/sec.								
0	492.8	999.2	501.4	492.8	231.6				
LG 35.188.232.163:	LG 35.188.232.163:443/Network/Segments retransmitted/sec.								
0	0.01	0.805	0	0	0.075				
LG 35.188.232.163:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0	12.1	24.9	12.3	12	5.88				
LG 35.188.232.163:443/Network/eth0 (eth0)/Megabits sent/sec.									
0	0.957	1.86	0.999	0.959	0.43				

## LG 35.188.239.59:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.188.239.59:44	43/CPU Load								
0	3.59	12	3	3.45	1.75				
LG 35.188.239.59:443/Memory Used									
0	11.1	27	11	10.9	6.06				
LG 35.188.239.59:44	43/Throughput								
0	11.8	25.8	12.4	11.8	5.59				
LG 35.188.239.59:44	43/User Load								
0	23.2	33	25	23.6	10.07				
LG 35.188.239.59:44	43/Thread Count								
0	89.3	110	90	89.8	15.2				
LG 35.188.239.59:44	43/Http client/Thread	d Pool used							
0	0.1	0.105	0.1	0.1	0.006				
LG 35.188.239.59:44	43/Http client/Task F	Pool used							
0	0	0.017	0	0	0.002				
LG 35.188.239.59:44	43/Controller Conne	ction/Disconnection	ns						
0	0	0	0	0	-				
LG 35.188.239.59:44	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 35.188.239.59:44	43/Controller Conne	ction/Ping Duration	(ms)						
3	16.2	42	22	15.7	10.42				
LG 35.188.239.59:44	43/Network/Segmen	ts sent/sec.							
0	494.7	984.6	514.7	494.2	226.1				
LG 35.188.239.59:44	43/Network/Segmen	ts retransmitted/sec	<b>.</b>						
0	0.02	2	0	0	0.148				
LG 35.188.239.59:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0	12.1	26.3	12.7	12.1	5.68				
LG 35.188.239.59:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0	0.957	1.97	0.995	0.96	0.422				

### LG 35.194.80.119:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.194.80.119:44	LG 35.194.80.119:443/CPU Load								
0	3.57	12	4	3.46	1.73				
LG 35.194.80.119:44	43/Memory Used								
0	10.19	23	10	10.07	5.25				
LG 35.194.80.119:44	43/Throughput								
0	12.2	28.1	12.1	12.1	5.91				
LG 35.194.80.119:44	43/User Load								
0	23.8	34	25	24.2	10.25				
LG 35.194.80.119:443/Thread Count									
0	90.2	113	91	90.6	16.3				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.194.80.119:443/Http client/Thread Pool used									
0	0.1	0.1	0.1	0.1	0.006				
LG 35.194.80.119:44	LG 35.194.80.119:443/Http client/Task Pool used								
0	0	0.033	0	0	0.003				
LG 35.194.80.119:44	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 35.194.80.119:44	43/Controller Conne	ection/Reconnections	S						
0	0	0	0	0	-				
LG 35.194.80.119:44	43/Controller Conne	ection/Ping Duration	(ms)						
4	10.77	34	5	9.92	9.67				
LG 35.194.80.119:44	43/Network/Segmen	ts sent/sec.							
0	510.8	1,170	522.3	507.1	238.9				
LG 35.194.80.119:44	43/Network/Segmen	ts retransmitted/sec							
0	0.034	3.2	0	0	0.229				
LG 35.194.80.119:44	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0	12.5	28.8	12.4	12.4	6				
LG 35.194.80.119:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0	0.989	2.11	1.01	0.986	0.439				

## LG 35.194.88.86:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.194.88.86:44	3/CPU Load				
0	3.64	19	3	3.5	1.85
LG 35.194.88.86:44	3/Memory Used				
0	11.1	24	11	10.93	6.01
LG 35.194.88.86:44	3/Throughput				
0	11.9	29.2	12.1	11.8	5.69
LG 35.194.88.86:44	3/User Load				
0	23.2	33	25	23.6	10.09
LG 35.194.88.86:44	3/Thread Count				
0	88.9	110	91	89.4	15.6
LG 35.194.88.86:44	3/Http client/Thread	Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.194.88.86:44	3/Http client/Task Po	ool used			
0	0	0.017	0	0	0.002
LG 35.194.88.86:44	3/Controller Connec	tion/Disconnections	5		
0	0	0	0	0	-
LG 35.194.88.86:44	3/Controller Connec	tion/Reconnections			
0	0	0	0	0	-
LG 35.194.88.86:44	3/Controller Connec	tion/Ping Duration (	ms)		
3	10.36	33	4	9.6	9.29
LG 35.194.88.86:44	3/Network/Segments	s sent/sec.			
0	498.4	1,218	515.2	495.8	231.6
LG 35.194.88.86:44	3/Network/Segments	s retransmitted/sec.			
0	0.023	2	0	0	0.167
LG 35.194.88.86:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.		
0	12.2	29.8	12.4	12.1	5.78
LG 35.194.88.86:44	3/Network/eth0 (eth)	0)/Megabits sent/sec	·.		
0	0.964	2.05	0.995	0.965	0.42



## LG 35.194.89.176:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.194.89.176:4	43/CPU Load								
0	3.79	12	4	3.66	1.78				
LG 35.194.89.176:4	LG 35.194.89.176:443/Memory Used								
0	13.3	31	12	13	7.54				
LG 35.194.89.176:4	43/Throughput								
0	11.9	25.3	12.5	11.8	5.86				
LG 35.194.89.176:4	43/User Load								
0	23.1	33	25	23.6	10.12				
LG 35.194.89.176:4	43/Thread Count								
0	89.5	109	91	90.2	16				
LG 35.194.89.176:4	43/Http client/Threa	d Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.194.89.176:4	43/Http client/Task F	Pool used							
0	0.001	0.083	0	0	0.006				
LG 35.194.89.176:4	43/Controller Conne	ection/Disconnection	ns						
0	0	0	0	0	-				
LG 35.194.89.176:4	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 35.194.89.176:4	43/Controller Conne	ection/Ping Duration	(ms)						
22	22.8	24	23	22.8	0.736				
LG 35.194.89.176:4	43/Network/Segmen	ts sent/sec.							
0	497.1	1,105	525.9	493.9	238.5				
LG 35.194.89.176:4	43/Network/Segmen	ts retransmitted/sec	<b>.</b>						
0	0.019	2.01	0	0	0.164				
LG 35.194.89.176:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0	12.2	25.9	12.9	12.1	5.95				
LG 35.194.89.176:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0	0.963	2.02	1	0.96	0.438				

## LG 35.199.15.169:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.199.15.169:4	LG 35.199.15.169:443/CPU Load							
0	3.6	13	4	3.51	1.79			
LG 35.199.15.169:4	43/Memory Used							
0	10.66	24	10	10.49	5.87			
LG 35.199.15.169:4	43/Throughput							
0	11.7	25.1	12.2	11.6	5.92			
LG 35.199.15.169:4	43/User Load							
0	23	33	25	23.4	10.23			
LG 35.199.15.169:4	43/Thread Count							
0	89.1	109	90	89.8	15.8			
LG 35.199.15.169:4	43/Http client/Thread	d Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.199.15.169:4	43/Http client/Task F	Pool used						
0	0.001	0.05	0	0	0.006			
LG 35.199.15.169:4	43/Controller Conne	ction/Disconnection	าร					
0	0	0	0	0	-			
LG 35.199.15.169:4	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 35.199.15.169:4	43/Controller Conne	ction/Ping Duration	(ms)					
4	22	34	22	22.3	4.32			

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.199.15.169:4	LG 35.199.15.169:443/Network/Segments sent/sec.								
0	490.6	1,007	496.6	489.1	239.2				
LG 35.199.15.169:4	LG 35.199.15.169:443/Network/Segments retransmitted/sec.								
0	0.015	1.6	0	0	0.115				
LG 35.199.15.169:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0	12	25.6	12.4	11.9	6.01				
LG 35.199.15.169:443/Network/eth0 (eth0)/Megabits sent/sec.									
0	0.95	2.12	0.982	0.949	0.444				

## LG 35.199.19.100:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.19.100:44	43/CPU Load				
0	3.71	11	4	3.6	1.72
LG 35.199.19.100:44	43/Memory Used				
0	11	25	10	10.85	6.03
LG 35.199.19.100:44	43/Throughput				
0	11.7	28.9	12.2	11.6	5.76
LG 35.199.19.100:44	43/User Load				
0	23	33	25	23.4	10.23
LG 35.199.19.100:44	43/Thread Count				
0	89.2	109	92	89.9	16.2
LG 35.199.19.100:44	43/Http client/Threa	d Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.199.19.100:44	43/Http client/Task F	Pool used			
0	0	0.033	0	0	0.003
LG 35.199.19.100:44	43/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 35.199.19.100:44	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.199.19.100:44	43/Controller Conne	ection/Ping Duration	(ms)		
3	11.2	34	4	10.44	9.6
LG 35.199.19.100:44	43/Network/Segmen	ts sent/sec.			
0	491.9	1,016	505	489.9	230
LG 35.199.19.100:44	43/Network/Segmen	ts retransmitted/sec	<b>.</b>		
0	0.024	3.02	0	0	0.205
LG 35.199.19.100:44	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0.004	12	29.4	12.5	11.9	5.85
LG 35.199.19.100:44	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0.003	0.953	2.07	1.02	0.952	0.428

### LG 35.199.38.55:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.199.38.55:44	LG 35.199.38.55:443/CPU Load								
0	3.77	13	4	3.65	1.73				
LG 35.199.38.55:44	3/Memory Used								
0	9.54	22	9	9.37	4.99				
LG 35.199.38.55:44	3/Throughput								
0	12.1	27.5	12.3	12	5.67				
LG 35.199.38.55:44	3/User Load								
0	23.8	34	25	24.2	10.24				
LG 35.199.38.55:443/Thread Count									
0	90	113	91	90.4	16				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.199.38.55:443/Http client/Thread Pool used									
0	0.1	0.1	0.1	0.1	0.006				
LG 35.199.38.55:44	LG 35.199.38.55:443/Http client/Task Pool used								
0	0.001	0.067	0	0	0.006				
LG 35.199.38.55:443	3/Controller Connec	tion/Disconnections	<b>i</b>						
0	0	0	0	0	-				
LG 35.199.38.55:44	3/Controller Connec	tion/Reconnections							
0	0	0	0	0	-				
LG 35.199.38.55:44	3/Controller Connec	tion/Ping Duration (	ms)						
3	14.5	86	4	11.9	17.3				
LG 35.199.38.55:44	3/Network/Segment	s sent/sec.							
0	507.9	1,108	518.7	504.3	228.7				
LG 35.199.38.55:44	3/Network/Segments	s retransmitted/sec.							
0	0.012	2.2	0	0	0.131				
LG 35.199.38.55:443	3/Network/eth0 (eth)	0)/Megabits received	/sec.						
0	12.4	28	12.6	12.3	5.75				
LG 35.199.38.55:443	3/Network/eth0 (eth)	0)/Megabits sent/sec							
0	0.985	1.97	1.05	0.983	0.424				

## LG 35.199.40.127:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.199.40.127:4	43/CPU Load								
0	3.5	12	3	3.4	1.62				
LG 35.199.40.127:4	LG 35.199.40.127:443/Memory Used								
0	12.6	31	12	12.3	7.42				
LG 35.199.40.127:4	43/Throughput								
0	11.7	26.2	12.2	11.7	5.69				
LG 35.199.40.127:4	43/User Load								
0	22.9	33	25	23.4	10.24				
LG 35.199.40.127:4	43/Thread Count								
0	88.7	109	92	89.3	15.8				
LG 35.199.40.127:4	43/Http client/Threa	d Pool used							
0	0.1	0.105	0.1	0.1	0.006				
LG 35.199.40.127:4	43/Http client/Task	Pool used							
0	0.001	0.033	0	0	0.003				
LG 35.199.40.127:4	43/Controller Conne	ection/Disconnection	าร						
0	0	0	0	0	-				
LG 35.199.40.127:4	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 35.199.40.127:4	43/Controller Conne	ection/Ping Duration	(ms)						
3	7.57	34	4	6.46	8.41				
LG 35.199.40.127:4	43/Network/Segmer	nts sent/sec.							
0	493.7	1,068	507.4	491	233.2				
LG 35.199.40.127:4	43/Network/Segmer	nts retransmitted/sec	<b>.</b>						
0	0.027	0.6	0	0.015	0.079				
LG 35.199.40.127:4	43/Network/eth0 (et	h0)/Megabits receive	ed/sec.						
0	12	26.7	12.7	11.9	5.78				
LG 35.199.40.127:4	43/Network/eth0 (et	h0)/Megabits sent/se	ec.						
0	0.954	1.9	1	0.956	0.428				



## LG 35.199.52.94:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.199.52.94:4	43/CPU Load							
0	3.5	18	3	3.37	1.77			
LG 35.199.52.94:443/Memory Used								
0	9.85	24	9	9.63	5.44			
LG 35.199.52.94:4	43/Throughput							
0	11.7	28.8	11.7	11.6	5.78			
LG 35.199.52.94:4	43/User Load							
0	23	33	25	23.4	10.21			
LG 35.199.52.94:4	43/Thread Count							
0	89.5	113	91	89.9	16.2			
LG 35.199.52.94:4	43/Http client/Thread	Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.199.52.94:44	43/Http client/Task P	ool used						
0	0	0.033	0	0	0.003			
LG 35.199.52.94:4	43/Controller Connec	ction/Disconnection	s					
0	0	0	0	0	-			
LG 35.199.52.94:44	43/Controller Connec	ction/Reconnections	5					
0	0	0	0	0	-			
LG 35.199.52.94:44	43/Controller Connec	ction/Ping Duration	(ms)					
3	5.88	23	4	5.06	6.08			
LG 35.199.52.94:44	43/Network/Segment	s sent/sec.						
0	492.4	1,351	497.9	487.4	236.8			
LG 35.199.52.94:44	43/Network/Segment	s retransmitted/sec.						
0	0.011	1.8	0	0	0.122			
LG 35.199.52.94:44	43/Network/eth0 (eth	0)/Megabits received	d/sec.					
0	12	29.5	12	11.9	5.87			
LG 35.199.52.94:44	43/Network/eth0 (eth	0)/Megabits sent/see	c.					
0	0.952	2.13	0.972	0.953	0.428			

## LG 35.199.56.131:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.199.56.131:4	43/CPU Load				
0	3.5	11	3	3.41	1.79
LG 35.199.56.131:4	43/Memory Used				
0	10.86	24	10.5	10.71	5.92
LG 35.199.56.131:4	43/Throughput				
0	11.8	29.4	12.5	11.8	6.02
LG 35.199.56.131:4	43/User Load				
0	22.9	33	25	23.4	10.22
LG 35.199.56.131:4	43/Thread Count				
0	89.8	113	91	90.3	16.4
LG 35.199.56.131:4	43/Http client/Thread	d Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.199.56.131:4	43/Http client/Task F	Pool used			
0	0	0.05	0	0	0.003
LG 35.199.56.131:4	43/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 35.199.56.131:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.199.56.131:4	43/Controller Conne	ection/Ping Duration	(ms)		
3	21.5	23	22	22.2	3.75



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.199.56.131:4	LG 35.199.56.131:443/Network/Segments sent/sec.								
0	493.3	1,165	517.7	491.4	243.9				
LG 35.199.56.131:4	LG 35.199.56.131:443/Network/Segments retransmitted/sec.								
0	0.021	1	0	0	0.107				
LG 35.199.56.131:4	43/Network/eth0 (etl	n0)/Megabits receive	ed/sec.						
0	12.1	29.9	12.8	12.1	6.11				
LG 35.199.56.131:443/Network/eth0 (eth0)/Megabits sent/sec.									
0	0.955	2.23	1.02	0.954	0.452				

## LG 35.199.59.145:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.199.59.145:4	43/CPU Load								
0	3.6	16	4	3.48	1.83				
LG 35.199.59.145:4	LG 35.199.59.145:443/Memory Used								
0	8.95	22	8	8.74	4.77				
LG 35.199.59.145:4	43/Throughput								
0	12.1	25.3	12.4	12.1	5.82				
LG 35.199.59.145:4	43/User Load								
0	23.7	34	25	24.2	10.27				
LG 35.199.59.145:4	43/Thread Count								
0	90.1	110	90	90.7	15.7				
LG 35.199.59.145:4	43/Http client/Threa	d Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.199.59.145:4	43/Http client/Task F	Pool used							
0	0	0.033	0	0	0.003				
LG 35.199.59.145:4	43/Controller Conne	ection/Disconnection	าร						
0	0	0	0	0	-				
LG 35.199.59.145:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 35.199.59.145:4	43/Controller Conne	ection/Ping Duration	(ms)						
21	24.1	41	23	23.4	4.46				
LG 35.199.59.145:4	43/Network/Segmen	ts sent/sec.							
0	508.3	1,075	519.6	508.1	234.6				
LG 35.199.59.145:4	43/Network/Segmen	ts retransmitted/sec	<b>.</b>						
0	0.017	1.81	0	0	0.158				
LG 35.199.59.145:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0	12.5	25.8	12.7	12.4	5.9				
LG 35.199.59.145:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.						
0	0.985	1.95	0.996	0.986	0.436				

### LG 35.199.60.126:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.199.60.126:4	LG 35.199.60.126:443/CPU Load								
0	3.45	12	3	3.34	1.67				
LG 35.199.60.126:4	43/Memory Used								
0	11.5	26	11	11.4	6.37				
LG 35.199.60.126:4	43/Throughput								
0	11.8	27.4	12.4	11.8	5.64				
LG 35.199.60.126:4	43/User Load								
0	23.1	33	25	23.6	10.1				
LG 35.199.60.126:443/Thread Count									
0	89.1	112	90	89.6	15.9				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.199.60.126:443/Http client/Thread Pool used									
0	0.1	0.1	0.1	0.1	0.006				
LG 35.199.60.126:4	LG 35.199.60.126:443/Http client/Task Pool used								
0	0.001	0.083	0	0	0.006				
LG 35.199.60.126:4	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 35.199.60.126:4	43/Controller Conne	ection/Reconnections	S						
0	0	0	0	0	-				
LG 35.199.60.126:4	43/Controller Conne	ection/Ping Duration	(ms)						
3	5.84	33	3	4.61	7.29				
LG 35.199.60.126:4	43/Network/Segmen	ts sent/sec.							
0	497.7	1,057	517.3	497.6	231.4				
LG 35.199.60.126:4	43/Network/Segmen	ts retransmitted/sec							
0	0.024	2.82	0	0	0.214				
LG 35.199.60.126:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0	12.1	28	12.7	12.1	5.72				
LG 35.199.60.126:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0	0.963	2.05	1.01	0.967	0.427				

### LG 35.221.13.74:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.221.13.74:44	3/CPU Load								
0	3.63	19	3	3.51	1.85				
LG 35.221.13.74:44	LG 35.221.13.74:443/Memory Used								
0	11.7	27	11	11.5	6.51				
LG 35.221.13.74:44	3/Throughput								
0	11.8	24.1	11.9	11.8	5.67				
LG 35.221.13.74:44	3/User Load								
0	23.2	33	25	23.6	10.1				
LG 35.221.13.74:44	3/Thread Count								
0	89.6	109	91	90.3	15.7				
LG 35.221.13.74:44	3/Http client/Thread	Pool used							
0	0.1	0.105	0.1	0.1	0.006				
LG 35.221.13.74:44	3/Http client/Task Po	ool used							
0	0	0.033	0	0	0.003				
LG 35.221.13.74:44	3/Controller Connec	tion/Disconnections	3						
0	0	0	0	0	ž.				
LG 35.221.13.74:44	3/Controller Connec	tion/Reconnections							
0	0	0	0	0	-				
LG 35.221.13.74:44	3/Controller Connec	tion/Ping Duration (	ms)						
3	13.4	53	4	12	13				
LG 35.221.13.74:44	3/Network/Segments	s sent/sec.							
0	495.9	1,008	511.2	494.1	231.5				
LG 35.221.13.74:44	3/Network/Segments	s retransmitted/sec.							
0	0.01	1	0	0	0.072				
LG 35.221.13.74:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.						
0	12.1	24.5	12.2	12.1	5.76				
LG 35.221.13.74:44	3/Network/eth0 (eth)	0)/Megabits sent/sec	<b>.</b>						
0	0.959	1.82	0.991	0.96	0.424				



## LG 35.221.4.96:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.221.4.96:443	3/CPU Load							
0	3.49	11	3.5	3.41	1.59			
LG 35.221.4.96:443/Memory Used								
0	11.2	26	11	11	6.3			
LG 35.221.4.96:443	3/Throughput							
0	11.7	24.8	11.9	11.6	5.65			
LG 35.221.4.96:443	3/User Load							
0	22.9	33	25	23.4	10.24			
LG 35.221.4.96:443	3/Thread Count							
0	89	110	92	89.5	15.9			
LG 35.221.4.96:443	3/Http client/Thread I	Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.221.4.96:443	3/Http client/Task Po	ol used						
0	0.001	0.05	0	0	0.005			
LG 35.221.4.96:443	3/Controller Connect	ion/Disconnections						
0	0	0	0	0	-			
LG 35.221.4.96:443	3/Controller Connect	ion/Reconnections						
0	0	0	0	0	-			
LG 35.221.4.96:443	3/Controller Connect	ion/Ping Duration (n	ns)					
3	10.04	33	4	9.25	9.44			
LG 35.221.4.96:443	3/Network/Segments	sent/sec.						
0	490.4	1,012	509.5	490.1	228.7			
LG 35.221.4.96:443	3/Network/Segments	retransmitted/sec.						
0	0.012	1.21	0	0	0.088			
LG 35.221.4.96:443	3/Network/eth0 (eth0)	/Megabits received/	sec.					
0	12	25.3	12.2	11.9	5.74			
LG 35.221.4.96:443	3/Network/eth0 (eth0)	/Megabits sent/sec.						
0	0.952	1.8	1.01	0.952	0.429			

## LG 35.221.47.58:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.221.47.58:443/CPU Load								
0	3.66	14	4	3.55	1.75			
LG 35.221.47.58:44	3/Memory Used							
0	10.87	25	10	10.7	6.02			
LG 35.221.47.58:44	3/Throughput							
0	12.2	24.6	12.3	12.1	5.78			
LG 35.221.47.58:44	3/User Load							
0	23.8	34	25	24.2	10.24			
LG 35.221.47.58:44	3/Thread Count							
0	90.1	111	92	90.7	15.6			
LG 35.221.47.58:44	3/Http client/Thread	Pool used						
0	0.1	0.115	0.1	0.1	0.006			
LG 35.221.47.58:44	3/Http client/Task Po	ool used						
0	0.001	0.15	0	0	0.008			
LG 35.221.47.58:44	3/Controller Connec	tion/Disconnections						
0	0	0	0	0	-			
LG 35.221.47.58:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 35.221.47.58:44	3/Controller Connec	tion/Ping Duration (	ms)					
3	12.3	36	5	11.6	9.85			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.221.47.58:44	LG 35.221.47.58:443/Network/Segments sent/sec.								
0	510.5	1,103	516.2	508.3	236.6				
LG 35.221.47.58:44	LG 35.221.47.58:443/Network/Segments retransmitted/sec.								
0	0.027	3	0	0	0.205				
LG 35.221.47.58:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.						
0	12.5	25	12.6	12.4	5.87				
LG 35.221.47.58:443/Network/eth0 (eth0)/Megabits sent/sec.									
0	0.987	1.85	0.997	0.989	0.429				

## LG 35.221.48.246:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.221.48.246:4	43/CPU Load				
0	3.69	12	4	3.62	1.64
LG 35.221.48.246:4	43/Memory Used				
0	13.9	32	13	13.6	8.12
LG 35.221.48.246:4	43/Throughput				
0	11.8	27.7	12.1	11.7	5.93
LG 35.221.48.246:4	43/User Load				
0	23.2	33	25	23.6	10.09
LG 35.221.48.246:4	43/Thread Count				
0	89.4	110	92	90	15.7
LG 35.221.48.246:4	43/Http client/Threa	d Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.221.48.246:4	43/Http client/Task I	Pool used			
0	0.001	0.083	0	0	0.007
LG 35.221.48.246:4	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 35.221.48.246:4	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.221.48.246:4	43/Controller Conne	ection/Ping Duration	(ms)		
3	13.5	47	4	12.3	11.9
LG 35.221.48.246:4	43/Network/Segmen	ts sent/sec.			
0	495.4	1,029	495.8	492.2	237.9
LG 35.221.48.246:4	43/Network/Segmen	ts retransmitted/sec	<b>.</b>		
0	0.02	2.01	0	0	0.142
LG 35.221.48.246:4	43/Network/eth0 (etl	n0)/Megabits receive	ed/sec.		
0	12.1	28.2	12.3	12	6.02
LG 35.221.48.246:4	43/Network/eth0 (etl	n0)/Megabits sent/se	ec.		
0	0.959	1.89	1.01	0.958	0.436

### LG 35.221.61.126:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.221.61.126:4	LG 35.221.61.126:443/CPU Load								
0	3.77	18	4	3.6	1.9				
LG 35.221.61.126:4	43/Memory Used								
0	12.1	28	11	11.9	6.76				
LG 35.221.61.126:4	43/Throughput								
0	12.2	24.3	12.4	12.1	5.68				
LG 35.221.61.126:4	43/User Load								
0	23.7	34	25	24.2	10.26				
LG 35.221.61.126:4	LG 35.221.61.126:443/Thread Count								
0	90.2	111	91	90.7	15.6				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.221.61.126:443/Http client/Thread Pool used								
0	0.1	0.105	0.1	0.1	0.006			
LG 35.221.61.126:4	43/Http client/Task F	Pool used						
0	0.001	0.033	0	0	0.004			
LG 35.221.61.126:4	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 35.221.61.126:4	43/Controller Conne	ction/Reconnections	S					
0	0	0	0	0	-			
LG 35.221.61.126:4	43/Controller Conne	ction/Ping Duration	(ms)					
21	22.3	29	22	22.1	1.47			
LG 35.221.61.126:4	43/Network/Segmen	ts sent/sec.						
0	509.5	1,006	514.5	509.1	228.1			
LG 35.221.61.126:4	43/Network/Segmen	ts retransmitted/sec						
0	0.017	1.8	0	0	0.134			
LG 35.221.61.126:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.					
0	12.5	24.7	12.6	12.5	5.77			
LG 35.221.61.126:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.					
0	0.988	1.81	1.03	0.992	0.421			

## LG 35.230.182.241:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.230.182.241:	443/CPU Load				
0	3.56	15	3	3.36	2
LG 35.230.182.241:	443/Memory Used				
0	10.58	26	10	10.36	5.81
LG 35.230.182.241:	443/Throughput				
0	11.7	26.7	12.3	11.7	5.79
LG 35.230.182.241:	443/User Load				
0	23	33	25	23.4	10.23
LG 35.230.182.241:	443/Thread Count				
0	89.5	113	91	90	16.2
LG 35.230.182.241:	443/Http client/Thre	ad Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.230.182.241:	443/Http client/Task	Pool used			
0	0	0.05	0	0	0.003
LG 35.230.182.241:	443/Controller Conr	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.230.182.241:	443/Controller Conr	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.230.182.241:	443/Controller Conr	ection/Ping Duration	n (ms)		
3	11.8	33	4	11.2	10.01
LG 35.230.182.241:	443/Network/Segme				
0	492.4	1,119	505.6	489.5	233.1
LG 35.230.182.241:	443/Network/Segme	nts retransmitted/se	ec.		
0	0.014	1.2	0	0	0.095
LG 35.230.182.241:	443/Network/eth0 (e	th0)/Megabits receiv	ved/sec.		
0	12	27.3	12.5	12	5.88
LG 35.230.182.241:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.		
0	0.954	1.9	0.997	0.955	0.429



## LG 35.236.192.74:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.236.192.74:	443/CPU Load							
0	3.64	12	4	3.51	1.73			
_G 35.236.192.74:443/Memory Used								
0	11.8	26	11	11.6	6.51			
LG 35.236.192.74:	443/Throughput							
0	12.1	29.3	12	12.1	5.82			
LG 35.236.192.74:	443/User Load							
0	23.7	34	25	24.2	10.26			
LG 35.236.192.74:	443/Thread Count							
0	89.9	112	91	90.4	15.8			
LG 35.236.192.74:	443/Http client/Threa	d Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.236.192.74:	443/Http client/Task	Pool used						
0	0	0.017	0	0	0.002			
LG 35.236.192.74:	443/Controller Conn	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 35.236.192.74:	443/Controller Conn	ection/Reconnection	ıs					
0	0	0	0	0	-			
LG 35.236.192.74:	443/Controller Conn	ection/Ping Duration	(ms)					
3	7.88	33	4	6.72	9.45			
LG 35.236.192.74:	443/Network/Segmer	nts sent/sec.						
0	509.7	1,147	506.1	506.7	236.6			
LG 35.236.192.74:	443/Network/Segmer		o.					
0	0.015	1.4	0	0	0.106			
LG 35.236.192.74:	443/Network/eth0 (et	h0)/Megabits receive	ed/sec.					
0	12.5	29.8	12.4	12.4	5.9			
LG 35.236.192.74:	443/Network/eth0 (et	h0)/Megabits sent/se	ec.					
0	0.986	2.01	1.01	0.985	0.433			

## LG 35.236.202.126:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.202.126:	443/CPU Load				
0	3.58	14	3	3.46	1.76
LG 35.236.202.126:	443/Memory Used				
0	9.76	23	9	9.58	5.11
LG 35.236.202.126:	443/Throughput				
0	12.1	28.7	12.5	12.1	5.78
LG 35.236.202.126:	443/User Load				
0	23.8	34	25	24.2	10.26
LG 35.236.202.126:	443/Thread Count				
0	89.9	111	89	90.5	16.3
LG 35.236.202.126:	443/Http client/Threa	ad Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.236.202.126:	443/Http client/Task	Pool used			
0	0	0.033	0	0	0.003
LG 35.236.202.126:	443/Controller Conn	ection/Disconnection	ons		
0	0	0	0	0	-
LG 35.236.202.126:	443/Controller Conn	ection/Reconnectio	ns		
0	0	0	0	0	-
LG 35.236.202.126:	443/Controller Conn	ection/Ping Duration	n (ms)		
3	11.8	43	4	10.54	13.9

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.236.202.126:	_G 35.236.202.126:443/Network/Segments sent/sec.								
0	509.2	1,131	526.4	506.8	234.1				
LG 35.236.202.126:	LG 35.236.202.126:443/Network/Segments retransmitted/sec.								
0	0.015	2	0	0	0.13				
LG 35.236.202.126:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0	12.4	29.3	12.9	12.4	5.86				
LG 35.236.202.126:443/Network/eth0 (eth0)/Megabits sent/sec.									
0	0.986	2.02	1.03	0.983	0.432				

## LG 35.236.245.109:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.236.245.109:4	443/CPU Load								
0	3.58	13	3	3.49	1.79				
LG 35.236.245.109:4	LG 35.236.245.109:443/Memory Used								
0	9.77	24	9.5	9.58	5.26				
LG 35.236.245.109:4	443/Throughput								
0	11.7	25.2	11.6	11.7	5.81				
LG 35.236.245.109:4	443/User Load								
0	22.9	33	25	23.4	10.24				
LG 35.236.245.109:4	443/Thread Count								
0	89.2	112	90	89.7	16.1				
LG 35.236.245.109:4	443/Http client/Thre	ad Pool used							
0	0.1	0.11	0.1	0.1	0.006				
LG 35.236.245.109:4	443/Http client/Task	Pool used							
0	0	0.017	0	0	0.003				
LG 35.236.245.109:4	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 35.236.245.109:4	443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 35.236.245.109:4	443/Controller Conn	ection/Ping Duration	n (ms)						
3	5.38	33	3.5	4.1	6.6				
LG 35.236.245.109:4	443/Network/Segme	nts sent/sec.							
0	492.2	1,166	495.7	489.5	237.7				
LG 35.236.245.109:4	443/Network/Segme	nts retransmitted/se	ec.						
0	0.033	3	0	0	0.214				
LG 35.236.245.109:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0	12	25.8	11.8	12	5.9				
LG 35.236.245.109:4	443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0	0.955	1.88	0.994	0.954	0.44				

### LG 35.236.254.203:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.236.254.203:	LG 35.236.254.203:443/CPU Load								
0	3.6	12	4	3.5	1.75				
LG 35.236.254.203:	443/Memory Used								
0	11.4	25	11	11.2	6.32				
LG 35.236.254.203:	443/Throughput								
0	11.7	25.3	11.9	11.7	5.93				
LG 35.236.254.203:	443/User Load								
0	23	33	25	23.4	10.21				
LG 35.236.254.203:	_G 35.236.254.203:443/Thread Count								
0	89.2	111	90	89.7	16.1				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.236.254.203:443/Http client/Thread Pool used								
0	0.1	0.1	0.1	0.1	0.006			
LG 35.236.254.203:	443/Http client/Task	Pool used						
0	0	0.033	0	0	0.003			
LG 35.236.254.203:	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 35.236.254.203:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 35.236.254.203:	443/Controller Conn	ection/Ping Duration	n (ms)					
3	9.69	36	4	8.73	9.57			
LG 35.236.254.203:	443/Network/Segme	nts sent/sec.						
0	492.4	1,042	497.6	489.2	238.2			
LG 35.236.254.203:	443/Network/Segme	nts retransmitted/se	c.					
0	0.018	3	0	0	0.174			
LG 35.236.254.203:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0	12	25.8	12.2	11.9	6.01			
LG 35.236.254.203:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0	0.954	1.92	0.996	0.952	0.44			

### LG 35.236.254.33:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.236.254.33:4	43/CPU Load				
0	3.49	13	3	3.35	1.85
LG 35.236.254.33:4	43/Memory Used				
0	10.55	24	10	10.39	5.71
LG 35.236.254.33:4	43/Throughput				
0	11.8	25.1	11.6	11.7	5.9
LG 35.236.254.33:4	43/User Load				
0	23	33	25	23.4	10.2
LG 35.236.254.33:4	43/Thread Count				
0	89.4	113	91	89.9	15.9
LG 35.236.254.33:4	43/Http client/Threa	d Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.236.254.33:4	43/Http client/Task I	Pool used			
0	0	0.05	0	0	0.004
LG 35.236.254.33:4	43/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 35.236.254.33:4	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.236.254.33:4	43/Controller Conne	ection/Ping Duration	(ms)		
3	11.9	33	4	11.4	9.52
LG 35.236.254.33:4	43/Network/Segmen	its sent/sec.			
0	494.2	1,077	492.4	491.7	238.2
LG 35.236.254.33:4	43/Network/Segmen	ts retransmitted/sec	<b>.</b>		
0	0.008	1.2	0	0	0.074
LG 35.236.254.33:4	43/Network/eth0 (etl	h0)/Megabits receive	ed/sec.		
0	12.1	25.7	12	12	5.99
LG 35.236.254.33:4	43/Network/eth0 (etl	h0)/Megabits sent/se	c.		
0	0.954	2.17	0.967	0.952	0.442



## LG 35.245.102.87:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.102.87:4	43/CPU Load								
0	3.51	15	3	3.38	1.86				
LG 35.245.102.87:4	LG 35.245.102.87:443/Memory Used								
0	11.6	27	11	11.5	6.43				
LG 35.245.102.87:4	43/Throughput								
0	12.2	26.1	12.2	12	5.95				
LG 35.245.102.87:4	43/User Load								
0	23.8	34	25	24.2	10.23				
LG 35.245.102.87:4	43/Thread Count								
0	90	112	92	90.5	16.1				
LG 35.245.102.87:4	43/Http client/Thread	d Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.245.102.87:4	43/Http client/Task F	Pool used							
0	0.001	0.033	0	0	0.004				
LG 35.245.102.87:4	43/Controller Conne	ction/Disconnection	ns						
0	0	0	0	0	-				
LG 35.245.102.87:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 35.245.102.87:4	43/Controller Conne	ction/Ping Duration	(ms)						
3	11.8	24	4	11.6	9.3				
LG 35.245.102.87:4	43/Network/Segmen	ts sent/sec.							
0	508.7	1,229	514.1	505	238.5				
LG 35.245.102.87:4	43/Network/Segmen	ts retransmitted/sec	<b>.</b>						
0	0.017	2.6	0	0	0.159				
LG 35.245.102.87:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0	12.5	26.7	12.5	12.3	6.04				
LG 35.245.102.87:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0	0.983	1.97	1.01	0.982	0.433				

## LG 35.245.104.80:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.104.80:443/CPU Load								
0	3.8	13	4	3.66	1.95			
LG 35.245.104.80:44	43/Memory Used							
0	12.1	28	11	11.9	7			
LG 35.245.104.80:44	43/Throughput							
0	11.7	27.3	11.6	11.5	6.11			
LG 35.245.104.80:44	43/User Load							
0	23	33	25	23.4	10.21			
LG 35.245.104.80:44	43/Thread Count							
0	88.9	111	91	89.4	15.8			
LG 35.245.104.80:44	43/Http client/Thread	d Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.245.104.80:44	43/Http client/Task F	Pool used						
0	0	0.05	0	0	0.003			
LG 35.245.104.80:44	43/Controller Conne	ction/Disconnection	ıs					
0	0	0	0	0	-			
LG 35.245.104.80:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 35.245.104.80:44	43/Controller Conne	ction/Ping Duration	(ms)					
4	8.51	48	4	6.7	10.95			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.104.80:4	LG 35.245.104.80:443/Network/Segments sent/sec.							
0	490.8	1,143	488.4	484.2	243.8			
LG 35.245.104.80:4	LG 35.245.104.80:443/Network/Segments retransmitted/sec.							
0	0.015	2.01	0	0	0.133			
LG 35.245.104.80:4	43/Network/eth0 (etl	n0)/Megabits receive	ed/sec.					
0	12	27.9	11.8	11.8	6.2			
LG 35.245.104.80:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	0.951	2.01	0.974	0.945	0.445			

## LG 35.245.108.178:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.108.178:4	443/CPU Load							
0	3.61	12	4	3.48	1.72			
LG 35.245.108.178:4	LG 35.245.108.178:443/Memory Used							
0	12.2	30	11	12	7.05			
LG 35.245.108.178:4	443/Throughput							
0	11.8	27	12.7	11.8	5.62			
LG 35.245.108.178:4	443/User Load							
0	23.1	33	25	23.6	10.1			
LG 35.245.108.178:4	443/Thread Count							
0	89	112	90	89.5	16			
LG 35.245.108.178:4	443/Http client/Thre	ad Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.245.108.178:4	LG 35.245.108.178:443/Http client/Task Pool used							
0	0	0.033	0	0	0.003			
LG 35.245.108.178:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 35.245.108.178:4	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 35.245.108.178:4	443/Controller Conn	ection/Ping Duration	n (ms)					
3	10.84	34	4	10.1	9.57			
LG 35.245.108.178:4	443/Network/Segme	nts sent/sec.						
0	495.6	1,063	521.3	495.3	228.4			
LG 35.245.108.178:4	443/Network/Segme	nts retransmitted/se	ec.					
0	0.036	2.62	0	0	0.241			
LG 35.245.108.178:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0	12.1	27.5	13	12.1	5.7			
LG 35.245.108.178:4	443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0	0.962	1.88	1.03	0.965	0.422			

### LG 35.245.11.70:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.11.70:443/CPU Load								
0	3.49	16	3	3.38	1.77			
LG 35.245.11.70:44	LG 35.245.11.70:443/Memory Used							
0	9.51	21	9	9.35	4.9			
LG 35.245.11.70:44	3/Throughput							
0	12.1	27.8	11.3	12	6.07			
LG 35.245.11.70:44	3/User Load							
0	23.7	34	25	24.2	10.26			
LG 35.245.11.70:443/Thread Count								
0	90.1	112	91	90.6	16.2			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.11.70:443/Http client/Thread Pool used								
0	0.1	0.105	0.1	0.1	0.006			
LG 35.245.11.70:44	LG 35.245.11.70:443/Http client/Task Pool used							
0	0	0.033	0	0	0.002			
LG 35.245.11.70:44	3/Controller Connec	tion/Disconnections	<b>3</b>					
0	0	0	0	0	-			
LG 35.245.11.70:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 35.245.11.70:44	3/Controller Connec	tion/Ping Duration (	ms)					
21	22.3	23	22	22.4	0.551			
LG 35.245.11.70:44	3/Network/Segment	s sent/sec.						
0	508.7	1,315	496	503.5	245.9			
LG 35.245.11.70:44	3/Network/Segment	s retransmitted/sec.						
0	0.006	0.8	0	0	0.065			
LG 35.245.11.70:44	LG 35.245.11.70:443/Network/eth0 (eth0)/Megabits received/sec.							
0	12.4	28.4	11.6	12.3	6.16			
LG 35.245.11.70:44	3/Network/eth0 (eth)	0)/Megabits sent/sec						
0	0.982	2.03	0.953	0.981	0.441			

## LG 35.245.114.42:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.114.42:4	43/CPU Load								
0	3.71	16	3	3.55	1.97				
LG 35.245.114.42:4	LG 35.245.114.42:443/Memory Used								
0	10.48	24	10	10.28	5.73				
LG 35.245.114.42:4	43/Throughput								
0	11.4	25.1	11.6	11.3	5.62				
LG 35.245.114.42:4	43/User Load								
0	23	33	25	23.4	10.22				
LG 35.245.114.42:4	43/Thread Count								
0	89.7	112	92	90.3	16.5				
LG 35.245.114.42:4	43/Http client/Threa	d Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.245.114.42:4	43/Http client/Task	Pool used							
0	0.001	0.033	0	0	0.003				
LG 35.245.114.42:4	43/Controller Conne	ection/Disconnection	าร						
0	0	0	0	0	-				
LG 35.245.114.42:4	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 35.245.114.42:4	43/Controller Conne	ection/Ping Duration	(ms)						
3	6.45	34	4	5.2	7.54				
LG 35.245.114.42:4	43/Network/Segmer	its sent/sec.							
0	480.9	1,061	485.5	478.6	227.2				
LG 35.245.114.42:4	43/Network/Segmer	nts retransmitted/sed	<b>).</b>						
0	0.092	20.6	0	0.005	1.15				
LG 35.245.114.42:4	43/Network/eth0 (et	h0)/Megabits receive	ed/sec.						
0	11.7	25.7	11.8	11.6	5.7				
LG 35.245.114.42:4	43/Network/eth0 (et	h0)/Megabits sent/se	ec.						
0	0.927	1.86	0.951	0.926	0.419				



## LG 35.245.118.243:443

### **Performance Counters**

LG 35.245.118.243:443/CPU Load  0	V
LG 35.245.118.243:443/Memory Used  0 9.39 21 9 9.23 4.9  LG 35.245.118.243:443/Throughput  0 12.1 25 12.3 12 5.68  LG 35.245.118.243:443/User Load  0 23.8 34 25 24.2 10.25  LG 35.245.118.243:443/Thread Count  0 90.2 112 91 90.7 16  LG 35.245.118.243:443/Http client/Thread Pool used  0 0.1 0.1 0.1 0.1 0.1 0.006  LG 35.245.118.243:443/Http client/Task Pool used  0 0 0.033 0 0 0 0.003  LG 35.245.118.243:443/Controller Connection/Disconnections	
0       9.39       21       9       9.23       4.9         LG 35.245.118.243:443/Throughput       0       12.1       25       12.3       12       5.68         LG 35.245.118.243:443/User Load       0       23.8       34       25       24.2       10.25         LG 35.245.118.243:443/Thread Count       0       90.2       112       91       90.7       16         LG 35.245.118.243:443/Http client/Thread Pool used       0       0.1       0.1       0.1       0.006         LG 35.245.118.243:443/Http client/Task Pool used       0       0       0.003       0       0       0.003         LG 35.245.118.243:443/Controller Connection/Disconnections       0       0       0       0       0	
LG 35.245.118.243:443/Throughput  0	
0 12.1 25 12.3 12 5.68  LG 35.245.118.243:443/User Load  0 23.8 34 25 24.2 10.25  LG 35.245.118.243:443/Thread Count  0 90.2 112 91 90.7 16  LG 35.245.118.243:443/Http client/Thread Pool used  0 0.1 0.1 0.1 0.1 0.1 0.1 0.006  LG 35.245.118.243:443/Http client/Task Pool used  0 0 0.033 0 0 0 0.003  LG 35.245.118.243:443/Controller Connection/Disconnections	
LG 35.245.118.243:443/User Load  0 23.8 34 25 24.2 10.25  LG 35.245.118.243:443/Thread Count  0 90.2 112 91 90.7 16  LG 35.245.118.243:443/Http client/Thread Pool used  0 0.1 0.1 0.1 0.1 0.1 0.1 0.006  LG 35.245.118.243:443/Http client/Task Pool used  0 0 0.033 0 0 0 0.003  LG 35.245.118.243:443/Controller Connection/Disconnections	
0 23.8 34 25 24.2 10.25  LG 35.245.118.243:443/Thread Count 0 90.2 112 91 90.7 16  LG 35.245.118.243:443/Http client/Thread Pool used 0 0.1 0.1 0.1 0.1 0.1 0.1 0.006  LG 35.245.118.243:443/Http client/Task Pool used 0 0 0.033 0 0 0 0.003  LG 35.245.118.243:443/Controller Connection/Disconnections	
LG 35.245.118.243:443/Thread Count  0 90.2 112 91 90.7 16  LG 35.245.118.243:443/Http client/Thread Pool used  0 0.1 0.1 0.1 0.1 0.1 0.006  LG 35.245.118.243:443/Http client/Task Pool used  0 0 0.033 0 0 0.003  LG 35.245.118.243:443/Controller Connection/Disconnections	
0 90.2 112 91 90.7 16  LG 35.245.118.243:443/Http client/Thread Pool used  0 0.1 0.1 0.1 0.1 0.1 0.1 0.006  LG 35.245.118.243:443/Http client/Task Pool used  0 0 0.033 0 0 0 0.003  LG 35.245.118.243:443/Controller Connection/Disconnections	
LG 35.245.118.243:443/Http client/Thread Pool used  0	
0       0.1       0.1       0.1       0.006         LG 35.245.118.243:443/Http client/Task Pool used         0       0.033       0       0       0.003         LG 35.245.118.243:443/Controller Connection/Disconnections	
LG 35.245.118.243:443/Http client/Task Pool used 0 0 0.033 0 0 0.003  LG 35.245.118.243:443/Controller Connection/Disconnections	
0 0 0.033 0 0 0.003 LG 35.245.118.243:443/Controller Connection/Disconnections	
LG 35.245.118.243:443/Controller Connection/Disconnections	
0 0 0 -	
LG 35.245.118.243:443/Controller Connection/Reconnections	
0 0 0 -	
LG 35.245.118.243:443/Controller Connection/Ping Duration (ms)	
3 15.8 63 17 14.2 13.7	
LG 35.245.118.243:443/Network/Segments sent/sec.	
0 507.8 1,029 517.1 505.4 231.2	
LG 35.245.118.243:443/Network/Segments retransmitted/sec.	
0 0.041 5.64 0 0 0.386	
LG 35.245.118.243:443/Network/eth0 (eth0)/Megabits received/sec.	
0 12.4 25.4 12.7 12.3 5.76	
LG 35.245.118.243:443/Network/eth0 (eth0)/Megabits sent/sec.	
0 0.979 1.93 1.02 0.978 0.427	

## LG 35.245.124.145:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.124.145:443/CPU Load									
0	3.68	12	4	3.55	1.72				
LG 35.245.124.145:	LG 35.245.124.145:443/Memory Used								
0	13.5	32	13	13.3	7.75				
LG 35.245.124.145:	443/Throughput								
0	12.1	25.7	12.5	12.1	5.71				
LG 35.245.124.145:	443/User Load								
0	23.7	34	25	24.2	10.24				
LG 35.245.124.145:	443/Thread Count								
0	90.3	111	90	90.9	16.3				
LG 35.245.124.145:	443/Http client/Threa	ad Pool used							
0	0.1	0.105	0.1	0.1	0.006				
LG 35.245.124.145:	443/Http client/Task	Pool used							
0	0.001	0.1	0	0	0.009				
LG 35.245.124.145:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 35.245.124.145:	LG 35.245.124.145:443/Controller Connection/Reconnections								
0	0	0	0	0	-				
LG 35.245.124.145:	443/Controller Conn	ection/Ping Duration	n (ms)						
3	11.4	35	4	10.71	9.82				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.124.145:443/Network/Segments sent/sec.								
0	508.5	1,117	522.9	506.2	231.1			
LG 35.245.124.145:	LG 35.245.124.145:443/Network/Segments retransmitted/sec.							
0	0.019	2.21	0	0	0.162			
LG 35.245.124.145:	LG 35.245.124.145:443/Network/eth0 (eth0)/Megabits received/sec.							
0	12.4	26.1	12.8	12.4	5.79			
LG 35.245.124.145:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	0.986	2.04	1.01	0.984	0.432			

## LG 35.245.148.193:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.148.193:4	443/CPU Load							
0	3.55	15	3	3.44	1.83			
LG 35.245.148.193:4	443/Memory Used							
0	12.9	30	12	12.7	7.48			
LG 35.245.148.193:4	443/Throughput							
0	11.9	25.8	11.7	11.8	6.03			
LG 35.245.148.193:4	443/User Load							
0	23.1	33	25	23.6	10.13			
LG 35.245.148.193:4	443/Thread Count							
0	89.2	111	91	89.8	15.9			
LG 35.245.148.193:4	443/Http client/Threa	ad Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.245.148.193:4	LG 35.245.148.193:443/Http client/Task Pool used							
0	0.001	0.033	0	0	0.003			
LG 35.245.148.193:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 35.245.148.193:4	443/Controller Conn	ection/Reconnectio	ns					
0	0	0	0	0	-			
LG 35.245.148.193:4	443/Controller Conn	ection/Ping Duration	n (ms)					
3	11.9	32	4	11.4	9.63			
LG 35.245.148.193:4	443/Network/Segme	nts sent/sec.						
0	497.4	1,052	495.4	494.8	242.7			
LG 35.245.148.193:4	443/Network/Segme	nts retransmitted/se	ec.					
0	0.004	0.4	0	0	0.037			
LG 35.245.148.193:4	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0.014	12.2	26.3	12	12.1	6.13			
LG 35.245.148.193:4	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0.003	0.962	2	0.966	0.96	0.445			

### LG 35.245.15.182:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.15.182:443/CPU Load								
0	3.39	11	3	3.29	1.69			
LG 35.245.15.182:44	43/Memory Used							
0	11.6	28	11	11.4	6.61			
LG 35.245.15.182:44	43/Throughput							
0	11.6	27.6	11.8	11.5	5.84			
LG 35.245.15.182:44	43/User Load							
0	22.9	33	25	23.4	10.25			
LG 35.245.15.182:443/Thread Count								
0	89.2	110	91	89.8	16.1			



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.15.182:443/Http client/Thread Pool used									
0	0.1	0.115	0.1	0.1	0.006				
LG 35.245.15.182:4	LG 35.245.15.182:443/Http client/Task Pool used								
0	0.001	0.05	0	0	0.004				
LG 35.245.15.182:4	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 35.245.15.182:4	43/Controller Conne	ection/Reconnections	s						
0	0	0	0	0	-				
LG 35.245.15.182:4	43/Controller Conne	ection/Ping Duration	(ms)						
3	11.5	23	4	11.3	8.89				
LG 35.245.15.182:4	43/Network/Segmen	ts sent/sec.							
0	489.4	1,102	496.8	486.1	234.2				
LG 35.245.15.182:4	43/Network/Segmen	ts retransmitted/sec							
0	0.022	3.6	0	0	0.214				
LG 35.245.15.182:4	LG 35.245.15.182:443/Network/eth0 (eth0)/Megabits received/sec.								
0	11.9	28.2	12	11.8	5.93				
LG 35.245.15.182:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0	0.947	2.01	0.994	0.944	0.435				

## LG 35.245.160.46:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.160.46:4	43/CPU Load				
0	3.64	16	4	3.52	1.78
LG 35.245.160.46:4	43/Memory Used				
0	10.1	22	10	9.95	5.47
LG 35.245.160.46:4	43/Throughput				
0	11.8	23.8	12.7	11.9	5.68
LG 35.245.160.46:4	43/User Load				
0	23.2	33	25	23.6	10.09
LG 35.245.160.46:4	43/Thread Count				
0	89.5	112	90	90	16.1
LG 35.245.160.46:4	43/Http client/Threa	d Pool used			
0	0.1	0.105	0.1	0.1	0.006
LG 35.245.160.46:4	43/Http client/Task l	Pool used			
0	0.001	0.183	0	0	0.01
LG 35.245.160.46:4	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 35.245.160.46:4	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.245.160.46:4	43/Controller Conne	ection/Ping Duration	(ms)		
3	10.33	33	4	9.57	9.34
LG 35.245.160.46:4	43/Network/Segmer	its sent/sec.			
0	497.7	979.6	529.1	497.4	230.2
LG 35.245.160.46:4	43/Network/Segmer	nts retransmitted/sec	<b>.</b>		
0	0.01	0.8	0	0	0.068
LG 35.245.160.46:4	43/Network/eth0 (et	h0)/Megabits receive	ed/sec.		
0	12.1	24.2	13	12.2	5.76
LG 35.245.160.46:4	43/Network/eth0 (et	h0)/Megabits sent/se	ec.		
0	0.966	1.82	1.04	0.968	0.427



## LG 35.245.168.80:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.168.80:	443/CPU Load						
0	3.44	14	3	3.32	1.68		
LG 35.245.168.80:443/Memory Used							
0	8.99	21	9	8.84	4.73		
LG 35.245.168.80:	443/Throughput						
0	11.8	23.7	12.5	11.8	5.62		
LG 35.245.168.80:	443/User Load						
0	23.1	33	25	23.6	10.12		
LG 35.245.168.80:	:443/Thread Count						
0	89.6	110	93	90.2	15.6		
LG 35.245.168.80:	:443/Http client/Threa	nd Pool used					
0	0.1	0.1	0.1	0.1	0.006		
LG 35.245.168.80:	:443/Http client/Task	Pool used					
0	0	0.05	0	0	0.003		
LG 35.245.168.80:	443/Controller Conn	ection/Disconnection	ns				
0	0	0	0	0	-		
LG 35.245.168.80:	443/Controller Conn	ection/Reconnection	ıs				
0	0	0	0	0	-		
LG 35.245.168.80:	443/Controller Conn	ection/Ping Duration	(ms)				
3	10.42	35	4	9.59	9.74		
LG 35.245.168.80:	:443/Network/Segmer	nts sent/sec.					
0	497	1,059	515.6	495.3	230.6		
LG 35.245.168.80:	:443/Network/Segmer	nts retransmitted/sed	C.				
0	0.009	1.4	0	0	0.087		
LG 35.245.168.80:	:443/Network/eth0 (et	:h0)/Megabits receive	ed/sec.				
0	12.1	24.2	12.7	12.1	5.7		
LG 35.245.168.80:	:443/Network/eth0 (et	:h0)/Megabits sent/se	ec.				
0	0.958	1.81	1.03	0.961	0.423		

## LG 35.245.175.131:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.175.131:443/CPU Load								
0	3.35	10	3	3.24	1.65			
LG 35.245.175.131:4	443/Memory Used							
0	10.65	24	10	10.47	5.74			
LG 35.245.175.131:4	443/Throughput							
0	11.7	28.4	11.9	11.6	5.85			
LG 35.245.175.131:4	443/User Load							
0	23	33	25	23.4	10.23			
LG 35.245.175.131:4	443/Thread Count							
0	89.4	115	91	89.7	16.4			
LG 35.245.175.131:4	443/Http client/Threa	ad Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.245.175.131:4	443/Http client/Task	Pool used						
0	0.001	0.133	0	0	0.008			
LG 35.245.175.131:4	443/Controller Conn	ection/Disconnection	ons					
0	0	0	0	0	-			
LG 35.245.175.131:4	LG 35.245.175.131:443/Controller Connection/Reconnections							
0	0	0	0	0	-			
LG 35.245.175.131:4	LG 35.245.175.131:443/Controller Connection/Ping Duration (ms)							
3	12.5	22	12.5	12.5	9.22			



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.175.131:443/Network/Segments sent/sec.								
0	491.3	1,217	490.5	486	235.4			
LG 35.245.175.131:	443/Network/Segme	nts retransmitted/se	ec.					
0	0.014	1.41	0	0	0.125			
LG 35.245.175.131:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.					
0	12	29	12.3	11.9	5.94			
LG 35.245.175.131:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	0.951	2.28	0.975	0.948	0.434			

## LG 35.245.197.203:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.197.203:	443/CPU Load								
0	3.45	9	3	3.36	1.54				
LG 35.245.197.203:	LG 35.245.197.203:443/Memory Used								
-	10.72	26	10	10.51	5.85				
LG 35.245.197.203:	443/Throughput								
0	11.8	27	12	11.8	5.55				
LG 35.245.197.203:	443/User Load								
0	23.2	33	25	23.6	10.11				
LG 35.245.197.203:	443/Thread Count								
0	89.4	110	91	90	15.6				
LG 35.245.197.203:	443/Http client/Thre	ad Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.245.197.203:	443/Http client/Task	Pool used							
0	0	0.033	0	0	0.003				
LG 35.245.197.203:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 35.245.197.203:	443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 35.245.197.203:	443/Controller Conn	ection/Ping Duratio	n (ms)						
22	23	33	23	22.6	2.08				
LG 35.245.197.203:	443/Network/Segme	nts sent/sec.							
0	496.2	1,049	513.8	497.1	227.4				
LG 35.245.197.203:	443/Network/Segme	nts retransmitted/se	ec.						
0	0.01	0.6	0	0	0.066				
LG 35.245.197.203:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0	12.1	27.6	12.3	12.1	5.64				
LG 35.245.197.203:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0	0.961	1.98	0.959	0.963	0.425				

### LG 35.245.197.243:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.197.243:	LG 35.245.197.243:443/CPU Load								
0	3.55	14	3	3.42	1.83				
LG 35.245.197.243:	443/Memory Used								
0	14.2	33	13	13.9	8.26				
LG 35.245.197.243:	443/Throughput								
0	12.1	30.5	11.8	12	6.02				
LG 35.245.197.243:	443/User Load								
0	23.8	34	25	24.2	10.25				
LG 35.245.197.243:	LG 35.245.197.243:443/Thread Count								
0	89.8	113	91	90.2	15.8				



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.197.243:443/Http client/Thread Pool used								
0	0.1	0.1	0.1	0.1	0.006			
LG 35.245.197.243:	LG 35.245.197.243:443/Http client/Task Pool used							
0	0.001	0.083	0	0	0.007			
LG 35.245.197.243:	443/Controller Conn	ection/Disconnection	ns					
0	0	0	0	0	-			
LG 35.245.197.243:	443/Controller Conn	ection/Reconnection	ns					
0	0	0	0	0	-			
LG 35.245.197.243:	443/Controller Conn	ection/Ping Duration	n (ms)					
3	6.15	34	4	4.91	7.35			
LG 35.245.197.243:	443/Network/Segme	nts sent/sec.						
0	509.5	1,356	509.4	505.4	245.6			
LG 35.245.197.243:	443/Network/Segme	nts retransmitted/se	c.					
0	0.015	1	0	0	0.087			
LG 35.245.197.243:	443/Network/eth0 (e	th0)/Megabits receiv	ed/sec.					
0	12.4	31.1	12	12.3	6.12			
LG 35.245.197.243:	443/Network/eth0 (e	th0)/Megabits sent/s	ec.					
0	0.982	2.14	1	0.98	0.441			

### LG 35.245.20.198:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.20.198:4	43/CPU Load								
0	4.01	14	4	3.87	1.97				
LG 35.245.20.198:4	LG 35.245.20.198:443/Memory Used								
0	11	25	10	10.82	6.24				
LG 35.245.20.198:4	43/Throughput								
0	11.9	24.8	12.5	11.9	5.61				
LG 35.245.20.198:4	43/User Load								
0	23.2	33	25	23.6	10.11				
LG 35.245.20.198:4	43/Thread Count								
0	89.3	111	89	89.7	16				
LG 35.245.20.198:4	43/Http client/Thread	d Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.245.20.198:4	43/Http client/Task F	Pool used							
0	0	0.033	0	0	0.003				
LG 35.245.20.198:4	43/Controller Conne	ction/Disconnection	ıs						
0	0	0	0	0	-				
LG 35.245.20.198:4	43/Controller Conne	ction/Reconnection	s						
0	0	0	0	0	-				
LG 35.245.20.198:4	43/Controller Conne	ction/Ping Duration	(ms)						
17	23.2	32	23	23	2.4				
LG 35.245.20.198:4	43/Network/Segmen	ts sent/sec.							
0	497.6	1,020	522.3	497.4	229				
LG 35.245.20.198:4	43/Network/Segmen	ts retransmitted/sec							
0	0.034	1.8	0	0.006	0.186				
LG 35.245.20.198:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0	12.2	25.3	12.7	12.2	5.7				
LG 35.245.20.198:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.						
0	0.966	1.97	1.05	0.969	0.423				



## LG 35.245.217.137:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.217.137	:443/CPU Load							
0	3.48	17	3	3.34	1.81			
LG 35.245.217.137:443/Memory Used								
0	9.01	21	9	8.83	4.72			
LG 35.245.217.137	:443/Throughput							
0	11.8	29.3	12.4	11.7	5.89			
LG 35.245.217.137	:443/User Load							
0	23.2	33	25	23.6	10.11			
LG 35.245.217.137	:443/Thread Count							
0	90	115	92	90.4	16.6			
LG 35.245.217.137	:443/Http client/Thre	ad Pool used						
0	0.1	0.105	0.1	0.1	0.006			
LG 35.245.217.137	:443/Http client/Task	Pool used						
0	0	0.033	0	0	0.003			
LG 35.245.217.137	:443/Controller Conr	nection/Disconnection	ons					
0	0	0	0	0	-			
LG 35.245.217.137	:443/Controller Conr	nection/Reconnectio	ns					
0	0	0	0	0	-			
LG 35.245.217.137	:443/Controller Conr	nection/Ping Duration	n (ms)					
3	7.58	33	4	6.5	8.63			
LG 35.245.217.137	:443/Network/Segme	ents sent/sec.						
0	497.1	1,120	509	492	239.1			
LG 35.245.217.137	:443/Network/Segme	ents retransmitted/se	ec.					
0	0.02	1.6	0	0	0.143			
LG 35.245.217.137	:443/Network/eth0 (e	th0)/Megabits receiv	/ed/sec.					
0	12.1	29.8	12.7	12	5.98			
LG 35.245.217.137	:443/Network/eth0 (e	th0)/Megabits sent/s	sec.					
0	0.96	2.07	0.996	0.959	0.431			

## LG 35.245.219.91:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.219.91:4	43/CPU Load				
0	3.54	13	3	3.45	1.67
LG 35.245.219.91:4	43/Memory Used				
0	10.23	23	10	10.04	5.68
LG 35.245.219.91:4	43/Throughput				
0	11.8	26.3	11.8	11.7	5.85
LG 35.245.219.91:4	43/User Load				
0	23.1	33	25	23.6	10.11
LG 35.245.219.91:4	43/Thread Count				
0	89.9	110	90	90.6	16
LG 35.245.219.91:4	43/Http client/Threa	d Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.245.219.91:4	43/Http client/Task I	Pool used			
0	0	0.017	0	0	0.001
LG 35.245.219.91:4	43/Controller Conne	ection/Disconnection	าร		
0	0	0	0	0	-
LG 35.245.219.91:4	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.245.219.91:4	43/Controller Conne	ection/Ping Duration	(ms)		
3	7.68	34	4	6.59	8.52



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.219.91:4	LG 35.245.219.91:443/Network/Segments sent/sec.								
0	496.2	1,129	500.6	491.3	236.4				
LG 35.245.219.91:4	43/Network/Segmen	ts retransmitted/sec	<b>.</b>						
0	0.02	1.6	0	0	0.134				
LG 35.245.219.91:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.						
0	12.1	26.7	12.1	11.9	5.94				
LG 35.245.219.91:4	LG 35.245.219.91:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	0.958	1.93	0.999	0.954	0.431				

## LG 35.245.224.151:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.224.151:	443/CPU Load								
0	3.77	12	4	3.65	1.74				
LG 35.245.224.151:	LG 35.245.224.151:443/Memory Used								
0	10.9	26	10	10.7	5.9				
LG 35.245.224.151:	443/Throughput								
0	12.2	25.2	12.7	12.1	5.76				
LG 35.245.224.151:	443/User Load								
0	23.8	34	25	24.2	10.26				
LG 35.245.224.151:	443/Thread Count								
0	90.2	114	91	90.6	15.9				
LG 35.245.224.151:	443/Http client/Thre	ad Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.245.224.151:	443/Http client/Task	Pool used							
0	0.001	0.05	0	0	0.004				
LG 35.245.224.151:	443/Controller Conn	ection/Disconnection	ons						
0	0	0	0	0	-				
LG 35.245.224.151:	443/Controller Conn	ection/Reconnectio	ns						
0	0	0	0	0	-				
LG 35.245.224.151:	443/Controller Conn	ection/Ping Duration	n (ms)						
4	8.38	35	4	7.26	8.68				
LG 35.245.224.151:	443/Network/Segme	nts sent/sec.							
0	509.4	1,075	525.2	507.9	233				
LG 35.245.224.151:	443/Network/Segme	nts retransmitted/se	ec.						
0	0.014	1.4	0	0	0.112				
LG 35.245.224.151:	443/Network/eth0 (e	th0)/Megabits receiv	red/sec.						
0	12.5	25.7	13.1	12.4	5.84				
LG 35.245.224.151:	443/Network/eth0 (e	th0)/Megabits sent/s	sec.						
0	0.986	2.16	1.02	0.984	0.439				

### LG 35.245.229.139:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.229.139:443/CPU Load								
0	3.49	12	3	3.37	1.74			
LG 35.245.229.139:	443/Memory Used							
0	9.9	23	9	9.75	5.29			
LG 35.245.229.139:	443/Throughput							
0	11.8	25.6	12.3	11.7	5.91			
LG 35.245.229.139:	443/User Load							
0	23.7	34	25	24.2	10.24			
LG 35.245.229.139:443/Thread Count								
0	91	115	92	91.4	16.6			



Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.229.139:	LG 35.245.229.139:443/Http client/Thread Pool used						
0	0.1	0.1	0.1	0.1	0.006		
LG 35.245.229.139:443/Http client/Task Pool used							
0	0.001	0.083	0	0	0.006		
LG 35.245.229.139:	LG 35.245.229.139:443/Controller Connection/Disconnections						
0	0	0	0	0	-		
LG 35.245.229.139:	443/Controller Conn	ection/Reconnection	ns				
0	0	0	0	0	-		
LG 35.245.229.139:443/Controller Connection/Ping Duration (ms)							
3	6.82	34	3	5.64	7.98		
LG 35.245.229.139:443/Network/Segments sent/sec.							
0	494.6	1,220	511.3	491.4	241.5		
LG 35.245.229.139:	LG 35.245.229.139:443/Network/Segments retransmitted/sec.						
0	0.014	1.4	0	0	0.101		
LG 35.245.229.139:443/Network/eth0 (eth0)/Megabits received/sec.							
0	12.1	26.1	12.6	12	6		
LG 35.245.229.139:443/Network/eth0 (eth0)/Megabits sent/sec.							
0	0.955	2.02	0.991	0.951	0.447		

## LG 35.245.246.190:443

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.246.190:	443/CPU Load							
0	3.62	21	3	3.42	2.12			
LG 35.245.246.190:	LG 35.245.246.190:443/Memory Used							
0	11.2	28	10	10.95	6.28			
LG 35.245.246.190:443/Throughput								
0	11.7	24.8	12	11.7	5.85			
LG 35.245.246.190:	443/User Load							
0	23.1	33	25	23.6	10.12			
LG 35.245.246.190:	443/Thread Count							
0	89.2	110	90	89.9	16.3			
LG 35.245.246.190:	443/Http client/Thre	ad Pool used						
0	0.1	0.105	0.1	0.1	0.006			
LG 35.245.246.190:443/Http client/Task Pool used								
0	0	0.017	0	0	0.002			
LG 35.245.246.190:	443/Controller Conr	nection/Disconnection	ons					
0	0	0	0	0	+			
LG 35.245.246.190:443/Controller Connection/Reconnections								
0	0	0	0	0	-			
LG 35.245.246.190:	443/Controller Conr	nection/Ping Duratio	n (ms)					
21	22.2	23	22	22.2	0.719			
LG 35.245.246.190:	443/Network/Segme	ents sent/sec.						
0	493.5	1,019	512.6	491.3	237.5			
LG 35.245.246.190:	443/Network/Segme	ents retransmitted/se	ec.					
0	0.009	0.604	0	0	0.061			
LG 35.245.246.190:443/Network/eth0 (eth0)/Megabits received/sec.								
0	12	25.3	12.3	12	5.94			
LG 35.245.246.190:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	0.955	1.82	1.02	0.956	0.435			



## LG 35.245.249.145:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.249.145:	:443/CPU Load						
0	3.38	11	3	3.29	1.6		
LG 35.245.249.145:443/Memory Used							
0	13.3	33	12	13.1	7.81		
LG 35.245.249.145:	443/Throughput						
0	11.8	26.9	12	11.7	5.7		
LG 35.245.249.145:	443/User Load						
0	23.2	33	25	23.6	10.1		
LG 35.245.249.145:	443/Thread Count						
0	89.3	111	91	89.8	15.7		
LG 35.245.249.145:	:443/Http client/Threa	ad Pool used					
0	0.1	0.1	0.1	0.1	0.006		
LG 35.245.249.145:443/Http client/Task Pool used							
0	0	0.05	0	0	0.004		
LG 35.245.249.145:443/Controller Connection/Disconnections							
0	0	0	0	0	-		
LG 35.245.249.145:443/Controller Connection/Reconnections							
0	0	0	0	0			
LG 35.245.249.145:	:443/Controller Conn	ection/Ping Duration	n (ms)				
3	15.5	79	13	13.1	15.8		
LG 35.245.249.145:	:443/Network/Segme	nts sent/sec.					
0	497.1	1,159	504.8	494.4	230.9		
LG 35.245.249.145:443/Network/Segments retransmitted/sec.							
0	0.021	3	0	0	0.203		
LG 35.245.249.145:443/Network/eth0 (eth0)/Megabits received/sec.							
0	12.1	27.4	12.3	12	5.79		
LG 35.245.249.145:443/Network/eth0 (eth0)/Megabits sent/sec.							
0	0.959	1.94	1	0.959	0.419		

## LG 35.245.26.96:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.26.96:443/CPU Load							
0	3.66	17	4	3.54	1.85		
.G 35.245.26.96:443/Memory Used							
0	11.3	27	11	11.1	6.21		
LG 35.245.26.96:44	3/Throughput						
0	12.1	24.3	12.3	12.1	5.71		
LG 35.245.26.96:44	3/User Load						
0	23.7	34	25	24.2	10.26		
LG 35.245.26.96:443/Thread Count							
0	90.9	114	93	91.4	16.2		
LG 35.245.26.96:44	LG 35.245.26.96:443/Http client/Thread Pool used						
0	0.1	0.105	0.1	0.1	0.006		
LG 35.245.26.96:44	3/Http client/Task Po	ool used					
0	0	0.017	0	0	0.002		
LG 35.245.26.96:44	3/Controller Connec	tion/Disconnections	<b>i</b>				
0	0	0	0	0	-		
LG 35.245.26.96:443/Controller Connection/Reconnections							
0	0	0	0	0	-		
LG 35.245.26.96:443/Controller Connection/Ping Duration (ms)							
3	7.19	35	4	5.99	8.37		

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.26.96:44	LG 35.245.26.96:443/Network/Segments sent/sec.						
0	508.7	1,049	514.6	506.8	234.6		
LG 35.245.26.96:443/Network/Segments retransmitted/sec.							
0	0.029	3	0	0	0.235		
LG 35.245.26.96:44	LG 35.245.26.96:443/Network/eth0 (eth0)/Megabits received/sec.						
0	12.4	24.7	12.5	12.4	5.79		
LG 35.245.26.96:443/Network/eth0 (eth0)/Megabits sent/sec.							
0	0.981	1.94	1.01	0.984	0.427		

## LG 35.245.28.122:443

### **Performance Counters**

LG 35.245.28.122:443/CPU Load  0 3.45 14 3 3.31 1.8  LG 35.245.28.122:443/Memory Used  0 9.85 22 10 9.69 5.24  LG 35.245.28.122:443/Throughput  0 12.1 26.2 12.5 12 5.87  LG 35.245.28.122:443/User Load  0 23.7 34 25 24.2 10.27	d Dev							
LG 35.245.28.122:443/Memory Used  0 9.85 22 10 9.69 5.24  LG 35.245.28.122:443/Throughput  0 12.1 26.2 12.5 12 5.87  LG 35.245.28.122:443/User Load  0 23.7 34 25 24.2 10.27								
0 9.85 22 10 9.69 5.24  LG 35.245.28.122:443/Throughput  0 12.1 26.2 12.5 12 5.87  LG 35.245.28.122:443/User Load  0 23.7 34 25 24.2 10.27								
LG 35.245.28.122:443/Throughput  0 12.1 26.2 12.5 12 5.87  LG 35.245.28.122:443/User Load  0 23.7 34 25 24.2 10.27	LG 35.245.28.122:443/Memory Used							
0 12.1 26.2 12.5 12 5.87 <b>LG 35.245.28.122:443/User Load</b> 0 23.7 34 25 24.2 10.27								
LG 35.245.28.122:443/User Load 0 23.7 34 25 24.2 10.27								
0 23.7 34 25 24.2 10.27								
LG 35.245.28.122:443/Thread Count								
0 90.3 111 92 90.8 15.7								
LG 35.245.28.122:443/Http client/Thread Pool used								
0 0.1 0.1 0.1 0.1 0.1 0.006								
LG 35.245.28.122:443/Http client/Task Pool used								
0 0.001 0.033 0 0 0 0.003								
LG 35.245.28.122:443/Controller Connection/Disconnections								
0 0 0 -								
LG 35.245.28.122:443/Controller Connection/Reconnections								
0 0 0 -								
LG 35.245.28.122:443/Controller Connection/Ping Duration (ms)								
3 10.35 33 4 9.59 9.54								
LG 35.245.28.122:443/Network/Segments sent/sec.								
0 509.7 1,041 514.2 507.1 237.5								
LG 35.245.28.122:443/Network/Segments retransmitted/sec.								
0 0.018 2 0 0 0 0.162								
LG 35.245.28.122:443/Network/eth0 (eth0)/Megabits received/sec.								
0 12.4 26.6 12.8 12.3 5.96								
LG 35.245.28.122:443/Network/eth0 (eth0)/Megabits sent/sec.								
0 0.981 1.91 0.986 0.979 0.437								

### LG 35.245.32.176:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.32.176:443/CPU Load							
0	3.6	13	4	3.48	1.77		
LG 35.245.32.176:443/Memory Used							
0	10.34	24	10	10.16	5.58		
LG 35.245.32.176:443/Throughput							
0	12.1	25.3	12.8	12.1	5.71		
LG 35.245.32.176:443/User Load							
0	23.7	34	25	24.2	10.27		
LG 35.245.32.176:443/Thread Count							
0	89.9	111	90	90.4	16		



Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.32.176:443/Http client/Thread Pool used								
0	0.1	0.1	0.1	0.1	0.006			
LG 35.245.32.176:4	LG 35.245.32.176:443/Http client/Task Pool used							
0	0	0.033	0	0	0.003			
LG 35.245.32.176:4	43/Controller Conne	ection/Disconnection	ıs					
0	0	0	0	0	-			
LG 35.245.32.176:4	43/Controller Conne	ection/Reconnection	s					
0	0	0	0	0	-			
LG 35.245.32.176:4	43/Controller Conne	ection/Ping Duration	(ms)					
21	22.5	42	22	21.7	3.95			
LG 35.245.32.176:4	43/Network/Segmen	ts sent/sec.						
0	508.9	1,156	519.1	506.3	231.3			
LG 35.245.32.176:4	43/Network/Segmen	ts retransmitted/sec						
0	0.02	2.4	0	0	0.175			
LG 35.245.32.176:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.					
0	12.4	25.9	13.1	12.4	5.79			
LG 35.245.32.176:4	LG 35.245.32.176:443/Network/eth0 (eth0)/Megabits sent/sec.							
0	0.984	1.86	1.03	0.983	0.428			

## LG 35.245.37.242:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.37.242:4	43/CPU Load				
0	3.63	16	3	3.52	1.82
LG 35.245.37.242:4	43/Memory Used				
0	9.55	22	9	9.39	4.93
LG 35.245.37.242:4	43/Throughput				
0	11.8	25.6	12.4	11.7	5.74
LG 35.245.37.242:4	43/User Load				
0	23.2	33	25	23.6	10.08
LG 35.245.37.242:4	43/Thread Count				
0	89.6	112	91	90.1	15.8
LG 35.245.37.242:4	43/Http client/Thread	d Pool used			
0	0.1	0.105	0.1	0.1	0.006
LG 35.245.37.242:4	43/Http client/Task F	Pool used			
0	0.001	0.133	0	0	0.009
LG 35.245.37.242:4	43/Controller Conne	ction/Disconnection	ıs		
0	0	0	0	0	-
LG 35.245.37.242:4	43/Controller Conne	ction/Reconnection	s		
0	0	0	0	0	-
LG 35.245.37.242:4	43/Controller Conne	ction/Ping Duration	(ms)		
4	7.34	34	4	6.16	7.98
LG 35.245.37.242:4	43/Network/Segmen	ts sent/sec.			
0	495.2	1,075	504	494.7	231.8
LG 35.245.37.242:4	43/Network/Segmen	ts retransmitted/sec			
0	0.024	2.6	0	0	0.169
LG 35.245.37.242:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.		
0	12.1	26.1	12.6	12	5.83
LG 35.245.37.242:4	43/Network/eth0 (eth	n0)/Megabits sent/se	c.		
0	0.959	1.98	0.998	0.961	0.426



# LG 35.245.39.127:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.39.127:	443/CPU Load								
0	3.6	17	3	3.46	1.87				
LG 35.245.39.127:	LG 35.245.39.127:443/Memory Used								
0	9	20	9	8.87	4.65				
LG 35.245.39.127:	443/Throughput								
0	12.2	27.5	12.6	12.1	5.75				
LG 35.245.39.127:	443/User Load								
0	23.8	34	25	24.2	10.22				
LG 35.245.39.127:	443/Thread Count								
0	90.3	111	91	90.9	15.5				
LG 35.245.39.127:	443/Http client/Threa	d Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.245.39.127:	443/Http client/Task	Pool used							
0	0.001	0.033	0	0	0.004				
LG 35.245.39.127:	443/Controller Conne	ection/Disconnection	าร						
0	0	0	0	0	-				
LG 35.245.39.127:	443/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 35.245.39.127:	443/Controller Conne	ection/Ping Duration	(ms)						
3	21.3	339	4	8.56	64.1				
LG 35.245.39.127:	443/Network/Segmer	nts sent/sec.							
0	511.9	1,195	528.2	510.6	232				
LG 35.245.39.127:	443/Network/Segmer	nts retransmitted/sec	<b>).</b>						
0	0.024	4.2	0	0	0.247				
LG 35.245.39.127:	443/Network/eth0 (et	h0)/Megabits receive	ed/sec.						
0	12.5	28.1	12.9	12.4	5.84				
LG 35.245.39.127:	443/Network/eth0 (et	h0)/Megabits sent/se	ec.						
0	0.991	2.24	1.05	0.989	0.432				

# LG 35.245.44.20:443

Min	Avg	Max	Med	Avg-90%	Std Dev		
LG 35.245.44.20:443/CPU Load							
0	3.54	13	3	3.42	1.7		
LG 35.245.44.20:443	3/Memory Used						
0	13.4	31	12	13.2	7.88		
LG 35.245.44.20:443	3/Throughput						
0	11.8	26.4	11.8	11.7	5.82		
LG 35.245.44.20:443	3/User Load						
0	23.1	33	25	23.6	10.1		
LG 35.245.44.20:443	3/Thread Count						
0	89.2	115	91	89.6	16		
LG 35.245.44.20:443	3/Http client/Thread	Pool used					
0	0.1	0.11	0.1	0.1	0.006		
LG 35.245.44.20:443	3/Http client/Task Po	ool used					
0	0	0.067	0	0	0.004		
LG 35.245.44.20:443	3/Controller Connec	tion/Disconnections					
0	0	0	0	0	-		
LG 35.245.44.20:443	3/Controller Connec	tion/Reconnections					
0	0	0	0	0	-		
LG 35.245.44.20:443	3/Controller Connec	tion/Ping Duration (	ms)				
21	22.5	23	23	22.5	0.572		

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.44.20:44	LG 35.245.44.20:443/Network/Segments sent/sec.								
0	496.4	1,310	493.1	492.1	237.5				
LG 35.245.44.20:443/Network/Segments retransmitted/sec.									
0	0.02	2.8	0	0	0.186				
LG 35.245.44.20:44	3/Network/eth0 (eth)	0)/Megabits received	l/sec.						
0	12.1	27	12.1	12	5.91				
LG 35.245.44.20:443/Network/eth0 (eth0)/Megabits sent/sec.									
0	0.961	1.99	0.972	0.959	0.435				

# LG 35.245.62.18:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.62.18:44	3/CPU Load							
0	3.64	11	3	3.53	1.83			
LG 35.245.62.18:443/Memory Used								
0	11.2	25	11	11.1	6.16			
LG 35.245.62.18:44	3/Throughput							
0	11.7	30.2	11.6	11.5	6.23			
LG 35.245.62.18:443	3/User Load							
0	22.9	33	25	23.4	10.24			
LG 35.245.62.18:44	3/Thread Count							
0	89.6	110	92	90.3	16.2			
LG 35.245.62.18:44	3/Http client/Thread	Pool used						
0	0.1	0.105	0.1	0.1	0.006			
LG 35.245.62.18:44	3/Http client/Task Po	ool used						
0	0.001	0.017	0	0	0.003			
LG 35.245.62.18:44	3/Controller Connec	tion/Disconnections	3					
0	0	0	0	0	-			
LG 35.245.62.18:44	3/Controller Connec	tion/Reconnections						
0	0	0	0	0	-			
LG 35.245.62.18:44	3/Controller Connec	tion/Ping Duration (	ms)					
3	8.65	34	4	7.58	9.58			
LG 35.245.62.18:443	3/Network/Segments	s sent/sec.						
0	491.1	1,201	480.6	484.1	249.1			
LG 35.245.62.18:443	3/Network/Segments	s retransmitted/sec.						
0	0.028	3.4	0	0	0.22			
LG 35.245.62.18:443	3/Network/eth0 (eth)	0)/Megabits received	l/sec.					
0	12	30.8	11.8	11.8	6.33			
LG 35.245.62.18:443	3/Network/eth0 (eth)	0)/Megabits sent/sec	<b>.</b> .					
0	0.953	2.25	0.951	0.945	0.455			

## LG 35.245.66.178:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.66.178:4	LG 35.245.66.178:443/CPU Load								
0	3.48	14	3	3.36	1.7				
LG 35.245.66.178:4	43/Memory Used								
0	11.5	26	11	11.4	6.27				
LG 35.245.66.178:4	43/Throughput								
0	11.9	24.9	12.2	11.8	5.76				
LG 35.245.66.178:4	43/User Load								
0	23.1	33	25	23.6	10.12				
LG 35.245.66.178:443/Thread Count									
0	89.8	112	93	90.3	16.3				



Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.66.178:443/Http client/Thread Pool used									
0	0.1	0.1	0.1	0.1	0.006				
LG 35.245.66.178:4	_G 35.245.66.178:443/Http client/Task Pool used								
0	0.001	0.083	0	0	0.007				
LG 35.245.66.178:4	43/Controller Conne	ection/Disconnection	ıs						
0	0	0	0	0	-				
LG 35.245.66.178:4	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 35.245.66.178:4	43/Controller Conne	ection/Ping Duration	(ms)						
3	5.08	23	4	4.2	4.92				
LG 35.245.66.178:4	43/Network/Segmen	ts sent/sec.							
0	500.1	1,018	519.6	499.2	235.1				
LG 35.245.66.178:4	43/Network/Segmen	ts retransmitted/sec							
0	0.038	2.21	0	0.015	0.163				
LG 35.245.66.178:4	43/Network/eth0 (eth	n0)/Megabits receive	d/sec.						
0	12.2	25.3	12.5	12.1	5.84				
LG 35.245.66.178:4	LG 35.245.66.178:443/Network/eth0 (eth0)/Megabits sent/sec.								
0	0.964	1.87	1.02	0.967	0.43				

## LG 35.245.85.172:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.85.172:4	43/CPU Load				
0	3.64	18	4	3.51	1.83
LG 35.245.85.172:4	43/Memory Used				
0	11	25	11	10.85	5.97
LG 35.245.85.172:4	43/Throughput				
0	12.1	29.9	12.6	12	5.91
LG 35.245.85.172:4	43/User Load				
0	23.8	34	25	24.2	10.24
LG 35.245.85.172:4	43/Thread Count				
0	90.9	114	91	91.4	16.4
LG 35.245.85.172:4	43/Http client/Thread	d Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.245.85.172:4	43/Http client/Task F	Pool used			
0	0.001	0.067	0	0	0.005
LG 35.245.85.172:4	43/Controller Conne	ection/Disconnection	ns		
0	0	0	0	0	-
LG 35.245.85.172:4	43/Controller Conne	ection/Reconnection	s		
0	0	0	0	0	-
LG 35.245.85.172:4	43/Controller Conne	ection/Ping Duration	(ms)		
3	12	35	4	11.4	10.17
LG 35.245.85.172:4	43/Network/Segmen	ts sent/sec.			
0	509.2	1,176	517.9	504	240.2
LG 35.245.85.172:4	43/Network/Segmen	ts retransmitted/sec	<b>.</b>		
0	0.028	2.8	0	0	0.211
LG 35.245.85.172:4	43/Network/eth0 (eth	n0)/Megabits receive	ed/sec.		
0	12.4	30.5	12.9	12.3	5.99
LG 35.245.85.172:4	43/Network/eth0 (eth	n0)/Megabits sent/se	ec.		
0	1.01	6.05	1.01	0.981	0.588



# LG 35.245.94.136:443

### **Performance Counters**

Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.94.136:44	43/CPU Load							
0	3.56	12	3	3.42	1.78			
LG 35.245.94.136:443/Memory Used								
0	12	27	11	11.8	6.64			
LG 35.245.94.136:44	43/Throughput							
0	11.8	26.4	11.8	11.8	5.73			
LG 35.245.94.136:44	43/User Load							
0	23.1	33	25	23.6	10.11			
LG 35.245.94.136:44	43/Thread Count							
0	89.1	110	91	89.6	15.9			
LG 35.245.94.136:44	43/Http client/Threa	d Pool used						
0	0.1	0.1	0.1	0.1	0.006			
LG 35.245.94.136:44	43/Http client/Task F	Pool used						
0	0	0.017	0	0	0.002			
LG 35.245.94.136:44	43/Controller Conne	ction/Disconnection	าร					
0	0	0	0	0	-			
LG 35.245.94.136:44	43/Controller Conne	ction/Reconnection	s					
0	0	0	0	0	-			
LG 35.245.94.136:44	43/Controller Conne	ection/Ping Duration	(ms)					
4	11.7	34	4	10.94	9.83			
LG 35.245.94.136:44	43/Network/Segmen	ts sent/sec.						
0	495.4	1,069	505.9	493.3	233.5			
		ts retransmitted/sed	<b>.</b>					
0	0.014	1.2	0	0	0.094			
LG 35.245.94.136:44		n0)/Megabits receive	ed/sec.					
0	12.1	27	12.2	12.1	5.82			
LG 35.245.94.136:44	· ·	n0)/Megabits sent/se						
0	0.955	1.96	0.955	0.955	0.429			

# LG 35.245.94.201:443

Min	Avg	Max	Med	Avg-90%	Std Dev				
LG 35.245.94.201:44	LG 35.245.94.201:443/CPU Load								
0	3.62	12	4	3.52	1.78				
LG 35.245.94.201:44	43/Memory Used								
0	13.2	31	12	12.9	7.62				
LG 35.245.94.201:44	43/Throughput								
0	11.7	28.2	11.8	11.6	5.87				
LG 35.245.94.201:44	43/User Load								
0	22.9	33	25	23.4	10.24				
LG 35.245.94.201:44	43/Thread Count								
0	89.1	112	92	89.7	16.2				
LG 35.245.94.201:44	43/Http client/Threa	d Pool used							
0	0.1	0.1	0.1	0.1	0.006				
LG 35.245.94.201:44	43/Http client/Task F	Pool used							
0	0.001	0.067	0	0	0.005				
LG 35.245.94.201:44	43/Controller Conne	ection/Disconnection	าร						
0	0	0	0	0	-				
LG 35.245.94.201:44	43/Controller Conne	ection/Reconnection	s						
0	0	0	0	0	-				
LG 35.245.94.201:44	43/Controller Conne	ction/Ping Duration	(ms)						
3	19.9	33	22	20.2	7.52				




Min	Avg	Max	Med	Avg-90%	Std Dev			
LG 35.245.94.201:443/Network/Segments sent/sec.								
7.91	491	1,070	497.8	487.4	238			
LG 35.245.94.201:443/Network/Segments retransmitted/sec.								
0	0.019	1.4	0	0	0.12			
LG 35.245.94.201:4	43/Network/eth0 (etl	h0)/Megabits receive	ed/sec.					
0.018	12	28.8	12.1	11.9	5.96			
LG 35.245.94.201:4	LG 35.245.94.201:443/Network/eth0 (eth0)/Megabits sent/sec.							
0.014	0.952	2.24	0.974	0.948	0.44			

# LG 35.245.95.1:443

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.245.95.1:443/CPU Load					
0	3.49	12	3	3.37	1.7
LG 35.245.95.1:443	Memory Used				
0	9.83	22	9	9.69	5.18
LG 35.245.95.1:443	/Throughput				
0	12.1	26.9	12.4	12	5.77
LG 35.245.95.1:443	/User Load				
0	23.7	34	25	24.2	10.26
LG 35.245.95.1:443	Thread Count				
0	90.2	112	92	90.7	16.1
LG 35.245.95.1:443	/Http client/Thread F	Pool used			
0	0.1	0.1	0.1	0.1	0.006
LG 35.245.95.1:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.245.95.1:443	/Controller Connect	ion/Disconnections			
0	0	0	0	0	-
LG 35.245.95.1:443	/Controller Connect	ion/Reconnections			
0	0	0	0	0	-
LG 35.245.95.1:443	/Controller Connect	ion/Ping Duration (n	ns)		
3	7.77	34	4	6.69	8.59
LG 35.245.95.1:443	LG 35.245.95.1:443/Network/Segments sent/sec.				
0	508	1,172	513.9	504.7	236.1
LG 35.245.95.1:443/Network/Segments retransmitted/sec.					
0	0.019	4.6	0	0	0.259
LG 35.245.95.1:443/Network/eth0 (eth0)/Megabits received/sec.					
0	12.4	27.3	12.7	12.3	5.86
LG 35.245.95.1:443	/Network/eth0 (eth0)	/Megabits sent/sec.			
0	0.982	2.03	1.02	0.979	0.433




### Average page response time



Min	Average	Max
0.086	0.753	1.887

 $\textbf{Notes:} \ \mathsf{Displays} \ \mathsf{the} \ \mathsf{average} \ \mathsf{response} \ \mathsf{time}, \ \mathsf{in} \ \mathsf{seconds}, \ \mathsf{of} \ \mathsf{all} \ \mathsf{pages} \ \mathsf{during} \ \mathsf{the} \ \mathsf{test}.$ 

## Average request response time




Min	Average	Max
0.028	0.181	100.388

**Notes:** Displays the average response time, in seconds, of all requests during the test.



# **Average response time (Transactions)**




Min	Average	Max	Median	Avg-90%	Std. Dev.
0.267	3.612	10.814	2.731	3.347	2.099

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.




## Requests per second



Min	Average	Max
0	2,479.3	3,970.5

**Notes:** Displays the number of requests per second.


## **Errors**



Min	Average	Max
0	8.3	56

**Notes:** Displays the number of errors per sampling interval.


# **Throughput**



Min	Average	Max
0	680.04	1,133.9

**Notes:** Displays the number of megabits of data per second returned by the server.

# Response time against load




Min	Average	Max
0.076	0.455	0.956

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.



#### **Distribution of Transaction Durations**



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

