

# 11-19-Forgrock Loadtest



Date	Nov 20, 2019 3:08:31 AM
Project	Forgrock_modified
Scenario	Forgrock_Final
Comment	
Notes	11-19-Forgrock Loadtest

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	7
Hot spots.....	8
Errors.....	8
Alerts.....	8
General statistics.....	8
Transaction statistics.....	8
Execution context.....	14
Scenario .....	9
Servers.....	19
Cloud.....	20
Populations.....	21
User Paths.....	22
Transactions.....	23
Pages.....	25
Media Contents.....	28
Push messages.....	24
Monitors.....	29
Main graphs.....	126
Average page response time.....	126
Average request response time.....	127
Average response time (Transactions).....	128
Requests per second.....	129
Errors.....	130
Throughput.....	131
Response time against load.....	132
Distribution of Transaction Durations.....	133

## Summary

### Results summary

<b>Name</b>	03:07 - 20 Nov 2019 lt 21	<b>Project</b>	Forgrock_modified
<b>Description</b>		<b>Scenario</b>	Forgrock_Final
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population Forgrock_20 is customized
<b>Start date</b>	Nov 20, 2019 3:08:31 AM		
<b>End date</b>	Nov 20, 2019 3:39:47 AM	<b>Stop Policy</b>	• Population Forgrock_20: immediate.
<b>Duration</b>	00:31:15		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
<b>LG Hosts</b>	34.74.23.65:443 , 34.74.74.155:443 , 35.237.10.8:443 , 35.227.17.38:443 , 34.74.26.17:443 , 35.231.5.194:443 , 35.231.69.165:443 , 35.237.182.166:443 , 35.231.161.16:443 , 34.73.58.222:443 , 35.227.124.186:443 , 35.196.249.230:443 , 35.196.197.95:443 , 35.190.167.19:443 , 34.74.51.36:443 , 34.74.46.53:443 , 35.231.143.251:443 , 35.196.61.137:443 , 35.196.209.203:443 , 35.229.25.169:443 , 34.74.82.239:443 , 34.74.177.224:443 , 35.196.45.117:443 , 35.237.120.253:443 , 35.196.175.6:443 , 35.229.28.93:443 , 34.73.221.192:443 , 35.243.236.114:443 , 35.243.195.137:443 , 35.243.224.172:443 , 34.74.246.179:443 , 35.196.254.104:443	<b>Debug</b>	Disabled

	,	35.237.73.95:443	
	,	35.227.58.250:443	
	,	35.190.132.216:443	
	,	104.196.186.7:443	
	,	35.190.156.44:443	
	,	35.196.140.40:443	
	,	35.185.126.234:443	
	,	34.74.175.108:443	
	,	35.237.73.110:443	
	,	35.196.181.160:443	
	,	35.231.11.96:443	
	,	35.237.234.70:443	
	,	34.73.24.251:443	
	,	35.229.113.66:443	
	,	35.185.102.192:443	
	,	35.243.135.85:443	
	,	34.73.154.122:443	
	,	35.237.229.166:443	
	,	104.196.209.180:443	
	,	35.243.138.201:443	
	,	35.196.219.240:443	
	,	35.237.68.192:443	
	,	35.237.57.141:443	
	,	35.237.4.84:443	
	,	34.74.109.247:443	
	,	34.73.217.33:443	
	,	35.229.67.15:443	
	,	34.74.143.228:443	
	,	34.74.213.102:443	
	,	34.74.173.165:443	
	,	35.243.140.140:443	
	,	34.73.131.42:443	
	,	34.74.43.156:443	
	,	34.73.254.139:443	
	,	34.74.151.196:443	
	,	35.243.188.248:443	
	,	35.231.27.35:443	
	,	35.237.207.138:443	
	,	35.231.119.246:443	

,	35.231.177.121:443		
,	35.243.188.30:443		
,	34.74.168.161:443		
,	35.237.235.166:443		
,	34.74.104.199:443		
,	34.74.171.87:443		
,	35.196.95.90:443		
,	35.196.111.34:443		
,	34.73.251.200:443		
,	52.162.222.127:443		
,	52.162.222.177:443		
,	52.162.222.179:443		
,	52.162.222.203:443		
,	52.162.222.204:443		
,	52.162.216.145:443		
,	52.162.216.146:443		
,	52.162.216.219:443		
,	52.162.154.118:443		
,	23.96.183.108:443		
,	52.162.220.184:443		
,	52.162.223.175:443		
,	52.162.216.24:443		
,	52.162.223.243:443		
,	52.162.219.99:443		
,	52.162.217.90:443		
,	52.162.217.4:443		
,	52.162.217.10:443		
,	52.162.217.201:443		
,	52.162.220.7:443		
,	52.162.153.62:443		
,	52.162.155.227:443		
,	52.162.159.50:443		
,	52.162.220.152:443		
,	52.162.220.60:443		
,	52.162.221.86:443		
,	52.162.221.204:443		
,	52.162.221.195:443		
,	52.162.158.2:443		
,	52.162.221.253:443		


,	52.162.157.65:443		
,	52.162.158.99:443		
,	52.162.159.237:443		
,	52.162.157.176:443		
,	52.162.218.249:443		
,	52.162.159.37:443		
,	52.162.219.55:443		
,	52.162.156.131:443		
,	52.162.219.154:443		
,	52.162.219.159:443		
,	52.162.157.206:443		
,	52.162.159.13:443		
,	23.101.170.63:443		
,	52.162.157.143:443		
,	52.162.216.72:443		
,	52.162.152.74:443		
,	52.162.223.244:443		
,	52.162.158.218:443		
,	52.162.217.196:443		
,	157.55.208.172:443		
,	52.162.158.32:443		
,	52.240.150.125:443		
,	52.162.154.236:443		
,	52.162.154.73:443		
,	52.162.154.84:443		
,	52.240.150.150:443		
,	52.162.222.70:443		
,	52.162.159.153:443		
,	52.162.216.205:443		
,	52.162.152.143:443		
,	52.162.156.148:443		
,	52.162.152.162:443		
,	23.96.184.111:443		
,	52.162.157.242:443		
,	168.62.108.198:443		
,	52.240.150.227:443		
,	52.162.154.253:443		
,	52.162.159.71:443		
,	52.240.150.185:443		

	168.62.241.67:443		
	52.162.153.57:443		
	52.162.153.58:443		
	52.162.153.64:443		
	52.162.153.125:443		
	52.162.153.138:443		
	52.162.153.136:443		
	52.162.153.225:443		
	65.52.59.134:443		
	52.162.158.26:443		

## Statistics Summary

<b>Total pages</b>	9456486	—	<b>Average pages/s</b>	5,040.8	—
<b>Total requests</b>	23265649	—	<b>Average requests/s</b>	12,401.7	—
<b>Total users launched</b>	15786	—	<b>Average Request response time</b>	0.118 s	—
<b>Total iterations completed</b>	422215	—	<b>Average Page response time</b>	0.265 s	—
<b>Total throughput</b>	519,092 MB	—	<b>Average throughput</b>	2,213.61 Mb/s	—
<b>Total request errors</b>	46256	—	<b>Error rate</b>	0.2 %	—
<b>Total action errors</b>	0	—	<b>Alerts total duration</b>	0 %	—

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ☄ = Failed



## Hot spots

### Top 5 errors

User Path	Parent	Page	Count
Forgrock_old	/od/cust/auth/logout	/cdsso/public/c/silentLogout	42474
Forgrock_old	T03_SignOut	/od/cust/auth/logout	42361
Forgrock_old	T02_SignIn	/vzauth/UI/Login_1	3734
Forgrock_old	T02_SignIn	/content/vzw-engage/c2c/btn.dis...ntainer-desktop.html	8
Forgrock_old	T02_SignIn	/track/cmfgeneric	3

### Top 5 alerts

No alerts
-----------

### First critical alerts

No alerts
-----------

### Top 5 average response time (Pages)

User Path	Parent	Page	Duration
Forgrock_old	T03_SignOut	/od/cust/auth/logout	3.2
Forgrock_old	/od/cust/auth/logout	/cdsso/public/c/silentLogout	3.1
Forgrock_old	T02_SignIn	/vzauth/UI/Login_1	1.22
Forgrock_old	T02_SignIn	/vzwsvc/asc/GlobalNavServicesInfo.action	0.275
Forgrock_old	T01_LandingPage	/vzauth/UI/Login	0.264

### Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
Forgrock_old	T01_LandingPage	/globalnav/fonts/NeueHaasGroteskDisplay.woff2	152.2
Forgrock_old	T01_LandingPage	/vzauth/UI/Login	110.8
Forgrock_old	T02_SignIn	/reactive/shop/desktop/build/jsons/cq_byod.json	104.8
Forgrock_old	T02_SignIn	/am/content/fonts/NeueHaasGroteskText.woff	103.2
Forgrock_old	T03_SignOut	/od/cust/auth/logout	86.7

## Errors

### Request errors

Error Type	Count	Description
NL-NETWORK-01	42,481	Miscellaneous I/O error when connecting to the server.
Assertions	3,767	Validation of the response failed.
404	8	Not Found - The server has not found anything matching the Request-URI.
Total	46,256	Total error count.

### Action errors

No errors
-----------

## Alerts

No alerts
-----------

## General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
0.179	159.1	331	15,786	15,392	97.5	-
All pages						
0	0.265	152.2	9,456,486	46,110	0.5	-
All requests						
0	0.117	152.2	23,265,649	46,256	0.2	-

## Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.235	1.95	152.4	1,277,540	42,735	3.3	0.556	4.44	32.2	6.06	0.887	-



## Scenario

### Summary

<b>Name</b>	03:07 - 20 Nov 2019 It 21	<b>Project</b>	Forgrock_modified
<b>Description</b>		<b>Scenario</b>	Forgrock_Final
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population Forgrock_20 is customized
<b>Start date</b>	Nov 20, 2019 3:08:31 AM		
<b>End date</b>	Nov 20, 2019 3:39:47 AM	<b>Stop Policy</b>	• Population Forgrock_20: immediate.
<b>Duration</b>	00:31:15		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
	34.74.23.65:443 , 34.74.74.155:443 , 35.237.10.8:443 , 35.227.17.38:443 , 34.74.26.17:443 , 35.231.5.194:443 , 35.231.69.165:443 , 35.237.182.166:443 , 35.231.161.16:443 , 34.73.58.222:443 , 35.227.124.186:443 , 35.196.249.230:443 , 35.196.197.95:443 , 35.190.167.19:443 , 34.74.51.36:443 , <b>LG Hosts</b> 34.74.46.53:443 , 35.231.143.251:443 , 35.196.61.137:443 , 35.196.209.203:443 , 35.229.25.169:443 , 34.74.82.239:443 , 34.74.177.224:443 , 35.196.45.117:443 , 35.237.120.253:443 , 35.196.175.6:443 , 35.229.28.93:443 , 34.73.221.192:443 , 35.243.236.114:443 , 35.243.195.137:443 , 35.243.224.172:443 , 34.74.246.179:443		
		<b>Debug</b>	Disabled

	,	35.196.254.104:443	
	,	35.237.73.95:443	
	,	35.227.58.250:443	
	,	35.190.132.216:443	
	,	104.196.186.7:443	
	,	35.190.156.44:443	
	,	35.196.140.40:443	
	,	35.185.126.234:443	
	,	34.74.175.108:443	
	,	35.237.73.110:443	
	,	35.196.181.160:443	
	,	35.231.11.96:443	
	,	35.237.234.70:443	
	,	34.73.24.251:443	
	,	35.229.113.66:443	
	,	35.185.102.192:443	
	,	35.243.135.85:443	
	,	34.73.154.122:443	
	,	35.237.229.166:443	
	,	104.196.209.180:443	
	,	35.243.138.201:443	
	,	35.196.219.240:443	
	,	35.237.68.192:443	
	,	35.237.57.141:443	
	,	35.237.4.84:443	
	,	34.74.109.247:443	
	,	34.73.217.33:443	
	,	35.229.67.15:443	
	,	34.74.143.228:443	
	,	34.74.213.102:443	
	,	34.74.173.165:443	
	,	35.243.140.140:443	
	,	34.73.131.42:443	
	,	34.74.43.156:443	
	,	34.73.254.139:443	
	,	34.74.151.196:443	
	,	35.243.188.248:443	
	,	35.231.27.35:443	
	,	35.237.207.138:443	

,	35.231.119.246:443	
,	35.231.177.121:443	
,	35.243.188.30:443	
,	34.74.168.161:443	
,	35.237.235.166:443	
,	34.74.104.199:443	
,	34.74.171.87:443	
,	35.196.95.90:443	
,	35.196.111.34:443	
,	34.73.251.200:443	
,	52.162.222.127:443	
,	52.162.222.177:443	
,	52.162.222.179:443	
,	52.162.222.203:443	
,	52.162.222.204:443	
,	52.162.216.145:443	
,	52.162.216.146:443	
,	52.162.216.219:443	
,	52.162.154.118:443	
,	23.96.183.108:443	
,	52.162.220.184:443	
,	52.162.223.175:443	
,	52.162.216.24:443	
,	52.162.223.243:443	
,	52.162.219.99:443	
,	52.162.217.90:443	
,	52.162.217.4:443	
,	52.162.217.10:443	
,	52.162.217.201:443	
,	52.162.220.7:443	
,	52.162.153.62:443	
,	52.162.155.227:443	
,	52.162.159.50:443	
,	52.162.220.152:443	
,	52.162.220.60:443	
,	52.162.221.86:443	
,	52.162.221.204:443	
,	52.162.221.195:443	
,	52.162.158.2:443	

	,	52.162.221.253:443	
	,	52.162.157.65:443	
	,	52.162.158.99:443	
	,	52.162.159.237:443	
	,	52.162.157.176:443	
	,	52.162.218.249:443	
	,	52.162.159.37:443	
	,	52.162.219.55:443	
	,	52.162.156.131:443	
	,	52.162.219.154:443	
	,	52.162.219.159:443	
	,	52.162.157.206:443	
	,	52.162.159.13:443	
	,	23.101.170.63:443	
	,	52.162.157.143:443	
	,	52.162.216.72:443	
	,	52.162.152.74:443	
	,	52.162.223.244:443	
	,	52.162.158.218:443	
	,	52.162.217.196:443	
	,	157.55.208.172:443	
	,	52.162.158.32:443	
	,	52.240.150.125:443	
	,	52.162.154.236:443	
	,	52.162.154.73:443	
	,	52.162.154.84:443	
	,	52.240.150.150:443	
	,	52.162.222.70:443	
	,	52.162.159.153:443	
	,	52.162.216.205:443	
	,	52.162.152.143:443	
	,	52.162.156.148:443	
	,	52.162.152.162:443	
	,	23.96.184.111:443	
	,	52.162.157.242:443	
	,	168.62.108.198:443	
	,	52.240.150.227:443	
	,	52.162.154.253:443	
	,	52.162.159.71:443	

	,		
	52.240.150.185:443		
	,		
	168.62.241.67:443		
	,		
	52.162.153.57:443		
	,		
	52.162.153.58:443		
	,		
	52.162.153.64:443		
	,		
	52.162.153.125:443		
	,		
	52.162.153.138:443		
	,		
	52.162.153.136:443		
	,		
	52.162.153.225:443		
	,		
	65.52.59.134:443		
	,		
	52.162.158.26:443		

## Populations

### Forgrock\_20

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
Forgrock_old	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

## User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
Forgrock_old		Do nothing	Do nothing	From pages	0%

## Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

## Execution context

<b>Name</b>	03:07 - 20 Nov 2019 lt 21	<b>Project</b>	Forgrock_modified
<b>Description</b>		<b>Scenario</b>	Forgrock_Final
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population Forgrok_20 is customized
<b>Start date</b>	Nov 20, 2019 3:08:31 AM		
<b>End date</b>	Nov 20, 2019 3:39:47 AM	<b>Stop Policy</b>	• Population Forgrok_20: immediate.
<b>Duration</b>	00:31:15		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
	34.74.23.65:443 , 34.74.74.155:443 , 35.237.10.8:443 , 35.227.17.38:443 , 34.74.26.17:443 , 35.231.5.194:443 , 35.231.69.165:443 , 35.237.182.166:443 , 35.231.161.16:443 , 34.73.58.222:443 , 35.227.124.186:443 , 35.196.249.230:443 , 35.196.197.95:443 , 35.190.167.19:443 , 34.74.51.36:443 , 34.74.46.53:443 , 35.231.143.251:443 , 35.196.61.137:443 , 35.196.209.203:443 , 35.229.25.169:443 , 34.74.82.239:443 , 34.74.177.224:443 , 35.196.45.117:443 , 35.237.120.253:443 , 35.196.175.6:443 , 35.229.28.93:443 , 34.73.221.192:443 , 35.243.236.114:443 , 35.243.195.137:443 , 35.243.224.172:443 , 34.74.246.179:443 , 35.196.254.104:443 , ,		
<b>LG Hosts</b>		<b>Debug</b>	Disabled

35.237.73.95:443		
,		
35.227.58.250:443		
,		
35.190.132.216:443		
,		
104.196.186.7:443		
,		
35.190.156.44:443		
,		
35.196.140.40:443		
,		
35.185.126.234:443		
,		
34.74.175.108:443		
,		
35.237.73.110:443		
,		
35.196.181.160:443		
,		
35.231.11.96:443		
,		
35.237.234.70:443		
,		
34.73.24.251:443		
,		
35.229.113.66:443		
,		
35.185.102.192:443		
,		
35.243.135.85:443		
,		
34.73.154.122:443		
,		
35.237.229.166:443		
,		
104.196.209.180:443		
,		
35.243.138.201:443		
,		
35.196.219.240:443		
,		
35.237.68.192:443		
,		
35.237.57.141:443		
,		
35.237.4.84:443		
,		
34.74.109.247:443		
,		
34.73.217.33:443		
,		
35.229.67.15:443		
,		
34.74.143.228:443		
,		
34.74.213.102:443		
,		
34.74.173.165:443		
,		
35.243.140.140:443		
,		
34.73.131.42:443		
,		
34.74.43.156:443		
,		
34.73.254.139:443		
,		
34.74.151.196:443		
,		
35.243.188.248:443		
,		
35.231.27.35:443		
,		
35.237.207.138:443		
,		
35.231.119.246:443		
,		

35.231.177.121:443  
,  
35.243.188.30:443  
,  
34.74.168.161:443  
,  
35.237.235.166:443  
,  
34.74.104.199:443  
,  
34.74.171.87:443  
,  
35.196.95.90:443  
,  
35.196.111.34:443  
,  
34.73.251.200:443  
,  
52.162.222.127:443  
,  
52.162.222.177:443  
,  
52.162.222.179:443  
,  
52.162.222.203:443  
,  
52.162.222.204:443  
,  
52.162.216.145:443  
,  
52.162.216.146:443  
,  
52.162.216.219:443  
,  
52.162.154.118:443  
,  
23.96.183.108:443  
,  
52.162.220.184:443  
,  
52.162.223.175:443  
,  
52.162.216.24:443  
,  
52.162.223.243:443  
,  
52.162.219.99:443  
,  
52.162.217.90:443  
,  
52.162.217.4:443  
,  
52.162.217.10:443  
,  
52.162.217.201:443  
,  
52.162.220.7:443  
,  
52.162.153.62:443  
,  
52.162.155.227:443  
,  
52.162.159.50:443  
,  
52.162.220.152:443  
,  
52.162.220.60:443  
,  
52.162.221.86:443  
,  
52.162.221.204:443  
,  
52.162.221.195:443  
,  
52.162.158.2:443  
,  
52.162.221.253:443  
,



52.162.157.65:443		
,		
52.162.158.99:443		
,		
52.162.159.237:443		
,		
52.162.157.176:443		
,		
52.162.218.249:443		
,		
52.162.159.37:443		
,		
52.162.219.55:443		
,		
52.162.156.131:443		
,		
52.162.219.154:443		
,		
52.162.219.159:443		
,		
52.162.157.206:443		
,		
52.162.159.13:443		
,		
23.101.170.63:443		
,		
52.162.157.143:443		
,		
52.162.216.72:443		
,		
52.162.152.74:443		
,		
52.162.223.244:443		
,		
52.162.158.218:443		
,		
52.162.217.196:443		
,		
157.55.208.172:443		
,		
52.162.158.32:443		
,		
52.240.150.125:443		
,		
52.162.154.236:443		
,		
52.162.154.73:443		
,		
52.162.154.84:443		
,		
52.240.150.150:443		
,		
52.162.222.70:443		
,		
52.162.159.153:443		
,		
52.162.216.205:443		
,		
52.162.152.143:443		
,		
52.162.156.148:443		
,		
52.162.152.162:443		
,		
23.96.184.111:443		
,		
52.162.157.242:443		
,		
168.62.108.198:443		
,		
52.240.150.227:443		
,		
52.162.154.253:443		
,		
52.162.159.71:443		
,		
52.240.150.185:443		
,		

168.62.241.67:443		
,		
52.162.153.57:443		
,		
52.162.153.58:443		
,		
52.162.153.64:443		
,		
52.162.153.125:443		
,		
52.162.153.138:443		
,		
52.162.153.136:443		
,		
52.162.153.225:443		
,		
65.52.59.134:443		
,		
52.162.158.26:443		

**NeoLoad version** 6.8.0;build=20190103-16  
**Graphs granularity** Standard

## Application proxy

Name	Description
Empty list	

## Zone application proxies

Zone	Name	Description
Empty list		

## Constant variables

Name	Value	Description
Empty list		



## User Paths settings

<b>Forgrock_old</b>	
Error policy:	Do nothing
Assertion policy:	Do nothing
Thinktime policy:	defined in pages
Pacing:	No pacing

## Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443		No
login.verizonwireless.com	443		No
scache1.vzw.com	443		No
billpaysvc.verizonwireless.com	443		No
scache.vzw.com	443		No
scache2.vzw.com	443		No
login.vzw.com	443		No



## Graphs



## Statistics

Zone	Cloud Provider	Load Generators	Total requests	Average requests/s	Avg. Page res. time	Error rate
USA Central - Illinois (Chicago 2)	Microsoft Azure	79	11490544 (49.4%)	6,125.0	0.255s (-3.77%)	0.2% (-1.19%)
USA East - South Carolina (Berkeley County)	Google Compute Engine	80	11775105 (50.6%)	6,276.7	0.275s (+3.77%)	0.2% (+1.16%)
Global		159	23265649 (100%)	12,401.7	0.265s	0.2%


## Graphs



## Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
Forgrock_20	23265649 (100%)	12,401.7	0.265s (0%)	0.2% (0%)
Global	23265649 (100%)	12,401.7	0.265s	0.2%








## User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 Forgrock_old						
0.179	159.1	331	15,786	15,392	97.5	-

## Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

## Forgrock\_old

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 Forgrock_old											
0.179	159.1	331	15,786	15,392	97.5	-	-	-	-	-	-
 Init											
0	0	0.002	15,786	0	0	-	-	-	-	-	-
 Actions											
1.32	5.88	154.1	422,215	40,132	9.5	-	-	-	-	-	-
 T01_LandingPage											
0.235	0.464	152.4	429,425	4	0	0.539	0.654	1.62	0.59	0.431	-
 T02_SignIn											
0.81	2.04	105.7	425,900	3,734	0.9	1.53	4.12	13.2	2.74	1.65	-
 T03_SignOut											
0.237	3.39	88.2	422,215	38,997	9.2	0.316	27.3	52.6	9.93	1.5	-
 End											
0	0	0.001	15,786	0	0	-	-	-	-	-	-

### Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

### Forgrock\_old




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						













## Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

## Forgrock\_old






























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 <b>Forgrock_old</b>						
0.179	159.1	331	15,786	15,392	97.5	-
 <b>Actions</b>						
1.32	5.88	154.1	422,215	40,132	9.5	-
 <b>T01_LandingPage</b>						
0.235	0.464	152.4	429,425	4	0	-
 <b>/vzauth/UI/Login</b>						
0.157	0.264	110.8	437,257	0	0	-
 <b>/am/images/tooltip.png</b>						
0.001	0.008	1.51	437,257	1	0	-
 <b>/utag/vzw/main/prod/utag.js</b>						
0.005	0.019	0.704	436,819	1	0	-
 <b>/ui-one-digital/global-header/...ct.globalheader.json</b>						
0.013	0.051	74.8	435,409	0	0	-
 <b>/globalnav/fonts/NeueHaasGroteskDisplay.woff2</b>						
0.02	0.074	152.2	434,099	2	0	-
 <b>/support/etc/designs/support_rd/c2c.js</b>						
0.001	0.008	1.53	433,443	0	0	-
 <b>/askverizon/content/images/svg/chatbubblelcon.svg</b>						
0.001	0.008	0.852	431,674	0	0	-
 <b>/inqchat.html</b>						
0.02	0.035	3.08	431,436	0	0	-
 <b>T02_SignIn</b>						
0.81	2.04	105.7	425,900	3,734	0.9	-
 <b>/vzauth/UI/Login</b>						
0.036	0.086	58.9	429,388	0	0	-
 <b>/am/content/fonts/NeueHaasGroteskText.woff</b>						
0.003	0.01	103.2	428,886	0	0	-
 <b>/vzauth/UI/Login_1</b>						
0.279	1.22	53.6	427,841	3,734	0.9	-
 <b>/od/cust/auth/byod/bring-your-own-device</b>						
0.043	0.122	11.3	427,766	0	0	-
 <b>/reactive/shop/desktop/build/js/cq_byod.json</b>						
0.107	0.181	104.8	427,195	0	0	-
 <b>/track/cmf/generic</b>						
0	0.015	5.21	427,191	3	0	-
 <b>/reactive/shop/desktop/build/fonts/vzw-iconfont.ttf</b>						
0.002	0.009	3.56	426,921	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /inqchat.html						
0.022	0.027	1.04	426,910	0	0	-
 /vzwsvc/asc/GlobalNavServicesInfo.action						
0.166	0.275	9.49	426,825	0	0	-
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html						
0.025	0.037	5.9	426,700	8	0	-
 /od/cust/auth/tealeafTarget						
0.032	0.052	9.39	426,602	0	0	-
 T03_SignOut						
0.237	3.39	88.2	422,215	38,997	9.2	-
 /od/cust/auth/tealeafTarget						
0.051	0.075	6.32	425,744	0	0	-
 /od/cust/auth/logout						
0.149	3.2	86.7	425,579	42,361	10	-
 /amserver/config/auth/default/silentLogout.jsp						
0.026	0.058	4.02	425,692	0	0	-
 /cdsso/public/c/silentLogout						
0.089	3.1	86.6	425,692	42,474	10	-
 /vzauth/UI/Login						
0.028	0.092	6.67	425,544	0	0	-

## Shared Containers

SLA	Value	Severity
Empty list		

## Forgrock\_old

SLA	Value	Severity
 Forgrock_old		
 Actions		
 T01_LandingPage		
 /vzauth/UI/Login		
 /am/images/tooltip.png		
 /utag/vzw/main/prod/utag.js		
 /ui-one-digital/global-header/...ct.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /support/etc/designs/support_rd/c2c.js		
 /askverizon/content/images/svg/chatbubblelcon.svg		
 /inqchat.html		
 T02_SignIn		
 /vzauth/UI/Login		
 /am/content/fonts/NeueHaasGroteskText.woff		
 /vzauth/UI/Login_1		
 /od/cust/auth/byod/bring-your-own-device		
 /reactive/shop/desktop/build/jsons/cq_byod.json		
 /track/cmf/generic		
 /reactive/shop/desktop/build/fonts/vzw-iconfont.ttf		
 /inqchat.html		
 /vzwsvc/asc/GlobalNavServicesInfo.action		
 /content/vzw-engage/c2c/btn.di...ntainer-desktop.html		
 /od/cust/auth/tealeafTarget		
 T03_SignOut		
 /od/cust/auth/tealeafTarget		
 /od/cust/auth/logout		
 /amserver/config/auth/default/silentLogout.jsp		
 /cdsso/public/c/silentLogout		
 /vzauth/UI/Login		

**Forgrock\_old**

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

## Controller

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>Controller/User Load</b>					
0	8,742	15,781	10,000	8,823	4,587
<b>Controller/Throughput</b>					
0	2,209	5,443	2,448	2,201	1,120
<b>Controller/Alerts</b>					
0	0	0	0	0	-
<b>Controller/Critical Alerts</b>					
0	0	0	0	0	-
<b>Controller/Warning Alerts</b>					
0	0	0	0	0	-
<b>Controller/CPU Load</b>					
6	24.9	84	24	24.3	6.45
<b>Controller/Memory Used</b>					
3	11.4	27	10	11.1	6.28
<b>Controller/Thread Count</b>					
1,150	1,295	4,235	1,263	1,264	288
<b>Controller/Connected</b>					
158	158	158	158	158	0
<b>Controller/Total Disconnections</b>					
0	0	0	0	0	0
<b>Controller/Total Reconnections</b>					
0	0	0	0	0	0
<b>Controller/Network/Segments sent/sec.</b>					
0	2,214	8,204	2,106	2,111	1,786
<b>Controller/Network/Segments retransmitted/sec.</b>					
0	0	0	0	0	0
<b>Controller/NeoLoad Web/Megabits received/sec.</b>					
0	0	0	0	0	-
<b>Controller/NeoLoad Web/Megabits sent/sec.</b>					
0	0	0	0	0	-
<b>Controller/Default zone/User Load</b>					
0	0	0	0	0	-
<b>Controller/USA East - South Carolina (Berkeley County)/User Load</b>					
0	4,377	7,988	5,062	4,417	2,355
<b>Controller/USA East - South Carolina (Berkeley County)/Forgrock_20/User Load</b>					
0	4,377	7,988	5,062	4,417	2,355
<b>Controller/USA East - South Carolina (Berkeley County)/F...rgrock_old/User Load</b>					
0	4,377	7,988	5,062	4,417	2,355
<b>Controller/USA Central - Illinois (Chicago 2)/User Load</b>					
0	4,274	7,793	4,938	4,314	2,295
<b>Controller/USA Central - Illinois (Chicago 2)/Forgrock_20/User Load</b>					
0	4,274	7,793	4,938	4,314	2,295
<b>Controller/USA Central - Illinois (Chicago 2)/Forgrock_20/Forgrock_old/User Load</b>					
0	4,274	7,793	4,938	4,314	2,295

## LG 157.55.208.172:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 157.55.208.172:443/CPU Load</b>					
0	5.19	16	5	5.1	2.23

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 157.55.208.172:443/Memory Used</b>					
1	5.43	15	5	5.27	2.73
<b>LG 157.55.208.172:443/Throughput</b>					
0	13.9	43.2	14.6	13.8	7.49
<b>LG 157.55.208.172:443/User Load</b>					
0	55.4	100	64	55.9	29.2
<b>LG 157.55.208.172:443/Thread Count</b>					
40	126.8	230	127	124.8	44.2
<b>LG 157.55.208.172:443/Http client/Thread Pool used</b>					
0.1	0.1	0.115	0.1	0.1	0.001
<b>LG 157.55.208.172:443/Http client/Task Pool used</b>					
0	0.002	0.283	0	0	0.016
<b>LG 157.55.208.172:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 157.55.208.172:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 157.55.208.172:443/Controller Connection/Ping Duration (ms)</b>					
62	111.4	154	113	111.4	16.6
<b>LG 157.55.208.172:443/Network/Segments sent/sec.</b>					
9.97	741.5	1,925	794.6	734.7	378.1
<b>LG 157.55.208.172:443/Network/Segments retransmitted/sec.</b>					
0	0.003	0.262	0	0	0.025
<b>LG 157.55.208.172:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	14.8	45.9	15.5	14.6	7.94
<b>LG 157.55.208.172:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.017	1.52	4.41	1.6	1.51	0.771

## LG 168.62.108.198:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 168.62.108.198:443/CPU Load</b>					
0	5.18	18	5	5.1	2.19
<b>LG 168.62.108.198:443/Memory Used</b>					
1	5.31	14	5	5.1	2.87
<b>LG 168.62.108.198:443/Throughput</b>					
0	14.2	55.2	14.7	13.9	7.74
<b>LG 168.62.108.198:443/User Load</b>					
0	56	100	63	56.6	29.3
<b>LG 168.62.108.198:443/Thread Count</b>					
40	128.1	251	125	125.6	45.2
<b>LG 168.62.108.198:443/Http client/Thread Pool used</b>					
0.1	0.106	0.25	0.1	0.1	0.028
<b>LG 168.62.108.198:443/Http client/Task Pool used</b>					
0	0.002	0.133	0	0	0.011
<b>LG 168.62.108.198:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 168.62.108.198:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 168.62.108.198:443/Controller Connection/Ping Duration (ms)</b>					
68	111.2	152	113	111.9	12.9
<b>LG 168.62.108.198:443/Network/Segments sent/sec.</b>					
7.5	749.1	2,494	790.8	741.6	384.7
<b>LG 168.62.108.198:443/Network/Segments retransmitted/sec.</b>					
0	0.013	1.8	0	0	0.103
<b>LG 168.62.108.198:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.027	15.1	58	15.7	14.8	8.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.108.198:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	1.54	4.94	1.62	1.53	0.783

## LG 168.62.241.67:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 168.62.241.67:443/CPU Load					
0	5.14	18	5	5.04	2.27
LG 168.62.241.67:443/Memory Used					
1	5.41	14	5	5.25	2.78
LG 168.62.241.67:443/Throughput					
0	14	42	14.2	13.8	7.6
LG 168.62.241.67:443/User Load					
0	55.3	100	64	55.8	29.3
LG 168.62.241.67:443/Thread Count					
40	127.6	236	127	125.3	45.2
LG 168.62.241.67:443/Http client/Thread Pool used					
0.1	0.1	0.12	0.1	0.1	0.002
LG 168.62.241.67:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 168.62.241.67:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 168.62.241.67:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 168.62.241.67:443/Controller Connection/Ping Duration (ms)					
63	110.8	116	113	112.4	9.21
LG 168.62.241.67:443/Network/Segments sent/sec.					
10.49	746.9	2,129	774.7	738.5	387.8
LG 168.62.241.67:443/Network/Segments retransmitted/sec.					
0	0.006	0.525	0	0	0.045
LG 168.62.241.67:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	15	44.6	15.1	14.7	8.06
LG 168.62.241.67:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.53	4.6	1.6	1.52	0.78

## LG 23.101.170.63:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.101.170.63:443/CPU Load					
0	0	0	0	0	-
LG 23.101.170.63:443/Memory Used					
0	0	0	0	0	-
LG 23.101.170.63:443/Throughput					
0	0	0	0	0	-
LG 23.101.170.63:443/User Load					
0	0	0	0	0	-
LG 23.101.170.63:443/Thread Count					
0	0	0	0	0	-
LG 23.101.170.63:443/Http client/Thread Pool used					
0	0	0	0	0	-
LG 23.101.170.63:443/Http client/Task Pool used					
0	0	0	0	0	-
LG 23.101.170.63:443/Controller Connection/Disconnections					
0	0	0	0	0	-

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.101.170.63:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.101.170.63:443/Controller Connection/Ping Duration (ms)					
0	0	0	0	0	-
LG 23.101.170.63:443/Network/Segments sent/sec.					
0	0	0	0	0	-
LG 23.101.170.63:443/Network/Segments retransmitted/sec.					
0	0	0	0	0	-
LG 23.101.170.63:443/Network/eth0 (eth0)/Megabits received/sec.					
0	0	0	0	0	-
LG 23.101.170.63:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0	0	0	0	-

## LG 23.96.183.108:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.183.108:443/CPU Load					
0	5.26	19	5	5.16	2.25
LG 23.96.183.108:443/Memory Used					
1	5.38	15	5	5.16	2.94
LG 23.96.183.108:443/Throughput					
0	13.9	44	14.2	13.8	7.33
LG 23.96.183.108:443/User Load					
0	55.4	100	64	56	29.2
LG 23.96.183.108:443/Thread Count					
40	127	232	126	124.9	44.5
LG 23.96.183.108:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.1	0.008
LG 23.96.183.108:443/Http client/Task Pool used					
0	0	0.05	0	0	0.003
LG 23.96.183.108:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 23.96.183.108:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 23.96.183.108:443/Controller Connection/Ping Duration (ms)					
59	107.1	126	112	108.4	14.7
LG 23.96.183.108:443/Network/Segments sent/sec.					
8.89	736.6	2,167	761.2	728.5	375.8
LG 23.96.183.108:443/Network/Segments retransmitted/sec.					
0	0.007	0.401	0	0	0.045
LG 23.96.183.108:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	14.8	46.7	15.1	14.7	7.78
LG 23.96.183.108:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	1.52	3.97	1.58	1.51	0.757

## LG 23.96.184.111:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 23.96.184.111:443/CPU Load					
0	5.43	19	5	5.34	2.45
LG 23.96.184.111:443/Memory Used					
1	5.4	14	5	5.23	2.7
LG 23.96.184.111:443/Throughput					
0	13.8	48.2	14.3	13.6	7.61



Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 23.96.184.111:443/User Load</b>					
0	54.9	100	63	55.4	29.3
<b>LG 23.96.184.111:443/Thread Count</b>					
40	127.3	243	125.5	124.9	45.5
<b>LG 23.96.184.111:443/Http client/Thread Pool used</b>					
0.1	0.103	0.175	0.1	0.1	0.013
<b>LG 23.96.184.111:443/Http client/Task Pool used</b>					
0	0.001	0.15	0	0	0.01
<b>LG 23.96.184.111:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.184.111:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 23.96.184.111:443/Controller Connection/Ping Duration (ms)</b>					
73	112.5	151	113	112.8	10.45
<b>LG 23.96.184.111:443/Network/Segments sent/sec.</b>					
10.16	733.5	2,526	771.7	723.2	386.8
<b>LG 23.96.184.111:443/Network/Segments retransmitted/sec.</b>					
0	0.008	0.597	0	0	0.051
<b>LG 23.96.184.111:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.034	14.7	51	15.2	14.5	8.07
<b>LG 23.96.184.111:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	1.52	4.7	1.59	1.5	0.791

## LG 52.162.152.143:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.152.143:443/CPU Load</b>					
0	5.1	17	5	4.99	2.21
<b>LG 52.162.152.143:443/Memory Used</b>					
1	5.37	14	5	5.21	2.56
<b>LG 52.162.152.143:443/Throughput</b>					
0	14	53.5	14.3	13.8	7.52
<b>LG 52.162.152.143:443/User Load</b>					
0	55.2	100	63	55.7	29.2
<b>LG 52.162.152.143:443/Thread Count</b>					
40	127.2	249	125	124.5	45.7
<b>LG 52.162.152.143:443/Http client/Thread Pool used</b>					
0.1	0.104	0.2	0.1	0.1	0.018
<b>LG 52.162.152.143:443/Http client/Task Pool used</b>					
0	0.001	0.2	0	0	0.012
<b>LG 52.162.152.143:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.152.143:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.152.143:443/Controller Connection/Ping Duration (ms)</b>					
100	114.8	156	114	113.9	8.09
<b>LG 52.162.152.143:443/Network/Segments sent/sec.</b>					
9.77	746.3	2,650	775.1	736.9	389.7
<b>LG 52.162.152.143:443/Network/Segments retransmitted/sec.</b>					
0	0.01	0.99	0	0	0.066
<b>LG 52.162.152.143:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	14.9	57	15.2	14.7	7.98
<b>LG 52.162.152.143:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	1.54	5.18	1.62	1.51	0.798

## LG 52.162.152.162:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.152.162:443/CPU Load					
0	5.25	18	5	5.14	2.26
LG 52.162.152.162:443/Memory Used					
0	5.15	14	5	4.99	2.64
LG 52.162.152.162:443/Throughput					
0	14	46.1	14.7	13.8	7.55
LG 52.162.152.162:443/User Load					
0	55.4	100	64	55.9	29.2
LG 52.162.152.162:443/Thread Count					
40	127.4	238	126	124.9	45.5
LG 52.162.152.162:443/Http client/Thread Pool used					
0.1	0.101	0.125	0.1	0.1	0.004
LG 52.162.152.162:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.011
LG 52.162.152.162:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.152.162:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.152.162:443/Controller Connection/Ping Duration (ms)					
65	108.2	160	111	107.6	17.2
LG 52.162.152.162:443/Network/Segments sent/sec.					
9.84	743.8	2,679	788.7	733.5	387.1
LG 52.162.152.162:443/Network/Segments retransmitted/sec.					
0	0.006	0.601	0	0	0.041
LG 52.162.152.162:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	15	49	15.6	14.7	8.01
LG 52.162.152.162:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.53	4.54	1.63	1.52	0.77

## LG 52.162.152.74:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.152.74:443/CPU Load					
0	5.25	18	5	5.2	2.21
LG 52.162.152.74:443/Memory Used					
1	5.45	15	5	5.27	2.8
LG 52.162.152.74:443/Throughput					
0	13.9	44.1	14.4	13.7	7.47
LG 52.162.152.74:443/User Load					
0	55.2	100	64	55.7	29.4
LG 52.162.152.74:443/Thread Count					
40	127.1	241	126	124.6	45
LG 52.162.152.74:443/Http client/Thread Pool used					
0.1	0.103	0.17	0.1	0.1	0.012
LG 52.162.152.74:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.011
LG 52.162.152.74:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.152.74:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.152.74:443/Controller Connection/Ping Duration (ms)					
72	108.8	149	111	109.2	12.6

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.152.74:443/Network/Segments sent/sec.					
8.18	734.1	2,309	763.1	727.3	384.2
LG 52.162.152.74:443/Network/Segments retransmitted/sec.					
0	0.017	0.791	0	0.001	0.079
LG 52.162.152.74:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	14.8	47	15.3	14.6	7.93
LG 52.162.152.74:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.52	4.56	1.58	1.51	0.778

## LG 52.162.153.125:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.153.125:443/CPU Load					
0	5.16	18	5	5.06	2.23
LG 52.162.153.125:443/Memory Used					
1	5.15	14	5	4.97	2.74
LG 52.162.153.125:443/Throughput					
0	13.8	45.6	14.3	13.6	7.55
LG 52.162.153.125:443/User Load					
0	54.8	100	63	55.3	29.3
LG 52.162.153.125:443/Thread Count					
40	126.9	250	125	124.2	45.6
LG 52.162.153.125:443/Http client/Thread Pool used					
0.1	0.105	0.225	0.1	0.1	0.022
LG 52.162.153.125:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 52.162.153.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.153.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.153.125:443/Controller Connection/Ping Duration (ms)					
69	109.4	113	112	110.8	8.02
LG 52.162.153.125:443/Network/Segments sent/sec.					
8.02	733.2	2,660	770.6	723.8	390.7
LG 52.162.153.125:443/Network/Segments retransmitted/sec.					
0	0.007	0.599	0	0	0.055
LG 52.162.153.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	14.7	48.5	15.2	14.5	8
LG 52.162.153.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.51	4.39	1.58	1.5	0.778

## LG 52.162.153.136:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.153.136:443/CPU Load					
0	5.16	21	5	5.03	2.4
LG 52.162.153.136:443/Memory Used					
1	5.25	14	5	5.08	2.82
LG 52.162.153.136:443/Throughput					
0	13.9	65.6	13.9	13.6	8.07
LG 52.162.153.136:443/User Load					
0	55.1	100	64	55.6	29.4
LG 52.162.153.136:443/Thread Count					
40	128.9	252	126	126.2	46.7

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.153.136:443/Http client/Thread Pool used</b>					
0.1	0.105	0.205	0.1	0.1	0.02
<b>LG 52.162.153.136:443/Http client/Task Pool used</b>					
0	0.001	0.1	0	0	0.007
<b>LG 52.162.153.136:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.153.136:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.153.136:443/Controller Connection/Ping Duration (ms)</b>					
87	115.6	171	114	114.1	13.8
<b>LG 52.162.153.136:443/Network/Segments sent/sec.</b>					
10.54	729.4	2,629	757.3	716	386.2
<b>LG 52.162.153.136:443/Network/Segments retransmitted/sec.</b>					
0	0.024	1.01	0	0.002	0.116
<b>LG 52.162.153.136:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	14.8	69	14.9	14.4	8.54
<b>LG 52.162.153.136:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	1.51	5.48	1.57	1.49	0.788

## LG 52.162.153.138:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.153.138:443/CPU Load</b>					
0	5.32	20	5	5.2	2.45
<b>LG 52.162.153.138:443/Memory Used</b>					
1	5.4	14	5	5.17	3
<b>LG 52.162.153.138:443/Throughput</b>					
0	14.1	45.8	13.9	13.8	7.74
<b>LG 52.162.153.138:443/User Load</b>					
0	55.2	100	64	55.7	29.4
<b>LG 52.162.153.138:443/Thread Count</b>					
40	127.2	239	126	124.8	45
<b>LG 52.162.153.138:443/Http client/Thread Pool used</b>					
0.1	0.102	0.155	0.1	0.1	0.009
<b>LG 52.162.153.138:443/Http client/Task Pool used</b>					
0	0.001	0.133	0	0	0.008
<b>LG 52.162.153.138:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.153.138:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.153.138:443/Controller Connection/Ping Duration (ms)</b>					
65	110.6	163	110	110.5	12.8
<b>LG 52.162.153.138:443/Network/Segments sent/sec.</b>					
12	746.7	2,468	769.3	732.8	399.3
<b>LG 52.162.153.138:443/Network/Segments retransmitted/sec.</b>					
0	0.02	1.2	0	0.001	0.104
<b>LG 52.162.153.138:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.052	15	48.2	14.9	14.7	8.21
<b>LG 52.162.153.138:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.018	1.54	3.99	1.6	1.52	0.781

## LG 52.162.153.225:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.153.225:443/CPU Load					
0	5.43	35	5	5.26	2.84
LG 52.162.153.225:443/Memory Used					
1	5.23	14	5	5.07	2.67
LG 52.162.153.225:443/Throughput					
0	14.2	52.6	14.4	13.9	7.96
LG 52.162.153.225:443/User Load					
0	55.7	100	63	56.2	29.4
LG 52.162.153.225:443/Thread Count					
40	129.1	244	125	126.6	47.1
LG 52.162.153.225:443/Http client/Thread Pool used					
0.1	0.105	0.2	0.1	0.1	0.02
LG 52.162.153.225:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 52.162.153.225:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.153.225:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.153.225:443/Controller Connection/Ping Duration (ms)					
103	114.4	147	113	113.7	6.34
LG 52.162.153.225:443/Network/Segments sent/sec.					
12	753.1	3,689	767.7	734.9	418.4
LG 52.162.153.225:443/Network/Segments retransmitted/sec.					
0	0.006	0.808	0	0	0.055
LG 52.162.153.225:443/Network/eth0 (eth0)/Megabits received/sec.					
0.037	15.1	55.9	15.4	14.8	8.46
LG 52.162.153.225:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	1.56	9.13	1.61	1.52	0.892

## LG 52.162.153.57:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.153.57:443/CPU Load					
0	5.78	19	6	5.68	2.6
LG 52.162.153.57:443/Memory Used					
1	5.19	15	5	5.01	2.81
LG 52.162.153.57:443/Throughput					
0	14.1	40.5	14.5	13.9	7.6
LG 52.162.153.57:443/User Load					
0	55.1	100	63	55.6	29.2
LG 52.162.153.57:443/Thread Count					
40	126.5	234	125	124.3	44.8
LG 52.162.153.57:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 52.162.153.57:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 52.162.153.57:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.153.57:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.153.57:443/Controller Connection/Ping Duration (ms)					
67	109.5	114	112	111.1	8.82

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.153.57:443/Network/Segments sent/sec.					
10.17	746.6	2,269	761.2	736.4	394.5
LG 52.162.153.57:443/Network/Segments retransmitted/sec.					
0	0.016	0.807	0	0	0.084
LG 52.162.153.57:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	15	42.7	15.5	14.8	8.06
LG 52.162.153.57:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	1.53	3.82	1.6	1.52	0.775

## LG 52.162.153.58:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.153.58:443/CPU Load					
0	5.25	19	5	5.17	2.32
LG 52.162.153.58:443/Memory Used					
1	4.81	14	4	4.66	2.51
LG 52.162.153.58:443/Throughput					
0	13.8	41.3	14.3	13.6	7.48
LG 52.162.153.58:443/User Load					
0	54.7	100	63	55.2	29.4
LG 52.162.153.58:443/Thread Count					
40	127.1	243	125	124.6	46.9
LG 52.162.153.58:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.1	0.008
LG 52.162.153.58:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 52.162.153.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.153.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.153.58:443/Controller Connection/Ping Duration (ms)					
67	111.1	154	111	111.2	11.4
LG 52.162.153.58:443/Network/Segments sent/sec.					
6.8	733.2	2,371	782.8	724.3	383.5
LG 52.162.153.58:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.031
LG 52.162.153.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	14.7	43.9	15.2	14.5	7.94
LG 52.162.153.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.52	4.25	1.6	1.5	0.783

## LG 52.162.153.62:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.153.62:443/CPU Load					
0	5.23	21	5	5.11	2.4
LG 52.162.153.62:443/Memory Used					
1	5.21	14	5	5.04	2.75
LG 52.162.153.62:443/Throughput					
0	13.8	74.3	14.1	13.4	8.1
LG 52.162.153.62:443/User Load					
0	54.7	99	63	55.2	29.4
LG 52.162.153.62:443/Thread Count					
40	127.7	252	126	125.1	47.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.153.62:443/Http client/Thread Pool used</b>					
0.1	0.105	0.23	0.1	0.1	0.024
<b>LG 52.162.153.62:443/Http client/Task Pool used</b>					
0	0.001	0.033	0	0	0.005
<b>LG 52.162.153.62:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.153.62:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.153.62:443/Controller Connection/Ping Duration (ms)</b>					
70	112.1	164	112	111.9	12.3
<b>LG 52.162.153.62:443/Network/Segments sent/sec.</b>					
6.81	725.5	2,270	766.8	714.6	382.2
<b>LG 52.162.153.62:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.401	0	0	0.031
<b>LG 52.162.153.62:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.027	14.7	77.6	15.1	14.3	8.57
<b>LG 52.162.153.62:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	1.5	5.42	1.58	1.48	0.775

## LG 52.162.153.64:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.153.64:443/CPU Load</b>					
0	5.34	18	5	5.22	2.36
<b>LG 52.162.153.64:443/Memory Used</b>					
1	5.52	15	5	5.33	2.84
<b>LG 52.162.153.64:443/Throughput</b>					
0	14.3	44.1	14.8	14.1	7.63
<b>LG 52.162.153.64:443/User Load</b>					
0	56.4	100	64	57.1	29.4
<b>LG 52.162.153.64:443/Thread Count</b>					
40	128.8	236	126	126.5	45.5
<b>LG 52.162.153.64:443/Http client/Thread Pool used</b>					
0.1	0.101	0.13	0.1	0.1	0.004
<b>LG 52.162.153.64:443/Http client/Task Pool used</b>					
0	0.002	0.233	0	0	0.015
<b>LG 52.162.153.64:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.153.64:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.153.64:443/Controller Connection/Ping Duration (ms)</b>					
73	110.6	120	112	111.7	8.13
<b>LG 52.162.153.64:443/Network/Segments sent/sec.</b>					
12	755.6	2,375	800.1	747.2	384.8
<b>LG 52.162.153.64:443/Network/Segments retransmitted/sec.</b>					
0	0.008	1.59	0	0	0.088
<b>LG 52.162.153.64:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.052	15.2	46.6	15.8	15	8.08
<b>LG 52.162.153.64:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.018	1.56	4.3	1.67	1.55	0.781

## LG 52.162.154.118:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.154.118:443/CPU Load					
0	5.85	24	6	5.77	2.65
LG 52.162.154.118:443/Memory Used					
1	5.69	16	5	5.54	2.95
LG 52.162.154.118:443/Throughput					
0	13.7	52.5	13.9	13.5	7.61
LG 52.162.154.118:443/User Load					
0	54.5	99	63	55	29.2
LG 52.162.154.118:443/Thread Count					
40	126.9	246	125	124.3	46.3
LG 52.162.154.118:443/Http client/Thread Pool used					
0.1	0.105	0.195	0.1	0.101	0.017
LG 52.162.154.118:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 52.162.154.118:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.154.118:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.154.118:443/Controller Connection/Ping Duration (ms)					
59	133.1	967	110	106.5	153.8
LG 52.162.154.118:443/Network/Segments sent/sec.					
9.1	722.9	2,362	762.7	713.7	381.1
LG 52.162.154.118:443/Network/Segments retransmitted/sec.					
0	0.01	0.799	0	0	0.067
LG 52.162.154.118:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	14.6	55.5	14.8	14.3	8.07
LG 52.162.154.118:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	1.49	4.51	1.59	1.47	0.767

## LG 52.162.154.236:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.154.236:443/CPU Load					
0	5.39	16	5	5.33	2.05
LG 52.162.154.236:443/Memory Used					
1	5.33	14	5	5.12	2.88
LG 52.162.154.236:443/Throughput					
0	14.1	42.1	14.2	13.9	7.63
LG 52.162.154.236:443/User Load					
0	55.5	100	64	56	29.2
LG 52.162.154.236:443/Thread Count					
40	126.6	230	126	124.5	43.9
LG 52.162.154.236:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.154.236:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 52.162.154.236:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.154.236:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.154.236:443/Controller Connection/Ping Duration (ms)					
87	112.4	155	112	111.7	10.21



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.154.236:443/Network/Segments sent/sec.					
7.62	749.8	1,961	786.5	742	382.8
LG 52.162.154.236:443/Network/Segments retransmitted/sec.					
0	0.009	0.601	0	0	0.053
LG 52.162.154.236:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	15.1	44.7	15.1	14.8	8.09
LG 52.162.154.236:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	1.54	4	1.6	1.53	0.767

## LG 52.162.154.253:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.154.253:443/CPU Load					
0	5.19	16	5	5.11	2.24
LG 52.162.154.253:443/Memory Used					
1	5.62	15	5	5.39	2.92
LG 52.162.154.253:443/Throughput					
0	13.9	46.3	13.9	13.7	7.61
LG 52.162.154.253:443/User Load					
0	55.1	100	63	55.6	29.2
LG 52.162.154.253:443/Thread Count					
40	126.8	233	126	124.7	45.2
LG 52.162.154.253:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 52.162.154.253:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.01
LG 52.162.154.253:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.154.253:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.154.253:443/Controller Connection/Ping Duration (ms)					
74	114.2	153	114	113.8	12.7
LG 52.162.154.253:443/Network/Segments sent/sec.					
12.1	734.4	2,067	757.4	726.5	379.7
LG 52.162.154.253:443/Network/Segments retransmitted/sec.					
0	0.014	1.2	0	0	0.09
LG 52.162.154.253:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	14.8	49.2	14.7	14.6	8.07
LG 52.162.154.253:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.019	1.51	4.26	1.55	1.5	0.772

## LG 52.162.154.73:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.154.73:443/CPU Load					
0	5.25	18	5	5.15	2.27
LG 52.162.154.73:443/Memory Used					
1	5.25	14	5	5.04	2.94
LG 52.162.154.73:443/Throughput					
0	14.1	39.9	14.4	13.9	7.62
LG 52.162.154.73:443/User Load					
0	55.6	100	63	56.2	29.4
LG 52.162.154.73:443/Thread Count					
40	127.2	231	125	125	45.8

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.154.73:443/Http client/Thread Pool used</b>					
0.1	0.1	0.115	0.1	0.1	0.002
<b>LG 52.162.154.73:443/Http client/Task Pool used</b>					
0	0.001	0.233	0	0	0.013
<b>LG 52.162.154.73:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.154.73:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.154.73:443/Controller Connection/Ping Duration (ms)</b>					
58	131.4	155	152	133.9	33.7
<b>LG 52.162.154.73:443/Network/Segments sent/sec.</b>					
9.83	754	1,966	794.9	745.6	391.2
<b>LG 52.162.154.73:443/Network/Segments retransmitted/sec.</b>					
0	0.011	0.601	0	0	0.059
<b>LG 52.162.154.73:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	15	41.6	15.3	14.8	8.07
<b>LG 52.162.154.73:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	1.54	4.22	1.63	1.53	0.774

## LG 52.162.154.84:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.154.84:443/CPU Load</b>					
0	5.06	16	5	4.98	2.19
<b>LG 52.162.154.84:443/Memory Used</b>					
1	5.4	14	5	5.24	2.69
<b>LG 52.162.154.84:443/Throughput</b>					
0	13.8	40.3	14.3	13.6	7.44
<b>LG 52.162.154.84:443/User Load</b>					
0	54.8	100	63	55.3	29.4
<b>LG 52.162.154.84:443/Thread Count</b>					
40	127	230	125	125	45
<b>LG 52.162.154.84:443/Http client/Thread Pool used</b>					
0.1	0.101	0.125	0.1	0.1	0.003
<b>LG 52.162.154.84:443/Http client/Task Pool used</b>					
0	0.001	0.067	0	0	0.005
<b>LG 52.162.154.84:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.154.84:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.154.84:443/Controller Connection/Ping Duration (ms)</b>					
58	110.3	151	112	110.9	12.4
<b>LG 52.162.154.84:443/Network/Segments sent/sec.</b>					
7.64	735.4	2,431	772	726.2	381.2
<b>LG 52.162.154.84:443/Network/Segments retransmitted/sec.</b>					
0	0.015	0.998	0	0	0.094
<b>LG 52.162.154.84:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	14.7	42.7	15.3	14.5	7.88
<b>LG 52.162.154.84:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	1.52	4.52	1.62	1.5	0.769

## LG 52.162.155.227:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.155.227:443/CPU Load					
0	5.25	19	5	5.15	2.25
LG 52.162.155.227:443/Memory Used					
1	5.18	14	5	4.99	2.82
LG 52.162.155.227:443/Throughput					
0	13.9	43.4	14.6	13.7	7.49
LG 52.162.155.227:443/User Load					
0	54.8	100	63	55.3	29.4
LG 52.162.155.227:443/Thread Count					
40	126.7	244	125	124.1	46.2
LG 52.162.155.227:443/Http client/Thread Pool used					
0.1	0.103	0.175	0.1	0.1	0.013
LG 52.162.155.227:443/Http client/Task Pool used					
0	0.001	0.2	0	0	0.012
LG 52.162.155.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.155.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.155.227:443/Controller Connection/Ping Duration (ms)					
74	112.5	149	112	112.5	9.68
LG 52.162.155.227:443/Network/Segments sent/sec.					
7.81	735.9	2,504	793.3	727.3	382.8
LG 52.162.155.227:443/Network/Segments retransmitted/sec.					
0	0.009	0.797	0	0	0.064
LG 52.162.155.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	14.8	46	15.6	14.6	7.95
LG 52.162.155.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.53	4.55	1.66	1.51	0.78

## LG 52.162.156.131:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.156.131:443/CPU Load					
0	5.1	19	5	5.01	2.22
LG 52.162.156.131:443/Memory Used					
1	5.38	14	5	5.18	2.98
LG 52.162.156.131:443/Throughput					
0	14	55.5	13.9	13.7	7.87
LG 52.162.156.131:443/User Load					
0	55.3	100	64	55.8	29.3
LG 52.162.156.131:443/Thread Count					
40	128.6	253	127	125.9	46.9
LG 52.162.156.131:443/Http client/Thread Pool used					
0.1	0.105	0.225	0.1	0.1	0.023
LG 52.162.156.131:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 52.162.156.131:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.156.131:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.156.131:443/Controller Connection/Ping Duration (ms)					
96	113.3	152	112	112.1	9.25

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.156.131:443/Network/Segments sent/sec.					
9.22	738.9	2,487	758.9	729.4	388.5
LG 52.162.156.131:443/Network/Segments retransmitted/sec.					
0	0.004	0.262	0	0	0.03
LG 52.162.156.131:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	14.9	58.2	14.8	14.6	8.33
LG 52.162.156.131:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	1.52	4.49	1.57	1.5	0.777

## LG 52.162.156.148:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.156.148:443/CPU Load					
0	5.3	17	5	5.21	2.33
LG 52.162.156.148:443/Memory Used					
1	5.43	15	5	5.22	2.93
LG 52.162.156.148:443/Throughput					
0	14	70.9	14.7	13.7	7.96
LG 52.162.156.148:443/User Load					
0	55.1	100	63	55.6	29.2
LG 52.162.156.148:443/Thread Count					
40	127.1	252	125	124.4	46.4
LG 52.162.156.148:443/Http client/Thread Pool used					
0.1	0.105	0.235	0.1	0.1	0.025
LG 52.162.156.148:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 52.162.156.148:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.156.148:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.156.148:443/Controller Connection/Ping Duration (ms)					
67	86.8	152	73	84.5	24.4
LG 52.162.156.148:443/Network/Segments sent/sec.					
10.14	738.4	2,349	791.6	730.9	380.6
LG 52.162.156.148:443/Network/Segments retransmitted/sec.					
0	0.015	1.19	0	0	0.09
LG 52.162.156.148:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	14.9	74.2	15.6	14.6	8.41
LG 52.162.156.148:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	1.52	4.77	1.59	1.51	0.777

## LG 52.162.157.143:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.157.143:443/CPU Load					
0	5.13	16	5	5.04	2.2
LG 52.162.157.143:443/Memory Used					
1	5.3	14	5	5.15	2.71
LG 52.162.157.143:443/Throughput					
0	13.9	43.7	14.4	13.7	7.5
LG 52.162.157.143:443/User Load					
0	55.1	100	63	55.6	29.2
LG 52.162.157.143:443/Thread Count					
40	126.1	237	125	123.8	44.4

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.157.143:443/Http client/Thread Pool used</b>					
0.1	0.102	0.165	0.1	0.1	0.011
<b>LG 52.162.157.143:443/Http client/Task Pool used</b>					
0	0.001	0.1	0	0	0.006
<b>LG 52.162.157.143:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.157.143:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.157.143:443/Controller Connection/Ping Duration (ms)</b>					
66	110.1	153	112	110.7	13.4
<b>LG 52.162.157.143:443/Network/Segments sent/sec.</b>					
9.85	737.2	2,093	779.8	729.4	382.7
<b>LG 52.162.157.143:443/Network/Segments retransmitted/sec.</b>					
0	0.016	0.811	0	0	0.087
<b>LG 52.162.157.143:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	14.8	46.5	15.4	14.6	7.95
<b>LG 52.162.157.143:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	1.52	4.63	1.63	1.51	0.765

## LG 52.162.157.176:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.157.176:443/CPU Load</b>					
0	5.25	15	5	5.19	2.23
<b>LG 52.162.157.176:443/Memory Used</b>					
1	5.03	14	5	4.88	2.62
<b>LG 52.162.157.176:443/Throughput</b>					
0	13.8	39.8	14	13.6	7.6
<b>LG 52.162.157.176:443/User Load</b>					
0	54.7	100	63	55.2	29.4
<b>LG 52.162.157.176:443/Thread Count</b>					
40	126.4	232	126	124.3	44.4
<b>LG 52.162.157.176:443/Http client/Thread Pool used</b>					
0.1	0.1	0.115	0.1	0.1	0.001
<b>LG 52.162.157.176:443/Http client/Task Pool used</b>					
0	0.001	0.083	0	0	0.007
<b>LG 52.162.157.176:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.157.176:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.157.176:443/Controller Connection/Ping Duration (ms)</b>					
103	112.2	119	113	112.4	2.53
<b>LG 52.162.157.176:443/Network/Segments sent/sec.</b>					
10.4	730.6	2,185	755.3	721.8	384.1
<b>LG 52.162.157.176:443/Network/Segments retransmitted/sec.</b>					
0	0.005	0.998	0	0	0.062
<b>LG 52.162.157.176:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	14.7	42.2	15	14.5	8.06
<b>LG 52.162.157.176:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.017	1.5	4.02	1.54	1.5	0.767

## LG 52.162.157.206:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.157.206:443/CPU Load					
0	5.21	19	5	5.13	2.25
LG 52.162.157.206:443/Memory Used					
1	5.22	14	5	5.04	2.69
LG 52.162.157.206:443/Throughput					
0	13.8	45.9	14.3	13.6	7.48
LG 52.162.157.206:443/User Load					
0	54.8	100	63	55.3	29.3
LG 52.162.157.206:443/Thread Count					
40	126.7	236	125	124.3	44.8
LG 52.162.157.206:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.006
LG 52.162.157.206:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 52.162.157.206:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.157.206:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.157.206:443/Controller Connection/Ping Duration (ms)					
58	111.3	154	113	111.7	17.8
LG 52.162.157.206:443/Network/Segments sent/sec.					
4.63	733.4	2,267	769.5	724.7	381.9
LG 52.162.157.206:443/Network/Segments retransmitted/sec.					
0	0.006	0.4	0	0	0.043
LG 52.162.157.206:443/Network/eth0 (eth0)/Megabits received/sec.					
0.006	14.7	48.6	15.2	14.5	7.94
LG 52.162.157.206:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.01	1.51	4.12	1.56	1.5	0.775

## LG 52.162.157.242:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.157.242:443/CPU Load					
0	5.3	18	5	5.22	2.24
LG 52.162.157.242:443/Memory Used					
1	5.3	14	5	5.11	2.77
LG 52.162.157.242:443/Throughput					
0	14.1	42.4	14.9	14	7.46
LG 52.162.157.242:443/User Load					
0	56	100	63	56.6	29.3
LG 52.162.157.242:443/Thread Count					
40	127.2	237	124	125	44.8
LG 52.162.157.242:443/Http client/Thread Pool used					
0.1	0.102	0.165	0.1	0.1	0.011
LG 52.162.157.242:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 52.162.157.242:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.157.242:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.157.242:443/Controller Connection/Ping Duration (ms)					
61	108.8	149	111	109.6	13.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.157.242:443/Network/Segments sent/sec.					
9.95	750.4	2,101	798.3	743.2	381
LG 52.162.157.242:443/Network/Segments retransmitted/sec.					
0	0.009	0.605	0	0	0.056
LG 52.162.157.242:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	15	45	15.8	14.9	7.91
LG 52.162.157.242:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.55	4.48	1.64	1.53	0.777

## LG 52.162.157.65:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.157.65:443/CPU Load					
0	5.25	19	5	5.12	2.39
LG 52.162.157.65:443/Memory Used					
1	5.52	14	5	5.35	3.03
LG 52.162.157.65:443/Throughput					
0	13.7	48.2	13.9	13.6	7.49
LG 52.162.157.65:443/User Load					
0	54.8	100	63	55.3	29.4
LG 52.162.157.65:443/Thread Count					
40	126.6	239	125	124.2	46
LG 52.162.157.65:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.006
LG 52.162.157.65:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 52.162.157.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.157.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.157.65:443/Controller Connection/Ping Duration (ms)					
59	110.4	122	112	112	9.97
LG 52.162.157.65:443/Network/Segments sent/sec.					
9.76	728.7	2,320	739.9	720.2	381.9
LG 52.162.157.65:443/Network/Segments retransmitted/sec.					
0	0.007	0.598	0	0	0.052
LG 52.162.157.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	14.6	50.9	14.8	14.4	7.93
LG 52.162.157.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.5	3.96	1.54	1.49	0.774

## LG 52.162.158.218:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.158.218:443/CPU Load					
0	5.27	17	5	5.15	2.17
LG 52.162.158.218:443/Memory Used					
1	5.88	16	5	5.67	3.01
LG 52.162.158.218:443/Throughput					
0	14.1	45.9	14.2	13.9	7.67
LG 52.162.158.218:443/User Load					
0	55.4	100	64	55.9	29.2
LG 52.162.158.218:443/Thread Count					
40	127.5	230	126	125.4	44.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.158.218:443/Http client/Thread Pool used</b>					
0.1	0.1	0.115	0.1	0.1	0.002
<b>LG 52.162.158.218:443/Http client/Task Pool used</b>					
0	0.001	0.083	0	0	0.007
<b>LG 52.162.158.218:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.158.218:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.158.218:443/Controller Connection/Ping Duration (ms)</b>					
107	115.4	152	113	113.7	9.74
<b>LG 52.162.158.218:443/Network/Segments sent/sec.</b>					
12.9	748.7	2,599	763.5	736.6	397.8
<b>LG 52.162.158.218:443/Network/Segments retransmitted/sec.</b>					
0	0.008	0.623	0	0	0.056
<b>LG 52.162.158.218:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.037	15	48.6	15.1	14.8	8.13
<b>LG 52.162.158.218:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.019	1.54	3.75	1.65	1.53	0.769

## LG 52.162.158.26:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.158.26:443/CPU Load</b>					
0	5.15	19	5	5.04	2.27
<b>LG 52.162.158.26:443/Memory Used</b>					
1	5.29	12	5	5.19	2.53
<b>LG 52.162.158.26:443/Throughput</b>					
0	14.1	42	14.3	13.8	7.69
<b>LG 52.162.158.26:443/User Load</b>					
0	55.7	100	63	56.3	29.3
<b>LG 52.162.158.26:443/Thread Count</b>					
40	129.1	256	125	126	48.4
<b>LG 52.162.158.26:443/Http client/Thread Pool used</b>					
0.1	0.106	0.22	0.1	0.1	0.024
<b>LG 52.162.158.26:443/Http client/Task Pool used</b>					
0	0.001	0.05	0	0	0.005
<b>LG 52.162.158.26:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.158.26:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.158.26:443/Controller Connection/Ping Duration (ms)</b>					
97	111.8	122	112	112.1	4.24
<b>LG 52.162.158.26:443/Network/Segments sent/sec.</b>					
8.24	746.2	2,598	767.9	734.6	397.6
<b>LG 52.162.158.26:443/Network/Segments retransmitted/sec.</b>					
0	0.011	0.603	0	0	0.065
<b>LG 52.162.158.26:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.029	15	44.5	15.2	14.7	8.16
<b>LG 52.162.158.26:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	1.53	4.11	1.55	1.52	0.784



## LG 52.162.158.2:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.158.2:443/CPU Load					
0	5.39	20	5	5.27	2.42
LG 52.162.158.2:443/Memory Used					
1	5.37	14	5	5.2	2.67
LG 52.162.158.2:443/Throughput					
0	14	64.7	14.2	13.7	7.92
LG 52.162.158.2:443/User Load					
0	55.4	100	64	55.9	29.2
LG 52.162.158.2:443/Thread Count					
40	128.6	266	127	125.4	48
LG 52.162.158.2:443/Http client/Thread Pool used					
0.1	0.107	0.28	0.1	0.1	0.034
LG 52.162.158.2:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 52.162.158.2:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.158.2:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.158.2:443/Controller Connection/Ping Duration (ms)					
76	112.6	133	113	113.2	8.06
LG 52.162.158.2:443/Network/Segments sent/sec.					
8.69	734.3	2,701	761.5	725.8	381.9
LG 52.162.158.2:443/Network/Segments retransmitted/sec.					
0	0.01	0.8	0	0	0.061
LG 52.162.158.2:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	14.9	67.9	15.1	14.6	8.39
LG 52.162.158.2:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.52	5.32	1.58	1.5	0.779

## LG 52.162.158.32:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.158.32:443/CPU Load					
0	5.19	18	5	5.1	2.3
LG 52.162.158.32:443/Memory Used					
1	5.4	15	5	5.22	2.77
LG 52.162.158.32:443/Throughput					
0	13.9	44.6	14.5	13.7	7.54
LG 52.162.158.32:443/User Load					
0	54.9	100	63	55.4	29.4
LG 52.162.158.32:443/Thread Count					
40	126.7	238	125	124.4	45.9
LG 52.162.158.32:443/Http client/Thread Pool used					
0.1	0.102	0.155	0.1	0.1	0.009
LG 52.162.158.32:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 52.162.158.32:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.158.32:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.158.32:443/Controller Connection/Ping Duration (ms)					
62	112	139	113	112.8	11.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.158.32:443/Network/Segments sent/sec.					
9.84	736.8	2,028	779.3	728.1	382.8
LG 52.162.158.32:443/Network/Segments retransmitted/sec.					
0	0.007	0.792	0	0	0.058
LG 52.162.158.32:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	14.8	47.2	15.5	14.6	8.01
LG 52.162.158.32:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.54	4.28	1.62	1.52	0.801

## LG 52.162.158.99:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.158.99:443/CPU Load					
0	5.32	16	5	5.22	2.28
LG 52.162.158.99:443/Memory Used					
1	5.66	15	5	5.46	2.89
LG 52.162.158.99:443/Throughput					
0	14.3	37.3	15.2	14.2	7.51
LG 52.162.158.99:443/User Load					
0	56.5	100	64	57.2	29.3
LG 52.162.158.99:443/Thread Count					
40	128.3	241	126	125.8	45
LG 52.162.158.99:443/Http client/Thread Pool used					
0.1	0.102	0.16	0.1	0.1	0.009
LG 52.162.158.99:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 52.162.158.99:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.158.99:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.158.99:443/Controller Connection/Ping Duration (ms)					
75	110.5	116	112	111.8	7.05
LG 52.162.158.99:443/Network/Segments sent/sec.					
9.22	758.6	2,148	804.7	751.9	388.1
LG 52.162.158.99:443/Network/Segments retransmitted/sec.					
0	0.006	1	0	0	0.059
LG 52.162.158.99:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	15.2	39.6	16.2	15.1	7.97
LG 52.162.158.99:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	1.56	3.89	1.67	1.56	0.78

## LG 52.162.159.13:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.159.13:443/CPU Load					
0	5.29	21	5	5.19	2.34
LG 52.162.159.13:443/Memory Used					
1	5.31	14	5	5.11	2.82
LG 52.162.159.13:443/Throughput					
0	14	39.8	14.1	13.8	7.66
LG 52.162.159.13:443/User Load					
0	55.5	100	64	56	29.2
LG 52.162.159.13:443/Thread Count					
40	128.1	237	126	125.7	45.8

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.159.13:443/Http client/Thread Pool used</b>					
0.1	0.101	0.12	0.1	0.1	0.003
<b>LG 52.162.159.13:443/Http client/Task Pool used</b>					
0	0.001	0.05	0	0	0.004
<b>LG 52.162.159.13:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.159.13:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.159.13:443/Controller Connection/Ping Duration (ms)</b>					
85	112.8	149	113	112.6	8.88
<b>LG 52.162.159.13:443/Network/Segments sent/sec.</b>					
7.62	745.2	2,025	765.3	736.6	386.4
<b>LG 52.162.159.13:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.264	0	0	0.03
<b>LG 52.162.159.13:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	15	42.4	15	14.7	8.12
<b>LG 52.162.159.13:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	1.53	4.37	1.55	1.51	0.778

## LG 52.162.159.153:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.159.153:443/CPU Load</b>					
0	5.26	18	5	5.17	2.25
<b>LG 52.162.159.153:443/Memory Used</b>					
1	5.67	16	5	5.48	2.88
<b>LG 52.162.159.153:443/Throughput</b>					
0	14	39.6	14.4	13.8	7.45
<b>LG 52.162.159.153:443/User Load</b>					
0	55.4	100	64	56	29.2
<b>LG 52.162.159.153:443/Thread Count</b>					
40	127	235	126	124.7	44.9
<b>LG 52.162.159.153:443/Http client/Thread Pool used</b>					
0.1	0.101	0.135	0.1	0.1	0.005
<b>LG 52.162.159.153:443/Http client/Task Pool used</b>					
0	0.001	0.067	0	0	0.006
<b>LG 52.162.159.153:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.159.153:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.159.153:443/Controller Connection/Ping Duration (ms)</b>					
78	110.4	152	111	110.1	9.47
<b>LG 52.162.159.153:443/Network/Segments sent/sec.</b>					
12.7	740.8	2,805	775.4	730.1	388.3
<b>LG 52.162.159.153:443/Network/Segments retransmitted/sec.</b>					
0	0.01	1.39	0	0	0.082
<b>LG 52.162.159.153:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.032	14.9	42.2	15.3	14.7	7.89
<b>LG 52.162.159.153:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.022	1.52	4.46	1.6	1.51	0.769

## LG 52.162.159.237:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.159.237:443/CPU Load					
0	5.41	19	5	5.31	2.37
LG 52.162.159.237:443/Memory Used					
1	5.38	15	5	5.19	2.78
LG 52.162.159.237:443/Throughput					
0	14.4	45.2	14.3	14.2	7.79
LG 52.162.159.237:443/User Load					
0	56.2	100	63	56.8	29.4
LG 52.162.159.237:443/Thread Count					
40	128.1	236	125	126	45
LG 52.162.159.237:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 52.162.159.237:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 52.162.159.237:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.159.237:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.159.237:443/Controller Connection/Ping Duration (ms)					
95	112.6	119	113	113.1	3.73
LG 52.162.159.237:443/Network/Segments sent/sec.					
8.44	758.8	2,678	762.9	749.9	396.9
LG 52.162.159.237:443/Network/Segments retransmitted/sec.					
0	0.011	0.801	0	0	0.06
LG 52.162.159.237:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	15.3	47	15.2	15.1	8.26
LG 52.162.159.237:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.56	4.15	1.62	1.55	0.781

## LG 52.162.159.37:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.159.37:443/CPU Load					
0	5.31	34	5	5.15	2.71
LG 52.162.159.37:443/Memory Used					
1	5.42	14	5	5.25	2.9
LG 52.162.159.37:443/Throughput					
0	14.1	56.2	13.9	13.7	8.34
LG 52.162.159.37:443/User Load					
0	55.3	100	63	55.9	29.5
LG 52.162.159.37:443/Thread Count					
40	129.3	252	125	126.5	48.8
LG 52.162.159.37:443/Http client/Thread Pool used					
0.1	0.104	0.195	0.1	0.1	0.018
LG 52.162.159.37:443/Http client/Task Pool used					
0	0.002	0.333	0	0	0.019
LG 52.162.159.37:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.159.37:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.159.37:443/Controller Connection/Ping Duration (ms)					
78	111.4	144	112	111.7	8.83

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.159.37:443/Network/Segments sent/sec.					
8.42	743.5	4,475	742.5	723.6	433.7
LG 52.162.159.37:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 52.162.159.37:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	15	59.7	14.8	14.6	8.79
LG 52.162.159.37:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.53	7.81	1.55	1.5	0.86

## LG 52.162.159.50:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.159.50:443/CPU Load					
0	5.11	18	5	5	2.3
LG 52.162.159.50:443/Memory Used					
1	5.42	14	5	5.28	2.8
LG 52.162.159.50:443/Throughput					
0	13.8	76	14	13.6	8.02
LG 52.162.159.50:443/User Load					
0	54.6	99	63	55.1	29.2
LG 52.162.159.50:443/Thread Count					
40	126.5	244	124	124	46.4
LG 52.162.159.50:443/Http client/Thread Pool used					
0.1	0.103	0.18	0.1	0.1	0.014
LG 52.162.159.50:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 52.162.159.50:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.159.50:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.159.50:443/Controller Connection/Ping Duration (ms)					
82	109.5	113	111	110.5	6.09
LG 52.162.159.50:443/Network/Segments sent/sec.					
6.82	729.6	2,465	752.5	722	379.5
LG 52.162.159.50:443/Network/Segments retransmitted/sec.					
0	0.007	0.799	0	0	0.05
LG 52.162.159.50:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	14.7	79.3	14.9	14.5	8.48
LG 52.162.159.50:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.51	4.89	1.55	1.49	0.774

## LG 52.162.159.71:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.159.71:443/CPU Load					
0	5.07	19	5	5	2.19
LG 52.162.159.71:443/Memory Used					
1	5.42	15	5	5.22	2.9
LG 52.162.159.71:443/Throughput					
0	13.8	64.8	14.3	13.5	7.88
LG 52.162.159.71:443/User Load					
0	54.8	100	63	55.3	29.4
LG 52.162.159.71:443/Thread Count					
40	128.4	247	126	125.8	47.2

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.159.71:443/Http client/Thread Pool used</b>					
0.1	0.104	0.19	0.1	0.101	0.017
<b>LG 52.162.159.71:443/Http client/Task Pool used</b>					
0	0.001	0.15	0	0	0.01
<b>LG 52.162.159.71:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.159.71:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.159.71:443/Controller Connection/Ping Duration (ms)</b>					
94	114.7	153	113	113.4	10.42
<b>LG 52.162.159.71:443/Network/Segments sent/sec.</b>					
9.92	728.3	2,636	766.7	717.7	380.6
<b>LG 52.162.159.71:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.795	0	0	0.047
<b>LG 52.162.159.71:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	14.7	67.7	15.3	14.4	8.34
<b>LG 52.162.159.71:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	1.5	5.27	1.56	1.48	0.771

## LG 52.162.216.145:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.216.145:443/CPU Load</b>					
0	5.19	14	5	5.09	2.27
<b>LG 52.162.216.145:443/Memory Used</b>					
1	5.63	15	5	5.46	2.85
<b>LG 52.162.216.145:443/Throughput</b>					
0	13.9	37.3	14.5	13.7	7.53
<b>LG 52.162.216.145:443/User Load</b>					
0	54.7	100	63	55.2	29.4
<b>LG 52.162.216.145:443/Thread Count</b>					
40	126.8	237	125	124.5	45.8
<b>LG 52.162.216.145:443/Http client/Thread Pool used</b>					
0.1	0.101	0.135	0.1	0.1	0.005
<b>LG 52.162.216.145:443/Http client/Task Pool used</b>					
0	0.002	0.2	0	0	0.016
<b>LG 52.162.216.145:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.216.145:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.216.145:443/Controller Connection/Ping Duration (ms)</b>					
59	106.7	151	111	107.1	16.7
<b>LG 52.162.216.145:443/Network/Segments sent/sec.</b>					
7.62	735	1,849	790.8	725.9	381.5
<b>LG 52.162.216.145:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.265	0	0	0.028
<b>LG 52.162.216.145:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	14.8	39.6	15.5	14.6	7.99
<b>LG 52.162.216.145:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	1.51	4.21	1.58	1.5	0.773

## LG 52.162.216.146:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.216.146:443/CPU Load					
0	5.28	18	5	5.17	2.44
LG 52.162.216.146:443/Memory Used					
1	5.4	14	5	5.24	2.71
LG 52.162.216.146:443/Throughput					
0	14	54.3	13.7	13.7	7.86
LG 52.162.216.146:443/User Load					
0	55.7	100	63	56.3	29.4
LG 52.162.216.146:443/Thread Count					
40	128	238	124	125.6	46.2
LG 52.162.216.146:443/Http client/Thread Pool used					
0.1	0.103	0.175	0.1	0.1	0.014
LG 52.162.216.146:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 52.162.216.146:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.216.146:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.216.146:443/Controller Connection/Ping Duration (ms)					
100	115.5	170	112	113.6	14.3
LG 52.162.216.146:443/Network/Segments sent/sec.					
8.19	739.7	2,391	729.1	727.9	393.1
LG 52.162.216.146:443/Network/Segments retransmitted/sec.					
0	0.005	0.809	0	0	0.048
LG 52.162.216.146:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	14.9	56.9	14.6	14.6	8.32
LG 52.162.216.146:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.53	4.48	1.55	1.51	0.781

## LG 52.162.216.205:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.216.205:443/CPU Load					
0	5.32	19	5	5.22	2.21
LG 52.162.216.205:443/Memory Used					
1	5.24	13	5	5.07	2.59
LG 52.162.216.205:443/Throughput					
0	14.2	72.2	14.7	13.9	7.98
LG 52.162.216.205:443/User Load					
0	56.3	100	64	56.9	29.4
LG 52.162.216.205:443/Thread Count					
40	128.3	237	126	126.2	44.7
LG 52.162.216.205:443/Http client/Thread Pool used					
0.1	0.103	0.175	0.1	0.1	0.013
LG 52.162.216.205:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 52.162.216.205:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.216.205:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.216.205:443/Controller Connection/Ping Duration (ms)					
82	110.7	150	113	111.1	8.94

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.216.205:443/Network/Segments sent/sec.					
9.77	748.1	2,254	783.5	739.6	382.2
LG 52.162.216.205:443/Network/Segments retransmitted/sec.					
0	0.003	0.203	0	0	0.024
LG 52.162.216.205:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	15.1	75	15.6	14.8	8.43
LG 52.162.216.205:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.54	5.35	1.61	1.53	0.777

## LG 52.162.216.219:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.216.219:443/CPU Load					
0	5.12	18	5	5.01	2.3
LG 52.162.216.219:443/Memory Used					
1	5.65	16	5	5.45	3
LG 52.162.216.219:443/Throughput					
0	13.7	42.9	13.6	13.5	7.56
LG 52.162.216.219:443/User Load					
0	54.6	100	63	55.1	29.5
LG 52.162.216.219:443/Thread Count					
40	127.8	249	125.5	125.2	47.1
LG 52.162.216.219:443/Http client/Thread Pool used					
0.1	0.104	0.195	0.1	0.1	0.017
LG 52.162.216.219:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 52.162.216.219:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.216.219:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.216.219:443/Controller Connection/Ping Duration (ms)					
67	113.5	151	113	113.3	13
LG 52.162.216.219:443/Network/Segments sent/sec.					
10.38	725.7	2,353	747.7	717.2	382.2
LG 52.162.216.219:443/Network/Segments retransmitted/sec.					
0	0.007	1.18	0	0	0.069
LG 52.162.216.219:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	14.6	45.5	14.4	14.4	8.02
LG 52.162.216.219:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	1.5	3.91	1.53	1.48	0.781

## LG 52.162.216.24:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.216.24:443/CPU Load					
0	5.5	21	5	5.4	2.38
LG 52.162.216.24:443/Memory Used					
1	5.7	15	5	5.51	2.88
LG 52.162.216.24:443/Throughput					
0	13.8	50.6	14.1	13.6	7.6
LG 52.162.216.24:443/User Load					
0	55.2	100	63	55.7	29.2
LG 52.162.216.24:443/Thread Count					
40	127.2	255	125	124.2	46.2



Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.216.24:443/Http client/Thread Pool used</b>					
0.1	0.105	0.22	0.1	0.1	0.022
<b>LG 52.162.216.24:443/Http client/Task Pool used</b>					
0	0.001	0.083	0	0	0.006
<b>LG 52.162.216.24:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.216.24:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.216.24:443/Controller Connection/Ping Duration (ms)</b>					
67	114.7	194	114	113.2	18.8
<b>LG 52.162.216.24:443/Network/Segments sent/sec.</b>					
8.96	735.7	2,314	780.9	726.8	384
<b>LG 52.162.216.24:443/Network/Segments retransmitted/sec.</b>					
0	0.009	0.802	0	0	0.059
<b>LG 52.162.216.24:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	14.7	53.5	15.1	14.5	8.05
<b>LG 52.162.216.24:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.014	1.51	4.83	1.59	1.5	0.772

## LG 52.162.216.72:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.216.72:443/CPU Load</b>					
0	5.32	43	5	5.13	3.06
<b>LG 52.162.216.72:443/Memory Used</b>					
1	5.56	14	5	5.39	2.68
<b>LG 52.162.216.72:443/Throughput</b>					
0	14	86.2	14	13.7	8.53
<b>LG 52.162.216.72:443/User Load</b>					
0	55.1	100	64	55.7	29.4
<b>LG 52.162.216.72:443/Thread Count</b>					
40	127.9	245	126	125.4	46.1
<b>LG 52.162.216.72:443/Http client/Thread Pool used</b>					
0.1	0.103	0.18	0.1	0.1	0.014
<b>LG 52.162.216.72:443/Http client/Task Pool used</b>					
0	0.001	0.083	0	0	0.006
<b>LG 52.162.216.72:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.216.72:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.216.72:443/Controller Connection/Ping Duration (ms)</b>					
59	114.3	152	114	114.5	13.6
<b>LG 52.162.216.72:443/Network/Segments sent/sec.</b>					
9.66	758.1	7,134	766.3	730.5	517.1
<b>LG 52.162.216.72:443/Network/Segments retransmitted/sec.</b>					
0	0.001	0.2	0	0	0.014
<b>LG 52.162.216.72:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	15	91.9	14.9	14.6	9.05
<b>LG 52.162.216.72:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	1.55	8.8	1.59	1.51	0.895

## LG 52.162.217.10:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.217.10:443/CPU Load					
0	5.21	19	5	5.13	2.17
LG 52.162.217.10:443/Memory Used					
1	5.28	14	5	5.13	2.81
LG 52.162.217.10:443/Throughput					
0	13.7	47.4	13.8	13.5	7.44
LG 52.162.217.10:443/User Load					
0	54.9	100	63	55.4	29.3
LG 52.162.217.10:443/Thread Count					
40	127.8	249	125	125.2	46.8
LG 52.162.217.10:443/Http client/Thread Pool used					
0.1	0.104	0.205	0.1	0.1	0.019
LG 52.162.217.10:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 52.162.217.10:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.217.10:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.217.10:443/Controller Connection/Ping Duration (ms)					
74	111.5	149	112	111.7	10.03
LG 52.162.217.10:443/Network/Segments sent/sec.					
7.64	726.9	2,490	749.4	717.9	379.8
LG 52.162.217.10:443/Network/Segments retransmitted/sec.					
0	0.008	0.591	0	0	0.046
LG 52.162.217.10:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	14.6	50.1	14.8	14.4	7.9
LG 52.162.217.10:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	1.5	4.02	1.59	1.49	0.768

## LG 52.162.217.196:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.217.196:443/CPU Load					
0	5.13	19	5	5.05	2.21
LG 52.162.217.196:443/Memory Used					
1	5.28	14	5	5.08	2.82
LG 52.162.217.196:443/Throughput					
0	14	42	14.6	13.8	7.56
LG 52.162.217.196:443/User Load					
0	55.1	100	64	55.6	29.4
LG 52.162.217.196:443/Thread Count					
40	127.5	232	126	125.4	44.9
LG 52.162.217.196:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.001
LG 52.162.217.196:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.009
LG 52.162.217.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.217.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.217.196:443/Controller Connection/Ping Duration (ms)					
73	111.7	153	113	111.9	11.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.217.196:443/Network/Segments sent/sec.					
7.66	746.1	1,780	795.8	738.5	380.8
LG 52.162.217.196:443/Network/Segments retransmitted/sec.					
0	0.01	1.79	0	0	0.101
LG 52.162.217.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	14.9	44.5	15.6	14.7	8.01
LG 52.162.217.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	1.53	4.8	1.65	1.51	0.779

## LG 52.162.217.201:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.217.201:443/CPU Load					
0	5.23	18	5	5.13	2.35
LG 52.162.217.201:443/Memory Used					
1	5.14	14	4	4.96	2.8
LG 52.162.217.201:443/Throughput					
0	14	44.8	13.9	13.8	7.7
LG 52.162.217.201:443/User Load					
0	55.1	100	64	55.6	29.3
LG 52.162.217.201:443/Thread Count					
40	127.8	241	127	125.4	45.5
LG 52.162.217.201:443/Http client/Thread Pool used					
0.1	0.102	0.155	0.1	0.1	0.009
LG 52.162.217.201:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.012
LG 52.162.217.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.217.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.217.201:443/Controller Connection/Ping Duration (ms)					
71	116.7	219	113	114.7	24.6
LG 52.162.217.201:443/Network/Segments sent/sec.					
9.44	748.9	2,898	780.8	737.1	403.4
LG 52.162.217.201:443/Network/Segments retransmitted/sec.					
0	0.057	2.2	0	0.016	0.224
LG 52.162.217.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	14.9	47.4	15	14.7	8.16
LG 52.162.217.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.53	4.13	1.61	1.51	0.774

## LG 52.162.217.4:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.217.4:443/CPU Load					
0	5.08	18	5	5.01	2.15
LG 52.162.217.4:443/Memory Used					
1	5.21	13	5	5.06	2.7
LG 52.162.217.4:443/Throughput					
0	13.8	47.9	13.2	13.6	7.53
LG 52.162.217.4:443/User Load					
0	54.5	99	63	55	29.1
LG 52.162.217.4:443/Thread Count					
40	126.5	241	126	124.1	45

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.217.4:443/Http client/Thread Pool used</b>					
0.1	0.103	0.175	0.1	0.1	0.013
<b>LG 52.162.217.4:443/Http client/Task Pool used</b>					
0	0.001	0.067	0	0	0.007
<b>LG 52.162.217.4:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.217.4:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.217.4:443/Controller Connection/Ping Duration (ms)</b>					
102	113.7	160	111	111.9	11.5
<b>LG 52.162.217.4:443/Network/Segments sent/sec.</b>					
10.4	734	2,175	753.5	725.5	386.4
<b>LG 52.162.217.4:443/Network/Segments retransmitted/sec.</b>					
0	0.007	0.591	0	0	0.051
<b>LG 52.162.217.4:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.032	14.7	50.9	14.1	14.5	7.99
<b>LG 52.162.217.4:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	1.51	4.49	1.54	1.49	0.782

## LG 52.162.217.90:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.217.90:443/CPU Load</b>					
0	5.22	17	5	5.14	2.33
<b>LG 52.162.217.90:443/Memory Used</b>					
1	5.22	15	5	5.06	2.75
<b>LG 52.162.217.90:443/Throughput</b>					
0	13.9	39.9	14.3	13.7	7.59
<b>LG 52.162.217.90:443/User Load</b>					
0	54.7	100	63	55.2	29.4
<b>LG 52.162.217.90:443/Thread Count</b>					
40	126	229	126	124.2	44
<b>LG 52.162.217.90:443/Http client/Thread Pool used</b>					
0.1	0.1	0.115	0.1	0.1	0.002
<b>LG 52.162.217.90:443/Http client/Task Pool used</b>					
0	0.001	0.067	0	0	0.007
<b>LG 52.162.217.90:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.217.90:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.217.90:443/Controller Connection/Ping Duration (ms)</b>					
63	106.5	120	113	108.2	14.9
<b>LG 52.162.217.90:443/Network/Segments sent/sec.</b>					
12.8	735	1,969	774.9	727.4	382.3
<b>LG 52.162.217.90:443/Network/Segments retransmitted/sec.</b>					
0	0.006	1.19	0	0	0.068
<b>LG 52.162.217.90:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.036	14.8	42.2	15.3	14.6	8.05
<b>LG 52.162.217.90:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.019	1.52	4.31	1.61	1.51	0.777

## LG 52.162.218.249:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.218.249:443/CPU Load					
0	5.46	18	5	5.34	2.37
LG 52.162.218.249:443/Memory Used					
1	5.33	15	5	5.17	2.83
LG 52.162.218.249:443/Throughput					
0	14.2	71.6	14.8	14	7.95
LG 52.162.218.249:443/User Load					
0	56.3	100	64	57	29.4
LG 52.162.218.249:443/Thread Count					
40	129.3	247	128	126.8	46
LG 52.162.218.249:443/Http client/Thread Pool used					
0.1	0.104	0.195	0.1	0.1	0.017
LG 52.162.218.249:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 52.162.218.249:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.218.249:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.218.249:443/Controller Connection/Ping Duration (ms)					
66	111.3	126	112	112.3	9.39
LG 52.162.218.249:443/Network/Segments sent/sec.					
13.7	749.5	2,351	790.6	741.9	381.5
LG 52.162.218.249:443/Network/Segments retransmitted/sec.					
0	0.01	2.4	0	0	0.127
LG 52.162.218.249:443/Network/eth0 (eth0)/Megabits received/sec.					
0.037	15.2	73.4	15.8	14.9	8.38
LG 52.162.218.249:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.02	1.55	5.62	1.65	1.53	0.782

## LG 52.162.219.154:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.219.154:443/CPU Load					
0	5.1	21	5	5.02	2.29
LG 52.162.219.154:443/Memory Used					
1	5.07	14	4	4.89	2.67
LG 52.162.219.154:443/Throughput					
0	13.3	52.5	12.4	13.1	7.37
LG 52.162.219.154:443/User Load					
0	52.4	100	50	52.7	28.2
LG 52.162.219.154:443/Thread Count					
40	124.1	247	115	121.2	44.6
LG 52.162.219.154:443/Http client/Thread Pool used					
0.1	0.105	0.2	0.1	0.101	0.018
LG 52.162.219.154:443/Http client/Task Pool used					
0	0.001	0.25	0	0	0.012
LG 52.162.219.154:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.219.154:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.219.154:443/Controller Connection/Ping Duration (ms)					
58	109.3	116	111	110.8	9.33

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.219.154:443/Network/Segments sent/sec.					
9.9	704.1	2,566	673.2	694.4	369.6
LG 52.162.219.154:443/Network/Segments retransmitted/sec.					
0	0.004	0.202	0	0	0.026
LG 52.162.219.154:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	14.1	55.5	13.4	13.9	7.8
LG 52.162.219.154:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.46	4.45	1.36	1.44	0.745

## LG 52.162.219.159:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.219.159:443/CPU Load					
0	5.21	19	5	5.11	2.28
LG 52.162.219.159:443/Memory Used					
1	5.13	15	5	4.96	2.67
LG 52.162.219.159:443/Throughput					
0	14	42.4	14.6	13.8	7.5
LG 52.162.219.159:443/User Load					
0	55.4	100	64	56	29.2
LG 52.162.219.159:443/Thread Count					
40	126.5	237	125	124.2	44.3
LG 52.162.219.159:443/Http client/Thread Pool used					
0.1	0.102	0.165	0.1	0.1	0.01
LG 52.162.219.159:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 52.162.219.159:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.219.159:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.219.159:443/Controller Connection/Ping Duration (ms)					
59	110.3	155	111	110.1	14.4
LG 52.162.219.159:443/Network/Segments sent/sec.					
8.44	742.2	2,261	782.5	733.1	380.6
LG 52.162.219.159:443/Network/Segments retransmitted/sec.					
0	0.02	1.98	0	0.001	0.121
LG 52.162.219.159:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	14.9	45.3	15.5	14.7	7.95
LG 52.162.219.159:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.53	4.44	1.59	1.51	0.778

## LG 52.162.219.55:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.219.55:443/CPU Load					
0	5.24	19	5	5.15	2.35
LG 52.162.219.55:443/Memory Used					
1	5.63	16	5	5.4	3.06
LG 52.162.219.55:443/Throughput					
0	13.9	41.4	14.7	13.6	7.71
LG 52.162.219.55:443/User Load					
0	54.6	100	63	55.1	29.5
LG 52.162.219.55:443/Thread Count					
40	127.6	247	125	125	47

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.219.55:443/Http client/Thread Pool used</b>					
0.1	0.103	0.17	0.1	0.1	0.012
<b>LG 52.162.219.55:443/Http client/Task Pool used</b>					
0	0.001	0.1	0	0	0.009
<b>LG 52.162.219.55:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.219.55:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.219.55:443/Controller Connection/Ping Duration (ms)</b>					
71	124.7	154	114	125.4	21.8
<b>LG 52.162.219.55:443/Network/Segments sent/sec.</b>					
8.46	738	2,560	774	724.9	399.4
<b>LG 52.162.219.55:443/Network/Segments retransmitted/sec.</b>					
0	0.007	0.264	0	0	0.038
<b>LG 52.162.219.55:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.029	14.8	43.3	15.7	14.5	8.17
<b>LG 52.162.219.55:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.013	1.51	3.9	1.65	1.5	0.779

## LG 52.162.219.99:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.219.99:443/CPU Load</b>					
0	5.17	20	5	5.07	2.29
<b>LG 52.162.219.99:443/Memory Used</b>					
1	5.64	15	5	5.44	3
<b>LG 52.162.219.99:443/Throughput</b>					
0	13.9	55.1	14.4	13.7	7.55
<b>LG 52.162.219.99:443/User Load</b>					
0	55	100	63	55.5	29.3
<b>LG 52.162.219.99:443/Thread Count</b>					
40	127.4	252	125	124.6	46.4
<b>LG 52.162.219.99:443/Http client/Thread Pool used</b>					
0.1	0.105	0.225	0.1	0.1	0.024
<b>LG 52.162.219.99:443/Http client/Task Pool used</b>					
0	0.001	0.067	0	0	0.006
<b>LG 52.162.219.99:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.219.99:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.219.99:443/Controller Connection/Ping Duration (ms)</b>					
70	112.5	152	114	113	12
<b>LG 52.162.219.99:443/Network/Segments sent/sec.</b>					
10.42	741.9	2,627	783	729.5	393
<b>LG 52.162.219.99:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.395	0	0	0.025
<b>LG 52.162.219.99:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.032	14.8	58.4	15.4	14.6	8.01
<b>LG 52.162.219.99:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	1.53	5.72	1.62	1.51	0.812

## LG 52.162.220.152:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.220.152:443/CPU Load					
0	5.32	17	5	5.2	2.3
LG 52.162.220.152:443/Memory Used					
1	5.35	15	5	5.18	2.82
LG 52.162.220.152:443/Throughput					
0	14.2	50.1	15	13.9	7.79
LG 52.162.220.152:443/User Load					
0	55.8	100	64	56.4	29.4
LG 52.162.220.152:443/Thread Count					
40	128.5	233	126	126.2	46.9
LG 52.162.220.152:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 52.162.220.152:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 52.162.220.152:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.220.152:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.220.152:443/Controller Connection/Ping Duration (ms)					
98	116	187	112	113.5	15.1
LG 52.162.220.152:443/Network/Segments sent/sec.					
9.53	753.3	2,245	799.5	742.3	392
LG 52.162.220.152:443/Network/Segments retransmitted/sec.					
0	0.035	1.42	0	0.007	0.148
LG 52.162.220.152:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	15.1	53	16.1	14.8	8.25
LG 52.162.220.152:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.015	1.54	4.32	1.62	1.53	0.77

## LG 52.162.220.184:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.220.184:443/CPU Load					
0	5.26	43	5	5.1	2.93
LG 52.162.220.184:443/Memory Used					
1	5.6	15	5	5.43	2.78
LG 52.162.220.184:443/Throughput					
0	14	74.5	14.5	13.7	8.04
LG 52.162.220.184:443/User Load					
0	55.1	100	63	55.7	29.2
LG 52.162.220.184:443/Thread Count					
40	127.3	243	127	125	45.4
LG 52.162.220.184:443/Http client/Thread Pool used					
0.1	0.104	0.195	0.1	0.1	0.016
LG 52.162.220.184:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 52.162.220.184:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.220.184:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.220.184:443/Controller Connection/Ping Duration (ms)					
70	111.6	155	111	111.5	11.2



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.220.184:443/Network/Segments sent/sec.					
10.17	750.6	6,804	770.1	729.9	489.4
LG 52.162.220.184:443/Network/Segments retransmitted/sec.					
0	0.004	0.201	0	0	0.027
LG 52.162.220.184:443/Network/eth0 (eth0)/Megabits received/sec.					
0.034	14.9	79.3	15.4	14.6	8.54
LG 52.162.220.184:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.017	1.54	8.93	1.67	1.51	0.862

## LG 52.162.220.60:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.220.60:443/CPU Load					
0	5.25	18	5	5.14	2.26
LG 52.162.220.60:443/Memory Used					
1	5.19	14	5	5.03	2.68
LG 52.162.220.60:443/Throughput					
0	14.3	42.9	14.7	14.2	7.53
LG 52.162.220.60:443/User Load					
0	56.4	100	64	57	29.4
LG 52.162.220.60:443/Thread Count					
40	127.2	233	125	125	43.7
LG 52.162.220.60:443/Http client/Thread Pool used					
0.1	0.103	0.145	0.1	0.101	0.008
LG 52.162.220.60:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 52.162.220.60:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.220.60:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.220.60:443/Controller Connection/Ping Duration (ms)					
73	110.3	122	112	111.2	7.59
LG 52.162.220.60:443/Network/Segments sent/sec.					
8.96	754.2	1,888	805.9	748.3	383.5
LG 52.162.220.60:443/Network/Segments retransmitted/sec.					
0	0.011	0.799	0	0	0.067
LG 52.162.220.60:443/Network/eth0 (eth0)/Megabits received/sec.					
0.03	15.2	45.7	15.7	15.1	7.99
LG 52.162.220.60:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	1.56	4.06	1.66	1.55	0.775

## LG 52.162.220.7:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.220.7:443/CPU Load					
0	5.47	20	5	5.36	2.41
LG 52.162.220.7:443/Memory Used					
1	5.24	14	5	5.06	2.83
LG 52.162.220.7:443/Throughput					
0	13.9	42.8	14.3	13.7	7.49
LG 52.162.220.7:443/User Load					
0	55	100	63	55.5	29.2
LG 52.162.220.7:443/Thread Count					
40	127	232	125	124.8	45.4

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.220.7:443/Http client/Thread Pool used</b>					
0.1	0.101	0.125	0.1	0.1	0.003
<b>LG 52.162.220.7:443/Http client/Task Pool used</b>					
0	0.001	0.1	0	0	0.008
<b>LG 52.162.220.7:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.220.7:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.220.7:443/Controller Connection/Ping Duration (ms)</b>					
74	114.5	160	113	113.9	12
<b>LG 52.162.220.7:443/Network/Segments sent/sec.</b>					
9.55	736	2,609	766.4	727.4	381.8
<b>LG 52.162.220.7:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.264	0	0	0.022
<b>LG 52.162.220.7:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	14.8	45.1	15.3	14.6	7.94
<b>LG 52.162.220.7:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	1.51	4.17	1.57	1.51	0.758

## LG 52.162.221.195:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.221.195:443/CPU Load</b>					
0	5.08	20	5	4.99	2.18
<b>LG 52.162.221.195:443/Memory Used</b>					
1	5.2	14	5	5.05	2.61
<b>LG 52.162.221.195:443/Throughput</b>					
0	13.9	63.8	14.6	13.6	7.76
<b>LG 52.162.221.195:443/User Load</b>					
0	55.1	100	63	55.6	29.2
<b>LG 52.162.221.195:443/Thread Count</b>					
40	127.6	246	125	124.8	46.6
<b>LG 52.162.221.195:443/Http client/Thread Pool used</b>					
0.1	0.103	0.18	0.1	0.1	0.014
<b>LG 52.162.221.195:443/Http client/Task Pool used</b>					
0	0	0.05	0	0	0.003
<b>LG 52.162.221.195:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.221.195:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.221.195:443/Controller Connection/Ping Duration (ms)</b>					
98	115.7	193	114	113.6	14.6
<b>LG 52.162.221.195:443/Network/Segments sent/sec.</b>					
9.53	730	2,120	766.3	721.4	375
<b>LG 52.162.221.195:443/Network/Segments retransmitted/sec.</b>					
0	0.005	0.602	0	0	0.049
<b>LG 52.162.221.195:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.031	14.7	66.7	15.5	14.5	8.21
<b>LG 52.162.221.195:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.015	1.51	5.16	1.59	1.49	0.765

## LG 52.162.221.204:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.221.204:443/CPU Load					
0	5.37	18	5	5.3	2.3
LG 52.162.221.204:443/Memory Used					
1	5.24	14	5	5.07	2.73
LG 52.162.221.204:443/Throughput					
0	14.1	42.2	14.3	13.9	7.63
LG 52.162.221.204:443/User Load					
0	55.6	100	63	56.2	29.5
LG 52.162.221.204:443/Thread Count					
40	127.3	236	125	125	45.3
LG 52.162.221.204:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.005
LG 52.162.221.204:443/Http client/Task Pool used					
0	0	0.067	0	0	0.005
LG 52.162.221.204:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.221.204:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.221.204:443/Controller Connection/Ping Duration (ms)					
77	113.1	174	111	111.4	14.6
LG 52.162.221.204:443/Network/Segments sent/sec.					
9.53	749	2,039	781.2	741.6	388.5
LG 52.162.221.204:443/Network/Segments retransmitted/sec.					
0	0.008	1.59	0	0	0.086
LG 52.162.221.204:443/Network/eth0 (eth0)/Megabits received/sec.					
0.031	15	44.8	15.2	14.8	8.09
LG 52.162.221.204:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.014	1.54	4.1	1.6	1.53	0.776

## LG 52.162.221.253:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.221.253:443/CPU Load					
0	5.33	36	5	5.17	2.81
LG 52.162.221.253:443/Memory Used					
1	5.24	14	5	5.07	2.79
LG 52.162.221.253:443/Throughput					
0	14	59.1	13.9	13.7	7.95
LG 52.162.221.253:443/User Load					
0	54.8	100	63	55.3	29.4
LG 52.162.221.253:443/Thread Count					
40	126.2	236	125	123.9	45.3
LG 52.162.221.253:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.005
LG 52.162.221.253:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 52.162.221.253:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.221.253:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.221.253:443/Controller Connection/Ping Duration (ms)					
100	112.6	120	113	112.8	3.01

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.221.253:443/Network/Segments sent/sec.					
7.61	744.8	4,593	760.8	726.9	435.2
LG 52.162.221.253:443/Network/Segments retransmitted/sec.					
0	0.004	0.594	0	0	0.036
LG 52.162.221.253:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	14.9	63.8	14.9	14.6	8.45
LG 52.162.221.253:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	1.55	8.73	1.59	1.51	0.898

## LG 52.162.221.86:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.221.86:443/CPU Load					
0	5.64	18	6	5.52	2.56
LG 52.162.221.86:443/Memory Used					
1	5.58	14	5	5.39	2.94
LG 52.162.221.86:443/Throughput					
0	13.6	48.5	13.7	13.5	7.45
LG 52.162.221.86:443/User Load					
0	54.5	99	63	55	29.5
LG 52.162.221.86:443/Thread Count					
40	127.2	242	125	124.9	46.3
LG 52.162.221.86:443/Http client/Thread Pool used					
0.1	0.103	0.17	0.1	0.1	0.012
LG 52.162.221.86:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.009
LG 52.162.221.86:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.221.86:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.221.86:443/Controller Connection/Ping Duration (ms)					
98	115.7	169	112	113.7	12.9
LG 52.162.221.86:443/Network/Segments sent/sec.					
10.44	723.9	2,356	732.4	715.3	381.8
LG 52.162.221.86:443/Network/Segments retransmitted/sec.					
0	0.005	0.608	0	0	0.042
LG 52.162.221.86:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	14.5	51.3	14.6	14.3	7.91
LG 52.162.221.86:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	1.49	4.01	1.53	1.48	0.768

## LG 52.162.222.127:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.222.127:443/CPU Load					
0	5.28	19	5	5.16	2.28
LG 52.162.222.127:443/Memory Used					
1	5.09	13	4.5	4.95	2.64
LG 52.162.222.127:443/Throughput					
0	13.8	51.1	14.2	13.6	7.63
LG 52.162.222.127:443/User Load					
0	55	100	63	55.5	29.3
LG 52.162.222.127:443/Thread Count					
40	128.4	259	126	125.5	47.7

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.222.127:443/Http client/Thread Pool used</b>					
0.1	0.107	0.265	0.1	0.1	0.032
<b>LG 52.162.222.127:443/Http client/Task Pool used</b>					
0	0.001	0.117	0	0	0.007
<b>LG 52.162.222.127:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.222.127:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.222.127:443/Controller Connection/Ping Duration (ms)</b>					
60	106.2	127	113	107.6	18.1
<b>LG 52.162.222.127:443/Network/Segments sent/sec.</b>					
8.81	735.1	2,661	751.6	723.4	392.6
<b>LG 52.162.222.127:443/Network/Segments retransmitted/sec.</b>					
0	0.008	0.802	0	0	0.059
<b>LG 52.162.222.127:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.03	14.7	54.3	15	14.5	8.09
<b>LG 52.162.222.127:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.014	1.52	5	1.57	1.5	0.79

## LG 52.162.222.177:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.222.177:443/CPU Load</b>					
0	5.24	28	5	5.05	2.74
<b>LG 52.162.222.177:443/Memory Used</b>					
1	5.53	14	5	5.34	3.01
<b>LG 52.162.222.177:443/Throughput</b>					
0	13.9	53.9	14.1	13.6	7.91
<b>LG 52.162.222.177:443/User Load</b>					
0	54.8	100	63	55.2	29.4
<b>LG 52.162.222.177:443/Thread Count</b>					
40	127.3	241	126	125	46
<b>LG 52.162.222.177:443/Http client/Thread Pool used</b>					
0.1	0.103	0.17	0.1	0.1	0.012
<b>LG 52.162.222.177:443/Http client/Task Pool used</b>					
0	0.001	0.217	0	0	0.012
<b>LG 52.162.222.177:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.222.177:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.222.177:443/Controller Connection/Ping Duration (ms)</b>					
75	109.7	150	112	109.9	12.5
<b>LG 52.162.222.177:443/Network/Segments sent/sec.</b>					
7.62	746.3	4,650	763.1	725.5	444.5
<b>LG 52.162.222.177:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.401	0	0	0.035
<b>LG 52.162.222.177:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	14.7	57.1	15	14.4	8.38
<b>LG 52.162.222.177:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	1.53	6.24	1.55	1.5	0.84

## LG 52.162.222.179:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.222.179:443/CPU Load					
0	5.26	19	5	5.17	2.34
LG 52.162.222.179:443/Memory Used					
1	5.11	13	5	4.97	2.63
LG 52.162.222.179:443/Throughput					
0	13.8	62.5	14.4	13.6	7.78
LG 52.162.222.179:443/User Load					
0	54.9	100	63	55.4	29.3
LG 52.162.222.179:443/Thread Count					
40	127.8	248	125	125.2	47.1
LG 52.162.222.179:443/Http client/Thread Pool used					
0.1	0.104	0.195	0.1	0.1	0.017
LG 52.162.222.179:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 52.162.222.179:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.222.179:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.222.179:443/Controller Connection/Ping Duration (ms)					
69	112	166	112	111.4	19.1
LG 52.162.222.179:443/Network/Segments sent/sec.					
12.8	730.6	2,397	776.4	722.5	382.2
LG 52.162.222.179:443/Network/Segments retransmitted/sec.					
0	0.005	0.6	0	0	0.043
LG 52.162.222.179:443/Network/eth0 (eth0)/Megabits received/sec.					
0.033	14.7	66.1	15.4	14.4	8.24
LG 52.162.222.179:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.018	1.51	4.14	1.57	1.5	0.764

## LG 52.162.222.203:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.222.203:443/CPU Load					
0	5.42	23	5	5.33	2.45
LG 52.162.222.203:443/Memory Used					
1	6.74	20	5	6.41	4.5
LG 52.162.222.203:443/Throughput					
0	13.7	44	14.4	13.5	7.42
LG 52.162.222.203:443/User Load					
0	54.6	99	63	55	29.5
LG 52.162.222.203:443/Thread Count					
40	127	243	126	124.5	46.6
LG 52.162.222.203:443/Http client/Thread Pool used					
0.1	0.103	0.18	0.1	0.1	0.013
LG 52.162.222.203:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 52.162.222.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.222.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.222.203:443/Controller Connection/Ping Duration (ms)					
98	113.7	149	114	113.2	7.79

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.222.203:443/Network/Segments sent/sec.					
8.42	733.1	2,552	774.7	723.3	387.6
LG 52.162.222.203:443/Network/Segments retransmitted/sec.					
0	0.01	2	0	0	0.106
LG 52.162.222.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	14.6	46.5	15.3	14.4	7.85
LG 52.162.222.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.5	4.15	1.56	1.49	0.769

## LG 52.162.222.204:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.222.204:443/CPU Load					
0	5.33	28	5	5.17	2.61
LG 52.162.222.204:443/Memory Used					
1	5.18	14	4	5.02	2.79
LG 52.162.222.204:443/Throughput					
0	13.9	55.5	14.7	13.7	7.66
LG 52.162.222.204:443/User Load					
0	55.1	100	63	55.6	29.2
LG 52.162.222.204:443/Thread Count					
40	128.1	263	125	124.9	48.2
LG 52.162.222.204:443/Http client/Thread Pool used					
0.1	0.106	0.265	0.1	0.1	0.031
LG 52.162.222.204:443/Http client/Task Pool used					
0	0.002	0.5	0	0	0.026
LG 52.162.222.204:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.222.204:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.222.204:443/Controller Connection/Ping Duration (ms)					
69	114.3	155	112	114.3	23.9
LG 52.162.222.204:443/Network/Segments sent/sec.					
8.19	741.5	2,920	782.5	729	397.2
LG 52.162.222.204:443/Network/Segments retransmitted/sec.					
0	0.006	0.799	0	0	0.052
LG 52.162.222.204:443/Network/eth0 (eth0)/Megabits received/sec.					
0.029	14.8	58.7	15.6	14.5	8.05
LG 52.162.222.204:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.53	5.67	1.6	1.51	0.8

## LG 52.162.222.70:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.222.70:443/CPU Load					
0	5.31	38	5	5.11	2.89
LG 52.162.222.70:443/Memory Used					
1	5.58	15	5	5.41	2.76
LG 52.162.222.70:443/Throughput					
0	14	76.9	14.1	13.7	8.23
LG 52.162.222.70:443/User Load					
0	54.8	100	63	55.2	29.4
LG 52.162.222.70:443/Thread Count					
40	126.4	237	125	124.2	45.4

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.222.70:443/Http client/Thread Pool used</b>					
0.1	0.102	0.155	0.1	0.1	0.008
<b>LG 52.162.222.70:443/Http client/Task Pool used</b>					
0	0.001	0.083	0	0	0.005
<b>LG 52.162.222.70:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.222.70:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.222.70:443/Controller Connection/Ping Duration (ms)</b>					
63	110.7	118	113	112.4	9.98
<b>LG 52.162.222.70:443/Network/Segments sent/sec.</b>					
7.64	749.6	5,426	758.8	727.6	461.1
<b>LG 52.162.222.70:443/Network/Segments retransmitted/sec.</b>					
0	0.002	0.2	0	0	0.018
<b>LG 52.162.222.70:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.028	15	82	15.1	14.6	8.75
<b>LG 52.162.222.70:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	1.56	9.02	1.61	1.51	0.944

## LG 52.162.223.175:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.162.223.175:443/CPU Load</b>					
0	5.14	15	5	5.07	2.17
<b>LG 52.162.223.175:443/Memory Used</b>					
1	5.26	14	5	5.1	2.73
<b>LG 52.162.223.175:443/Throughput</b>					
0	14.2	50.8	14.8	14	7.63
<b>LG 52.162.223.175:443/User Load</b>					
0	55.9	100	63	56.5	29.3
<b>LG 52.162.223.175:443/Thread Count</b>					
40	127.6	239	126	125.3	45
<b>LG 52.162.223.175:443/Http client/Thread Pool used</b>					
0.1	0.102	0.15	0.1	0.1	0.008
<b>LG 52.162.223.175:443/Http client/Task Pool used</b>					
0	0.001	0.15	0	0	0.008
<b>LG 52.162.223.175:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.223.175:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.162.223.175:443/Controller Connection/Ping Duration (ms)</b>					
65	108.9	116	112	110.6	10.64
<b>LG 52.162.223.175:443/Network/Segments sent/sec.</b>					
13.2	751.1	2,206	788.8	743.8	387.6
<b>LG 52.162.223.175:443/Network/Segments retransmitted/sec.</b>					
0	0.004	0.265	0	0	0.027
<b>LG 52.162.223.175:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.012	15.1	53.9	15.9	14.9	8.09
<b>LG 52.162.223.175:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.019	1.54	4.46	1.61	1.54	0.784



## LG 52.162.223.243:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.223.243:443/CPU Load					
0	5.13	18	5	5.05	2.24
LG 52.162.223.243:443/Memory Used					
1	5.15	13	5	4.96	2.8
LG 52.162.223.243:443/Throughput					
0	13.9	44.8	13.9	13.7	7.5
LG 52.162.223.243:443/User Load					
0	55.2	100	64	55.7	29.3
LG 52.162.223.243:443/Thread Count					
40	126.7	230	126	124.7	43.6
LG 52.162.223.243:443/Http client/Thread Pool used					
0.1	0.101	0.14	0.1	0.1	0.006
LG 52.162.223.243:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.012
LG 52.162.223.243:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.223.243:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.223.243:443/Controller Connection/Ping Duration (ms)					
86	111.8	142	112	111.8	8.02
LG 52.162.223.243:443/Network/Segments sent/sec.					
10.4	737.1	2,327	761.9	729.6	385.4
LG 52.162.223.243:443/Network/Segments retransmitted/sec.					
0	0.001	0.202	0	0	0.015
LG 52.162.223.243:443/Network/eth0 (eth0)/Megabits received/sec.					
0.032	14.8	47.7	14.9	14.6	7.95
LG 52.162.223.243:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.016	1.52	4.38	1.55	1.5	0.779

## LG 52.162.223.244:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.223.244:443/CPU Load					
0	5.32	42	5	5.13	3.05
LG 52.162.223.244:443/Memory Used					
1	4.96	14	5	4.8	2.59
LG 52.162.223.244:443/Throughput					
0	14	74.7	13.9	13.6	8.27
LG 52.162.223.244:443/User Load					
0	54.5	99	63	55	29.2
LG 52.162.223.244:443/Thread Count					
40	127.3	248	127	124.7	46.5
LG 52.162.223.244:443/Http client/Thread Pool used					
0.1	0.104	0.205	0.1	0.1	0.019
LG 52.162.223.244:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 52.162.223.244:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.162.223.244:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.162.223.244:443/Controller Connection/Ping Duration (ms)					
87	110	158	110	109.5	10.64

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.162.223.244:443/Network/Segments sent/sec.					
7.64	744.9	5,879	756.7	719.9	478
LG 52.162.223.244:443/Network/Segments retransmitted/sec.					
0	0.011	2	0	0	0.109
LG 52.162.223.244:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	14.9	79.7	14.9	14.5	8.79
LG 52.162.223.244:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	1.54	8.18	1.57	1.5	0.883

## LG 52.240.150.125:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.240.150.125:443/CPU Load					
0	5.37	21	5	5.26	2.44
LG 52.240.150.125:443/Memory Used					
1	5.25	14	5	5.09	2.72
LG 52.240.150.125:443/Throughput					
0	14	39.4	14.4	13.8	7.48
LG 52.240.150.125:443/User Load					
0	55.2	100	63	55.7	29.1
LG 52.240.150.125:443/Thread Count					
40	126.5	234	125	124.3	44.6
LG 52.240.150.125:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.1	0.007
LG 52.240.150.125:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 52.240.150.125:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.240.150.125:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.240.150.125:443/Controller Connection/Ping Duration (ms)					
61	112.6	150	112	112.7	14.2
LG 52.240.150.125:443/Network/Segments sent/sec.					
8.62	739.8	2,107	755.3	732.1	384.6
LG 52.240.150.125:443/Network/Segments retransmitted/sec.					
0	0.009	1	0	0	0.062
LG 52.240.150.125:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	14.9	41.7	15.3	14.7	7.93
LG 52.240.150.125:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.013	1.52	4.16	1.59	1.51	0.763

## LG 52.240.150.150:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.240.150.150:443/CPU Load					
0	5.48	19	6	5.41	2.42
LG 52.240.150.150:443/Memory Used					
1	5.42	14	5	5.26	2.75
LG 52.240.150.150:443/Throughput					
0	13.8	45.7	14.5	13.6	7.53
LG 52.240.150.150:443/User Load					
0	54.6	100	63	55.1	29.5
LG 52.240.150.150:443/Thread Count					
40	127.5	240	126	125.2	46.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.240.150.150:443/Http client/Thread Pool used</b>					
0.1	0.102	0.16	0.1	0.1	0.01
<b>LG 52.240.150.150:443/Http client/Task Pool used</b>					
0	0.001	0.183	0	0	0.012
<b>LG 52.240.150.150:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.240.150.150:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.240.150.150:443/Controller Connection/Ping Duration (ms)</b>					
101	115.1	153	113	113.6	10.23
<b>LG 52.240.150.150:443/Network/Segments sent/sec.</b>					
10.22	730.8	1,974	780.5	721.3	383
<b>LG 52.240.150.150:443/Network/Segments retransmitted/sec.</b>					
0	0.006	0.4	0	0	0.04
<b>LG 52.240.150.150:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.034	14.7	48.3	15.4	14.5	7.99
<b>LG 52.240.150.150:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.016	1.52	5.11	1.61	1.5	0.808

## LG 52.240.150.185:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 52.240.150.185:443/CPU Load</b>					
0	5.27	17	5	5.17	2.34
<b>LG 52.240.150.185:443/Memory Used</b>					
1	5.27	15	5	5.09	2.83
<b>LG 52.240.150.185:443/Throughput</b>					
0	13.9	39.1	14.5	13.8	7.42
<b>LG 52.240.150.185:443/User Load</b>					
0	54.9	100	63	55.4	29.4
<b>LG 52.240.150.185:443/Thread Count</b>					
40	126.2	224	125	124.5	43.4
<b>LG 52.240.150.185:443/Http client/Thread Pool used</b>					
0.1	0.1	0.115	0.1	0.1	0.002
<b>LG 52.240.150.185:443/Http client/Task Pool used</b>					
0	0.001	0.067	0	0	0.006
<b>LG 52.240.150.185:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 52.240.150.185:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 52.240.150.185:443/Controller Connection/Ping Duration (ms)</b>					
68	111.7	128	114	113.1	11.2
<b>LG 52.240.150.185:443/Network/Segments sent/sec.</b>					
6.84	741.3	2,286	779.5	734.3	380.6
<b>LG 52.240.150.185:443/Network/Segments retransmitted/sec.</b>					
0	0.003	0.598	0	0	0.034
<b>LG 52.240.150.185:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.027	14.8	41.2	15.4	14.7	7.87
<b>LG 52.240.150.185:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.012	1.52	4.08	1.6	1.52	0.758

## LG 52.240.150.227:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 52.240.150.227:443/CPU Load					
0	4.98	17	5	4.9	2.2
LG 52.240.150.227:443/Memory Used					
1	5.12	13	5	4.96	2.62
LG 52.240.150.227:443/Throughput					
0	14	53.8	14.4	13.7	7.76
LG 52.240.150.227:443/User Load					
0	55.1	100	63	55.6	29.2
LG 52.240.150.227:443/Thread Count					
40	127.3	243	126	124.9	45
LG 52.240.150.227:443/Http client/Thread Pool used					
0.1	0.104	0.205	0.1	0.1	0.019
LG 52.240.150.227:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 52.240.150.227:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 52.240.150.227:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 52.240.150.227:443/Controller Connection/Ping Duration (ms)					
72	110.6	116	112	111.9	7.59
LG 52.240.150.227:443/Network/Segments sent/sec.					
7.23	739.1	2,560	769.1	730.4	384.3
LG 52.240.150.227:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.031
LG 52.240.150.227:443/Network/eth0 (eth0)/Megabits received/sec.					
0.028	14.9	56.4	15.4	14.6	8.21
LG 52.240.150.227:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.012	1.52	4.92	1.57	1.51	0.779

## LG 65.52.59.134:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.59.134:443/CPU Load					
0	5.2	19	5	5.08	2.29
LG 65.52.59.134:443/Memory Used					
1	5.48	15	5	5.32	2.71
LG 65.52.59.134:443/Throughput					
0	13.9	55.2	14.4	13.6	7.73
LG 65.52.59.134:443/User Load					
0	54.7	100	63	55.1	29.4
LG 65.52.59.134:443/Thread Count					
40	126.8	228	125	124.9	44.4
LG 65.52.59.134:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 65.52.59.134:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 65.52.59.134:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 65.52.59.134:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 65.52.59.134:443/Controller Connection/Ping Duration (ms)					
102	113.7	144	113	113.1	6.01

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 65.52.59.134:443/Network/Segments sent/sec.					
6.79	735.1	2,235	765.5	724.8	385.7
LG 65.52.59.134:443/Network/Segments retransmitted/sec.					
0	0.019	1.39	0	0	0.113
LG 65.52.59.134:443/Network/eth0 (eth0)/Megabits received/sec.					
0.027	14.8	58.4	15.3	14.5	8.2
LG 65.52.59.134:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.011	1.51	4.4	1.61	1.5	0.771

## LG 104.196.186.7:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.186.7:443/CPU Load					
0	7.08	26	7	6.98	3.17
LG 104.196.186.7:443/Memory Used					
1	15.6	36	14	15.2	9.59
LG 104.196.186.7:443/Throughput					
0	13.8	43.8	14.4	13.6	7.38
LG 104.196.186.7:443/User Load					
0	54.5	99	63	55	29.2
LG 104.196.186.7:443/Thread Count					
40	127.5	240	126	125.2	46.2
LG 104.196.186.7:443/Http client/Thread Pool used					
0.1	0.102	0.155	0.1	0.1	0.009
LG 104.196.186.7:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.008
LG 104.196.186.7:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 104.196.186.7:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 104.196.186.7:443/Controller Connection/Ping Duration (ms)					
98	128.3	165	126	127.7	14.5
LG 104.196.186.7:443/Network/Segments sent/sec.					
1.6	763.8	2,225	789.3	758	397.9
LG 104.196.186.7:443/Network/Segments retransmitted/sec.					
0	0.009	0.801	0	0	0.06
LG 104.196.186.7:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.1	45	14.7	14	7.57
LG 104.196.186.7:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.52	4.13	1.59	1.51	0.78

## LG 104.196.209.180:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 104.196.209.180:443/CPU Load					
0	6.52	21	6	6.36	3.04
LG 104.196.209.180:443/Memory Used					
1	15.4	37	14.5	15	9.56
LG 104.196.209.180:443/Throughput					
0	14	40.1	14.5	13.8	7.7
LG 104.196.209.180:443/User Load					
0	54.6	100	63	55.1	29.5
LG 104.196.209.180:443/Thread Count					
40	127	234	126	124.9	45.1

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 104.196.209.180:443/Http client/Thread Pool used</b>					
0.1	0.102	0.14	0.1	0.101	0.005
<b>LG 104.196.209.180:443/Http client/Task Pool used</b>					
0	0.001	0.05	0	0	0.004
<b>LG 104.196.209.180:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.209.180:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 104.196.209.180:443/Controller Connection/Ping Duration (ms)</b>					
93	138.4	208	130	136.8	26.8
<b>LG 104.196.209.180:443/Network/Segments sent/sec.</b>					
2.4	780	2,620	816.7	769	424.3
<b>LG 104.196.209.180:443/Network/Segments retransmitted/sec.</b>					
0	0.012	0.6	0	0	0.059
<b>LG 104.196.209.180:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.003	14.3	41.4	14.8	14.1	7.88
<b>LG 104.196.209.180:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.53	4.15	1.62	1.52	0.798

## LG 34.73.131.42:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.73.131.42:443/CPU Load</b>					
0	7.14	25	7	7	3.16
<b>LG 34.73.131.42:443/Memory Used</b>					
1	15.9	38	15	15.5	9.71
<b>LG 34.73.131.42:443/Throughput</b>					
0	14.1	45	14.4	13.8	7.66
<b>LG 34.73.131.42:443/User Load</b>					
0	55.2	100	63	55.7	29.2
<b>LG 34.73.131.42:443/Thread Count</b>					
40	128.1	239	126	125.7	46.5
<b>LG 34.73.131.42:443/Http client/Thread Pool used</b>					
0.1	0.101	0.135	0.1	0.1	0.005
<b>LG 34.73.131.42:443/Http client/Task Pool used</b>					
0	0.001	0.067	0	0	0.006
<b>LG 34.73.131.42:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.131.42:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.131.42:443/Controller Connection/Ping Duration (ms)</b>					
127	191.6	210	207	194.1	24.9
<b>LG 34.73.131.42:443/Network/Segments sent/sec.</b>					
3	780.7	2,481	816.7	769.4	415.7
<b>LG 34.73.131.42:443/Network/Segments retransmitted/sec.</b>					
0	0.011	0.599	0	0	0.056
<b>LG 34.73.131.42:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.4	45.8	14.8	14.2	7.84
<b>LG 34.73.131.42:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.55	4.15	1.6	1.54	0.785

## LG 34.73.154.122:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.154.122:443/CPU Load					
0	6.33	19	6	6.23	2.57
LG 34.73.154.122:443/Memory Used					
1	15.8	36	15	15.5	9.74
LG 34.73.154.122:443/Throughput					
0	13.9	69.5	13.9	13.6	7.95
LG 34.73.154.122:443/User Load					
0	55	100	63	55.5	29.2
LG 34.73.154.122:443/Thread Count					
40	128.4	253	125	125.6	47.8
LG 34.73.154.122:443/Http client/Thread Pool used					
0.1	0.105	0.21	0.1	0.101	0.02
LG 34.73.154.122:443/Http client/Task Pool used					
0	0	0.05	0	0	0.004
LG 34.73.154.122:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.154.122:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.154.122:443/Controller Connection/Ping Duration (ms)					
96	128.8	169	130	128.4	13.2
LG 34.73.154.122:443/Network/Segments sent/sec.					
3.04	773.6	2,609	791.8	764.9	410.1
LG 34.73.154.122:443/Network/Segments retransmitted/sec.					
0	0.011	0.599	0	0	0.063
LG 34.73.154.122:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.2	70.2	14.3	13.9	8.11
LG 34.73.154.122:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.52	4.86	1.54	1.51	0.782

## LG 34.73.217.33:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.217.33:443/CPU Load					
0	7.28	24	7	7.18	3.2
LG 34.73.217.33:443/Memory Used					
1	16.2	37	15	15.9	9.72
LG 34.73.217.33:443/Throughput					
0	14	44.6	14.3	13.9	7.64
LG 34.73.217.33:443/User Load					
0	55.6	100	63	56.2	29.5
LG 34.73.217.33:443/Thread Count					
40	127.9	248	126	125.2	45.9
LG 34.73.217.33:443/Http client/Thread Pool used					
0.1	0.104	0.19	0.1	0.101	0.015
LG 34.73.217.33:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 34.73.217.33:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.217.33:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.217.33:443/Controller Connection/Ping Duration (ms)					
94	130.7	179	127	130	18.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.217.33:443/Network/Segments sent/sec.					
2.4	784.1	3,010	799.3	774.3	423.2
LG 34.73.217.33:443/Network/Segments retransmitted/sec.					
0	0.007	0.401	0	0	0.04
LG 34.73.217.33:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.4	45.6	14.8	14.2	7.82
LG 34.73.217.33:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.55	4.88	1.61	1.53	0.801

## LG 34.73.221.192:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.221.192:443/CPU Load					
0	7.34	22	7	7.27	3.04
LG 34.73.221.192:443/Memory Used					
1	15.7	36	14	15.4	9.67
LG 34.73.221.192:443/Throughput					
0	14.1	46.9	14.7	14	7.6
LG 34.73.221.192:443/User Load					
0	55.4	100	64	55.9	29.2
LG 34.73.221.192:443/Thread Count					
40	126.7	232	127	124.5	44.4
LG 34.73.221.192:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.101	0.005
LG 34.73.221.192:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 34.73.221.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.221.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.221.192:443/Controller Connection/Ping Duration (ms)					
116	185.6	210	205	188	31.9
LG 34.73.221.192:443/Network/Segments sent/sec.					
1.82	786	2,467	833.7	778.6	412.6
LG 34.73.221.192:443/Network/Segments retransmitted/sec.					
0	0.008	0.673	0	0	0.053
LG 34.73.221.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.5	47.7	15	14.3	7.77
LG 34.73.221.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.55	4.18	1.67	1.54	0.786

## LG 34.73.24.251:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.24.251:443/CPU Load					
0	5.93	19	6	5.82	2.55
LG 34.73.24.251:443/Memory Used					
1	16.2	37	15	15.9	9.96
LG 34.73.24.251:443/Throughput					
0	13.8	49	14.3	13.6	7.55
LG 34.73.24.251:443/User Load					
0	55	100	63	55.5	29.3
LG 34.73.24.251:443/Thread Count					
40	128.6	244	125	126.3	45.7



Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.73.24.251:443/Http client/Thread Pool used</b>					
0.1	0.105	0.205	0.1	0.101	0.019
<b>LG 34.73.24.251:443/Http client/Task Pool used</b>					
0	0.002	0.133	0	0	0.01
<b>LG 34.73.24.251:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.24.251:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.24.251:443/Controller Connection/Ping Duration (ms)</b>					
121	182.9	210	204	184.7	30.5
<b>LG 34.73.24.251:443/Network/Segments sent/sec.</b>					
3.8	779	2,145	805.9	772.3	405.4
<b>LG 34.73.24.251:443/Network/Segments retransmitted/sec.</b>					
0	0.015	0.999	0	0	0.081
<b>LG 34.73.24.251:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.005	14.2	50.1	14.7	14	7.72
<b>LG 34.73.24.251:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.007	1.53	4.58	1.59	1.52	0.774

## LG 34.73.251.200:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.73.251.200:443/CPU Load</b>					
0	6.08	19	6	5.98	2.58
<b>LG 34.73.251.200:443/Memory Used</b>					
1	16.1	36	15	15.7	9.86
<b>LG 34.73.251.200:443/Throughput</b>					
0	13.8	41.4	14	13.6	7.58
<b>LG 34.73.251.200:443/User Load</b>					
0	54.7	100	63	55.2	29.4
<b>LG 34.73.251.200:443/Thread Count</b>					
40	127	236	125	124.8	46.2
<b>LG 34.73.251.200:443/Http client/Thread Pool used</b>					
0.1	0.102	0.14	0.1	0.101	0.006
<b>LG 34.73.251.200:443/Http client/Task Pool used</b>					
0	0.001	0.117	0	0	0.008
<b>LG 34.73.251.200:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.251.200:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.73.251.200:443/Controller Connection/Ping Duration (ms)</b>					
92	148.7	210	131	148.2	34.3
<b>LG 34.73.251.200:443/Network/Segments sent/sec.</b>					
2.41	778.4	2,368	814.2	767.7	418.2
<b>LG 34.73.251.200:443/Network/Segments retransmitted/sec.</b>					
0	0.012	0.596	0	0	0.062
<b>LG 34.73.251.200:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.003	14.2	42.3	14.3	13.9	7.76
<b>LG 34.73.251.200:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.52	4.7	1.56	1.51	0.792

## LG 34.73.254.139:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.254.139:443/CPU Load					
0	7.16	32	7	7.04	3.35
LG 34.73.254.139:443/Memory Used					
1	15	36	14	14.7	9.4
LG 34.73.254.139:443/Throughput					
0	13.8	46.6	14.4	13.6	7.71
LG 34.73.254.139:443/User Load					
0	54.5	100	63	55	29.5
LG 34.73.254.139:443/Thread Count					
40	127.9	241	124	125.7	47
LG 34.73.254.139:443/Http client/Thread Pool used					
0.1	0.104	0.17	0.1	0.101	0.012
LG 34.73.254.139:443/Http client/Task Pool used					
0	0.002	0.2	0	0	0.014
LG 34.73.254.139:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.254.139:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.254.139:443/Controller Connection/Ping Duration (ms)					
85	157.7	168	164	160.3	17.6
LG 34.73.254.139:443/Network/Segments sent/sec.					
3	770.3	3,519	799	755.8	433
LG 34.73.254.139:443/Network/Segments retransmitted/sec.					
0	0.01	1.2	0	0	0.073
LG 34.73.254.139:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.1	48.2	14.8	13.9	7.9
LG 34.73.254.139:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	1.53	5.74	1.59	1.51	0.843

## LG 34.73.58.222:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.58.222:443/CPU Load					
0	6.11	40	6	5.95	3.14
LG 34.73.58.222:443/Memory Used					
1	15.5	36	14	15.2	9.57
LG 34.73.58.222:443/Throughput					
0	13.9	54.9	14.4	13.6	7.76
LG 34.73.58.222:443/User Load					
0	54.8	100	63	55.3	29.4
LG 34.73.58.222:443/Thread Count					
40	127.5	245	125	125.1	45.8
LG 34.73.58.222:443/Http client/Thread Pool used					
0.1	0.104	0.205	0.1	0.1	0.019
LG 34.73.58.222:443/Http client/Task Pool used					
0	0.001	0.3	0	0	0.016
LG 34.73.58.222:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.58.222:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.58.222:443/Controller Connection/Ping Duration (ms)					
111	143.2	205	126	142.1	23

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.58.222:443/Network/Segments sent/sec.					
1.6	784.3	4,724	809.2	767.9	453.4
LG 34.73.58.222:443/Network/Segments retransmitted/sec.					
0	0.016	0.601	0	0	0.081
LG 34.73.58.222:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.2	54.4	14.9	13.9	7.91
LG 34.73.58.222:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.54	7.92	1.65	1.51	0.853

## LG 34.74.104.199:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.104.199:443/CPU Load					
0	6.43	24	6	6.31	2.78
LG 34.74.104.199:443/Memory Used					
2	16	37	15	15.6	9.88
LG 34.74.104.199:443/Throughput					
0	13.8	55.7	13.9	13.5	7.72
LG 34.74.104.199:443/User Load					
0	54.5	99	63	55	29.2
LG 34.74.104.199:443/Thread Count					
40	127.1	252	126	124.3	47
LG 34.74.104.199:443/Http client/Thread Pool used					
0.1	0.104	0.21	0.1	0.1	0.02
LG 34.74.104.199:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 34.74.104.199:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.104.199:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.104.199:443/Controller Connection/Ping Duration (ms)					
106	135.3	176	125	134.7	20.3
LG 34.74.104.199:443/Network/Segments sent/sec.					
2.41	766.5	2,435	773.9	755.4	411.4
LG 34.74.104.199:443/Network/Segments retransmitted/sec.					
0	0.011	1.4	0	0	0.089
LG 34.74.104.199:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.1	56.9	14.3	13.8	7.89
LG 34.74.104.199:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.51	5.12	1.55	1.5	0.794

## LG 34.74.109.247:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.109.247:443/CPU Load					
0	6.07	20	6	6	2.53
LG 34.74.109.247:443/Memory Used					
1	15.9	37	14	15.6	10
LG 34.74.109.247:443/Throughput					
0	13.9	40.6	14.2	13.7	7.57
LG 34.74.109.247:443/User Load					
0	54.6	100	63	55.1	29.5
LG 34.74.109.247:443/Thread Count					
40	127.4	233	128	125.3	45.7

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.109.247:443/Http client/Thread Pool used</b>					
0.1	0.102	0.135	0.1	0.101	0.005
<b>LG 34.74.109.247:443/Http client/Task Pool used</b>					
0	0.002	0.133	0	0	0.011
<b>LG 34.74.109.247:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.109.247:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.109.247:443/Controller Connection/Ping Duration (ms)</b>					
130	187.7	210	207	189.5	28.6
<b>LG 34.74.109.247:443/Network/Segments sent/sec.</b>					
3.8	781.3	2,147	813.2	773.3	413.9
<b>LG 34.74.109.247:443/Network/Segments retransmitted/sec.</b>					
0	0.008	0.801	0	0	0.058
<b>LG 34.74.109.247:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.005	14.2	41.5	14.6	14.1	7.75
<b>LG 34.74.109.247:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.007	1.53	4.17	1.6	1.52	0.792

## LG 34.74.143.228:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.143.228:443/CPU Load</b>					
0	6.64	30	6	6.49	3
<b>LG 34.74.143.228:443/Memory Used</b>					
1	15.6	36	14	15.3	9.52
<b>LG 34.74.143.228:443/Throughput</b>					
0	14.1	53.1	14.5	13.9	7.78
<b>LG 34.74.143.228:443/User Load</b>					
0	55.4	100	64	56	29.2
<b>LG 34.74.143.228:443/Thread Count</b>					
40	127	233	127	124.8	44.5
<b>LG 34.74.143.228:443/Http client/Thread Pool used</b>					
0.1	0.102	0.14	0.1	0.101	0.006
<b>LG 34.74.143.228:443/Http client/Task Pool used</b>					
0	0.002	0.167	0	0	0.013
<b>LG 34.74.143.228:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.143.228:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.143.228:443/Controller Connection/Ping Duration (ms)</b>					
129	161	168	164	162.3	10.69
<b>LG 34.74.143.228:443/Network/Segments sent/sec.</b>					
2.38	788.8	4,090	817.2	774.7	443.2
<b>LG 34.74.143.228:443/Network/Segments retransmitted/sec.</b>					
0	0.007	0.807	0	0	0.053
<b>LG 34.74.143.228:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.003	14.5	56	14.8	14.3	8
<b>LG 34.74.143.228:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.57	8.43	1.65	1.54	0.87

## LG 34.74.151.196:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.151.196:443/CPU Load					
0	6.71	23	6	6.59	3.04
LG 34.74.151.196:443/Memory Used					
1	15.4	36	14	15.1	9.65
LG 34.74.151.196:443/Throughput					
0	14	46.5	14.4	13.8	7.48
LG 34.74.151.196:443/User Load					
0	55	100	63	55.6	29.2
LG 34.74.151.196:443/Thread Count					
40	127.4	243	126	125	45.6
LG 34.74.151.196:443/Http client/Thread Pool used					
0.1	0.106	0.21	0.1	0.101	0.02
LG 34.74.151.196:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.74.151.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.151.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.151.196:443/Controller Connection/Ping Duration (ms)					
127	164	205	164	164	10.67
LG 34.74.151.196:443/Network/Segments sent/sec.					
3.8	784.4	2,606	808.2	774.3	414.3
LG 34.74.151.196:443/Network/Segments retransmitted/sec.					
0	0.005	0.6	0	0	0.049
LG 34.74.151.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	14.3	47.1	14.7	14.2	7.66
LG 34.74.151.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.56	5.69	1.65	1.54	0.819

## LG 34.74.168.161:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.168.161:443/CPU Load					
0	6.24	19	6	6.15	2.55
LG 34.74.168.161:443/Memory Used					
1	16	36	15	15.7	9.79
LG 34.74.168.161:443/Throughput					
0	13.9	39	14.2	13.8	7.48
LG 34.74.168.161:443/User Load					
0	55.1	100	63	55.6	29.2
LG 34.74.168.161:443/Thread Count					
40	127.2	243	125	124.8	45.4
LG 34.74.168.161:443/Http client/Thread Pool used					
0.1	0.103	0.18	0.1	0.1	0.013
LG 34.74.168.161:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.008
LG 34.74.168.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.168.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.168.161:443/Controller Connection/Ping Duration (ms)					
95	170	209	167	171.8	38.4

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.168.161:443/Network/Segments sent/sec.					
3	779.2	2,937	830.5	770	412.8
LG 34.74.168.161:443/Network/Segments retransmitted/sec.					
0	0.006	0.602	0	0	0.045
LG 34.74.168.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.3	39.9	14.6	14.1	7.65
LG 34.74.168.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.53	4.05	1.58	1.52	0.782

## LG 34.74.171.87:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.171.87:443/CPU Load					
0	6.26	21	6	6.16	2.54
LG 34.74.171.87:443/Memory Used					
1	15	35	14	14.7	9.39
LG 34.74.171.87:443/Throughput					
0	13.8	40.7	13.9	13.7	7.45
LG 34.74.171.87:443/User Load					
0	54.8	100	63	55.3	29.4
LG 34.74.171.87:443/Thread Count					
40	127.5	240	125	125.2	46.2
LG 34.74.171.87:443/Http client/Thread Pool used					
0.1	0.103	0.165	0.1	0.101	0.011
LG 34.74.171.87:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.009
LG 34.74.171.87:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.171.87:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.171.87:443/Controller Connection/Ping Duration (ms)					
92	132.8	204	128	131.6	19.8
LG 34.74.171.87:443/Network/Segments sent/sec.					
3	774.3	2,742	777.1	765.7	413.7
LG 34.74.171.87:443/Network/Segments retransmitted/sec.					
0	0.012	0.998	0	0	0.083
LG 34.74.171.87:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.2	41.8	14.3	14	7.63
LG 34.74.171.87:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.52	4.31	1.55	1.51	0.786

## LG 34.74.173.165:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.173.165:443/CPU Load					
0	6.38	20	6	6.28	2.68
LG 34.74.173.165:443/Memory Used					
1	15.6	35	14	15.2	9.53
LG 34.74.173.165:443/Throughput					
0	13.9	45.3	14.2	13.8	7.44
LG 34.74.173.165:443/User Load					
0	55.1	100	63	55.5	29.1
LG 34.74.173.165:443/Thread Count					
40	126.2	233	125	124	44.2

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.173.165:443/Http client/Thread Pool used</b>					
0.1	0.103	0.155	0.1	0.101	0.009
<b>LG 34.74.173.165:443/Http client/Task Pool used</b>					
0	0.001	0.117	0	0	0.009
<b>LG 34.74.173.165:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.173.165:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.173.165:443/Controller Connection/Ping Duration (ms)</b>					
125	166.7	210	166	166.3	12.3
<b>LG 34.74.173.165:443/Network/Segments sent/sec.</b>					
3	775	2,160	788	767.7	406.9
<b>LG 34.74.173.165:443/Network/Segments retransmitted/sec.</b>					
0	0.006	0.998	0	0	0.057
<b>LG 34.74.173.165:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.2	46.1	14.5	14.1	7.61
<b>LG 34.74.173.165:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.54	4.15	1.63	1.53	0.784

## LG 34.74.175.108:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.175.108:443/CPU Load</b>					
0	6.22	26	6	6.09	2.75
<b>LG 34.74.175.108:443/Memory Used</b>					
1	15.2	36	14	14.9	9.34
<b>LG 34.74.175.108:443/Throughput</b>					
0	14.2	58.7	14.5	13.9	7.74
<b>LG 34.74.175.108:443/User Load</b>					
0	56.2	100	64	56.8	29.4
<b>LG 34.74.175.108:443/Thread Count</b>					
40	129.7	265	127	126.6	48.6
<b>LG 34.74.175.108:443/Http client/Thread Pool used</b>					
0.1	0.107	0.265	0.1	0.101	0.03
<b>LG 34.74.175.108:443/Http client/Task Pool used</b>					
0	0.001	0.083	0	0	0.006
<b>LG 34.74.175.108:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.175.108:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.175.108:443/Controller Connection/Ping Duration (ms)</b>					
96	137.3	208	130	135.2	23.6
<b>LG 34.74.175.108:443/Network/Segments sent/sec.</b>					
3.05	798.3	3,465	802.3	783.8	438.2
<b>LG 34.74.175.108:443/Network/Segments retransmitted/sec.</b>					
0	0.012	0.602	0	0	0.059
<b>LG 34.74.175.108:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.5	60.1	14.9	14.3	7.93
<b>LG 34.74.175.108:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.57	5.68	1.61	1.54	0.82

## LG 34.74.177.224:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.177.224:443/CPU Load					
0	5.69	23	6	5.61	2.42
LG 34.74.177.224:443/Memory Used					
1	16.1	36	15	15.8	9.85
LG 34.74.177.224:443/Throughput					
0	13.8	42.9	14.5	13.6	7.52
LG 34.74.177.224:443/User Load					
0	54.8	100	63	55.3	29.4
LG 34.74.177.224:443/Thread Count					
40	126.7	243	124	124.3	45.8
LG 34.74.177.224:443/Http client/Thread Pool used					
0.1	0.103	0.19	0.1	0.1	0.015
LG 34.74.177.224:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.177.224:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.177.224:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.177.224:443/Controller Connection/Ping Duration (ms)					
88	125.1	167	127	124.9	15.5
LG 34.74.177.224:443/Network/Segments sent/sec.					
1.6	781.8	3,597	828.9	770.9	424.9
LG 34.74.177.224:443/Network/Segments retransmitted/sec.					
0	0.004	0.401	0	0	0.035
LG 34.74.177.224:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.2	44.1	14.8	14	7.71
LG 34.74.177.224:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.53	4.21	1.57	1.51	0.789

## LG 34.74.213.102:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.213.102:443/CPU Load					
0	6.97	29	7	6.82	3.22
LG 34.74.213.102:443/Memory Used					
1	15.7	36	14	15.4	9.65
LG 34.74.213.102:443/Throughput					
0	13.9	48.5	14.5	13.7	7.72
LG 34.74.213.102:443/User Load					
0	54.9	100	63	55.4	29.3
LG 34.74.213.102:443/Thread Count					
40	127.9	240	126	125.7	46
LG 34.74.213.102:443/Http client/Thread Pool used					
0.1	0.103	0.17	0.1	0.101	0.012
LG 34.74.213.102:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.009
LG 34.74.213.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.213.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.213.102:443/Controller Connection/Ping Duration (ms)					
91	144.7	206	128	144.1	34.6



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.213.102:443/Network/Segments sent/sec.					
3	777.3	3,553	826.2	762.9	430.2
LG 34.74.213.102:443/Network/Segments retransmitted/sec.					
0	0.013	1.01	0	0	0.08
LG 34.74.213.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.3	51.1	14.8	14	7.91
LG 34.74.213.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.55	7.56	1.62	1.52	0.858

## LG 34.74.23.65:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.23.65:443/CPU Load					
0	6.38	22	6	6.26	2.75
LG 34.74.23.65:443/Memory Used					
1	15.3	35	13	15	9.54
LG 34.74.23.65:443/Throughput					
0	14	41.9	14.4	13.8	7.6
LG 34.74.23.65:443/User Load					
0	54.9	100	63	55.4	29.3
LG 34.74.23.65:443/Thread Count					
40	127.7	234	126	125.6	45.2
LG 34.74.23.65:443/Http client/Thread Pool used					
0.1	0.1	0.11	0.1	0.1	0.002
LG 34.74.23.65:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 34.74.23.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.23.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.23.65:443/Controller Connection/Ping Duration (ms)					
91	188.7	209	204	192.3	29.1
LG 34.74.23.65:443/Network/Segments sent/sec.					
1.6	782.3	2,051	813.7	771.7	417.1
LG 34.74.23.65:443/Network/Segments retransmitted/sec.					
0	0.014	0.6	0	0.002	0.064
LG 34.74.23.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.3	42.4	14.7	14.1	7.77
LG 34.74.23.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.54	4.12	1.65	1.53	0.793

## LG 34.74.246.179:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.246.179:443/CPU Load					
0	6.2	20	6	6.15	2.52
LG 34.74.246.179:443/Memory Used					
1	14.8	35	14	14.4	8.99
LG 34.74.246.179:443/Throughput					
0	13.8	42.1	14.2	13.6	7.6
LG 34.74.246.179:443/User Load					
0	54.6	99	63	55	29.4
LG 34.74.246.179:443/Thread Count					
40	126.8	234	126	124.6	45.1

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.246.179:443/Http client/Thread Pool used</b>					
0.1	0.101	0.12	0.1	0.1	0.003
<b>LG 34.74.246.179:443/Http client/Task Pool used</b>					
0	0.001	0.083	0	0	0.007
<b>LG 34.74.246.179:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.246.179:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.246.179:443/Controller Connection/Ping Duration (ms)</b>					
85	155.1	209	148	155.1	34.8
<b>LG 34.74.246.179:443/Network/Segments sent/sec.</b>					
2.4	774.4	2,067	812.7	766.6	412.1
<b>LG 34.74.246.179:443/Network/Segments retransmitted/sec.</b>					
0	0.008	0.402	0	0	0.045
<b>LG 34.74.246.179:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.003	14.1	43.3	14.7	13.9	7.78
<b>LG 34.74.246.179:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.52	4.17	1.59	1.51	0.782

## LG 34.74.26.17:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.26.17:443/CPU Load</b>					
0	6.39	24	6	6.28	2.98
<b>LG 34.74.26.17:443/Memory Used</b>					
1	17	37	15.5	16.7	10.38
<b>LG 34.74.26.17:443/Throughput</b>					
0	13.7	42.3	13.8	13.5	7.53
<b>LG 34.74.26.17:443/User Load</b>					
0	54.3	99	63	54.8	29.3
<b>LG 34.74.26.17:443/Thread Count</b>					
40	126.3	248	125	123.8	45.7
<b>LG 34.74.26.17:443/Http client/Thread Pool used</b>					
0.1	0.105	0.22	0.1	0.101	0.022
<b>LG 34.74.26.17:443/Http client/Task Pool used</b>					
0	0.001	0.1	0	0	0.008
<b>LG 34.74.26.17:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.26.17:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.26.17:443/Controller Connection/Ping Duration (ms)</b>					
88	168.7	210	169	169.5	17.4
<b>LG 34.74.26.17:443/Network/Segments sent/sec.</b>					
1.6	771.2	2,839	808.5	761	416.4
<b>LG 34.74.26.17:443/Network/Segments retransmitted/sec.</b>					
0	0.006	0.6	0	0	0.046
<b>LG 34.74.26.17:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.002	14	43.3	14.2	13.9	7.7
<b>LG 34.74.26.17:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.51	4.14	1.59	1.5	0.786

## LG 34.74.43.156:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.43.156:443/CPU Load					
0	6.41	36	6	6.24	3.06
LG 34.74.43.156:443/Memory Used					
2	15.9	37	15	15.6	9.66
LG 34.74.43.156:443/Throughput					
0	14.2	55.3	14.7	14	7.83
LG 34.74.43.156:443/User Load					
0	55.9	100	64	56.5	29.4
LG 34.74.43.156:443/Thread Count					
40	129.5	234	127	127.3	46.7
LG 34.74.43.156:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.101	0.007
LG 34.74.43.156:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 34.74.43.156:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.43.156:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.43.156:443/Controller Connection/Ping Duration (ms)					
125	184.3	207	205	186.2	26.9
LG 34.74.43.156:443/Network/Segments sent/sec.					
3.8	798.4	4,278	823.9	783.3	447.6
LG 34.74.43.156:443/Network/Segments retransmitted/sec.					
0	0.014	0.404	0	0.002	0.06
LG 34.74.43.156:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	14.6	58	15.1	14.3	8.04
LG 34.74.43.156:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.58	7.56	1.66	1.55	0.86

## LG 34.74.46.53:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.46.53:443/CPU Load					
0	6.76	21	6	6.65	2.94
LG 34.74.46.53:443/Memory Used					
1	15.7	36	14	15.4	9.6
LG 34.74.46.53:443/Throughput					
0	13.9	64.8	14	13.6	7.92
LG 34.74.46.53:443/User Load					
0	55.1	100	63	55.6	29.2
LG 34.74.46.53:443/Thread Count					
40	127.9	255	125	125	47.2
LG 34.74.46.53:443/Http client/Thread Pool used					
0.1	0.106	0.23	0.1	0.101	0.023
LG 34.74.46.53:443/Http client/Task Pool used					
0	0.001	0.133	0	0	0.009
LG 34.74.46.53:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.46.53:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.46.53:443/Controller Connection/Ping Duration (ms)					
92	126.8	166	126	126.2	13.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.46.53:443/Network/Segments sent/sec.					
2.4	772.3	2,565	783.8	762.5	408.6
LG 34.74.46.53:443/Network/Segments retransmitted/sec.					
0	0.012	1	0	0	0.073
LG 34.74.46.53:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.2	65.4	14.3	14	8.08
LG 34.74.46.53:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.52	5.45	1.59	1.51	0.789

## LG 34.74.51.36:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.51.36:443/CPU Load					
0	7.32	22	7	7.21	3
LG 34.74.51.36:443/Memory Used					
1	15.3	36	14	14.9	9.47
LG 34.74.51.36:443/Throughput					
0	13.9	65.8	14.3	13.6	7.94
LG 34.74.51.36:443/User Load					
0	55	100	63	55.5	29.2
LG 34.74.51.36:443/Thread Count					
40	129.1	276	125	125.5	49.9
LG 34.74.51.36:443/Http client/Thread Pool used					
0.1	0.108	0.305	0.1	0.1	0.038
LG 34.74.51.36:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.007
LG 34.74.51.36:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.51.36:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.51.36:443/Controller Connection/Ping Duration (ms)					
120	186.3	208	206	188.5	27.7
LG 34.74.51.36:443/Network/Segments sent/sec.					
1.6	767.5	2,243	805.3	757	407.5
LG 34.74.51.36:443/Network/Segments retransmitted/sec.					
0	0.005	0.608	0	0	0.04
LG 34.74.51.36:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.2	66.6	14.6	13.9	8.11
LG 34.74.51.36:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.52	5.23	1.6	1.51	0.789

## LG 34.74.74.155:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.74.155:443/CPU Load					
0	6.15	21	6	5.99	2.91
LG 34.74.74.155:443/Memory Used					
1	16.9	37	16	16.6	10.11
LG 34.74.74.155:443/Throughput					
0	13.9	53.9	13.9	13.6	7.82
LG 34.74.74.155:443/User Load					
0	54.9	100	63	55.5	29.3
LG 34.74.74.155:443/Thread Count					
40	128.4	253	126	125.5	47.5

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.74.155:443/Http client/Thread Pool used</b>					
0.1	0.105	0.21	0.1	0.1	0.02
<b>LG 34.74.74.155:443/Http client/Task Pool used</b>					
0	0.002	0.167	0	0	0.013
<b>LG 34.74.74.155:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.74.155:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.74.155:443/Controller Connection/Ping Duration (ms)</b>					
84	156.7	169	165	159.9	21.3
<b>LG 34.74.74.155:443/Network/Segments sent/sec.</b>					
1.6	777.7	2,628	800	766.7	416.9
<b>LG 34.74.74.155:443/Network/Segments retransmitted/sec.</b>					
0	0.003	0.403	0	0	0.033
<b>LG 34.74.74.155:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.002	14.2	54.5	14.3	13.9	7.99
<b>LG 34.74.74.155:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.53	3.79	1.59	1.52	0.79

## LG 34.74.82.239:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 34.74.82.239:443/CPU Load</b>					
0	6.41	20	6	6.3	2.77
<b>LG 34.74.82.239:443/Memory Used</b>					
1	14.6	33	14	14.3	8.79
<b>LG 34.74.82.239:443/Throughput</b>					
0	13.8	62.3	14.2	13.6	7.8
<b>LG 34.74.82.239:443/User Load</b>					
0	54.7	100	63	55.2	29.4
<b>LG 34.74.82.239:443/Thread Count</b>					
40	128.2	256	125	125.4	48.3
<b>LG 34.74.82.239:443/Http client/Thread Pool used</b>					
0.1	0.105	0.23	0.1	0.1	0.024
<b>LG 34.74.82.239:443/Http client/Task Pool used</b>					
0	0.002	0.367	0	0	0.02
<b>LG 34.74.82.239:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.82.239:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 34.74.82.239:443/Controller Connection/Ping Duration (ms)</b>					
86	163.1	206	166	164.1	19.3
<b>LG 34.74.82.239:443/Network/Segments sent/sec.</b>					
1.6	768	2,481	815.6	760.6	405
<b>LG 34.74.82.239:443/Network/Segments retransmitted/sec.</b>					
0	0.015	1.8	0	0	0.107
<b>LG 34.74.82.239:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.002	14.1	61	14.8	13.9	7.93
<b>LG 34.74.82.239:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.51	4.96	1.59	1.5	0.783

## LG 35.185.102.192:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.102.192:443/CPU Load					
0	5.76	19	6	5.65	2.4
LG 35.185.102.192:443/Memory Used					
1	13.8	38	12	13.3	8.51
LG 35.185.102.192:443/Throughput					
0	13.9	43.3	14.2	13.8	7.41
LG 35.185.102.192:443/User Load					
0	55.4	100	64	55.9	29.2
LG 35.185.102.192:443/Thread Count					
40	128.1	250	126	125.4	47.2
LG 35.185.102.192:443/Http client/Thread Pool used					
0.1	0.105	0.21	0.1	0.1	0.02
LG 35.185.102.192:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 35.185.102.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.102.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.102.192:443/Controller Connection/Ping Duration (ms)					
85	156.8	210	131	157.5	41.7
LG 35.185.102.192:443/Network/Segments sent/sec.					
3.8	785.4	2,462	814.8	776.3	412.1
LG 35.185.102.192:443/Network/Segments retransmitted/sec.					
0	0.012	1.8	0	0	0.106
LG 35.185.102.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	14.3	44.1	14.6	14.1	7.59
LG 35.185.102.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.55	5.23	1.6	1.53	0.797

## LG 35.185.126.234:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.126.234:443/CPU Load					
0	7.26	57	7	7.08	3.94
LG 35.185.126.234:443/Memory Used					
1	15.1	35	14	14.8	9.08
LG 35.185.126.234:443/Throughput					
0	13.9	73.2	14.2	13.6	8.07
LG 35.185.126.234:443/User Load					
0	55.1	100	63	55.6	29.2
LG 35.185.126.234:443/Thread Count					
40	128.2	250	126	125.4	47.4
LG 35.185.126.234:443/Http client/Thread Pool used					
0.1	0.104	0.18	0.1	0.101	0.014
LG 35.185.126.234:443/Http client/Task Pool used					
0	0.003	0.583	0	0	0.031
LG 35.185.126.234:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.126.234:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.126.234:443/Controller Connection/Ping Duration (ms)					
92	126	157	126	126.2	9.43

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.126.234:443/Network/Segments sent/sec.					
3.04	780.1	6,427	795.1	760.5	495.6
LG 35.185.126.234:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.037
LG 35.185.126.234:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.3	75.1	14.7	14	8.25
LG 35.185.126.234:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	1.54	9.79	1.58	1.51	0.89

## LG 35.190.132.216:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.132.216:443/CPU Load					
0	6.66	21	7	6.54	2.89
LG 35.190.132.216:443/Memory Used					
1	16.5	37	15	16.2	10.28
LG 35.190.132.216:443/Throughput					
0	13.8	48.7	14	13.6	7.59
LG 35.190.132.216:443/User Load					
0	54.6	100	63	55.1	29.5
LG 35.190.132.216:443/Thread Count					
40	127.6	236	126	125.4	45.8
LG 35.190.132.216:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.1	0.007
LG 35.190.132.216:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 35.190.132.216:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.190.132.216:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.190.132.216:443/Controller Connection/Ping Duration (ms)					
94	133.8	207	128	131.8	25
LG 35.190.132.216:443/Network/Segments sent/sec.					
2.4	770.9	2,307	791.2	761.3	416.1
LG 35.190.132.216:443/Network/Segments retransmitted/sec.					
0	0.011	0.607	0	0	0.059
LG 35.190.132.216:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.1	49.7	14.5	13.9	7.77
LG 35.190.132.216:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.54	6.51	1.57	1.51	0.846

## LG 35.190.156.44:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.156.44:443/CPU Load					
0	7.24	20	7	7.13	3.03
LG 35.190.156.44:443/Memory Used					
1	16.5	36	15	16.2	9.99
LG 35.190.156.44:443/Throughput					
0	14.2	43.3	14.8	14	7.59
LG 35.190.156.44:443/User Load					
0	56	100	64	56.6	29.4
LG 35.190.156.44:443/Thread Count					
40	129.8	239	127	127.4	46.8

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.190.156.44:443/Http client/Thread Pool used</b>					
0.1	0.103	0.175	0.1	0.1	0.013
<b>LG 35.190.156.44:443/Http client/Task Pool used</b>					
0	0.001	0.05	0	0	0.005
<b>LG 35.190.156.44:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.190.156.44:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.190.156.44:443/Controller Connection/Ping Duration (ms)</b>					
93	122.7	190	123	120.8	17.7
<b>LG 35.190.156.44:443/Network/Segments sent/sec.</b>					
3	787.4	2,262	856.7	778	408.3
<b>LG 35.190.156.44:443/Network/Segments retransmitted/sec.</b>					
0	0.009	0.4	0	0	0.05
<b>LG 35.190.156.44:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.5	44.1	15.4	14.3	7.77
<b>LG 35.190.156.44:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.55	4.38	1.64	1.54	0.784

## LG 35.190.167.19:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.190.167.19:443/CPU Load</b>					
0	6.32	24	6	6.19	2.95
<b>LG 35.190.167.19:443/Memory Used</b>					
1	16.8	37	16	16.5	10.07
<b>LG 35.190.167.19:443/Throughput</b>					
0	14.1	45.5	14.7	13.9	7.48
<b>LG 35.190.167.19:443/User Load</b>					
0	56.2	100	63	56.8	29.4
<b>LG 35.190.167.19:443/Thread Count</b>					
40	128.8	248	125	126.4	46.2
<b>LG 35.190.167.19:443/Http client/Thread Pool used</b>					
0.1	0.105	0.22	0.1	0.101	0.021
<b>LG 35.190.167.19:443/Http client/Task Pool used</b>					
0	0.001	0.133	0	0	0.008
<b>LG 35.190.167.19:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.190.167.19:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.190.167.19:443/Controller Connection/Ping Duration (ms)</b>					
134	168.5	211	170	168.4	10.33
<b>LG 35.190.167.19:443/Network/Segments sent/sec.</b>					
2.6	789.4	2,389	824.9	782.9	408.3
<b>LG 35.190.167.19:443/Network/Segments retransmitted/sec.</b>					
0	0.003	0.4	0	0	0.028
<b>LG 35.190.167.19:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.4	46.2	15	14.3	7.64
<b>LG 35.190.167.19:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.56	3.82	1.64	1.55	0.779



## LG 35.196.111.34:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.111.34:443/CPU Load					
0	6.94	23	7	6.81	3.06
LG 35.196.111.34:443/Memory Used					
1	14.7	35	14	14.4	8.89
LG 35.196.111.34:443/Throughput					
0	13.8	46.6	13.7	13.6	7.48
LG 35.196.111.34:443/User Load					
0	54.7	100	63	55.2	29.4
LG 35.196.111.34:443/Thread Count					
40	127.8	249	127	125.1	46.7
LG 35.196.111.34:443/Http client/Thread Pool used					
0.1	0.104	0.195	0.1	0.1	0.017
LG 35.196.111.34:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 35.196.111.34:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.111.34:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.111.34:443/Controller Connection/Ping Duration (ms)					
91	178.9	214	204	181.1	33.5
LG 35.196.111.34:443/Network/Segments sent/sec.					
2.38	768.8	2,378	787.8	759.4	409.5
LG 35.196.111.34:443/Network/Segments retransmitted/sec.					
0	0.018	0.604	0	0.006	0.067
LG 35.196.111.34:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.1	47.3	14	14	7.66
LG 35.196.111.34:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.52	4.23	1.59	1.51	0.794

## LG 35.196.140.40:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.140.40:443/CPU Load					
0	6.05	28	6	5.89	2.83
LG 35.196.140.40:443/Memory Used					
1	14	34	13	13.7	8.27
LG 35.196.140.40:443/Throughput					
0	13.9	47	14.7	13.7	7.6
LG 35.196.140.40:443/User Load					
0	55.4	99	63	56.1	29.3
LG 35.196.140.40:443/Thread Count					
40	127.9	246	126	125.5	45.9
LG 35.196.140.40:443/Http client/Thread Pool used					
0.1	0.104	0.2	0.1	0.101	0.017
LG 35.196.140.40:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.004
LG 35.196.140.40:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.140.40:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.140.40:443/Controller Connection/Ping Duration (ms)					
91	177.2	220	206	179.3	36.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.140.40:443/Network/Segments sent/sec.					
1.6	787.3	3,352	820.7	774.3	431
LG 35.196.140.40:443/Network/Segments retransmitted/sec.					
0	0.012	0.8	0	0	0.063
LG 35.196.140.40:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.3	47.6	15	14.1	7.79
LG 35.196.140.40:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.54	5.73	1.58	1.52	0.812

## LG 35.196.175.6:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.175.6:443/CPU Load					
0	6.81	24	6	6.69	3.03
LG 35.196.175.6:443/Memory Used					
1	15.7	36	15	15.4	9.38
LG 35.196.175.6:443/Throughput					
0	13.9	42.4	14.1	13.7	7.55
LG 35.196.175.6:443/User Load					
0	55.3	100	64	55.9	29.2
LG 35.196.175.6:443/Thread Count					
40	128.9	255	126	126.1	48
LG 35.196.175.6:443/Http client/Thread Pool used					
0.1	0.107	0.22	0.1	0.102	0.022
LG 35.196.175.6:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.005
LG 35.196.175.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.175.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.175.6:443/Controller Connection/Ping Duration (ms)					
86	125.9	165	125	125.8	17.6
LG 35.196.175.6:443/Network/Segments sent/sec.					
3.8	777.4	3,056	812.8	765.4	418.9
LG 35.196.175.6:443/Network/Segments retransmitted/sec.					
0	0.009	0.801	0	0	0.057
LG 35.196.175.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	14.2	43	14.5	14	7.73
LG 35.196.175.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.54	4.47	1.62	1.52	0.794

## LG 35.196.181.160:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.181.160:443/CPU Load					
0	7.34	37	7	7.16	3.61
LG 35.196.181.160:443/Memory Used					
1	15.9	38	14.5	15.5	9.96
LG 35.196.181.160:443/Throughput					
0	14.1	53.9	14.4	13.9	7.94
LG 35.196.181.160:443/User Load					
0	55.9	100	64	56.4	29.4
LG 35.196.181.160:443/Thread Count					
40	130.2	259	126	127.2	49.4

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.196.181.160:443/Http client/Thread Pool used</b>					
0.1	0.107	0.25	0.1	0.101	0.03
<b>LG 35.196.181.160:443/Http client/Task Pool used</b>					
0	0.001	0.117	0	0	0.009
<b>LG 35.196.181.160:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.196.181.160:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.196.181.160:443/Controller Connection/Ping Duration (ms)</b>					
143	165.6	205	164	164.5	10.19
<b>LG 35.196.181.160:443/Network/Segments sent/sec.</b>					
3	786.8	4,178	815.3	771.3	440.7
<b>LG 35.196.181.160:443/Network/Segments retransmitted/sec.</b>					
0	0.008	0.6	0	0	0.052
<b>LG 35.196.181.160:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.5	54.7	14.8	14.2	8.12
<b>LG 35.196.181.160:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.55	5.65	1.6	1.53	0.814

## LG 35.196.197.95:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.196.197.95:443/CPU Load</b>					
0	6.76	23	7	6.65	2.92
<b>LG 35.196.197.95:443/Memory Used</b>					
1	16	38	15	15.6	9.86
<b>LG 35.196.197.95:443/Throughput</b>					
0	14	45.7	14.6	13.8	7.61
<b>LG 35.196.197.95:443/User Load</b>					
0	55.3	99	63	55.9	29.3
<b>LG 35.196.197.95:443/Thread Count</b>					
40	127.6	237	125	125.5	45.4
<b>LG 35.196.197.95:443/Http client/Thread Pool used</b>					
0.1	0.102	0.15	0.1	0.1	0.007
<b>LG 35.196.197.95:443/Http client/Task Pool used</b>					
0	0.001	0.067	0	0	0.005
<b>LG 35.196.197.95:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.196.197.95:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.196.197.95:443/Controller Connection/Ping Duration (ms)</b>					
162	168.4	211	166	166.4	10.46
<b>LG 35.196.197.95:443/Network/Segments sent/sec.</b>					
1.6	781.9	2,999	804.3	771.9	420.5
<b>LG 35.196.197.95:443/Network/Segments retransmitted/sec.</b>					
0	0.015	2.82	0	0	0.15
<b>LG 35.196.197.95:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.002	14.3	46.5	14.9	14.1	7.78
<b>LG 35.196.197.95:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.54	4.19	1.61	1.53	0.782

## LG 35.196.209.203:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.209.203:443/CPU Load					
0	6.3	20	6	6.22	2.59
LG 35.196.209.203:443/Memory Used					
1	15.8	36	14.5	15.5	9.71
LG 35.196.209.203:443/Throughput					
0	13.9	42.4	14.5	13.7	7.39
LG 35.196.209.203:443/User Load					
0	55.2	100	63	55.7	29.2
LG 35.196.209.203:443/Thread Count					
40	126.9	242	126	124.4	45.2
LG 35.196.209.203:443/Http client/Thread Pool used					
0.1	0.103	0.185	0.1	0.1	0.015
LG 35.196.209.203:443/Http client/Task Pool used					
0	0.001	0.2	0	0	0.013
LG 35.196.209.203:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.209.203:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.209.203:443/Controller Connection/Ping Duration (ms)					
104	155.2	210	150	154.8	37.6
LG 35.196.209.203:443/Network/Segments sent/sec.					
2.6	780.4	2,174	818.7	772.8	406.8
LG 35.196.209.203:443/Network/Segments retransmitted/sec.					
0	0.007	0.405	0	0	0.042
LG 35.196.209.203:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.2	43.4	14.8	14.1	7.56
LG 35.196.209.203:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.53	3.89	1.64	1.53	0.769

## LG 35.196.219.240:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.219.240:443/CPU Load					
0	6.54	22	6	6.42	2.88
LG 35.196.219.240:443/Memory Used					
1	16.4	37	15	16.1	9.95
LG 35.196.219.240:443/Throughput					
0	14	41.7	13.9	13.7	7.72
LG 35.196.219.240:443/User Load					
0	55.3	100	63	55.9	29.5
LG 35.196.219.240:443/Thread Count					
40	128.1	245	126	125.6	47.1
LG 35.196.219.240:443/Http client/Thread Pool used					
0.1	0.104	0.195	0.1	0.1	0.017
LG 35.196.219.240:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.007
LG 35.196.219.240:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.219.240:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.219.240:443/Controller Connection/Ping Duration (ms)					
90	122.5	191	124	120.7	18.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.219.240:443/Network/Segments sent/sec.					
2.38	779.3	3,013	779.1	768.4	420.7
LG 35.196.219.240:443/Network/Segments retransmitted/sec.					
0	0.017	1.8	0	0	0.121
LG 35.196.219.240:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.3	42.7	14.2	14	7.89
LG 35.196.219.240:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.54	4.32	1.61	1.52	0.795

## LG 35.196.249.230:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.249.230:443/CPU Load					
0	6.64	25	6	6.52	3
LG 35.196.249.230:443/Memory Used					
1	16.6	37	15	16.2	10.2
LG 35.196.249.230:443/Throughput					
0	13.9	41.4	14.2	13.7	7.63
LG 35.196.249.230:443/User Load					
0	54.7	99	63	55.2	29.4
LG 35.196.249.230:443/Thread Count					
40	126.1	231	127	124.1	44.5
LG 35.196.249.230:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.101	0.007
LG 35.196.249.230:443/Http client/Task Pool used					
0	0.001	0.233	0	0	0.013
LG 35.196.249.230:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.249.230:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.249.230:443/Controller Connection/Ping Duration (ms)					
94	131.3	169	128	131	15.9
LG 35.196.249.230:443/Network/Segments sent/sec.					
2.4	779.1	2,656	810.3	766.6	425.1
LG 35.196.249.230:443/Network/Segments retransmitted/sec.					
0	0.009	0.6	0	0	0.057
LG 35.196.249.230:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.3	42.4	14.6	14.1	7.79
LG 35.196.249.230:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.003	1.54	4.15	1.59	1.53	0.792

## LG 35.196.254.104:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.254.104:443/CPU Load					
0	6.21	21	6	6.12	2.62
LG 35.196.254.104:443/Memory Used					
1	16.2	37	15	15.8	9.84
LG 35.196.254.104:443/Throughput					
0	13.9	48.4	14.1	13.7	7.44
LG 35.196.254.104:443/User Load					
0	55.2	100	64	55.8	29.3
LG 35.196.254.104:443/Thread Count					
40	128.8	247	127	126.3	46.6

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.196.254.104:443/Http client/Thread Pool used</b>					
0.1	0.104	0.21	0.1	0.1	0.02
<b>LG 35.196.254.104:443/Http client/Task Pool used</b>					
0	0.001	0.15	0	0	0.009
<b>LG 35.196.254.104:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.196.254.104:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.196.254.104:443/Controller Connection/Ping Duration (ms)</b>					
85	135.5	207	127	133.9	27.6
<b>LG 35.196.254.104:443/Network/Segments sent/sec.</b>					
3	774.7	2,578	821.1	766.2	406.2
<b>LG 35.196.254.104:443/Network/Segments retransmitted/sec.</b>					
0	0.013	1.2	0	0	0.079
<b>LG 35.196.254.104:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.2	49.3	14.4	14	7.61
<b>LG 35.196.254.104:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.53	4.16	1.61	1.52	0.78

## LG 35.196.45.117:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.196.45.117:443/CPU Load</b>					
0	6.52	20	6	6.44	2.65
<b>LG 35.196.45.117:443/Memory Used</b>					
1	16.4	36	15	16.1	10
<b>LG 35.196.45.117:443/Throughput</b>					
0	14	56.9	14.6	13.9	7.49
<b>LG 35.196.45.117:443/User Load</b>					
0	56.2	100	64	56.9	29.4
<b>LG 35.196.45.117:443/Thread Count</b>					
40	129.8	251	127	127.2	47
<b>LG 35.196.45.117:443/Http client/Thread Pool used</b>					
0.1	0.105	0.205	0.1	0.101	0.018
<b>LG 35.196.45.117:443/Http client/Task Pool used</b>					
0	0.001	0.117	0	0	0.007
<b>LG 35.196.45.117:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.196.45.117:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.196.45.117:443/Controller Connection/Ping Duration (ms)</b>					
87	126.3	169	125	125.8	14.2
<b>LG 35.196.45.117:443/Network/Segments sent/sec.</b>					
1.8	787.3	2,431	838.2	780	406.8
<b>LG 35.196.45.117:443/Network/Segments retransmitted/sec.</b>					
0	0.02	1.6	0	0.002	0.111
<b>LG 35.196.45.117:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.003	14.4	58	15.1	14.2	7.67
<b>LG 35.196.45.117:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.55	4.71	1.67	1.54	0.788

## LG 35.196.61.137:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.61.137:443/CPU Load					
0	6.58	20	6	6.48	2.96
LG 35.196.61.137:443/Memory Used					
2	15.7	36	14	15.3	9.73
LG 35.196.61.137:443/Throughput					
0	14	71.4	14.2	13.6	8.09
LG 35.196.61.137:443/User Load					
0	55	100	64	55.6	29.4
LG 35.196.61.137:443/Thread Count					
40	128.7	250	126	126.2	46.9
LG 35.196.61.137:443/Http client/Thread Pool used					
0.1	0.105	0.215	0.1	0.101	0.021
LG 35.196.61.137:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 35.196.61.137:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.61.137:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.61.137:443/Controller Connection/Ping Duration (ms)					
108	130.1	187	125	128.3	15.2
LG 35.196.61.137:443/Network/Segments sent/sec.					
2.4	780.4	2,676	801.8	767.2	424.5
LG 35.196.61.137:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.036
LG 35.196.61.137:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.3	72.5	14.6	14	8.28
LG 35.196.61.137:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.53	4.72	1.57	1.51	0.796

## LG 35.196.95.90:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.95.90:443/CPU Load					
0	5.44	21	5	5.38	2.26
LG 35.196.95.90:443/Memory Used					
1	15.6	36	14	15.3	9.65
LG 35.196.95.90:443/Throughput					
0	13.9	40.2	14.4	13.7	7.56
LG 35.196.95.90:443/User Load					
0	54.7	100	63	55.2	29.4
LG 35.196.95.90:443/Thread Count					
40	126.7	228	125	124.8	44.6
LG 35.196.95.90:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.196.95.90:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 35.196.95.90:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.196.95.90:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.196.95.90:443/Controller Connection/Ping Duration (ms)					
97	135.3	209	130	133.5	18.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.95.90:443/Network/Segments sent/sec.					
2.4	783.5	2,163	818.4	774.2	416.6
LG 35.196.95.90:443/Network/Segments retransmitted/sec.					
0	0.008	0.799	0	0	0.055
LG 35.196.95.90:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.3	40.9	14.7	14.1	7.75
LG 35.196.95.90:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.53	4.08	1.64	1.52	0.78

## LG 35.227.124.186:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.124.186:443/CPU Load					
0	6.93	20	7	6.83	2.93
LG 35.227.124.186:443/Memory Used					
1	16.1	38	15	15.8	9.83
LG 35.227.124.186:443/Throughput					
0	14	42.8	14.6	13.8	7.41
LG 35.227.124.186:443/User Load					
0	55.4	100	64	55.9	29.2
LG 35.227.124.186:443/Thread Count					
40	126.8	233	127	124.7	44.1
LG 35.227.124.186:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.1	0.007
LG 35.227.124.186:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.011
LG 35.227.124.186:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.124.186:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.124.186:443/Controller Connection/Ping Duration (ms)					
107	130.9	206	126	128.6	21.8
LG 35.227.124.186:443/Network/Segments sent/sec.					
1.6	777.6	2,387	817.1	769.8	405.9
LG 35.227.124.186:443/Network/Segments retransmitted/sec.					
0	0.012	1.8	0	0	0.101
LG 35.227.124.186:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.3	43.6	14.9	14.2	7.58
LG 35.227.124.186:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.004	1.54	4.44	1.65	1.53	0.784

## LG 35.227.17.38:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.17.38:443/CPU Load					
0	6.44	21	6	6.33	2.61
LG 35.227.17.38:443/Memory Used					
1	15.1	35	14	14.7	9.19
LG 35.227.17.38:443/Throughput					
0	14.2	44.8	14.7	14.1	7.49
LG 35.227.17.38:443/User Load					
0	56.2	100	64	56.9	29.4
LG 35.227.17.38:443/Thread Count					
40	128.3	233	126	126.3	44.8



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.17.38:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.101	0.008
LG 35.227.17.38:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.227.17.38:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.17.38:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.17.38:443/Controller Connection/Ping Duration (ms)					
133	171.1	209	168	170.6	14.2
LG 35.227.17.38:443/Network/Segments sent/sec.					
1.6	793.5	2,188	832.3	788	403.8
LG 35.227.17.38:443/Network/Segments retransmitted/sec.					
0	0.007	0.403	0	0	0.043
LG 35.227.17.38:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.6	45.7	15.1	14.4	7.65
LG 35.227.17.38:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.57	4.12	1.71	1.57	0.782

## LG 35.227.58.250:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.58.250:443/CPU Load					
0	7.1	30	7	6.93	3.23
LG 35.227.58.250:443/Memory Used					
1	16.9	37	16	16.7	10.22
LG 35.227.58.250:443/Throughput					
0	14	45.1	13.9	13.8	7.7
LG 35.227.58.250:443/User Load					
0	55.1	100	63	55.6	29.2
LG 35.227.58.250:443/Thread Count					
40	127.1	237	125	124.8	44.8
LG 35.227.58.250:443/Http client/Thread Pool used					
0.1	0.102	0.155	0.1	0.101	0.008
LG 35.227.58.250:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.009
LG 35.227.58.250:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.58.250:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.58.250:443/Controller Connection/Ping Duration (ms)					
91	124.2	156	125	124	11.8
LG 35.227.58.250:443/Network/Segments sent/sec.					
3	780.5	3,379	791	764.7	432.2
LG 35.227.58.250:443/Network/Segments retransmitted/sec.					
0	0.014	0.599	0	0.001	0.063
LG 35.227.58.250:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.4	46.3	14.2	14.1	7.88
LG 35.227.58.250:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.54	3.85	1.58	1.53	0.789

## LG 35.229.113.66:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.113.66:443/CPU Load					
0	7.16	22	7	7.09	3.12
LG 35.229.113.66:443/Memory Used					
1	15.2	35	14	14.8	9.42
LG 35.229.113.66:443/Throughput					
0	13.6	41.8	14.2	13.5	7.49
LG 35.229.113.66:443/User Load					
0	54.2	99	63	54.7	29.4
LG 35.229.113.66:443/Thread Count					
40	126.2	237	127	124	44.7
LG 35.229.113.66:443/Http client/Thread Pool used					
0.1	0.103	0.17	0.1	0.1	0.012
LG 35.229.113.66:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.01
LG 35.229.113.66:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.113.66:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.113.66:443/Controller Connection/Ping Duration (ms)					
128	191.9	212	208	194.2	26.7
LG 35.229.113.66:443/Network/Segments sent/sec.					
2.4	757.7	2,865	792	748.9	411.5
LG 35.229.113.66:443/Network/Segments retransmitted/sec.					
0	0.01	0.599	0	0	0.058
LG 35.229.113.66:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14	42.8	14.6	13.8	7.66
LG 35.229.113.66:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.5	4.34	1.56	1.49	0.781

## LG 35.229.25.169:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.25.169:443/CPU Load					
0	6.28	20	6	6.16	2.69
LG 35.229.25.169:443/Memory Used					
1	16.8	37	16	16.5	10.05
LG 35.229.25.169:443/Throughput					
0	14	40.8	14.8	13.8	7.55
LG 35.229.25.169:443/User Load					
0	55.4	100	64	55.9	29.2
LG 35.229.25.169:443/Thread Count					
40	128.1	239	127	125.7	45.4
LG 35.229.25.169:443/Http client/Thread Pool used					
0.1	0.102	0.155	0.1	0.1	0.009
LG 35.229.25.169:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.01
LG 35.229.25.169:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.25.169:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.25.169:443/Controller Connection/Ping Duration (ms)					
87	125	178	126	124.1	17.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.25.169:443/Network/Segments sent/sec.					
1.6	788.7	2,461	823.1	779.6	416.1
LG 35.229.25.169:443/Network/Segments retransmitted/sec.					
0	0.011	0.998	0	0	0.067
LG 35.229.25.169:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.4	41.9	15.2	14.2	7.74
LG 35.229.25.169:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.56	5.52	1.64	1.54	0.822

## LG 35.229.28.93:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.28.93:443/CPU Load					
0	6.05	20	6	5.96	2.44
LG 35.229.28.93:443/Memory Used					
1	15.8	36	14	15.5	9.86
LG 35.229.28.93:443/Throughput					
0	13.9	40.1	14	13.7	7.49
LG 35.229.28.93:443/User Load					
0	55	100	63	55.5	29.3
LG 35.229.28.93:443/Thread Count					
40	127.3	244	125	124.7	45.3
LG 35.229.28.93:443/Http client/Thread Pool used					
0.1	0.103	0.165	0.1	0.1	0.011
LG 35.229.28.93:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 35.229.28.93:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.28.93:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.28.93:443/Controller Connection/Ping Duration (ms)					
92	119.2	151	121	118.7	12.7
LG 35.229.28.93:443/Network/Segments sent/sec.					
2.86	782.9	2,422	798.8	775.2	413.9
LG 35.229.28.93:443/Network/Segments retransmitted/sec.					
0	0.017	0.802	0	0.004	0.073
LG 35.229.28.93:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.3	40.8	14.3	14.1	7.67
LG 35.229.28.93:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.54	4.09	1.6	1.53	0.79

## LG 35.229.67.15:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.67.15:443/CPU Load					
0	7.5	22	7	7.46	3.08
LG 35.229.67.15:443/Memory Used					
1	16.6	37	16	16.4	10.13
LG 35.229.67.15:443/Throughput					
0	14	47.7	15	13.7	7.57
LG 35.229.67.15:443/User Load					
0	55.1	100	63	55.6	29.2
LG 35.229.67.15:443/Thread Count					
40	127.2	234	126	125	45.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.67.15:443/Http client/Thread Pool used					
0.1	0.101	0.115	0.1	0.1	0.003
LG 35.229.67.15:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.229.67.15:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.67.15:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.67.15:443/Controller Connection/Ping Duration (ms)					
101	164.1	176	168	166.2	13.8
LG 35.229.67.15:443/Network/Segments sent/sec.					
3.04	773.2	2,385	838	764	405.4
LG 35.229.67.15:443/Network/Segments retransmitted/sec.					
0	0.007	0.594	0	0	0.047
LG 35.229.67.15:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.3	49.1	15.3	14.1	7.74
LG 35.229.67.15:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.53	4.01	1.64	1.52	0.772

## LG 35.231.11.96:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.11.96:443/CPU Load					
0	6.62	20	7	6.54	2.67
LG 35.231.11.96:443/Memory Used					
1	13.6	31	12	13.3	8.2
LG 35.231.11.96:443/Throughput					
0	14.2	41.4	14.5	14	7.47
LG 35.231.11.96:443/User Load					
0	56.1	100	63	56.7	29.4
LG 35.231.11.96:443/Thread Count					
40	127.7	241	126	125.3	44.9
LG 35.231.11.96:443/Http client/Thread Pool used					
0.1	0.103	0.18	0.1	0.1	0.013
LG 35.231.11.96:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.231.11.96:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.11.96:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.11.96:443/Controller Connection/Ping Duration (ms)					
96	132.1	198	128	130.5	16.2
LG 35.231.11.96:443/Network/Segments sent/sec.					
3.18	788.2	2,315	831.2	780.3	410.4
LG 35.231.11.96:443/Network/Segments retransmitted/sec.					
0	0.016	2.2	0	0	0.131
LG 35.231.11.96:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.5	42.1	14.9	14.4	7.65
LG 35.231.11.96:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.56	4.42	1.64	1.55	0.79

## LG 35.231.119.246:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.119.246:443/CPU Load					
0	6.46	19	6	6.35	2.71
LG 35.231.119.246:443/Memory Used					
1	15.9	37	15	15.6	9.97
LG 35.231.119.246:443/Throughput					
0	13.9	41.4	13.9	13.8	7.56
LG 35.231.119.246:443/User Load					
0	55.2	99	63	55.8	29.5
LG 35.231.119.246:443/Thread Count					
40	129	241	126	126.7	46.9
LG 35.231.119.246:443/Http client/Thread Pool used					
0.1	0.104	0.185	0.1	0.101	0.015
LG 35.231.119.246:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.231.119.246:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.119.246:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.119.246:443/Controller Connection/Ping Duration (ms)					
92	126.1	168	129	125.5	15.1
LG 35.231.119.246:443/Network/Segments sent/sec.					
2.41	781.7	2,561	795.7	774.3	415.3
LG 35.231.119.246:443/Network/Segments retransmitted/sec.					
0	0.009	0.798	0	0	0.062
LG 35.231.119.246:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.3	42	14.2	14.1	7.74
LG 35.231.119.246:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.53	3.99	1.55	1.52	0.789

## LG 35.231.143.251:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.143.251:443/CPU Load					
0	7.13	42	7	6.95	3.57
LG 35.231.143.251:443/Memory Used					
2	16.3	37	15	16	9.89
LG 35.231.143.251:443/Throughput					
0	13.8	52.8	14.1	13.6	7.65
LG 35.231.143.251:443/User Load					
0	54.7	99	63	55.2	29.4
LG 35.231.143.251:443/Thread Count					
40	127.7	246	125	125.2	47
LG 35.231.143.251:443/Http client/Thread Pool used					
0.1	0.105	0.195	0.1	0.101	0.017
LG 35.231.143.251:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.231.143.251:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.143.251:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.143.251:443/Controller Connection/Ping Duration (ms)					
85	161.2	205	166	163.8	20.2

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.143.251:443/Network/Segments sent/sec.					
1.6	771.6	3,216	796.4	757.7	429.9
LG 35.231.143.251:443/Network/Segments retransmitted/sec.					
0	0.006	0.803	0	0	0.051
LG 35.231.143.251:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.1	54.1	14.5	13.9	7.83
LG 35.231.143.251:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.53	5.58	1.57	1.5	0.825

## LG 35.231.161.16:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.161.16:443/CPU Load					
0	6.55	17	6	6.46	2.71
LG 35.231.161.16:443/Memory Used					
2	15.6	36	14	15.3	9.6
LG 35.231.161.16:443/Throughput					
0	14	45.3	14.3	13.9	7.62
LG 35.231.161.16:443/User Load					
0	54.8	100	63	55.2	29.4
LG 35.231.161.16:443/Thread Count					
40	126.4	236	125	124.1	45.4
LG 35.231.161.16:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.101	0.006
LG 35.231.161.16:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.009
LG 35.231.161.16:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.161.16:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.161.16:443/Controller Connection/Ping Duration (ms)					
87	126.7	203	124	124.6	24.3
LG 35.231.161.16:443/Network/Segments sent/sec.					
2.4	783.7	2,491	809.7	775.2	418.8
LG 35.231.161.16:443/Network/Segments retransmitted/sec.					
0	0.009	1	0	0	0.064
LG 35.231.161.16:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.4	46.1	14.7	14.2	7.8
LG 35.231.161.16:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.54	4.16	1.64	1.54	0.79

## LG 35.231.177.121:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.177.121:443/CPU Load					
0	6.12	19	6	6.02	2.51
LG 35.231.177.121:443/Memory Used					
1	16.1	37	15	15.8	9.74
LG 35.231.177.121:443/Throughput					
0	13.9	41.3	14.1	13.7	7.41
LG 35.231.177.121:443/User Load					
0	55.2	100	63	55.7	29.2
LG 35.231.177.121:443/Thread Count					
40	126.6	232	125	124.4	45.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.177.121:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.231.177.121:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.012
LG 35.231.177.121:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.177.121:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.177.121:443/Controller Connection/Ping Duration (ms)					
94	148.2	206	127	147.6	34.6
LG 35.231.177.121:443/Network/Segments sent/sec.					
3	782.4	2,101	826.6	774	407.8
LG 35.231.177.121:443/Network/Segments retransmitted/sec.					
0	0.014	2.39	0	0	0.132
LG 35.231.177.121:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.2	42	14.4	14.1	7.59
LG 35.231.177.121:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.53	4.68	1.6	1.52	0.777

## LG 35.231.27.35:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.27.35:443/CPU Load					
0	6.45	20	6	6.36	2.67
LG 35.231.27.35:443/Memory Used					
1	14.8	35	14	14.4	8.86
LG 35.231.27.35:443/Throughput					
0	14	47.5	14.4	13.8	7.69
LG 35.231.27.35:443/User Load					
0	55.3	100	64	55.8	29.3
LG 35.231.27.35:443/Thread Count					
40	128.6	235	128	126.4	45.4
LG 35.231.27.35:443/Http client/Thread Pool used					
0.1	0.102	0.145	0.1	0.1	0.007
LG 35.231.27.35:443/Http client/Task Pool used					
0	0.001	0.25	0	0	0.014
LG 35.231.27.35:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.27.35:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.27.35:443/Controller Connection/Ping Duration (ms)					
123	140.8	185	130	139.5	18.9
LG 35.231.27.35:443/Network/Segments sent/sec.					
3.04	784.8	2,308	835.6	773.4	413.7
LG 35.231.27.35:443/Network/Segments retransmitted/sec.					
0	0.011	0.601	0	0	0.059
LG 35.231.27.35:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.4	48.4	14.8	14.1	7.86
LG 35.231.27.35:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.54	4.51	1.63	1.53	0.788

## LG 35.231.5.194:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.5.194:443/CPU Load					
0	6.56	51	6	6.37	3.52
LG 35.231.5.194:443/Memory Used					
1	15.2	36	14	14.8	9.48
LG 35.231.5.194:443/Throughput					
0	13.9	68.5	14.2	13.6	7.94
LG 35.231.5.194:443/User Load					
0	55	100	63	55.5	29.2
LG 35.231.5.194:443/Thread Count					
40	127.9	258	126	125.1	47.1
LG 35.231.5.194:443/Http client/Thread Pool used					
0.1	0.106	0.255	0.1	0.1	0.028
LG 35.231.5.194:443/Http client/Task Pool used					
0	0.002	0.45	0	0	0.024
LG 35.231.5.194:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.5.194:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.5.194:443/Controller Connection/Ping Duration (ms)					
122	192	216	207	194.5	26.3
LG 35.231.5.194:443/Network/Segments sent/sec.					
1.6	781.4	5,362	804.1	764.5	465.2
LG 35.231.5.194:443/Network/Segments retransmitted/sec.					
0	0.015	1	0	0.001	0.076
LG 35.231.5.194:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.2	63.8	14.5	14	8
LG 35.231.5.194:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.55	9.62	1.6	1.51	0.891

## LG 35.231.69.165:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.69.165:443/CPU Load					
0	6.57	19	6	6.51	2.67
LG 35.231.69.165:443/Memory Used					
1	16.2	37	15	16	9.72
LG 35.231.69.165:443/Throughput					
0	13.9	37.5	14.4	13.8	7.46
LG 35.231.69.165:443/User Load					
0	55.1	100	64	55.7	29.4
LG 35.231.69.165:443/Thread Count					
40	128.7	237	127	126.5	45.3
LG 35.231.69.165:443/Http client/Thread Pool used					
0.1	0.103	0.16	0.1	0.101	0.01
LG 35.231.69.165:443/Http client/Task Pool used					
0	0.002	0.183	0	0	0.014
LG 35.231.69.165:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.69.165:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.69.165:443/Controller Connection/Ping Duration (ms)					
92	129.3	209	129	127.3	19.8



Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.69.165:443/Network/Segments sent/sec.					
1.6	779.1	2,111	823	771.7	405.4
LG 35.231.69.165:443/Network/Segments retransmitted/sec.					
0	0.006	0.6	0	0	0.043
LG 35.231.69.165:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.3	38.3	14.8	14.1	7.62
LG 35.231.69.165:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.54	4.01	1.65	1.53	0.778

## LG 35.237.10.8:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.10.8:443/CPU Load					
0	7.38	24	7	7.28	3.3
LG 35.237.10.8:443/Memory Used					
2	16.3	37	15	16	9.87
LG 35.237.10.8:443/Throughput					
0	13.7	52	12.9	13.5	7.71
LG 35.237.10.8:443/User Load					
0	54.7	100	63	55.2	29.4
LG 35.237.10.8:443/Thread Count					
40	128.1	251	127	125.5	47.3
LG 35.237.10.8:443/Http client/Thread Pool used					
0.1	0.105	0.21	0.1	0.101	0.019
LG 35.237.10.8:443/Http client/Task Pool used					
0	0.002	0.167	0	0	0.011
LG 35.237.10.8:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.10.8:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.10.8:443/Controller Connection/Ping Duration (ms)					
94	132.7	200	130	131.6	20.6
LG 35.237.10.8:443/Network/Segments sent/sec.					
1.6	759.7	2,627	757.9	748.1	412
LG 35.237.10.8:443/Network/Segments retransmitted/sec.					
0	0.011	1.8	0	0	0.103
LG 35.237.10.8:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14	52.9	13.3	13.8	7.88
LG 35.237.10.8:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.51	4.48	1.54	1.5	0.79

## LG 35.237.120.253:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.120.253:443/CPU Load					
0	6.48	19	6	6.39	2.69
LG 35.237.120.253:443/Memory Used					
1	16.1	36	15	15.8	9.82
LG 35.237.120.253:443/Throughput					
0	14	72.7	14.5	13.7	8.08
LG 35.237.120.253:443/User Load					
0	55.2	100	64	55.8	29.3
LG 35.237.120.253:443/Thread Count					
40	129.3	261	126	126.2	47.9

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.237.120.253:443/Http client/Thread Pool used</b>					
0.1	0.108	0.275	0.1	0.101	0.034
<b>LG 35.237.120.253:443/Http client/Task Pool used</b>					
0	0.001	0.05	0	0	0.005
<b>LG 35.237.120.253:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.237.120.253:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.237.120.253:443/Controller Connection/Ping Duration (ms)</b>					
88	128.7	191	126	127.8	18.5
<b>LG 35.237.120.253:443/Network/Segments sent/sec.</b>					
2.8	778.7	2,308	805.4	768.1	412.2
<b>LG 35.237.120.253:443/Network/Segments retransmitted/sec.</b>					
0	0.013	0.808	0	0	0.067
<b>LG 35.237.120.253:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.003	14.3	73.3	14.8	14.1	8.23
<b>LG 35.237.120.253:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.53	5.46	1.6	1.52	0.791

## LG 35.237.182.166:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.237.182.166:443/CPU Load</b>					
0	6.17	20	6	6.06	2.76
<b>LG 35.237.182.166:443/Memory Used</b>					
1	15.4	36	14	15.1	9.64
<b>LG 35.237.182.166:443/Throughput</b>					
0	13.9	56.1	13.9	13.7	7.62
<b>LG 35.237.182.166:443/User Load</b>					
0	55	100	63	55.5	29.2
<b>LG 35.237.182.166:443/Thread Count</b>					
40	128.1	245	125	125.8	46
<b>LG 35.237.182.166:443/Http client/Thread Pool used</b>					
0.1	0.104	0.205	0.1	0.101	0.018
<b>LG 35.237.182.166:443/Http client/Task Pool used</b>					
0	0.001	0.05	0	0	0.004
<b>LG 35.237.182.166:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.237.182.166:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.237.182.166:443/Controller Connection/Ping Duration (ms)</b>					
89	163.5	207	168	164.6	19.2
<b>LG 35.237.182.166:443/Network/Segments sent/sec.</b>					
1.6	778.3	2,546	804.4	771.2	405.1
<b>LG 35.237.182.166:443/Network/Segments retransmitted/sec.</b>					
0	0.003	0.215	0	0	0.023
<b>LG 35.237.182.166:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.002	14.2	57.1	14.2	14	7.79
<b>LG 35.237.182.166:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.53	4.23	1.63	1.52	0.765

## LG 35.237.207.138:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.207.138:443/CPU Load					
0	6.15	23	6	6.02	2.65
LG 35.237.207.138:443/Memory Used					
1	16.1	38	14	15.8	9.93
LG 35.237.207.138:443/Throughput					
0	14.3	35	14.8	14.1	7.64
LG 35.237.207.138:443/User Load					
0	55	100	63	55.5	29.2
LG 35.237.207.138:443/Thread Count					
40	127.2	229	127	125.2	44
LG 35.237.207.138:443/Http client/Thread Pool used					
0.1	0.102	0.13	0.1	0.101	0.005
LG 35.237.207.138:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.009
LG 35.237.207.138:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.207.138:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.207.138:443/Controller Connection/Ping Duration (ms)					
107	145	219	127	143	32.8
LG 35.237.207.138:443/Network/Segments sent/sec.					
3.8	792.9	2,044	833.5	784.6	415.3
LG 35.237.207.138:443/Network/Segments retransmitted/sec.					
0	0.009	0.4	0	0	0.043
LG 35.237.207.138:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	14.6	36.1	15.1	14.5	7.81
LG 35.237.207.138:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.54	4.27	1.64	1.53	0.779

## LG 35.237.229.166:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.229.166:443/CPU Load					
0	7.36	19	7	7.27	3.07
LG 35.237.229.166:443/Memory Used					
1	16.1	38	14	15.8	9.98
LG 35.237.229.166:443/Throughput					
0	14	41	13.9	13.8	7.6
LG 35.237.229.166:443/User Load					
0	54.8	100	63	55.3	29.3
LG 35.237.229.166:443/Thread Count					
40	126.4	231	125	124.3	45.1
LG 35.237.229.166:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.237.229.166:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.008
LG 35.237.229.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.229.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.229.166:443/Controller Connection/Ping Duration (ms)					
95	130.9	184	131	130.2	15.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.229.166:443/Network/Segments sent/sec.					
3.05	776.5	2,126	794.4	767.9	412.3
LG 35.237.229.166:443/Network/Segments retransmitted/sec.					
0	0.012	0.8	0	0	0.067
LG 35.237.229.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.3	41.4	14.2	14.1	7.77
LG 35.237.229.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.53	4.2	1.58	1.52	0.791

## LG 35.237.234.70:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.234.70:443/CPU Load					
0	6.89	25	7	6.79	2.92
LG 35.237.234.70:443/Memory Used					
1	16.5	37	15	16.2	9.89
LG 35.237.234.70:443/Throughput					
0	13.8	40.2	14	13.7	7.45
LG 35.237.234.70:443/User Load					
0	55.1	100	63	55.6	29.2
LG 35.237.234.70:443/Thread Count					
40	128.2	243	126	125.7	46.2
LG 35.237.234.70:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.1	0.008
LG 35.237.234.70:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.237.234.70:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.234.70:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.234.70:443/Controller Connection/Ping Duration (ms)					
121	192.9	215	209	195.5	25.9
LG 35.237.234.70:443/Network/Segments sent/sec.					
3	770.7	2,140	813.1	761.7	403.8
LG 35.237.234.70:443/Network/Segments retransmitted/sec.					
0	0.014	2.6	0	0	0.139
LG 35.237.234.70:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.2	41	14.3	14	7.62
LG 35.237.234.70:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.52	4.38	1.57	1.51	0.778

## LG 35.237.235.166:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.235.166:443/CPU Load					
0	6.53	37	6	6.33	3.52
LG 35.237.235.166:443/Memory Used					
1	15.6	36	14.5	15.3	9.7
LG 35.237.235.166:443/Throughput					
0	13.8	45.7	14.2	13.5	7.83
LG 35.237.235.166:443/User Load					
0	54.5	99	63	55	29.5
LG 35.237.235.166:443/Thread Count					
40	128.1	251	125.5	125.5	47.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.235.166:443/Http client/Thread Pool used					
0.1	0.105	0.21	0.1	0.101	0.02
LG 35.237.235.166:443/Http client/Task Pool used					
0	0.002	0.217	0	0	0.014
LG 35.237.235.166:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.235.166:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.235.166:443/Controller Connection/Ping Duration (ms)					
90	122.2	162	122	121.6	14.1
LG 35.237.235.166:443/Network/Segments sent/sec.					
1.6	777.3	4,794	813.2	756.1	473
LG 35.237.235.166:443/Network/Segments retransmitted/sec.					
0	0.016	1.2	0	0.002	0.087
LG 35.237.235.166:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.1	49.9	14.7	13.8	8.01
LG 35.237.235.166:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.53	6.17	1.6	1.49	0.85

## LG 35.237.4.84:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.4.84:443/CPU Load					
0	6.6	21	6	6.5	2.76
LG 35.237.4.84:443/Memory Used					
1	15.2	36	14	14.8	9.41
LG 35.237.4.84:443/Throughput					
0	13.9	46.8	14.3	13.7	7.4
LG 35.237.4.84:443/User Load					
0	55.4	100	64	55.9	29.2
LG 35.237.4.84:443/Thread Count					
40	128.2	239	126	125.9	45.6
LG 35.237.4.84:443/Http client/Thread Pool used					
0.1	0.102	0.15	0.1	0.1	0.008
LG 35.237.4.84:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.006
LG 35.237.4.84:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.4.84:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.4.84:443/Controller Connection/Ping Duration (ms)					
106	184.8	207	204	187.5	29.5
LG 35.237.4.84:443/Network/Segments sent/sec.					
3.8	779.7	2,397	801.8	769.2	408.2
LG 35.237.4.84:443/Network/Segments retransmitted/sec.					
0	0.012	0.799	0	0	0.068
LG 35.237.4.84:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	14.3	47.9	14.6	14.1	7.58
LG 35.237.4.84:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.53	4.36	1.61	1.52	0.776

## LG 35.237.57.141:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.57.141:443/CPU Load					
0	6.28	24	6	6.18	2.7
LG 35.237.57.141:443/Memory Used					
1	16.6	37	15	16.3	10.08
LG 35.237.57.141:443/Throughput					
0	14	58.6	14.4	13.8	7.61
LG 35.237.57.141:443/User Load					
0	55.4	100	64	55.9	29.2
LG 35.237.57.141:443/Thread Count					
40	127.9	248	127	125.3	45.3
LG 35.237.57.141:443/Http client/Thread Pool used					
0.1	0.105	0.21	0.1	0.101	0.02
LG 35.237.57.141:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.007
LG 35.237.57.141:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.57.141:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.57.141:443/Controller Connection/Ping Duration (ms)					
93	155.2	209	128	155.2	38.3
LG 35.237.57.141:443/Network/Segments sent/sec.					
2.39	783.7	2,524	819.3	775.7	409.8
LG 35.237.57.141:443/Network/Segments retransmitted/sec.					
0	0.012	0.998	0	0	0.072
LG 35.237.57.141:443/Network/eth0 (eth0)/Megabits received/sec.					
0.003	14.3	59.7	14.9	14.1	7.78
LG 35.237.57.141:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.54	4.92	1.65	1.53	0.79

## LG 35.237.68.192:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.68.192:443/CPU Load					
0	6.77	26	6	6.61	3.3
LG 35.237.68.192:443/Memory Used					
1	15.7	36	14	15.4	9.69
LG 35.237.68.192:443/Throughput					
0	13.9	45.3	13.9	13.6	7.68
LG 35.237.68.192:443/User Load					
0	54.7	100	63	55.2	29.4
LG 35.237.68.192:443/Thread Count					
40	127.2	242	127	124.9	45.9
LG 35.237.68.192:443/Http client/Thread Pool used					
0.1	0.104	0.18	0.1	0.101	0.014
LG 35.237.68.192:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.006
LG 35.237.68.192:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.68.192:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.68.192:443/Controller Connection/Ping Duration (ms)					
127	162	168	166	163.5	11.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.68.192:443/Network/Segments sent/sec.					
1.6	777.4	2,774	805.3	764.1	425.4
LG 35.237.68.192:443/Network/Segments retransmitted/sec.					
0	0.007	2	0	0	0.105
LG 35.237.68.192:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.2	46.3	14.2	13.9	7.87
LG 35.237.68.192:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.55	6.07	1.57	1.51	0.854

## LG 35.237.73.110:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.73.110:443/CPU Load					
0	6.29	24	6	6.15	2.71
LG 35.237.73.110:443/Memory Used					
1	15.1	35	14	14.7	9.26
LG 35.237.73.110:443/Throughput					
0	13.9	46.8	14.3	13.7	7.62
LG 35.237.73.110:443/User Load					
0	54.9	100	63	55.5	29.3
LG 35.237.73.110:443/Thread Count					
40	127.7	233	126	125.6	45.2
LG 35.237.73.110:443/Http client/Thread Pool used					
0.1	0.101	0.12	0.1	0.1	0.003
LG 35.237.73.110:443/Http client/Task Pool used					
0	0.001	0.167	0	0	0.01
LG 35.237.73.110:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.237.73.110:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.237.73.110:443/Controller Connection/Ping Duration (ms)					
109	153.8	465	127	143.9	61.1
LG 35.237.73.110:443/Network/Segments sent/sec.					
3.8	782.1	2,486	788.5	773.3	414.9
LG 35.237.73.110:443/Network/Segments retransmitted/sec.					
0	0.024	2.61	0	0	0.179
LG 35.237.73.110:443/Network/eth0 (eth0)/Megabits received/sec.					
0.005	14.3	47.7	14.7	14.1	7.8
LG 35.237.73.110:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.007	1.53	4.45	1.62	1.52	0.788

## LG 35.237.73.95:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.237.73.95:443/CPU Load					
0	7.16	20	7	7.01	3.29
LG 35.237.73.95:443/Memory Used					
2	16	37	14	15.7	9.94
LG 35.237.73.95:443/Throughput					
0	14.2	37.9	14.4	14	7.62
LG 35.237.73.95:443/User Load					
0	55.6	100	63	56.2	29.5
LG 35.237.73.95:443/Thread Count					
40	127.1	232	125	125	44.3

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.237.73.95:443/Http client/Thread Pool used</b>					
0.1	0.102	0.145	0.1	0.101	0.006
<b>LG 35.237.73.95:443/Http client/Task Pool used</b>					
0	0.002	0.167	0	0	0.012
<b>LG 35.237.73.95:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.237.73.95:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.237.73.95:443/Controller Connection/Ping Duration (ms)</b>					
111	164.5	203	168	165.6	14.9
<b>LG 35.237.73.95:443/Network/Segments sent/sec.</b>					
3	792.5	2,144	832.6	785.1	418.1
<b>LG 35.237.73.95:443/Network/Segments retransmitted/sec.</b>					
0	0.007	0.6	0	0	0.048
<b>LG 35.237.73.95:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.5	38.7	14.7	14.4	7.79
<b>LG 35.237.73.95:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.56	4.36	1.68	1.55	0.798

## LG 35.243.135.85:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.243.135.85:443/CPU Load</b>					
0	7.01	22	7	6.93	3.28
<b>LG 35.243.135.85:443/Memory Used</b>					
2	16.1	37	15	15.8	9.77
<b>LG 35.243.135.85:443/Throughput</b>					
0	13.9	46.7	14.7	13.7	7.6
<b>LG 35.243.135.85:443/User Load</b>					
0	54.6	100	63	55.1	29.5
<b>LG 35.243.135.85:443/Thread Count</b>					
40	127.1	237	125	124.9	45.8
<b>LG 35.243.135.85:443/Http client/Thread Pool used</b>					
0.1	0.104	0.165	0.1	0.101	0.011
<b>LG 35.243.135.85:443/Http client/Task Pool used</b>					
0	0.001	0.25	0	0	0.013
<b>LG 35.243.135.85:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.243.135.85:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.243.135.85:443/Controller Connection/Ping Duration (ms)</b>					
123	163.2	182	166	164.4	11.4
<b>LG 35.243.135.85:443/Network/Segments sent/sec.</b>					
1.6	771.7	2,271	810.7	763.3	406
<b>LG 35.243.135.85:443/Network/Segments retransmitted/sec.</b>					
0	0.006	0.599	0	0	0.044
<b>LG 35.243.135.85:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.002	14.2	47.7	15	14	7.76
<b>LG 35.243.135.85:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.52	3.94	1.62	1.51	0.777



## LG 35.243.138.201:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.138.201:443/CPU Load					
0	7.07	20	7	6.97	3.05
LG 35.243.138.201:443/Memory Used					
1	16.5	38	15	16.2	10.01
LG 35.243.138.201:443/Throughput					
0	13.8	41	14.3	13.6	7.55
LG 35.243.138.201:443/User Load					
0	54.7	99	63	55.2	29.4
LG 35.243.138.201:443/Thread Count					
40	126.4	230	125	124.4	45.1
LG 35.243.138.201:443/Http client/Thread Pool used					
0.1	0.101	0.135	0.1	0.1	0.005
LG 35.243.138.201:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.004
LG 35.243.138.201:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.138.201:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.138.201:443/Controller Connection/Ping Duration (ms)					
96	130.6	181	130	129.8	12
LG 35.243.138.201:443/Network/Segments sent/sec.					
1.6	770.5	2,830	797.2	757.7	420.2
LG 35.243.138.201:443/Network/Segments retransmitted/sec.					
0	0.005	0.599	0	0	0.041
LG 35.243.138.201:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.2	42.4	14.6	14	7.73
LG 35.243.138.201:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.005	1.52	4.18	1.6	1.51	0.79

## LG 35.243.140.140:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.140.140:443/CPU Load					
0	6.48	18	6	6.34	2.82
LG 35.243.140.140:443/Memory Used					
1	14.7	34	14	14.4	8.74
LG 35.243.140.140:443/Throughput					
0	14.1	38.3	14.5	13.9	7.6
LG 35.243.140.140:443/User Load					
0	55.9	100	64	56.5	29.4
LG 35.243.140.140:443/Thread Count					
40	128.7	236	127	126.3	46.9
LG 35.243.140.140:443/Http client/Thread Pool used					
0.1	0.102	0.135	0.1	0.101	0.006
LG 35.243.140.140:443/Http client/Task Pool used					
0	0.001	0.05	0	0	0.006
LG 35.243.140.140:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.140.140:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.140.140:443/Controller Connection/Ping Duration (ms)					
92	138.6	182	128	138.3	23.8

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.140.140:443/Network/Segments sent/sec.					
3	794.1	2,266	837.2	780.1	425.2
LG 35.243.140.140:443/Network/Segments retransmitted/sec.					
0	0.009	0.402	0	0	0.048
LG 35.243.140.140:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.5	39.1	14.8	14.2	7.78
LG 35.243.140.140:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.56	4.28	1.63	1.54	0.8

## LG 35.243.188.248:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.188.248:443/CPU Load					
0	6.41	22	6	6.27	2.78
LG 35.243.188.248:443/Memory Used					
2	16.4	38	15	16.1	9.76
LG 35.243.188.248:443/Throughput					
0	14.3	38.8	14.9	14.1	7.57
LG 35.243.188.248:443/User Load					
0	56.2	100	64	56.9	29.4
LG 35.243.188.248:443/Thread Count					
40	127.9	232	126	125.7	44.5
LG 35.243.188.248:443/Http client/Thread Pool used					
0.1	0.102	0.125	0.1	0.101	0.005
LG 35.243.188.248:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.009
LG 35.243.188.248:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.188.248:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.188.248:443/Controller Connection/Ping Duration (ms)					
93	148.8	204	127	148.4	37.2
LG 35.243.188.248:443/Network/Segments sent/sec.					
3.01	802.7	2,177	838	794.6	416
LG 35.243.188.248:443/Network/Segments retransmitted/sec.					
0	0.006	0.603	0	0	0.045
LG 35.243.188.248:443/Network/eth0 (eth0)/Megabits received/sec.					
0.004	14.7	39.7	15.2	14.5	7.74
LG 35.243.188.248:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.006	1.57	4.04	1.7	1.56	0.788

## LG 35.243.188.30:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.188.30:443/CPU Load					
0	7.18	22	7	7.13	3.16
LG 35.243.188.30:443/Memory Used					
1	15.9	37	14	15.6	9.86
LG 35.243.188.30:443/Throughput					
0	13.8	36.7	14.4	13.6	7.44
LG 35.243.188.30:443/User Load					
0	54.6	100	63	55.1	29.5
LG 35.243.188.30:443/Thread Count					
40	127.8	233	126.5	125.8	45.9

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.243.188.30:443/Http client/Thread Pool used</b>					
0.1	0.101	0.12	0.1	0.101	0.004
<b>LG 35.243.188.30:443/Http client/Task Pool used</b>					
0	0.001	0.15	0	0	0.01
<b>LG 35.243.188.30:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.243.188.30:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.243.188.30:443/Controller Connection/Ping Duration (ms)</b>					
131	169	217	168	168.3	13.6
<b>LG 35.243.188.30:443/Network/Segments sent/sec.</b>					
2.61	763.5	1,941	813	756.1	400.9
<b>LG 35.243.188.30:443/Network/Segments retransmitted/sec.</b>					
0	0.005	0.805	0	0	0.056
<b>LG 35.243.188.30:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.2	37.8	14.8	14	7.63
<b>LG 35.243.188.30:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.005	1.51	4.22	1.62	1.5	0.775

## LG 35.243.195.137:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.243.195.137:443/CPU Load</b>					
0	6.89	21	7	6.8	2.91
<b>LG 35.243.195.137:443/Memory Used</b>					
1	15.7	36	15	15.4	9.67
<b>LG 35.243.195.137:443/Throughput</b>					
0	13.9	42.7	14.1	13.7	7.48
<b>LG 35.243.195.137:443/User Load</b>					
0	55.3	100	64	55.8	29.2
<b>LG 35.243.195.137:443/Thread Count</b>					
40	127.6	245	126	125.1	46.3
<b>LG 35.243.195.137:443/Http client/Thread Pool used</b>					
0.1	0.103	0.185	0.1	0.1	0.014
<b>LG 35.243.195.137:443/Http client/Task Pool used</b>					
0	0	0.05	0	0	0.004
<b>LG 35.243.195.137:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.243.195.137:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.243.195.137:443/Controller Connection/Ping Duration (ms)</b>					
121	165.4	204	166	165.5	14.6
<b>LG 35.243.195.137:443/Network/Segments sent/sec.</b>					
3	777.5	2,702	792.4	768.1	409.7
<b>LG 35.243.195.137:443/Network/Segments retransmitted/sec.</b>					
0	0.015	2.62	0	0	0.144
<b>LG 35.243.195.137:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.3	43.8	14.3	14.1	7.65
<b>LG 35.243.195.137:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.53	4.1	1.57	1.52	0.777

## LG 35.243.224.172:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.224.172:443/CPU Load					
0	6.47	22	6	6.36	2.91
LG 35.243.224.172:443/Memory Used					
1	15.6	36	14	15.3	9.72
LG 35.243.224.172:443/Throughput					
0	13.9	41.9	14.1	13.7	7.65
LG 35.243.224.172:443/User Load					
0	54.6	100	63	55	29.5
LG 35.243.224.172:443/Thread Count					
40	126.1	232	125	124	44.9
LG 35.243.224.172:443/Http client/Thread Pool used					
0.1	0.102	0.14	0.1	0.101	0.006
LG 35.243.224.172:443/Http client/Task Pool used					
0	0.001	0.15	0	0	0.008
LG 35.243.224.172:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.224.172:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.224.172:443/Controller Connection/Ping Duration (ms)					
106	129.4	193	126	127.4	14.6
LG 35.243.224.172:443/Network/Segments sent/sec.					
1.6	775.2	2,731	806.6	765.3	421.8
LG 35.243.224.172:443/Network/Segments retransmitted/sec.					
0	0.011	1	0	0	0.067
LG 35.243.224.172:443/Network/eth0 (eth0)/Megabits received/sec.					
0.002	14.2	42.5	14.4	14	7.83
LG 35.243.224.172:443/Network/eth0 (eth0)/Megabits sent/sec.					
0.001	1.53	4.13	1.6	1.52	0.796


## LG 35.243.236.114:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.236.114:443/CPU Load					
0	6.24	22	6	6.11	2.84
LG 35.243.236.114:443/Memory Used					
1	15.9	37	14.5	15.6	9.89
LG 35.243.236.114:443/Throughput					
0	13.8	59.7	13.5	13.5	7.72
LG 35.243.236.114:443/User Load					
0	54.6	100	63	55.1	29.5
LG 35.243.236.114:443/Thread Count					
40	128	252	126	125.3	47.8
LG 35.243.236.114:443/Http client/Thread Pool used					
0.1	0.104	0.21	0.1	0.1	0.02
LG 35.243.236.114:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 35.243.236.114:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.236.114:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.236.114:443/Controller Connection/Ping Duration (ms)					
124	131.9	173	126	130.2	12.7

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.243.236.114:443/Network/Segments sent/sec.</b>					
2.8	772.2	2,957	782	757.8	429.2
<b>LG 35.243.236.114:443/Network/Segments retransmitted/sec.</b>					
0	0.012	0.608	0	0	0.06
<b>LG 35.243.236.114:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0.004	14.1	60.9	13.8	13.9	7.9
<b>LG 35.243.236.114:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0.006	1.52	5.32	1.58	1.5	0.808


## Average page response time



Min	Average	Max
0.093	0.265	3.896

**Notes:** Displays the average response time, in seconds, of all pages during the test.


## Average request response time



Min	Average	Max
0.047	0.118	50.281

**Notes:** Displays the average response time, in seconds, of all requests during the test.

## Average response time (Transactions)




Min	Average	Max	Median	Avg-90%	Std. Dev.
0.633	1.955	24.25	0.822	1.429	3.067

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.




## Requests per second



Min	Average	Max
0.1	12,245.1	25,770.1

**Notes:** Displays the number of requests per second.


## Errors



Min	Average	Max
0	243.4	5,902

**Notes:** Displays the number of errors per sampling interval.


## Throughput



Min	Average	Max
0	2,174.21	4,907.59

**Notes:** Displays the number of megabits of data per second returned by the server.


## Response time against load



Min	Average	Max
0.091	0.129	0.76

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.