

Rajiv-0920 / C-Programming

Q

<> CodeIssuesPull requestsActionsProjectsWikiSecurityInsights

0 stars0 forks1 watchingActivity

Public repository

main

BranchesTags

Rajiv-0920

3 minutes ago

[View code](#)

Table of Content

- [1. Basic Simple C Programs](#)
- [2. If/Else Statement](#)
- [3. Loops](#)
- [4. Patterns](#)

Basic Simple C Programs

1. C Program to Display The Size of Different Data Types

| Data Type | Size (bytes) | Range | Format Specifier |
|-------------|--------------|---------------------------------|------------------|
| int | 2 | -2,147,483,648 to 2,147,483,647 | %d |
| long int | 4 | -2,147,483,648 to 2,147,483,647 | %ld |
| float | 4 | 1.2E-38 to 3.4E+38 | %f |
| double | 8 | 1.7E-308 to 1.7E+308 | %lf |
| long double | 12 | 3.4E-4932 to 1.1E+4932 | %Lf |
| char | 1 | -128 to 127 | %c |

[Click Here For Solution](#)

[Back to Top ↑](#)

2. Write a program to accept values of two numbers and print their addition, subtraction, multiplication, division.

Addition: $x + y$;

Subtraction: $x - y$;

multiplication: $x * y$;

division: x / y ;

[Click Here For Solution](#)

[Back to Top ↑](#)

3. Write a program to accept a number from user and print it's square & cube in C language

Square: $x * x$

Cube: $x * x * x$

[Click Here For Solution](#)

[Back to Top ↑](#)

4. Write a program to accept two values a & b and interchange their values in C language

Before Interchange value: $a = 12$; $b = 15$

After Interchange value: $a = 15$; $b = 12$

[Click Here For Solution](#)

[Back to Top ↑](#)

5. Write a program to accept roll no & marks of 3 subjects of a student, Calculate total 3 subjects and average in c language

Average : $Sanskrit + Hindi + Math / 3$

[Click Here For Solution](#)

[Back to Top ↑](#)

6. Print following outputs: <http://www.kodegod.com/new> in C language

[Click Here For Solution](#)

[Back to Top ↑](#)

7. Area and Circumference of a Circle

Area of the Circle is: πr^2

Circumstances of the Circle are: $2\pi r$

[Click Here For Solution](#)

[Back to Top ↑](#)

8. Print Ascii Value of the Character

[Click Here For Solution](#)

[Back to Top ↑](#)

9. Write a program to print area of a triangle

$\text{Triangle} = 0.5 * \text{Base} * \text{Height}$

[Click Here For Solution](#)

[Back to Top ↑](#)

10. Convert a Person's Name in Abbreviated

Name: Ghanendra Pratap Singh

Abbreviated Name: G. P. Singh

[Click Here For Solution](#)

[Back to Top ↑](#)

11. C Program For Calculate Simple Interest

$\text{Simple Interest} = (\text{Principal Amount} * \text{Rate of Interest} * \text{Time}) / 100;$

[Click Here For Solution](#)

[Back to Top ↑](#)

12. Write a program to accept a name and basic salary of an employee calculate and display the gross salary Program in C.

$\text{Gross Salary} = \text{Basic_Salary} + \text{HRA} + \text{Other_Allowance}.$

[Click Here For Solution](#)

[Back to Top ↑](#)

13. Calculate Percentage of 5 Subjects

$\text{percentage} = ((\text{sanskrit} + \text{hindi} + \text{math} + \text{english} + \text{accountancy}) / 500) * 100$

[Click Here For Solution](#)

[Back to Top ↑](#)

14. C Program For Converting Temperature Celsius Into Fahrenheit

Fahrenheit = $((9/5) * Celsius) + 32$ or you can use 1.8 in place of 9/5

[Click Here For Solution](#)

[Back to Top ↑](#)

15. First Three Powers (N, N * N, N * N * N) Without Using Power Function

Three Powers: (N, N * N, N * N * N)

[Click Here For Solution](#)

[Back to Top ↑](#)

16. Write a C program input a number to compute the perimeter and area of a rectangle.

Perimeter of the rectangle = $2(height + width)$;

Area of Rectangle = $height * width$;

[Click Here For Solution](#)

[Back to Top ↑](#)

17. Write a C program to accept 3 characters and print the sum of their [ascii](#).

[Click Here For Solution](#)

[Back to Top ↑](#)

18. Write a C program to convert specified days into years, weeks and days.

Note: Ignore leap year.

[Click Here For Solution](#)

[Back to Top ↑](#)

19. Write a C program to calculate the distance between the two points

Formula:- $\sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2}$

Test Data :

```
Input x1: 25
Input y1: 15
Input x2: 35
Input y2: 10
```



Expected Output:

```
Distance between the said points: 11.1803
```



[Click Here For Solution](#)

[Back to Top ↑](#)

20. Write a C program to read an amount (integer value) and break the amount into smallest possible number of bank notes.

Test Data :

Input the amount: 375



Expected Output:

```
There are:  
3 Note(s) of 100.00  
1 Note(s) of 50.00  
1 Note(s) of 20.00  
0 Note(s) of 10.00  
1 Note(s) of 5.00  
0 Note(s) of 2.00  
0 Note(s) of 1.00
```



[Click Here For Solution](#)

[Back to Top ↑](#)

21. Write a C program to convert a given integer (in seconds) to hours, minutes and seconds.

Test Data :

```
Input seconds: 25300  
Expected Output:  
There are:  
H:M:S - 7:1:40
```



[Click Here For Solution](#)

[Back to Top ↑](#)

22. Write a C program to convert a given integer (in millimeters) to kilometers, meters and centimeters.

```
1 centimeter = 10 millimeters.  
1 meter = 100 centimeters.  
1 meter = 1,000 millimeters.  
1 kilometer = 1,000 meters.
```



Test Data :

Input no. of days: 2535220



Expected Output:

```
2.53 kilometers
2535.22 Meters
253522.0 Centimeters
```



[Click Here For Solution](#)

[Back to Top ↑](#)

23. Write a C program that accepts two item's weight (floating points' values) and number of purchase (floating points' values) and calculate the average value of the items.

Test Data :

```
Weight - Item1: 15
No. of item1: 5
Weight - Item2: 25
No. of item2: 4
```



Expected Output:

```
Average Value = 19.444444
```



[Click Here For Solution](#)

[Back to Top ↑](#)

24. Program to show swap of two number

```
i) using three variable
ii) without using third variable.
iii) swap within a single line.
```



Test Data :

```
Input two number a and b: 5 10
```



Expected Output:

```
a = 10 and b = 5
```



[Click Here For Solution](#)

[Back to Top ↑](#)

25. Write a program to display last digit of a number. Number is entered through keyboard.

[Click Here For Solution](#)

[Back to Top ↑](#)

26. Write a program to calculate sum of the digits of three digit number.

[Click Here For Solution](#)

[Back to Top ↑](#)

27. Write a program to print profit and profit percentage. Selling price and cost price is given by user.

formula :-

$$profit = selling - cost$$

$$profitPercentage = \frac{profit}{cost} * 100$$

[Click Here For Solution](#)

[Back to Top ↑](#)

28. Input a number and change the sign.

Test Data:

```
input number : 10  
input number : -15
```



Expected Output:

```
Sign Changed number = -10  
Sign Changed number = 15
```



[Click Here For Solution](#)

[Back to Top ↑](#)

29. Input two number and display quotient and remainder.

Test Data:

```
input number : 98 4
```



Expected Output:

```
quotient = 24  
remainder = 2
```



[Click Here For Solution](#)

[Back to Top ↑](#)

30. Input a 5 digit number and calculate the sum of last and first digit number.

Test Data:

```
number : 12345
```



Expected Output:

```
sum = 6
```



[Click Here For Solution](#)

[Back to Top ↑](#)

31. Input a 3 digit number and reverse it.

Test Data:

```
number = 123
```



Expected Output:

```
reverse number = 321
```



[Click Here For Solution](#)

[Back to Top ↑](#)

32. WAP to calculate the remainder of 2 numbers without using % operator.

Test Data:

```
Enter 2 number: 10 5
```



Expected Output:

```
Remainder = 0
```



[Click Here For Solution](#)

[Back to Top ↑](#)

33. WAP. to SWAP (interchange) three numbers.

- i) using four variable
- ii) without using four variable.
- iii) swap within a single line.



Test Data:

Enter 3 number : 5 10 15



Expected Output:

changed number = 15 5 10



[Click Here For Solution](#)

[Back to Top ↑](#)

34. WAP. to Print the range of a number. E.g. number 78 is between 70 and 79, 102 is between 100 and 109.

Test Data:

Enter a number : 78



Enter a number : 102

Expected Output:

78 number is between 70 and 79



102 number is between 100 and 109

[Click Here For Solution](#)

[Back to Top ↑](#)

35. WAP. to merge three number. E.g. a= 1, b= 2, c = 8 is 128.

Test Data:

Enter 3 number: 1 2 3



Expected Output:

merge number = 123



[Click Here For Solution](#)

[Back to Top ↑](#)

36. WAP. to input paisa and convert it into rs. and paisa

Test Data:

```
input paisa: 1550
```



Expected Output:

```
15 rs. 50 paisa
```



[Click Here For Solution](#)

[Back to Top ↑](#)

If/Else Statement

1. Write a program to accept a number and print if the number is Positive/Negative in C language

[Click Here For Solution](#)

[Back to Top ↑](#)

2. Write a program to accept a number from user and print if it is even or odd in C language

HINT: Even number is divisible by 2 and generates a remainder of 0

[Click Here For Solution](#)

[Back to Top ↑](#)

3. Write a program to find greater between two numbers.

[Click Here For Solution](#)

[Back to Top ↑](#)

4. Write a program to accept three numbers from user and print them in ascending and descending order in C language

[Click Here For Solution](#)

[Back to Top ↑](#)

5. Write a program to calculate roots of a quadratic equations in C language

[Click Here For Solution](#)

[Back to Top ↑](#)

6. Write a program to accept roll number ,and marks for three subjects, print total marks and average, also print grade by considering following conditions

Avg >= 60 Grade A

Avg < 60, Avg >= 50 Grade B

Avg < 50, Avg >= 40 Grade C Grade F.

[Click Here For Solution](#)

[Back to Top ↑](#)

7. Write a Program to accept user's marital status, gender and age to check if he/she is eligible for marriage or not.

[Click Here For Solution](#)

[Back to Top ↑](#)

8. Check Character Is Vowel or Consonant

[Click Here For Solution](#)

[Back to Top ↑](#)

9. A Character Is an Alphabet or Not

[Click Here For Solution](#)

[Back to Top ↑](#)

10. C Program to Check Uppercase or Lowercase or Digit or Special Character

Hint: [ASCII](#) value of the digit is between 48 to 58 and lowercase characters have ASCII values in the range of 97 to 122, and uppercase is between 65 and 90.

[Click Here For Solution](#)

[Back to Top ↑](#)

11. Leap Year Program in C Using IF-ELSE

Leap Year Examples:

- 1992: Leap Year
- 2002: Not a Leap Year
- 2016: Leap Year
- 2100: Not a Leap Year

[Click Here For Solution](#)

[Back to Top ↑](#)

12. Given Date Month and the Year Is Correct or Not Using If-Else

Valid Date Examples:

- 09-03-2002
- 01-01-2023
- 31-12-2025

Invalid Date Examples:

- 29-02-2023
- 32-12-2023
- 31-03-2023

[Click Here For Solution](#)

[Back to Top ↑](#)

13. While purchasing certain items, a discount of 10% is offered if the quantity purchased is more than 1000. if quantity and price per item are input through the keyboard, write a program to calculate the total expenses.

Test Data:

Enter quantity and price per item: 1000 2



Expected Output:

Total expenses = 1800.00



[Click Here For Solution](#)

[Back to Top ↑](#)

14. If cost price and selling price of an item is input through the keyboard, write a program to determine whether the seller has made profit or incurred loss. Also determine how much profit he made or loss he incurred.

Test Data:

Enter cost price and selling price: 50 100



Expected Output:

He incurred profit of Rs.50



[Click Here For Solution](#)

[Back to Top ↑](#)

15. A five-digit number is entered through the keyboard. Write a program to obtain the reversed number and to determine whether the original and reversed numbers

are equal or not.

Test Data:

```
Enter 5 digit number: 12345
```



Expected Output:

```
Reverse number = 54321  
Reverse number is not equal to original number.
```



[Click Here For Solution](#)

[Back to Top ↑](#)

16. Write a program to check whether a triangle is valid or not, when the three angles of the triangle are entered through the keyboard. A triangle is valid if the sum of all the three angles is equal to 180 degrees

Test Data:

```
input 3 angles of triangle: 45 45 90
```



Expected Output:

```
Triangle is valid
```



[Click Here For Solution](#)

[Back to Top ↑](#)

17. Find the absolute value of a number entered through the keyboard.

Test Data:

```
Enter a number: -15  
Enter a number: 25
```



Expected Output:

```
Absolute number = 15  
Absolute number = 25
```



[Click Here For Solution](#)

[Back to Top ↑](#)

18. Given the length and breadth of a rectangle, write a program to find whether the area of the rectangle is greater than its perimeter. For example, the area of the

rectangle with length = 5 and breadth = 4 is greater than its perimeter.

Test Data:

```
Enter the length and breadth of a rectangle: 5 4
```



Expected Output:

```
Area of rectangle is greater than its perimeter.
```



[Click Here For Solution](#)

[Back to Top ↑](#)

19. Given three points (x1, y1), (x2, y2) and (x3, y3), write a program to check if all the three points fall on one straight line.

Test Data:

```
Enter points (x1, y1):1 2
Enter points (x2, y2):3 4
Enter points (x3, y3):5 6
```



Expected Output:

```
All the three points fall on the straight line:
```



[Click Here For Solution](#)

[Back to Top ↑](#)

20. A certain grade of steel is graded according to the following conditions:

```
(i) Hardness must be greater than 50
(ii) Carbon content must be less than 0.7
(iii) Tensile strength must be greater than 5600
The grades are as follows:
```



```
Grade is 10 if all three conditions are met
Grade is 9 if conditions (i) and (ii) are met
Grade is 8 if conditions (ii) and (iii) are met
Grade is 7 if conditions (i) and (iii) are met
Grade is 6 if only one condition is met
Grade is 5 if none of the conditions are met
```

```
Write a program, which will require the user to give values of hardness, carbon content and
tensile strength of the steel under consideration and output the grade of the steel.
```

Test Data:

Enter hardness, carbon and tensile: 60 0.8 5700



Expected Output:

Grade is 7



[Click Here For Solution](#)

[Back to Top ↑](#)

21. Write a C program to input side of a triangle and check whether triangle is valid or not using if else.

A triangle is valid if sum of its two sides is greater than the third side.

Test Data:

Enter 3 sides of a triangle: 7 10 5



Expected Output:

Valid Triangle



[Click Here For Solution](#)

[Back to Top ↑](#)

22. If the three sides of a triangle are entered through the keyboard, write a program to check whether the triangle is isosceles, equilateral, scalene or right-angled triangle.

[Click Here For Solution](#)

[Back to Top ↑](#)

23. Write a program to find the greatest of three numbers entered through the keyboard. Use conditional operators.

Test Data:

Enter 3 number: 1 2 3



Expected Output:

Greatest number is 3



[Click Here For Solution](#)

[Back to Top ↑](#)

24. WAP to print the second maximum out of three numbers.

Test Data:

Enter 3 numbers : 1 2 3



Expected Output:

Second maximum = 2



[Click Here For Solution](#)

[Back to Top ↑](#)

25. WAP to check whether a 3 digit number is a magic number or not. (Palindrome) A number is a magic number if its reverse is same as the original number.

Test Data:

Enter a number: 123



Expected Output:

Not a magic number.



[Click Here For Solution](#)

[Back to Top ↑](#)

26. WAP to compute the pension of an employee.

If the person is male.
Age >= 90 pension is 4000
Age >= 60 pension is 6000
Age < 60 pension is 0

if the person is female.
Age >= 90 pension is 3000
Age >= 60 pension is 5000
Age < 60 pension is 0



[Click Here For Solution](#)

[Back to Top ↑](#)

27. Calculate Telephone Bill:-

| calls | Rate/call |
|----------------|-----------|
| First 50 calls | free |

| calls | Rate/call |
|----------------|-----------|
| next 100 calls | Rs.3/call |
| next 200 calls | Rs.5/call |
| next 350 calls | Rs.7/call |

Test Data:

Expected Output:

[Click Here For Solution](#)

[Back to Top ↑](#)

Loops C Programs

1. C Program to Reverse a Number Using FOR Loop

[Click Here For Solution](#)

[Back to Top ↑](#)

2. Write a c program to check whether a given number is an Armstrong number or not.

Example: 153 is an Armstrong number

$$153 = (1 * 1 * 1) + (5 * 5 * 5) + (3 * 3 * 3)$$

$$\text{where: } (1 * 1 * 1) = 1 \quad (5 * 5 * 5) = 125 \quad (3 * 3 * 3) = 27$$

$$\text{So: } 1 + 125 + 27 = 153$$

153 is an Armstrong number

[Click Here For Solution](#)

[Back to Top ↑](#)

3. Calculate the Sum of n Natural Numbers Using the While Loop

[Click Here For Solution](#)

[Back to Top ↑](#)

4. Write a C Program to Print the Multiplication Table of N

[Click Here For Solution](#)

[Back to Top ↑](#)

5. Fibonacci Series Program in C Using DO While Loop

Fibonacci Series: 0, 1, 1, 2, 3, 5, 8, 13, 21, 34. Fibonacci Series is up to 10 Elements.

[Click Here For Solution](#)

[Back to Top ↑](#)

6. GCD of Two Numbers in C | Greatest Common Divisor Program

[Click Here For Solution](#)

[Back to Top ↑](#)

7. Program to Find LCM of Two Numbers in C Using While Loop

Formula

[Click Here For Solution](#)

[Back to Top ↑](#)

8. Palindrome Program in C Using While Loop

[Click Here For Solution](#)

[Back to Top ↑](#)

9. Count the Number of Digits of an Integer Using the While Loop

[Click Here For Solution](#)

[Back to Top ↑](#)

10. Find a Generic Root of a Number Using While Loop

For Example: If user input number is 12345, then we add all the individual digits of the number i.e., $1 + 2 + 3 + 4 + 5 = 15$. We got 15. Now we add individual digits of number 15 i.e., $1 + 5 = 6$. So Generic Root of number 12345 is 6.

[Click Here For Solution](#)

[Back to Top ↑](#)

11. C Program to Print The Calendar of a Month of 31 Days

Output

```
Enter Total Numbers of Days in a Month:31
```



```
Enter 0 for Monday:
Enter 1 for Tuesday:
Enter 2 for Wednesday:
Enter 3 for Thursday:
Enter 4 for Friday:
Enter 5 for Saturday:
Enter 6 for Sunday:
```

Enter First Day of the month 0 to 6:5

| Mon | Tue | Wed | Thu | Fri | Sat | Sun |
|-----|-----|-----|-----|-----|-----|-----|
| - | - | - | - | - | 1 | 2 |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 31 | | | | | | |

[Click Here For Solution](#)


[Back to Top ↑](#)

12. Check Whether a Number Is Divisible by 11 Using (Vedic Maths)

[Click Here For Solution](#)

[Back to Top ↑](#)

13. Denomination of an Amount Using While Loop

Logic :- The Logic Behind we have to divide a money by Above Money lets take a example Suppose money is 16108 then follow the Step We are taking a example of Indian Currency In present 

Step 1:- Then First we divide 16108 by 2000 then we get 8 ,2000 rs notes then go to step 2

Step 2:- After divide 2000 we get a remainder 108 The we know that 108 is not divisible by 500 so go to next step

Step 3:- Now divide 108 by 100 then we get 1 ,100 rs note now remainder is 8 go to next step

Step 4:- 8 is divisible by 50 and 20 nor 10 so we escape now go to next step

Step 5:- Now divide 8 by 5 we get a 1 ,5 rs notes and remainder is 3 so go to next step

Step 6:- Now divide 3 by 2 we get 1 ,2 rs notes and remainder is 1 so follow the next step

Step 7:- This is a Last step divide 1 by 1 we get zero remainder now print the total no of denomination needed and along with total no of count require to fulfill a requirement

So for 16108 You Need to

No.

8 * 2000 = 16000

1 * 100 = 100

1 * 5 = 5

☰ READme.md



Total =12 Notes For minimum Transaction

[Click Here For Solution](#)

[Back to Top ↑](#)

14. Write a Program to print numbers 1 to n using while loop in C language

[Click Here For Solution](#)

[Back to Top ↑](#)

15. Write a Program to print first n even numbers in C language

HINT: Even number is divisible by 2 and generates a remainder of 0

[Click Here For Solution](#)

[Back to Top ↑](#)

16. Write a Program to print first n odd numbers in C language

HINT: Odd number which is not divisible by "2". An odd number always ends in 1, 3, 5, 7, or 9.

[Click Here For Solution](#)

[Back to Top ↑](#)

17. Write A Program To Accept A Number From User And Print If It Is Prime Or Not In C Language

[Click Here For Solution](#)

[Back to Top ↑](#)

18. Write a Program to accept a number and print sum of it's digits in C language

Ex: 153 Sum of its digit is 9

[Click Here For Solution](#)

[Back to Top ↑](#)

19. Write A Program To Accept A Number From User And Print It's Factorial In C Language

factorial of 5 is: $5! = 5 \times 4 \times 3 \times 2 \times 1 = 120$

[Click Here For Solution](#)

[Back to Top ↑](#)

20. Write a program to accept a number and print prime numbers between 2 and n in C language

[Click Here For Solution](#)

[Back to Top ↑](#)

21. Write a program to print digits, alphabets in capital and lower case in C language

ASCII

Digits

0 1 2 3 4 5 6 7 8 9

Uppercase Alphabets

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Lowercase Alphabets

a b c d e f g h i j k l m n o p q r s t u v w x y z



[Click Here For Solution](#)

[Back to Top ↑](#)

22. Write a program to print out ASCII chart on a single screen (all 256 characters from 0 to 255) in a tabular form. The ASCII code should be followed by the corresponding character in C language

ASCII

[Click Here For Solution](#)

[Back to Top ↑](#)

23. Program To Print Triangular Number Series Till n

Triangular Number Example: 15 is Triangular Number because it can be obtained by $1+2+3+4+5+6$ i.e. $1+2+3+4+5+6=15$

List of Triangular Numbers: 1, 3, 6, 10, 15, 21, 28, 36, 45, 55, 66, 78, 91, 105, 120, 136, 153, 171, 190, 210, 231, 253, 276, 300, 325, 351, 378, 406, 435, 465, 496, 528, 561, 595, 630, 666,

[Click Here For Solution](#)

[Back to Top ↑](#)

24. C Program to Check Whether a Number is Triangular or Not

Triangular Number Example: 15 is Triangular Number because it can be obtained by $1+2+3+4+5+6$ i.e. $1+2+3+4+5+6=15$

List of Triangular Numbers: 1, 3, 6, 10, 15, 21, 28, 36, 45, 55, 66, 78, 91, 105, 120, 136, 153, 171, 190, 210, 231, 253, 276, 300, 325, 351, 378, 406, 435, 465, 496, 528, 561, 595, 630, 666,

[Click Here For Solution](#)

[Back to Top ↑](#)

25. Write a C program that read 5 numbers and sum of all odd values between them.

Test Data :

```
Input the first number: 11
Input the second number: 17
Input the third number: 13
Input the fourth number: 12
Input the fifth number: 5
```



Expected Output:

```
Sum of all odd values: 46
```



[Click Here For Solution](#)

[Back to Top ↑](#)

Pattern

1. Write A Program To Print Following Outputs In C Language

```
* * * * *
* * * * *
* * * * *
* * * * *
* * * * *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

2. Write A Program To Print Following Outputs In C Language

```
*
* *
* * *
* * * *
* * * * *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

3. Write A Program To Print Following Outputs In C Language

```
* * * * *
* * * *
* * *
```



```
* *  
*
```

[Click Here For Solution](#)

[Back to Top ↑](#)

4. Write A Program To Print Following Outputs In C Language

```
* * * * *  
 * * * *  
  * * *  
   * *  
    *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

5. Write A Program To Print Following Outputs In C Language

```
      *  
     * *  
    * * *  
   * * * *  
  * * * * *  
 * * * * * *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

6. Write A Program To Print Following Outputs In C Language

```
      *  
     * * *  
    * * * * *  
   * * * * * *  
  * * * * * * *  
 * * * * * * * *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

7. Write A Program To Print Following Outputs In C Language

```
* * * * * * * *  
 * * * * * * *  
  * * * * *  
   * * *  
    *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

8. Write A Program To Print Following Outputs In C Language

```
      *
    * * *
  * * * * *
* * * * * * *
* * * * * * * *
* * * * * * *
  * * * * *
    * * *
      *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

9. Write A Program To Print Following Outputs In C Language

```
1
1 2
1 2 3
1 2 3 4
```



[Click Here For Solution](#)

[Back to Top ↑](#)

10. Write A Program To Print Following Outputs In C Language

```
1
2 2
3 3 3
4 4 4 4
```



[Click Here For Solution](#)

[Back to Top ↑](#)

11. Write A Program To Print Following Outputs In C Language

```
      A
    B B B
  C C C C C
D D D D D D D
```



[Click Here For Solution](#)

[Back to Top ↑](#)

12. Write A Program To Print Following Outputs In C Language


```
A B C D E E D C B A
A B C D       D C B A
A B C         C B A
A B           B A
A             A
```



[Click Here For Solution](#)

[Back to Top ↑](#)

13. Write A Program To Print Following Outputs In C Language

```
1
1 1
1 2 1
1 2 3 1
1 2 3 4 1
1 2 3 4 5 1
```



[Click Here For Solution](#)

[Back to Top ↑](#)

14. Write A Program To Print Following Outputs In C Language

```
x
x x x
x x x x x
x x x x x x x
x x x x x x x x
```



[Click Here For Solution](#)

[Back to Top ↑](#)

15. Write A Program To Print Following Outputs In C Language

```
* * * * *
*       *
*       *
* * * * *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

16. Write A Program To Print Following Outputs In C Language

```
1
2 3
4 5 6
```



```
7 8 9 10
11 12 13 15
```

[Click Here For Solution](#)

[Back to Top ↑](#)

17. Write A Program To Print Following Outputs In C Language

```
1
0 1
1 0 1
0 1 0 1
1 0 1 0 1
```



[Click Here For Solution](#)

[Back to Top ↑](#)

18. Write A Program To Print Following Outputs In C Language

```
*           *
* *         * *
* * *       * * *
* * * * *   * * * *
* * * * *   * * * *
* * *       * * *
* *         * *
*           *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

19. Write A Program To Print Following Outputs In C Language

[Click Here For Solution](#)

[Back to Top ↑](#)

20. Write A Program To Print Following Outputs In C Language

```
    * * * * *
  *       *
 *       *
*       *
* * * * *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

21. Write A Program To Print Following Outputs In C Language

```
1
2 2
3 3 3
4 4 4 4
5 5 5 5 5
```



[Click Here For Solution](#)

[Back to Top ↑](#)

22. Write A Program To Print Following Outputs In C Language

```
1
2 1 2
3 2 1 2 3
4 3 2 1 2 3 4
5 4 3 2 1 2 3 4 5
```



[Click Here For Solution](#)

[Back to Top ↑](#)

23. Write A Program To Print Following Outputs In C Language

```
*
* *
* * *
* * * *
* * * * *
* * * * *
* * * *
* * *
* *
*
```



[Click Here For Solution](#)

[Back to Top ↑](#)

24. Write A Program To Print Following Outputs In C Language

```
      *
     * *
    * * *
   * * * *
  * * * * *
 * * * * *
* * * * *
 * * * *
  * * *
   * *
    *
     *
```



[Click Here For Solution](#)

[Back to Top ↑](#)

25. Write A Program To Print Following Outputs In C Language

```
* * * * *
* * * * *
* * * * *
* * *
*
* * *
* * * * *
* * * * *
* * * * *
* * * * *
```

[Click Here For Solution](#)

[Back to Top ↑](#)

26. Write A Program To Print Following Outputs In C Language

```
* * * * *
  * * * * *
    * * * * *
      * * *
        *
          * * *
            * * * * *
              * * * * *
                * * * * *
```

[Click Here For Solution](#)

[Back to Top ↑](#)

Releases

No releases published
[Create a new release](#)

Packages


No packages published
[Publish your first package](#)

Languages



Suggested Workflows


Based on your tech stack



Actions Importer

Automatically convert CI/CD files to YAML for GitHub Actions.


Set up



MSBuild based projects

Build a MSBuild based project.

Configure



SLSA Generic generator

Generate SLSA3 provenance for your existing release workflows

Configure

[More workflows](#)

Dismiss suggestions