OS LAB MANUAL (CS23431)

Roll No:230701258

EX.NO:10(B)

FIRST FIT

Aim: To write a C program for implementation memory allocation methods for fixed partition using first fit.

Program:

```
#include <stdio.h> #define
MAX 25
int main() { int frag[MAX], b[MAX],
f[MAX], i, j, nb, nf; static int bf[MAX],
ff[MAX]; printf("Enter the number of
blocks: "); scanf("%d", &nb);
printf("Enter the number of files: ");
scanf("%d", &nf); for (i = 0; i < nb; i++)
{ printf("Block %d: ", i + 1);
scanf("%d", &b[i]); bf[i] = 0;
  }
  for (i = 0; i < nf; i++)
{ printf("File %d: ", i + 1);
scanf("%d", &f[i]);
  for (i = 0; i < nf; i++) { for (j = 0; i < nf; i++) }
= 0; j < nb; j++) { if (bf[j] == }
0 \&\& b[j] >= f[i]) {
         ff[i] = j;
frag[i] = b[j] - f[i];
         bf[j] = 1;
break;
      }
```

```
}
 }
 printf("\nFile_no\tFile_size\tBlock_no\tBlock_size\tFragment");
 for (i = 0; i < nf; i++)
{ printf("\n%d\t%d\t", i + 1, f[i]); if
(ff[i] != 0 | | (ff[i] == 0 \&\& b[0] >= f[i]))
{printf("%d\t\t\%d\t\t\%d", ff[i] + 1, b[ff[i]],}
frag[i]);
   } else { printf("Not
Allocated\t-\t-\t-);
  }
 }
 return 0;
}
Input:
Enter the number of blocks: 4
Enter the number of files: 4
Block 1: 2
Block 2: 6
Block 3: 4
Block 4: 5
File 1: 9
File 2: 5
File 3: 5
File 4: 4
```

Output

${ t File_no}$	File_size	Block_no	Block_size	Fragment
1	9	Not Allocated	_	_
2	5	2	6	1
3	5	4	5	0
4	4	3	4	0