



CS 30700
PROJECT DESIGN DOCUMENT

Admiral Radar

Utkarsh Agarwal

Ramsey Ali

Sam Buck

Panagiotis Kostouros

Delun Shi

2 February, 2018

Contents

1	Introduction	2
1.1	Mission Statement	2
1.2	Project Description	2
2	Game Rules	3
2.1	Original Rules	3
2.2	Adapted Rules	9
3	Design Outline	10
3.1	Design Pattern	10
3.2	Structural Model	10
3.3	Component Interactions	11
4	Design Issues	12
4.1	Functional Issues	12
4.2	Non-Functional Issues	13
5	Design Details	14
5.1	Class Descriptions	14
5.2	Class Interactions	16
5.3	Sequential Diagrams	17
5.4	Activity Sequences	17
5.5	Program States	18
5.6	Database Design	19
5.7	Interface Design	20

1 Introduction

1.1 Mission Statement

Board games are a lost art, and part of a treasured history. By adapting the popular board game *Captain Sonar*, we attempt to digitize the game and open it to a wider audience through online play, more intuitive gameplay, and additional functionalities not possible on a physical board. *Admiral Radar: Space Expedition* allows players to enjoy the gameplay mechanics originally found in *Captain Sonar* but without the need for players to be in the same geographic location. Some game features are simply not even possible in physical board games such as team-only communication, persistent player statistics, or single player gameplay, demonstrating the need for board games such as *Captain Sonar* to be brought into the digital space.

1.2 Project Description

Admiral Radar: Space Expedition allows players to enjoy the gameplay mechanics originally found in *Captain Sonar* but without the need for players to be in the same geographic location. *Captain Sonar* along with many other board games don't have as much of a chance to shine in the spotlight due its eclipsing in popularity from video games. A game like this has huge entertainment potential if properly ported to a more complex, convenient and popular platform, specifically on the computer. The enhanced complexity of the computer platform can allow for this game's shortcomings to be eliminated - and that is what this project aims to do.

There has been significant prior work in this area in the form of efforts to computerize various board games. The most familiar example of such work may be the video and computer game versions of the board game Monopoly. The experience provided by such app is generally high-quality, however is limited to that specific game. More complicated, less universally known games are less frequently converted into applications. We intend to develop our game on a more user friendly GUI and implement all the benefits associated with digitization.

Captain Sonar is a board game released in 2016 that provides an engaging mechanic for team building and cooperative play. In the game, players form teams of up to four and assume various roles onboard a submarine. The captain steers the submarine, the radio officer determines the location of an enemy submarine, the first mate ensures that sensors and weapons will be ready to be used, and the engineer fixes broken systems. Each movement of the submarine is accompanied by actions from each team member, which together comprise one game turn. Turns for each team may occur at different rates - in other words, each team's turn is not dependent on the others'. Such a game structure, called a "real time" board game, is uniquely fun and engaging while an exceptional promoter for teamwork. Thus, our project will use the mechanics and rules from *Captain Sonar* while using a space-based backstory and visual theme.

2 Game Rules

2.1 Original Rules

The game of *Admiral Radar* is based on the rules of the board game *Captain Sonar*, which are described here. The game is normally played by two teams of four people, each of which represent the crew on a submarine during wartime. The overall objective of the game is to sink the opposing submarine by removing all four of its health points. Each member of the crew has a unique role: Captain, First Officer, Radio Officer, and Engineer. Each of these roles performs different functions, all of which are necessary for the submarine to successfully navigate, find, and damage the opposing team's submarine. In the physical game, each role has a different board design in order to accomplish these tasks. The teams are separated by a large physical barrier to prevent one team from seeing the other team's boards.

The game is played in turns, with each turn consisting of a series of moves by the Captain, First Officer, and Engineer. Most significantly, the turns of the two submarines are not necessarily coordinated. If the game is played in "turn-based" mode, one submarine completes its turn and then the other submarine does the same, trading back and forth until the end of the game. If the game is played in "real time" mode, however, one submarine may begin their next turn as soon as it completes the previous one: the turns of the teams are not synchronized. In both cases, the actions of the Radio Operator are linked to the actions performed by both submarines, although their play will inform the choices made by their team's Captain during their turn.

The Captain's game board has a dot-grid diagram of the game map. This grid has certain points blocked off, representing islands. At the beginning of the game, the Captains will select a starting point for their submarine and, using an erasable marker, note it on their board. Every turn is begun by the Captain commanding a direction: North, South, East, or West, for the submarine to travel. They must vocally announce this for all players to hear. After the First and Engineering Officers have completed their tasks, the Captain will mark the direction taken on their board by drawing a line to the dot in the direction on the map which they selected, indicating that the submarine has moved to this new position on the map. They may not direct the submarine in any direction that would contact an island or the boundaries of the map. Additionally, they may not move the submarine in such a way that it would cross its previous path.



Figure 1: Game Map

After the Captain has ordered a direction, the First and Engineering Officers complete their responsibilities. The board of the First Officer has a series of six gauges representing the ship's six special systems: Torpedoes, Mines, Drones, Sonar, Silence, and Scenario. Every turn, they distribute one unit of power to a system of their choice, and, once complete, announce "done" to the Captain. If they have completely filled a gauge, they must also vocally announce that the system corresponding to that gauge is ready.




Figure 2: First Officer's Game Board

At the same time, the Engineering Officer is performing their own task. With every move, they must select a certain ship system to disable for maintenance. Which components can be disabled are dependent on the direction that the Captain has announced. Depending on the Engineer's choice, a component of the sensory, tactical, propulsion, or axillary systems will be disabled, making those systems unavailable for the Captain's use. If, however, the Engineer disables all members of a specific set (called a circuit) of components, those components will be repaired, and the systems they belong to will again be available for the Captain's use. Some components cannot be repaired in this way, as they are not part of one of the circuits on the Engineer's board. Of special significance are the reactor components. While the Engineer choosing to take them offline does not disable a submarine system, if all reactor components are disabled, the submarine loses one point of health and the Engineer re-enables all systems. Because the reactor components are not part of any circuit, they cannot be repaired except by the Surfacing mechanic (discussed later). After marking a component as disabled, or, if a circuit is complete, marking the component enabled again, the Engineer, like the First Officer, announces "done." Once both the Engineer and First Officer have announced that they are done, the turn is complete.




Figure 3: Engineering Officer’s Game Board

The final role on the submarine is that of the Radio Officer, whose job is to determine the location of the enemy submarine. Like the Captain, their board has a dot-grid map of the play area; however their job is to draw the path of the opposing submarine, which they learn by listening to the opposing Captain’s directional commands. While this means that they know the path of the enemy submarine, they do not know the starting location, which they must determine from available clues. As the game goes on and the submarine’s path gets longer, fewer and fewer coordinates become viable guesses for the actual starting location of the enemy submarine. The Radio Officer draws the path of their opponent’s vessel on a transparent plastic sheet, which they may move overtop the map to determine its present location. When the Radio Officer has a good guess of where the enemy is, they notify their Captain, who can use that information to attack their opponent.




Figure 4: Radio Officer’s Station

In addition to movement, the Captain has, at their disposal, seven special actions which they may order the submarine to perform. The first six actions must be charged by the First Officer before being available for the Captain’s use, while the seventh, ”surfacing,” may be ordered at any time. Firing a torpedo is one of the two tactical actions of the game. When the Captain fires a Torpedo, they select a grid location up to four cardinal steps from the location of their submarine and report it to the opposing Captain. The opposing Captain compares the announced location to the location of their submarine: if the announced coordinate is the same as the one which the submarine currently inhabits, the submarine loses two health points. If the selected coordinate is adjacent to the submarine in any direction, it loses one health point. Otherwise, the enemy submarine loses no health. The opposing Captain will announce how much health their submarine has lost from the Torpedo. The other tactical system, Mines, work slightly differently. At any point, the Captain announces that they are laying a Mine, and indicates to a Radio Officer a coordinate one unit away from the current location of their submarine in any direction, which the Radio Officer records on their map (not their overlay). At any point after, the Captain may then remotely detonate that Mine, which will cause damage in the same pattern as if a Torpedo was targeted at the location of the Mine.




Figure 5: Torpedo Firing Diagram

The next two systems are the sensory systems: Drones and Sonar. Both of these provide information about the location of the enemy submarine to the Radio Officer. When the Drone is used, the Captain selects one of the major grid squares (called sectors) on the map to test for the presence of the enemy submarine, announcing the number of that sector to the opposing Captain. The opposing Captain then answers, truthfully, if their submarine is located in that sector or not. The Radio Officer then records this information on their map, as it allows them to eliminate a number of potential locations at which the enemy submarine could possibly be located. The Sonar action provides a similar general function, although the exact information which the enemy must provide is different. If a ship uses its Sonar, its opponent must announce two pieces of information about their location from three possible choices: the row in which they are located in, the column they occupy, or the number of their current sector. Although two pieces of information are provided, only one of these is truthful: the other is deliberately false. Like when executing the Drone action, the Radio Officer will mark down the information they have gained about the enemy's current position on their board.

The fifth action which the submarine may perform is to Silence itself. If the Captain orders the submarine to Silence, it instantly jumps up to four coordinates away, in a straight line. No information, besides that the Silence action was performed, is reported to the opposing team. Like a standard movement, a Silenced movement may not intersect with an island, map edge, or the submarine's previous path. Unlike the other four discussed actions, performing a Silence does not pause the game (which is done when a Torpedo, Mine, Drone, or Sonar action is used) until it has been completed: both submarines continue taking their turns. The Scenario action, the final one available to the submarine, does nothing in the basic version of the game: it can perform special actions depending on specialized rules for alternate game variants, which are beyond the scope of this description.




Figure 6: Silenced Movement

Finally, at any time the Captain may order the submarine to Surface. They must also inform the enemy team which sector the submarine occupies. Once a Surface is performed, the Engineer re-enables all submarine systems which have been disabled. The Captain may clear the previous route from their board, allowing the submarine more room to maneuver, as it does not have to avoid the path it followed prior to surfacing. If the game is being played in turn-based mode, the enemy submarine gets three turns. If the game is being played in real-time mode, the enemy continues to perform actions while the surfaced submarine performs a task designed to waste time (tracing the outline of certain shapes on the Engineer's player board). During the time the submarine is surfaced, its Radio Operator may not record the enemy submarine's movements: they must remember and record the movements once the submarine has submerged again. At this time gameplay resumes as normal.

As soon as one submarine has lost four units of health, either from reactor damage or enemy weapons, the submarine is sunk and loses the game. The surviving submarine crew is declared the winning team.

2.2 Adapted Rules

While *Admiral Radar* will have nearly the same gameplay as *Captain Sonar*, two important sets of changes must be made in order to fully make the rules we've described applicable. First, we'll be retheming the game around spacecraft in orbit, rather than submarines. On account of this change, certain mechanisms have been renamed:

- Torpedos are now Missiles
- Sonar is now Radar
- Silencing is now Boosting
- Surfacing is now going on a Spacewalk
- Islands are now Asteroids
- The atomic reactors are now solar panels.

In addition, Admiral Radar will add an additional gameplay element: more than two Submarines. To support this, the Radio Officer will keep track of multiple tracks, and the Sonar and Drone mechanisms will report information from all enemy vessels simultaneously.

3 Design Outline

3.1 Design Pattern

We decided to implement a client-server model for our project. Since our project is a game that allows many users to play together and requires coordination between team members, we thought that this design pattern was appropriate. Each instance of the server handles a single game of Admiral Radar and connects to multiple clients, one for each user. Also, when a player logs in to their account the server will access a database for authentication.

1. Desktop Client
 - (a) Each player will have their own client, with changes in GUI based on player role.
 - (b) Clients send player actions to, and receive information about the states of the game, from the Server.
 - (c) Clients update GUI based on game data received from the server.
2. Game Server
 - (a) Performs the majority of calculations required for the game.
 - (b) Accepts requests for information and commands from the clients, and performs the appropriate action.
 - (c) Queries Login Database for user authentication info.
 - (d) Stores all information related to game state. (Position and Health of ships, Location of Mines etc.)
3. Login Database
 - (a) Contain User Data for each account. Data includes Username, Password, Avatar, Past Game Statistics.
 - (b) Provide authentication for user connections.

3.2 Structural Model

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need

for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.3 Component Interactions

The user client forms a many-to-one relationship to the game server. In our project, the server handles most of the calculations and stores the data for the actual game. The clients are relatively thin, handling graphical displays of game data, playing audio, and sending commands issued by the player to the server. The server executes these commands, such as moving a ship or firing a torpedo, and then updates the game variables, sending updated info to the appropriate clients based on game rules. In the case of actions that require multiple team member inputs, such as issuing a move command, the server will wait for all appropriate commands from every necessary client before executing the command. Also, the client will wait for the server to notify them that other team members have finished before allowing further actions.



Figure 7: Insert Diagram Here

4 Design Issues

4.1 Functional Issues

Functional Issues

Issue: *How will users communicate with the other users on their team?*

Issue: *How will we convert a Java Swing based desktop application into a web based application?*

Issue: *How will multiple games run simultaneously on the server?*

Issue: *How will realtime gameplay be handled?*

Issue: *How will the AI interact with the team members?*

Issue: *How will the actions required of the different players be presented graphically?*

4.2 Non-Functional Issues

Non-Functional Issues

Issue: *How will the database be secured?*

Issue: *How will a team play with fewer than four members?*

Issue: *How will users be delayed in gameplay during a spacewalking action? (equivalent to a "surfacing" in original game)*

Issue: *How will the clients handle a server disconnection?*

Issue: *How will the server handle a database disconnection?*

Issue: *On what hardware will the server be implemented?*

5 Design Details

5.1 Class Descriptions




Figure 8: Class Diagram

Figure 8 depicts a representation of how our classes will be structured when we implement our design. This is a mock design and can undergo changes based on requirements or limitations encountered in the process of our implementation. The major classes included in our code would resemble the following descriptions:

1. Client

- Each player in a game is imagined to be a separate client and interacts with the server independently.

- Contains data teamNo (which team the player belongs to) and clientType (what role does the player play in the team).
- Can send commands to the server for a change in the position or system state of the spaceship.
- Can send messages to the server to send it to his other team members.
- Can get messages of fellow team members from the server.
- Is accessed by the player through the GUI.

2. GUIController

- Is the visual representation for the Client class.
- Consists of four sub-classes: Captain, Engineer, First Officer, Radio Officer.
- Can display Login window on the start of the game.
- Can ask to start game.
- Can ask to select role.
- Can display recursively updated interface for the selected role.

3. Server

- Main controller where all the actions would take place.
- Can get commands from the clients.
- Can update current Maps object based on the command.
- Can update current Spaceships object based on the command.
- Can get messages from a player and send it to all his teammates.
- Can access and update database of user accounts.

4. Spaceships

- Represents unique spaceships of each team.
- Contains data shipPosition (where is the ship on the map), shipPath (string of letters based on the path the ship has taken), shipHealth (what is the health of the ship, i.e. from 1 to 4), shipSystems (object of class ShipSystems).
- Can initialize object when the game is started.
- Can get the next direction from the player based on the command.
- Can update the path of the ship based on recent movement.
- Can return all the data of the ship to the client.

5. Maps

- Represents all the types of maps the players can play on.

- Contains data asteroidPosition (array of positions where all the asteroids are present) and minesPosition (where are the mines been placed).
- Can calculate crash based on the movement.
- Can calculate all the positions mine blast would affect.
- Can calculate all the positions missile blast would affect.

6. ShipSystems

- Represents all the systems in a spaceship.
- Contains data missile (missile system), mine (mine system), sonar (sonar system), drone (drone system), silence (silence system).
- Can return the status of each system.
- Can update the status of each system.

7. Database

- Used to store all the user account data.
- Contains data userId (which player is playing), password (password to login), numGames (no of games played by the user), wins (no. of games won by the user) and avatar (picture chosen by user).
- Can initialize a new user.
- Can check the password entered for login.
- Can update password after login.
- Can see statistics of player.
- Can update new avatar from a list of choices.

5.2 Class Interactions

From the above Class Diagram, we can say that the classes are related to each other in the following ways:

- Client is related to GUIController in a one to one cardinality. This means that each client will have only one GUI representing it and it would be based on the clientType. GUI displays the data present in client in a graphical manner.
- Client is related to Server in a 2..* to 1 cardinality. This means that there is only one sever but the server can have clients from 2 to n. Client interacts with Server by sending commands, messages, getting ship object etc.
- Client is related to Spaceships in a one to one cardinality. This means that each client can have only one ship as its object. The client gets the ship object from Server and can only get the ship statistics but cannot manipulate the ship data directly.

- Server is related to Spaceships in a 1 to 2..* cardinality. This means that there is only one server but the server can have spaceships from 2 to n based on the number of teams playing. Server can manipulate all the data in the Spaceships class and sends the Spaceship object back to the client after every update.
- Spaceships is related to ShipSystems in a one to one cardinality. This means that each spaceship will have only one set of systems. Spaceships can manipulate all the data in ShipSystems based on commands received.
- Server is related to Maps in a 1 to 2..* cardinality. This means that there can be multiple maps that the user can choose to play on and based on this choice the map will be initialized. Server can manipulate the data in Maps class and send the updated map to players.
- Server is related to Database in a one to one cardinality. This means that there is only one server and one database which we will be dealing with in our game. Server can access and update the data in Database based on the user's choice.

5.3 Sequential Diagrams

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

5.4 Activity Sequences

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information?

Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

5.5 Program States

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

5.6 Database Design




Figure 9: Gustavo, Our King

5.7 Interface Design




Figure 10: GUI Model

Admiral Radar's desktop client software will provide the user with a GUI for interactive gameplay. The GUI will connect to the backend classes of the client software using a Model-View-Controller design paradigm, allowing the graphical view and interface to be developed in a modular fashion. The unique challenge in developing the interface will be that there are multiple separate interfaces which must be included just during the game: one each for each game role. Additionally, a separate layout must be developed for the program in order to allow the user to connect to the server and begin a game. Finally, several special interfaces are required for two infrequent-yet-important game situations: responding to a radar pulse and going on a spacewalk.

The interface is planned to be implemented in Java's Swing library, as shown in figure 10. The reason for this choice was primarily due to its familiarity to the members of the team and its simple polymorphic design. The application will display the user one central window capable of taking on alternate arrangements of a core set of display windows. The five primary arrangements, which we refer to as interface modes, correspond to the Captain, First Officer, Engineer, and Radio Officer roles, in addition to a connection settings screen. Contained within these windows should be, in different configurations, sub-panels for the map with the vessel path, map with the speculated enemy path, game announcements, dials representing system status, submarine health, network connection and chat, engineering component status. Each of these panels can be displayed in multiple sizes and in multiple locations on the screen, depending on the interface mode required.




Figure 11: Sample Component Panels

Additional overlay windows will provide the functionality required for Radar and Space-walk interactions. The radar response window will appear overtop the rest of the GUI of the Captain's client interface when triggered. Other functions of the Captain are disabled, as are the functions of the other members of their team.




Figure 12: Radar Response Overlay

When the Captain initiates a spacewalk, each player's standard activities are paused. In a random order, each player must then trace a shape displayed in a pop-up window with their mouse and then click the "next" button, which enables the tracing interface for the next player. After four successful traces around the shapes, the Spacewalk concludes, and the players resume their mission with systems repaired.




Figure 13: Spacewalk Activity