



Apache Tomcat

## **APACHE TOMCAT**

- The Apache Tomcat software is an open-source implementation of the Jakarta Servlet, Jakarta Server Pages, Jakarta Expression Language, Jakarta WebSocket, Jakarta Annotations and Jakarta Authentication specifications.
- Tomcat is a Server for **hosting Java Web Applications**.
- It was developed by the **Apache Software Foundation (ASF)**.
- Tomcat software powers numerous large-scale, mission-critical web applications across a diverse range of industries and organizations.
- Apache Tomcat includes tools for **configuration and management**.
- Tomcat **Supports Java Technologies**:
  - Java Servlet
  - Java Server Pages (JSP)
  - Java Expression Language (EL)
  - Java WebSocket.

### **APACHE HTTPD VS TOMCAT:**

- There are many ways to compare Tomcat vs. the Apache HTTP Server.
- Apache web server's primary purpose is to simply serve up **Static content** (HTML, images, audio and text).
- Tomcat provides **Dynamic content** by employing Java-based logic.

### **WEB-SERVER VS APPLICATION-SERVER:**

- By strict definition, a web server is a common subset of an application server.
- Web server and Application server are kinds of the server to deliver **sites** and **application operations** performed between users and back-end business applications of the organization.

## **WEBSERVER**

## **APPLICATION SERVER**

1. It handles the HTTP protocol. Protocol independent.	It handles any number of protocols (http, tcp-ip, etc.) Protocol dependent.
2. It is mostly designed to serve static content.	It is used to run dynamic code or business logic.
3. Serves web-based applications.	Web based applications & Enterprise applications.
4. It provides only web container (servlet + jsp).	Web container + EJB container + JMS container.
5. Apache, Nginx, caddy, IIS, lighttpd..etc	Tomcat, Weblogic, Websphere, Glassfish, JBOSS..etc.

## **MAIN CONFIGURATION FILES (PRE-REQUISITES)**

<b>Package</b>	: tomcat
<b>Configuration Files</b>	: /tomcat/bin/conf
<b>Auxiliary Directory</b>	: tomcat
<b>Log Files Location</b>	: /tomcat/logs
<b>Service / Daemon</b>	: tomcat10
<b>Ports</b>	: tomcat-8080

## **TOMCAT INSTALLATION**



Apache Tomcat

## **TOMCAT INSTALLATION ON CENTOS / RHEL 9**

### **STEP 1: Setting up Hostname**

```
#hostname Tomcat  
#vim /etc/hostname  
Tomcat  
#bash  
#hostname
```

### **STEP 2: Security-Enhanced Linux: SELinux being disabled or in permissive mode.**

```
#sed -i 's/SELINUX=.*/SELINUX=disabled/g' /etc/selinux/config  
#setenforce 0
```

### **STEP 3: Update Current OS**

```
#yum update -y
```

### **STEP 4: Installing Java-11 Package**

```
#yum install java-11 -y  
#java --version
```

### **STEP 5: Download Binary file**

```
#cd /opt  
#wget https://dldn.apache.org/tomcat/tomcat-10/v10.1.9/bin/apache-tomcat-10.1.9.tar.gz  
#tar -xzf apache-tomcat-10.1.9.tar.gz  
#ls
```

### **Rename a Directory**

```
#mv apache-tomcat-10.1.9 tomcat  
#ls
```

### **STEP5: Creating a soft link for scripts**

```
#echo $PATH  
# ln -s /opt/tomcat/bin/startup.sh /usr/local/sbin/tomcatup  
# ln -s /opt/tomcat/bin/shutdown.sh /usr/local/sbin/tomcatdown  
#tomcatup
```

### **To check Port number & tomcat service**

```
# netstat -pantl  
# ps -ef | grep -i tomcat
```

### **Tomcat Testing:**

Go To Web Browser

**http://IP-Address:8080**



## Enable Host/Manager for Remote IP:

- By default, Tomcat manager and host-manager, pages are enabled to access from localhost only.
- To access the web interface from anywhere, comment or remove these lines from below two files:

```
# vim /opt/tomcat/webapps/host-manager/META-INF/context.xml
# vim /opt/tomcat/webapps/manager/META-INF/context.xml

<!--
  <Valve className="org.apache.catalina.valves.RemoteAddrValve"
    allow="127.d+.d+.d+|::1|0:0:0:0:0:0:1" />
-->
```

## Configure Tomcat Web Manager Interface:

- Create a user to access the Tomcat's web management interface.  
We have a configuration file in Tomcat with name "tomcat-users.xml".

```
#vim /opt/tomcat/bin/conf/ tomcat-users.xml

<role rolename="manager-gui"/>
<role rolename="manager-script"/>
<role rolename="manager-jmx"/>
<role rolename="manager-status"/>

<user username="admin" password="admin123" roles="manager-gui,
manager-script, manager-jmx, manager-status"/>

<user username="tomcat" password="tomcat123" roles="manager-gui"/>

#tomcatdown

#tomcatup
```

### Testing Tomcat user:

Go to browser type: `http://Ip-Address:portnumber`

Enter Username & Password

**NOTE:** It will open manger Application

## **WEB APPLICATION MANAGER:**

- Tomcat Manager App is a web application that is packaged with the Tomcat server and provides us with the basic functionality we need to manage our deployed web applications.

<b>Message</b>	: Displays success and failure messages.
<b>Manager</b>	: General manager operations like list and help.
<b>Applications</b>	: List of web applications and commands.
<b>Deploy</b>	: Deploying web applications.
<b>Diagnostics</b>	: Identifying potential problems.
<b>Server Information</b>	: Information about the Tomcat server.

## **APPLICATIONS SECTION:**

- The Applications section lists information about all the installed web applications and provides links for managing them.

<b>Path</b>	: The web application context path.
<b>Display Name</b>	: Display name for the web application if it has one configured in its "web.xml".
<b>Running</b>	: Web application is running and available (true), or not running and unavailable (false).
<b>Sessions</b>	: The number of active sessions for remote users of this web application.
<b>Commands</b>	: start / stop / reload / undeploy