

## Toeplitz Matrix

A matrix is *Toeplitz* if every diagonal from top-left to bottom-right has the same element.

Now given an  $M \times N$  matrix, return `True` if and only if the matrix is *Toeplitz*.

### Example 1:

**Input:** `matrix = [[1,2,3,4],[5,1,2,3],[9,5,1,2]]`

**Output:** `True`

**Explanation:**

1234

5123

9512

In the above grid, the diagonals are "[9]", "[5, 5]", "[1, 1, 1]", "[2, 2, 2]", "[3, 3]", "[4]", and in each diagonal all elements are the same, so the answer is `True`.

### Example 2:

**Input:** `matrix = [[1,2],[2,2]]`

**Output:** `False`

**Explanation:**

The diagonal "[1, 2]" has different elements.

### Note:

1. `matrix` will be a 2D array of integers.
2. `matrix` will have a number of rows and columns in range `[1, 20]`.
3. `matrix[i][j]` will be integers in range `[0, 99]`.

## Solution 1

```
class Solution {  
    public boolean isToeplitzMatrix(int[][] matrix) {  
        for (int i = 0; i < matrix.length - 1; i++) {  
            for (int j = 0; j < matrix[i].length - 1; j++) {  
                if (matrix[i][j] != matrix[i + 1][j + 1]) return false;  
            }  
        }  
        return true;  
    }  
}
```

written by [shawngao](#) original link [here](#)

## Solution 2

```
def isToeplitzMatrix(self, m):  
    for i in range(len(m) - 1):  
        for j in range(len(m[0]) - 1):  
            if m[i][j] != m[i + 1][j + 1]:  
                return False  
    return True
```

Make it 1 line:

```
def isToeplitzMatrix(self, m):  
    return all(m[i][j] == m[i+1][j+1] for i in range(len(m)-1) for j in range(len(m[0])-1))
```

written by [lee215](#) original link [here](#)

## Solution 3

### C++

```
class Solution {
public:
    bool isToeplitzMatrix(vector<vector<int>>& matrix) {
        int m = matrix.size(), n = matrix[0].size();
        for (int i = 1; i < m; i++)
            for (int j = 1; j < n; j++)
                if (matrix[i][j] != matrix[i - 1][j - 1])
                    return false;
        return true;
    }
};
```

### Java

```
class Solution {
    public boolean isToeplitzMatrix(int[][] matrix) {
        int m = matrix.length, n = matrix[0].length;
        for (int i = 1; i < m; i++)
            for (int j = 1; j < n; j++)
                if (matrix[i][j] != matrix[i - 1][j - 1])
                    return false;
        return true;
    }
}
```

written by [alexander](#) original link [here](#)

From [LeetCoder](#).