

# Theory of Computation

Mohammed Fahad

July 4, 2025

## 1 Why TOC?

- It helps us to understand the limits of what computer can do and how to model computation using mathematics

**Q1:** What is the motivation for studying theory behind computation? OR Needs of TOC?

**A:**

- Understanding the capability of a computer
- To find steps to solve a problem
- Increase efficiency while doing a task

**Q2:** List the problems that cannot be solved by a computer.

**A:**

1. Ethical problems. Eg: Self-driving car deciding to save the driver/passenger or the pedestrian
2. Generating truly original art of emotion

## Automaton (pl.: Automata)

A simplified mathematical model of a machine (digital computer). It

- Accepts input
- Produces output
- May have some temporary storage
- can make decisions in transforming the input into the output

**Q1:** Why study computability and theory?

**A:**

- It helps to answer: "Can this be solved by a computer?"


- Understand the principles behind algorithms and programs
- Explore the boundary between what is possible and impossible in computing

### 1.1 Need for mathematical modelling


- Computers work on rules & logic
- We can represent computers using abstract models
- These models help us study complex behaviour in a simplified way

## 2 Introduction to finite automata

1. ON/OFF Switch:



2. Coffee vending machine (Inputs: Rs. 5 & Rs. 10 — Rs. 15 for one coffee):



## 3 Formal Language

A formal language is an abstraction of the general characteristics of programming languages.

A formal language consists of a set of symbols and some rules of formation by which these symbols can be combined into entities called sentences.

## 4 Central concepts of automata theory

### 4.1 Alphabets

It is a finite, non-empty set of symbols. Alphabets are represented by ' $\Sigma$ '.

Binary alphabets can be represented as:

$$\Sigma = \{0, 1\}$$

Set of lowercase letters:

$$\Sigma = \{a, b, c, \dots, z\}$$

## 4.2 Strings

A string is a finite sequence of symbols chosen from some alphabets.

Eg: Let  $\Sigma = \{0, 1\}$  be the alphabet.

Examples of strings in  $\Sigma$ :

$$0, 1, 00, 01, 10, 11, 000, 010, \dots$$

### 4.2.1 Length of a string

The number of occurrences of symbols in the string.

Length one: 0, 1

Length two: 00, 01, 10, 11

The std. notation for length of a string  $w$  is  $\|w\|$

### 4.2.2 Empty string ( $\varepsilon$ )

A string with zero occurrences OR string with length '0'

### 4.2.3 $\Sigma^*$

Set of all strings over an alphabet

### 4.2.4 $\Sigma^+$

Set of all strings excluding empty string over an alphabet

$$\Sigma^* = \Sigma^0 \cup \Sigma^+$$

## 4.3 Powers of an alphabet

If  $\Sigma$  is an alphabet,  $\Sigma^k$  is the set of strings with length 'k', each of whose symbols is in ' $\Sigma$ '.

$$\Sigma^3 = \{000, 001, 010, 011, 100, 101, 110, 111\}$$

$$\Sigma^0 = \{\varepsilon\}$$

NOTE:  $\Sigma \neq \Sigma^1$ , Their definitions differentiates them.

## 5 Concatenation of strings

Let  $x$  and  $y$  be strings, then  $xy$  means combining both  $x$  and  $y$ .

$$\begin{aligned} \text{i.e., if } x &= 01010 \text{ and } y = 110, \\ xy &= 01010110 \end{aligned}$$

$$\begin{aligned} |x| &= m \text{ and } |y| = n, \\ |xy| &= m + n \end{aligned}$$

For any string  $w$ , then the equation,

$$\varepsilon w = w\varepsilon = w$$

ie,  $\varepsilon$  is the identity of Concatenation