## CHAPTER - 19

## Differential Equations

## EE24BTECH11039 - Ranjith

## 1 MCO's with One Correct Answer

- 1) The differential equation whose solution is  $Ax^2 + By^2 = 1$  where A and B are arbitrary constants is of
  - a) second order and second degree
- c) first order and first degree
- b) first order and second degree
- d) second order and first degree

[2006]

1

2) The differential equations of all the circles passing through the origin and having their centres on x-axis is

a) 
$$y^2 = x^2 + 2xy \frac{dy}{dx}$$
  
b)  $y^2 = x^2 - 2xy \frac{dy}{dx}$ 

c) 
$$x^2 = y^2 + xy \frac{dy}{dx}$$
  
d)  $x^2 = y^2 + 3xy \frac{dy}{dx}$ 

b) 
$$y^2 = x^2 - 2xy \frac{dy}{dx}$$

$$d) x^2 = y^2 + 3xy\frac{dy}{dx}$$

[2007]

3) The solution of the differential equation  $\frac{dy}{dx} = \frac{x+y}{x}$  satisfying the condition y(1) = 1

a) 
$$y = \ln x + x$$

c) 
$$y = xe^{(x-1)}$$

$$b) y = x \ln x + x^2$$

d) 
$$y = x \ln x + x$$

[2008]

4) The differential equation which represents the family of curves  $y = c_1 e^{c_2} x$ , where  $c_1$  and  $c_2$  are arbitrary constants, is

a) 
$$\frac{d^2y}{dx^2} = y\frac{dy}{dx}$$
  
b)  $y\frac{d^2y}{dx^2} = \frac{dy}{dx}$ 

c) 
$$y \frac{d^2y}{dx^2} = \left(\frac{dy}{dx}\right)^2$$
  
d)  $\frac{dy}{dx} = y^2$ 

b) 
$$y \frac{d^2y}{dx^2} = \frac{dy}{dx}$$

d) 
$$\frac{dy}{dx} = y^2$$

[2009]

5) Solutions of the differential equation  $\cos x dy = y(\sin x - y) dx$ ,  $0 < x < \frac{\pi}{2}$  is

a) 
$$y \sec x = \tan x + c$$

c) 
$$\tan x = (\sec x + c)y$$

b) 
$$y \tan x = \sec x + c$$

d) 
$$\sec x = (\tan x + c)y$$
 [2010]

6) If  $\frac{d^2y}{dx^2} = y + 3$  and y(0) = 2, then  $y(\ln 2)$  is equal to:

[2011]

	[2011] retain mouse species satisfies the differential = 850,then the time at which the population
<ul><li>a) 2 ln 18</li><li>b) 2 ln 9</li></ul>	c) $\frac{1}{2} \ln 18$
of production P with respect to addition	[2012] 00 times. It is estimated that the rate of change on al number of workers $x$ is given by $\frac{dP}{dx}$ = ore workers, then the new level of production
a) 2500	c) 3500
b) 3000	d) 4500
[JEE M 2013] 10) Let the population of rabbits surviving at time t be governed by the differential equation $\frac{dp_{(t)}}{dt} = \frac{1}{2}p(t) - 200.\text{IfP}(0) = 100,\text{then p}(t)$ equals:	
a) $600 - 500e^{\frac{t}{2}}$ b) $400 - 300e^{\frac{-t}{2}}$	c) $400 - 300e^{\frac{t}{2}}$ d) $300 - 200e^{\frac{-t}{2}}$
11) Let $y(x)$ be the solution of the $2x \log x$ , $(x \ge 1)$ . Then $y(e)$ is equal to:	[JEE M 2014] differential equation $(x \log x) \frac{dy}{dx} + y =$
a) 2 b) 2 <i>e</i>	c) <i>e</i> d) 0
12) If the curve $y = f(x)$ passes through equation, $y(1 + xy) dx = xdy$ , then $f(\frac{-1}{2})$	[JEE M 2015] the point (1,1) and satisfies the differential ) is equals to

c) -2 d) 7.

c)  $e^{-kT}$ d)  $T^2 - \frac{1}{k}$ 

7) Let be the purchase value of an equipment and V(t) be the value after it has been used for t years. The value V(t) depreciates at a rate given by differential equation  $\frac{dV_{(t)}}{dt} = -k(T-t)$ , where k is a constant and T is the total life in years of the

equipment. Then the scrap value V(T) of the equipment is

a) 5

b) 13

a)  $l - \frac{kT^2}{2}$ b)  $l - \frac{k(T-t)^2}{2}$ 

a) 
$$\frac{2}{5}$$
 b)  $\frac{4}{5}$ 

c) 
$$\frac{2}{5}$$
 d)  $\frac{4}{5}$ 

[JEE M 2016]

13) If  $(24 \sin x) \frac{dy}{dx} + (y+1) \cos x = 0$  and y(0) = 1 then  $y(\frac{\pi}{2})$  is equal to

a) 
$$\frac{4}{3}$$
 b)  $\frac{1}{3}$ 

c) 
$$\frac{2}{3}$$
 d)  $\frac{1}{3}$ 

14) Let y = y(x) be the solution of the differential equation  $\sin x \frac{dy}{dx} + y \cos x = 4x, x \in$ (0,2). If  $y\left(\frac{\pi}{2}\right) = 0$ , then  $y\left(\frac{\pi}{6}\right)$  is equal to

a) 
$$\frac{-8}{9\sqrt{3}}\pi^2$$
  
b)  $\frac{-8}{9}\pi^2$ 

c) 
$$\frac{-4}{9}\pi^2$$
  
d)  $\frac{4}{9\sqrt{3}}\pi^2$ 

[JEE M 2018]

15) If y = y(x) is the differential equation  $\sin x \frac{dy}{dx} + 2y = x^2$  satisfying y(a) = 1, then  $y(\frac{1}{2})$ is equal to

a) 
$$\frac{7}{64}$$
 b)  $\frac{1}{4}$ 

c) 
$$\frac{49}{16}$$
  
d)  $\frac{13}{16}$ 

[JEE M 2019-9April(M)] 16) The solution of the differential equation  $x\frac{dy}{dx} + 2y = x^2 (x \neq 0)$ withy (1) = 1, is:

a) 
$$y = \frac{4}{5}x^3 + \frac{1}{5x^2}$$
  
b)  $y = \frac{x^3}{5} + \frac{1}{5x^2}$ 

c) 
$$y = \frac{x^2}{4} + \frac{3}{4x^2}$$
  
d)  $y = \frac{3}{4}x^2 + \frac{1}{4x^2}$ 

d) 
$$y = \frac{3}{4}x^2 + \frac{1}{4x^2}$$

[JEE M 2019-9April(M)]