Lecture 03

Introduction to HTML

Md. Khorshed Alam
Lecturer
Department of CSE, City University

Outline

- Introduction to HTML
- Basic Structure of a HTML page
- Text formatting tags in HTML
- Lists in HTML

- HTML Hyper-Text Markup Language The Language of Web Pages on the World Wide Web
- It defines the structure of webpages and determines how data is displayed online
- HTML is a text formatting language
- Is a set of special instructions that can be added in the text to add formatting and linking information
- Is directly interpreted by the browser

Hypertext:

Allows for non-linear linking to other documents

Markup Language:

- Content is "marked up" or tagged to tell the browser how to display it
- HTML standards are developed under the authority of the World Wide Web Consortium (W3C), headed by Tim Lee
 - http://www.w3c.org

- HTML was created in 1991 by Tim Berners-Lee at CERN in Switzerland
- It was designed to allow scientists to display and share their research
- 1995- HTML 2
- lots of browsers had added their own bits to HTML
- Dan Connolly and colleagues collected all the HTML tags that were widely used and collated them into a draft document

- 1997- HTML 3.2
- It was the first version developed and standardized exclusively by the W3C
- HTML 3.2 included the support for applets, text flow around images, subscripts and superscripts etc
- 1999 HTML 4.1
- extends HTML with mechanisms for style sheets, scripting, frames etc.
- HTML5

- HTML Tags:
- Tags are instruction that are directly embedded into the text of the document
- Is a signal to a browser to do something before just throwing text on the screen
- Begin with open angle bracket < and ends with close angle bracket >
 - For example <HTML>
- Paired Tags : <HTML> </HTML>
- Singular Tags:

- HTML is not case-sensitive
- multiple spaces will appear as a single space
- Blank and new lines are ignored
- <!-- comments -- >
- HTML files have .html extension

2. Structure of HTML Page

- The entire web page is enclosed within <HTML>
 and </HTML>
- Within these tags two distinct sections are created head and body
- Body: indicate the start and end of main body of textual information

```
<BODY>
```

2. Structure of HTML Page...

First HTML page:

```
File Edit Format View Help

<HTML>
<HEAD>
<TITLE>MY FIRST HTML PAGE</TITLE>
</HEAD>
<BODY>
HELLO WORLD
</BODY>
</HTML>
```

3. The BODY Tag


Attributes:

- BGCOLOR: Change the background color
- BACKGROUND: Place an image at background
- TEXT: Change the color of the body text

Example:

- <BODY BGCOLOR=123345 TEXT=Red>
- <BODY BACKGROUND="img.jpg" TEXT=Red>

4. Formatting text





🥙 TEXT FORMATING - Mozilla Firefox

The Badshahi Mosque or the 'Royal Mosque' in Lahore, commissioned by the sixth Mughal Emperor Aurangzeb in 1671 and completed in 1673, is the secon mosque in Pakistan and South Asia and the fifth largest mosque in the world. Epitomising the beauty, passion and grandeur of the Mughal era, it is Lahore's mosque in Pakistan and a major tourist attraction.[1] Capable of accommodating 55,000 worshippers in its main prayer hall and a further 95,000 in its courtyard porticoes, it remained the largest mosque in the world from 1673 to 1986 (a period of 313 years), when overtaken in size by the completion of the Faisal Mosque Islamabad. Today, it remains the second largest mosque in Pakistan and South Asia and the fifth largest mosque in the world after the Masjid al-Haram (Grand Mosque) of Mecca, the Al-Masjid al-Nabawi (Prophet's Mosque) in Medina, the Hassan II Mosque in Casablanca and the Faisal Mosque in Islamabad. [cita needed] To appreciate its large size, the four minarets of the Badshahi Mosque are 13.9 ft (4.2 m) taller than those of the Taj Mahal and the main platform of the Mahal can fit inside the 278,784 sq ft (25,899.9 m2) courtyard of the Badshahi Mosque, which is the largest mosque courtyard in the world. In 1993, the Gov of Pakistan recommended the inclusion of the Badshahi Mosque as a World Heritage Site in UNESCO's World Heritage List, where it has been included in Patentative List for possible nomination to the World Heritage List by UNESCO.

4. Formatting text...

- <P>..... : starts a new paragraph
 - Align (left, right, center and justify)
-
: gives an one line break
- <H1> </H1>: heading
- <HR>: draws horizontal line
 - ALIGN (LEFT,CENTER,RIGHT)
 - SIZE=2
 - WIDTH=100%
 - color
- Text Styles:
 - , <I> </I> , <U> </U>

4. Formatting text...

- <CENTER>....</CENTER>
-
 - FONTFACE: Sets the specified font name
 - SIZE: Size of the text (between 1 and 7)
 - COLOR: Set the color of the text
- Example:
 - Welcome

5. Lists in HTML

- Un-ordered Lists:
 - Starting Tag , Ending Tag
 - List Items
 - Type (FILLROUND, SQUARE)
- Ordered Lists:
 - Starting Tag , Ending Tag
 - List Items
 - Type ("1", "A", "a", "I", "i")
 - Start (Alerts the numbering Sequence)
 - Value (Changes the number sequence in the middle of an ordered list)

5. Lists in HTML...

- Definition Lists:
 - Starting Tag<DL>
 - Ending Tag </DL>
 - Definition Term <DT>
 - Definition Description <DD>

Summary

- What is HTML?
- Basic Structure of HTML page
- Body tag attributes
- Text formatting tags
- Lists

References

- Chapter 1, Beginning HTML, XHTML, CSS, and JavaScript, by Jon Duckett, Wiley Publishing; 2009, ISBN: 978-0-470-54070-1.
- http://www.w3schools.com/html