≡BlazeMeter

LOAD TEST REPORT
Jenkins Build 259

≡B

Report created by Rasmus Leseberg.
Date of Run: Thu, 05/25/2023 - 18:27
Duration: 35 minutes

DESCRIPTIVE SUMMARY / CONCLUSIONS

Filtered By:

Scenarios: **All**

Locations: **All**

This report is displayed in milliseconds (ms)

Average Throughput	Avg. Response Time	90% Response Time	Error Rate
388.5	**23**	**41**	**0.06**
Hits/s	Milliseconds	Milliseconds	%

TOP 5 SLOWEST RESPONSES (BY AVG. RESPONSE TIME) ⑤

Request	# Samples	Avg Time	90% Time	Max Time
/address	130353	28 ms	51 ms	829 ms
/customers /57a98d98e4b00679b…	93600	28 ms	52 ms	794 ms
/category.html?tags=…	570	26 ms	56 ms	524 ms
/category.html?tags=…	626	26 ms	74 ms	536 ms
/category.html?tags=…	816	25 ms	63 ms	511 ms

TOP 5 ERRORS ⑤

Error Code	Error Message	% of executions	Count
500	[Errno 104] Connection reset by peer	0.03%	246
500	Remote end closed connection without response	0.02%	199
500	[Errno 111] Connection refused	0.00%	2
500	Internal Server Error for url: /address	0.00%	1

TEST SETUP DETAILS

✎...

|		
🔗	Link to the report	https://a.blazemeter.com/app/executive-summary/index.html?master_id=68050643&selectedTimeMeasure=milliseconds#/
👤	Executed By	Rasmus Leseberg (rasmus.leseberg@student.pxl.be)
📍	Locations Used	External
📦	Test Types	External
🚩	Test Started	Thu, 05/25/2023 - 18:27
🚩	Test Finished	Thu, 05/25/2023 - 19:03
🕐	Elapsed	35 minutes

TEST SETUP DETAILS

|		
🔗	Link to the report	https://a.blazemeter.com/app/executive-summary/index.html?master_id=68050643&selectedTimeMeasure=milliseconds#/
👤	Executed By	Rasmus Leseberg (rasmus.leseberg@student.pxl.be)
📍	Locations Used	External
📦	Test Types	External

TIMELINE GRAPHS
Concurrent Users and Hits/s

TIMELINE GRAPHS
Concurrent Users and Response Time

AGGREGATE REPORT

Label	# Samples	Average	90% Line	99% Line	Error %	Hits/s
ALL	815889	23 ms	41 ms	287 ms	0.055%	388.52
/address	130353	28 ms	51 ms	305 ms	0.059%	62.07
/category.html	50509	21 ms	37 ms	274 ms	0.059%	24.05
/category.htm... size=2	47876	21 ms	38 ms	275 ms	0.044%	22.80
/category.htm... size=4	48191	21 ms	35 ms	285 ms	0.071%	22.95
/category.htm... size=6	47979	20 ms	34 ms	271 ms	0.05%	22.85
/category.htm...	1199	19 ms	31 ms	261 ms	0.083%	0.57
/category.htm...	1001	21 ms	47 ms	246 ms	0%	0.48
/category.htm...	1036	19 ms	31 ms	251 ms	0%	0.49
/category.htm...	268	21 ms	69 ms	229 ms	0.746%	0.13
/category.htm...	467	24 ms	55 ms	398 ms	0%	0.22
/category.htm...	1257	22 ms	49 ms	291 ms	0%	0.60
/category.htm...	411	22 ms	62 ms	243 ms	0%	0.20
/category.htm...	1235	18 ms	24 ms	255 ms	0%	0.59
/category.htm...	1189	23 ms	52 ms	324 ms	0%	0.57
/category.htm...	1208	21 ms	36 ms	248 ms	0%	0.58
/category.htm...	1538	20 ms	33 ms	226 ms	0.13%	0.73
/category.htm...	1606	21 ms	42 ms	242 ms	0%	0.76
/category.htm...	1580	18 ms	26 ms	226 ms	0.19%	0.75
/category.htm...	1816	20 ms	27 ms	300 ms	0%	0.86
/category.htm...	1009	19 ms	23 ms	258 ms	0.198%	0.48
/category.htm...	618	21 ms	50 ms	235 ms	0.162%	0.29
/category.htm...	328	19 ms	30 ms	320 ms	0%	0.16
/category.htm...	1285	19 ms	26 ms	252 ms	0%	0.61
/category.htm...	816	25 ms	63 ms	327 ms	0%	0.39
/category.htm...	360	20 ms	40 ms	270 ms	0%	0.17
/category.htm...	982	21 ms	55 ms	233 ms	0.204%	0.47
/category.htm...	570	26 ms	56 ms	381 ms	0.175%	0.27
/category.htm...	992	23 ms	43 ms	367 ms	0.101%	0.47
/category.htm...	353	20 ms	30 ms	294 ms	0%	0.17
/category.htm...	864	21 ms	29 ms	310 ms	0.116%	0.41
/category.htm...	665	23 ms	67 ms	294 ms	0.15%	0.32
/category.htm...	1009	21 ms	38 ms	293 ms	0.099%	0.48
/category.htm...	387	19 ms	37 ms	235 ms	0%	0.18
/category.htm...	616	22 ms	52 ms	362 ms	0%	0.29
/category.htm...	455	19 ms	32 ms	240 ms	0.22%	0.22
/category.htm...	773	23 ms	43 ms	368 ms	0.259%	0.37
/category.htm...	838	19 ms	37 ms	224 ms	0%	0.40
/category.htm...	670	22 ms	43 ms	312 ms	0.149%	0.32
/category.htm...	1015	19 ms	38 ms	236 ms	0%	0.48
/category.htm...	1506	19 ms	28 ms	271 ms	0.199%	0.72
/category.htm...	611	21 ms	34 ms	304 ms	0%	0.29
/category.htm...	720	23 ms	40 ms	288 ms	0.139%	0.34
/category.htm...	1018	20 ms	26 ms	261 ms	0.098%	0.48
/category.htm...	2413	21 ms	40 ms	271 ms	0.083%	1.15
/category.htm...	795	20 ms	36 ms	283 ms	0%	0.38

/category.htm...	1622	18 ms	21 ms	243 ms	0.123%	0.77
/category.htm...	2514	19 ms	35 ms	234 ms	0.08%	1.20
/category.htm...	746	20 ms	37 ms	273 ms	0.134%	0.36
/category.htm...	1567	19 ms	33 ms	269 ms	0.128%	0.75
/category.htm...	593	19 ms	33 ms	249 ms	0%	0.28
/category.htm...	774	21 ms	29 ms	318 ms	0%	0.37
/category.htm...	414	17 ms	22 ms	235 ms	0%	0.20
/category.htm...	2211	21 ms	34 ms	274 ms	0.045%	1.05
/category.htm...	818	17 ms	24 ms	197 ms	0.244%	0.39
/category.htm...	1448	20 ms	35 ms	283 ms	0.069%	0.69
/category.htm...	1359	20 ms	34 ms	323 ms	0.074%	0.65
/category.htm...	1150	19 ms	42 ms	231 ms	0%	0.55
/category.htm...	449	21 ms	38 ms	273 ms	0%	0.21
/category.htm...	1038	20 ms	33 ms	332 ms	0%	0.49
/category.htm...	1034	23 ms	46 ms	320 ms	0%	0.49
/category.htm...	1217	21 ms	37 ms	277 ms	0%	0.58
/category.htm...	205	18 ms	20 ms	199 ms	0%	0.10
/category.htm...	1329	22 ms	43 ms	272 ms	0.075%	0.63
/category.htm...	1526	19 ms	29 ms	237 ms	0%	0.73
/category.htm...	1013	19 ms	30 ms	255 ms	0%	0.48
/category.htm...	1358	20 ms	39 ms	282 ms	0%	0.65
/category.htm...	1392	22 ms	39 ms	383 ms	0%	0.66
/category.htm...	877	20 ms	31 ms	350 ms	0%	0.42
/category.htm...	553	21 ms	37 ms	311 ms	0.181%	0.26
/category.htm...	185	19 ms	16 ms	380 ms	0%	0.09
/category.htm...	595	22 ms	47 ms	246 ms	0%	0.28
/category.htm...	1157	20 ms	33 ms	235 ms	0%	0.55
/category.htm...	979	22 ms	37 ms	344 ms	0.204%	0.47
/category.htm...	1202	19 ms	39 ms	218 ms	0%	0.57
/category.htm...	459	20 ms	21 ms	331 ms	0%	0.22
/category.htm...	831	19 ms	33 ms	255 ms	0%	0.40
/category.htm...	880	20 ms	27 ms	244 ms	0.114%	0.42
/category.htm...	1174	19 ms	47 ms	235 ms	0.17%	0.56
/category.htm...	1371	23 ms	47 ms	325 ms	0.146%	0.65
/category.htm...	416	23 ms	33 ms	350 ms	0%	0.20
/category.htm...	1010	22 ms	48 ms	311 ms	0.099%	0.48
/category.htm...	1078	21 ms	32 ms	308 ms	0.093%	0.51
/category.htm...	611	22 ms	56 ms	254 ms	0%	0.29
/category.htm...	356	24 ms	31 ms	339 ms	0%	0.17
/category.htm...	302	25 ms	48 ms	403 ms	0%	0.14
/category.htm...	1358	21 ms	46 ms	278 ms	0.074%	0.65
/category.htm...	427	19 ms	37 ms	249 ms	0%	0.20
/category.htm...	829	23 ms	45 ms	345 ms	0.121%	0.40
/category.htm...	614	21 ms	46 ms	273 ms	0.163%	0.29
/category.htm...	974	19 ms	24 ms	318 ms	0.103%	0.46
/category.htm...	1389	20 ms	26 ms	318 ms	0.072%	0.66
/category.htm...	611	24 ms	49 ms	403 ms	0%	0.29
/category.htm...	409	20 ms	37 ms	209 ms	0.244%	0.20

/category.htm...	443	22 ms	30 ms	351 ms	0%	0.21
/category.htm...	1257	20 ms	32 ms	255 ms	0.08%	0.60
/category.htm...	550	20 ms	39 ms	287 ms	0%	0.26
/category.htm...	1944	20 ms	35 ms	261 ms	0.154%	0.93
/category.htm...	693	24 ms	50 ms	341 ms	0%	0.33
/category.htm...	1394	20 ms	28 ms	279 ms	0%	0.66
/category.htm...	1903	20 ms	40 ms	270 ms	0%	0.91
/category.htm...	188	22 ms	51 ms	409 ms	0%	0.09
/category.htm...	1347	21 ms	36 ms	316 ms	0%	0.64
/category.htm...	923	19 ms	32 ms	219 ms	0%	0.44
/category.htm...	318	16 ms	31 ms	160 ms	0.314%	0.15
/category.htm...	501	21 ms	53 ms	225 ms	0%	0.24
/category.htm...	799	23 ms	47 ms	332 ms	0.125%	0.38
/category.htm...	608	20 ms	36 ms	290 ms	0%	0.29
/category.htm...	415	22 ms	26 ms	349 ms	0%	0.20
/category.htm...	784	22 ms	53 ms	271 ms	0.128%	0.37
/category.htm...	762	21 ms	35 ms	320 ms	0%	0.36
/category.htm...	1016	23 ms	53 ms	327 ms	0.098%	0.48
/category.htm...	817	21 ms	38 ms	313 ms	0.122%	0.39
/category.htm...	735	20 ms	40 ms	252 ms	0%	0.35
/category.htm...	821	20 ms	30 ms	222 ms	0.122%	0.39
/category.htm...	1565	19 ms	36 ms	237 ms	0%	0.75
/category.htm...	1155	22 ms	45 ms	279 ms	0%	0.55
/category.htm...	1701	21 ms	43 ms	247 ms	0%	0.81
/category.htm...	800	22 ms	49 ms	279 ms	0%	0.38
/category.htm...	361	18 ms	23 ms	178 ms	0.277%	0.17
/category.htm...	397	16 ms	22 ms	193 ms	0.252%	0.19
/category.htm...	582	19 ms	25 ms	265 ms	0%	0.28
/category.htm...	943	20 ms	33 ms	254 ms	0%	0.45
/category.htm...	402	19 ms	36 ms	254 ms	0%	0.19
/category.htm...	1231	20 ms	35 ms	285 ms	0%	0.59
/category.htm...	549	22 ms	41 ms	307 ms	0%	0.26
/category.htm...	185	13 ms	16 ms	152 ms	0%	0.09
/category.htm...	137	15 ms	17 ms	200 ms	0%	0.07
/category.htm...	208	22 ms	51 ms	291 ms	0%	0.10
/category.htm...	356	25 ms	41 ms	339 ms	0%	0.17
/category.htm...	455	24 ms	61 ms	350 ms	0%	0.22
/category.htm...	352	17 ms	25 ms	211 ms	0.284%	0.17
/category.htm...	522	20 ms	32 ms	308 ms	0%	0.25
/category.htm...	744	21 ms	27 ms	242 ms	0%	0.35
/category.htm...	422	19 ms	26 ms	268 ms	0%	0.20
/category.htm...	951	21 ms	45 ms	269 ms	0.105%	0.45
/category.htm...	1602	21 ms	30 ms	302 ms	0.062%	0.76
/category.htm...	775	19 ms	39 ms	236 ms	0%	0.37
/category.htm...	387	20 ms	22 ms	220 ms	0%	0.18
/category.htm...	187	19 ms	24 ms	274 ms	0.535%	0.09
/category.htm...	1830	25 ms	64 ms	339 ms	0.055%	0.87
/category.htm...	1609	18 ms	28 ms	222 ms	0.062%	0.77
/category.htm...	638	21 ms	35 ms	285 ms	0%	0.30

/category.htm...	1247	20 ms	36 ms	257 ms	0%	0.59
/category.htm...	449	19 ms	25 ms	243 ms	0%	0.21
/category.htm...	626	26 ms	74 ms	359 ms	0%	0.30
/category.htm...	793	25 ms	56 ms	384 ms	0%	0.38
/category.htm...	873	20 ms	37 ms	302 ms	0.115%	0.42
/category.htm...	991	16 ms	31 ms	185 ms	0%	0.47
/category.htm...	745	20 ms	41 ms	281 ms	0.134%	0.35
/category.htm...	532	18 ms	21 ms	269 ms	0%	0.25
/category.htm...	599	20 ms	48 ms	244 ms	0%	0.29
/category.htm...	1157	21 ms	39 ms	249 ms	0.086%	0.55
/category.htm...	577	21 ms	54 ms	262 ms	0.173%	0.27
/category.htm...	781	20 ms	29 ms	341 ms	0.128%	0.37
/category.htm...	1197	20 ms	35 ms	261 ms	0%	0.57
/category.htm...	1716	24 ms	50 ms	320 ms	0.058%	0.82
/category.htm...	382	19 ms	33 ms	215 ms	0%	0.18
/category.htm...	394	22 ms	35 ms	359 ms	0%	0.19
/category.htm...	792	23 ms	48 ms	328 ms	0.126%	0.38
/category.htm...	784	19 ms	27 ms	312 ms	0%	0.37
/category.htm...	1553	21 ms	35 ms	286 ms	0%	0.74
/category.htm...	576	19 ms	33 ms	305 ms	0%	0.27
/category.htm...	128	19 ms	64 ms	156 ms	0%	0.06
/category.htm...	399	20 ms	30 ms	260 ms	0%	0.19
/category.htm...	2172	22 ms	38 ms	322 ms	0.046%	1.03
/category.htm...	942	22 ms	42 ms	303 ms	0%	0.45
/category.htm...	597	19 ms	33 ms	256 ms	0%	0.28
/category.htm...	815	19 ms	33 ms	247 ms	0.123%	0.39
/customers /57a98d98e4b...	93600	28 ms	52 ms	323 ms	0.058%	44.57
/detail.html?i... 1896-4ce8- bd69- b798f85c6e0b	12043	20 ms	32 ms	258 ms	0.058%	5.73
/detail.html?i... 2d88-40de- b95f- e00e1502085b	11932	21 ms	42 ms	270 ms	0.017%	5.68
/detail.html?i... 8e83-4193- b483- e27e09ddc34d	12038	21 ms	41 ms	270 ms	0.108%	5.73
/detail.html?i... 4c25- a9b9-6612e8f2...	12006	21 ms	41 ms	284 ms	0.033%	5.72
/detail.html?i... 8b7e-4f6d- 811f-69353491...	11993	21 ms	37 ms	277 ms	0.083%	5.71
/detail.html?i... 4c1f-9abc- bace40296bac	12092	21 ms	37 ms	292 ms	0.041%	5.76
/detail.html?i... b040-410d- 8ead-4de0446...	11855	20 ms	34 ms	278 ms	0.059%	5.65
/detail.html?i... ad8e-49df- bbd7-3167f7ef...	12112	21 ms	42 ms	274 ms	0.041%	5.77
/detail.html?i... b040-410d- 8ead-4de0446...	12174	21 ms	37 ms	270 ms	0.082%	5.80
/index.html	144152	20 ms	35 ms	271 ms	0.042%	68.64

Error	Count	URLs
500 [Errno 104] Connection reset by peer	246	
500 Remote end closed connection without res	199	
500 [Errno 111] Connection refused	2	
500 Internal Server Error for url: /address	1	

GLOSSARY

Throughput
Number of requests completed in a time interval.

Response Time
The time that passed to perform the request and receive full response.

Latency
The time from sending the request, processing it on the server side, to the time the client received the first byte.

Error	Count	URLs
500 [Errno 104] Connection reset by peer	246	
500 Remote end closed connection without res	199	
500 [Errno 111] Connection refused	2	
500 Internal Server Error for url: /address	1	

ABOUT BLAZEMETER

BlazeMeter offers a cross-enterprise test automation framework for the entire technical team throughout the product development lifecycle. Developers, DevOps, Ops and QA Engineers can run Continuous or "On Demand" testing for APIs, mobile apps and websites.

For more information, visit: *http://www.blazemeter.com*