

LOAD TEST REPORT

Jenkins Build 258



Report created by Rasmus Leseberg.
Date of Run: Thu, 05/25/2023 - 18:03
Duration: 20 minutes

DESCRIPTIVE SUMMARY / CONCLUSIONS

Filtered By:

Scenarios: All

Locations: All

This report is displayed in milliseconds (ms)



Average Throughput

375.6

Hits/s



Avg. Response Time

13

Milliseconds



90% Response Time

16

Milliseconds



Error Rate

0.04

%

TOP 5 SLOWEST RESPONSES (BY AVG. RESPONSE TIME)

5

Request	# Samples	Avg Time	90% Time	Max Time
/address	6378	21 ms	23 ms	417 ms
/customers /57a98d98e4b00679b...	32460	20 ms	23 ms	577 ms
/category.html?tags=...	113	18 ms	13 ms	360 ms
/category.html?tags=...	241	17 ms	15 ms	266 ms
/category.html?tags=...	522	17 ms	16 ms	302 ms

TOP 5 ERRORS

5

Error Code	Error Message	% of executions	Count
500	Remote end closed connection without response	0.02%	94
500	[Errno 104] Connection reset by peer	0.02%	70


TEST SETUP DETAILS



	Link to the report	https://a.blazemeter.com/app/executive-summary/index.html?master_id=68050281&selectedTimeMeasure=milliseconds#/
	Executed By	Rasmus Leseberg (rasmus.leseberg@student.pxl.be)
	Locations Used	External
	Test Types	External
	Test Started	Thu, 05/25/2023 - 18:03
	Test Finished	Thu, 05/25/2023 - 18:23
	Elapsed	20 minutes


TIMELINE GRAPHS

Concurrent Users and Hits/s



TIMELINE GRAPHS

Concurrent Users and Response Time



AGGREGATE REPORT



Label	# Samples	Average	90% Line	99% Line	Error %	Hits/s
ALL	450699	13 ms	16 ms	180 ms	0.036%	375.58
/address	6378	21 ms	23 ms	219 ms	0%	5.32
/category.html	111185	13 ms	15 ms	182 ms	0.032%	92.65
/category.htm... size=2	4418	13 ms	14 ms	163 ms	0.023%	3.68
/category.htm... size=4	4446	13 ms	15 ms	184 ms	0.067%	3.71
/category.htm... size=6	4358	13 ms	15 ms	172 ms	0.092%	3.63
/category.htm...	158	13 ms	13 ms	190 ms	0%	0.13
/category.htm...	352	10 ms	13 ms	132 ms	0%	0.29
/category.htm...	392	13 ms	14 ms	168 ms	0%	0.33
/category.htm...	384	13 ms	16 ms	174 ms	0%	0.32
/category.htm...	149	13 ms	17 ms	187 ms	0%	0.12
/category.htm...	714	13 ms	14 ms	210 ms	0.14%	0.59
/category.htm...	245	13 ms	18 ms	169 ms	0%	0.20
/category.htm...	340	13 ms	17 ms	192 ms	0.294%	0.28
/category.htm...	706	11 ms	13 ms	155 ms	0%	0.59
/category.htm...	263	13 ms	14 ms	177 ms	0%	0.22
/category.htm...	171	12 ms	18 ms	166 ms	0%	0.14
/category.htm...	241	17 ms	15 ms	258 ms	0%	0.20
/category.htm...	332	13 ms	16 ms	159 ms	0%	0.28
/category.htm...	281	13 ms	14 ms	253 ms	0%	0.24
/category.htm...	472	16 ms	16 ms	261 ms	0%	0.39
/category.htm...	161	12 ms	13 ms	221 ms	0%	0.13
/category.htm...	342	13 ms	14 ms	158 ms	0%	0.28
/category.htm...	146	12 ms	12 ms	259 ms	0%	0.12
/category.htm...	692	11 ms	14 ms	141 ms	0%	0.58
/category.htm...	412	15 ms	16 ms	182 ms	0%	0.34
/category.htm...	522	10 ms	13 ms	149 ms	0%	0.43
/category.htm...	88	11 ms	13 ms	206 ms	0%	0.07
/category.htm...	530	11 ms	15 ms	134 ms	0%	0.44
/category.htm...	558	11 ms	14 ms	155 ms	0%	0.47
/category.htm...	645	12 ms	15 ms	135 ms	0%	0.54
/category.htm...	448	16 ms	21 ms	178 ms	0%	0.37
/category.htm...	610	13 ms	15 ms	183 ms	0%	0.51
/category.htm...	579	13 ms	16 ms	189 ms	0%	0.48
/category.htm...	574	12 ms	14 ms	157 ms	0.174%	0.48
/category.htm...	755	15 ms	17 ms	176 ms	0%	0.63
/category.htm...	104	11 ms	15 ms	70 ms	0%	0.09
/category.htm...	365	12 ms	12 ms	194 ms	0%	0.30
/category.htm...	77	13 ms	13 ms	158 ms	0%	0.06
/category.htm...	320	12 ms	13 ms	158 ms	0%	0.27
/category.htm...	183	11 ms	14 ms	106 ms	0%	0.15
/category.htm...	500	13 ms	16 ms	166 ms	0%	0.42
/category.htm...	202	11 ms	15 ms	112 ms	0%	0.17
/category.htm...	317	14 ms	18 ms	180 ms	0%	0.27
/category.htm...	553	12 ms	14 ms	160 ms	0%	0.46
/category.htm...	301	13 ms	15 ms	160 ms	0%	0.25

/category.htm...	643	12 ms	13 ms	187 ms	0%	0.54
/category.htm...	497	15 ms	17 ms	244 ms	0%	0.41
/category.htm...	606	13 ms	14 ms	201 ms	0.165%	0.51
/category.htm...	478	11 ms	15 ms	128 ms	0%	0.40
/category.htm...	481	13 ms	14 ms	166 ms	0%	0.40
/category.htm...	702	11 ms	14 ms	150 ms	0%	0.58
/category.htm...	935	14 ms	16 ms	174 ms	0%	0.78
/category.htm...	522	17 ms	16 ms	259 ms	0.192%	0.43
/category.htm...	892	12 ms	14 ms	203 ms	0%	0.74
/category.htm...	247	14 ms	15 ms	240 ms	0%	0.21
/category.htm...	485	13 ms	14 ms	188 ms	0.206%	0.40
/category.htm...	315	13 ms	16 ms	140 ms	0%	0.26
/category.htm...	263	11 ms	15 ms	133 ms	0%	0.22
/category.htm...	418	12 ms	14 ms	175 ms	0%	0.35
/category.htm...	164	13 ms	20 ms	161 ms	0%	0.14
/category.htm...	355	13 ms	17 ms	152 ms	0%	0.30
/category.htm...	239	15 ms	18 ms	199 ms	0%	0.20
/category.htm...	479	14 ms	20 ms	179 ms	0%	0.40
/category.htm...	238	11 ms	13 ms	143 ms	0%	0.20
/category.htm...	387	11 ms	15 ms	134 ms	0%	0.32
/category.htm...	157	13 ms	20 ms	126 ms	0%	0.13
/category.htm...	162	12 ms	13 ms	117 ms	0%	0.14
/category.htm...	396	14 ms	23 ms	143 ms	0%	0.33
/category.htm...	176	13 ms	14 ms	172 ms	0%	0.15
/category.htm...	419	17 ms	21 ms	241 ms	0%	0.35
/category.htm...	296	11 ms	11 ms	173 ms	0%	0.25
/category.htm...	310	10 ms	12 ms	104 ms	0%	0.26
/category.htm...	591	15 ms	18 ms	203 ms	0%	0.49
/category.htm...	605	15 ms	20 ms	233 ms	0%	0.50
/category.htm...	171	12 ms	16 ms	116 ms	0%	0.14
/category.htm...	475	11 ms	15 ms	138 ms	0%	0.40
/category.htm...	495	12 ms	15 ms	159 ms	0%	0.41
/category.htm...	410	15 ms	15 ms	200 ms	0%	0.34
/category.htm...	598	14 ms	20 ms	154 ms	0%	0.50
/category.htm...	461	12 ms	15 ms	170 ms	0%	0.39
/category.htm...	461	15 ms	17 ms	173 ms	0%	0.38
/category.htm...	570	15 ms	17 ms	225 ms	0%	0.47
/category.htm...	306	11 ms	13 ms	158 ms	0%	0.26
/category.htm...	470	13 ms	16 ms	190 ms	0%	0.39
/category.htm...	175	10 ms	13 ms	117 ms	0%	0.15
/category.htm...	286	12 ms	13 ms	134 ms	0%	0.24
/category.htm...	513	14 ms	16 ms	194 ms	0%	0.43
/category.htm...	137	11 ms	14 ms	120 ms	0%	0.11
/category.htm...	573	13 ms	14 ms	165 ms	0%	0.48
/category.htm...	533	12 ms	13 ms	167 ms	0%	0.44
/category.htm...	308	12 ms	14 ms	189 ms	0.325%	0.26
/category.htm...	473	16 ms	16 ms	203 ms	0%	0.39
/category.htm...	661	11 ms	14 ms	141 ms	0%	0.55
/category.htm...

/category.htm...	246	14 ms	18 ms	139 ms	0%	0.21
/category.htm...	246	13 ms	15 ms	188 ms	0%	0.20
/category.htm...	549	12 ms	15 ms	172 ms	0%	0.46
/category.htm...	687	13 ms	14 ms	206 ms	0%	0.57
/category.htm...	562	12 ms	14 ms	146 ms	0%	0.47
/category.htm...	655	12 ms	16 ms	157 ms	0.153%	0.55
/category.htm...	508	14 ms	17 ms	176 ms	0%	0.42
/category.htm...	150	11 ms	15 ms	148 ms	0%	0.13
/category.htm...	211	15 ms	15 ms	233 ms	0%	0.18
/category.htm...	296	10 ms	12 ms	112 ms	0%	0.25
/category.htm...	259	13 ms	13 ms	166 ms	0%	0.22
/category.htm...	598	11 ms	15 ms	153 ms	0%	0.50
/category.htm...	418	10 ms	14 ms	122 ms	0.239%	0.35
/category.htm...	234	13 ms	14 ms	174 ms	0%	0.20
/category.htm...	231	14 ms	16 ms	185 ms	0%	0.19
/category.htm...	307	14 ms	14 ms	187 ms	0%	0.26
/category.htm...	673	12 ms	14 ms	177 ms	0%	0.56
/category.htm...	567	13 ms	14 ms	214 ms	0%	0.47
/category.htm...	337	10 ms	12 ms	182 ms	0%	0.28
/category.htm...	149	12 ms	13 ms	208 ms	0%	0.12
/category.htm...	638	13 ms	16 ms	195 ms	0%	0.53
/category.htm...	379	14 ms	15 ms	182 ms	0%	0.32
/category.htm...	366	13 ms	14 ms	245 ms	0.273%	0.31
/category.htm...	397	14 ms	17 ms	177 ms	0%	0.33
/category.htm...	70	14 ms	11 ms	184 ms	0%	0.06
/category.htm...	80	10 ms	15 ms	123 ms	0%	0.07
/category.htm...	107	14 ms	18 ms	138 ms	0%	0.09
/category.htm...	197	12 ms	22 ms	124 ms	0%	0.16
/category.htm...	132	12 ms	12 ms	215 ms	0%	0.11
/category.htm...	88	14 ms	15 ms	200 ms	0%	0.07
/category.htm...	401	14 ms	18 ms	169 ms	0.249%	0.33
/category.htm...	258	10 ms	14 ms	129 ms	0%	0.21
/category.htm...	152	17 ms	22 ms	220 ms	0%	0.13
/category.htm...	317	14 ms	15 ms	233 ms	0%	0.27
/category.htm...	257	15 ms	18 ms	186 ms	0.389%	0.22
/category.htm...	492	13 ms	17 ms	173 ms	0.203%	0.41
/category.htm...	332	13 ms	13 ms	154 ms	0%	0.28
/category.htm...	384	13 ms	16 ms	149 ms	0%	0.32
/category.htm...	696	12 ms	14 ms	167 ms	0%	0.58
/category.htm...	391	13 ms	16 ms	145 ms	0%	0.33
/category.htm...	408	13 ms	15 ms	141 ms	0%	0.34
/category.htm...	296	14 ms	15 ms	201 ms	0.338%	0.25
/category.htm...	528	12 ms	18 ms	130 ms	0%	0.44
/category.htm...	388	14 ms	21 ms	153 ms	0%	0.32
/category.htm...	669	14 ms	15 ms	211 ms	0%	0.56
/category.htm...	168	13 ms	15 ms	151 ms	0%	0.14
/category.htm...	313	15 ms	19 ms	223 ms	0%	0.26
/category.htm...	514	15 ms	16 ms	237 ms	0%	0.43
/category.htm...	216	14 ms	14 ms	256 ms	0%	0.18

/category.htm...	23	6 ms	9 ms	23 ms	0%	0.02
/category.htm...	126	16 ms	19 ms	245 ms	0%	0.10
/category.htm...	350	15 ms	17 ms	180 ms	0%	0.29
/category.htm...	113	18 ms	13 ms	314 ms	0%	0.09
/category.htm...	175	9 ms	11 ms	111 ms	0%	0.15
/category.htm...	419	13 ms	14 ms	216 ms	0.239%	0.35
/category.htm...	750	14 ms	16 ms	198 ms	0.133%	0.63
/category.htm...	160	13 ms	15 ms	209 ms	0%	0.13
/category.htm...	425	12 ms	15 ms	164 ms	0%	0.35
/category.htm...	137	11 ms	17 ms	159 ms	0%	0.11
/category.htm...	198	12 ms	17 ms	161 ms	0%	0.17
/category.htm...	232	11 ms	15 ms	123 ms	0%	0.19
/category.htm...	116	15 ms	29 ms	153 ms	0%	0.10
/category.htm...	294	11 ms	13 ms	196 ms	0.34%	0.24
/category.htm...	231	11 ms	15 ms	114 ms	0%	0.19
/category.htm...	235	12 ms	14 ms	159 ms	0%	0.20
/category.htm...	102	16 ms	30 ms	144 ms	0%	0.09
/category.htm...	337	13 ms	12 ms	192 ms	0%	0.28
/category.htm...	416	13 ms	14 ms	211 ms	0%	0.35
/category.htm...	229	14 ms	15 ms	206 ms	0%	0.19
/category.htm...	272	12 ms	15 ms	149 ms	0%	0.23
/category.htm...	188	14 ms	15 ms	235 ms	0.532%	0.16
/category.htm...	236	14 ms	18 ms	161 ms	0%	0.20
/category.htm...	145	17 ms	37 ms	265 ms	0%	0.12
/category.htm...	103	8 ms	13 ms	94 ms	0%	0.09
/customers /57a98d98e4b...	32460	20 ms	23 ms	200 ms	0.037%	27.05
/detail.html?i... 1896-4ce8- bd69- b798f85c6e0b	10790	13 ms	15 ms	180 ms	0.074%	8.99
/detail.html?i... 2d88-40de- b95f- e00e1502085b	11001	13 ms	15 ms	177 ms	0.045%	9.17
/detail.html?i... 8e83-4193- b483- e27e09ddc34d	10753	13 ms	15 ms	186 ms	0.056%	8.96
/detail.html?i... 4c25- a9b9-6612e8f2...	10927	13 ms	15 ms	171 ms	0.037%	9.11
/detail.html?i... 8b7e-4f6d- 811f-69353491...	10915	13 ms	15 ms	180 ms	0.018%	9.10
/detail.html?i... 4c1f-9abc- bace40296bac	11092	13 ms	15 ms	173 ms	0.054%	9.24
/detail.html?i... b040-410d- 8ead-4de0446...	10834	13 ms	15 ms	180 ms	0.028%	9.03
/detail.html?i... ad8e-49df- bbd7-3167f7ef...	10855	13 ms	15 ms	177 ms	0.037%	9.05
/detail.html?i... b040-410d- 8ead-4de0446...	10816	13 ms	15 ms	166 ms	0.037%	9.01
/index.html	130224	13 ms	15 ms	178 ms	0.037%	108.52

ERROR REPORT



Error	Count	URLs
500 Remote end closed connection without res	94	
500 [Errno 104] Connection reset by peer	70	

GLOSSARY



Throughput
Number of requests completed in a time interval.



Response Time
The time that passed to perform the request and receive full response.



Latency
The time from sending the request, processing it on the server side, to the time the client received the first byte.



ABOUT BLAZEMETER

BlazeMeter offers a cross-enterprise test automation framework for the entire technical team throughout the product development lifecycle. Developers, DevOps, Ops and QA Engineers can run Continuous or “On Demand” testing for APIs, mobile apps and websites.

For more information, visit: <http://www.blazemeter.com>