CHAPTER 1 INTRODUCTION

DESCRIPTION

Attendance Management System is an application developed for daily evaluation of student's attendance. It is facilitated to access the information of attendance of a particular Student in a particular subject of study. The information is sorted by the faculties and admin, as provided by the system for a particular student throughout a complete semester. This system will also enable the evaluation of student regular presence in various subjects.

Attendance being a very necessary side of administration may normally become an arduous, redundant activity, pushing itself to inaccuracies. The traditional approach of making roll calls proves itself to be a statute of limitations as it is very difficult to call names and maintain its record especially when the ratio of students is high. Some organizations use document-oriented approach and others have implemented these digital methods such as biometric fingerprinting techniques and card swapping techniques. However, these methods prove to be a statute of limitations as it subjects students to wait in a time-consuming queue. Post completion of face recognition, the system generates the name and identification number of the students who are present and identified in the image. Then attendance is marked in front of the student names in the excel format with respective date and subject of the lecture.

EXISTING SYSTEM

In the existing methods, some of the disadvantages are listed.

- Staff has to take attendance manually.
- > If the student fails to bring his id card then he will not be able get attendance.
- It is a tedious job to maintain records.
- > It is difficult to generate consolidated reports.
- Sheets may get lost.

PROBLEM DEFINITION

- > This project attempts to make use of dlib library to perform the face recognition for the purpose of marking attendance.
- > Though many traditional methods are existed, those are vulnerable but our system will minimize the proxies.
- > Face recognition proved to be a productive method for taking attendance in an institution with high precision and less computational complexity.

PROPOSED SYSTEM

- > To overcome the drawbacks of the existing system proposed has been evolved.
- > It aims to reduce the paperwork and save time for generating the accurate results from the attendance system.
- > The system provides the best user interface and efficient reports are generated.

ORGANIZATION OF THE PROJECT

- > Literature reviews of already existing proposals are discussed in chapter 2.
- Chapter 3 has system specification which tells about the software and hardware requirements.
- Chapter 4 discusses the overall project and design which tells the brief description of each of the modulus in this project.
- > Chapter 5 has the implementation and experimental result of the project.
- > Chapter 6 deals with the conclusion and future work.
- > Finally chapter 7 deals with the references.

LITERATURE REVIEW

2.1 AUTOMATIC ATTENDANCE MANAGEMENT SYSTEM USING FACE DETECTION [2016]

2.1.1 DESCRIPTION

This paper is about biometric attendance management. In this method camera is fixed in the classroom. After fixing the camera the image will be captured. During the training phase all students' images are trained. In the captured image the faces are recognized and faces get cropped from the captured image. During the attendance marking phase the recognized faces are checked against the database image. And if the image is matched with the database image the attendance gets marked. If the image is not found it will ask the admin to add the student image in the database. If the attendance is marked as absent it will send an alert to the concerned student parent. For the face recognition it uses a method called Eigen face. Eigen face is one of the fastest approaches. The Eigen face method decomposes images into small features. Discrete images are mapped using linear values of Eigen face. Finally all the faces are recognized using the best Eigen face value.

2.1.2 MERIT

Hardware installation is easy.

2.1.3 DEMERIT

Accuracy is low and face recognition is difficult.

2.2 CLASS ATTENDANCE MANAGEMENT SYSTEM USING FACE RECOGNITION [2018]

2.2.1 DESCRIPTION

This paper proposes a comprehensive embedded class attendance system with controlling the door access. The proposed scheme is based on face recognition. By using Local Binary Pattern algorithm (LBP) the face gets recognized. After capturing image it will be passed to the raspberry pi which handles the implementation of face recognition algorithm. If the student image was matched the door will be opened with the help of servo motor. In addition, the attendance result will be stored in the MySQL database. The experimental results show that higher accuracy can be achieved with our proposed one. The numerical results are provided to show the performances of the proposed scheme in different cases of face recognition.

2.2.2 MERIT

> Easily accessible.

2.2.3 DEMERIT

Less sensitivity and not effective in darkness.

2.3 AUTOMATED ATTENDANCE SYSTEM USING IMAGE PROCESSING [2018]

2.3.1 DESCRIPTION

This paper proposes an idea of using image detection and recognition which can automatically handle the attendance system. In this paper, Viola Jones algorithm used for face detection and Fisher Face Algorithm are used for face recognition. At first video segments are captured from the classroom. Then, the face was detected by preprocessing the video input .Face cropping has been done At last; the cropped image would be compared with the database. If the cropped face matches with the database it marks the attendance and if the image is not found it will ask the user to register.

2.3.2 MERIT

Maintains attendance in high efficient manner

2.3.3 DEMERIT

> Accuracy rate is less than 50%

2.4 REAL TIME SMART ATTENDANCE SYSTEM USING FACE RECOGNITION TECHNIQUES [2019]

2.4.1 DESCRIPTION

Generally attendance system is executed with the help of biometrics. Face recognition is one of the best methods to improve this system. This paper proposes a method to automate the attendance management system by making use of recognition techniques like face values. Principal Eigen Component Analysis(PCA), Convolution Neural Network(CNN). Firstly student has to enroll and details will be stored in the database and the camera will be fixed outside the classroom. If the face is not present in the database it prompts the student to register. In face recognition module the images are recovered from the camera inside the classroom. It will mark present for the students who are present in the class. Marked attendance is stored in the database for the future purpose.

2.4.2 MERIT

Proxy less with high accuracy

2.4.3 DEMERIT

> Less efficient

2.5 REAL TIME ATTENDANCE USING FACE RECOGINITION TECHNIQUE [2020]

2.5.1 DESCRIPTION

This paper is about integrating the face recognition technique with Open Source Computer Vision (OpenCV) for attendance management system. It will

facilitate the attendance automation process and enable staff to enquire student details based on the check in and checkout time. Firstly the camera has been installed in the classrooms. After that image will be captured and the captured image will be passed to the face recognition module. The recognized images are checked with images of the students which is stored in a database with individual id .if the image is not found in the database by performing haar cascade method student can add their image into the database. Student information and attendance are stored in Excel Sheet.

2.5.2 MERIT

Accuracy high in smaller area

2.5.3 DEMERIT

Detection rate is low in larger area

2.6 ATTENDANCE MANAGEMENT SYSTEM USING FACE RECOGNITION [2020]

2.6.1 DESCRIPTION

This paper describes the face recognition technique used for the attendance management system. It uses an algorithm called cascade classifier and Local Binary Pattern Histogram (LBPH) for face recognition. In this application students have to register by entering the ID and Name registered with Face recognition. This data will be stored in database. Local Binary Pattern is a basic algorithm used to detect face from front side. Haar cascade is based on Haar wavelet technique to analyze the pixels from the captured image. The recognized images are checked with images of the students which is stored in a database with individual id .if the image is not found in the database by performing haar cascade method student can add their image into the database. Student information and attendance are stored and it will be available for the respective staffs.

2.6.2 **MERIT**

> Robust Against monotonic grey image

2.6.3 DEMERIT

> Take more than 5 secs to recognize.

2.7 STUDENT ATTENDANCE SYSTEM USING FACE RECOGNITION [2020]

2.7.1 DESCRIPTION

This paper describes the face recognition technique used for the attendance management system. It uses an algorithm called haar cascade classifier, K-Nearest Neighbor (KNN), Convolution Neural Network (CNN), Support Vector Machine (SVM) and Local Binary Pattern Histogram (LBPH) for face recognition. In this application attendance report will generated and stored in excel format .This system is tested against various conditions. The system developed need less installation .The recognized images are checked with images of the students which is stored in a database .if the image is not found in the database student can add their image into the database. Student information and attendance are stored and it will be available in database.

2.7.2 MERIT

Cost efficient

2.7.3 DEMERIT

> Less computational Complexity

SYSTEM SPECIFICATION

3.1 SYSTEM REQUIREMENTS

3.1.1 HARDWARE REQUIREMENTS

> System : Pentium IV 2.4 GHz.

Hard Disk : 1 TB
 RAM : 4 GB

3.1.2 SOFTWARE REQUIREMENTS

Operating system : Windows 10Coding Language : PYTHON

> Tool : PYTHON 3.9, FLASK

3.2 SOFTWARE DESCRIPTION

3.2.1 ABOUT PYTHON

PYTHON is an interpreted, object-oriented, high level programming language with dynamic semantics. It supports modules and package which encourages code reuse. Typical uses include:

- User-friendly Data Structures
- Software development
- Writing system scripts
- Data analysis, exploration, and visualization
- Scientific and engineering graphics

PYTHON is often used as a scripting language for Web applications. It means it can automate specific series of tasks in an efficient way. It works on different platforms like Windows, Mac, Linux, etc.

3.2.2 CHARACTERISTICS OF PYTHON

- > Python is a very easy to use developer-friendly language.
- > Open Source Programming language.
- > Support a wide area of GUI.
- Easily Portable language.
- > Supports other Programming Languages like C,C++,Java,etc.
- > Tools for building applications with custom user interface.

3.2.3 ABOUT FLASK


FLASK is a micro web framework written in python. It does not require specific tools or libraries. It allows us to build web applications. It will not force any dependency. It has features like url routing, template engine.

3.2.4 CHARACTERISTICS OF FLASK

- Development server and debugger.
- Integrated support for unit testing.
- RESTful request dispatching.
- Uses Jinja templating.
- Support for secure cookies (client side sessions).

PROJECT DESIGN

4.1 MODULE DESCRIPTION OF ADMIN PHASE



4.1 FIGURE: ADMIN PHASE

Input: Student image

Output: Model of the student

Step 1: Addition of staff and students.

Step 2: Storing the details of student and staff into the database.

Step 3 : Allowing students to capture the image.

Step 4: Uploading the captured image of the student.


Step 5: Using ML algorithm the training has been done for the uploaded image of a particular student.

Step 6: Model is generated for each student.

Step 7: Generated models are stored in separate folders.

Step 8: Save the folder name with the ID number of the student.

4.2 MODULE DESCRIPTION OF TEACHER PHASE



4.2 FIGURE: TEACHER PHASE

Input: Student image

Output: Attendance report.

Step 1: Teacher allows students to capture images of the student.

Step 2: Captured image is injected into the model.

Step 3: The image is compared with the generated model.

Step 4: By entering the corresponding roll number and subject code the attendance will be marked.

Step 5: If the model is not present it will prompt the staff to add the student.

Step 6: Hence the attendance is stored in the Excel sheet.

Step 7: In the report generation tab the staff can generate the attendance based on hours and particular week and consolidated report.

Step 8 : Staff can send mail to the student parents about the daily presence of student in the classroom.

IMPLEMENTATION AND RESULTS

5.1 IMPLEMENTATION

Implementation is the most crucial stage in achieving a successful system and giving the users confidence that the new system is effective and workable. Implementation of this project refers to the installation of the packages in its real environment to the full satisfaction of the users and operations of the system. Testing is done individually at the time of development using the data and verification is done the way specified in the program specification. In short, implementation constitutes all activities that are required to put an already tested and completed package into operation. The success of any information system lies in its successful implementation. System implementation is the stage in the project where the theoretical design is turned into a working system. The most critical stage is achieving a successful system and in giving confidence on the new system for the user that it will work efficiently and effectively. The existing system was a long time process.

5.1.1 ADMIN - app.py

5.1.1.1 PACKAGES

```
from flask import
Flask,render_template,request,redirect,url_for,session
    import MySQLdb
    import os

#import for face recognition
    from math import sqrt
    from sklearn import neighbors
    from os import listdir
    from os.path import isdir, join, isfile, splitext
    import pickle
    from PIL import Image, ImageFont, ImageDraw, ImageEnhance
    import face_recognition
    from face_recognition import face_locations
    from face_recognition.face_recognition_cli import
image_files_in_folder
```

5.1.1.2 AUTHENTICATION SYSTEM

```
app = Flask( name )
APP ROOT = os.path.dirname(os.path.abspath( file ))
print(APP ROOT)
conn
MySQLdb.connect(host="localhost",user="root",password="Arasii@5670",db="lo
gin info")
@app.route('/')
def index():
    return render template("index.html", title="Admin Login")
@app.after request
def set response headers(response):
    response.headers['Cache-Control'] = 'no-cache, no-store,
                                                                     must-
revalidate'
    response.headers['Pragma'] = 'no-cache'
    response.headers['Expires'] = '0'
    return response
@app.route('/login',methods=['POST'])
def login():
    user = str(request.form["user"])
   paswd = str(request.form["password"])
   cursor = conn.cursor()
    result = cursor.execute("SELECT * from admin login where binary
username=%s and binary password=%s",[user,paswd])
    if(result==1):
        return render template("task.html")
    else:
        return render template("index.html",title="Admin Login",msg="The
username or password is incorrect")
@app.route('/register teacher',methods=['POST'])
def register teacher():
    return render template("signup.html",title="SignUp")
@app.after request
def set response headers(response):
    response.headers['Cache-Control'] = 'no-cache, no-store,
                                                                     must-
revalidate'
```

```
response.headers['Pragma'] = 'no-cache'
    response.headers['Expires'] = '0'
    return response
@app.route('/student',methods=['POST'])
def file upload():
    return render template("upload.html")
@app.route('/signup teacher',methods=['POST'])
def signup():
   user = str(request.form["user"])
   paswd = str(request.form["password"])
   email = str(request.form["email"])
   cursor = conn.cursor()
    result = cursor.execute("SELECT * from teacher login where binary
username=%s",[user])
   print (result)
   if(result == 1):
        return
render template("signup.html",title="SignUp",uname=user,msg="already
present")
    cursor.execute("INSERT INTO teacher login (username, password, email)
VALUES(%s, %s, %s)",(user,paswd,email))
    conn.commit()
    return render template("signup.html",title="SignUp",msg="successfully
signup",uname=user)
@app.route('/signup student',methods=['POST'])
def signup student():
   user = str(request.form["student name"])
   email = str(request.form["student email"])
    roll_id = str(request.form["roll id"])
   email1 = str(request.form["parent email"])
   cursor = conn.cursor()
    result = cursor.execute("SELECT * from student_login where binary
roll id=%s",[roll id])
   print (result)
    if(result == 1):
        return render template("upload.html",uname=user,msg=" already
present")
    cursor.execute("INSERT
                                          INTO
                                                             student login
```

```
(username, student email, parent email, roll id)
                                                VALUES (%s,
                                                                 ଖs,
                                                                         왕s,
%s)",(user,email,email1,roll id))
    conn.commit()
            render template("upload.html",uname=user,msg=" successfully
    return
signup")
@app.route("/upload", methods=['POST'])
def upload():
    target = os.path.join(APP ROOT,"train/")
    if not os.path.isdir(target):
        os.mkdir(target)
    classfolder = str(request.form['class_folder'])
    session['classfolder'] = classfolder
    target1 = os.path.join(target,str(request.form["class_folder"])+"/")
    session['target1']=target1
   print(target1)
    model = os.path.join(APP ROOT, "model/")
    if not os.path.isdir(model):
        os.mkdir(model)
    classname = str(request.form['class folder']+"/")
    model = os.path.join(model,classname)
    if not os.path.isdir(model):
        os.mkdir(model)
    session['model']=model
    session['classname'] = classname
    if not os.path.isdir(target1):
        os.mkdir(target1)
    id folder = str(request.form["id folder"])
    session['id folder']= id folder
    target2 = os.path.join(target1,id folder+"/")
    if not os.path.isdir(target2):
        os.mkdir(target2)
    target3 = os.path.join(target2,id folder+"/")
    if not os.path.isdir(target3):
        os.mkdir(target3)
    for file in request.files.getlist("file"):
        print(file)
        filename = file.filename
        destination = "/".join([target3,filename])
        print(destination)
        file.save(destination)
    return call train()
```

5.1.1.3 TRAINING PHASE

This function is responsible for training student data through face recognition and storing it in a database. The whole training process involves preprocessing the image and the model generation.

```
def train(train dir, model save path = "", n neighbors = None,
knn algo = 'ball tree', verbose=True):
    id folder=str(session.get('id folder'))
   y = []
    for class dir in listdir(train dir):
        if not isdir(join(train dir, class dir)):
        for img path in image files in folder(join(train dir,
class dir)):
            image = face recognition.load image file(img path)
            faces bboxes = face locations(image)
            if len(faces bboxes) != 1:
                if verbose:
                    print("image {} not fit for training:
{}".format(img path, "didn't find a face" if len(faces_bboxes) < 1
                    os.remove(img path)
            X.append(face recognition.face encodings(image,
            y.append(class dir)
    print(listdir(train dir+"/"+id folder))
    train dir f = listdir(train dir+"/"+id folder)
    for i in range(len(train dir f)):
        if(train dir f[i].startswith('.')):
    print(listdir(train dir+"/"+id folder))
    if(listdir(train dir+"/"+id folder) == []):
        return render template ("upload.html", msg1="training data
    elif(z >= 1):
        return render template("upload.html", msg1="Data trained for
```

5.1.1.4 MODEL GENERATION

```
def call_train():
    id_folder = str(session.get('id_folder'))
    model=str(session.get('model'))
    if not os.path.isdir(model + id_folder):
        os.mkdir(model + id_folder)
    model = model + id_folder + "/"
    model = model + "model"
    target1=str(session.get('target1'))
    print(id_folder)
    print (target1)
    target1 = target1 +id_folder
    print(target1)
    print(model)
    return train(train_dir=target1, model_save_path=model)
```

5.1.2 TEACHERS: APP.PY

5.1.2.1 PACKAGES

```
from flask import
Flask,render_template,request,redirect,url_for,session
from flask_bootstrap import Bootstrap
import MySQLdb
```

```
import os
from math import sqrt
from sklearn import neighbors
from os import listdir
from os.path import isdir, join, isfile, splitext
import shutil
import pickle
from PIL import Image, ImageFont, ImageDraw, ImageEnhance
import face recognition
from face recognition import face locations
from face recognition.face recognition cli import
image files in folder
from datetime import datetime, timedelta
from pytz import timezone
import xlsxwriter
import pandas as pd
from glob import glob
from flask mail import Mail, Message
from io import BytesIO
import base64
import lable image
```

5.1.2.2 IMAGE CAPTURING

```
def upload():
    if not os.path.isfile(APP ROOT+"/image.jpeg"):
        return render template("upload.html", msg="spoof detected")
    id folder = str(request.form['id folder'])
    session['id folder']= id folder
    target = os.path.join(APP ROOT, "test/")
    if not os.path.isdir(target):
        os.mkdir(target)
    target1 =
os.path.join(target, str(request.form["folder_name"])+"/")
    test append = str(request.form["folder name"])
    session['test_append']= test_append
    print(target1)
    if not os.path.isdir(target1):
        os.mkdir(target1)
    shutil.copyfile(APP ROOT+"/"+"image.jpeg",target1+"image.jpeg")
    destination = APP ROOT + "/" + "test/" + test append + "/" +
"image.jpeg"
```

```
session['destination'] = destination
teacher_name = str(session.get('user'))
session['teacher_name'] = teacher_name
#return render_template("upload.html",msg="uploaded successfully")
return match()
```

5.1.2.3 IMAGE DETECTION

```
def match():
    destination = str(session.get('destination'))
    print(destination)
    if os.path.isfile(destination):
        test append = str(session.get('test append'))
        session['test append'] = test append
        id folder = str(session.get('id folder'))
        train dir = APP ROOT1[0]+"admin site/train/"+ test append
        try:
            model = APP ROOT1[0]+"admin site/model/"+test append+"/" +
id folder + "/" +"model"
            print(model)
            return predict1 (model)
        except FileNotFoundError:
            os.remove(APP ROOT1[0]+"teachers site/image.jpeg")
            return render template("upload.html", msg="trained model
not present for " + test append + ": "+id folder)
def predict(X img path, knn clf = None, model save path ="",
DIST THRESH = .45):
    if knn clf is None and model save path == "":
        raise Exception ("must supply knn classifier either thourgh
knn clf or model save path")
    if knn_clf is None:
        with open(model_save_path, 'rb') as f:
            knn clf = pickle.load(f)
    X img = face recognition.load image file(X img path)
    X faces loc = face locations(X img)
    if len(X faces loc) == 0:
        return []
```

```
faces encodings = face recognition.face encodings(X img,
known face locations=X faces loc)
    closest distances = knn clf.kneighbors(faces encodings,
n neighbors=1)
    is recognized = [closest distances[0][i][0] <= DIST THRESH for i</pre>
in range(len(X faces loc))]
    return [(pred) if rec else ("unknown") for pred, rec in
zip(knn clf.predict(faces_encodings), is recognized)]
def predict1(model):
    test_append = str(session.get('test_append'))
    test dir = APP ROOT1[0]+"teachers site/test/" + test append
    f preds = []
    for img path in listdir(test dir):
        preds = predict(join(test dir, img path)
, model save path=model)
        f preds.append(preds)
        print(f preds)
    print(len(preds))
    print(len(f preds))
    for i in range(len(f_preds)):
        if(f preds[i] == []):
            os.remove(APP ROOT1[0]+"teachers site/image.jpeg")
            return render template("upload.html", msg="upload again,
face not found")
            os.remove(APP ROOT1[0]+"teachers site/image.jpeg")
    excel = os.path.join(APP ROOT, "excel/")
    if not os.path.isdir(excel):
        os.mkdir(excel)
    excel1 = os.path.join(excel,test append)
    if not os.path.isdir(excel1):
        os.mkdir(excel1)
    teacher name = str(session.get('teacher name'))
    excel2 = os.path.join(excel1, teacher name)
    if not os.path.isdir(excel2):
        os.mkdir(excel2)
    session['excel2'] = excel2
```

```
excel3 = excel2+"/"+date+'.xlsx'
    if not os.path.isfile(excel3):
        workbook = xlsxwriter.Workbook(excel2+"/"+date+'.xlsx')
        worksheet = workbook.add worksheet()
        worksheet.set column(0,0,20)
        worksheet.write('A1','Roll Id')
        f preds.sort()
        row = 1
        col = 0
        if f preds[0][0] == 'unknown':
            return render template("upload.html", msg= "Student Not
Matched")
        for i in range(len(f preds)):
            for j in range(len(f preds[i])):
                worksheet.write_string(row,col,f_preds[i][j])
                row += 1
        workbook.close()
        return render template("upload.html", msg= f preds[0][0] + "
present")
    else:
        df = pd.read excel(excel2+"/"+date+'.xlsx')
        writer = pd.ExcelWriter(excel2 + "/" + date+'.xlsx')
        df.to excel(writer, sheet name="Sheet1", index=False)
        workbook = writer.book
        worksheet = writer.sheets['Sheet1']
        rows=df.shape[0]
        worksheet.write string(rows+1,0,f preds[0][0])
        writer.save()
        df = pd.read excel(excel2+"/"+date+'.xlsx')
        df.drop duplicates(['Roll Id'],keep='first',inplace=True)
        # result = df.sort values("Roll Id")
        writer = pd.ExcelWriter(excel2 + "/" + date+'.xlsx')
        df.to excel(writer,'Sheet1',index=False)
        workbook = writer.book
        worksheet = writer.sheets['Sheet1']
        worksheet.set column(0,0,20)
        writer.save()
        return render template("upload.html", msg= f preds[0][0] + "
present")
```

5.1.2.4 ATTENDANCE VIEW

```
def view():
    test append = str(request.form['folder name'])
    session['test_append']=test_append
    teacher name = str(session.get('user'))
    excel dir = APP ROOT+"/excel/"+test append+"/"+teacher name+"/"
    excel date = request.form['fname']
    time = request.form['ftime']
    time = time[:2]
    print(time)
    final excel=glob(excel dir + "/" + excel date+ "@" + time
+"*.xlsx")[0]
    print(final excel)
    df = pd.read excel(final excel)
    df.index += 1
    return
render_template("files.html", msg=final_excel, df=df, date=excel_date+"@"
+time+"hrs")
```

5.1.2.5 MAIL CONFIGURATION

```
app.config.update(
    DEBUG = True,
    #Email settings

MAIL_SERVER = 'smtp.gmail.com',
    MAIL_PORT = 465,
    MAIL_USE_SSL = True,
    MAIL_USE_SSL = True,
    MAIL_USERNAME = 'college1118@gmail.com',
    MAIL_PASSWORD = 'yog12345',
    MAIL_DEFAULT_SENDER = 'college1118@gmail.com'
    )
mail = Mail(app)

# declaring timezone then creating custom date format

india = timezone('Asia/Kolkata')
date = str(datetime.now(india))[:10] + "@" +
str(datetime.now())[11:13] + "hrs"
```

5.1.2.6 MAIL ALERT

```
def send mail():
    test append = str(request.form['folder name'])
    teacher name = str(session.get('user'))
    excel dir = APP ROOT+"/excel/"+test append+"/"+teacher name+"/"
    excel date = request.form['fname']
    time = request.form['ftime']
    time = time[:2]
    final send = glob(excel dir + "/" + excel date+ "@" + time
+"*.xlsx")[0]
    print(final send)
    df = pd.read excel(final send)
    roll id = list(df['Roll Id'])
    print(type(roll_id))
    print(roll id)
    cursor = conn.cursor()
    for i in range(len(roll id)):
        cursor.execute("SELECT student email, parent email from
student login where binary roll id=%s",[roll id[i]])
        email = list(cursor.fetchone())
        print(type(email[1]))
        print(email[0])
        print(email[1])
        msg = Message('Auto Generated', recipients=
[email[0],email[1]])
        msg.body = "Hi.. " + roll id[i] + " is present for the lecture
of " + "Prof. " +str(teacher name.split('.',1)[0]) + ", which is held
on " + excel date + "@" + time + "hrs"
        msg.html = "Hi.. " + roll id[i] + " is present for the lecture
of " + "Prof. " +str(teacher name .split('.',1)[0]) + ", which is held
on " + excel date + "@" + time + "hrs"
        mail.send(msq)
    return "<h1>mail sent<h1>"
```

5.1.2.7 ATTENDANCE UPDATION

```
def update():
    test_append = str(request.form['excel_folder'])
    print(test_append)
    teacher_name = str(session.get('user'))
    print(teacher_name)
```

```
excel_dir = APP_ROOT + "/excel/" + test_append + "/" +
teacher_name + "/"
  print(excel_dir)
  for file in request.files.getlist("updated_excel"):
     print(file)
     filename = file.filename
     print(filename)
     destination = "/".join([excel_dir,filename])
     print(destination)
     file.save(destination)
  return render_template("excel.html",msg="updated successfully")
```

5.1.2.8 CONSOLIDATED REPORT GENERATION

```
def calculate():
    test append = str(request.form['final class'])
    print(test append)
    teacher name = str(session.get('user'))
    print(teacher name)
    excel root = APP ROOT + "/excel/" + test append + "/" +
teacher name + "/"
   print(excel root)
    excel names = os.listdir(excel root)
    print(excel names)
    for i in range(len(excel names)):
        if excel names[i].startswith("."):
            os.remove(excel root+excel names[i])
        else:
            if os.path.isdir(excel root+excel names[i]):
                shutil.rmtree(excel root+excel names[i],
ignore errors=False, onerror=None)
    excel names = os.listdir(excel root)
    if(excel names==[]):
        return render_template("excel.html", msg1="No excel files
found")
    for i in range(len(excel names)):
        excel names[i] = excel root + excel names[i]
    print(type(excel names))
    # read them in
    excels = [pd.ExcelFile(name) for name in excel_names]
```

```
# turn them into dataframes
    frames = [x.parse(x.sheet_names[0], header=None,index_col=None)
for x in excels]
    # delete the first row for all frames except the first
    # i.e. remove the header row -- assumes it's the first
    frames[1:] = [df[1:] for df in frames[1:]]
    # concatenate them...
    combined = pd.concat(frames)
    if not os.path.isdir(excel root+"final/"):
        os.mkdir(excel root + "final/")
    final = excel root + "final/"
    print(final)
    # write it out
    combined.to excel(final+"final.xlsx", header=False, index=False)
    # below code is to find actual repetative blocks
    workbook = pd.ExcelFile(final+"final.xlsx")
    df = workbook.parse('Sheet1')
    sample data = df['Roll Id'].tolist()
    print (sample data)
    #a dict that will store the poll results
    results = {}
    for response in sample data:
        results[response] = results.setdefault(response, 0) + 1
    finaldf = (pd.DataFrame(list(results.items()), columns=['Roll Id',
'Total presenty']))
    finaldf = finaldf.sort values("Roll Id")
    print (finaldf)
    writer = pd.ExcelWriter(final+"final.xlsx")
    finaldf.to excel(writer,'Sheet1',index=False)
    workbook = writer.book
    worksheet = writer.sheets['Sheet1']
    worksheet.set column(0,1,20)
    writer.save()
    final = final + "final.xlsx"
    session['final']=final
    final = final[91:]
    return viewfinal(final)
```

5.2 SAMPLE OUTPUT







Fig 5.2.1 TEST IMAGES

Attendance Monitoring System




Fig 5.2.2 ADMIN PANEL

Attendance Monitoring System




Fig 5.2.3 ADMIN DASHBOARD



Fig 5.2.4 STUDENT ADDITION

Attendance Monitoring System




Fig 5.2.5 FACULTY LOGIN

Attendance Monitoring System




Fig 5.2.6 FACULTY DASHBOARD




Fig 5.2.7 TAKE ATTENDANCE

1718104 present

Mark Attendance

Enter id here

Enter class here





Fig 5.2.8 REPORT PANEL



Attendance for 2021-03-16@09hrs

Roll Id 1 1718104

Download C:\Users\Admin\project\teachers_site/excel/16IPC101/demo1\2021-03-16@09hrs.xlsx

Fig 5.2.9 ATTENDANCE VIEW




Fig 5.2.10 REPORT VIEW

CONCLUSION

In this project, we have developed a smart attendance system with face recognition technology. A model has been developed by training the students using face_recognition through dlib library while the models that have been generated can be used to mark the attendance. Thus the comparable detection can be obtained with satisfactory prediction accuracy. Different from the traditional methods, the process of marking and maintaining attendance can be performed in a face detection manner with the proposed model. The experimental results have shown that the attendance of the student can be marked and store it in the database.

REFERENCES

- > [1] Yohei Kawaguchi, Tetsuo Shoji, Face Recognition-Based Lecture Attendance System, 3rd AERU, 2005.
- [2] B. Kavinmathi, S.Hemalatha, Attendance System for Face Recognition using GSM module, 4th International Conference on Signal Processing and Integrated Networks, 2018.
- [3] Ketan N. Mahajan, Nagaraj V. Dharwadkar, Classroom Attendance System Using Surveillance Camera, International Conference on Computer Systems, Electronics and Control ,2017.
- [4] Shubhobrata Bhattacharya, Gowtham Sandeep Nainala, Prosenjit Das, Aurobinda Routray, Smart Attendance Monitoring System (SAMS): A Face Recognition based Attendance System for Classroom Environment, IEEE 18th International Conference on Advanced Learning Technologies, 2018.
- [5] E.Varadharajan, R.Dharani, S.Jeevitha, Automatic Attendance
 Management System using Face Detection, 2017.
- > [6] Guo, Jing-Ming, Complexity Reduced Face Detection using Probability- based Face Mask Prefiltering and pixel-based Hierarchical-feature Adaboosting, Signal Processing Letters, IEEE 2011.
- [7] K.Senthamil Selvi1, P.Chitrakala, A.Antony, Jenitha S, Face Recognition based Attendance Marking System, International Journal of Computer Science and Mobile Computing, 2014.
- [8] Chen, Joy long Zong. Smart Security System for Suspicious Activity
 Detection in Volatile Areas. Journal of Information Technology 2, 2020.

- > [9] Jacob, I. Jeena. Capsule Network based Biometric Recognition System. Journal of Artificial Intelligence 1,2019.
- [10] Kirtiraj Kadam, Manasi Jadhav, Shivam Mulay, Tushar Indalkar, Attendance Monitoring System Using Image Processing and Machine Learning, International Journal of Advance Engineering and Research Development, 2017.
- [11] Rajat Kumar Chauhan, Vivekanand Pandey, Lokanath M, Smart Attendance System Using CNN, International Journal of Pure and Applied Mathematics, 2018.
- > [12] Mayank Yadav, Anmol Aggarwal, Motion based Attendance System in Real Time Environment for Multimedia Application, 2018.
- [13] Wei Wu, Chuanchang Liu, Zhiyuan Su, Novel Real-time Face Recognition from Video Streams, International Conference on Computer Systems, Electronics and Control, 2017.
- [14] Changxing Ding, Dacheng Tao, Trunk-Branch Ensemble Convolutional Neural Networks for Video-Based Face Recognition, IEEE transactions on pattern analysis and machine intelligence, 2018.
- [15] Aziza Ahmedi, Dr Suvarna Nandyal, An Automatic Attendance System Using Image processing, The International Journal of Engineering and Science, 2015.