# Jutge.org

The Virtual Learning Environment for Computer Programming

## Treasures in a map (5)

P43164\_en

Write a program that, given a map with treasures and obstacles, computes the distance from a given initial position to the second furthest accessible treasure. The allowed movements are horizontal or vertical, but not diagonal. If needed, passing over the treasures is allowed.

### Input

Input begins with the number of rows n>0 and the number of columns m>0 of the map. Follow n rows with m characters each. A dot indicates an empty position, an 'x' indicates an obstacle, and a 't' indicates a treasure. Finally, two numbers r and c indicate the initial row and column (both of them starting at 1) where we must start looking for treasures. You can assume that r is between 1 and n, that c is between 1 and m, and that the initial position is always empty.

### Output

Print the minimum number of steps to reach the second furthest treasure from the initial position. If no treasure is accessible, tell so.

## Sample input 1

# Sample output 1

7 6 ..t... txxx. tx..x. .xt..xt .xx... tx..xt .xx... tx..xt .xx... tx..x .xx... .xx... tx..x .xx... tx... tx..x .xx... tx... tx..x .xx... tx..x .xx... tx..x .xx... tx..x .xx... tx..x .xx... tx... tx..x .xx... tx... tx..x .xx... tx..x .xx..x .xx... tx..x .xx... tx..x .xx... tx..x .xx... tx..x .xx... tx..

```
second maximum distance: 5
```

### Sample input 2

# Sample output 2

```
4 10 ..t...X... XXXXX.X... t.....X.t
```

we cannot reach two or more treasures

#### Sample input 3

#### Sample output 3

```
5 7 .....xxxxxt .x...xt .x..xt .x.xxx ...x.xt 5 5
```

second maximum distance: 19

## Sample input 4

1 3

t.t

1 2

### **Problem information**

Author : Salvador Roura Translator : Salvador Roura Generation : 2018-10-30 16:37:54

© *Jutge.org*, 2006–2018. https://jutge.org

## Sample output 4

second maximum distance: 1