Please check the examination details below before entering your candidate information			
Candidate surname		Other names	
		<u> </u>	,
Centre Number Candidate Number			
Pearson Edexcel International Advanced Level			
Time 1 hour 30 minutes	Paper reference	WST02/01	
Mathematics			
International Advanced Subsidiary/Advanced Level			
1	absidiai ,	y//tavaileed level	
Statistics S2			
			,
You must have:		Total Marks	1
Mathematical Formulae and Statistica	al Tables (Ye	ellow), calculator	L

Candidates may use any calculator permitted by Pearson regulations.
Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. If a calculator is used instead of the tables, the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 7 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶







1	A local pottery makes cups. The number of faulty cups made by the pottery in a week follows a Poisson distribution with a mean of 6	
	In a randomly chosen week, the probability that there will be at least x faulty cups made is 0.1528	
	(a) Find the value of x	(3)
	(b) Use a normal approximation to find the probability that in 6 randomly chosen weeks the total number of faulty cups made is fewer than 32	(4)
	A week is called a "poor week" if at least x faulty cups are made, where x is the value found in part (a).	(-)
	(c) Find the probability that in 50 randomly chosen weeks, more than 1 is a "poor week".	(4)



\sim
\times
X
X
\Diamond
$\langle \times$
$\langle \times$
×
X
X
X
X
\approx
8
X
X
$\langle \times \rangle$
$\langle \times \rangle$
$\langle \times \rangle$
Q.
\propto
\propto
X
X
X
X
X
X
\times
X
X
$\langle \times$
$\langle \times$
\propto
X
X
X
×
X
\times
\times
82
8
8
<
$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$
$\langle \cdot \rangle$
$\langle \times \rangle$
Q.
$\langle \times$
×
X
XX.
X
×
×
X
Ø
8
\otimes
$\langle \rangle$
$\langle \times \rangle$
$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$
$\langle \times \rangle$
X
X
SX
×
X
X
\otimes
\otimes
\otimes
× ×

DO NOT WRITE IN THIS AREA

	blank
Question 1 continued	



uestion 1 continued	

Question 1 continued	
	(Total 11 marks)

Turn over ▶

2 The continuous random variable X has cumulative distribution function given by

$$F(x) = \begin{cases} 0 & x < -k \\ \frac{x+k}{4k} & -k \leqslant x \leqslant 3k \\ 1 & x > 3k \end{cases}$$

where k is a positive constant.

(a) Specify fully, in terms of k, the probability density function of X

(2)

(b) Write down, in terms of k, the value of E(X)

(1)

(c) Show that $Var(X) = \frac{4}{3}k^2$

(2)

(d) Find, in terms of k, the value of $E(3X^2)$

(3)



	Leave
Question 2 continued	



	Leave
Overtion 2 continued	blank
Question 2 continued	

§ (
	Overtion 2 continued	
•	Question 2 continued	
_		
-		
_		
_		
_		
_		
-		
		(Total 8
		(10tal 8

Q2

marks)



3	A photocopier in a school is known to break down at random at a mean rate of 8 times per week.	
	(a) Give a reason why a Poisson distribution could be used to model the number of breakdowns.	(1)
	The headteacher of the school replaces the photocopier with a refurbished one and wants to find out if the rate of breakdowns has increased or decreased.	(1)
	(b) Write down suitable null and alternative hypotheses that the headteacher should use.	(1)
	The refurbished photocopier was monitored for the first week after it was installed.	
	(c) Using a 5% level of significance, find the critical region to test whether the rate of breakdowns has now changed.	(3)
	(d) Find the actual significance level of a test based on the critical region from part (c).	(2)
	During the first week after it was installed there were 4 breakdowns.	
	(e) Comment on this finding in the light of the critical region found in part (c).	(2)



Question 3 continued	Leave blank
Question 5 continued	
	1



Question 3 continued	
Question o communa	

Question 3 continued	
	('
	(

Q3

Total 9 marks)



4 The continuous random variable X has a probability density function given by

$$f(x) = \begin{cases} \frac{1}{2}k(x-1) & 1 \leqslant x \leqslant 3\\ k & 3 < x \leqslant 6\\ \frac{1}{4}k(10-x) & 6 < x \leqslant 10\\ 0 & \text{otherwise} \end{cases}$$

where k is a positive constant.

(a) Sketch f(x) for all values of x

(2)

(b) Show that $k = \frac{1}{6}$

(2)

(c) Specify fully the cumulative distribution function F(x) of X

(7)

Given that $E(X) = \frac{61}{12}$

(d) find P(X > E(X))



(e) Describe the skewness of the distribution, giving a reason for your answer.









	Leave blank
Question 4 continued	



estion 4 continued	

Question 4 continued	

17

Turn over ▶

5	Applicants for a pilot training programme with a passenger airline are screened for colour blindness. Past records show that the proportion of applicants identified as colour blind is 0.045	
	(a) Write down a suitable model for the distribution of the number of applicants identified as colour blind from a total of <i>n</i> applicants.	(1)
	(b) State one assumption necessary for this distribution to be a suitable model of this situation.	
	(c) Using a suitable approximation, find the probability that exactly 5 out of 120 applicants are identified as colour blind.	(1)
	(d) Explain why the approximation that you used in part (c) is appropriate.	(3)
	Jaymini claims that 75% of all applicants for this training programme go on to become pilots.	(2)
	From a random sample of 96 applicants for this training programme 67 go on to become pilots.	
	(e) Using a suitable approximation, test Jaymini's claim at the 5% level of significance. State your hypotheses clearly.	(7)



\otimes	$\times\!\!\times\!\!\times$	
\otimes	$\times\!\!\times\!\!\times$	
\times	$\times\!\!\times\!\!\times$	
\otimes	$\times\!\!\times\!\!\times$	
\times		
\times		
\times		
\otimes		
×	EAX.	
\otimes	œ×.	
\otimes		
\otimes	S	
\otimes		
\otimes	$=$ \times	
\otimes		
\times	zx	
\times		
\otimes		
\times		
X	\Longrightarrow $\!$	
\times	3	
×	$\simeq \!\!\! \simeq$	
\otimes	O	
\otimes		
\otimes		
\otimes	\odot \times	
\otimes		
\times	$\times\!\!\times\!\!\times$	
\times	$\times\!\!\times\!\!\times$	
\times	$\times\!\!\times\!\!\times$	
\otimes	$\times\!\!\times\!\!\times$	
\times		
\times	$\times\!\times\!\times\!\times$	
\times		
\otimes	****	
\otimes		
\otimes	XXXX	
\otimes		
XX	$\times\!\!\times\!\!\times$	
\otimes		
$\stackrel{\circ}{\times}$	<u> </u>	
× ×	SARE	
	SARE	
	HIS ARE	
	SARE	
	NTHIS ARE	
	IN THIS ARE	
	EINTHIS ARE	
	IN THIS ARE	
	/RITE IN THIS ARE	
	RITE IN THIS ARE	
	T WRITE IN THIS ARE	
	OT WRITE IN THIS ARE	
	T WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	OT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	NOT WRITE IN THIS ARE	
	A DO NOT WRITE IN THIS ARE	
	EA DO NOT WRITE IN THIS ARE	
	EA DO NOT WRITE IN THIS ARE	
	EA DO NOT WRITE IN THIS ARE	
	AREA DO NOT WRITE 1N THIS ARE	
	REA DO NOT WRITE IN THIS ARE	
	HIS AREA DO NOT WRITE IN THIS ARE	
	IS AREA DO NOT WRITE IN THIS ARE	

$\times \times \times \times \times \times$
-000000
XXXXXXX
111
XXXXXXX
XX 4 8XX
- 000 × 000
-000
_XXX
XX XXX
-007000
XX MAXX
-000000
- 00 000 00
XXXXX
-000
NOT WRITE IN THIS AREA
-000
XXXXXX
XXXXXXX
- (XXXXXX)
_XX (X) XX
XXXXXX
-0000000
XXXXXX
_XXXXXXX
- (XXXXXX)
-0000000

Question 5 continued	olank



nestion 5 continued	Question 5 continued	
restion 5 continued	Question 5 continued	
		stion 5 continued

Question 5 continued	
	(Total 14 marks)

Turn over ▶

6	(a) Explain what you understand by the sampling distribution of a statistic.	(1)
	At Sam's cafe a standard breakfast consists of 6 breakfast items. Customers can then choose to upgrade to a medium breakfast by adding 1 extra breakfast item or they can upgrade to a large breakfast by adding 2 extra breakfast items. Standard, medium and large breakfasts are sold in the ratio 6:3:2 respectively.	
	A random sample of 2 customers is taken from customers who have bought a breakfast from Sam's cafe on a particular day.	
	(b) Find the sampling distribution for the total number, <i>T</i> , of breakfast items bought by these 2 customers. Show your working clearly.	(7)
		(-)
	(c) Find $E(T)$	(2)



	Leave
	blank
Question 6 continued	
Q	
	1





Question 6 continued	
Question v commute	
	(Total 10 marks)

7	The sides of a square are each of length L cm and its area is A cm ²	
	Given that <i>A</i> is uniformly distributed on the interval [10, 30]	
	(a) find $P(L \geqslant 4.5)$	
		(2)
	(b) find $Var(L)$	
		(6)

	Leave
	blank
Question 7 continued	



Leave

Question 7 continued	blank
	Q7
	Y
(Total 8 marks)	
END TOTAL FOR PAPER: 75 MARKS	