Centre No.				Paper Reference				Surname	Initial(s)		
Candidate No.			6	6	6	3	/	0	1	Signature	

6663/01

Edexcel GCE

Core Mathematics C1 Advanced Subsidiary

Friday 9 January 2009 – Morning

Time: 1 hour 30 minutes



Ex	Examiner's use only							
		,	,					

Team

1

2

3

4

5

6

7

8

9

10

11

L	eader's t	ise only

Ouestion Leave

Materials required for examination Mathematical Formulae (Green)

Items included with question papers

Calculators may NOT be used in this examination.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer for each question in the space following the question.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 11 questions in this question paper. The total mark for this paper is 75.

There are 28 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy. ©2009 Edexcel Limited.

W850/R6663/57570 3/3/3/3



Turn over

Total



		Lea bla
1. (a) Write down the value of $125^{\frac{1}{3}}$.	(1)	
(b) Find the value of $125^{-\frac{2}{3}}$.		
	(2)	
		Q1
	(Total 3 marks)	



Find $\int (12x^5 - 8x^3 + 3) dx$, giving each term in its simplest form.	(4)
	(Total 4 marks)

PMT

Leave blank

(2)	Expand and simplify $(\sqrt{7} + 2)(\sqrt{7} - 2)$.	
	Expand and simplify (\(\tau \cdot 2)(\tau \cdot 2).	(2)



5

PMT

$f'(x) = 3x^2 - 3x^{\frac{1}{2}} - 7,$ use integration to find $f(x)$, giving each term in its simplest form. (5)	Given that	
	$f'(x) = 3x^2 - 3x^{\frac{1}{2}} - 7,$	
	use integration to find $f(x)$, giving each term in its simplest form.	
		(5)

5.




Figure 1

Figure 1 shows a sketch of the curve C with equation y = f(x). There is a maximum at (0, 0), a minimum at (2, -1) and C passes through (3, 0).

On separate diagrams sketch the curve with equation

(a)
$$y = f(x+3)$$
, (3)

(b)
$$y = f(-x)$$
. (3)

On each diagram show clearly the coordinates of the maximum point, the minimum point and any points of intersection with the *x*-axis.

	9	_
 (Total 6 marks)		
	Q5	
	05	
Question 5 continued		



- **6.** Given that $\frac{2x^2 x^{\frac{3}{2}}}{\sqrt{x}}$ can be written in the form $2x^p x^q$,
 - (a) write down the value of p and the value of q.

(2) Given that $y = 5x^4 - 3 + \frac{2x^2 - x^{\frac{3}{2}}}{\sqrt{x}}$,

(b) find $\frac{dy}{dx}$, simplifying the coefficient of each term	n.
---	----

(4)



Leave	
blank	

PMT

7.	The equation $kx^2 + 4x + (5 - k) = 0$, where k is a constant,	, has 2 different real solutions
	for x.		

(a) Show that k satisfies

$$k^2 - 5k + 4 > 0.$$

(3)

(b) Hence find the set of possible values of k .	(4

- **8.** The point P(1, a) lies on the curve with equation $y = (x + 1)^2(2 x)$.
 - (a) Find the value of a.

(1)

- (b) On the axes below sketch the curves with the following equations:
 - (i) $y = (x+1)^2(2-x)$,
 - (ii) $y = \frac{2}{x}$.


On your diagram show clearly the coordinates of any points at which the curves meet the axes.

(5)

(c) With reference to your diagram in part (b) state the number of real solutions to the equation

$$(x+1)^2(2-x) = \frac{2}{x}.$$

(1)



	Q8
(Total 7 marks)	



The first term of an arithmetic series is a and the common difference is d .	
The 18th term of the series is 25 and the 21st term of the series is $32\frac{1}{2}$.	
(a) Use this information to write down two equations for a and d .	(2)
(b) Show that $a = -17.5$ and find the value of d .	(2)
The sum of the first n terms of the series is 2750.	
(c) Show that n is given by	
$n^2 - 15n = 55 \times 40.$	
	(4)
(d) Hence find the value of <i>n</i> .	(3)

Question 9 continued	blank
Question > continued	
	Q9
(Total 11 marks)	



- **10.** The line l_1 passes through the point A (2, 5) and has gradient $-\frac{1}{2}$.
 - (a) Find an equation of l_1 , giving your answer in the form y = mx + c. (3)

The point B has coordinates (-2, 7).

(b) Show that B lies on l_1 .

(1)

(c) Find the length of AB, giving your answer in the form $k\sqrt{5}$, where k is an integer.

(3)

The point C lies on l_1 and has x-coordinate equal to p.

The length of *AC* is 5 units.

(d) Show that p satisfies

$$p^2 - 4p - 16 = 0.$$

(4)

Question 10 continued	Leave blank
Question to communica	
	-
	-
	Q10
(Total 11 marks)	



11. The curve C has equation

$$y = 9 - 4x - \frac{8}{x}, \quad x > 0.$$

The point P on C has x-coordinate equal to 2.

(a) Show that the equation of the tangent to C at the point P is y = 1 - 2x.

(6)

(b) Find an equation of the normal to C at the point P.

(3)

The tangent at P meets the x-axis at A and the normal at P meets the x-axis at B.

(c) Find the area of triangle APB.

(4)

Question 11 continued		blank
		Q11
	(Total 13 marks)	
	(LUMI LU MAINA)	
TOTAL F	OR PAPER: 75 MARKS	

