

Population Viability Analysis

NRES 470/670

Spring 2021

Final projects:

Just a heads up about final projects. Your working PVA and a document justifying your modeling decisions is *due Friday, April 10!*

Population Viability Analysis (PVA)

Population Viability Analysis (PVA) integrates everything we have studied so far and more.

At its most basic level, PVA is the *process of building and running a formal predictive population model for the purpose of gaining insight about present and future conservation status, or ranking alternative management options.*

Q: Does PVA align well with the small-population paradigm?

Q: Does PVA align well the declining-population paradigm?


Q: Are PVA models always stochastic?

Q: Are PVA models always density-dependent?

Q: Are PVA models always age-structured?

Q: Are PVA models always spatially-explicit?

The PVA process (recipe for PVA!)



NOTE: The process of building a PVA model is **iterative** and **non-linear**.

For example – after running your model (step 4) and looking at your results (step 5) you might realize that the model is totally unrealistic. This might prompt you to go back and change your conceptual model of the life history (step 1), and re-parameterize your model (step 2).

Step 1: Life history Lecture 1: systems thinking

Lecture 2: feedbacks

Lecture 3: exponential growth

Lecture 4: density dependence

Lecture 5: allee effects

Lecture 6: age structured populations

Lecture 7: matrix population models

Lecture 8: stochasticity

Labs 1,2,3,4,5

The first step is to conceptualize the life history for your species of interest. This is where you might put together a life history diagram, and think about the following questions:

- How many life stages should I include?
- Which life stages are reproductive?
- Which vital rates are density-dependent?
- Does your species benefit from social aggregation? If so, are there any Allee effects?
- Which vital rates are subject to environmental stochasticity?
- Which vital rates could be altered by management activities?
- Are there any important catastrophes that can affect the system?

Q: is there ever a case where you *WON'T* include demographic stochasticity in your model?

Step 2: Parameterize the demographic model! Lecture 3: exponential growth

Lecture 4: density dependence

Lecture 5: allee effect

Lecture 7: matrix population models

Lecture 8: stochasticity and uncertainty

Labs 1,2,3,4,5,7

This is where you attach real numbers to the stocks and flows in your conceptual life history diagram. Remember that these parameters are more than just survival and fecundity. It's also:

- Annual variation in survival and fecundity (environmental stochasticity)
- Initial abundances
- Density dependence functions and parameters (including K)
- Allee thresholds
- Catastrophe effect sizes and probabilities
- Effects of management actions
- And more...

[stone soup analogy to model parameterization!]

Step 3: Spatial structure! Lecture 13: metapopulation models
Lecture 14: source-sink dynamics
Lab 6: metapopulation models

If you want to ask spatial questions, your model needs to be spatially explicit, or at least consider spatial structure in some way. The kinds of questions you might think about include:

- How many discrete populations are there in your metapopulation?
- Do different populations have different mean vital rates? Are some populations likely to be sources and others likely to be sinks?
- Is environmental stochasticity **spatially correlated**? (is a bad year in one subpopulation likely to be a bad year in every subpopulation?)
- At what rate do individuals move among these populations?
- Can connectivity be enhanced via management?
- Are dispersal rates density-dependent?

Step 4: Simulate! In class exercises, all labs

You know how to simulate populations now- you can choose whether it makes sense to use R, InsightMaker, Vortex, or some other software or programming platform for your simulations!

Either way, you can be creative- set up the simulations so that they can help you answer your key research questions! You are in control- you can set up the simulations so that they give you the kinds of data you need!!

- What scenarios do you want to test?
- How many replicates are sufficient?
- What data do you need to store for your plots and analyses?

Step 5: Results I recommend using R to analyze and plot out your simulation results. BUT you can use Excel and InsightMaker to make perfectly good plots as well!

Finally, you need to make sense of all the simulations you just ran.

There are two types of data analysis tools that you will need to be able to use the simulation results to answer your questions: **graphical visualization** and **statistical analysis**.

These tools- visualization and statistical analysis - are diverse, and there is no one-size-fits-all way that you should visualize and analyze your simulation results. It really depends on your question!!

I will give you some ideas here about graphical representations in the demo PVA - but just remember you are not limited to these ideas- be creative! Since this class is not a statistics class, I don't necessarily expect you to do sophisticated stats as part of your project- but Megan and I can work with your groups individually to figure out some simple stats that make sense for your project.

A Simple Demonstration PVA

To illustrate some of these concepts, let's build a very simple PVA model in R. If you want to follow along, [click here](#)

We are using R because of its flexible and powerful visualization tools.

Step 1: conceptualize the life history

For simplicity, let's ignore age structure for now - this is just a simple stochastic, one-stage (scalar) population model!

Also let's ignore parameter uncertainty too!

Step 2: parameterize!

Here is the basic model parameterization:

```
#####  
# Demonstration PVA  
#####  
  
# STEP 1: conceptualize life history (we are modeling this population as a simple, single-stage stochastic model)  
  
# STEP 2: parameterize the model  
  
####  
# Basic life history parameters  
####  
  
R_max <- 1.15      # Maximum rate of growth  
Init_N <- 51       # Initial abundance  
K <- 175           # Carrying capacity  
  
####  
# Environmental stochasticity  
####  
  
SD_anngrowth <- 0.11 # standard deviation of annual growth rate  
  
####  
# Density-dependence (Ricker model)  
####  
  
Ricker <- function(prev_abund){      # this is a function for computing next-year abundance -- include  
  prev_abund * exp(log(rnorm(1,R_max,SD_anngrowth))*(1-(prev_abund/K)))  
}  
  
####  
# Catastrophe  
####  
  
Flood_prob <- 0.05      # 5% chance of major flood  
Flood_lambda <- 0.25    # 25% of population can survive a flood
```

Step 3: spatial structure

Let's ignore spatial structure! We will learn more about modeling spatial structure in the next two lectures!

Step 4: simulate!

Now we can use these parameters to build and run a simple PVA model:

```
# STEP 3: add spatial structure (not applicable here)

# STEP 4: simulate!

####
# Basic simulation parameters
####

nyears <- 100      # number of years
nreps <- 500       # number of replicates

PVAdemo <- function(nreps,nyears,Init_N,R_max,K,Flood_prob,Flood_lambda){
  #browser()
  PopArray2 <- array(0,dim=c((nyears+1),nreps))  # set up storage array

  ## start looping through replicates

  for(rep in 1:nreps){

    # set initial abundance
    PopArray2[1,rep] <- Init_N      # set the initial abundance

    ### loop through years
    for(y in 2:(nyears+1)){
      ### stochasticity and d-d
      nextyear <- max(0,trunc(Ricker(PopArray2[y-1,rep])))

      ### catastrophe
      if(runif(1)<Flood_prob) nextyear <- nextyear*Flood_lambda
      PopArray2[y,rep] <- nextyear
    }
  }

  return(PopArray2)
}

### Run the PVA!

Default <- PVAdemo(nreps,nyears,Init_N,R_max,K,Flood_prob,Flood_lambda)
```

Step 5: results!

Now we can perform graphical visualizations and statistics that answer our original questions!

Graphical visualization There are several types of visualizations that you might want to use for your PVA models:

The first is to look at the “cloud” of abundance trajectories. This is the same type of figure we have seen in InsightMaker using the “Sensitivity testing” tool.


```
# STEP 5: results

#####
# Graphical visualization

PlotCloud <- function(simdata){
  plot(c(1:101),simdata[,1],col=gray(0.7),type="l",ylim=c(0,max(simdata)),xlab="Years",ylab="Abundance")

  for(r in 2:ncol(simdata)){
    lines(c(1:101),simdata[,r],col=gray(0.7),type="l")
  }
}

PlotCloud(Default)
```




Okay, what do we learn from this? Really, it’s a mess!!!

If our question is about extinction risk, maybe we want to plot extinction risk by time...

```
# Visualize extinction rates over time

Extinction_byyear <- function(simdata){
  apply(simdata,1,function(t) length(which(t==0)))/ncol(simdata)
}
```

```
plot(c(1:101),Extinction_byyear(Default),type="l",lwd=2,xlab="year",ylab="extinction risk")
abline(h=0.05,col="red",lwd=2)
```




Maybe our question is about the probability of decline over 100 years ...

In that case maybe we should present a histogram of final abundances...

```
# visualize final abundance after 100 years relative to initial abundance
```

```
hist(Default[nrow(Default),],xlab="Final abundance after 100 years",ylab="Number of replicates",main="")
abline(v=Init_N,col="green",lwd=2)
```


Or we could plot the extent of decline vs the probability of falling below that threshold at year 100.

```
# plot probabilities of different severities of decline

declines <- seq(0,100,by=1)
declineprob <- numeric(length(declines))

for(s in 1:length(declines)){
  declineprob[s] <- length(which(Default[nrow(Default),]<(Init_N-(declines[s]/100)*Init_N)))/ncol(Default)
}

plot(declines,declineprob,type="l",lwd=2,xlab="Decline threshold (percent)",ylab="Probability of falling below threshold")
abline(v=25,col="red",lwd=2)
```



What if our question is about the effect of flooding on extinction risk. Let's imagine that the probability of flooding is not expected to change with climate change, but that the intensity of the flood damage is likely to increase substantially!

Currently, floods generally result in a 10% population reduction. But climate change could increase this number to as much as 90%. Let's look at how much this could increase extinction risk!


Plot extinction risk as a function of flood severity

```
Extinction_risk <- function(simdata){
  length(which(simdata[nrow(simdata),]==0))/ncol(simdata)
}
```

```
flood_lambdas <- seq(0.9,0.1,by=-0.05)
```

```
all_scenarios <- numeric(length(flood_lambdas))
for(scenario in 1:length(flood_lambdas)){
  PVA <- PVAdemo(nreps,nyears,Init_N,R_max,K,Flood_prob,flood_lambdas[scenario])
  all_scenarios[scenario] <- Extinction_risk(PVA)
}
```

```
plot(flood_lambdas,all_scenarios,type="p",cex=2,xlab="flood impact (lambda in flood year)",ylab="extinction risk")
abline(h=0.05,col="red",lwd=2)
```



—go to next lecture—