



EDUCACIÓN
SECRETARÍA DE EDUCACIÓN PÚBLICA



TECNOLÓGICO
NACIONAL DE MÉXICO®

TECNOLÓGICO NACIONAL DE MÉXICO

INSTITUTO TECNOLÓGICO DE TIJUANA

SUBDIRECCIÓN ACADÉMICA

DEPARTAMENTO DE SISTEMAS Y COMPUTACIÓN

NOMBRE DE LOS ALUMNOS:

RAYMUNDO HIRALES LAZARENO (N. CONTROL: 17212339)

GALAVIZ LONA OSCAR EDUARDO (N.CONTROL: 17212993)

Carrera: Ingeniería Informática

Semestre: 9no

MATERIA: Minería de datos

PROFESOR: JOSE CHRISTIAN ROMERO HERNANDEZ

TRABAJOS: Practica 4

FECHA: 28/11/21

```
# K-Nearest Neighbors (K-NN)

# Importing the dataset
dataset = read.csv('Social_Network_Ads.csv')
dataset = dataset[3:5]

# Encoding the target feature as factor
dataset$Purchased = factor(dataset$Purchased, levels = c(0, 1))

# Splitting the dataset into the Training set and Test set
# install.packages('caTools')
library(caTools)
set.seed(123)
split = sample.split(dataset$Purchased, SplitRatio = 0.75)
training_set = subset(dataset, split == TRUE)
test_set = subset(dataset, split == FALSE)


# Feature Scaling
training_set[-3] = scale(training_set[-3])
test_set[-3] = scale(test_set[-3])

# Fitting K-NN to the Training set and Predicting the Test set results
library(class)
y_pred = knn(train = training_set[, -3],
              test = test_set[, -3],
              cl = training_set[, 3],
              k = 5,
              prob = TRUE)

# Making the Confusion Matrix
cm = table(test_set[, 3], y_pred)

# Visualising the Training set results
library(ElemStatLearn)
set = training_set
X1 = seq(min(set[, 1]) - 1, max(set[, 1]) + 1, by = 0.01)
X2 = seq(min(set[, 2]) - 1, max(set[, 2]) + 1, by = 0.01)
grid_set = expand.grid(X1, X2)
colnames(grid_set) = c('Age', 'EstimatedSalary')
y_grid = knn(train = training_set[, -3], test = grid_set, cl = training_set[, 3],
              k = 5)
plot(set[, -3],
      main = 'K-NN (Training set)',
      xlab = 'Age', ylab = 'Estimated Salary',
      xlim = range(X1), ylim = range(X2))
contour(X1, X2, matrix(as.numeric(y_grid), length(X1), length(X2)), add = TRUE)
points(grid_set, pch = '.', col = ifelse(y_grid == 1, 'springgreen3', 'tomato'))
points(set, pch = 21, bg = ifelse(set[, 3] == 1, 'green4', 'red3'))
```

Aqui se muestra el analisis correspondiente al training set



```
# Visualising the Test set results
library(ElemStatLearn)
set = test_set
X1 = seq(min(set[, 1]) - 1, max(set[, 1]) + 1, by = 0.01)
X2 = seq(min(set[, 2]) - 1, max(set[, 2]) + 1, by = 0.01)
grid_set = expand.grid(X1, X2)
colnames(grid_set) = c('Age', 'EstimatedSalary')
y_grid = knn(train = training_set[, -3], test = grid_set, cl = training_set[, 3],
k = 5)
plot(set[, -3],
      main = 'K-NN (Test set)',
      xlab = 'Age', ylab = 'Estimated Salary',
      xlim = range(X1), ylim = range(X2))
contour(X1, X2, matrix(as.numeric(y_grid), length(X1), length(X2)), add = TRUE)
points(grid_set, pch = '.', col = ifelse(y_grid == 1, 'springgreen3', 'tomato'))
points(set, pch = 21, bg = ifelse(set[, 3] == 1, 'green4', 'red3'))
```

Aqui se muestra el analisis correspondiente al Test set Evidence1