Rajalakshmi Engineering College

Name: Rayvan Sanjai

Email: 240701425@rajalakshmi.edu.in

Roll no: 2116240701425 Phone: 9380572043

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 17

Section 1: MCQ

1. Which clause is used to clean up resources, such as closing files in Python?

Answer

finally

Status: Correct Marks: 1/1

2. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

3. Fill in the blanks in the following code of writing data in binary files. import_ while True: rn=int(input("Enter")) nm=input("Enter") temp=[rn, nm] rec.append(temp) ch=input("Enter choice (y/N)") if ch.upper=="N": break f.open("stud.dat","_ _____.dump(rec,f)(3) .close()(4) Answer (pickle,wb,pickle,f) Status: Correct Marks: 1/1 4. Fill in the code in order to get the following output: Output: Name of the file: ex.txt fo = open(____(1), "wb") print("Name of the file: ",____)(2) Answer 1) "ex.txt"2) fo.name Status: Correct Marks: 1/1 5. What will be the output of the following Python code? f = None for i in range (5):

```
with open("data.txt", "w
    if i > 2:
      break
print(f.closed)
Answer
None of the mentioned options
                                                                  Marks: 0/1
Status: Wrong
6. What is the default value of reference_point in the following code?
file_object.seek(offset [,reference_point])
Answer
Status: Correct
                                                                  Marks: 1/1
7. What is the output of the following code?
class MyError(Exception):
  pass
 raise MyError("Something went wrong")
except MyError as e: \
  print(e)
Answer
Something went wrong
Status: Correct
                                                                  Marks: 1/1
```

8. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at

Status: Correct Marks: 1/1

9. How do you create a user-defined exception in Python?

Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/1

10. What is the output of the following code?

x = "hello" + 5
except TypeError:

print("Type Error occurred")

finally:

print("This will always execute")

Answer

Type Error occurredThis will always execute

Status: Correct Marks: 1/1

11. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

12. What will be the output of the following Python code?

Predefined lines to simulate the file content lines = [

```
"This is 1st line",
  "This is 2nd line",
  "This is 3rd line".
  "This is 4th line",
  "This is 5th line"
print("Name of the file: foo.txt")
# Print the first 5 lines from the predefined list
for index in range(5):
  line = lines[index]
  print("Line No %d - %s" % (index + 1, line.strip()))
Answer
Syntax Error
Status: Wrong
                                                                    Marks: 0/1
13. How do you rename a file?
Answer
os.rename(existing_name, new_name)
                                                                   Marks: 1/1
Status: Correct
14. What is the correct way to raise an exception in Python?
Answer
raise Exception()
Status: Correct
                                                                    Marks: 1/1
15. What is the purpose of the except clause in Python?
Answer
To handle exceptions during code execution
```

16. What is the output of the following code?

try: Marks: 1/1

```
x = 1 / 0
except ZeroDivisionError:
  print("Caught division by zero error")
finally:
  print("Executed")
```

Answer

Caught division by zero errorExecuted

Status: Correct Marks:1

- 17. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

18. What happens if no arguments are passed to the seek function?

Answer

error

Status: Wrong Marks: 0

	N V		N 1	V .	_		
10	MT:11 +6 -	code to in	الخاجري والمريو	" a a al £il a	fu - u - + h -		
19.	FIII INE	COOP IO IN	orgergo	rean me	irom ine	currem	nosilion
1 - 1	1 111 1110	oode to iii	OI GCI (C	i caa iiic	monn and	Carre	poortion.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1

20. Which of the following is true about

fp.seek(10,1)

Answer

Move file pointer ten characters ahead from the current position

Marks: 1/1 Status: Correct