

# Presentation with/of the latex-maven-plugin

E. Reissner

January 1, 1970 ernst.reissner@simuline.eu

## 1 Introduction and Purpose

## 2 Features

- Realized Features
- Planned Features

## 3 Goals

## 4 References

This is some additional text

# Purpose of these documents

The purpose of this document is twofold:

- Give an overview over the plugin. **But:**
  - The single official description of the plugin is the manual [Rei].
  - The [project site](#) gives already an overview.
  - The content of this presentation is updated only by need.
- Demonstrate that the plugin can compile a presentation using the `beamer` class and a handout written as `beamerarticle`.
  - In fact, when citing this presentation as [Rei23], this refers to both.
  - The presentation is about the plugin
  - The handout adds information on how to write a `beamer` presentation.
  - Both documents turn `beamer` class and package `beamerarticle` into preferred usage ensuring tests.

# Ant and Maven

Automatically creates documents from LaTeX sources during the Maven site phase and in an ant run.

This comprises running basic tools like `lualatex` and `bibtex` and rerunning them by need.

# Supported IO

## Supports

- many output formats like PDF, DVI, HTML, DOCX, RTF, TXT and others
- many graphical input formats like PNG, MP, FIG, gnuplot; also provides a separate goal creating them, `grp`
- bibliography, index, glossary and embedded code; in particular split index

# Checks

## Check

- sources with `chktex` and logs the results in target and goal `chk`
- versions of used tools via goal `vrs`
- log files detecting errors and warnings
- whether a document could have been reproduced, by demand

# Orchestration and document development

Orchestration of various tools detecting need for execution e.g. of `bibtex` including `rerunfilecheck` for `lualatex` and friends.

Supports document development, mainly by cooperating with editor, viewer and with other tools in the build chain.

- Offers installation script for extensions of VS Code.
- Offers configuration file `.chktexrc` for `chktex`.
- Can create configuration file `.latexmkrc` for `latexmk` synchronized with the configuration.
- Offers a common header file `header.tex` to unify packages loaded by latex main files.



# Planned Features

- Support biber replacing bibtex as preferred tool
- Support xindy replacing makeindex as preferred tool
- Support bib2gls replacing makeglossary as preferred tool
- Execute glosstex if needed
- Usage of the multibib macros
- ...

# Goals

An overview is on the [goals page](#).

Besides goals referring to creating output of a given type like [pdf](#), [odt](#) and [html](#), there is a goal [cfg](#), which allows [configuring](#) various output formats as targets.

One further goal, [chk](#) to perform a check with `chktex` is allowed among the targets.

The other goals cannot serve as targets:

- [vrs](#) to check versions of tools,

- [grp](#) to create graphic files speeding up use of `latexmk` and

- [inj](#) to inject useful files like headers or config files like `.latexmkrc`.

# References I



E. Reißner.

*Manual for the latex-maven-plugin and for an according ant-task, Version X.Y.*

The current version is available at

<http://www.simuline.eu/LatexMavenPlugin/manualLMP.pdf>.



E. Reißner.

Presentation with/of the latex-maven-plugin.

presentation available at <http://www.simuline.eu/LatexMavenPlugin/beamerClass/useBeamerPres.pdf>, handout at <http://www.simuline.eu/LatexMavenPlugin/beamerClass/useBeamerHandout.pdf>, 10 2023.

Comprises both, presentation and handout.