
OOD detection metrics 0.9 -0.8 -MSP_AUROC detection method MLI 0.5 -MSP UNC network 0.9 -R101x3 R50_B16 0.8 -R50x1 MSP_AUPRC 0.7 -0.6 -0.5 - $\overset{\overleftarrow{\exists}}{\in}$ coupling_method

OOD detection metrics 0.9 -0.8 -MSP_AUROC detection method 0.5 -MLI MSP 0.4 -UNC network B16 R101x3 0.8 -R50_B16 MSP_AUPRC 0. 0.5 - $\overset{\overleftarrow{\exists}}{\in}$ coupling_method



OOD detection metrics 0.8 -MSP_AUROC 0.4 detection method MLI MSP UNC 0.2 -0.9 network M_B16 0.8 -R50x1 MSP_AUPRC 0.5 -0.4 -_ oq $\overset{\overleftarrow{\exists}}{\in}$ coupling_method


OOD detection metrics 0.9 -0.8 -MSP_AUROC 0.6 network B16 0.5 -M_B16 R50x1 detection method 0.9 -MLI MSP 0.8 -UNC MSP_AUPRC 0.7 -0.6 -0.5 - $\overset{\overleftarrow{\varepsilon}}{\varepsilon}$ coupling_method

OOD detection metrics 0.8 -MSP_AUROC detection method MLI 0.5 -MSP UNC 0.4 network 0.9 -M_B16 R101x3 0.8 -R50_B16 MSP_AUPRC .0 0.5 --pc

 $\overset{\overleftarrow{\exists}}{\in}$ coupling_method

OOD detection metrics 0.9 -0.8 -MSP_AUROC network 0.6 -M_B16 R101x3 0.5 -R50x1 detection method 0.9 -MLI MSP 0.8 -UNC MSP_AUPRC 0.6 -0.5 -_ oq $\overset{\overleftarrow{\exists}}{\in}$ coupling_method

OOD detection metrics 0.9 -0.8 -MSP_AUROC detection method MLI 0.5 -MSP - UNC 0.4 network 0.9 -M_B16 R50_B16 0.8 -R50x1 MSP_AUPRC 0.5 - $\overset{\overleftarrow{\exists}}{\in}$ coupling_method




OOD detection metrics 0.8 -0.4 detection method MLI MSP UNC 0.2 -0.9 network B16 0.8 -R50x1 MSP_AUPRC 0.5 -0.4 -- oq


 $\overset{\overleftarrow{\exists}}{\in}$ coupling_method


OOD detection metrics 0.9 -0.8 -MSP_AUROC 0.0 detection method MLI 0.5 -MSP — UNC 0.4 network 0.9 -B16 M_B16 0.8 -R101x3 MSP_AUPRC 0.7 -0.6 -0.5 -- oq


 $\overset{\overleftarrow{\exists}}{\in}$ coupling_method


OOD detection metrics 0.9 -0.8 -MSP_AUROC detection method 0.5 -MLI MSP 0.4 -- UNC network 0.9 -B16 M_B16 0.8 -R50_B16 MSP_AUPRC .00 0.5 - $\overset{\overleftarrow{\exists}}{\in}$ coupling_method















OOD detection metrics 0.9 -0.8 -MSP_AUROC detection method 0.5 -MLI MSP UNC 0.4 network B16 R50_B16 0.8 -R50x1 MSP_AUPRC .00 0.5 - $\overset{\overleftarrow{\exists}}{\in}$ coupling_method







OOD detection metrics 0.8 -MSP_AUROC detection method MLI MSP 0.5 -UNC network 0.9 -B16 R101x3 0.8 -R50x1



OOD detection metrics 0.8 -MSP_AUROC detection method 0.4 -MLI MSP UNC 0.9 network B16 0.8 -M_B16 MSP_AUPRC 0.5 -0.4 -- pc

 $\overset{\overleftarrow{\exists}}{\in}$ coupling_method

OOD detection metrics 0.8 -MSP_AUROC 0.6 -0.4 detection method MLI MSP 0.2 -UNC 0.9 network R50_B16 0.8 -R50x1 MSP_AUPRC 0.5 -0.4 -

 $\overset{\overleftarrow{\varepsilon}}{\varepsilon}$ coupling_method

- oq

OOD detection metrics 0.8 -MSP_AUROC detection method 0.4 -MLI MSP UNC 0.9 network R101x3 0.8 -R50x1 MSP_AUPRC 0.5 -0.4 pc 1 $\overset{\overleftarrow{\exists}}{\in}$ coupling_method

