





OOD detection metrics 1.0 -0.9 -MSP_AUROC detection method MLI MSP 0.6 -UNC 0.5 network B16 M_B16 R101x3 0.9 -R50_B16 MSP_AUPRC R50x1 0.7 -0.6 -**_** 20 $\overset{\overleftarrow{\exists}}{\in}$ coupling_method













OOD detection metrics 1.0 -0.9 -MSP AUROC detection method 0.6 -MLI MSP 0.5 -UNC 1.0 network M_B16 R101x3 0.9 -R50_B16 MSP_AUPRC 0.0 R50x1 0.6 --pc $\overset{\overleftarrow{\varepsilon}}{\varepsilon}$ coupling_method



OOD detection metrics 1.0 -0.9 -MSP_AUROC 0.7 network 0.6 -B16 - M_B16 0.5 -R101x3 R50x1 1.0 detection method MLI 0.9 -MSP MSP_AUPRC 0.0 -UNC 0.6 - $\overset{\overleftarrow{\varepsilon}}{\varepsilon}$ coupling_method











OOD detection metrics 1.00 -0.75 -MSP_AUROC detection method 0.25 -MLI MSP UNC 1.0 network M_B16 R101x3 0.8 -MSP_AUPRC 0.6 -0.4 -

 $\begin{array}{c} & \stackrel{\leftarrow}{\exists} \\ \text{coupling_method} \end{array}$











OOD detection metrics 1.0 -0.9 -MSP_AUROC 0.8 detection method 0.6 -MLI MSP UNC 0.5 -1.0 network B16 R101x3 0.9 -R50_B16 MSP_AUPRC 0.2 -R50x1 0.6 pc _ $\overset{\overleftarrow{\exists}}{\in}$ coupling_method



OOD detection metrics 1.00 -0.75 -MSP_AUROC detection method MLI 0.25 -MSP UNC network R101x3 R50x1 0.8 -MSP_AUPRC 0.6 -0.4 - $\overset{\overleftarrow{\exists}}{\in}$ coupling_method



OOD detection metrics 1.00 -

