




OOD detection metrics 0.8 network 0.4 -M\_B16 R50x1 detection method 0.9 -







OOD detection metrics 0.8 -MSP\_AUROC detection method 0.4 -MSP UNC network M\_B16 R101x3 0.8 -




OOD detection metrics 0.8 -MSP\_AUROC network R101x3 0.4 -R50x1 detection method 0.9 -MSP UNC 0.8 -WSP\_AUPRC 0.0-0.5 -0.4 -\_ oq  $\overset{\overleftarrow{\exists}}{\in}$  coupling\_method

OOD detection metrics 0.8 -MSP\_AUROC network 0.4 -B16 R50x1 detection method MSP UNC 0.8 -MSP\_AUPRC 0.4 pc \_  $\overset{\overleftarrow{\exists}}{\in}$  coupling\_method










OOD detection metrics 0.8 -MSP\_AUROC network M\_B16 R50\_B16 0.2 detection method MSP UNC 0.8 -MSP\_AUPRC 0.4 -


 $\overset{\overleftarrow{\exists}}{\in}$  coupling\_method


OOD detection metrics 0.8 network 0.4 -R101x3 R50\_B16 R50x1 detection method MSP UNC 0.8 -













OOD detection metrics 0.8 -0.4 network R101x3 R50\_B16 0.2 detection method MSP UNC 0.8 -MSP\_AUPRC 0.4 -


 $\overset{\overleftarrow{\exists}}{\in}$  coupling\_method


pc \_







OOD detection metrics 0.8 -0.4 network B16 R101x3 0.2 -R50\_B16 detection method MSP UNC 0.8 -












# OOD detection metrics 0.8 -







OOD detection metrics 0.8 -MSP\_AUROC 0.4 network R50\_B16 R50x1 detection method MSP UNC 0.8 -MSP\_AUPRC 0.4 pc \_  $\overset{\overleftarrow{\exists}}{\in}$  coupling\_method