




OOD detection metrics 1.0 -0.8 -MSP_AUROC detection method MLI 0.4 -MSP UNC 1.0 network B16 R101x3 MSP_AUPRC 0.4 --pc coupling_method

OOD detection metrics 1.0 -0.8 -MSP_AUROC detection method MLI 0.4 -MSP UNC 1.0 network B16 M_B16 R101x3 MSP_AUPRC 0.4 pc _ coupling_method


OOD detection metrics 1.0 -0.8 -MSP_AUROC detection method MLI 0.4 -MSP - UNC 1.0 network M_B16 R50_B16








OOD detection metrics 0.8 -MSP_AUROC detection method MLI 0.4 -MSP UNC







OOD detection metrics 0.8 detection method MLI 0.4 -MSP UNC network R101x3 R50x1 0.8 -



OOD detection metrics 1.0 -0.8 -MSP_AUROC network B16 0.4 -R50_B16 detection method 1.0 -MLI MSP UNC MSP_AUPRC - 9.0 0.4 coupling_method -pc

OOD detection metrics MSP_AUROC detection method MLI MSP 0.4 -UNC 1.0 network M_B16 R50_B16 MSP_AUPRC 0.4 -

coupling_method

pc _

OOD detection metrics MSP_AUROC detection method MLI MSP 0.4 -- UNC 1.0 network B16 M_B16 R50_B16 MSP_AUPRC -9.0 0.4 coupling_method pc


OOD detection metrics 1.0 -0.8 -MSP_AUROC detection method MLI 0.4 -MSP UNC 1.0 network B16 R50x1 MSP_AUPRC - 9.0

coupling_method

0.4 -

pc

OOD detection metrics 1.0 -0.8 -MSP_AUROC detection method 0.4 -MLI MSP UNC 1.0 network B16 M_B16 MSP_AUPRC 0.4 --pc coupling_method




OOD detection metrics 1.0 -0.8 -MSP_AUROC detection method MLI MSP 0.4 -- UNC 1.0 network B16 R50_B16 MSP_AUPRC -9.0 R50x1 0.4 coupling_method **-** 29


OOD detection metrics 1.0 -0.8 -MSP_AUROC detection method 0.4 -MLI MSP UNC 1.0 network R50_B16 R50x1 MSP_AUPRC 9.0

coupling_method


0.4 -


_ oq





OOD detection metrics 1.0 -0.8 -MSP_AUROC network 0.4 -M_B16





OOD detection metrics 0.8 -MSP_AUROC detection method MLI 0.4 -MSP UNC 1.0 network M_B16 R101x3 R50_B16 MSP_AUPRC 0.8 -0.4 -_ pc coupling_method

OOD detection metrics 1.0 0.8 -MSP_AUROC network B16 0.4 -- M_B16 R50x1 1.0 detection method MLI MSP UNC MSP_AUPRC 0.4 -

coupling_method

pc

OOD detection metrics 1.0 -0.8 -MSP_AUROC 0.4 detection method MLI MSP 0.2 -UNC network M_B16 R50x1 0.8 -MSP_AUPRC 0.4 pc _ $\overset{\overleftarrow{\exists}}{\in}$ coupling_method

OOD detection metrics 1.0 -MSP_AUROC detection method MLI MSP 0.4 -UNC 1.0 network B16 R101x3 R50_B16 MSP_AUPRC 0.4 -

coupling_method

pc

OOD detection metrics 1.0 -0.8 -MSP_AUROC detection method 0.4 -MLI MSP UNC 0.2 -1.0 network M_B16 R101x3 0.8 -MSP_AUPRC 0.4 pc _ coupling_method

